

**J. A. "Buzz" Miller**  
Executive Vice President  
Nuclear Development

**Southern Nuclear  
Operating Company, Inc.**  
42 Inverness Center Parkway  
Post Office Box 1295  
Birmingham, Alabama 35201  
  
Tel 205.992.5754  
Fax 205.992.6165



**NOV 20 2009**

Docket Nos.: 52-025  
52-026

ND-09-1873

U.S. Nuclear Regulatory Commission  
Document Control Desk  
Washington, DC 20555-0001

Southern Nuclear Operating Company  
Vogtle Electric Generating Plant Units 3 and 4 Combined License Application  
Response to Request for Additional Information Letter No. 043  
Cyber Security Plan

Ladies and Gentlemen:

By letter dated March 28, 2008, Southern Nuclear Operating Company (SNC) submitted an application for combined licenses (COLs) for proposed Vogtle Electric Generating Plant (VEGP) Units 3 and 4 to the U.S. Nuclear Regulatory Commission (NRC) for two Westinghouse AP1000 reactor plants, in accordance with 10 CFR Part 52. SNC subsequently submitted a letter dated July 24, 2009, that identified changes that will be made to a future revision of the VEGP Units 3 and 4 COL application to address NRC requirements in 10 CFR 73.54. During their detailed review of this application, the NRC identified a need for additional information required to complete their review of the COL application's Cyber Security Plan (CSP) that was submitted to the NRC by the July 24, 2009 letter. By letter dated October 21, 2009, the NRC provided SNC with Request for Additional Information (RAI) letter No. 043 concerning this information need. The October 21 RAI letter contained six RAI questions, numbered 13.6-21 through 13.6-26.

The Enclosure to this letter provides the SNC responses to these questions. Attachment 1 to the Enclosure provides a marked-up Revision 1 to the CSP that incorporates the changes presented in the RAI responses and cross-references each of the changes to the RAI responses that initiated the change, if applicable. Attachment 2 to the Enclosure provides a "clean" version of Revision 1 of the CSP. The CSP revision provided in Attachment 2 to the Enclosure will be included in a future revision of the VEGP Units 3 and 4 combined license application (COLA).

**The enclosure and associated attachments to this letter contain Security-Related Information, and accordingly SNC requests that these enclosures be withheld from public disclosure under 10 CFR 2.390(d).**

D092  
NR0

If you have any questions regarding this letter, please contact Mr. Wes Sparkman at (205) 992-5061.

Mr. J. A. (Buzz) Miller states he is an Executive Vice President of Southern Nuclear Operating Company, is authorized to execute this oath on behalf of Southern Nuclear Operating Company and to the best of his knowledge and belief, the facts set forth in this letter are true.

Respectfully submitted,

SOUTHERN NUCLEAR OPERATING COMPANY



Joseph A. (Buzz) Miller

Sworn to and subscribed before me this 20<sup>th</sup> day of November, 2009

Notary Public: Dana M. Williams

My commission expires: 12/29/2010

JAM/BJS/dmw

Enclosure: Response to NRC RAI Letter No. 043 on the VEGP Units 3 & 4 COL  
Application involving the Cyber Security Plan



cc: Southern Nuclear Operating Company

Mr. J. H. Miller, III, President and CEO (w/o enclosure)  
Mr. J. T. Gasser, Executive Vice President, Nuclear Operations (w/o enclosure)  
Mr. D. H. Jones, Site Vice President, Vogtle 3 & 4 (w/o enclosure)  
Mr. T. E. Tynan, Vice President - Vogtle (w/o enclosure)  
Mr. D. M. Lloyd, Vogtle 3 & 4 Project Support Director (w/o enclosure)  
Mr. M. K. Smith, Technical Support Director (w/o enclosure)  
Mr. C. R. Pierce, AP1000 Licensing Manager  
Mr. M. J. Ajluni, Nuclear Licensing Manager  
Mr. J. D. Williams, Vogtle 3 & 4 Site Support Manager  
Mr. W. A. Sparkman, COL Project Engineer  
Document Services RTYPE: AR01.1053  
File AR.01.02.06

Nuclear Regulatory Commission

Mr. L. A. Reyes, Region II Administrator (w/o enclosure)  
Mr. F.M. Akstulewicz, Deputy Director Div. of Safety Systems & Risk Assess. (w/o enclosure)  
Mr. R. G. Joshi, Lead Project Manager of New Reactors (w/o enclosure)  
Mr. B. Hughes, Project Manager of New Reactors (w/o enclosure)  
Ms. T. E. Simms, Project Manager of New Reactors (w/o enclosure)  
Mr. B. C. Anderson, Project Manager of New Reactors (w/o enclosure)  
Mr. M. M. Comar, Project Manager of New Reactors (w/o enclosure)  
Ms. S. Goetz, Project Manager of New Reactors (w/o enclosure)  
Mr. J. M. Sebrosky, Project Manager of New Reactors (w/o enclosure)  
Mr. D. C. Habib, Project Manager of New Reactors (w/o enclosure)  
Mr. C. P. Patel, Project Manager of New Reactors (w/o enclosure)  
Ms. D. L. McGovern, Project Manager of New Reactors (w/o enclosure)  
Ms. M. A. Sutton, Environmental Project Manager (w/o enclosure)  
Mr. M. D. Notich, Environmental Project Manager (w/o enclosure)  
Mr. L. M. Cain, Senior Resident Inspector of VEGP (w/o enclosure)

Georgia Power Company

Mr. O. C. Harper, IV, Vice President, Resource Planning and Nuclear Development (w/o enclosure)

Oglethorpe Power Corporation

Mr. M. W. Price, Executive Vice President and Chief Operating Officer (w/o enclosure)  
Mr. K. T. Haynes, Director of Contracts and Regulatory Oversight (w/o enclosure)

Municipal Electric Authority of Georgia

Mr. S. M. Jackson, Vice President, Power Supply (w/o enclosure)

Dalton Utilities

Mr. D. Cope, President and Chief Executive Officer (w/o enclosure)

Bechtel Power Corporation

Mr. J. S. Prebula, Project Engineer (w/o enclosure)  
Mr. R. W. Prunty, Licensing Engineer (w/o enclosure)

Tetra Tech NUS, Inc.

Ms. K. K. Patterson, Project Manager (w/o enclosure)

Shaw Stone & Webster, Inc.

Mr. K. B. Allison, Project Manager (w/o enclosure)

Mr. J. M. Oddo, Licensing Manager (w/o enclosure)

Mr. D. C. Shutt, Licensing Engineer (w/o enclosure)

Westinghouse Electric Company, LLC

Mr. W. E. Cummins, Vice President of Regulatory Affairs & Standardization (w/o enclosure)

Mr. N. C. Boyter, Consortium Project Director Vogtle Units 3 & 4 (w/o enclosure)

Mr. S. A. Bradley, Vogtle Project Licensing Manager (w/o enclosure)

Mr. R. B. Sisk, Manager, AP1000 Licensing and Customer Interface (w/o enclosure)

Mr. J. L. Whiteman, Principal Engineer, Licensing & Customer Interface (w/o enclosure)

Mr. D. A. Lindgren, Principal Engineer, AP1000 Licensing and Customer Interface (w/o enclosure)

NuStart Energy

Mr. R. J. Grumbir (w/o enclosure)

Mr. E. R. Grant (w/o enclosure)

Mr. B. Hirmanpour (w/o enclosure)

Mr. N. Haggerty (w/o enclosure)

Ms. K. N. Slays (w/o enclosure)

Other NuStart Energy Associates

Ms. M. C. Kray, NuStart (w/o enclosure)

Mr. S. P. Frantz, Morgan Lewis (w/o enclosure)

Mr. P. S. Hastings, NuStart & Duke Energy (w/o enclosure)

Mr. J. A. Bailey, TVA (w/o enclosure)

Ms. A. L. Sterdis, TVA (w/o enclosure)

Mr. J. P. Berger, EDF (w/o enclosure)

Mr. M. W. Gettler, FP&L (w/o enclosure)

Mr. P. Hinnenkamp, Entergy (w/o enclosure)

Mr. G. D. Miller, PG&N (w/o enclosure)

Mr. M. C. Nolan, Duke Energy (w/o enclosure)

Mr. N. T. Simms, Duke Energy (w/o enclosure)

Mr. G. A. Zinke, NuStart & Entergy (w/o enclosure)

Mr. R. H. Kitchen, PGN (w/o enclosure)

Ms. A. M. Monroe, SCE&G (w/o enclosure)

Mr. R. Reister, DOE/PM (w/o enclosure)