

 Enercon Services, Inc.	PROJECT REPORT			No.	TXUT-001-PR-010	
				Rev.	0	
	Page	1	of	82		
	QA File Number:	TXUT-001				

APPENDIX C-2

APPENDIX C-2

**Unconfined Compression with Young's Modulus
and Poisson's Ratio Test Results**




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	2	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 9 - Depth 28.5 - 29.0 ft
Boring B-1005




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	3	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 9 - Depth 28.5 - 29.0 ft
Boring B-1005




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	4 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 9 - Depth 28.5 - 29.0 ft
Boring B-1005



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poissons Ratio
 Sample No. 22 - Depth 109.0 - 114.0 ft
 Boring B-1012




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	6	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poissons Ratio
Sample No. 22 - Depth 109.0 - 114.0 ft
Boring B-1012




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	7 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poissons Ratio
Sample No. 22 - Depth 109.0 - 114.0 ft
Boring B-1012




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	8	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 33 - Depth 179.0 -184.0 ft
Boring B-1012



UNCONFINED COMPRESSION TEST
 with Young's Modulus and Poisson's Ratio
 Sample No. 33 - Depth 179.0 -184.0 ft
 Boring B-1012




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	10	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 33 - Depth 179.0 -184.0 ft
Boring B-1012




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	11	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 12 - Depth 57.7 - 58.2 ft
Boring B-1013



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 12 - Depth 57.7 - 58.2 ft
 Boring B-1013




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	13 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 12 - Depth 57.7 - 58.2 ft
Boring B-1013




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	14	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 19 - Depth 91.0 ft
Boring B-1013



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 19 - Depth 91.0 ft
 Boring B-1013




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	16 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 19 - Depth 91.0 ft
Boring B-1013




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	17	of	82
QA File Number:	TXUT-001		


APPENDIX C-2




UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. ? - Depth 55.5 ft
Boring B-1013




UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. ? - Depth 55.5 ft
 Boring B-1013



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. ? - Depth 55.5 ft
 Boring B-1013




UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 17 - Depth 73.2 - 73.7 ft
 Boring B-1014



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 17 - Depth 73.2 - 73.7 ft
 Boring B-1014

No.	TXUT-001-PR-010
Rev.	0
Page	22 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 17 - Depth 73.2 - 73.7 ft
Boring B-1014




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	23	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 21 - Depth 93.75 - 94.3 ft
Boring B-1014



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 21 - Depth 93.75 - 94.3 ft
 Boring B-1014




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	25 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 21 - Depth 93.75 - 94.3 ft
Boring B-1014




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	26	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 9 - Depth 30.0 ft
Boring B-1029




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	27	of	82
QA File Number:	TXUT-001		

APPENDIX C-2




UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 9 - Depth 30.0 ft
Boring B-1029


PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	28 of 82
QA File Number:	TXUT-001


APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 9 - Depth 30.0 ft
Boring B-1029



UNCONFINED COMPRESSION TEST
 with Young's Modulus and Poisson's Ratio
 Sample No. 18 - Depth 76.0 ft
 Boring B-1029



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 18 - Depth 76.0 ft
 Boring B-1029




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	31 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 18 - Depth 76.0 ft
Boring B-1029




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	32	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 22 - Depth 87.1 - 87.6 ft
Boring B-1030



UNCONFINED COMPRESSION TEST
 with Young's Modulus and Poisson's Ratio
 Sample No. 22 - Depth 87.1 - 87.6 ft
 Boring B-1030




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	34	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 22 - Depth 87.1 - 87.6 ft
Boring B-1030




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	35	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 12 - Depth 53.1 - 53.6 ft
Boring B-1033




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	36	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 12 - Depth 53.1 - 53.6 ft
Boring B-1033




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	37	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 12 - Depth 53.1 - 53.6 ft
Boring B-1033



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 13 - Depth 57.0 ft
 Boring B-1035




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	39	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 13 - Depth 57.0 ft
Boring B-1035




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	40 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 13 - Depth 57.0 ft
Boring B-1035




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	41	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 5 - Depth 34.6 ft
Boring B-1037




UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 5 - Depth 34.6 ft
 Boring B-1037

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	43 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 5 - Depth 34.6 ft
Boring B-1037




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	44	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 17 - Depth 94.9 ft
Boring B-1037



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 17 - Depth 94.9 ft
 Boring B-1037




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	46	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 17 - Depth 94.9 ft
Boring B-1037




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	47	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 17 - Depth 62.4 ft
Boring B-1038




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	48	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



Rock-Unconfined Compression Test: Limestone, Light gray with shale seams Tangential Poisson's Ratio and Young's Modulus versus Axial Strain

Sample: 1038-17 Depth (ft): 61.9-62.4

Boring: 1038




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	49 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 17 - Depth 62.4 ft
Boring B-1038




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	50	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 24 - Depth 97.8 ft
Boring B-1038



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 24 - Depth 97.8 ft
 Boring B-1038




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	52 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 24 - Depth 97.8 ft
Boring B-1038




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	53	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 19 - Depth 80.9 ft
Boring B-1042




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	54	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 19 - Depth 80.9 ft
Boring B-1042




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	55 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 19 - Depth 80.9 ft
Boring B-1042




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	56	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 13A - Depth 80.3 ft
Boring B-2000




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	57	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 13A - Depth 80.3 ft
Boring B-2000




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	58 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 13A - Depth 80.3 ft
Boring B-2000




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	59	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 31 - Depth 161.9 ft
Boring B-2002




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	60	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 31 - Depth 161.9 ft
Boring B-2002




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	61 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 31 - Depth 161.9 ft
Boring B-2002



UNCONFINED COMPRESSION TEST
 with Young's Modulus and Poisson's Ratio
 Sample No. 20 - Depth 69.5 ft
 Boring B-2012




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	63	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 20 - Depth 69.5 ft
Boring B-2012




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	64 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 20 - Depth 69.5 ft
Boring B-2012




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	65	of	82
QA File Number:	TXUT-001		


APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. ? - Depth 69.0 ft
Boring B-2012



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. ? - Depth 69.0 ft
 Boring B-2012



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. ? - Depth 69.0 ft
 Boring B-2012




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	68	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 16 - Depth 87.0 ft
Boring B-2014




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	69	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 16 - Depth 87.0 ft
Boring B-2014




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	70 of 82
QA File Number:	TXUT-001


APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 16 - Depth 87.0 ft
Boring B-2014



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. ? - Depth 43.6 ft
 Boring B-2014




UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. ? - Depth 43.6 ft
 Boring B-2014



PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	73 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. ? - Depth 43.6 ft
Boring B-2014




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	74	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 11 - Depth 42.9 ft
Boring B-2031




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	75	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 11 - Depth 42.9 ft
Boring B-2031




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	76 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 11 - Depth 42.9 ft
Boring B-2031




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	77	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 13 - Depth 57.8 ft
Boring B-2036




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	78	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 13 - Depth 57.8 ft
Boring B-2036




Enercon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	79 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 13 - Depth 57.8 ft
Boring B-2036




Enercon Services, Inc.


PROJECT REPORT

No.	TXUT-001-PR-010		
Rev.	0		
Page	80	of	82
QA File Number:	TXUT-001		

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 13 - Depth 69.9 ft
Boring B-2038



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
 Sample No. 13 - Depth 69.9 ft
 Boring B-2038




Encreon Services, Inc.

PROJECT REPORT

No.	TXUT-001-PR-010
Rev.	0
Page	82 of 82
QA File Number:	TXUT-001

APPENDIX C-2



UNCONFINED COMPRESSION TEST
with Young's Modulus and Poisson's Ratio
Sample No. 13 - Depth 69.9 ft
Boring B-2038