UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD STE 210
LISLE, ILLINOIS 60532-4352

NOV 19 2009

Kenneth B. McVey, D.O.
Radiation Safety Officer
Advanced Health Care Management Services, L.L.C.
P.O. Box 989
Poplar Bluff, MO 63901

Dear Dr. McVey:

Enclosed is Amendment No. 02, amending your NRC Material License No. 24-32434-01 in accordance with your request by letter dated August 7, 2009 and by facsimile letters dated October 14, 2009 and November 4, 2009 (received November 18, 2009). This amendment involves a change of ownership and control of Advanced Healthcare Diagnostic Services, L.L.C. by its transfer of control of its NRC license and all assets to Advanced Health Care Management Services, L.L.C. which already owned 65% of Advanced Healthcare Diagnostic Services, L.L.C. and has been the managing partner of Advanced Healthcare Diagnostic Services, L.L.C. Other than the change in name of the licensee, no other changes were made to the licensed program or the personnel involved with it. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at http://www.nrc.gov/reading-rm/adams.html (the Public Electronic Reading Room).

Sincerely,

Loren J. Hueter

Loren J. Hueter
Materials Licensing Branch

License No. 24-32434-01
Docket No. 030-36170

Enclosure: Amendment No. 02

Cc: Paula Harris
Chief Executive Officer