

CERTIFICATE OF DISPOSITION OF MATERIALS

B. 3

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F52), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

LICENSEE NAME AND ADDRESS

Patton Harris Rust & Associates, PC
14221A Willard Road, Suite 500
Chantilly, VA 20151

LICENSE NUMBER

45-21152-01

DOCKET NUMBER

030-19852

LICENSE EXPIRATION DATE

01/31/2013

A. LICENSE STATUS (Check the appropriate box)

- ☐ This license has expired. ☒ This license has not yet expired; please terminate it.

B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- ☐ 1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- ☒ 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner:
- ☒ a. Transfer of radioactive materials to the licensee listed below:
See Attachments
- ☐ b. Disposal of radioactive materials:
- ☐ 1. Directly by the licensee:
- ☐ 2. By licensed disposal site:
- ☐ 3. By waste contractor:
- ☐ c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

RECEIVED
REGION 1
2009 DEC -4 PM 12:29

C. SURVEYS PERFORMED AND REPORTED

- ☒ 1. A radiation survey was conducted by the licensee. The survey confirms:
- ☐ a. the absence of licensed radioactive materials
- ☒ b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- ☒ 2. A copy of the radiation survey results:
- ☒ a. is attached; or ☐ b. is not attached (Provide explanation); or ☐ c. was forwarded to NRC on: _____ Date
- ☐ 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
- ☐ a. The results of the latest leak test are attached; and/or ☐ b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME	TITLE	TELEPHONE (Include Area Code)	E-MAIL ADDRESS
John Vergeres	Vice President	(703) 851-8070	john.vergeres@phra.com

Mail all future correspondence regarding this license to:

208 Church Street, SE Leesburg, VA 20175

C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE

John Vergeres, VP

SIGNATURE



DATE

11/28/2009

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

August 4, 2009

Subject: Radiation Survey

All portable nuclear test gauges have been transferred to other licensed entities. A radiation survey was conducted today and indicates 0.02 mrem/hr. Survey instrument is Radiation Alert Monitor 4, serial number 29217, calibrated October 17, 2008 and valid until October 17, 2009. Calibration was performed by RSA Laboratories, 19 Pendelton Drive, PO box 61 Hebron, Ct (860)- 228-1721.

A handwritten signature in black ink, appearing to read "J. Vergeres".

John Vergeres, P.E.

Vice President

RADIOACTIVE MATERIAL TRANSFER SHEET*Gauge # 1*

DEVICE BEING TRANSFERRED

GAUGE MODEL 3411-B

SERIAL NUMBER: 20084

SOURCE SERIAL NUMBERS: 75 1339 4715568

Survey reading of gauge. (In mrem) Less than 5
(Conduct survey from 1 meter)

Leak Test Date: 4-7-03

TRANSFERING THE DEVICE FROM:

Company: Patton Harris Rust & Associates, PC

Address: 14221 A Willard Road, Suite 500

Chantilly, VA 20151

Company representative: John Vergeres

Signature

John Vergeres 4/24/2003

TRANSFERING THE DEVICE TO:

Company: North East Technical Services, LLC


Address: 1280 Landing Lane, Suite #3
Westminster, MD 21157Radioactive Materials License Number MD-13-020-01
Expiration date: 1-31-2008

DATE OF TRANSFER: 4-7-03

Company representative: Doug Sims

Signature

Doug Sims

**North East Technical Services, Inc**

75 Aileron Court, Suite 4

Westminster, MD 21157

1-866-868-2382

Fax 410 751-5091

RADIOACTIVE MATERIAL TRANSFER SHEET

NG-2

DEVICE BEING TRANSFERRED:

GAUGE MODEL: 3411

SERIAL NUMBER: 14522

SOURCE SERIAL NUMBERS: Cs: 50-3169 Am: 47-9869

Survey reading of gauge at destination. (In mrem) Less than 5
(Conduct survey 1 meter from shipping case)

Last Leak Test Date: 7/17/09

TRANSFERING THE DEVICE FROM:Company/Entity: Patton Harris Rust and Associates, PC
Address: 14221-A Willard Rd, Suite 500
Chantilly, VA 20151

Company representative: John Vergeres

Signature  7/28/09**TRANSFERING THE DEVICE TO:**Company: North East Technical Services, Inc
Address: 75 Aileron Ct. Suite 4
Westminster, MD 21157Radioactive Materials License Number: MD-13-020-01
Expiration date: 1-31-2010

DATE OF TRANSFER: 7/21/09

Company representative: John Waldman

Signature 

North East Technical Services, Inc is licensed and insured and fully authorized to accept, transfer, sell and service portable nuclear density gauges under radioactive materials license# MD-13-020-01.

PHR&A NG-3

Patton Harris Rust & Associates, Inc.
Engineering
1 Village Road
Suite 200
Dover, Virginia 22021
(703) 400-1000

September 14, 1993

Mr. David F. Johns, P.E.
President
Capital Engineering Services, Inc.
101 Weston Drive, Unit 3
Dover, Delaware 19901

Mr. David F. Johns
President
Capital Engineering Services, Inc.
101 Weston Drive, Unit 3
Dover, Delaware 19901

RE: NUCLEAR GAUGE TRANSFER
FROM: PHR&A (LICENSE NO. 45-21152-0)
TO: CAPITOL ENGINEERING SERVICES INC. (LICENSE NO. 07-
30056-01)
GAUGE SERIAL NOS. 19929 AND 19930 (BOTH MODELS 3411B)

Dear Mr. Johns:

The purpose of this letter is to transfer ownership and responsibility for the referenced Troxler, Model 3411B nuclear gauges. Your representative has supplied us with a copy of your radioactive materials license from the U.S. Nuclear Regulatory Commission which we will retain in our files.

These gauges are being sold to you for the sum of \$5,200.00, in their present condition with no guarantee or warranties. We are also supplying you with copies of all leak tests performed on this gauge to date and a full level calibration page.

We wish you a long and safe working career with these gauges.

Sincerely,

PATTON HARRIS RUST & ASSOCIATES
A Professional Corporation

David F. Shiells

David F. Shiells, P.E.
Geotechnical Engineer

Attachments:

- Record of Equipment Transfer (Ser. No. 19929)
- Record of Equipment Transfer (Ser. No. 19930)

PHR&A

Patton Harris Rust & Associates
A Professional Corporation
11221A Windsor Road
Suite 500
Chantilly, Virginia 22021
703/261-6100

September 14, 1993

Mr. David F. Johns, P.E.
President
Capital Engineering Services, Inc.
101 Weston Drive, Unit 3
Dover, Delaware 19901

NG 4

Offices:
Fairfax, VA
Huntington, VA
Chantilly, VA
Falls Church, VA
Washington, DC

RE: NUCLEAR GAUGE TRANSFER
FROM: PHR&A (LICENSE NO. 45-21152-01)
TO: CAPITOL ENGINEERING SERVICES, INC. (LICENSE NO. 07-30056-01)
GAUGE SERIAL NOS. 19929 AND 19930 (BOTH MODELS 3411B)

Dear Mr. Johns:

The purpose of this letter is to transfer ownership and responsibility for the referenced Troxler, Model 3411B nuclear gauges. Your representative has supplied us with a copy of your radioactive materials license from the U.S. Nuclear Regulatory Commission which we will retain in our files.

These gauges are being sold to you for the sum of \$5,200.00, in their present condition with no guarantee or warranties. We are also supplying you with copies of all leak tests performed on this gauge to date and all relevant calibration papers.

We wish you a long and safe working career with these gauges.

Sincerely,

PATTON HARRIS RUST & ASSOCIATES
A Professional Corporation

David P. Shiells

David P. Shiells, P.E.
Geotechnical Engineer

Attachments:

Record of Equipment Transfer (Ser. No. 19929)
Record of Equipment Transfer (Ser. No. 19930)

**North East Technical Services, Inc**

75 Aileron Court, Suite 4
Westminster, MD 21157
1-866-868-2382
Fax 410 751-5091

NG-5

RADIOACTIVE MATERIAL TRANSFER SHEET**DEVICE BEING TRANSFERRED:**

GAUGE MODEL: 3411

SERIAL NUMBER: 19931

SOURCE SERIAL NUMBERS: Cs: 75-1126 Am: 47-15415

Survey reading of gauge at destination. (In mrem) Less than 5
(Conduct survey 1 meter from shipping case)

Last Leak Test Date: 7/17/09

TRANSFERING THE DEVICE FROM:

Company/Entity: Patton Harris Rust and Associates, PC
Address: 14221-A Willard Rd, Suite 500
Chantilly, VA 20151

Company representative: John Vergeres

Signature



7/28/09

TRANSFERING THE DEVICE TO:

Company: North East Technical Services, Inc
Address: 75 Aileron Ct, Suite 4
Westminster, MD 21157

Radioactive Materials License Number: MD-13-020-01
Expiration date: 1-31-2010


DATE OF TRANSFER: 7/21/09

Company representative: John Waldman

Signature



North East Technical Services, Inc is licensed and insured and fully authorized to accept, transfer, sell and service portable nuclear density gauges under radioactive materials license# MD-13-020-01.



North East Technical Services, Inc

75 Aileron Court, Suite 4
Westminster, MD 21157
1-866-868-2382
Fax 410 751-5091

NG-6

RADIOACTIVE MATERIAL TRANSFER SHEET

DEVICE BEING TRANSFERRED:

GAUGE MODEL: 3411

SERIAL NUMBER: 19932

SOURCE SERIAL NUMBERS: Cs: 75-1127 Am: 47-15416

Survey reading of gauge at destination. (In mrem) Less than 5
(Conduct survey 1 meter from shipping case)

Last Leak Test Date: 7/17/09

TRANSFERRING THE DEVICE FROM:

Company/Entity: Patton Harris Rust and Associates, PC
Address: 14221-A Willard Rd, Suite 500
Chantilly, VA 20151

Company representative: John Vergeres

Signature

[Handwritten signature] 7/28/09

TRANSFERRING THE DEVICE TO:

Company: North East Technical Services, Inc
Address: 75 Aileron Ct. Suite 4
Westminster, MD 21157

Radioactive Materials License Number: MD-13-020-01
Expiration date: 1-31-2010


DATE OF TRANSFER: 7/21/09

Company representative: John Waldman

Signature

[Handwritten signature]

North East Technical Services, Inc is licensed and insured and fully authorized to accept, transfer, sell and service portable nuclear density gauges under radioactive materials license# MD-13-020-01.

**North East Technical Services, Inc**

75 Aileron Court, Suite 4

Westminster, MD 21157

1-866-868-2382

Fax 410 751-5091

RADIOACTIVE MATERIAL TRANSFER SHEET

NG-7

DEVICE BEING TRANSFERRED:

GAUGE MODEL: 3411

SERIAL NUMBER: 19933


SOURCE SERIAL NUMBERS: Cs: 75-1128 Am: 47-15417

Survey reading of gauge at destination. (In mrem) Less than 5
(Conduct survey 1 meter from shipping case)

Last Leak Test Date: 7/17/09

TRANSFERRING THE DEVICE FROM:Company/Entity: Patton Harris Rust and Associates, PC
Address: 14221-A Willard Rd, Suite 500
Chantilly, VA 20151

Company representative: John Vergeres

Signature  7/28/09**TRANSFERRING THE DEVICE TO:**Company: North East Technical Services, Inc
Address: 75 Aileron Ct, Suite 4
Westminster, MD 21157Radioactive Materials License Number: MD-13-020-01
Expiration date: 1-31-2010

DATE OF TRANSFER: 7/21/09

Company representative: John Waldman

Signature 

North East Technical Services, Inc is licensed and insured and fully authorized to accept, transfer, sell and service portable nuclear density gauges under radioactive materials license# MD-13-020-01.

NG-8

RADIOACTIVE MATERIAL TRANSFER SHEET

DEVICE BEING TRANSFERRED

GAUGE MODEL 3411-B

SERIAL NUMBER: 20084

SOURCE SERIAL NUMBERS: 75 1339 4715568

Survey reading of gauge. (In mrem) Less than 5
(Conduct survey from 1 meter)

Leak Test Date: 4-7-03

NG-8

TRANSFERRING THE DEVICE FROM:

Company: Patton Harris Rust & Associates, PC

Address: 14221 A Willard Road, Suite 500

Chantilly, VA 20151

Company representative: John Vergeres

Signature

 4/24/2003

TRANSFERRING THE DEVICE TO:

Company: North East Technical Services, LLC

Address: 1280 Landing Lane, Suite #3
Westminster, MD 21157


Radioactive Materials License Number MD-13-020-01

Expiration date: 1-31-2008

DATE OF TRANSFER: 4-7-03

Company representative: Doug Sims

Signature





726-8638
571-237-8398

North East Technical Services, Inc

75 Aileron Court, Suite 4

Westminster, MD 21157

1-866-868-2382

Fax 410 751-5091

RADIOACTIVE MATERIAL TRANSFER SHEET

Purchase price for the gauge is \$1500.00 *DS*

DEVICE BEING TRANSFERRED:

GAUGE MODEL: 4640

SERIAL NUMBER: 1184

SOURCE SERIAL NUMBERS: Cs: 75-2878

NG-9

Survey reading of gauge at destination. (In mrem) Less than 5
(Conduct survey 1 meter from shipping case)

Last Leak Test Date: 4/20/2009

TRANSFERRING THE DEVICE FROM:

Company/Entity: Patton Harris Rust and Associates, PC
Address: 14221-A Willard Rd, Suite 500
Chantilly, VA 20151

Company representative: John Vergeres

Signature *[Signature]*

TRANSFERRING THE DEVICE TO:

Company: North East Technical Services, Inc
Address: 75 Aileron Ct. Suite 4
Westminster, MD 21157


Radioactive Materials License Number: MD-13-020-01
Expiration date: 1-31-2010

DATE OF TRANSFER: 5/14/2009

Company representative: Doug Sims

Signature *[Signature]*

North East Technical Services, Inc is licensed and insured and fully authorized to accept, transfer, sell and service portable nuclear density gauges under radioactive materials license# MD-13-020-01.

**North East Technical Services, Inc**

75 Aileron Court, Suite 4

Westminster, MD 21157

1-866-868-2382

Fax 410 751-5091

RADIOACTIVE MATERIAL TRANSFER SHEET**DEVICE BEING TRANSFERRED:**

NG-10

GAUGE MODEL: 3411

SERIAL NUMBER: 14705

SOURCE SERIAL NUMBERS: Cs: 50-3428 Am: 47-10061

Survey reading of gauge at destination. (In mrem) Less than 5
(Conduct survey 1 meter from shipping case)

Last Leak Test Date: 7/17/09

TRANSFERING THE DEVICE FROM:Company/Entity: Patton Harris Rust and Associates, PC
Address: 14221-A Willard Rd, Suite 500
Chantilly, VA 20151

Company representative: John Vergeres

Signature  7/28/09**TRANSFERING THE DEVICE TO:**Company: North East Technical Services, Inc
Address: 75 Aileron Ct, Suite 4
Westminster, MD 21157Radioactive Materials License Number: MD-13-020-01
Expiration date: 1-31-2010

DATE OF TRANSFER: 7/21/09

Company representative: John Waldman

Signature 

North East Technical Services, Inc is licensed and insured and fully authorized to accept, transfer, sell and service portable nuclear density gauges under radioactive materials license# MD-13-020-01.



North East Technical Services, Inc

75 Aileron Court, Suite 4
Westminster, MD 21157
1-866-868-2382
Fax 410 751-5091

NG-11

RADIOACTIVE MATERIAL TRANSFER SHEET

DEVICE BEING TRANSFERRED:

GAUGE MODEL: 3440

SERIAL NUMBER: 27349

SOURCE SERIAL NUMBERS: Cs: 750-1111 Am: 47-24031

Survey reading of gauge at destination. (In mrem) Less than 5
(Conduct survey 1 meter from shipping case)

Last Leak Test Date: 1/7/2009

TRANSFERING THE DEVICE FROM:

Company/Entity: Patton Harris Rust and Associates, PC
Address: 14221-A Willard Rd, Suite 500
Chantilly, VA 20151

Company representative: John Vergeres

Signature

TRANSFERING THE DEVICE TO:

Company: North East Technical Services, Inc
Address: 75 Aileron Ct. Suite 4
Westminster, MD 21157

Radioactive Materials License Number: MD-13-020-01
Expiration date: 1-31-2010

DATE OF TRANSFER: 1/7/2009

Company representative: Doug Sims

Signature

North East Technical Services, Inc is licensed and insured and fully authorized to accept, transfer, sell and service portable nuclear density gauges under radioactive materials license# MD-13-020-01.

PHR+A

RADIOACTIVE MATERIAL TRANSFER SHEET

Purchase price for the gauge is \$500

NG-12


DEVICE BEING TRANSFERRED:

GAUGE MODEL: 3216A SERIAL NUMBER: 205
Sealed Source: Am 241:Be Activity: 40 mCi Serial: 46-1497

Last Leak Test Date: 02/03/09

TRANSFERRING THE DEVICE FROM:

Company/Entity: Patton Harris Rust + Associates,
 14221-A Willard Road, Suite 500
 Chantilly, VA 20151

Company representative: John Vergeres Signature 


TRANSFERRING THE DEVICE TO:

Company: WDP
Address: 10621 Gateway Blvd., Suite 200
 Manassas, VA 20110

703-257
9280

Radioactive Materials License Number: VA-683-445-1
Expiration date: 12/31/14

DATE OF TRANSFER: 6/4/19

Company representative: CHAD LEWINS Signature 

208 Church Street, S.E.
Leesburg, Virginia 20175

PHR+A

**Licensing Assistant Section
Nuclear Materials Safety Branch
US Nuclear Regulatory Commission, Region 1
475 Allendale Road
King of Prussia, PA 19406-1415**

Patton Harris Rust & Associates

NO STATE POSTAGE
PAID
220
0009
0175

This is to acknowledge the receipt of your letter/application dated

11/23/09, and to inform you that the initial processing which includes an administrative review has been performed.

☒ Termination (45-21152-01)
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

☐ Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 144324.

When calling to inquire about this action, please refer to this control number.

You may call us on (610) 337-5398, or 337-5260.