REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

December 29, 2009

Docket No. 030-38189 License No. 08-00604-06
Control No. 144300

Russell J. Hemley, Ph.D.
Director, Geophysical Laboratory
The Carnegie Institution of Washington
5251 Broad Branch Road, NW
Washington, DC 20015-1305

SUBJECT: THE CARNEGIE INSTITUTION OF WASHINGTON, CORRECTED COPY OF LICENSE, CONTROL NO. 144300

Dear Dr. Hemley:

Enclosed is the Corrected Copy of your new license, License No. 08-00604-06. During administrative processing of the document on December 24, 2009, we realized that the docket number listed on the license was incorrect. This Corrected Copy is issued to correct the docket number from 030-38289 to 030-38219.

We apologize for any inconvenience this error may have caused.

Sincerely,

Original signed by Judith A. Joustra

James P. Dwyer, Chief
Commercial and R&D Branch
Division of Nuclear Materials Safety

Enclosure:
Corrected Copy of Amendment No. 1

cc:
Viktor V. Struzhkin, Ph.D., Radiation Safety Officer

DOCUMENT NAME: G:\WordDocs\Current\Lic Cvr Letter\L08-00604-06.144300.doc

SUNSI Review Complete: EUllrich

After declaring this document "An Official Agency Record" it **will** be released to the Public.

To receive a copy of this document, indicate in the box: "**C**" = Copy w/o attach/encl "**E**" = Copy w/ attach/encl "**N**" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	N	DNMS/RI			
NAME	E Ullrich/EU		JDwyer/JAJ for JPD					
DATE	12/29/09		12/29/09					

OFFICIAL RECORD COPY