Enclosure 1 ML100070075 Monthly 10 CFR 2.206, "Requests for Action Under this Subpart" Status Report

PET	PETITIONS CLOSED DURING THIS PERIOD				
FACILITY	PETITIONER/EDO No.	Page			
Exelon Corporation	Thomas Saporito	2			
	G20090638				
Florida Power and Light Company	Thomas Saporito	3			
	G20090681				
	RRENT STATUS OF OPEN PETITIC	DNS			
Florida Power and Light Company	Thomas Saporito	4			
	G20090107				
Idaho State University (Research	Kevan Crawford	5			
Test Reactor)	G20090374				
Indian Point Units 2 and 3;	Sherwood Martinelli	6			
Vermont Yankee Nuclear Power Station, River Bend Nuclear	G20090487				
Power Plant					
CURRENT STATUS	OF POTENTIAL PETITIONS UNDE	R CONSIDERATION			
Prairie Island Nuclear Facility	David Lee Sebastian	7			
	G20090510				
Crystal River Nuclear Generating	Thomas Saporito	8			
Plant, Unit 3	G20090690				
Nuclear Reactors and Fuel Cycle	Sherwood Martinelli	9			
Facilities	G20090705				
Indian Point Units 2 and 3	Sherwood Martinelli	10			
	G20090710				
Indian Point Units 2 and 3;	Sherwood Martinelli	11			
Vermont Yankee Nuclear Power Station	G20090722				
Indian Point, Unit 3	Sherwood Martinelli	12			
	G20090723				

# FACILITY:Exelon CorporationREACTOR TYPE:N/APETITIONER:Thomas Saporito



CLOSED PETITION EDO # G20090638

DATE OF PETITION:	OCTOBER 25, 2009	
DIRECTOR'S DECISION (DD) TO BE ISSUED BY:	NRR	
PROPOSED DD ISSUANCE:	N/A	NO IMAGE AVAILABLE
FINAL DD ISSUANCE:	N/A	
LAST CONTACT WITH PETITIONER:	<b>DECEMBER 16, 2009</b>	
PETITION MANAGER:	BRENDA MOZAFARI	
CASE ATTORNEY:	N/A	
ACTIONS REQUESTED AND ISSUES		

In summary, the petitioner requests that the NRC:

- 1. Immediately investigate apparent violations of 10 CFR 50.7 by Exelon Corporation et al, in taking adverse actions against the petitioner by refusing to hire him solely because of his past, present, and continuing "protected activity";
- 2. Issue a Confirmatory Order and Notice of Violation imposing a civil monetary penalty against Exelon in the sum total amount of \$100,000;
- 3. Issue a Confirmatory Order and Notice of Violation imposing a civil monetary penalty against Exelon's Chief Executive Officer in the sum total amount of \$100,000;
- 4. Issue a Confirmatory Order preventing Mr. Rowe from participating in NRC licensed activities for a period of not less than five-years; and
- 5. Issue a Confirmatory Order requiring Exelon Corporation to hire an independent contractor to evaluate the workplace environment at all of its NRC-licensed nuclear facilities to ensure that the work environments comply with the NRC's requirement that nuclear workers are free and feel free to report any perceived nuclear safety concern directly to the NRC or to the licensee without fear of retaliation.

BACKGROUND, ACTIONS & KEY MILESTONES		CURRENT STATUS AND NEXT STEPS PETITION AGE: 2 MONTHS
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	10/25/09	The NRC staff was evaluating if the petition is within the scope of the 10 CFR 2.206 process.
		<ul> <li>On December 16, 2009, the NRC staff informed the petitioner in writing that it would not consider the petition under the scope of 10 CFR 2.206, since the petitioner had already requested that the issues be handled through a separate NRC process. Specifically, the petitioner had submitted an identical issue to the NRC, which was already under review by the NRC's Region III office (ADAMS Accession No. ML093480522). This petition request is now closed.</li> </ul>

#### FACILITY: REACTOR TYPE: PETITIONER:

Turkey Point (TP), Units 3 and 4 Pressurized-Water Reactor Thomas Saporito



## CLOSED PETITION EDO # G20090681

DATE OF PETITION: DIRECTOR'S DECISION (DD) TO BE ISSUED BY: PROPOSED DD ISSUANCE: FINAL DD ISSUANCE: LAST CONTACT WITH PETITIONER: PETITION MANAGER: CASE ATTORNEY: NOVEMBER 27, 2009 N/A N/A N/A DECEMBER 16, 2009 JASON PAIGE N/A



### ACTIONS REQUESTED AND ISSUES

The petitioner requests that the NRC take enforcement action against Florida Power and Light Company (FPL), the licensee for TP, Units 3 and 4, due to an apparent breach of security, by issuing a Confirmatory Order and Imposition of Civil Penalty in the amount of \$500,000, as described in the November 27, 2009, 10 CFR 2.206 petition request.

BACKGROUND, ACTIONS & KEY MILESTONES		CURRENT STATUS AND NEXT STEPS PETITION AGE: 1 MONTH		
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	11/27/09	<ul> <li>On December 16, 2009, the NRC staff informed the petitioner in writing that it would not consider the petition under the scope of 10 CFR 2.206, since the petitioner had already requested that the issues be handled through a separate NRC process. Specifically, the petitioner had submitted an identical issue to the NRC, which was already under review by the NRC's Region II office (ADAMS Accession No. ML093500042). This petition request is now closed.</li> </ul>		

REACTOR TYPE: PETITIONER:	Pressurized-Water Reactor Thomas Saporito		S.NRC	OPEN PETITIO EDO # G200901
DATE OF PETITION: DIRECTOR'S DECISION PROPOSED DD ISSU FINAL DD ISSUANCE		January 11, 2009 NRR March 19, 2010 N/A		

#### ACTIONS REQUESTED AND ISSUES

Turkey Point (TP). Units 3 and 4

The petitioner requests that the NRC take enforcement action against Florida Power and Light Company (FPL), the licensee for TP, Units 3 and 4, by issuing a Notice of Violation and Civil Penalty in the amount of \$1 million and a Confirmatory Order modifying FPL's operating licenses DPR-31 and DPR-41 for TP Units 3 and 4, as described in the January 11, 2009, 10 CFR 2.206 petition request.

NOVEMBER 19, 2009

**JASON PAIGE** 

**MOLLY BARKMAN** 

#### BASIS FOR THE REQUEST

LAST CONTACT WITH PETITIONER:

**PETITION MANAGER:** 

CASE ATTORNEY:

FACILITY:

On or about January 17, 2008, the licensee, FPL, completed a self-assessment of the TP, Unit 3 and 4 facility, which included an assessment of the TP Employee Concerns Program (ECP). The purpose of the self-assessment was for FPL to understand and address weaknesses in the ECP. The petitioner states that FPL has continually engaged in retaliatory actions against its own employees who raise safety concerns at TP Units 3 and 4, and that the enforcement actions sought, including the confirmatory order, will dissuade FPL from further violations of NRC regulations and requirements under 10 CFR 50.7, "Employee Protection." The petitioner contends that such action will protect the public health and safety by eliminating the chilling effect that currently exists at TP Units 3 and 4 and fostering a work environment in which employees can freely raise safety concerns directly to the NRC and FPL management without fear of retaliation.

BACKGROUND, ACTIONS, & KEY MILESTONES		CURRENT STATUS & NEXT STEPS PETITION AGE: 11 MONTHS		
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	01/11/09	<ul> <li>On May 1, 2009, the PRB requested an extension from the OEDO to support the additional</li> </ul>		
In an e-mail dated February 12, 2009, the petitioner sent a copy of his petition to various NRC staff members.	02/12/09	interactions required for the PRB to make its initia and final recommendation. On May 4, 2009, the OEDO approved the extension request with a net		
The petition manager was made aware of the e-mails on February 27, 2009, and requested support from the 10 CFR 2.206 petition coordinator to have the petition formally assigned to the Office of Nuclear Reactor Regulation (NRR)	02/27/09	<ul> <li>due date of June 30, 2009.</li> <li>On May 7, 2009, the petitioner addressed the PR by phone. The PRB reviewed the additional information to determine if the petition met the criteria for acceptance under 10 CFR 2.206.</li> </ul>	3 05/07/09	
The Office of the Executive Director for Operations (OEDO) assigned the petition to NRR via a Green Ticket on March 3, 2009.	03/03/09	<ul> <li>On June 25, 2009, the OEDO approved an extension until July 17, 2009 for the PRB to issue</li> </ul>	06/25/09	
The Petition Review Board (PRB) reviewed the petition to determine if it met the criteria for acceptance under 10 CFR 2.206. The staff was scheduled to issue the acknowledgment letter conveying the PRB's final recommendation by April 2, 2009.	03/05/09	<ul> <li>its final recommendation.</li> <li>On June 30, 2009, the PRB made an initial recommendation to accept the petition for review in part, under 10 CFR 2.206. The NRC notified the petitioner of the initial recommendation on</li> </ul>		
On March 19, 2009, the petitioner addressed the PRB by phone. During the call, he requested additional time to supplement his petition request in writing. The PRB agreed to provide the petitioner	03/19/09	July 1, 2009, and the petitioner requested a second opportunity to provide additional information to the PRB. On July 10, 2009, the PRB held a telephone call	07/10/09	
additional time. On March 25, 2009, the PRB requested an extension from OEDO until May 14, 2009, to support the petitioner's request.		<ul> <li>On August 10, 2009, the OEDO approved an</li> </ul>	08/10/09	
On March 26, 2009, the OEDO approved the extension request until May 14, 2009. The acknowledgement letter conveying the PRB's final recommendation was due by May 14, 2009.	03/26/09	extension request until November 20, 2009, to support the PRB's need for additional coordinatio with RII, prior to making a final recommendation. On November 19, 2009, the PRB issued an	11/19/09	
On April 21, 2009, the PRB received the supplemental information from the petitioner. The petitioner was scheduled to address the PRB by telephone on May 7, 2009.	04/21/09	<ul> <li>acknowledgement letter to the petitioner, accepting the petition in part for review under 10 CFR 2.206 (ADAMS Accession No. ML091880900)</li> <li>On December 11, 2009, the PRB issued a revise <i>Federal Register</i> Notice to correct an omission.</li> </ul>		

- 4 -

# FACILITY:Idaho State UniversityREACTOR TYPE:Research Test ReactorPETITIONER:Kevan Crawford



#### OPEN PETITION EDO # G20090374

#### DATE OF PETITION:

DIRECTOR'S DECISION (DD) TO BE ISSUED BY: PROPOSED DD ISSUANCE: FINAL DD ISSUANCE: LAST CONTACT WITH PETITIONER: PETITION MANAGER: CASE ATTORNEY: JUNE 26, 2009, AS SUPPLEMENTED BY EMAILS DATED AUGUST 28, 2009 NRR MARCH 19, 2010 N/A DECEMBER 30, 2009 GREG SCHOENEBECK KIMBERLY SEXTON



#### ACTIONS REQUESTED AND ISSUES

The petitioner is concerned that Idaho State University is not operating the research and test reactor in accordance with NRC regulations and requests that the NRC immediately suspend the reactor operating license for Idaho State University.

BACKGROUND, ACTIONS & KEY MILESTONES	
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	06/26/09
On July 16, 2009, the petitioner requested an opportunity to address the PRB before it meets internally to make an initial recommendation to accept or reject the petition for review under 10 CFR 2.206.	07/16/09
On July 23, 2009, the OEDO approved an extension request until September, 30, 2009, to support the PRB's ability to coordinate the call with the petitioner in accordance with Management Directive 8.11.	07/23/09
On August 6, 2009, the petitioner was scheduled to address the PRB by telephone. Due to a schedule conflict with the petitioner, the PRB rescheduled the telephone call for September 1, 2009.	08/06/09
On August 28, 2009, the petitioner provided a written statement of the comments he intended to make during the September 1, 2009 telephone call.	08/28/09
On September 1, 2009, the petitioner addressed the PRB.	09/09/09
On September 15, 2009, the PRB met internally and made an initial recommendation to accept the petition, in part ,for review under 2.206.	09/15/09

## CURRENT STATUS AND NEXT STEPS

#### PETITION AGE: 6 MONTHS

<ul> <li>On September 24, 2009, the OEDO approved an extension request until November 18, 2009, to support the PRB's ability to coordinate additional calls with the petitioner.</li> </ul>	09/24/09
<ul> <li>On September 29, 2009, members of the PRB contacted the petitioner by telephone to inform him of the PRB's initial recommendation and to offer the petitioner a</li> </ul>	09/29/09
<ul> <li>Second opportunity to address the PRB.</li> <li>On October 1, 2009, the petitioner declined an opportunity to address the PRB again. The PRB plans to make a final recommendation to support issuance of the acknowledgement letter by</li> </ul>	10/01/09
<ul> <li>November 18, 2009.</li> <li>On November 19, 2009, the PRB issued an acknowledgement letter to the petitioner, accepting the petition in part for review under 10 CFR 2.206. (ADAMS Accession No. ML092800432)</li> </ul>	11/19/09
• On December 30, 2009, the petitioner contacted the petition manager by email to provide feedback on the <i>Federal Register</i> notice. The PRB is considering the additional feedback provided in this email.	12/30/09

### FACILITY:

## REACTOR TYPE: PETITIONER:

#### Indian Point (IP), Units 2 & 3; Vermont Yankee Nuclear Power Station; River Bend Nuclear Power Plant Pressurized Water Reactor; Boiling Water Reactor

Sherwood Martinelli

DATE OF PETITION: DIRECTOR'S DECISION (DD) TO BE ISSUED BY: PROPOSED DD ISSUANCE: FINAL DD ISSUANCE: LAST CONTACT WITH PETITIONER: PETITION MANAGER: CASE ATTORNEY: AUGUST 22, 2009 NRR N/A DECEMBER 22, 2009 DOUG PICKETT N/A



J.S.NRC

**OPEN PETITION** 

### ACTIONS REQUESTED AND ISSUES

The petitioner requests that the NRC suspend the operations of Entergy owned plants, (specifically for Indian Point Units 2 and 3 (IP3), Vermont Yankee Nuclear Station, and River Bend Nuclear Power Plant) until Entergy brings the decommissioning funds for all of its licensed nuclear reactors to the adequate minimum levels required by the NRC regulations.

BACKGROUND, ACTIONS & KEY MILESTONES		CURRENT STATUS AND NEXT STEPS PETITION AGE: 4 MONTHS		
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	08/22/09	On November 10, 2009, the petition manager informed the petitioner that the PRB planned to proceed with an internal meeting to make an initial recommendation to accept or reject		
On September 3, 2009, the petition manager offered the petitioner to address the PRB prior to its initial meeting to make an initial recommendation. The petitioner requested an opportunity to address the PRB; however, due to scheduling conflicts, the petitioner requested that the telephone call be held in mid-October. The petition manager is in the process of coordinating a date for the call.	09/03/09	the petition for review under 10 CFR. Once the initial recommendation has been made, the petition manager will inform the petitioner and provide him with a second opportunity to address the PRB. An internal PRB meeting is scheduled for December 8, 2009.		
On September 25, 2009, the petition manager spoke to the petitioner, after several attempts were made by phone and email, to confirm if the petitioner could support a call on October 20, 2009. The petitioner stated that he could not commit to this date. The call tentatively planed for October 20, 2009, was cancelled on October 19, 2009, since the petitioner was unavailable.	09/25/09	<ul> <li>On December 17, 2009, the PRB issued an acknowledgement letter to the petitioner, accepting the petition in part for review for Vermont Yankee Nuclear Station and River Bend Nuclear Power Plant, under 10 CFR 2.206 (ADAMS Accession No. ML093440334).</li> </ul>		
On October 27, 2009, the petition manager spoke to the petitioner. The petitioner was still unable to confirm his availability for a future telephone call to address the PRB. The petition manager is still following up with the petitioner to establish a future date for a telephone call.	10/27/09	<ul> <li>On December 22, 2009, the petitioner provided supplemental information by email and requested an opportunity to address the PRB by telephone. The petition manager is coordinating with the petitioner to obtain a date for this telephone call.</li> </ul>		

#### FACILITY: REACTOR TYPE: PETITIONER:

Prairie Island Nuclear Power Plant Pressurized Water Reactor David Lee Sebastian

OPEN PETITION UNDER CONSIDERATION EDO # G20090510

DATE OF PETITION: DIRECTOR'S DECISION (DD) TO BE ISSUED BY: PROPOSED DD ISSUANCE: FINAL DD ISSUANCE: LAST CONTACT WITH PETITIONER: PETITION MANAGER: CASE ATTORNEY: SEPTEMBER 4, 2009 NRR N/A N/A DECEMBER 16, 2009 TERRY BELTZ MAURI LEMONCELLI



#### ACTIONS REQUESTED AND ISSUES

The petitioner requests that the NRC issue an Order for compliance and to exhaust any and all administrative remedy on behalf of the petitioner to request that the Personnel Security Manager and Program Manager (for Northern States Power Company) and the Prairie Island Nuclear Power Plant, cease and desist from the current arbitrary practices using the Access Authorization Program/Fitness for Duty Program, for purposes other than their created intent.

BACKGROUND, ACTIONS & KEY MILESTONE	S
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	09/04/09
The NRC staff determined that the letter contained no allegations. On September 22, 2009, the letter was referred from allegations to the 10 CFR 2.206 process since it contained a request that the NRC take enforcement action against Prairie Island.	09/22/09
On Thursday, September 24, 2009, the petition manager left messages by phone and email with the petitioner to discuss the 10 CFR 2.206 process.	09/24/09
On September 28, 2009, the petition manager arranged a time to call the petitioner to discuss the 10 CFR 2.206 process further. The petitioner was unavailable.	09/28/09
On September 30, 2009, the petition manager followed up with the petitioner by email to arrange a time for the initial call.	09/30/09

## CURRENT STATUS AND NEXT STEPS

## PETITION AGE: 4 MONTHS

•	On October 13, 2009, the petitioner addressed the PRB by telephone to clarify the information that was provided in the petition request.	10/13/09
•	On Monday, October 26, 2009, the PRB met internally to make an initial recommendation to accept or reject the petition under 10 CFR 2.206. The PRB Chair recommended that additional coordination with the NRC's Office of General Counsel and the Allegations Coordinator occur prior to finalizing the initial recommendation.	10/26/09
•	On December 2, 2009, the PRB made an initial recommendation to accept the petition for review under 10 CFR 2.206.	12/02/09
•	On December 9, 2009, the OEDO approved an extension until January 15, 2010, for the PRB to issue an acknowledgement letter.	12/09/09
•	On December 16, 2009, the petition manager informed the petitioner of the PRB initial recommendation by telephone, to accept the petition for review. The petitioner did not request to address the PRB to provide additional information. The petition manager is preparing the acknowledgement letter to document the PRB's final recommendation.	12/16/09

## FACILITY:Crystal River Nuclear Generating Plant, Unit 3REACTOR TYPE:Pressurized Water ReactorPETITIONER:Thomas Saporito

DATE OF PETITION: DIRECTOR'S DECISION (DD) TO BE ISSUED BY: PROPOSED DD ISSUANCE: FINAL DD ISSUANCE: LAST CONTACT WITH PETITIONER: PETITION MANAGER: CASE ATTORNEY:

DECEMBER 5, 2009 NRR N/A N/A DECEMBER 9, 2009 FARIDEH SABA N/A



U.S.NRC

**OPEN PETITION** 

UNDER

CONSIDERATION

#### **ACTIONS REQUESTED AND ISSUES**

For reasons specified within the petition request, the petitioner requests that the NRC take enforcement action against Progress Energy Company, the licensee for Crystal River Nuclear Generating Plant, Unit 3, in the interest of protecting the public health and safety regarding the structural failure of the Crystal River, Unit 3, containment building.

BACKGROUND, ACTIONS & KEY MILESTONES		CURRENT STATUS AND NEXT STEPS PETITION AGE: 1 MONTH		
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	12/05/09	On December 11, 2009, the OEDO approved an extension request until March 8, 2010, to support the PRB with scheduling of the initial telephone phone call with the petitioner, the PRB internal meetings, a		
On December 9, 2009, the petition manager contacted the petitioner (by telephone and email) to discuss the 2.206 process. The petitioner informed the petition manager by email that he requested an opportunity to address the PRB by telephone before the PRB meets to make the initial recommendation to accept or reject the petition for review under 10 CFR 2.206. A call is scheduled with the petitioner on January 7, 2010.	12/09/09	possible second presentation by the petitioner to the PRB by phone, and issuance of the acknowledgement letter.		

#### **Nuclear Reactors & Fuel Cycle Facilities** FACILITY: OPEN PETITION UNDER **REACTOR TYPE:** Generic U.S.NRC Sherwood Martinelli CONSIDERATION **PETITIONER:** DATE OF PETITION: **DECEMBER 15, 2009** DIRECTOR'S DECISION (DD) TO BE ISSUED BY: NRR **PROPOSED DD ISSUANCE:** N/A **NO IMAGE AVAILABLE** FINAL DD ISSUANCE: N/A LAST CONTACT WITH PETITIONER: N/A **PETITION MANAGER: ANTHONY MARKLEY** CASE ATTORNEY: N/A **ACTIONS REQUESTED AND ISSUES** For detailed reasons specified within the petition request, the petitioner raises a generic issue for all licenses and license holders of commercial nuclear reactors and fuel cycle facilities, as it relates to being in possession of weapons grade nuclear materials. The petitioner requests that the NRC take enforcement action taken immediately to shut down all of the reactors until they are in full compliance with all of the applicable Code of Federal Regulations (10 CFR) and NUREG rules, regulations, and guidelines.

<b>BACKGROUND, ACTIONS &amp; KEY MILESTONES</b>		PETITION AGE: 3 WEEKS		
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	12/15/09	The PRB plans to evaluate the information provided in this petition to determine if it meets the criteria under 10 CFR 2.206.	01/06/10	

# FACILITY:Indian Point (IP), Units 2 & 3REACTORTYPE:Pressurized Water ReactorPETITIONER:Sherwood Martinelli



OPEN PETITION UNDER CONSIDERATION EDO # G20090710

DATE OF PETITION: DIRECTOR'S DECISION (DD) TO BE ISSUED BY: PROPOSED DD ISSUANCE: FINAL DD ISSUANCE: LAST CONTACT WITH PETITIONER: PETITION MANAGER: CASE ATTORNEY: DECEMBER 19, 2009 NRR N/A N/A DECEMBER 22, 2009 JOHN BOSKA N/A



### ACTIONS REQUESTED AND ISSUES

For detailed reasons specified within the petition request, the petitioner requests that the NRC seek enforcement action, as described in the petition, against Entergy, the licensee for Indian Point (IP) Units 2 and 3, on the basis that the feedwater pumps are failing and no longer operating in a reliable and safe manner.

BACKGROUND, ACTIONS & KEY MILESTONES		CURRENT STATUS AND NEXT STEPS PETITION AGE: 2 WEEKS		
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	12/19/09	<ul> <li>On December 22, 2009, the PRB met to discuss the petitioner's request for immediate action only. The PRB denied the request for immediate action. The PRB did not identify any immediate safety concerns to warrant an immediate shutdown of IP2 and IP3. The petitioner was informed of this decision and requested an opportunity to address the PRB by telephone before the PRB meets to make its initial recommendation. A call with the petitioner is currently scheduled for January 12, 2010.</li> </ul>		

#### Indian Point (IP), Units 2 & 3 FACILITY: **REACTORTYPE:** PETITIONER:

**Pressurized Water Reactor** Sherwood Martinelli

U.S.NRC

**OPEN PETITION** UNDER CONSIDERATION

DATE OF PETITION: DIRECTOR'S DECISION (DD) TO BE ISSUED BY: **PROPOSED DD ISSUANCE:** FINAL DD ISSUANCE: LAST CONTACT WITH PETITIONER: **PETITION MANAGER:** CASE ATTORNEY:

**DECEMBER 28, 2009** NRR N/A N/A N/A **DOUG PICKETT** N/A



### **ACTIONS REQUESTED AND ISSUES**

The PRB accepted for review, in part, issues raised in Mr. Martinelli's 2.206 petition dated August 22, 2009 (G20090487). Refer to page 6 of this report for additional detail. On December 28, 2009, the petitioner provided a written response to the NRC's acknowledgement letter (ADAMS Accession No. ML093440334) issued in support of G20090487. Specifically, the petitioner raised additional concerns pertaining to the adequacy of decommissioning funds for Indian Point, Units 2 and 3, and requested immediate suspension of all licensed activities of Entergy licensed reactors that have a decommissioning shortfall.

BACKGROUND, ACTIONS & KEY MILESTONES		CURRENT STATUS AND NEXT STEPS PETITION AGE: 1 WEEK			
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	12/28/09	<ul> <li>The PRB plans to evaluate the additional information provided in this petition to determine if it meets the criteria under 10 CFR 2.206.</li> </ul>	01/05/10		



OPEN PETITION UNDER CONSIDERATION EDO # G20090723

DATE OF PETITION:	<b>DECEMBER 29, 2009</b>	
DIRECTOR'S DECISION (DD) TO BE ISSUED BY:	NRR	State of the second second second
PROPOSED DD ISSUANCE:	N/A	
FINAL DD ISSUANCE:	N/A	
LAST CONTACT WITH PETITIONER:	N/A	
PETITION MANAGER:	JAMES KIM	
CASE ATTORNEY:	N/A	

#### ACTIONS REQUESTED AND ISSUES

For detailed reasons specified within the petition request, the petitioner requests that the NRC seek enforcement action, as described in the petition, against Entergy, the licensee for Indian Point, Unit 3 (IP3), on the basis that he believes there is a critical leak in the IP3 reactor core shell. In addition, the petitioner request immediate shutdown of IP3.

BACKGROUND, ACTIONS & KEY MILESTONES		CURRENT STATUS AND NEXT STEPS PETITION AGE: 1 WEEK	
The petitioner filed a petition for an enforcement action under 10 CFR 2.206.	12/29/09	• The PRB plans to evaluate the additional 01/05/ information provided in this petition to determine if it meets the criteria under 10 CFR 2.206	10

# Enclosure 2 ML100070075 Age Statistics for Open 10 CFR 2.206 Petitions

#### AGE STATISTICS FOR AGENCY 10 CFR 2.206 OPEN PETITIONS

Assigned Action Office	Facility/ Petitioner	Incoming Petition	PRB Meeting <sup>1</sup>	Acknowledgment Letter/Days from Incoming Petition <sup>2</sup>	Proposed Director's Decision/Age in Days <sup>3</sup>	Final Director's Decision/Age in Days <sup>4</sup>	Comments If Not Meeting the Agency's Completion Goals
	Turkey Point,						On March 3, 2009, the petition was assigned to NRR as a 2.206 petition. The first PRB meeting was held on March 5, 2009.
NRR	Units 3 and 4 / Thomas Saporito G20090107	1/11/09	3/05/09 64 days	11/19/09 311 days			The acknowledgement letter issuance was delayed to support additional interactions with the petitioner and to coordinate with Region II prior to documenting the final PRB recommendation.
NRR	Idaho State University, Research & Test Reactor / Kevan Crawford <b>G20090374</b>	6/26/09	9/15/09 81 days	11/19/09 146 days			The PRB meeting was delayed to support a request from the petitioner to address the PRB by phone, before it met internally to make an initial recommendation. There were several schedule conflicts, therefore we were not able to hold a call with the petitioner until September 1, 2009. The delay in holding the PRB meeting also impacted our ability to issue an acknowledgement letter in accordance with the NRC's timeliness goals.

<sup>&</sup>lt;sup>1</sup> Goal is to hold a Petition Review Board meeting, which the petitioner is invited to participate in, within 2 weeks of receipt of petition.

<sup>&</sup>lt;sup>2</sup> Goal is to issue acknowledgment letter within 35 days of the date of incoming petition.

<sup>&</sup>lt;sup>3</sup> Goal is to issue proposed Director's Decision within 120 days of the acknowledgment letter.

<sup>&</sup>lt;sup>4</sup> Goal is to issue final Director's Decision within 45 days of the end of the comment period.

NRR	Indian Point, Units 2 and 3; Vermont Yankee 8/22/09 Nuclear Station <b>G20090487</b>	12/08/09 109 days	12/17/09 117 days	The PRB meeting was delayed to support a request from the petitioner to address the PRB by phone, before it met internally to make an initial recommendation. The delay in holding the PRB meeting also impacted our ability to issue an acknowledgement letter in accordance with the NRC's timeliness goals.
-----	--	----------------------	----------------------	--