

NATIONAL HEALTH PHYSICS PROGRAM



2200 Fort Roots Drive (115HP/NLR)
 North Little Rock, AR 72114
 Phone: 501-257-1571
 Fax: 501-257-1570
 E-mail address: vhconhpp@va.gov

To:	Katie Streit	From:	Thomas Huston, NHPP
Fax:	630-515-1259	Pages:	3 pages attached to this cover sheet
Phone:	630-829-9621	Date:	January 8, 2010
Re:	VA Gainesville—Decommissioning Request	cc:	

Comments:

See attached.

Please note, despite generic disclaimers at the bottom of this cover sheet and at the top of the fax cover sheet from Dr. Shukla, none of the information in this fax is considered by us to be privileged, confidential, or protected by law. You may cite freely as needed to support this decommissioning request.

Thomas E. Huston
 1/8/2010

This transmission is intended only for the use of the person or office to whom it is addressed and may contain information that is privileged, confidential, or protected by law. All others are hereby notified that receipt of this message does not waive any applicable privilege or exemption from disclosure and that any dissemination, distribution, or copying of this communication is prohibited. If you have received this communication in error, please notify us immediately at the telephone number shown below.



DEPARTMENT OF VETERANS AFFAIRS
Veterans Health Administration
National Health Physics Program
2200 Fort Roots Drive
North Little Rock, AR 72114

JAN 08 2010

In Reply Refer To: 598/115HP/NLR

Sent by fax to:

Katie Streit
Division of Nuclear Material Safety
Nuclear Regulatory Commission (NRC), Region III
2443 Warrenville Road, Suite 210
Lisle, Illinois 60532-4352

Reference: NRC License 03-23853-01VA

Dear Ms. Streit:

In a letter dated October 29, 2009, we requested release for unrestricted use of Building 26 at VA North Florida/South Georgia Veterans Health System, Gainesville, Florida. In Enclosure 3 of that letter, we referenced use of release criteria based on NUREG-1556, Volume 9, Revision 2, Table R.3. Based on further review, instead of those criteria, we request that the release be evaluated using release criteria in NUREG-1556, Volume 7, Table Q.3. These criteria are consistent with values in NUREG-1757, Volume 1, Table B.1 as well as Federal Register Vol. 63, No. 222 (November 18, 1998).

As additional information, we are enclosing a similar request we received January 8, 2010, from the Radiation Safety Officer for VA North Florida/South Georgia Veterans Health System, Gainesville, Florida.

If you have any questions or comments, please contact Thomas E. Huston, Ph.D., VHA National Health Physics Program, at (501) 257-1578.

Sincerely,

A handwritten signature in black ink, appearing to read "G. E. Williams".

Gary E. Williams
Interim Director, National Health Physics Program

Enclosure



Department of Veterans Affairs

Fax Transmittal

"This fax is intended only for the use of the person or office to which it is addressed and may contain information that is privileged, confidential, or protected by law. All others are hereby notified that the receipt of this fax does not waive any applicable privilege or exemption for disclosure and that any dissemination, distribution, or copying of this communication is prohibited. If you have received this fax in error, please notify this office immediately at the telephone number listed below."



North Florida/South Georgia
Veterans Health System

TO <i>Dr. Tom Huston</i>	FAX NUMBER <i>501-257-1570</i>	DATE <i>1-8-2010</i>	NO. PAGES <i>2</i>
SUBJECT			
FROM <i>S. Shukla</i>		TELEPHONE NUMBER <i>352-376-1611 V6513</i>	



System Address: 1601 SW Archer Road
Gainesville, FL 32608-1197

To: VHA National Health Physics Program

In Reply Refer To:

From: Shailendra Shukla, Ph.D., Radiation Safety Officer
North Florida/South Georgia Veterans Health System
VHA Permit Number 09-12467-02

Date: January 8, 2009

On September 1, 2009, we requested release of our waste shed (Bldg. 26) for unrestricted use. In an email dated October 5, 2009, we responded that we were using release criteria in NUREG-1556, Volume 9, Table R.3. In lieu of those criteria, we would like to request that release criteria in NUREG-1556, Volume 7, Table Q.3 be applied for release of the waste shed (Bldg. 26). These latter criteria are more appropriate for decommissioning of buildings and are consistent with NUREG-1757, Volume 1, Appendix B, Table B.1. We also note that the level of residual activity remaining in the area is very low (ALARA) compared to these latter criteria.

Signed: Shailendra Shukla
Shailendra Shukla, Ph.D.
Radiation Safety Officer