

January 11, 2010

Mr. Scott Ward
Senior Vice-President and General Manager
Analytical Bio-Chemistry Laboratories, Inc.
7200 East ABC Lane
Columbia, MO 65202

SUBJECT: ANALYTICAL BIO-CHEMISTRY LABORATORIES, INC. LICENSE
AMENDMENT, ACCEPTANCE OF DECOMMISSIONING PLAN FOR
TECHNICAL REVIEW (MAIL CONTROL NO. 318219)

Dear Mr. Ward:

This refers to your October 19, 2009, letter transmitting a Decommissioning Plan (DP) for Analytical Bio-Chemistry Laboratories Sanitary Lagoon, Application Area & Drain Field. In accordance with our procedures, we have completed our initial acceptance review of your DP and have determined that your submission is sufficiently complete for the NRC to initiate our detailed technical review. Our goal is to complete the detailed technical review by May 31, 2010. During this review period, we will contact you to clarify items discussed in the DP.

Our consideration of your amendment request to approve the DP will be published in the Federal Register, for a 60 day comment period, which will allow persons whose interest may be affected by the proceedings to file a request for a hearing in accordance with Subpart C of Title 10 Code of Federal Regulations (CFR) 2.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

S. Ward

-2-

If you have any questions regarding this letter or our technical review process, please do not hesitate to call me at (630) 829-9856 or Ms. Katie Streit at (630) 829-9621.

Sincerely,

/RA/

George M. McCann, Senior Health Physicist,
Material Control, ISFSI,
and Decommissioning Branch

Docket No.: 030-05154

License No.: 24-13365-01

cc S. Hecht, Radiation Safety Officer
K. Henke, Emergency Coordination, DHSS
J. Garoutte, Environmental Specialist, DHSS
A. McKinney, Environmental Specialist, DHSS
T. Judge, Missouri DNR

S. Ward

-2-

If you have any questions regarding this letter or our technical review process, please do not hesitate to call me at (630) 829-9856 or Ms. Katie Streit at (630) 829-9621.

Sincerely,

/RA/

George M. McCann, Senior Health Physicist,
Material Control, ISFSI,
and Decommissioning Branch

Docket No.: 030-05154
License No.: 24-13365-01

- cc S. Hecht, Radiation Safety Officer
- K. Henke, Emergency Coordination, DHSS
- J. Garoutte, Environmental Specialist, DHSS
- A. McKinney, Environmental Specialist, DHSS
- T. Judge, Missouri DNR S. Hecht, Radiation Safety Officer

DISTRIBUTION:

- K. McConnell, FSME/DWMEP/DURLD
- D. Orlando, FSME/DWMEP/ DURLD
- R. Tadesse, FSME/DWMEP//DURLD
- S. Reynolds, RIII
- P. Louden, RIII

DOCUMENT NAME: G:\Work in progress\LTR - ABC acceptance letter.doc

Publicly Available Non-Publicly Available Sensitive Non-Sensitive

To receive a copy of this document, indicate in the concurrence box "C" = Copy without attach/encl "E" = Copy with attach/encl "N" = No copy

OFFICE	RIII	E	RIII	C	RIII		RIII	
NAME	KNStreit		GMMcCann					
DATE	01/11/10		01/11/10					

OFFICIAL RECORD COPY