



January 8, 2010

Mr. Larry Camper, Director
Division of Waste Management
and Environmental Protection
Office of Federal and State Materials
and Environmental Management Programs
U.S. Nuclear Regulatory Commission
Attention: Document Control Desk
Washington, DC 20555

- References:
- (1) Texas Radioactive Material License No. R04100, Amendment 00
 - (2) Presentation by J. Scott Kirk, CHP (WCS) to NRC Staff, *Changing NRC Policy on Waste Dilution to Alter Waste Classification: Why Now?*, on December 14, 2009
 - (3) Letter from J. Scott Kirk, CHP (WCS) to Annette L. Vietti-Cook (NRC), Low-Level Radioactive Waste Policy, dated September 22, 2009

Subject: Supplemental Information Regarding Potential Radiological Impacts to an Intruder Resident from Blended Low-Level Radioactive Waste

Dear Mr. Camper:

On December 14-15, 2009, I joined representatives of Waste Control Specialists LLC (WCS) in meetings hosted by the U.S. Nuclear Regulatory Commission (NRC) staff to discuss the views of various entities on the dilution of Class B/C Low-Level Radioactive Waste (LLW) to levels that would allow its disposal as Class A LLW (Reference 2). During the meetings representatives from EnergySolutions Inc. acknowledged that the final radiological concentrations of diluted waste that it would dispose of at its Clive, Utah, facility pursuant to the proposed revised policy on dilution would likely approach the upper bound distinguishing Class A from Class B LLW, as specified in Title 10, Code of Federal Regulations, Section 61.55 (10 CFR 61.55). As a result, questions were raised as to whether an analysis had been conducted to ascertain the radiological impact if a member of the public inadvertently were to intrude into the diluted waste at a generic disposal facility following the expiration of institutional controls in 100 years. NRC staff acknowledged that it had not yet conducted such an analysis.

Corporate
5430 LBJ Freeway, Ste. 1700
Three Lincoln Centre
Dallas, TX 75240
Ph. 972.715.9800
Fx. 972.448.1419

Facility
P.O. Box 1129
Andrews, TX 79714
Ph. 888.789.2783
Fx. 575.394.3427

FSME21

Mr. Larry Camper, Director
January 8, 2010
Page 2 of 3

Following the meetings, WCS conducted such a detailed analysis based on the guidance provided in NUREG/CR-4370, *Update of Part 61 Impacts Analysis*, in a risk-informed manner. The analysis was conducted to assess the radiological impacts of waste diluted to the upper bound of the Class A limit. It was assumed that disposal of such waste at a generic site only had to comply with the minimum requirements for disposing of Class A waste, as specified in 10 CFR 61. That is, no credit was given for controls (e.g., robust containers, intrusion barriers, and burial deeper than 2 meters) in the analysis other than those currently required by regulation relating to the disposal of Class A LLW.

This approach is appropriate because, as WCS understands the proposed policy change, the diluted Class A waste is intended to be treated as any other Class A waste. Indeed, imposition of additional controls on diluted Class A waste undermines the purpose of the proposed policy change and argues for leaving the waste as Class B/C so that the Class B/C controls may be appropriately applied.

The analysis indicates that the annual radiation dose to an inadvertent intruder resident could be in a range of approximately 46,600 millirems after institutional controls expire in 100 years—465 times greater than the the permissible annual radiation dose standard of 100 millirems, as specified in 10 CFR 20.1301. In 300 years, the annual radiation dose would still approach 500 millirems.

Radiological consequences of this magnitude arise from the manner in which the original analysis underlying 10 CFR 61 was conducted. When the regulation was first issued, the NRC did not analyze all radionuclides at the upper thresholds of the waste classifications in 10 CFR 61.55. Instead, the NRC evaluated typical wastes and waste forms that were being generated at the time. Therefore, dilution of waste to the upper bound of the Class A limits, and on such a large scale as is now under consideration by the NRC, was never analyzed when this regulation was first promulgated. The enclosed analysis underscores the point that waste at the upper end of the Class A limits cannot be safely disposed of in Class A disposal sites without requiring additional controls that are currently not required under 10 CFR 61—the waste classification in and of itself does not provide adequate assurances to protect public health or the environment.

At the direction of the Commissioners, the NRC staff is preparing a rulemaking to consider additional requirements that may be necessary to ensure that unique waste streams, such a large quantities of Depleted Uranium (DU), may be safely disposed of as Class A, B, or C LLW. The Commissioners' directive was based in part, on the fact that disposal of large quantities of DU was not adequately analyzed during the initial rulemaking for 10 CFR 61 (i.e., the disposal of large quantities of DU constituted an Unreviewed Safety Question).

Mr. Larry Camper, Director
January 8, 2010
Page 3 of 3

The results of the enclosed radiological analysis raises concerns similar to those related to disposing of large quantities of DU since “blending” on the scale contemplated has also never before been analyzed by NRC. Such an analysis could identify additional regulatory requirements needed to protect an inadvertent intruder resident from potential exposures to high doses of radiation. Such requirements may include similar or identical regulatory controls to those currently mandated for disposal of Class B/C LLW—requirements which could only be enforceable through a risk-informed rulemaking with strict compatibility requirements for Agreement States hosting a disposal facility.


WCS continues to urge the Commission to evaluate all of the possible risks to public health and the environment that would arise from artificially manipulating Class B/C concentrations to levels that would allow its disposal as Class A LLW. We believe such diluted waste can only be safely disposed at depths of at least 5 meters and at facilities equipped with multiple barriers to protect public health and the environment long after the expiration of institutional controls. The Texas Compact Disposal Facility (licensed under Reference 1) provides assured isolation of Class B/C LLW for the foreseeable future, thereby negating the need for changes to NRC’s longstanding policy that proscribes diluting waste for the purpose of changing waste classification.

This letter supplements the comments provided at the December 14-15, 2009, meetings and in the previous letter that WCS has submitted on this topic (References 2 and 3).

Please find enclosed the information that was used by Mr. William P. Dornsife (WCS Executive Vice President of Licensing and Regulatory Affairs) to conduct the analysis.

WCS requests that a copy of all correspondence regarding this matter be submitted directly to my attention by fax (972-448-1419) or email (skirk@valhi.net). Thank you for your consideration of this submission.

Sincerely,



J. Scott Kirk, CHP
Vice President, Licensing, Corporate Compliance & Radiation Safety

Enclosures

cc: Annette L. Vietti-Cook
R. William Borchardt
Martin J. Virgilio
Charles L. Miller, Ph.D.
Mark Vickery, P.G., TCEQ
Michael Ford, CHP, TLLRWDC
William P. Dornsife, WCS

ENCLOSURE 1

BASIC ASSUMPTIONS USED TO ESTIMATE THE RADIATION DOSE FOR AN INADVERTENT INTRUDER RESIDENT

The intruder analysis uses the methodology and assumptions in NUREG/CR-4370, "Update of Part 61 Impacts Analysis Methodology," pp. 4-22 for the intruder-construction scenario. The following are other major assumption in the analysis:

- A two-meter cover was assumed with three meters being excavated, resulting in a three-to-one dilution in the waste material spread over the site.
- Source term is based on manifest data for actual processed resin waste received at WCS and diluted down to the controlling Cs-137 Class A limit.
- Density of waste following dilution is 1 g/cm³.

The radionuclide source term used to calculate radiation doses to an inadvertent intruder resident was derived from data listed on shipping manifest for processed ion exchange resins. The radionuclide concentrations present in the ion exchange resins were each scaled to the adjusted Cs-137 value based on actual data taken from the Shipping Manifest. The scaling ratios were needed to reflect the radionuclide concentrations present in the resins as the waste is diluted to the upper bound of the Class A limits for Cs-137 as specified in 10 CFR 61.55.

Unit conversions from Ci/m³ to pCi/g were required. A dilution factor of 3 was also applied to account for the inadvertent mixing of clean soil with radioactive waste to support the underlying assumptions for an inadvertent intruder resident as specified in NUREG/CR-4370. A scaling factor of 1.38 was also used to account for the sum-of-fractions needed to adjust the mixtures of radionuclides listed on the shipping manifest to limits specified in 10 CFR 61.55.

A complete listing of the radionuclide source term is listed on the following page.

EXAMPLE:

| Radionuclide | Shipping Manifest Activity (Ci/m ³) | Class A Limit (Ci/g) | Activity:Class A limit | Adjusted Class A Concentration (Ci/m ³)* | Adjusted Class A Concentration (pCi/g) | Concentration in Soil at T=0 (pCi/g) | Source Term at T=0 (pCi/g) |
|--------------|---|----------------------|------------------------|--|--|--------------------------------------|----------------------------|
| Am-241 | 7.65E-4 | 10 nCi/g | 6.08E+01 | 1.26E-05 | 1.26E+01 | 4.20E+00 | 3.04e+00 |

* See RESRAD Output File p.15 for radionuclide concentrations in soil.

$$\text{Am-241} = [[7.65E-04 \text{ Ci/m}^3 \div 6.078E+01 \text{ Ci/m}^3 \times 1E+06 \text{ pCi/g per Ci/m}^3 \times 1 \text{ g/cm}^3] \times 0.333] \div 1.38 = 3.04E+00 \text{ pCi/g}$$

**BASIC ASSUMPTIONS USED TO ESTIMATE THE RADIATION DOSE FOR
AN INADVERTENT INTRUDER RESIDENT (CONTINUED)**

Radioactive decay of the calculated soil concentrations at time interval of 10, 100, 150, 300 and 500 years into the future were accounted for by algorithms contained in RESRAD Version 6.5. Other assumptions as identified in the attached spreadsheets for input and dilution factors supporting inadvertent intruder scenario and the RESRAD Output Files (Enclosure 3).

Radionuclide Source Term Based on Actual Resin Waste Stream

| Radionuclide | Shipping Manifest Activity (Ci/m ³) | Class A Limit (Ci/g) | Activity:Class A limit | Adjusted Class A Concentration (Ci/m ³)* | Adjusted Class A Concentration (pCi/g) | Concentration in Soil at T=0 (pCi/g)***** | Source Term at T=0 (pCi/g)***** |
|--------------|---|----------------------|------------------------|--|--|---|---------------------------------|
| Am-241 | 0.000765 | 10 nCi/gm | | 1.26E-05 | 1.26E+01 | 4.20E+00 | 3.04E+00 |
| C-14 | 0.0138 | 0.8 | | 2.27E-04 | 2.27E+02 | 7.57E+01 | 5.48E+01 |
| Cm-243 | 0.00335 | 10 nCi/gm | | 5.51E-05 | 5.51E+01 | 1.84E+01 | 1.33E+01 |
| Co-60 | 62.35 | 700 | | 1.03E+00 | 1.03E+06 | 3.42E+05 | 2.48E+05 |
| Cs-134 | 32.9 | | | 5.41E-01 | 5.41E+05 | 1.80E+05 | 1.31E+05 |
| Cs-137 | 60.78 | 1.00E+00 | 6.08E+01 | 1.00E+00 | 1.00E+06 | 3.33E+05 | 2.42E+05 |
| Fe-55 | 172 | | | 2.83E+00 | 2.83E+06 | 9.43E+05 | 6.84E+05 |
| H-3 | 0.0122 | 40 | | 2.01E-04 | 2.01E+02 | 6.69E+01 | 4.85E+01 |
| I-129 | 0.00000015 | 0.008 | | 2.47E-09 | 2.47E-03 | 8.23E-04 | 5.96E-04 |
| Ni-59 | 0.342 | | | 5.63E-03 | 5.63E+03 | 1.88E+03 | 1.36E+03 |
| Ni-63 | 61.96 | 3.5 | | 1.02E+00 | 1.02E+06 | 3.40E+05 | 2.46E+05 |
| Pu-238 | 0.00122 | 10 nCi/gm | | 2.01E-05 | 2.01E+01 | 6.69E+00 | 4.85E+00 |
| Pu-239 | 0.000824 | 10 nCi/gm | | 1.36E-05 | 1.36E+01 | 4.52E+00 | 3.27E+00 |
| Pu-241 | 0.259 | 350 nCi/gm | | 4.26E-03 | 4.26E+03 | 1.42E+03 | 1.03E+03 |
| Sb-125 | 0.146 | | | 2.40E-03 | 2.40E+03 | 8.01E+02 | 5.80E+02 |
| Sr-90 | 0.165 | 0.04 | | 2.71E-03 | 2.71E+03 | 9.05E+02 | 6.56E+02 |
| Tc-99 | 0.00000298 | 0.3 | | 4.90E-08 | 4.90E-02 | 1.63E-02 | 1.18E-02 |

* Concentrations normalized to upper bound of Class "A" limit for Cs-137.

**Last column - factor of 3 dilution - assume it's from having a 2 meter cover and a 3 meter basement.

***Radionuclide source term used in RESRAD (see RESRAD output file p.15)

****The Concentration value was divided by 1.38 which is the value given as the sum of fractions


| Input/Dilution Factors for Intruder Scenarios | |
|---|-----|
| Facility Parameters | |
| Cover thickness, thin (m) | 2 |
| Waste thickness (m) | 15 |
| Institutional control period (yr) | 100 |

| Intruder Resident | | Intruder-construction assumptions | |
|---|--------|---|---------|
| House area (m^2) | 200 | NUREG/CR-4370, p.4-22 10m x 20m (m^2) | 200 |
| Excavation depth (m) | 3 | NUREG/CR-4370, p. 4-22 (m) | 3 |
| Volume excavated, total (m^3) | 904 | NUREG/CR-4370, p. 4-22, corrected volume formula (m^3) | 904 |
| Volume backfilled around foundation (m^3) | 304 | NLJREG/CR-4370, p. 4-30, corrected volume formula (m^3) | 304 |
| Net volume excavated (m^3) | 600 | NUREG/CR-4370, p. 4-30 (m^3) | 600 |
| Net volume of cover excavated (m^3) | 400 | | 600 |
| Net volume of waste excavated (m^3) | 200 | | |
| Total soil volume, potentially contaminated (m^3) | 601.98 | Drill cuttings + basement excavation (m^3) | 601.976 |
| Waste volume in total soil volume (m^3) | 200.49 | Waste volume in drill cuttings and basement excavation (m^3) | 0 |
| Area for spreading contamination (m^2) | 1,750 | NUREG/CR-4370, p. 4-34, 25-m radius minus 200 m^2 house (m^2) | 1750 |
| Depth of soil after spreading (m) | 0.344 | (600 m^3 excavated) / (1,750 m^2 area) (m) | 0.344 |
| Waste dilution in surface soil | 0.333 | Vol of waste excavated per Vol of soil excavated | 0.333 |

ENCLOSURE 2

RADIATION DOSE PROJECTIONS

DOSE: All Nuclides Summed, All Pathways Summed



ENCLOSURE 3

**ESTIMATED RADIATION DOSES TO AN INADVERTENT INTRUDER RESIDENT
IMPACTED BY WASTE DILUTED TO THE UPPER BOUND OF THE CLASS A LIMIT**

(See RESRAD Output File pp. 15-21)

| Radiation Dose Estimates* from 100 to 500 Years After Expiration of Institutional Controls | | | | |
|---|----------|----------|----------|----------|
| Time Post Closure (Years) | 100 | 150 | 300 | 500 |
| Dose (mrem/y) | 4.66E+04 | 1.47E+04 | 4.95E+02 | 1.66E+01 |

* Summation of calculated doses from water dependent and independent pathways (see RESRAD Output File, pp. 15-21).

| Radiation Dose per Exposure Pathway (mrem/year) Water Independent Pathways at T=0 Years | | | | | | | |
|--|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Radionuclide | Ground | Inhalation | Plant | Meat | Milk | Soil | Total |
| Am-241 | 7.40E-02 | 7.21E-02 | 3.64E-01 | 1.60E-03 | 9.27E-05 | 3.03E-01 | 8.15E-01 |
| C-14 | 2.13E-05 | 6.89E-04 | 1.45E+00 | 1.46E-01 | 3.65E-02 | 1.62E-04 | 1.63E+00 |
| Cm-243 | 4.30E+00 | 2.16E-01 | 1.09E+00 | 1.91E-03 | 2.77E-04 | 9.03E-01 | 6.50E+00 |
| Co-60 | 2.05E+06 | 2.72E+00 | 1.64E+04 | 1.76E+03 | 2.18E+02 | 1.71E+02 | 2.07E+06 |
| Cs-134 | 5.77E+05 | 2.75E-01 | 1.07E+04 | 2.06E+03 | 6.99E+02 | 2.23E+02 | 5.90E+05 |
| Cs-137 | 4.47E+05 | 4.08E-01 | 1.57E+04 | 3.02E+03 | 1.03E+03 | 3.27E+02 | 4.67E+05 |
| Fe-55 | 0.00E+00 | 8.67E-02 | 1.21E+01 | 2.12E+01 | 4.67E-01 | 1.00E+01 | 4.39E+01 |
| H-3 | 0.00E+00 | 2.37E-03 | 1.23E-01 | 4.54E-03 | 3.44E-03 | 1.84E-05 | 1.33E-01 |
| I-129 | 4.32E-06 | 5.43E-09 | 1.06E-04 | 6.36E-06 | 1.19E-05 | 4.41E-06 | 1.33E-04 |
| Ni-59 | 0.00E+00 | 1.96E-04 | 4.69E-01 | 1.41E-02 | 7.08E-02 | 7.82E-03 | 5.62E-01 |
| Ni-63 | 0.00E+00 | 8.24E-02 | 2.32E+02 | 6.96E+00 | 3.51E+01 | 3.87E+00 | 2.78E+02 |
| Pu-238 | 4.27E-04 | 1.01E-01 | 5.09E-01 | 4.48E-03 | 6.48E-05 | 4.23E-01 | 1.04E+00 |
| Pu-239 | 5.42E-04 | 7.50E-02 | 3.81E-01 | 3.36E-03 | 4.86E-05 | 3.17E-01 | 7.77E-01 |
| Pu-241 | 3.03E-02 | 4.63E-01 | 2.36E+00 | 2.04E-02 | 3.13E-04 | 1.96E+00 | 4.84E+00 |
| Sb-125 | 6.62E+02 | 3.55E-04 | 5.87E+00 | 9.27E-02 | 1.04E-02 | 4.66E-02 | 6.68E+02 |
| Sr-90 | 8.63E+00 | 4.53E-02 | 9.61E+02 | 3.55E+01 | 1.01E+01 | 2.71E+00 | 1.02E+03 |
| Tc-99 | 7.98E-07 | 5.02E-09 | 2.72E-03 | 1.19E-06 | 1.40E-05 | 4.51E-07 | 2.73E-03 |
| Total | 3.07E+06 | 4.55E+00 | 4.41E+04 | 6.91E+03 | 1.99E+03 | 7.42E+02 | 3.13E+06 |

| Radiation Dose per Exposure Pathway (mrem/year) | | | | | | | |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Water Independent Pathways at T=100 Years | | | | | | | |
| Radionuclide | Gruond | Inhalation | Plant | Meat | Milk | Soil | Total |
| Am-241 | 5.89E-02 | 5.72E-02 | 2.90E-01 | 1.28E-03 | 7.37E-05 | 2.40E-01 | 6.47E-01 |
| C-14 | 0.00E+00 |
| Cm-243 | 3.77E-01 | 1.93E-02 | 9.71E-02 | 1.83E-04 | 2.45E-05 | 8.06E-02 | 5.74E-01 |
| Co-60 | 3.98E+00 | 5.28E-06 | 3.19E-02 | 3.42E-03 | 4.23E-04 | 3.32E-04 | 4.02E+00 |
| Cs-134 | 1.45E-09 | 6.92E-16 | 2.70E-11 | 5.19E-12 | 1.76E-12 | 5.62E-13 | 1.49E-09 |
| Cs-137 | 4.43E+04 | 4.04E-02 | 1.56E+03 | 3.00E+02 | 1.02E+02 | 3.25E+01 | 4.63E+04 |
| Fe-55 | 0.00E+00 | 6.14E-13 | 8.55E-11 | 1.50E-10 | 3.26E-12 | 7.10E-11 | 3.11E-10 |
| H-3 | 0.00E+00 |
| I-129 | 1.76E-08 | 2.22E-11 | 4.34E-07 | 2.60E-08 | 4.88E-08 | 1.80E-08 | 5.44E-07 |
| Ni-59 | 0.00E+00 | 1.96E-04 | 4.68E-01 | 1.40E-02 | 7.06E-02 | 7.80E-03 | 5.61E-01 |
| Ni-63 | 0.00E+00 | 4.00E-02 | 1.13E+02 | 3.38E+00 | 1.70E+01 | 1.88E+00 | 1.35E+02 |
| Pu-238 | 1.94E-04 | 4.59E-02 | 2.31E-01 | 2.03E-03 | 3.01E-05 | 1.92E-01 | 4.71E-01 |
| Pu-239 | 5.40E-04 | 7.47E-02 | 3.80E-01 | 3.34E-03 | 4.84E-05 | 3.16E-01 | 7.74E-01 |
| Pu-241 | 6.91E-01 | 6.75E-01 | 3.42E+00 | 1.51E-02 | 8.67E-06 | 2.84E+00 | 7.63E+00 |
| Sb-125 | 1.09E-12 | 6.06E-19 | 1.31E-14 | 2.33E-16 | 2.48E-17 | 8.22E-17 | 1.11E-12 |
| Sr-90 | 7.78E-01 | 4.00E-03 | 8.57E+01 | 3.16E+00 | 8.97E-01 | 2.39E-01 | 9.08E+01 |
| Tc-99 | 9.71E-11 | 6.11E-13 | 3.31E-07 | 1.45E-10 | 1.71E-09 | 5.49E-11 | 3.33E-07 |
| Total | 4.43E+04 | 9.57E-01 | 1.76E+03 | 3.06E+02 | 1.20E+02 | 3.83E+01 | 4.66E+04 |

| Radiation Dose per Exposure Pathway (mrem/year) | | | | | | |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Water Dependent Pathways at T=100 Years | | | | | | |
| Radionuclide | Water | Fish | Plant | Meat | Milk | Total |
| Am-241 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| C-14 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cm-243 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Co-60 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cs-134 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cs-137 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Fe-55 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| H-3 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| I-129 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Ni-59 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Ni-63 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-238 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-239 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-241 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Sb-125 | 6.45E-11 | 0.00E+00 | 5.14E-12 | 2.64E-13 | 5.19E-14 | 6.99E-11 |
| Sr-90 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Tc-99 | 4.31E-05 | 0.00E+00 | 7.62E-06 | 9.03E-09 | 1.87E-07 | 5.09E-05 |
| Total | 4.31E-05 | 0.00E+00 | 7.62E-06 | 9.03E-09 | 1.87E-07 | 5.09E-05 |

| Radiation Dose per Exposure Pathway (mrem/year) | | | | | | | |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Water Independent Pathways at T=150 Years | | | | | | | |
| Radionuclide | Ground | Inhalation | Plant | Meat | Milk | Soil | Total |
| Am-241 | 5.25E-02 | 5.10E-02 | 2.58E-01 | 1.14E-03 | 6.56E-05 | 2.14E-01 | 5.77E-01 |
| C-14 | 0.00E+00 |
| Cm-243 | 1.12E-01 | 5.96E-03 | 3.01E-02 | 6.54E-05 | 7.42E-06 | 2.50E-02 | 2.50E-02 |
| Co-60 | 5.55E-03 | 7.36E-09 | 4.45E-05 | 4.77E-06 | 5.89E-07 | 4.63E-07 | 5.60E-03 |
| Cs-134 | 7.28E-17 | 3.47E-23 | 1.35E-18 | 2.60E-19 | 8.83E-20 | 2.82E-20 | 7.46E-17 |
| Cs-137 | 1.40E+04 | 1.27E-02 | 4.91E+02 | 9.44E+01 | 3.20E+01 | 1.02E+01 | 1.46E+04 |
| Fe-55 | 0.00E+00 | 1.63E-18 | 2.27E-16 | 4.00E-16 | 8.67E-18 | 1.89E-16 | 8.27E-16 |
| H-3 | 0.00E+00 |
| I-129 | 1.13E-09 | 1.42E-12 | 2.77E-08 | 1.66E-09 | 3.12E-09 | 1.15E-09 | 3.48E-08 |
| Ni-59 | 0.00E+00 | 1.96E-04 | 4.68E-01 | 1.40E-02 | 7.05E-02 | 7.79E-03 | 5.60E-01 |
| Ni-63 | 0.00E+00 | 2.78E-02 | 7.85E+01 | 2.35E+00 | 1.18E+01 | 1.31E+00 | 9.41E+01 |
| Pu-238 | 1.31E-04 | 3.09E-02 | 1.56E-01 | 1.37E-03 | 2.07E-05 | 1.29E-01 | 3.17E-01 |
| Pu-239 | 5.39E-04 | 7.46E-02 | 3.79E-01 | 3.34E-03 | 4.83E-05 | 3.15E-01 | 7.73E-01 |
| Pu-241 | 6.21E-01 | 6.04E-01 | 3.06E+00 | 1.35E-02 | 7.78E-04 | 2.54E+00 | 6.84E+00 |
| Sb-125 | 4.45E-20 | 2.47E-26 | 5.34E-22 | 9.48E-24 | 1.01E-24 | 3.34E-24 | 4.50E-20 |
| Sr-90 | 2.31E-01 | 1.19E-03 | 2.55E+01 | 9.40E-01 | 2.67E-01 | 7.11E-02 | 2.70E+01 |
| Tc-99 | 1.07E-12 | 6.74E-15 | 3.65E-09 | 1.60E-12 | 1.88E-11 | 6.06E-13 | 3.67E-09 |
| Total | 1.40E+04 | 8.09E-01 | 6.00E+02 | 9.77E+01 | 4.42E+01 | 1.48E+01 | 1.47E+04 |

| Radiation Dose per Exposure Pathway (mrem/year) | | | | | | |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Water Dependent Pathways at T=150 Years | | | | | | |
| Radionuclide | Water | Fish | Plant | Meat | Milk | Total |
| Am-241 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| C-14 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cm-243 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Co-60 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cs-134 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cs-137 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Fe-55 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| H-3 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| I-129 | 5.33E-04 | 0.00E+00 | 4.13E-05 | 7.05E-06 | 2.19E-05 | 6.03E-04 |
| Ni-59 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Ni-63 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-238 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-239 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-241 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Sb-125 | 2.62E-18 | 0.00E+00 | 2.09E-19 | 1.08E-20 | 2.11E-21 | 2.84E-18 |
| Sr-90 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Tc-99 | 4.75E-07 | 0.00E+00 | 8.41E-08 | 9.96E-11 | 2.07E-09 | 5.62E-07 |
| Total | 5.34E-04 | 0.00E+00 | 4.14E-05 | 7.05E-06 | 2.19E-05 | 6.04E-04 |

| Radiation Dose per Exposure Pathway (mrem/year) | | | | | | | |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Water Independent Pathways at T=300 Years | | | | | | | |
| Radionuclide | Ground | Inhalation | Plant | Meat | Milk | Soil | Total |
| Am-241 | 3.72E-02 | 3.61E-02 | 1.83E-01 | 8.08E-04 | 4.65E-05 | 1.52E-01 | 4.09E-01 |
| C-14 | 0.00E+00 |
| Cm-243 | 2.96E-03 | 5.05E-04 | 2.56E-03 | 1.73E-05 | 4.21E-07 | 2.13E-03 | 2.13E-03 |
| Co-60 | 1.50E-11 | 1.99E-17 | 1.20E-13 | 1.29E-14 | 1.60E-15 | 1.25E-15 | 1.52E-11 |
| Cs-134 | 0.00E+00 |
| Cs-137 | 4.36E+02 | 3.98E-04 | 1.53E+01 | 2.95E+00 | 1.00E+00 | 3.20E-01 | 4.56E+02 |
| Fe-55 | 0.00E+00 |
| H-3 | 0.00E+00 |
| I-129 | 2.94E-13 | 3.69E-16 | 7.23E-12 | 4.33E-13 | 8.13E-13 | 3.00E-13 | 9.07E-12 |
| Ni-59 | 0.00E+00 | 1.95E-04 | 4.66E-01 | 1.40E-02 | 7.03E-02 | 7.76E-03 | 5.58E-01 |
| Ni-63 | 0.00E+00 | 9.40E-03 | 2.65E+01 | 7.94E-01 | 4.00E+00 | 4.42E-01 | 3.18E+01 |
| Pu-238 | 4.10E-05 | 9.45E-03 | 4.76E-02 | 4.19E-04 | 7.18E-06 | 3.95E-02 | 9.70E-02 |
| Pu-239 | 5.37E-04 | 7.42E-02 | 3.77E-01 | 3.32E-03 | 4.80E-05 | 3.14E-01 | 7.69E-01 |
| Pu-241 | 4.41E-01 | 4.28E-01 | 2.17E+00 | 9.57E-03 | 5.51E-04 | 1.80E+00 | 4.85E+00 |
| Sb-125 | 0.00E+00 |
| Sr-90 | 6.06E-03 | 3.12E-05 | 6.68E-01 | 2.47E-02 | 6.99E-03 | 1.87E-03 | 7.08E-01 |
| Tc-99 | 1.44E-18 | 9.06E-21 | 4.90E-15 | 2.15E-18 | 2.53E-17 | 8.14E-19 | 4.93E-15 |
| Total | 4.37E+02 | 5.58E-01 | 4.58E+01 | 3.80E+00 | 5.08E+00 | 3.07E+00 | 4.95E+02 |

| Radiation Dose per Exposure Pathway (mrem/year) | | | | | | |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Water Dependent Pathways at T=300 Years | | | | | | |
| Radionuclide | Water | Fish | Plant | Meat | Milk | Total |
| Am-241 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| C-14 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cm-243 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Co-60 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cs-134 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cs-137 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Fe-55 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| H-3 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| I-129 | 1.39E-07 | 0.00E+00 | 1.08E-08 | 1.84E-09 | 5.27E-09 | 1.57E-07 |
| Ni-59 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Ni-63 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-238 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-239 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-241 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Sb-125 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Sr-90 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Tc-99 | 6.39E-13 | 0.00E+00 | 1.13E-13 | 1.34E-16 | 2.78E-15 | 7.55E-13 |
| Total | 1.39E-07 | 0.00E+00 | 1.08E-08 | 1.84E-09 | 5.27E-09 | 1.57E-07 |

| Radiation Dose per Exposure Pathway (mrem/year) | | | | | | | |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Water Independent Pathways at T=500 Years | | | | | | | |
| Radionuclide | Ground | Inhalation | Plant | Meat | Milk | Soil | Total |
| Am-241 | 2.36E-02 | 2.28E-02 | 1.16E-01 | 5.14E-04 | 2.93E-05 | 9.56E-02 | 2.58E-01 |
| C-14 | 0.00E+00 |
| Cm-243 | 6.79E-05 | 3.57E-04 | 1.82E-03 | 1.59E-05 | 2.34E-07 | 1.51E-03 | 3.77E-03 |
| Co-60 | 5.67E-23 | 0.00E+00 | 4.55E-25 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 5.71E-23 |
| Cs-134 | 0.00E+00 |
| Cs-137 | 4.29E+00 | 3.91E-06 | 1.51E-01 | 2.90E-02 | 9.84E-03 | 3.14E-03 | 4.48E+00 |
| Fe-55 | 0.00E+00 |
| H-3 | 0.00E+00 |
| I-129 | 4.90E-18 | 6.16E-21 | 1.21E-16 | 7.21E-18 | 1.35E-17 | 5.00E-18 | 1.51E-16 |
| Ni-59 | 0.00E+00 | 1.94E-04 | 4.64E-01 | 1.39E-02 | 7.00E-02 | 7.73E-03 | 5.56E-01 |
| Ni-63 | 0.00E+00 | 2.21E-03 | 6.24E+00 | 1.87E-01 | 9.41E-01 | 1.04E-01 | 7.48E+00 |
| Pu-238 | 1.14E-05 | 1.95E-03 | 9.81E-03 | 8.65E-05 | 2.41E-06 | 8.13E-03 | 2.00E-02 |
| Pu-239 | 5.33E-04 | 7.36E-02 | 3.75E-01 | 3.30E-03 | 4.77E-05 | 3.11E-01 | 7.64E-01 |
| Pu-241 | 2.79E-01 | 2.70E-01 | 1.37E+00 | 6.08E-03 | 3.48E-04 | 1.13E+00 | 3.06E+00 |
| Sb-125 | 0.00E+00 |
| Sr-90 | 4.73E-05 | 2.43E-07 | 5.21E-03 | 1.92E-04 | 5.45E-05 | 1.45E-05 | 5.52E-03 |
| Tc-99 | 2.14E-26 | 1.34E-28 | 7.27E-23 | 3.19E-26 | 3.75E-25 | 1.21E-26 | 7.32E-23 |
| Total | 4.59E+00 | 3.71E-01 | 8.74E+00 | 2.40E-01 | 1.02E+00 | 1.67E+00 | 1.66E+01 |

| Radiation Dose per Exposure Pathway (mrem/year) | | | | | | |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Water Dependent Pathways at T=500 Years | | | | | | |
| Radionuclide | Water | Fish | Plant | Meat | Milk | Total |
| Am-241 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| C-14 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cm-243 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Co-60 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cs-134 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Cs-137 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Fe-55 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| H-3 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| I-129 | 2.32E-12 | 0.00E+00 | 1.79E-13 | 3.07E-14 | 9.53E-14 | 2.62E-12 |
| Ni-59 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Ni-63 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-238 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-239 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Pu-241 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Sb-125 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Sr-90 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Tc-99 | 9.47E-21 | 0.00E+00 | 1.68E-21 | 1.99E-24 | 4.13E-23 | 1.12E-20 |
| Total | 2.32E-12 | 0.00E+00 | 1.79E-13 | 3.07E-14 | 9.53E-14 | 2.62E-12 |

ENCLOSURE 4

RESRAD OUTPUT FILES

1RESRAD, Version 6.5 T_{∞} Limit = 1 day 01/07/2010 15:00 Page 1 new intruder
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Table of Contents

AAAAAAA.....AAAAAA

Part I: Mixture Sums and Single Radionuclide Guidelines

| | |
|--|----|
| Dose Conversion Factor (and Related) Parameter Summary ... | 2 |
| Site-Specific Parameter Summary | 12 |
| Summary of Pathway Selections | 22 |
| Contaminated Zone and Total Dose Summary | 23 |
| Total Dose Components | |
| Time = 0.000E+00 | 24 |
| Time = 1.000E+00 | 26 |
| Time = 1.000E+01 | 28 |
| Time = 1.000E+02 | 30 |
| Time = 1.500E+02 | 32 |
| Time = 3.000E+02 | 34 |
| Time = 5.000E+02 | 36 |
| Dose/Source Ratios Summed Over All Pathways | 38 |
| Single Radionuclide Soil Guidelines | 41 |
| Dose Per Nuclide Summed Over All Pathways | 42 |
| Soil Concentration Per Nuclide | 46 |

1RESRAD, Version 6.5 T_{∞} Limit = 1 day 01/07/2010 15:00 Page 2
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: FGR 12 & FGR 11

| 0 | * | Parameter | Current | Base | Parameter |
|----------------------------------|---|---|-----------|-----------|-----------|
| | | | value# | Case* | Name |
| AAAAAAAAAAAAAAAAAAAAA.....AAAAAA | | | | | |
| A-1 | * | DCE's for external ground radiation, (rem/yr)/(pCi/g) | | | |
| A-1 | * | Ac-225 (Source: FGR 12) | 6.371E-02 | 6.371E-02 | DCF1(1) |
| A-1 | * | Ac-227 (Source: FGR 12) | 4.951E-04 | 4.951E-04 | DCF1(2) |
| A-1 | * | Am-241 (Source: FGR 12) | 4.372E-02 | 4.372E-02 | DCF1(3) |
| A-1 | * | Am-243 (Source: FGR 12) | 1.420E-01 | 1.420E-01 | DCF1(4) |
| A-1 | * | At-217 (Source: FGR 12) | 1.773E-03 | 1.773E-03 | DCF1(5) |
| A-1 | * | At-218 (Source: FGR 12) | 5.847E-03 | 5.847E-03 | DCF1(6) |
| A-1 | * | Ba-137m (Source: FGR 12) | 3.606E+00 | 3.606E+00 | DCF1(7) |
| A-1 | * | Bi-210 (Source: FGR 12) | 3.606E-03 | 3.606E-03 | DCF1(8) |
| A-1 | * | Bi-211 (Source: FGR 12) | 2.559E-01 | 2.559E-01 | DCF1(9) |
| A-1 | * | Bi-213 (Source: FGR 12) | 7.660E-01 | 7.660E-01 | DCF1(10) |
| A-1 | * | Bi-214 (Source: FGR 12) | 9.808E+00 | 9.808E+00 | DCF1(11) |
| A-1 | * | C-14 (Source: FGR 12) | 1.345E-05 | 1.345E-05 | DCF1(12) |
| A-1 | * | Cm-243 (Source: FGR 12) | 5.829E-01 | 5.829E-01 | DCF1(13) |
| A-1 | * | Co-60 (Source: FGR 12) | 1.622E+01 | 1.622E+01 | DCF1(14) |
| A-1 | * | Cs-134 (Source: FGR 12) | 9.472E+00 | 9.472E+00 | DCF1(15) |
| A-1 | * | Cs-137 (Source: FGR 12) | 7.510E-04 | 7.510E-04 | DCF1(16) |
| A-1 | * | Fe-55 (Source: FGR 12) | 0.000E+00 | 0.000E+00 | DCF1(17) |
| A-1 | * | Fr-221 (Source: FGR 12) | 1.536E-01 | 1.536E-01 | DCF1(18) |
| A-1 | * | Fr-223 (Source: FGR 12) | 1.980E-01 | 1.980E-01 | DCF1(19) |
| A-1 | * | H-3 (Source: FGR 12) | 0.000E+00 | 0.000E+00 | DCF1(20) |
| A-1 | * | I-129 (Source: FGR 12) | 1.295E-02 | 1.295E-02 | DCF1(21) |
| A-1 | * | Ni-59 (Source: FGR 12) | 0.000E+00 | 0.000E+00 | DCF1(22) |
| A-1 | * | Ni-63 (Source: FGR 12) | 0.000E+00 | 0.000E+00 | DCF1(23) |
| A-1 | * | NP-237 (Source: FGR 12) | 7.790E-02 | 7.790E-02 | DCF1(24) |
| A-1 | * | NP-239 (Source: FGR 12) | 7.529E-01 | 7.529E-01 | DCF1(25) |
| A-1 | * | Pa-231 (Source: FGR 12) | 1.906E-01 | 1.906E-01 | DCF1(26) |
| A-1 | * | Pa-233 (Source: FGR 12) | 1.020E+00 | 1.020E+00 | DCF1(27) |
| A-1 | * | Pb-209 (Source: FGR 12) | 7.734E-04 | 7.734E-04 | DCF1(28) |
| A-1 | * | Pb-210 (Source: FGR 12) | 2.447E-03 | 2.447E-03 | DCF1(29) |
| A-1 | * | Pb-211 (Source: FGR 12) | 3.064E-01 | 3.064E-01 | DCF1(30) |
| A-1 | * | Pb-214 (Source: FGR 12) | 1.341E+00 | 1.341E+00 | DCF1(31) |
| A-1 | * | Po-210 (Source: FGR 12) | 5.231E-05 | 5.231E-05 | DCF1(32) |
| A-1 | * | Po-211 (Source: FGR 12) | 4.764E-02 | 4.764E-02 | DCF1(33) |
| A-1 | * | Po-213 (Source: FGR 12) | 0.000E+00 | 0.000E+00 | DCF1(34) |
| A-1 | * | Po-214 (Source: FGR 12) | 5.138E-04 | 5.138E-04 | DCF1(35) |
| A-1 | * | Po-215 (Source: FGR 12) | 1.016E-03 | 1.016E-03 | DCF1(36) |
| A-1 | * | Po-218 (Source: FGR 12) | 5.642E-05 | 5.642E-05 | DCF1(37) |
| A-1 | * | Pu-238 (Source: FGR 12) | 1.513E-04 | 1.513E-04 | DCF1(38) |
| A-1 | * | Pu-239 (Source: FGR 12) | 2.952E-04 | 2.952E-04 | DCF1(39) |
| A-1 | * | Pu-241 (Source: FGR 12) | 5.904E-06 | 5.904E-06 | DCF1(40) |
| A-1 | * | Ra-223 (Source: FGR 12) | 6.034E-01 | 6.034E-01 | DCF1(41) |
| A-1 | * | Ra-225 (Source: FGR 12) | 1.102E-02 | 1.102E-02 | DCF1(42) |
| A-1 | * | Ra-226 (Source: FGR 12) | 3.176E-02 | 3.176E-02 | DCF1(43) |
| A-1 | * | Rn-219 (Source: FGR 12) | 3.083E-01 | 3.083E-01 | DCF1(44) |
| A-1 | * | Rn-222 (Source: FGR 12) | 2.354E-03 | 2.354E-03 | DCF1(45) |
| A-1 | * | Sb-125 (Source: FGR 12) | 2.447E+00 | 2.447E+00 | DCF1(46) |

A-1 Sr-90 (Source: FGR 12) new intruder
 A-1 Tc-99 (Source: FGR 12) 7.043E-04 7.043E-04 DCF1(47)
 A-1 Te-125m (Source: FGR 12) 1.255E-04 1.255E-04 DCF1(48)
 1.515E-02 1.515E-02 DCF1(49)
 IRESRAD, Version 6.5 T_e Limit = 1 day 01/07/2010 15:00 Page 3
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)
 Dose Library: FGR 12 & FGR 11

| O | | Parameter | Current | Base | Parameter |
|------|---|-----------|-----------|------------|------------|
| Menu | | | Value# | Case# | Name |
| A-1 | Th-227 (Source: FGR 12) | | 5.212E-01 | 5.212E-01 | DCF1(50) |
| A-1 | Th-229 (Source: FGR 12) | | 3.213E-01 | 3.213E-01 | DCF1(51) |
| A-1 | Th-230 (Source: FGR 12) | | 1.209E-03 | 1.209E-03 | DCF1(52) |
| A-1 | Th-231 (Source: FGR 12) | | 3.643E-02 | 3.643E-02 | DCF1(53) |
| A-1 | Tl-207 (Source: FGR 12) | | 1.980E-02 | 1.980E-02 | DCF1(54) |
| A-1 | Tl-209 (Source: FGR 12) | | 1.293E+01 | 1.293E+01 | DCF1(55) |
| A-1 | Tl-210 (Source: no data) | | 0.000E+00 | -2.000E+00 | DCF1(56) |
| A-1 | U-233 (Source: FGR 12) | | 1.397E-03 | 1.397E-03 | DCF1(57) |
| A-1 | U-234 (Source: FGR 12) | | 4.017E-04 | 4.017E-04 | DCF1(58) |
| A-1 | U-235 (Source: FGR 12) | | 7.211E-01 | 7.211E-01 | DCF1(59) |
| A-1 | U-237 (Source: FGR 12) | | 5.306E-01 | 5.306E-01 | DCF1(60) |
| A-1 | Y-90 (Source: FGR 12) | | 2.391E-02 | 2.391E-02 | DCF1(61) |
| B-1 | Dose conversion factors for inhalation, mrem/pCi: | | , | , | , |
| B-1 | Ac-225+D | | 1.082E-02 | 1.080E-02 | DCF2(1) |
| B-1 | Ac-227 | | 6.700E+00 | 6.700E+00 | DCF2(2) |
| B-1 | Ac-227+D | | 6.700E+00 | 6.700E+00 | DCF2(3) |
| B-1 | Am-241 | | 4.440E-01 | 4.440E-01 | DCF2(4) |
| B-1 | Am-243 | | 4.400E-01 | 4.400E-01 | DCF2(5) |
| B-1 | Bi-210 | | 1.960E-04 | 1.960E-04 | DCF2(7) |
| B-1 | C-14(p) (Class: ORGANIC) | | 2.090E-06 | 2.090E-06 | DCF2(8) |
| B-1 | C-14(g) (Class: CO ₂) | | 2.350E-08 | 2.350E-08 | C14gInhDCF |
| B-1 | Cm-243 | | 3.070E-01 | 3.070E-01 | DCF2(9) |
| B-1 | Co-60 | | 2.190E-04 | 2.190E-04 | DCF2(13) |
| B-1 | Cs-134 | | 4.620E-05 | 4.620E-05 | DCF2(14) |
| B-1 | Cs-137+D | | 3.190E-05 | 3.190E-05 | DCF2(15) |
| B-1 | Fe-55 | | 2.690E-06 | 2.690E-06 | DCF2(16) |
| B-1 | H-3 | | 6.400E-08 | 6.400E-08 | DCF2(17) |
| B-1 | I-129 | | 1.740E-04 | 1.740E-04 | DCF2(18) |
| B-1 | Ni-59 | | 2.700E-06 | 2.700E-06 | DCF2(19) |
| B-1 | Ni-63 | | 6.290E-06 | 6.290E-06 | DCF2(20) |
| B-1 | Nd-237 | | 5.400E-01 | 5.400E-01 | DCF2(21) |
| B-1 | ND-239 | | 2.510E-06 | 2.510E-06 | DCF2(22) |
| B-1 | Pa-231 | | 1.280E+00 | 1.280E+00 | DCF2(24) |
| B-1 | Pa-233 | | 9.550E-06 | 9.550E-06 | DCF2(26) |
| B-1 | Pb-210 | | 1.360E-02 | 1.360E-02 | DCF2(27) |
| B-1 | Po-210 | | 9.400E-03 | 9.400E-03 | DCF2(28) |
| B-1 | Pu-238 | | 3.920E-01 | 3.920E-01 | DCF2(29) |
| B-1 | Pu-239 | | 4.290E-01 | 4.290E-01 | DCF2(31) |
| B-1 | Pu-241 | | 8.250E-03 | 8.250E-03 | DCF2(33) |
| B-1 | Ra-223+D | | 7.849E-03 | 7.840E-03 | DCF2(35) |
| B-1 | Ra-225 | | 7.770E-03 | 7.770E-03 | DCF2(36) |
| B-1 | Ra-226 | | 8.580E-03 | 8.580E-03 | DCF2(37) |
| B-1 | Rn-222+D | | 1.440E-05 | 0.000E+00 | DCF2(38) |
| B-1 | Sb-125 | | 1.220E-05 | 1.220E-05 | DCF2(39) |
| B-1 | Sr-90 | | 1.300E-03 | 1.300E-03 | DCF2(41) |
| B-1 | Tc-99 | | 8.320E-06 | 8.320E-06 | DCF2(42) |
| B-1 | Te-125m | | 7.290E-06 | 7.290E-06 | DCF2(43) |
| B-1 | Th-227 | | 1.620E-02 | 1.620E-02 | DCF2(44) |
| B-1 | Th-229 | | 2.150E+00 | 2.150E+00 | DCF2(45) |

IRESRAD, Version 6.5 T_e Limit = 1 day 01/07/2010 15:00 Page 4
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)
 Dose Library: FGR 12 & FGR 11

| O | | Parameter | Current | Base | Parameter |
|------|--|-----------|-----------|-----------|-----------|
| Menu | | | Value# | Case# | Name |
| B-1 | Th-230 | | 3.260E-01 | 3.260E-01 | DCF2(46) |
| B-1 | Th-231 | | 8.770E-07 | 8.770E-07 | DCF2(47) |
| B-1 | U-233 | | 1.350E-01 | 1.350E-01 | DCF2(49) |
| B-1 | U-234 | | 1.320E-01 | 1.320E-01 | DCF2(50) |
| B-1 | U-235 | | 1.230E-01 | 1.230E-01 | DCF2(51) |
| B-1 | U-237 | | 3.530E-06 | 3.530E-06 | DCF2(53) |
| B-1 | Y-90 | | 8.440E-06 | 8.440E-06 | DCF2(54) |
| D-1 | Dose conversion factors for ingestion, mrem/pCi: | | , | , | , |
| D-1 | Ac-225+D | | 1.119E-04 | 1.110E-04 | DCF3(1) |

D-1 » AC-227
 D-1 » AC-227+D
 D-1 » Am-241
 D-1 » Am-243
 D-1 » Bi-210
 D-1 » C-14
 D-1 » Cm-243
 D-1 » Co-60
 D-1 » Cs-134
 D-1 » Cs-137+D
 D-1 » Fe-55
 D-1 » H-3
 D-1 » I-129
 D-1 » Ni-59
 D-1 » Ni-63
 D-1 » Nd-237
 D-1 » Np-239
 D-1 » Pa-231
 D-1 » Pa-233
 D-1 » Pb-210
 D-1 » Po-210
 D-1 » Pu-238
 D-1 » Pu-239
 D-1 » Pu-241
 D-1 » Ra-223+D
 D-1 » Ra-225
 D-1 » Ra-226
 D-1 » Rn-222+D
 D-1 » Sb-125
 D-1 » Sr-90
 D-1 » Tc-99
 D-1 » Te-125m
 D-1 » Th-227
 D-1 » Th-229
 D-1 » Th-230
 D-1 » Th-231
 D-1 » U-233
 D-1 » U-234
 D-1 » U-235
 D-1 » U-237

new intruder

» 1.410E-02 » 1.410E-02 » DCF3(2)
 » 1.411E-02 » 1.410E-02 » DCF3(3)
 » 3.640E-03 » 3.640E-03 » DCF3(4)
 » 3.620E-03 » 3.620E-03 » DCF3(5)
 » 6.400E-06 » 6.400E-06 » DCF3(7)
 » 2.090E-06 » 2.090E-06 » DCF3(8)
 » 2.510E-03 » 2.510E-03 » DCF3(9)
 » 2.690E-05 » 2.690E-05 » DCF3(13)
 » 7.330E-05 » 7.330E-05 » DCF3(14)
 » 5.000E-05 » 5.000E-05 » DCF3(15)
 » 6.070E-07 » 6.070E-07 » DCF3(16)
 » 6.400E-08 » 6.400E-08 » DCF3(17)
 » 2.760E-04 » 2.760E-04 » DCF3(18)
 » 2.100E-07 » 2.100E-07 » DCF3(19)
 » 5.770E-07 » 5.770E-07 » DCF3(20)
 » 4.440E-03 » 4.440E-03 » DCF3(21)
 » 3.260E-06 » 3.260E-06 » DCF3(22)
 » 1.060E-02 » 1.060E-02 » DCF3(24)
 » 3.630E-06 » 3.630E-06 » DCF3(26)
 » 5.370E-03 » 5.370E-03 » DCF3(27)
 » 1.900E-03 » 1.900E-03 » DCF3(28)
 » 3.200E-03 » 3.200E-03 » DCF3(29)
 » 3.540E-03 » 3.540E-03 » DCF3(31)
 » 6.840E-05 » 6.840E-05 » DCF3(33)
 » 6.595E-04 » 6.590E-04 » DCF3(35)
 » 3.850E-04 » 3.850E-04 » DCF3(36)
 » 1.320E-03 » 1.320E-03 » DCF3(37)
 » 9.079E-07 » 0.000E+00 » DCF3(38)
 » 2.810E-06 » 2.810E-06 » DCF3(39)
 » 1.420E-04 » 1.420E-04 » DCF3(41)
 » 1.460E-06 » 1.460E-06 » DCF3(42)
 » 3.670E-06 » 3.670E-06 » DCF3(43)
 » 3.810E-05 » 3.810E-05 » DCF3(44)
 » 3.530E-03 » 3.530E-03 » DCF3(45)
 » 5.480E-04 » 5.480E-04 » DCF3(46)
 » 1.350E-06 » 1.350E-06 » DCF3(47)
 » 2.890E-04 » 2.890E-04 » DCF3(49)
 » 2.830E-04 » 2.830E-04 » DCF3(50)
 » 2.660E-04 » 2.660E-04 » DCF3(51)
 » 3.170E-06 » 3.170E-06 » DCF3(53)

1RESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 5
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 12 & FGR 11

| 0 | | Parameter | Current Value | Base Case* | Parameter Name |
|------|--|-----------|---------------|------------|----------------|
| | | Y-90 | 1.080E-05 | 1.080E-05 | DCF3(54) |
| D-34 | Food transfer factors: | | | | |
| D-34 | AC-225+D , plant/soil concentration ratio, dimensionless | | 2.500E-03 | 2.500E-03 | RTF(1,1) |
| D-34 | AC-225+D , beef/livestock-intake ratio, (pci/kg)/(pci/d) | | 2.000E-05 | 2.000E-05 | RTF(1,2) |
| D-34 | AC-225+D , milk/livestock-intake ratio, (pci/L)/(pci/d) | | 2.000E-05 | 2.000E-05 | RTF(1,3) |
| D-34 | AC-227 , plant/soil concentration ratio, dimensionless | | 2.500E-03 | 2.500E-03 | RTF(2,1) |
| D-34 | AC-227 , beef/livestock-intake ratio, (pci/kg)/(pci/d) | | 2.000E-05 | 2.000E-05 | RTF(2,2) |
| D-34 | AC-227 , milk/livestock-intake ratio, (pci/L)/(pci/d) | | 2.000E-05 | 2.000E-05 | RTF(2,3) |
| D-34 | AC-227+D , plant/soil concentration ratio, dimensionless | | 2.500E-03 | 2.500E-03 | RTF(3,1) |
| D-34 | AC-227+D , beef/livestock-intake ratio, (pci/kg)/(pci/d) | | 2.000E-05 | 2.000E-05 | RTF(3,2) |
| D-34 | AC-227+D , milk/livestock-intake ratio, (pci/L)/(pci/d) | | 2.000E-05 | 2.000E-05 | RTF(3,3) |
| D-34 | Am-241 , plant/soil concentration ratio, dimensionless | | 1.000E-03 | 1.000E-03 | RTF(4,1) |
| D-34 | Am-241 , beef/livestock-intake ratio, (pci/kg)/(pci/d) | | 5.000E-05 | 5.000E-05 | RTF(4,2) |
| D-34 | Am-241 , milk/livestock-intake ratio, (pci/L)/(pci/d) | | 2.000E-06 | 2.000E-06 | RTF(4,3) |
| D-34 | Am-243 , plant/soil concentration ratio, dimensionless | | 1.000E-03 | 1.000E-03 | RTF(5,1) |
| D-34 | Am-243 , beef/livestock-intake ratio, (pci/kg)/(pci/d) | | 5.000E-05 | 5.000E-05 | RTF(5,2) |
| D-34 | Am-243 , milk/livestock-intake ratio, (pci/L)/(pci/d) | | 2.000E-06 | 2.000E-06 | RTF(5,3) |
| D-34 | Bi-210 , plant/soil concentration ratio, dimensionless | | 1.000E-01 | 1.000E-01 | RTF(7,1) |
| D-34 | Bi-210 , beef/livestock-intake ratio, (pci/kg)/(pci/d) | | 2.000E-03 | 2.000E-03 | RTF(7,2) |
| D-34 | Bi-210 , milk/livestock-intake ratio, (pci/L)/(pci/d) | | 5.000E-04 | 5.000E-04 | RTF(7,3) |
| D-34 | C-14 , plant/soil concentration ratio, dimensionless | | 5.500E+00 | 5.500E+00 | RTF(8,1) |
| D-34 | C-14 , beef/livestock-intake ratio, (pci/kg)/(pci/d) | | 3.100E-02 | 3.100E-02 | RTF(8,2) |
| D-34 | C-14 , milk/livestock-intake ratio, (pci/L)/(pci/d) | | 1.200E-02 | 1.200E-02 | RTF(8,3) |
| D-34 | Cm-243 , plant/soil concentration ratio, dimensionless | | 1.000E-03 | 1.000E-03 | RTF(9,1) |

D-34 * Cm-243 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) * 2.000E-05 * 2.000E-05 * RTFC(9,2).
 D-34 * Cm-243 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) * 2.000E-06 * 2.000E-06 * RTFC(9,3).
 D-34 * Co-60 , plant/soil concentration ratio, dimensionless * 8.000E-02 * 8.000E-02 * RTFC(13,1).
 D-34 * Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) * 2.000E-02 * 2.000E-02 * RTFC(13,2).
 D-34 * Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) * 2.000E-03 * 2.000E-03 * RTFC(13,3).
 D-34 * Cs-134 , plant/soil concentration ratio, dimensionless * 4.000E-02 * 4.000E-02 * RTFC(14,1).
 D-34 * Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) * 3.000E-02 * 3.000E-02 * RTFC(14,2).
 D-34 * Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) * 8.000E-03 * 8.000E-03 * RTFC(14,3).
 D-34 * Cs-137+D , plant/soil concentration ratio, dimensionless * 4.000E-02 * 4.000E-02 * RTFC(15,1).
 D-34 * Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) * 3.000E-02 * 3.000E-02 * RTFC(15,2).
 D-34 * Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) * 8.000E-03 * 8.000E-03 * RTFC(15,3).
 D-34 * Fe-55 , plant/soil concentration ratio, dimensionless * 1.000E-03 * 1.000E-03 * RTFC(16,1).
 D-34 * Fe-55 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) * 2.000E-02 * 2.000E-02 * RTFC(16,2).
 D-34 * Fe-55 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) * 3.000E-04 * 3.000E-04 * RTFC(16,3).

1RESRAD, Version 6.5 T* Limit = 1 day 01/07/2010 15:00 Page 6
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)
 Dose Library: FGR 12 & FGR 11

| Parameter | Current | Base | Parameter |
|---|-----------|-----------|-------------|
| Value# | Case* | Name | |
| plant/soil concentration ratio, dimensionless | 4.800E+00 | 4.800E+00 | RTFC(17,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 1.200E-02 | 1.200E-02 | RTFC(17,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.000E-02 | 1.000E-02 | RTFC(17,3) |
| plant/soil concentration ratio, dimensionless | 2.000E-02 | 2.000E-02 | RTFC(18,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 7.000E-03 | 7.000E-03 | RTFC(18,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.000E-02 | 1.000E-02 | RTFC(18,3) |
| plant/soil concentration ratio, dimensionless | 5.000E-02 | 5.000E-02 | RTFC(19,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 5.000E-03 | 5.000E-03 | RTFC(19,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 2.000E-02 | 2.000E-02 | RTFC(19,3) |
| plant/soil concentration ratio, dimensionless | 5.000E-02 | 5.000E-02 | RTFC(20,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 5.000E-03 | 5.000E-03 | RTFC(20,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 2.000E-02 | 2.000E-02 | RTFC(20,3) |
| plant/soil concentration ratio, dimensionless | 2.000E-02 | 2.000E-02 | RTFC(21,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 1.000E-03 | 1.000E-03 | RTFC(21,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 5.000E-06 | 5.000E-06 | RTFC(21,3) |
| plant/soil concentration ratio, dimensionless | 2.000E-02 | 2.000E-02 | RTFC(22,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 1.000E-03 | 1.000E-03 | RTFC(22,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 5.000E-06 | 5.000E-06 | RTFC(22,3) |
| plant/soil concentration ratio, dimensionless | 1.000E-02 | 1.000E-02 | RTFC(24,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 5.000E-03 | 5.000E-03 | RTFC(24,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 5.000E-06 | 5.000E-06 | RTFC(24,3) |
| plant/soil concentration ratio, dimensionless | 1.000E-02 | 1.000E-02 | RTFC(26,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 5.000E-03 | 5.000E-03 | RTFC(26,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 5.000E-06 | 5.000E-06 | RTFC(26,3) |
| plant/soil concentration ratio, dimensionless | 1.000E-02 | 1.000E-02 | RTFC(27,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 8.000E-04 | 8.000E-04 | RTFC(27,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 3.000E-04 | 3.000E-04 | RTFC(27,3) |
| plant/soil concentration ratio, dimensionless | 1.000E-03 | 1.000E-03 | RTFC(28,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 5.000E-03 | 5.000E-03 | RTFC(28,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 3.400E-04 | 3.400E-04 | RTFC(28,3) |
| plant/soil concentration ratio, dimensionless | 1.000E-03 | 1.000E-03 | RTFC(29,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 1.000E-04 | 1.000E-04 | RTFC(29,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.000E-06 | 1.000E-06 | RTFC(29,3) |
| plant/soil concentration ratio, dimensionless | 1.000E-03 | 1.000E-03 | RTFC(31,1) |
| beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 1.000E-04 | 1.000E-04 | RTFC(31,2) |
| milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.000E-06 | 1.000E-06 | RTFC(31,3) |

1RESRAD, Version 6.5 T* Limit = 1 day 01/07/2010 15:00 Page 7
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)
 Dose Library: FGR 12 & FGR 11

| | | | new intruder | | |
|------|-----------|---|--------------|-----------|------------|
| 0 | Parameter | Parameter | Current | Base | Parameter |
| Menu | | | Value# | Case* | Name |
| D-34 | PU-241 | plant/soil concentration ratio, dimensionless | 1.000E-03 | 1.000E-03 | RTF(33,1) |
| D-34 | PU-241 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 1.000E-04 | 1.000E-04 | RTF(33,2) |
| D-34 | PU-241 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 1.000E-06 | 1.000E-06 | RTF(33,3) |
| D-34 | Ra-223+D | plant/soil concentration ratio, dimensionless | 4.000E-02 | 4.000E-02 | RTF(35,1) |
| D-34 | Ra-223+D | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 1.000E-03 | 1.000E-03 | RTF(35,2) |
| D-34 | Ra-223+D | milk/livestock-intake ratio, (pci/L)/(pci/d) | 1.000E-03 | 1.000E-03 | RTF(35,3) |
| D-34 | Ra-225 | plant/soil concentration ratio, dimensionless | 4.000E-02 | 4.000E-02 | RTF(36,1) |
| D-34 | Ra-225 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 1.000E-03 | 1.000E-03 | RTF(36,2) |
| D-34 | Ra-225 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 1.000E-03 | 1.000E-03 | RTF(36,3) |
| D-34 | Ra-226 | plant/soil concentration ratio, dimensionless | 4.000E-02 | 4.000E-02 | RTF(37,1) |
| D-34 | Ra-226 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 1.000E-03 | 1.000E-03 | RTF(37,2) |
| D-34 | Ra-226 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 1.000E-03 | 1.000E-03 | RTF(37,3) |
| D-34 | Rn-222+D | plant/soil concentration ratio, dimensionless | 0.000E+00 | 0.000E+00 | RTF(38,1) |
| D-34 | Rn-222+D | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 0.000E+00 | 0.000E+00 | RTF(38,2) |
| D-34 | Rn-222+D | milk/livestock-intake ratio, (pci/L)/(pci/d) | 0.000E+00 | 0.000E+00 | RTF(38,3) |
| D-34 | Sb-125 | plant/soil concentration ratio, dimensionless | 1.000E-02 | 1.000E-02 | RTF(39,1) |
| D-34 | Sb-125 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 1.000E-03 | 1.000E-03 | RTF(39,2) |
| D-34 | Sb-125 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 1.000E-04 | 1.000E-04 | RTF(39,3) |
| D-34 | Sr-90 | plant/soil concentration ratio, dimensionless | 3.000E-01 | 3.000E-01 | RTF(41,1) |
| D-34 | Sr-90 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 8.000E-03 | 8.000E-03 | RTF(41,2) |
| D-34 | Sr-90 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 2.000E-03 | 2.000E-03 | RTF(41,3) |
| D-34 | Tc-99 | plant/soil concentration ratio, dimensionless | 5.000E+00 | 5.000E+00 | RTF(42,1) |
| D-34 | Tc-99 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 1.000E-04 | 1.000E-04 | RTF(42,2) |
| D-34 | Tc-99 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 1.000E-03 | 1.000E-03 | RTF(42,3) |
| D-34 | Te-125m | plant/soil concentration ratio, dimensionless | 6.000E-01 | 6.000E-01 | RTF(43,1) |
| D-34 | Te-125m | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 7.000E-03 | 7.000E-03 | RTF(43,2) |
| D-34 | Te-125m | milk/livestock-intake ratio, (pci/L)/(pci/d) | 5.000E-04 | 5.000E-04 | RTF(43,3) |
| D-34 | Th-227 | plant/soil concentration ratio, dimensionless | 1.000E-03 | 1.000E-03 | RTF(44,1) |
| D-34 | Th-227 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 1.000E-04 | 1.000E-04 | RTF(44,2) |
| D-34 | Th-227 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 5.000E-06 | 5.000E-06 | RTF(44,3) |
| D-34 | Th-229 | plant/soil concentration ratio, dimensionless | 1.000E-03 | 1.000E-03 | RTF(45,1) |
| D-34 | Th-229 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 1.000E-04 | 1.000E-04 | RTF(45,2) |
| D-34 | Th-229 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 5.000E-06 | 5.000E-06 | RTF(45,3) |
| D-34 | Th-230 | plant/soil concentration ratio, dimensionless | 1.000E-03 | 1.000E-03 | RTF(46,1) |
| D-34 | Th-230 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 1.000E-04 | 1.000E-04 | RTF(46,2) |
| D-34 | Th-230 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 5.000E-06 | 5.000E-06 | RTF(46,3) |

1RESRAD, Version 6.5 T= Limit = 1 day 01/07/2010 15:00 Page 8

Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

| | | Dose Conversion Factor (and Related) Parameter Summary (continued) | Dose Library: FGR 12 & FGR 11 | | |
|------|-----------|--|-------------------------------|-----------|------------|
| 0 | Parameter | Parameter | Current | Base | Parameter |
| Menu | | | Value# | Case* | Name |
| D-34 | Th-231 | plant/soil concentration ratio, dimensionless | 1.000E-03 | 1.000E-03 | RTF(47,1) |
| D-34 | Th-231 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 1.000E-04 | 1.000E-04 | RTF(47,2) |
| D-34 | Th-231 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 5.000E-06 | 5.000E-06 | RTF(47,3) |
| D-34 | U-233 | plant/soil concentration ratio, dimensionless | 2.500E-03 | 2.500E-03 | RTF(49,1) |
| D-34 | U-233 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 3.400E-04 | 3.400E-04 | RTF(49,2) |
| D-34 | U-233 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 6.000E-04 | 6.000E-04 | RTF(49,3) |
| D-34 | U-234 | plant/soil concentration ratio, dimensionless | 2.500E-03 | 2.500E-03 | RTF(50,1) |
| D-34 | U-234 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 3.400E-04 | 3.400E-04 | RTF(50,2) |
| D-34 | U-234 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 6.000E-04 | 6.000E-04 | RTF(50,3) |
| D-34 | U-235 | plant/soil concentration ratio, dimensionless | 2.500E-03 | 2.500E-03 | RTF(51,1) |
| D-34 | U-235 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 3.400E-04 | 3.400E-04 | RTF(51,2) |
| D-34 | U-235 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 6.000E-04 | 6.000E-04 | RTF(51,3) |
| D-34 | U-237 | plant/soil concentration ratio, dimensionless | 2.500E-03 | 2.500E-03 | RTF(53,1) |
| D-34 | U-237 | beef/livestock-intake ratio, (pci/kg)/(pci/d) | 3.400E-04 | 3.400E-04 | RTF(53,2) |
| D-34 | U-237 | milk/livestock-intake ratio, (pci/L)/(pci/d) | 6.000E-04 | 6.000E-04 | RTF(53,3) |
| D-34 | Y-90 | plant/soil concentration ratio, dimensionless | 2.500E-03 | 2.500E-03 | RTF(54,1) |

```

D-34 * Y-90 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) * 2.000E-03 * 2.000E-03 * RTFC( 54,2)
D-34 * Y-90 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) * 2.000E-05 * 2.000E-05 * RTFC( 54,3)

D-5 * Bioaccumulation factors, fresh water, L/kg:
D-5 * AC-225+0 , fish * 1.500E+01 * 1.500E+01 * BIOFAC( 1,1)
D-5 * AC-225+0 , crustacea and mollusks * 1.000E+03 * 1.000E+03 * BIOFAC( 1,2)
D-5 *
D-5 * AC-227 , fish * 1.500E+01 * 1.500E+01 * BIOFAC( 2,1)
D-5 * AC-227 , crustacea and mollusks * 1.000E+03 * 1.000E+03 * BIOFAC( 2,2)
D-5 *
D-5 * AC-227+0 , fish * 1.500E+01 * 1.500E+01 * BIOFAC( 3,1)
D-5 * AC-227+0 , crustacea and mollusks * 1.000E+03 * 1.000E+03 * BIOFAC( 3,2)
D-5 *
D-5 * Am-241 , fish * 3.000E+01 * 3.000E+01 * BIOFAC( 4,1)
D-5 * Am-241 , crustacea and mollusks * 1.000E+03 * 1.000E+03 * BIOFAC( 4,2)
D-5 *
D-5 * Am-243 , fish * 3.000E+01 * 3.000E+01 * BIOFAC( 5,1)
D-5 * Am-243 , crustacea and mollusks * 1.000E+03 * 1.000E+03 * BIOFAC( 5,2)
D-5 *
D-5 * Bi-210 , fish * 1.500E+01 * 1.500E+01 * BIOFAC( 7,1)
D-5 * Bi-210 , crustacea and mollusks * 1.000E+01 * 1.000E+01 * BIOFAC( 7,2)
D-5 *
D-5 * C-14 , fish * 5.000E+04 * 5.000E+04 * BIOFAC( 8,1)
D-5 * C-14 , crustacea and mollusks * 9.100E+03 * 9.100E+03 * BIOFAC( 8,2)
D-5 *
D-5 * Cm-243 , fish * 3.000E+01 * 3.000E+01 * BIOFAC( 9,1)
D-5 * Cm-243 , crustacea and mollusks * 1.000E+03 * 1.000E+03 * BIOFAC( 9,2)
D-5 *

```

1RESRAD, Version 6.5 Tx Limit = 1 day 01/07/2010 15:00 Page 9
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 12 & FGR 11

| 0 | * | Parameter | Current | Base | Parameter |
|---|----------|--------------------------|-----------|-----------|---------------|
| | Menu | | value# | case* | Name |
| | Co-60 | , fish | 3.000E+02 | 3.000E+02 | BIOFAC(13,1) |
| | Co-60 | , crustacea and mollusks | 2.000E+02 | 2.000E+02 | BIOFAC(13,2) |
| | Cs-134 | , fish | 2.000E+03 | 2.000E+03 | BIOFAC(14,1) |
| | Cs-134 | , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(14,2) |
| | Cs-137+0 | , fish | 2.000E+03 | 2.000E+03 | BIOFAC(15,1) |
| | Cs-137+0 | , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(15,2) |
| | Fe-55 | , fish | 2.000E+02 | 2.000E+02 | BIOFAC(16,1) |
| | Fe-55 | , crustacea and mollusks | 3.200E+03 | 3.200E+03 | BIOFAC(16,2) |
| | H-3 | , fish | 1.000E+00 | 1.000E+00 | BIOFAC(17,1) |
| | H-3 | , crustacea and mollusks | 1.000E+00 | 1.000E+00 | BIOFAC(17,2) |
| | I-129 | , fish | 4.000E+01 | 4.000E+01 | BIOFAC(18,1) |
| | I-129 | , crustacea and mollusks | 5.000E+00 | 5.000E+00 | BIOFAC(18,2) |
| | Ni-59 | , fish | 1.000E+02 | 1.000E+02 | BIOFAC(19,1) |
| | Ni-59 | , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(19,2) |
| | Ni-63 | , fish | 1.000E+02 | 1.000E+02 | BIOFAC(20,1) |
| | Ni-63 | , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(20,2) |
| | Np-237 | , fish | 3.000E+01 | 3.000E+01 | BIOFAC(21,1) |
| | Np-237 | , crustacea and mollusks | 4.000E+02 | 4.000E+02 | BIOFAC(21,2) |
| | NP-239 | , fish | 3.000E+01 | 3.000E+01 | BIOFAC(22,1) |
| | NP-239 | , crustacea and mollusks | 4.000E+02 | 4.000E+02 | BIOFAC(22,2) |
| | Pa-231 | , fish | 1.000E+01 | 1.000E+01 | BIOFAC(24,1) |
| | Pa-231 | , crustacea and mollusks | 1.100E+02 | 1.100E+02 | BIOFAC(24,2) |
| | Pa-233 | , fish | 1.000E+01 | 1.000E+01 | BIOFAC(26,1) |
| | Pa-233 | , crustacea and mollusks | 1.100E+02 | 1.100E+02 | BIOFAC(26,2) |
| | Pb-210 | , fish | 3.000E+02 | 3.000E+02 | BIOFAC(27,1) |
| | Pb-210 | , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(27,2) |
| | Po-210 | , fish | 1.000E+02 | 1.000E+02 | BIOFAC(28,1) |
| | Po-210 | , crustacea and mollusks | 2.000E+04 | 2.000E+04 | BIOFAC(28,2) |
| | Pu-238 | , fish | 3.000E+01 | 3.000E+01 | BIOFAC(29,1) |
| | Pu-238 | , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(29,2) |

```

D-5  : Pu-239    , fish          , new intruder
D-5  : Pu-239    , crustacea and mollusks
D-5  :
D-5  : Pu-241    , fish          , 3.000E+01 3.000E+01 BIOFAC( 31,1)
D-5  : Pu-241    , crustacea and mollusks
D-5  : Pu-241    , fish          , 1.000E+02 1.000E+02 BIOFAC( 31,2)
D-5  :
IRESRAD, Version 6.5   Tx Limit = 1 day      01/07/2010 15:00 Page 10
Summary : RESRAD Intruder Resident
File   : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

```

Dose Conversion Factor (and Related) Parameter Summary (continued)
Dose Library: FGR 12 & FGR 11

| | Parameter | Current | Base | Parameter |
|-----|-----------------------------------|-----------|-----------|---------------|
| | | Value# | Case* | Name |
| D-5 | Ra-223+D , fish | 5.000E+01 | 5.000E+01 | BIOFAC(35,1) |
| D-5 | Ra-223+D , crustacea and mollusks | 2.500E+02 | 2.500E+02 | BIOFAC(35,2) |
| D-5 | Ra-225 , fish | 5.000E+01 | 5.000E+01 | BIOFAC(36,1) |
| D-5 | Ra-225 , crustacea and mollusks | 2.500E+02 | 2.500E+02 | BIOFAC(36,2) |
| D-5 | Ra-226 , fish | 5.000E+01 | 5.000E+01 | BIOFAC(37,1) |
| D-5 | Ra-226 , crustacea and mollusks | 2.500E+02 | 2.500E+02 | BIOFAC(37,2) |
| D-5 | Rn-222+D , fish | 0.000E+00 | 0.000E+00 | BIOFAC(38,1) |
| D-5 | Rn-222+D , crustacea and mollusks | 0.000E+00 | 0.000E+00 | BIOFAC(38,2) |
| D-5 | Sb-125 , fish | 1.000E+02 | 1.000E+02 | BIOFAC(39,1) |
| D-5 | Sb-125 , crustacea and mollusks | 1.000E+01 | 1.000E+01 | BIOFAC(39,2) |
| D-5 | Sr-90 , fish | 6.000E+01 | 6.000E+01 | BIOFAC(41,1) |
| D-5 | Sr-90 , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(41,2) |
| D-5 | Tc-99 , fish | 2.000E+01 | 2.000E+01 | BIOFAC(42,1) |
| D-5 | Tc-99 , crustacea and mollusks | 5.000E+00 | 5.000E+00 | BIOFAC(42,2) |
| D-5 | Te-125m , fish | 4.000E+02 | 4.000E+02 | BIOFAC(43,1) |
| D-5 | Te-125m , crustacea and mollusks | 7.500E+01 | 7.500E+01 | BIOFAC(43,2) |
| D-5 | Th-227 , fish | 1.000E+02 | 1.000E+02 | BIOFAC(44,1) |
| D-5 | Th-227 , crustacea and mollusks | 5.000E+02 | 5.000E+02 | BIOFAC(44,2) |
| D-5 | Th-229 , fish | 1.000E+02 | 1.000E+02 | BIOFAC(45,1) |
| D-5 | Th-229 , crustacea and mollusks | 5.000E+02 | 5.000E+02 | BIOFAC(45,2) |
| D-5 | Th-230 , fish | 1.000E+02 | 1.000E+02 | BIOFAC(46,1) |
| D-5 | Th-230 , crustacea and mollusks | 5.000E+02 | 5.000E+02 | BIOFAC(46,2) |
| D-5 | Th-231 , fish | 1.000E+02 | 1.000E+02 | BIOFAC(47,1) |
| D-5 | Th-231 , crustacea and mollusks | 5.000E+02 | 5.000E+02 | BIOFAC(47,2) |
| D-5 | U-233 , fish | 1.000E+01 | 1.000E+01 | BIOFAC(49,1) |
| D-5 | U-233 , crustacea and mollusks | 6.000E+01 | 6.000E+01 | BIOFAC(49,2) |
| D-5 | U-234 , fish | 1.000E+01 | 1.000E+01 | BIOFAC(50,1) |
| D-5 | U-234 , crustacea and mollusks | 6.000E+01 | 6.000E+01 | BIOFAC(50,2) |
| D-5 | U-235 , fish | 1.000E+01 | 1.000E+01 | BIOFAC(51,1) |
| D-5 | U-235 , crustacea and mollusks | 6.000E+01 | 6.000E+01 | BIOFAC(51,2) |
| D-5 | U-237 , fish | 1.000E+01 | 1.000E+01 | BIOFAC(53,1) |
| D-5 | U-237 , crustacea and mollusks | 6.000E+01 | 6.000E+01 | BIOFAC(53,2) |

```

IRESRAD, Version 6.5   Tx Limit = 1 day      01/07/2010 15:00 Page 11
Summary : RESRAD Intruder Resident
File   : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

```

Dose Conversion Factor (and Related) Parameter Summary (continued)
Dose Library: FGR 12 & FGR 11

| | Parameter | Current | Base | Parameter |
|-----|-------------------------------|-----------|-----------|---------------|
| | | Value# | Case* | Name |
| D-5 | Y-90 , fish | 3.000E+01 | 3.000E+01 | BIOFAC(54,1) |
| D-5 | Y-90 , crustacea and mollusks | 1.000E+03 | 1.000E+03 | BIOFAC(54,2) |

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.
*Base Case means default.Lib w/o Associate Nuclide contributions.

```

IRESRAD, Version 6.5   Tx Limit = 1 day      01/07/2010 15:00 Page 12
Summary : RESRAD Intruder Resident
File   : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

```

| Site-Specific Parameter Summary | | | | new intruder | | |
|--|--|------|-----------|--|----------------|----------------|
| 0 | Parameter | User | Input | Default (if different from user input) | Used by RESRAD | Parameter Name |
| RO11 | Area of contaminated zone (m^2) | | 1.750E+03 | 1.000E+04 | --- | AREA |
| RO11 | Thickness of contaminated zone (m) | | 3.400E-01 | 2.000E+00 | --- | THICK0 |
| RO11 | Fraction of contamination that is submerged | | 0.000E+00 | 0.000E+00 | --- | SUBMFRACT |
| RO11 | Length parallel to aquifer flow (m) | | 4.200E+01 | 1.000E-02 | --- | LCZPAQ |
| RO11 | Basic radiation dose limit (mrem/yr) | | 2.500E+01 | 3.000E-01 | --- | BRDL |
| RO11 | Time since placement of material (yr) | | 0.000E+00 | 0.000E+00 | --- | TI |
| RO11 | Times for calculations (yr) | | 1.000E+00 | 1.000E+00 | --- | T(2) |
| RO11 | Times for calculations (yr) | | 1.000E-01 | 3.000E+00 | --- | T(3) |
| RO11 | Times for calculations (yr) | | 1.000E+02 | 1.000E+01 | --- | T(4) |
| RO11 | Times for calculations (yr) | | 1.500E+02 | 3.000E+01 | --- | T(5) |
| RO11 | Times for calculations (yr) | | 3.000E+02 | 1.000E+02 | --- | T(6) |
| RO11 | Times for calculations (yr) | | 5.000E+02 | 3.000E+02 | --- | T(7) |
| RO11 | Times for calculations (yr) | | not used | 1.000E+03 | --- | T(8) |
| RO11 | Times for calculations (yr) | | not used | 0.000E+00 | --- | T(9) |
| RO11 | Times for calculations (yr) | | not used | 0.000E+00 | --- | T(10) |
| RO12 | Initial principal radionuclide (pCi/g): Am-241 | | 3.040E+00 | 0.000E+00 | --- | S1(4) |
| RO12 | Initial principal radionuclide (pCi/g): C-14 | | 5.480E+01 | 0.000E+00 | --- | S1(8) |
| RO12 | Initial principal radionuclide (pCi/g): Cm-243 | | 1.330E+01 | 0.000E+00 | --- | S1(9) |
| RO12 | Initial principal radionuclide (pCi/g): Co-60 | | 2.480E-05 | 0.000E+00 | --- | S1(13) |
| RO12 | Initial principal radionuclide (pCi/g): Cs-134 | | 1.310E+05 | 0.000E+00 | --- | S1(14) |
| RO12 | Initial principal radionuclide (pCi/g): Cs-137 | | 2.420E+05 | 0.000E+00 | --- | S1(15) |
| RO12 | Initial principal radionuclide (pCi/g): Fe-55 | | 6.840E+05 | 0.000E+00 | --- | S1(16) |
| RO12 | Initial principal radionuclide (pCi/g): H-3 | | 4.850E+01 | 0.000E+00 | --- | S1(17) |
| RO12 | Initial principal radionuclide (pCi/g): I-129 | | 6.000E-04 | 0.000E+00 | --- | S1(18) |
| RO12 | Initial principal radionuclide (pCi/g): Ni-59 | | 1.360E+03 | 0.000E+00 | --- | S1(19) |
| RO12 | Initial principal radionuclide (pCi/g): Ni-63 | | 2.460E+05 | 0.000E+00 | --- | S1(20) |
| RO12 | Initial principal radionuclide (pCi/g): Pu-238 | | 4.850E+00 | 0.000E+00 | --- | S1(29) |
| RO12 | Initial principal radionuclide (pCi/g): Pu-239 | | 3.270E+00 | 0.000E+00 | --- | S1(31) |
| RO12 | Initial principal radionuclide (pCi/g): Pu-241 | | 1.030E+03 | 0.000E+00 | --- | S1(33) |
| RO12 | Initial principal radionuclide (pCi/g): Sb-125 | | 5.800E+02 | 0.000E+00 | --- | S1(39) |
| RO12 | Initial principal radionuclide (pCi/g): Sr-90 | | 6.560E+02 | 0.000E+00 | --- | S1(41) |
| RO12 | Initial principal radionuclide (pCi/g): Tc-99 | | 1.180E+02 | 0.000E+00 | --- | S1(42) |
| RO12 | Concentration in groundwater (pCi/L): Am-241 | | not used | 0.000E+00 | --- | W1(4) |
| RO12 | Concentration in groundwater (pCi/L): C-14 | | not used | 0.000E+00 | --- | W1(8) |
| RO12 | Concentration in groundwater (pCi/L): Cm-243 | | not used | 0.000E+00 | --- | W1(9) |
| RO12 | Concentration in groundwater (pCi/L): Co-60 | | not used | 0.000E+00 | --- | W1(13) |
| RO12 | Concentration in groundwater (pCi/L): Cs-134 | | not used | 0.000E+00 | --- | W1(14) |
| RO12 | Concentration in groundwater (pCi/L): Cs-137 | | not used | 0.000E+00 | --- | W1(15) |
| RO12 | Concentration in groundwater (pCi/L): Fe-55 | | not used | 0.000E+00 | --- | W1(16) |
| RO12 | Concentration in groundwater (pCi/L): H-3 | | not used | 0.000E+00 | --- | W1(17) |
| RO12 | Concentration in groundwater (pCi/L): I-129 | | not used | 0.000E+00 | --- | W1(18) |
| RO12 | Concentration in groundwater (pCi/L): Ni-59 | | not used | 0.000E+00 | --- | W1(19) |
| RO12 | Concentration in groundwater (pCi/L): Ni-63 | | not used | 0.000E+00 | --- | W1(20) |
| RO12 | Concentration in groundwater (pCi/L): Pu-238 | | not used | 0.000E+00 | --- | W1(29) |
| RO12 | Concentration in groundwater (pCi/L): Pu-239 | | not used | 0.000E+00 | --- | W1(31) |
| RO12 | Concentration in groundwater (pCi/L): Pu-241 | | not used | 0.000E+00 | --- | W1(33) |
| RO12 | Concentration in groundwater (pCi/L): Sb-125 | | not used | 0.000E+00 | --- | W1(39) |
| RO12 | Concentration in groundwater (pCi/L): Sr-90 | | not used | 0.000E+00 | --- | W1(41) |
| RO12 | Concentration in groundwater (pCi/L): Tc-99 | | not used | 0.000E+00 | --- | W1(42) |
| IRESRAD, Version 6.5 Te Limit = 1 day 01/07/2010 15:00 Page 13 | | | | | | |

| Site-Specific Parameter Summary (continued) | | | | | | |
|---|---|------|-----------|--|----------------|----------------|
| 0 | Parameter | User | Input | Default (if different from user input) | Used by RESRAD | Parameter Name |
| RO13 | Cover depth (m) | | 0.000E+00 | 0.000E+00 | --- | COVER0 |
| RO13 | Density of cover material (g/cm**3) | | not used | 1.500E+00 | --- | DENSCV |
| RO13 | Cover depth erosion rate (m/yr) | | not used | 1.000E-03 | --- | VCV |
| RO13 | Density of contaminated zone (g/cm**3) | | 1.500E+00 | 1.000E+00 | --- | DENSCZ |
| RO13 | Contaminated zone erosion rate (m/yr) | | 0.000E+00 | 1.000E-03 | --- | VCZ |
| RO13 | Contaminated zone total porosity | | 4.000E-01 | 4.000E-01 | --- | TPCZ |
| RO13 | Contaminated zone field capacity | | 2.000E-01 | 2.000E-01 | --- | FCCZ |
| RO13 | Contaminated zone hydraulic conductivity (m/yr) | | 1.000E+01 | 1.000E+01 | --- | HCCZ |
| RO13 | Contaminated zone b parameter | | 5.300E+00 | 5.300E+00 | --- | BCZ |
| RO13 | Average annual wind speed (m/sec) | | 2.000E+00 | 2.000E+00 | --- | WIND |
| RO13 | Humidity in air (g/m**3) | | 8.000E+00 | 8.000E+00 | --- | HUMID |
| RO13 | Evapotranspiration coefficient | | 9.800E-01 | 5.000E-01 | --- | EVAPTR |
| RO13 | Precipitation (mm/yr) | | 2.000E-01 | 1.000E+00 | --- | PRECIP |
| RO13 | Irrigation (m/yr) | | 2.000E-01 | 2.000E-01 | --- | RI |
| RO13 | Irrigation mode | | overhead | overhead | --- | IDITCH |
| RO13 | Runoff coefficient | | 2.000E-01 | 2.000E-01 | --- | RUNOFF |
| RO13 | Watershed area for nearby stream or pond (m**2) | | 1.000E+06 | 1.000E+06 | --- | WAREA |
| RO13 | Accuracy for water/soil computations | | 1.000E-03 | 1.000E-03 | --- | EPS |

| | | | | | | |
|------|--|-----------|-----------|--------------|-----------|---------------|
| RO14 | Density of saturated zone (g/cm**3) | 1.500E+00 | 1.500E+00 | new intruder | --- | 3 DENSQ |
| RO14 | Saturated zone total porosity | 4.000E-01 | 4.000E-01 | | --- | 3 TPSZ |
| RO14 | Saturated zone effective porosity | 2.000E-01 | 2.000E-01 | | --- | 3 EPSZ |
| RO14 | Saturated zone field capacity | 2.000E-01 | 2.000E-01 | | --- | 3 FCSZ |
| RO14 | Saturated zone hydraulic conductivity (m/yr) | 1.000E+02 | 1.000E+02 | | --- | 3 HCSZ |
| RO14 | Saturated zone hydraulic gradient | 2.000E-02 | 2.000E-02 | | --- | 3 HGWT |
| RO14 | Saturated zone b parameter | not used | 5.300E+00 | | --- | 3 BSZ |
| RO14 | Water table drop rate (m/yr) | 0.000E+00 | 1.000E-03 | | --- | 3 VWT |
| RO14 | Well pump intake depth (m below water table) | 1.000E+01 | 1.000E+01 | | --- | 3 DWIBWT |
| RO14 | Model: Nondispersion (ND) or Mass-Balance (MB) | ND | ND | | --- | 3 MODEL |
| RO14 | Well pumping rate (m**3/yr) | 2.500E+02 | 2.500E+02 | | --- | 3 UW |
| RO15 | Number of unsaturated zone strata | 1 | 1 | | --- | 3 NS |
| RO15 | Unsat. zone 1, thickness (m) | 4.000E+00 | 4.000E+00 | | --- | 3 H(1) |
| RO15 | Unsat. zone 1, soil density (g/cm**3) | 1.500E+00 | 1.500E+00 | | --- | 3 DENSUZ(1) |
| RO15 | Unsat. zone 1, total porosity | 4.000E-01 | 4.000E-01 | | --- | 3 TPUIZ(1) |
| RO15 | Unsat. zone 1, effective porosity | 2.000E-01 | 2.000E-01 | | --- | 3 EPUIZ(1) |
| RO15 | Unsat. zone 1, field capacity | 2.000E-01 | 2.000E-01 | | --- | 3 FCUZ(1) |
| RO15 | Unsat. zone 1, soil-specific b parameter | 5.300E+00 | 5.300E+00 | | --- | 3 BUZ(1) |
| RO15 | Unsat. zone 1, hydraulic conductivity (m/yr) | 1.000E+01 | 1.000E+01 | | --- | 3 HCUZ(1) |
| RO16 | Distribution coefficients for Am-241 | | | | 3 | |
| RO16 | Contaminated zone (cm**3/g) | 2.000E+01 | 2.000E+01 | | --- | 3 DCNUCC(4) |
| RO16 | Unsaturated zone 1 (cm**3/g) | 2.000E+01 | 2.000E+01 | | --- | 3 DCNUC(4,1) |
| RO16 | Saturated zone (cm**3/g) | 2.000E+01 | 2.000E+01 | | --- | 3 DCNUCS(4) |
| RO16 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | | 7.004E-04 | 3 ALEACH(4) |
| RO16 | Solubility constant | 0.000E+00 | 0.000E+00 | | not used | 3 SOLUBK(4) |

1RESRAD, Version 6.5 T* Limit = 1 day

01/07/2010 15:00 Page 14

Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Site-Specific Parameter Summary (continued)

| 0 | Parameter | User Input | Default (if different from user input) | used by RESRAD | Parameter Name |
|-------|--------------------------------------|------------|--|----------------|----------------|
| <hr/> | | | | | |
| RO16 | Distribution coefficients for C-14 | | | | 3 DCNUCC(8) |
| RO16 | Contaminated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | | 3 DCNUC(8,1) |
| RO16 | Unsaturated zone 1 (cm**3/g) | 0.000E+00 | 0.000E+00 | | 3 DCNUCS(8) |
| RO16 | Saturated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | | 3 ALEACH(8) |
| RO16 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 9.013E-02 | 3 SOLUBK(8) |
| RO16 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | |
| <hr/> | | | | | |
| RO16 | Distribution coefficients for Cm-243 | | | | 3 DCNUCC(9) |
| RO16 | Contaminated zone (cm**3/g) | -1.000E+00 | -1.000E+00 | | 3 DCNUC(9,1) |
| RO16 | Unsaturated zone 1 (cm**3/g) | -1.000E+00 | -1.000E+00 | | 3 DCNUCS(9) |
| RO16 | Saturated zone (cm**3/g) | -1.000E+00 | -1.000E+00 | | 3 ALEACH(9) |
| RO16 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.024E-05 | 3 SOLUBK(9) |
| RO16 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | |
| <hr/> | | | | | |
| RO16 | Distribution coefficients for Co-60 | | | | 3 DCNUCC(13) |
| RO16 | Contaminated zone (cm**3/g) | 1.000E+03 | 1.000E+03 | | 3 DCNUC(13,1) |
| RO16 | Unsaturated zone 1 (cm**3/g) | 1.000E+03 | 1.000E+03 | | 3 DCNUCS(13) |
| RO16 | Saturated zone (cm**3/g) | 1.000E+03 | 1.000E+03 | | 3 ALEACH(13) |
| RO16 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.412E-05 | 3 SOLUBK(13) |
| RO16 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | |
| <hr/> | | | | | |
| RO16 | Distribution coefficients for Cs-134 | | | | 3 DCNUCC(14) |
| RO16 | Contaminated zone (cm**3/g) | 4.600E+03 | 4.600E+03 | | 3 DCNUC(14,1) |
| RO16 | Unsaturated zone 1 (cm**3/g) | 4.600E+03 | 4.600E+03 | | 3 DCNUCS(14) |
| RO16 | Saturated zone (cm**3/g) | 4.600E+03 | 4.600E+03 | | 3 ALEACH(14) |
| RO16 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 3.069E-06 | 3 SOLUBK(14) |
| RO16 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | |
| <hr/> | | | | | |
| RO16 | Distribution coefficients for Cs-137 | | | | 3 DCNUCC(15) |
| RO16 | Contaminated zone (cm**3/g) | 4.600E+03 | 4.600E+03 | | 3 DCNUC(15,1) |
| RO16 | Unsaturated zone 1 (cm**3/g) | 4.600E+03 | 4.600E+03 | | 3 DCNUCS(15) |
| RO16 | Saturated zone (cm**3/g) | 4.600E+03 | 4.600E+03 | | 3 ALEACH(15) |
| RO16 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 3.069E-06 | 3 SOLUBK(15) |
| RO16 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | |
| <hr/> | | | | | |
| RO16 | Distribution coefficients for Fe-55 | | | | 3 DCNUCC(16) |
| RO16 | Contaminated zone (cm**3/g) | 1.000E+03 | 1.000E+03 | | 3 DCNUC(16,1) |
| RO16 | Unsaturated zone 1 (cm**3/g) | 1.000E+03 | 1.000E+03 | | 3 DCNUCS(16) |
| RO16 | Saturated zone (cm**3/g) | 1.000E+03 | 1.000E+03 | | 3 ALEACH(16) |
| RO16 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.412E-05 | 3 SOLUBK(16) |
| RO16 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | |
| <hr/> | | | | | |
| RO16 | Distribution coefficients for H-3 | | | | 3 DCNUCC(17) |
| RO16 | Contaminated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | | 3 DCNUC(17,1) |
| RO16 | Unsaturated zone 1 (cm**3/g) | 0.000E+00 | 0.000E+00 | | 3 DCNUCS(17) |
| RO16 | Saturated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | | |

R016 3 Leach rate (/yr) 3 0.000E+00 3 0.000E+00 3 new intruder 9.013E-02 3 ALEACH(17)
 R016 3 Solubility constant 3 0.000E+00 3 0.000E+00 3 not used 3 SOLUBK(17)
 1RESRAD, Version 6.5 T_x Limit = 1 day 01/07/2010 15:00 Page 15
 Summary : RESRAD Intruder Resident File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

| Site-Specific Parameter Summary (continued) | | | | | |
|---|-----------|-----------|---------|--------------------------------|----------------|
| Parameter | User | Input | Default | (if different from user input) | Used by RESRAD |
| AaaaaaaaParameter | | | | | Name |
| R016 3 Distribution coefficients for I-129 | | | | | |
| R016 3 Contaminated zone (cm**3/g) | 1.000E-01 | 1.000E-01 | | | DCNUCC(18) |
| R016 3 Unsaturated zone 1 (cm**3/g) | 1.000E-01 | 1.000E-01 | | | DCNUCU(18,1) |
| R016 3 Saturated zone (cm**3/g) | 1.000E-01 | 1.000E-01 | | | DCNUCS(18) |
| R016 3 Leach rate (/yr) | 0.000E+00 | 0.000E+00 | | | ALEACH(18) |
| R016 3 Solubility constant | 0.000E+00 | 0.000E+00 | | | SOLUBK(18) |
| R016 3 Distribution coefficients for Ni-59 | | | | | |
| R016 3 Contaminated zone (cm**3/g) | 1.000E+03 | 1.000E+03 | | | DCNUCC(19) |
| R016 3 Unsaturated zone 1 (cm**3/g) | 1.000E+03 | 1.000E+03 | | | DCNUCU(19,1) |
| R016 3 Saturated zone (cm**3/g) | 1.000E+03 | 1.000E+03 | | | DCNUCS(19) |
| R016 3 Leach rate (/yr) | 0.000E+00 | 0.000E+00 | | | ALEACH(19) |
| R016 3 Solubility constant | 0.000E+00 | 0.000E+00 | | | SOLUBK(19) |
| R016 3 Distribution coefficients for Ni-63 | | | | | |
| R016 3 Contaminated zone (cm**3/g) | 1.000E+03 | 1.000E+03 | | | DCNUCC(20) |
| R016 3 Unsaturated zone 1 (cm**3/g) | 1.000E+03 | 1.000E+03 | | | DCNUCU(20,1) |
| R016 3 Saturated zone (cm**3/g) | 1.000E+03 | 1.000E+03 | | | DCNUCS(20) |
| R016 3 Leach rate (/yr) | 0.000E+00 | 0.000E+00 | | | ALEACH(20) |
| R016 3 Solubility constant | 0.000E+00 | 0.000E+00 | | | SOLUBK(20) |
| R016 3 Distribution coefficients for Pu-238 | | | | | |
| R016 3 Contaminated zone (cm**3/g) | 2.000E+03 | 2.000E+03 | | | DCNUCC(29) |
| R016 3 Unsaturated zone 1 (cm**3/g) | 2.000E+03 | 2.000E+03 | | | DCNUCU(29,1) |
| R016 3 Saturated zone (cm**3/g) | 2.000E+03 | 2.000E+03 | | | DCNUCS(29) |
| R016 3 Leach rate (/yr) | 0.000E+00 | 0.000E+00 | | | ALEACH(29) |
| R016 3 Solubility constant | 0.000E+00 | 0.000E+00 | | | SOLUBK(29) |
| R016 3 Distribution coefficients for Pu-239 | | | | | |
| R016 3 Contaminated zone (cm**3/g) | 2.000E+03 | 2.000E+03 | | | DCNUCC(31) |
| R016 3 Unsaturated zone 1 (cm**3/g) | 2.000E+03 | 2.000E+03 | | | DCNUCU(31,1) |
| R016 3 Saturated zone (cm**3/g) | 2.000E+03 | 2.000E+03 | | | DCNUCS(31) |
| R016 3 Leach rate (/yr) | 0.000E+00 | 0.000E+00 | | | ALEACH(31) |
| R016 3 Solubility constant | 0.000E+00 | 0.000E+00 | | | SOLUBK(31) |
| R016 3 Distribution coefficients for Pu-241 | | | | | |
| R016 3 Contaminated zone (cm**3/g) | 2.000E+03 | 2.000E+03 | | | DCNUCC(33) |
| R016 3 Unsaturated zone 1 (cm**3/g) | 2.000E+03 | 2.000E+03 | | | DCNUCU(33,1) |
| R016 3 Saturated zone (cm**3/g) | 2.000E+03 | 2.000E+03 | | | DCNUCS(33) |
| R016 3 Leach rate (/yr) | 0.000E+00 | 0.000E+00 | | | ALEACH(33) |
| R016 3 Solubility constant | 0.000E+00 | 0.000E+00 | | | SOLUBK(33) |
| R016 3 Distribution coefficients for Sb-125 | | | | | |
| R016 3 Contaminated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | | | DCNUCC(39) |
| R016 3 Unsaturated zone 1 (cm**3/g) | 0.000E+00 | 0.000E+00 | | | DCNUCU(39,1) |
| R016 3 Saturated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | | | DCNUCS(39) |
| R016 3 Leach rate (/yr) | 0.000E+00 | 0.000E+00 | | | ALEACH(39) |
| R016 3 Solubility constant | 0.000E+00 | 0.000E+00 | | | SOLUBK(39) |
| 1RESRAD, Version 6.5 T _x Limit = 1 day | | | | | |
| Summary : RESRAD Intruder Resident | | | | | |
| File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD | | | | | |

| Site-Specific Parameter Summary (continued) | | | | | |
|--|-----------|-----------|---------|--------------------------------|----------------|
| Parameter | User | Input | Default | (if different from user input) | Used by RESRAD |
| AaaaaaaaParameter | | | | | Name |
| R016 3 Distribution coefficients for sr-90 | | | | | |
| R016 3 Contaminated zone (cm**3/g) | 3.000E+01 | 3.000E+01 | | | DCNUCC(41) |
| R016 3 Unsaturated zone 1 (cm**3/g) | 3.000E+01 | 3.000E+01 | | | DCNUCU(41,1) |
| R016 3 Saturated zone (cm**3/g) | 3.000E+01 | 3.000E+01 | | | DCNUCS(41) |
| R016 3 Leach rate (/yr) | 0.000E+00 | 0.000E+00 | | | ALEACH(41) |
| R016 3 Solubility constant | 0.000E+00 | 0.000E+00 | | | SOLUBK(41) |
| R016 3 Distribution coefficients for Tc-99 | | | | | |
| R016 3 Contaminated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | | | DCNUCC(42) |
| R016 3 Unsaturated zone 1 (cm**3/g) | 0.000E+00 | 0.000E+00 | | | DCNUCU(42,1) |
| R016 3 Saturated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | | | DCNUCS(42) |
| R016 3 Leach rate (/yr) | 0.000E+00 | 0.000E+00 | | | ALEACH(42) |
| R016 3 Solubility constant | 0.000E+00 | 0.000E+00 | | | SOLUBK(42) |
| R016 3 Distribution coefficients for daughter Ac-225 | | | | | |

```

R016 3 Contaminated zone (cm**3/g)           3 2.000E+01 3 2.000E+01 3 ---          3 DCNUCC( 1)
R016 3 Unsaturated zone 1 (cm**3/g)         3 2.000E+01 3 2.000E+01 3 ---          3 DCNUCU( 1,1)
R016 3 Saturated zone (cm**3/g)             3 2.000E+01 3 2.000E+01 3 ---          3 DCNUCS( 1)
R016 3 Leach rate (/yr)                   3 0.000E+00 3 0.000E+00 3 7.004E-04 3 ALEACH( 1)
R016 , Solubility constant                3 0.000E+00 3 0.000E+00 3 not used   3 SOLUBK( 1)

R016 3 Distribution coefficients for daughter Ac-227
R016 3 Contaminated zone (cm**3/g)           3 2.000E+01 3 2.000E+01 3 ---          3 DCNUCC( 2)
R016 3 Unsaturated zone 1 (cm**3/g)         3 2.000E+01 3 2.000E+01 3 ---          3 DCNUCU( 2,1)
R016 3 Saturated zone (cm**3/g)             3 2.000E+01 3 2.000E+01 3 ---          3 DCNUCS( 2)
R016 3 Leach rate (/yr)                   3 0.000E+00 3 0.000E+00 3 7.004E-04 3 ALEACH( 2)
R016 , Solubility constant                3 0.000E+00 3 0.000E+00 3 not used   3 SOLUBK( 2)

R016 3 Distribution coefficients for daughter Am-243
R016 3 Contaminated zone (cm**3/g)           3 2.000E+01 3 2.000E+01 3 ---          3 DCNUCC( 5)
R016 3 Unsaturated zone 1 (cm**3/g)         3 2.000E+01 3 2.000E+01 3 ---          3 DCNUCU( 5,1)
R016 3 Saturated zone (cm**3/g)             3 2.000E+01 3 2.000E+01 3 ---          3 DCNUCS( 5)
R016 3 Leach rate (/yr)                   3 0.000E+00 3 0.000E+00 3 7.004E-04 3 ALEACH( 5)
R016 , Solubility constant                3 0.000E+00 3 0.000E+00 3 not used   3 SOLUBK( 5)

R016 3 Distribution coefficients for daughter Bi-210
R016 3 Contaminated zone (cm**3/g)           3 0.000E+00 3 0.000E+00 3 ---          3 DCNUCC( 7)
R016 3 Unsaturated zone 1 (cm**3/g)         3 0.000E+00 3 0.000E+00 3 ---          3 DCNUCU( 7,1)
R016 3 Saturated zone (cm**3/g)             3 0.000E+00 3 0.000E+00 3 ---          3 DCNUCS( 7)
R016 3 Leach rate (/yr)                   3 0.000E+00 3 0.000E+00 3 9.013E-02 3 ALEACH( 7)
R016 , Solubility constant                3 0.000E+00 3 0.000E+00 3 not used   3 SOLUBK( 7)

R016 3 Distribution coefficients for daughter Np-237
R016 3 Contaminated zone (cm**3/g)           3 -1.000E+00 3 -1.000E+00 3 2.574E+02 3 DCNUCC(21)
R016 3 Unsaturated zone 1 (cm**3/g)         3 -1.000E+00 3 -1.000E+00 3 2.574E+02 3 DCNUCU(21,1)
R016 3 Saturated zone (cm**3/g)             3 -1.000E+00 3 -1.000E+00 3 2.574E+02 3 DCNUCS(21)
R016 3 Leach rate (/yr)                   3 0.000E+00 3 0.000E+00 3 5.481E-05 3 ALEACH(21)
R016 , Solubility constant                3 0.000E+00 3 0.000E+00 3 not used   3 SOLUBK(21)

```

IRESRAD, Version 6.5 To Limit = 1 day 01/07/2010 15:00 Page 1
Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSFIE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Site-Specific Parameter Summary (continued)

R016 : Solubility constant : 0.000E+00 : 0.000E+00 : new intruder not used : SOLUBK(35)
 R016 : Distribution coefficients for daughter Ra-225 : : : : :
 R016 : Contaminated zone (cm**3/g) : 7.000E+01 : 7.000E+01 : --- : DCNUCC(36)
 R016 : Unsaturated zone 1 (cm**3/g) : 7.000E+01 : 7.000E+01 : --- : DCNUCU(36,1)
 R016 : Saturated zone (cm**3/g) : 7.000E+01 : 7.000E+01 : --- : DCNUCS(36)
 R016 : Leach rate (/yr) : 0.000E+00 : 0.000E+00 : 2.012E-04 : ALEACH(36)
 R016 : Solubility constant : 0.000E+00 : 0.000E+00 : not used : SOLUBK(36)
 1RESRAD, Version 6.5 Tc Limit = 1 day 01/07/2010 15:00 Page 18
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

| Site-Specific Parameter Summary (continued) | | | | | |
|--|--|------|-------|---------|--|
| 0 | Parameter | User | Input | Default | Used by RESRAD (if different from user input) Name |
| AAAAAAA | Parameter | | | | |
| R016 : Distribution coefficients for daughter Ra-226 : : : : : | Contaminated zone (cm**3/g) : 7.000E+01 : 7.000E+01 : --- : DCNUCC(37) | | | | |
| R016 : Unsaturated zone 1 (cm**3/g) : 7.000E+01 : 7.000E+01 : --- : DCNUCU(37,1) | | | | | |
| R016 : Saturated zone (cm**3/g) : 7.000E+01 : 7.000E+01 : --- : DCNUCS(37) | | | | | |
| R016 : Leach rate (/yr) : 0.000E+00 : 0.000E+00 : 2.012E-04 : ALEACH(37) | | | | | |
| R016 : Solubility constant : 0.000E+00 : 0.000E+00 : not used : SOLUBK(37) | | | | | |
| R016 : Distribution coefficients for daughter Rn-222 : : : : : | Contaminated zone (cm**3/g) : 0.000E+00 : 0.000E+00 : --- : DCNUCC(38) | | | | |
| R016 : Unsaturated zone 1 (cm**3/g) : 0.000E+00 : 0.000E+00 : --- : DCNUCU(38,1) | | | | | |
| R016 : Saturated zone (cm**3/g) : 0.000E+00 : 0.000E+00 : --- : DCNUCS(38) | | | | | |
| R016 : Leach rate (/yr) : 0.000E+00 : 0.000E+00 : 9.013E-02 : ALEACH(38) | | | | | |
| R016 : Solubility constant : 0.000E+00 : 0.000E+00 : not used : SOLUBK(38) | | | | | |
| R016 : Distribution coefficients for daughter Te-125m : : : : : | Contaminated zone (cm**3/g) : 0.000E+00 : 0.000E+00 : --- : DCNUCC(43) | | | | |
| R016 : Unsaturated zone 1 (cm**3/g) : 0.000E+00 : 0.000E+00 : --- : DCNUCU(43,1) | | | | | |
| R016 : Saturated zone (cm**3/g) : 0.000E+00 : 0.000E+00 : --- : DCNUCS(43) | | | | | |
| R016 : Leach rate (/yr) : 0.000E+00 : 0.000E+00 : 9.013E-02 : ALEACH(43) | | | | | |
| R016 : Solubility constant : 0.000E+00 : 0.000E+00 : not used : SOLUBK(43) | | | | | |
| R016 : Distribution coefficients for daughter Th-227 : : : : : | Contaminated zone (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCC(44) | | | | |
| R016 : Unsaturated zone 1 (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCU(44,1) | | | | | |
| R016 : Saturated zone (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCS(44) | | | | | |
| R016 : Leach rate (/yr) : 0.000E+00 : 0.000E+00 : 2.353E-07 : ALEACH(44) | | | | | |
| R016 : Solubility constant : 0.000E+00 : 0.000E+00 : not used : SOLUBK(44) | | | | | |
| R016 : Distribution coefficients for daughter Th-229 : : : : : | Contaminated zone (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCC(45) | | | | |
| R016 : Unsaturated zone 1 (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCU(45,1) | | | | | |
| R016 : Saturated zone (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCS(45) | | | | | |
| R016 : Leach rate (/yr) : 0.000E+00 : 0.000E+00 : 2.353E-07 : ALEACH(45) | | | | | |
| R016 : Solubility constant : 0.000E+00 : 0.000E+00 : not used : SOLUBK(45) | | | | | |
| R016 : Distribution coefficients for daughter Th-230 : : : : : | Contaminated zone (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCC(46) | | | | |
| R016 : Unsaturated zone 1 (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCU(46,1) | | | | | |
| R016 : Saturated zone (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCS(46) | | | | | |
| R016 : Leach rate (/yr) : 0.000E+00 : 0.000E+00 : 2.353E-07 : ALEACH(46) | | | | | |
| R016 : Solubility constant : 0.000E+00 : 0.000E+00 : not used : SOLUBK(46) | | | | | |
| R016 : Distribution coefficients for daughter Th-231 : : : : : | Contaminated zone (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCC(47) | | | | |
| R016 : Unsaturated zone 1 (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCU(47,1) | | | | | |
| R016 : Saturated zone (cm**3/g) : 6.000E+04 : 6.000E+04 : --- : DCNUCS(47) | | | | | |
| R016 : Leach rate (/yr) : 0.000E+00 : 0.000E+00 : 2.353E-07 : ALEACH(47) | | | | | |
| R016 : Solubility constant : 0.000E+00 : 0.000E+00 : not used : SOLUBK(47) | | | | | |

| Site-Specific Parameter Summary (continued) | | | | | |
|--|--|------|-------|---------|--|
| 0 | Parameter | User | Input | Default | Used by RESRAD (if different from user input) Name |
| AAAAAAA | Parameter | | | | |
| R016 : Distribution coefficients for daughter U-233 : : : : : | Contaminated zone (cm**3/g) : 5.000E+01 : 5.000E+01 : --- : DCNUCC(49) | | | | |
| R016 : Unsaturated zone 1 (cm**3/g) : 5.000E+01 : 5.000E+01 : --- : DCNUCU(49,1) | | | | | |
| R016 : Saturated zone (cm**3/g) : 5.000E+01 : 5.000E+01 : --- : DCNUCS(49) | | | | | |
| R016 : Leach rate (/yr) : 0.000E+00 : 0.000E+00 : 2.815E-04 : ALEACH(49) | | | | | |
| R016 : Solubility constant : 0.000E+00 : 0.000E+00 : not used : SOLUBK(49) | | | | | |
| R016 : Distribution coefficients for daughter U-234 : : : : : | Contaminated zone (cm**3/g) : 5.000E+01 : 5.000E+01 : --- : DCNUCC(50) | | | | |

| | | | | | |
|---|--|-----------|-----------|-------------------------|--------------|
| R016 | Unsaturated zone 1 (cm**3/g) | 5.000E+01 | 5.000E+01 | --- | DCNUCU(50,1) |
| R016 | Saturated zone (cm**3/g) | 5.000E+01 | 5.000E+01 | --- | DCNUCS(50) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 2.815E-04 | ALEACH(50) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK(50) |
| R016 | Distribution coefficients for daughter U-235 | | | | |
| R016 | Contaminated zone (cm**3/g) | 5.000E+01 | 5.000E+01 | --- | DCNUCU(51) |
| R016 | Unsaturated zone 1 (cm**3/g) | 5.000E+01 | 5.000E+01 | --- | DCNUCU(51,1) |
| R016 | Saturated zone (cm**3/g) | 5.000E+01 | 5.000E+01 | --- | DCNUCS(51) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 2.815E-04 | ALEACH(51) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK(51) |
| R016 | Distribution coefficients for daughter U-237 | | | | |
| R016 | Contaminated zone (cm**3/g) | 5.000E+01 | 5.000E+01 | --- | DCNUCC(53) |
| R016 | Unsaturated zone 1 (cm**3/g) | 5.000E+01 | 5.000E+01 | --- | DCNUCU(53,1) |
| R016 | Saturated zone (cm**3/g) | 5.000E+01 | 5.000E+01 | --- | DCNUCS(53) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 2.815E-04 | ALEACH(53) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK(53) |
| R016 | Distribution coefficients for daughter Y-90 | | | | |
| R016 | Contaminated zone (cm**3/g) | 7.200E+02 | 7.200E+02 | --- | DCNUCC(54) |
| R016 | Unsaturated zone 1 (cm**3/g) | 7.200E+02 | 7.200E+02 | --- | DCNUCU(54,1) |
| R016 | Saturated zone (cm**3/g) | 7.200E+02 | 7.200E+02 | --- | DCNUCS(54) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.960E-05 | ALEACH(54) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK(54) |
| R017 | Inhalation rate (m**3/yr) | 8.400E+03 | 8.400E+03 | --- | INHALR |
| R017 | Mass loading for inhalation (g/m**3) | 1.000E-04 | 1.000E-04 | --- | MLINH |
| R017 | Exposure duration | 3.000E+01 | 3.000E+01 | --- | ED |
| R017 | Shielding factor, inhalation | 4.000E-01 | 4.000E-01 | --- | SHF3 |
| R017 | Shielding factor, external gamma | 7.000E-01 | 7.000E-01 | --- | SHF1 |
| R017 | Fraction of time spent indoors | 5.000E-01 | 5.000E-01 | --- | FIND |
| R017 | Fraction of time spent outdoors (on site) | 2.500E-01 | 2.500E-01 | --- | FOTD |
| R017 | Shape factor flag, external gamma | 1.000E+00 | 1.000E+00 | >0 shows circular AREA. | FS |
| 1RESRAD, Version 6.5 T _x Limit = 1 day | | | | | |
| Summary : RESRAD Intruder Resident | | | | | |
| File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD | | | | | |

| Site-Specific Parameter Summary (continued) | | | | | |
|---|--|-----------|-----------|-----------|--|
| 0 | Parameter | User | Input | Default | used by RESRAD (if different from user input) Name |
| Menu | Parameter | User | Input | Default | used by RESRAD (if different from user input) Name |
| AAAAAAA | Radius of shape factor array (used if FS = -1): | | | | |
| R017 | Outer annular radius (m), ring 1: | not used | 5.000E+01 | 5.000E+01 | RAD_SHAPE(1) |
| R017 | Outer annular radius (m), ring 2: | not used | 7.071E+01 | 7.071E+01 | RAD_SHAPE(2) |
| R017 | Outer annular radius (m), ring 3: | not used | 0.000E+00 | 0.000E+00 | RAD_SHAPE(3) |
| R017 | Outer annular radius (m), ring 4: | not used | 0.000E+00 | 0.000E+00 | RAD_SHAPE(4) |
| R017 | Outer annular radius (m), ring 5: | not used | 0.000E+00 | 0.000E+00 | RAD_SHAPE(5) |
| R017 | Outer annular radius (m), ring 6: | not used | 0.000E+00 | 0.000E+00 | RAD_SHAPE(6) |
| R017 | Outer annular radius (m), ring 7: | not used | 0.000E+00 | 0.000E+00 | RAD_SHAPE(7) |
| R017 | Outer annular radius (m), ring 8: | not used | 0.000E+00 | 0.000E+00 | RAD_SHAPE(8) |
| R017 | Outer annular radius (m), ring 9: | not used | 0.000E+00 | 0.000E+00 | RAD_SHAPE(9) |
| R017 | Outer annular radius (m), ring 10: | not used | 0.000E+00 | 0.000E+00 | RAD_SHAPE(10) |
| R017 | Outer annular radius (m), ring 11: | not used | 0.000E+00 | 0.000E+00 | RAD_SHAPE(11) |
| R017 | Outer annular radius (m), ring 12: | not used | 0.000E+00 | 0.000E+00 | RAD_SHAPE(12) |
| R017 | Fractions of annular areas within AREA: | | | | |
| R017 | Ring 1: | not used | 1.000E+00 | 1.000E+00 | FRACA(1) |
| R017 | Ring 2: | not used | 2.732E-01 | 2.732E-01 | FRACA(2) |
| R017 | Ring 3: | not used | 0.000E+00 | 0.000E+00 | FRACA(3) |
| R017 | Ring 4: | not used | 0.000E+00 | 0.000E+00 | FRACA(4) |
| R017 | Ring 5: | not used | 0.000E+00 | 0.000E+00 | FRACA(5) |
| R017 | Ring 6: | not used | 0.000E+00 | 0.000E+00 | FRACA(6) |
| R017 | Ring 7: | not used | 0.000E+00 | 0.000E+00 | FRACA(7) |
| R017 | Ring 8: | not used | 0.000E+00 | 0.000E+00 | FRACA(8) |
| R017 | Ring 9: | not used | 0.000E+00 | 0.000E+00 | FRACA(9) |
| R017 | Ring 10: | not used | 0.000E+00 | 0.000E+00 | FRACA(10) |
| R017 | Ring 11: | not used | 0.000E+00 | 0.000E+00 | FRACA(11) |
| R017 | Ring 12: | not used | 0.000E+00 | 0.000E+00 | FRACA(12) |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | 1.600E+02 | 1.600E+02 | --- | DIET(1) |
| R018 | Leafy vegetable consumption (kg/yr) | 1.400E+01 | 1.400E+01 | --- | DIET(2) |
| R018 | Milk consumption (L/yr) | 9.200E+01 | 9.200E+01 | --- | DIET(3) |
| R018 | Meat and poultry consumption (kg/yr) | 6.300E+01 | 6.300E+01 | --- | DIET(4) |
| R018 | Fish consumption (kg/yr) | not used | 5.400E+00 | 5.400E+00 | DIET(5) |
| R018 | Other seafood consumption (kg/yr) | not used | 9.000E-01 | 9.000E-01 | DIET(6) |
| R018 | Soil ingestion rate (g/yr) | 3.650E+01 | 3.650E+01 | --- | SOIL |
| R018 | Drinking water intake (L/yr) | 5.100E+02 | 5.100E+02 | --- | DWI |
| R018 | Contamination fraction of drinking water | 1.000E+00 | 1.000E+00 | --- | FDW |
| R018 | Contamination fraction of household water | not used | 1.000E+00 | 1.000E+00 | FHHW |
| R018 | Contamination fraction of livestock water | 1.000E+00 | 1.000E+00 | 1.000E+00 | FLW |

| | | | | | |
|------|--|-------------|-------------|-------------|----------------|
| R018 | Contamination fraction of irrigation water | > 1.000E+00 | > 1.000E+00 | > --- | > new intruder |
| R018 | Contamination fraction of aquatic food | > not used | > 5.000E-01 | > --- | > FIRW |
| R018 | Contamination fraction of plant food | >-1 | >-1 | > 0.500E+00 | > FR9 |
| R018 | Contamination fraction of meat | >-1 | >-1 | > 0.875E-01 | > FPLANT |
| R018 | Contamination fraction of milk | >-1 | >-1 | > 0.875E-01 | > FMEAT |
| | , | , | , | , | > FMILK |
| R019 | Livestock fodder intake for meat (kg/day) | > 6.800E+01 | > 6.800E+01 | > --- | > LF15 |
| R019 | Livestock fodder intake for milk (kg/day) | > 5.500E+01 | > 5.500E+01 | > --- | > LF16 |
| R019 | Livestock water intake for meat (L/day) | > 5.000E+01 | > 5.000E+01 | > --- | > LW15 |
| R019 | Livestock water intake for milk (L/day) | > 1.600E+02 | > 1.600E+02 | > --- | > LW16 |
| R019 | Livestock soil intake (kg/day) | > 5.000E-01 | > 5.000E-01 | > --- | > LSI |

IRESRAD, Version 6.5 T* Limit = 1 day

01/07/2010 15:00 Page 21

Summary : RESRAD Intruder Resident

File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Site-Specific Parameter Summary (continued)

| 0 | Parameter | User | Input | Default (If different from user input) | used by RESRAD | Parameter | Name |
|-------|--|-------------|-------------|--|----------------|-----------|------|
| Menu | Parameter | | | | | | |
| AAAAA | Mass loading for foliar deposition (g/m**3) | > 1.000E-04 | > 1.000E-04 | > --- | > MLFO | | |
| R019 | Depth of soil mixing layer (m) | > 1.500E-01 | > 1.500E-01 | > --- | > DM | | |
| R019 | Depth of roots (m) | > 9.000E-01 | > 9.000E-01 | > --- | > DROOT | | |
| R019 | Drinking water fraction from ground water | > 1.000E+00 | > 1.000E+00 | > --- | > FGWDW | | |
| R019 | Household water fraction from ground water | > not used | > 1.000E+00 | > --- | > FGWHH | | |
| R019 | Livestock water fraction from ground water | > 1.000E+00 | > 1.000E+00 | > --- | > FGWLW | | |
| R019 | Irrigation fraction from ground water | > 1.000E+00 | > 1.000E+00 | > --- | > FGWIR | | |
| R198 | Wet weight crop yield for Non-Leafy (kg/m**2) | > 7.000E-01 | > 7.000E-01 | > --- | > YV(1) | | |
| R198 | Wet weight crop yield for Leafy (kg/m**2) | > 1.500E+00 | > 1.500E+00 | > --- | > YV(2) | | |
| R198 | Wet weight crop yield for Fodder (kg/m**2) | > 1.100E+00 | > 1.100E+00 | > --- | > YV(3) | | |
| R198 | Growing Season for Non-Leafy (years) | > 1.700E-01 | > 1.700E-01 | > --- | > TE(1) | | |
| R198 | Growing Season for Leafy (years) | > 2.500E-01 | > 2.500E-01 | > --- | > TE(2) | | |
| R198 | Growing Season for Fodder (years) | > 8.000E-02 | > 8.000E-02 | > --- | > TE(3) | | |
| R198 | Translocation Factor for Non-Leafy | > 1.000E-01 | > 1.000E-01 | > --- | > TXV(1) | | |
| R198 | Translocation Factor for Leafy | > 1.000E+00 | > 1.000E+00 | > --- | > TXV(2) | | |
| R198 | Translocation Factor for Fodder | > 1.000E+00 | > 1.000E+00 | > --- | > TXV(3) | | |
| R198 | Dry Foliar Interception Fraction for Non-Leafy | > 2.500E-01 | > 2.500E-01 | > --- | > RDRY(1) | | |
| R198 | Dry Foliar Interception Fraction for Leafy | > 2.500E-01 | > 2.500E-01 | > --- | > RDRY(2) | | |
| R198 | Dry Foliar Interception Fraction for Fodder | > 2.500E-01 | > 2.500E-01 | > --- | > RDRY(3) | | |
| R198 | Wet Foliar Interception Fraction for Non-Leafy | > 2.500E-01 | > 2.500E-01 | > --- | > RWET(1) | | |
| R198 | Wet Foliar Interception Fraction for Leafy | > 2.500E-01 | > 2.500E-01 | > --- | > RWET(2) | | |
| R198 | Wet Foliar Interception Fraction for Fodder | > 2.500E-01 | > 2.500E-01 | > --- | > RWET(3) | | |
| R198 | weathering Removal Constant for Vegetation | > 2.000E+01 | > 2.000E+01 | > --- | > WLAM | | |
| C14 | C-12 concentration in water (g/cm**3) | > 2.000E-05 | > 2.000E-05 | > --- | > C12WTR | | |
| C14 | C-12 concentration in contaminated soil (g/g) | > 3.000E-02 | > 3.000E-02 | > --- | > C12CZ | | |
| C14 | Fraction of vegetation carbon from soil | > 2.000E-02 | > 2.000E-02 | > --- | > CSOIL | | |
| C14 | Fraction of vegetation carbon from air | > 9.800E-01 | > 9.800E-01 | > --- | > CAIR | | |
| C14 | C-14 evasion layer thickness in soil (m) | > 3.000E-01 | > 3.000E-01 | > --- | > DMC | | |
| C14 | C-14 evasion flux rate from soil (1/sec) | > 7.000E-07 | > 7.000E-07 | > --- | > EVSN | | |
| C14 | C-14 evasion flux rate from soil (1/sec) | > 1.000E-10 | > 1.000E-10 | > --- | > REVSN | | |
| C14 | Fraction of grain in beef cattle feed | > 8.000E-01 | > 8.000E-01 | > --- | > AVFG4 | | |
| C14 | Fraction of grain in milk cow feed | > 2.000E-01 | > 2.000E-01 | > --- | > AVFG5 | | |
| STOR | Storage times of contaminated foodstuffs (days): | | | | | | |
| STOR | Fruits, non-leafy vegetables, and grain | > 1.400E+01 | > 1.400E+01 | > --- | > STOR_T(1) | | |
| STOR | Leafy vegetables | > 1.000E+00 | > 1.000E+00 | > --- | > STOR_T(2) | | |
| STOR | Milk | > 1.000E+00 | > 1.000E+00 | > --- | > STOR_T(3) | | |
| STOR | Meat and poultry | > 2.000E+01 | > 2.000E+01 | > --- | > STOR_T(4) | | |
| STOR | Fish | > 7.000E+00 | > 7.000E+00 | > --- | > STOR_T(5) | | |
| STOR | Crustacea and mollusks | > 7.000E+00 | > 7.000E+00 | > --- | > STOR_T(6) | | |
| STOR | Well water | > 1.000E+00 | > 1.000E+00 | > --- | > STOR_T(7) | | |
| STOR | Surface water | > 1.000E+00 | > 1.000E+00 | > --- | > STOR_T(8) | | |
| STOR | Livestock fodder | > 4.500E+01 | > 4.500E+01 | > --- | > STOR_T(9) | | |
| R021 | Thickness of building foundation (m) | > not used | > 1.500E-01 | > --- | > FLOOR1 | | |
| R021 | Bulk density of building foundation (g/cm**3) | > not used | > 2.400E+00 | > --- | > DENSLF | | |
| R021 | Total porosity of the cover material | > not used | > 4.000E-01 | > --- | > TPCV | | |
| R021 | Total porosity of the building foundation | > not used | > 1.000E-01 | > --- | > TPFL | | |

IRESRAD, version 6.5 T* Limit = 1 day

01/07/2010 15:00 Page 22

Summary : RESRAD Intruder Resident

File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Site-Specific Parameter Summary (continued)

| 0 | Parameter | User | Input | Default (If different from user input) | used by RESRAD | Parameter | Name |
|-------|--|------------|-------------|--|----------------|-----------|------|
| Menu | Parameter | | | | | | |
| AAAAA | Volumetric water content of the cover material | > not used | > 5.000E-02 | > --- | > PH2OCV | | |
| R021 | Volumetric water content of the foundation | > not used | > 3.000E-02 | > --- | > PH2OFL | | |
| R021 | Diffusion coefficient for radon gas (m/sec): | > not used | > 2.000E-06 | > --- | > DIFCV | | |
| R021 | in cover material | > not used | > 2.000E-06 | > --- | | | |

```

R021 > in foundation material           > not used > 3.000E-07 > ---      new intruder
R021 > in contaminated zone soil       > not used > 2.000E-06 > ---      > DIFFL
R021 > Radon vertical dimension of mixing (m) > not used > 2.000E+00 > ---      > DIFCZ
R021 > Average building air exchange rate (1/hr) > not used > 3.000E-01 > ---      > HMIX
R021 > Height of the building (room) (m)        > not used > 2.500E+00 > ---      > REXG
R021 > Building interior area factor          > not used > 0.000E+00 > ---      > HRM
R021 > Building depth below ground surface (m) > not used > -1.000E+00 > ---      > FAI
R021 > Emanating power of Rn-222 gas          > not used > 2.500E-01 > ---      > DMFL
R021 > Emanating power of Rn-220 gas          > not used > 1.500E-01 > ---      > EMANA(1)
R021 > Emanating power of Rn-220 gas          > not used > 1.500E-01 > ---      > EMANA(2)

TITL > Number of graphical time points        > 32 > --- > ---      > NPTS
TITL > Maximum number of integration points for dose > 17 > --- > ---      > LYMAX
TITL > Maximum number of integration points for risk   > 257 > --- > ---      > KYMAX

```

Summary of Pathway Selections

| Pathway | User Selection |
|-----------------------------|----------------|
| 1 -- external gamma | active |
| 2 -- inhalation (w/o radon) | active |
| 3 -- plant ingestion | active |
| 4 -- meat ingestion | active |
| 5 -- milk ingestion | active |
| 6 -- aquatic foods | suppressed |
| 7 -- drinking water | active |
| 8 -- soil ingestion | active |
| 9 -- radon | suppressed |
| Find peak pathway doses | active |

1RESRAD, Version 6.5 To Limit = 1 day 01/07/2010 15:00 Page 23
Summary : RESRAD Intruder Resident
File : C:\USERS\WDRONSIE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

| | |
|-------------------------------------|---|
| Contaminated Zone Dimensions | Initial Soil Concentrations, pci/g |
| AAAAAAAAAAAAAA | AAAAAAAAAAAAAA |
| Area: 1750.00 square meters | Am-241 3.040E+00 |
| Thickness: 0.34 meters | C-14 5.480E+01 |
| Cover Depth: 0.00 meters | Cm-243 1.330E+01 |
| | Co-60 2.480E+05 |
| | Cs-134 1.310E+05 |
| | Cs-137 2.420E+05 |
| | Fe-55 6.840E+05 |
| | H-3 4.850E+01 |
| | I-129 6.000E-04 |
| | Ni-59 1.360E+03 |
| | Ni-63 2.460E+05 |
| | Pu-238 4.850E+00 |
| | Pu-239 3.270E+00 |
| | Pu-241 1.030E+03 |
| | Sb-125 5.800E+02 |
| | Sr-90 6.560E+02 |
| | Tc-99 1.180E-02 |

0Maximum TDose(t) = 3.128E-06 mrem/yr at t = 0.000E+00 years
IRESRAD, Version 5.5 T_c Limit = 1 day 01/07/2010 15:00 Page 24
Summary : RESRAD Intruder Resident
File : C:\USERS\WNB\DESKTOP\DOCUMENTS\RESRAD FILES\BLNDING0106.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

0 ASрем/yr. Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil | |
|-------------------|---------------------|-------------------|---------------------|-------------------|---------------------|-------------------|---------------------|--------|
| Radio- Nuclide | AAAAAAA mrem/yr. | AAAAAAA fract. | AAAAAAA mrem/yr. | AAAAAAA fract. | AAAAAAA mrem/yr. | AAAAAAA fract. | AAAAAAA mrem/yr. | |
| Am-241 | 7.403E-02 | 0.0000 | 7.205E-02 | 0.0000 | 0.000E+00 | 0.0000 | 3.642E-01 | 0.0000 |
| C-14 | 2.133E-05 | 0.0000 | 6.891E-04 | 0.0000 | 0.000E+00 | 0.0000 | 1.445E-00 | 0.0000 |
| Cm-243 | 4.297E-05 | 0.0000 | 2.156E-01 | 0.0000 | 0.000E+00 | 0.0000 | 1.087E+00 | 0.0000 |
| Co-60 | 2.050E+06 | 0.6553 | 2.720E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.644E+04 | 0.0053 |
| Cs-134 | 5.766E-05 | 0.1844 | 2.747E-01 | 0.0000 | 0.000E+00 | 0.0000 | 1.072E+04 | 0.0034 |
| Cs-137 | 4.470E-05 | 0.1429 | 4.078E-01 | 0.0000 | 0.000E+00 | 0.0000 | 1.573E+04 | 0.0050 |

1RESRAD, Version 6.5 T_x Limit = 1 day 01/07/2010 15:00 Page 25
Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSTEE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

| | water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Am-241 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| C-14 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Cm-243 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Co-60 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Cs-134 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Cs-137 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Fe-55 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| H-3 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| I-129 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Ni-59 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Ni-63 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Pu-238 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Pu-239 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Pu-241 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Sb-125 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Sr-90 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Tc-99 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| Total | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 | 0.0000 | 0.000e+00 |
| | | | | | | | |
| | ffffffff |
| | | | | | | | |
| | iiiiiiii |
| | | | | | | | |
| | 1.28Rf+06 | 1.0000 | | | | | |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

12 Summary : READING intruder_resident - 1 day 01/07/2010 19:00 Page 27
File ... : C:\USERS\WDRNSFIE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years
 Water Dependent Pathways

water Dependent Pathways Page 16

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Am-241 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Cm-243 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Fe-55 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| H-3 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| I-129 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Ni-59 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Pu-238 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Pu-239 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Pu-241 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Sb-125 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Tc-99 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| ffffif | ffffif | ffffif | ffffif | ffffif | ffffif | ffffif | ffffif |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |

*Sum of all water independent and dependent pathways.

IRESRAD, Version 6.5 T_e Limit = 1 day 01/07/2010 15:00 Page 28
Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

| | Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p) | | | | | | |
|---------|---|----------------|----------------|----------------|----------------|----------------|----------------|
| | As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years | | | | | | |
| | Water Independent Pathways (Inhalation excludes radon) | | | | | | |
| 0 | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
| 0 | Radio- | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Am-241 | 7.235E-02 | 0.0000 | 7.041E-02 | 0.0000 | 0.000E+00 | 0.0000 | 3.560E-01 |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.566E-03 |
| Cm-243 | 3.369E+00 | 0.0000 | 1.691E-01 | 0.0000 | 0.000E+00 | 0.0000 | 5.100E-03 |
| Co-60 | 5.502E+00 | 0.5807 | 7.301E-01 | 0.0000 | 0.000E+00 | 0.0000 | 4.412E+03 |
| Cs-134 | 2.000E+00 | 0.0211 | 9.526E-03 | 0.0000 | 0.000E+00 | 0.0000 | 3.718E+02 |
| Cs-137 | 3.548E+00 | 0.3744 | 3.237E-01 | 0.0000 | 0.000E+00 | 0.0000 | 1.248E+04 |
| Fe-55 | 0.000E+00 | 0.0000 | 6.655E-03 | 0.0000 | 0.000E+00 | 0.0000 | 9.260E-01 |
| H-3 | 0.000E+00 | 0.0000 | 3.365E-23 | 0.0000 | 0.000E+00 | 0.0000 | 1.883E-21 |
| I-129 | 2.493E-06 | 0.0000 | 3.132E-09 | 0.0000 | 0.000E+00 | 0.0000 | 6.130E-05 |
| Ni-59 | 0.000E+00 | 0.0000 | 1.962E-04 | 0.0000 | 0.000E+00 | 0.0000 | 4.692E-01 |
| Ni-63 | 0.000E+00 | 0.0000 | 7.664E-02 | 0.0000 | 0.000E+00 | 0.0000 | 4.050E-02 |
| Pu-238 | 3.944E-04 | 0.0000 | 9.351E-02 | 0.0000 | 0.000E+00 | 0.0000 | 2.162E+02 |
| Pu-239 | 5.419E-04 | 0.0000 | 7.494E-02 | 0.0000 | 0.000E+00 | 0.0000 | 3.813E-01 |
| Pu-241 | 3.342E-01 | 0.0000 | 5.927E-01 | 0.0000 | 0.000E+00 | 0.0000 | 3.012E+00 |
| Sb-125 | 2.202E+00 | 0.0000 | 1.220E-05 | 0.0000 | 0.000E+00 | 0.0000 | 2.641E+00 |
| Sr-90 | 6.912E+00 | 0.0000 | 3.555E-02 | 0.0000 | 0.000E+00 | 0.0000 | 7.614E+02 |
| Tc-99 | 3.239E-07 | 0.0000 | 2.037E-09 | 0.0000 | 0.000E+00 | 0.0000 | 1.103E-03 |
| ffffif | ffffif | ffffif | ffffif | ffffif | ffffif | ffffif | ffffif |
| Total | 9.250E+00 | 0.9763 | 2.183E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.825E+04 |

IRESRAD, Version 6.5 T_e Limit = 1 day 01/07/2010 15:00 Page 29
Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

| | Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p) | | | | | | |
|---------|---|----------------|----------------|----------------|----------------|----------------|----------------|
| | As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years | | | | | | |
| | Water Dependent Pathways | | | | | | |
| 0 | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
| 0 | Radio- | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Am-241 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Cm-243 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Fe-55 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| H-3 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| I-129 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Ni-59 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Pu-238 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Pu-239 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Pu-241 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Sb-125 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |

Tc-99 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 1.109E-03 0.0000
 ffffff
 Total 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 9.475E+05 1.0000
 *Sum of all water independent and dependent pathways.

IRESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 30
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years
 Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Am-241 | 5.885E-02 0.0000 | 5.722E-02 0.0000 | 0.000E+00 0.0000 | 2.895E-01 0.0000 | 1.275E-03 0.0000 | 7.365E-05 0.0000 | 2.403E-01 0.0000 |
| C-14 | 0.000E+00 0.0000 |
| Cm-243 | 3.771E-01 0.0000 | 1.925E-02 0.0000 | 0.000E+00 0.0000 | 9.707E-02 0.0000 | 1.826E-04 0.0000 | 2.449E-05 0.0000 | 8.063E-02 0.0000 |
| Co-60 | 3.982E+00 0.0001 | 5.283E-06 0.0000 | 0.000E+00 0.0000 | 3.193E-02 0.0000 | 3.421E-03 0.0000 | 4.227E-04 0.0000 | 3.324E-04 0.0000 |
| Cs-134 | 1.452E-09 0.0000 | 6.915E-16 0.0000 | 0.000E+00 0.0000 | 2.698E-11 0.0000 | 5.187E-12 0.0000 | 1.760E-12 0.0000 | 5.620E-13 0.0000 |
| Cs-137 | 4.433E+04 0.9520 | 4.045E-02 0.0000 | 0.000E+00 0.0000 | 1.560E+03 0.0335 | 2.997E+02 0.0064 | 1.017E+02 0.0022 | 3.248E+01 0.0007 |
| Fe-55 | 0.000E+00 0.0000 | 6.141E-13 0.0000 | 0.000E+00 0.0000 | 8.545E-11 0.0000 | 1.504E-10 0.0000 | 3.263E-12 0.0000 | 7.099E-11 0.0000 |
| H-3 | 0.000E+00 0.0000 |
| I-129 | 1.764E-08 0.0000 | 2.216E-11 0.0000 | 0.000E+00 0.0000 | 4.338E-07 0.0000 | 2.597E-08 0.0000 | 4.876E-08 0.0000 | 1.801E-08 0.0000 |
| Ni-59 | 0.000E+00 0.0000 | 1.958E-04 0.0000 | 0.000E+00 0.0000 | 4.683E-01 0.0000 | 1.402E-02 0.0000 | 7.060E-02 0.0000 | 7.800E-03 0.0000 |
| Ni-63 | 0.000E+00 0.0000 | 3.997E-02 0.0000 | 0.000E+00 0.0000 | 1.127E+02 0.0024 | 3.375E+00 0.0001 | 1.700E+01 0.0004 | 1.878E+00 0.0000 |
| Pu-238 | 1.938E-04 0.0000 | 4.590E-02 0.0000 | 0.000E+00 0.0000 | 2.311E-01 0.0000 | 2.033E-03 0.0000 | 3.011E-05 0.0000 | 1.919E-01 0.0000 |
| Pu-239 | 5.402E-04 0.0000 | 7.470E-02 0.0000 | 0.000E+00 0.0000 | 3.801E-01 0.0000 | 3.344E-03 0.0000 | 4.838E-05 0.0000 | 3.157E-01 0.0000 |
| Pu-241 | 6.906E-01 0.0000 | 6.752E-01 0.0000 | 0.000E+00 0.0000 | 3.416E+00 0.0001 | 1.512E-02 0.0000 | 8.666E-04 0.0000 | 2.836E+00 0.0001 |
| Sb-125 | 1.094E-12 0.0000 | 6.062E-19 0.0000 | 0.000E+00 0.0000 | 1.312E-14 0.0000 | 2.333E-16 0.0000 | 2.478E-17 0.0000 | 8.224E-17 0.0000 |
| Sr-90 | 7.779E-01 0.0000 | 4.001E-03 0.0000 | 0.000E+00 0.0000 | 8.569E+01 0.0018 | 3.164E+00 0.0001 | 8.968E-01 0.0000 | 2.394E-01 0.0000 |
| Tc-99 | 9.713E-11 0.0000 | 6.109E-13 0.0000 | 0.000E+00 0.0000 | 3.307E-07 0.0000 | 1.449E-10 0.0000 | 1.705E-09 0.0000 | 5.492E-11 0.0000 |
| fffff | | | | | | | |
| Total | 4.434E+04 0.9521 | 9.568E-01 0.0000 | 0.000E+00 0.0000 | 1.763E+03 0.0379 | 3.063E+02 0.0066 | 1.197E+02 0.0026 | 3.827E+01 0.0008 |

IRESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 31
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years
 Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Am-241 | 0.000E+00 0.0000 | 5.473E-01 0.0000 |
| C-14 | 0.000E+00 0.0000 |
| Cm-243 | 0.000E+00 0.0000 | 5.743E-01 0.0000 |
| Co-60 | 0.000E+00 0.0000 | 4.018E-00 0.0001 |
| Cs-134 | 0.000E+00 0.0000 | 1.486E-09 0.0000 |
| Cs-137 | 0.000E+00 0.0000 | 4.633E-04 0.9948 |
| Fe-55 | 0.000E+00 0.0000 | 3.107E-10 0.0000 |
| H-3 | 0.000E+00 0.0000 |
| I-129 | 0.000E+00 0.0000 | 5.442E-07 0.0000 |
| Ni-59 | 0.000E+00 0.0000 | 5.609E-01 0.0000 |
| Ni-63 | 0.000E+00 0.0000 | 1.350E-02 0.0029 |
| Pu-238 | 0.000E+00 0.0000 | 4.712E-01 0.0000 |
| Pu-239 | 0.000E+00 0.0000 | 7.745E-01 0.0000 |
| Pu-241 | 0.000E+00 0.0000 | 7.633E-00 0.0002 |
| Sb-125 | 6.449E-11 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.142E-12 0.0000 | 2.644E-13 0.0000 | 5.192E-14 0.0000 | 7.106E-11 0.0000 |
| Sr-90 | 0.000E+00 0.0000 | 9.07E+01 0.0019 |
| Tc-99 | 4.307E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 7.619E-06 0.0000 | 9.028E-09 0.0000 | 1.874E-07 0.0000 | 5.122E-05 0.0000 |
| fffff | | | | | | | |
| Total | 4.307E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 7.619E-06 0.0000 | 9.029E-09 0.0000 | 1.874E-07 0.0000 | 4.657E+04 1.0000 |

IRESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 32
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.500E+02 years
 Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Am-241 | 5.247E-02 0.0000 | 5.100E-02 0.0000 | 0.000E+00 0.0000 | 2.582E-01 0.0000 | 1.137E-03 0.0000 | 6.564E-05 0.0000 | 2.142E-01 0.0000 |
| C-14 | 0.000E+00 0.0000 |
| Cm-243 | 1.118E-01 0.0000 | 5.957E-03 0.0000 | 0.000E+00 0.0000 | 3.005E-02 0.0000 | 6.542E-05 0.0000 | 7.422E-06 0.0000 | 2.496E-02 0.0000 |
| Co-60 | 5.549E-03 0.0000 | 7.362E-09 0.0000 | 0.000E+00 0.0000 | 4.449E-05 0.0000 | 4.767E-06 0.0000 | 5.891E-07 0.0000 | 4.632E-07 0.0000 |
| Cs-134 | 7.283E-17 0.0000 | 3.469E-23 0.0000 | 0.000E+00 0.0000 | 1.354E-18 0.0000 | 2.602E-19 0.0000 | 8.831E-20 0.0000 | 2.820E-20 0.0000 |

| new intruder | | | | | | | | | | | | | | |
|--------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Cs-137 | 1.396E+04 | 0.9485 | 1.274E-02 | 0.0000 | 0.000E+00 | 0.0000 | 4.912E+02 | 0.0334 | 9.440E+01 | 0.0064 | 3.203E+01 | 0.0022 | 1.023E+01 | 0.0007 |
| Fe-55 | 0.000E+00 | 0.0000 | 1.634E-18 | 0.0000 | 0.000E+00 | 0.0000 | 2.274E-16 | 0.0000 | 4.001E-16 | 0.0000 | 8.682E-18 | 0.0000 | 1.889E-16 | 0.0000 |
| H-3 | 0.000E+00 | 0.0000 |
| I-129 | 1.127E-09 | 0.0000 | 1.416E-12 | 0.0000 | 0.000E+00 | 0.0000 | 2.772E-08 | 0.0000 | 1.659E-09 | 0.0000 | 3.115E-09 | 0.0000 | 1.151E-09 | 0.0000 |
| Ni-59 | 0.000E+00 | 0.0000 | 1.955E-04 | 0.0000 | 0.000E+00 | 0.0000 | 4.677E-01 | 0.0000 | 1.400E-02 | 0.0000 | 7.052E-02 | 0.0000 | 7.791E-03 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 2.784E-02 | 0.0000 | 0.000E+00 | 0.0000 | 7.853E-01 | 0.0053 | 2.350E+00 | 0.0002 | 1.184E+01 | 0.0008 | 1.308E+00 | 0.0001 |
| Pu-238 | 1.307E-04 | 0.0000 | 3.092E-02 | 0.0000 | 0.000E+00 | 0.0000 | 1.556E-01 | 0.0000 | 1.369E-03 | 0.0000 | 2.069E-05 | 0.0000 | 1.293E-01 | 0.0000 |
| Pu-239 | 5.393E-04 | 0.0000 | 7.456E-02 | 0.0000 | 0.000E+00 | 0.0000 | 3.794E-01 | 0.0000 | 3.338E-03 | 0.0000 | 4.829E-05 | 0.0000 | 3.152E-01 | 0.0000 |
| Pu-241 | 6.213E-01 | 0.0000 | 6.042E-01 | 0.0000 | 0.000E+00 | 0.0000 | 3.058E+00 | 0.0002 | 1.348E-02 | 0.0000 | 7.775E-04 | 0.0000 | 2.538E+00 | 0.0002 |
| Sb-125 | 4.448E-20 | 0.0000 | 2.465E-26 | 0.0000 | 0.000E+00 | 0.0000 | 5.335E-22 | 0.0000 | 9.483E-24 | 0.0000 | 1.008E-24 | 0.0000 | 3.343E-24 | 0.0000 |
| Sr-90 | 2.311E-01 | 0.0000 | 1.189E-03 | 0.0000 | 0.000E+00 | 0.0000 | 2.546E-01 | 0.0017 | 9.401E-01 | 0.0001 | 2.665E-01 | 0.0000 | 7.112E-02 | 0.0000 |
| Tc-99 | 1.072E-12 | 0.0000 | 6.742E-15 | 0.0000 | 0.000E+00 | 0.0000 | 3.650E-09 | 0.0000 | 1.599E-12 | 0.0000 | 1.881E-11 | 0.0000 | 6.060E-13 | 0.0000 |
| fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff |
| Total | 1.396E+04 | 0.9486 | 8.086E-01 | 0.0001 | 0.000E+00 | 0.0000 | 5.996E+02 | 0.0407 | 9.772E+01 | 0.0066 | 4.421E+01 | 0.0030 | 1.484E+01 | 0.0010 |

1RESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 33
Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

| Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p) As mrem/yr and Fraction of Total Dose At t = 1.500E+02 years | | | | | | | | | | | | |
|---|----------------|---------|-----------|---------|-----------|---------|---------------|---------|-----------|---------|-----------|---------|
| water Dependent Pathways | | | | | | | | | | | | |
| 0 | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* | | | | | |
| Radio- | AAAAAAAAAAAAAA | AAAAAAA | AAAAA | AAAAA | AAAAA | AAAAA | AAAAA | AAAAA | AAAAA | AAAAA | AAAAA | AAAAA |
| Nuclide | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr |
| Am-241 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.770E-01 | 0.0000 |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cm-243 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.728E-01 | 0.0000 |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.599E-03 | 0.0000 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.456E-17 | 0.0000 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.459E+04 | 0.9912 |
| Fe-55 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.268E-16 | 0.0000 |
| H-3 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| I-129 | 5.332E-04 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.127E-05 | 0.0000 | 7.051E-06 | 0.0000 | 2.193E-05 | 0.0000 |
| Ni-59 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.602E-01 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 9.405E+01 | 0.0064 |
| Pu-238 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.173E-01 | 0.0000 |
| Pu-239 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.731E-01 | 0.0001 |
| Pu-241 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 6.836E+00 | 0.0005 |
| Sb-125 | 2.622E-18 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.090E-19 | 0.0000 | 1.075E-20 | 0.0000 | 2.111E-21 | 0.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.889E-18 | 0.0000 |
| Tc-99 | 4.753E-07 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.407E-08 | 0.0000 | 9.963E-11 | 0.0000 | 2.068E-09 | 0.0000 |
| fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff |
| Total | 5.332E-04 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.135E-05 | 0.0000 | 7.052E-06 | 0.0000 | 2.193E-05 | 0.0000 |

0Sum of all water independent and dependent pathways.
1RESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 34
Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

| Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p) As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years | | | | | | | | | | | | |
|---|----------------|------------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|
| water Independent Pathways (Inhalation excludes radon) | | | | | | | | | | | | |
| 0 | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil | | | | | |
| Radio- | AAAAAAAAAAAAAA | AAAAAAA | AAAAA | AAAAA |
| Nuclide | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr | mrem/yr |
| Am-241 | 3.721E-02 | 0.0001 | 3.610E-02 | 0.0001 | 0.000E+00 | 0.0000 | 1.831E-01 | 0.0004 | 8.080E-04 | 0.0000 | 4.648E-05 | 0.0000 |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cm-243 | 2.957E-03 | 0.0000 | 5.046E-04 | 0.0000 | 0.000E+00 | 0.0000 | 2.561E-03 | 0.0000 | 1.731E-05 | 0.0000 | 4.209E-07 | 0.0000 |
| Co-60 | 1.502E-11 | 0.0000 | 1.993E-17 | 0.0000 | 0.000E+00 | 0.0000 | 1.204E-13 | 0.0000 | 1.291E-14 | 0.0000 | 1.595E-15 | 0.0000 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-137 | 4.361E+02 | 8.8812 | 3.979E-04 | 0.0000 | 0.000E+00 | 0.0000 | 1.534E+01 | 0.0310 | 2.949E+00 | 0.0060 | 1.001E+00 | 0.0020 |
| Fe-55 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| H-3 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| I-129 | 2.940E-13 | 0.0000 | 3.694E-16 | 0.0000 | 0.000E+00 | 0.0000 | 7.230E-12 | 0.0000 | 4.328E-13 | 0.0000 | 8.126E-13 | 0.0000 |
| Ni-59 | 0.000E+00 | 0.0000 | 1.949E-04 | 0.0000 | 0.000E+00 | 0.0000 | 4.661E-01 | 0.0009 | 1.395E-02 | 0.0000 | 7.028E-02 | 0.0001 |
| Ni-63 | 0.000E+00 | 0.0000 | 9.404E-03 | 0.0000 | 0.000E+00 | 0.0000 | 2.653E+01 | 0.0536 | 7.941E-01 | 0.0016 | 4.000E+00 | 0.0081 |
| Pu-238 | 4.098E-05 | 0.0000 | 9.451E-03 | 0.0000 | 0.000E+00 | 0.0000 | 4.756E-02 | 0.0001 | 4.186E-04 | 0.0000 | 7.175E-06 | 0.0000 |
| Pu-239 | 5.366E-04 | 0.0000 | 7.416E-02 | 0.0001 | 0.000E+00 | 0.0000 | 3.774E-01 | 0.0008 | 3.320E-03 | 0.0000 | 4.803E-05 | 0.0000 |
| Pu-241 | 4.410E-01 | 0.0009 | 4.279E-01 | 0.0009 | 0.000E+00 | 0.0000 | 2.170E+00 | 0.0044 | 9.572E-03 | 0.0000 | 5.509E-04 | 0.0000 |
| Sb-125 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Sr-90 | 6.064E-03 | 0.0000 | 3.119E-05 | 0.0000 | 0.000E+00 | 0.0000 | 6.680E-01 | 0.0013 | 2.466E-02 | 0.0000 | 6.991E-03 | 0.0000 |
| Tc-99 | 1.440E-18 | 0.0000 | 9.059E-21 | 0.0000 | 0.000E+00 | 0.0000 | 4.904E-15 | 0.0000 | 2.148E-18 | 0.0000 | 2.528E-17 | 0.0000 |
| fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff |
| Total | 4.366E+02 | 8.8822 | 5.582E-01 | 0.0011 | 0.000E+00 | 0.0000 | 4.579E+01 | 0.0925 | 3.795E+00 | 0.0077 | 5.079E+00 | 0.0103 |

1RESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 35
Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At $t = 5.000E+02$ years

Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years
 Water-Dependent Pathways

| | Water Dependent Pathways | | | | | | | | |
|---------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--|
| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* | | |
| Radio- | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | |
| Am-241 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| Cm-243 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| Fe-55 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| H-3 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| I-129 | 2.318E-12 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 1.794E-13 | 0.0000 | 3.056E-14 | |
| Ni-59 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| NI-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| PU-238 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| PU-239 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| Pu-241 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |
| Sb-125 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | |

Sr-90 0.000E+00 0.0000 5.516E-03 0.0003
 Tc-99 9.469E-21 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 1.126E-20 0.0000
 ffffff iffffff
 Total 2.318E-12 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 1.794E-13 0.0000 3.066E-14 0.0000 9.533E-14 0.0000 1.663E+01 1.0000

0*Sum of all water independent and dependent pathways.

IRESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 38

Summary : RESRAD Intruder Resident

File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

| 0 Parent | Product | Thread | DSR(j,t) | At Time in Years | (mrem/yr)/(pci/g) |
|----------|----------|-----------|-----------|------------------|-------------------|
| (i) | (j) | Fraction | 0.000E+00 | 1.000E+01 | 1.500E+02 |
| AAAAAA | AAAAAA | AAAAAA | AAAAAA | AAAAAA | AAAAAA |
| Am-241 | Am-241 | 1.000E+00 | 2.680E-01 | 2.673E-01 | 2.619E-01 |
| Am-241 | Np-237 | 1.000E+00 | 4.799E-07 | 1.489E-06 | 1.051E-05 |
| Am-241 | Pa-233 | 1.000E+00 | 7.458E-08 | 2.565E-08 | 1.893E-06 |
| Am-241 | U-233 | 1.000E+00 | 9.031E-15 | 6.542E-14 | 3.142E-12 |
| Am-241 | Th-229 | 1.000E+00 | 2.081E-18 | 3.615E-17 | 1.274E-14 |
| Am-241 | Ra-225 | 1.000E+00 | 8.065E-19 | 1.776E-17 | 7.427E-15 |
| Am-241 | Ac-223+d | 1.000E+00 | 1.937E-18 | 4.360E-17 | 1.854E-14 |
| Am-241 | adsR(j) | 1.000E+00 | 2.680E-01 | 2.673E-01 | 2.619E-01 |
| OC-14 | C-14 | 1.000E+00 | 2.971E-02 | 2.910E-10 | 0.000E+00 |
| OCm-243 | Cm-243 | 2.367E-03 | 1.130E-03 | 9.075E-04 | 1.016E-04 |
| Cm-243 | Am-243 | 2.367E-03 | 3.544E-08 | 1.052E-07 | 6.594E-07 |
| Cm-243 | Np-239 | 2.367E-03 | 4.577E-08 | 1.374E-07 | 8.665E-07 |
| Cm-243 | Pu-239 | 2.367E-03 | 2.998E-13 | 1.906E-12 | 7.800E-11 |
| Cm-243 | U-235 | 2.367E-03 | 1.092E-19 | 1.690E-21 | 5.027E-19 |
| Cm-243 | Th-231 | 2.367E-03 | 5.152E-24 | 7.854E-23 | 2.349E-20 |
| Cm-243 | Pa-231 | 2.367E-03 | 3.787E-27 | 1.293E-25 | 2.643E-22 |
| Cm-243 | Ac-227 | 2.367E-03 | 1.400E-29 | 8.019E-28 | 8.074E-24 |
| Cm-243 | Th-227 | 2.367E-03 | 1.086E-30 | 8.473E-29 | 1.168E-24 |
| Cm-243 | Ra-223+d | 2.367E-03 | 3.396E-30 | 3.110E-28 | 4.912E-24 |
| Cm-243 | adsR(j) | 1.158E-03 | 1.130E-03 | 9.090E-04 | 1.075E-04 |
| OCm-243 | Cm-243 | 3.312E-05 | 1.620E-05 | 1.581E-05 | 1.270E-05 |
| Cm-243 | Am-243 | 3.312E-05 | 4.959E-15 | 1.471E-05 | 9.228E-09 |
| Cm-243 | Np-239 | 3.312E-05 | 6.405E-19 | 1.923E-19 | 1.213E-08 |
| Cm-243 | Pu-239 | 3.312E-05 | 4.195E-15 | 2.667E-14 | 1.091E-12 |
| Cm-243 | U-235 | 3.312E-05 | 1.552E-24 | 2.364E-23 | 7.035E-21 |
| Cm-243 | Th-231 | 3.312E-05 | 7.158E-24 | 1.099E-24 | 3.287E-22 |
| Cm-243 | Pa-231 | 3.312E-05 | 5.299E-24 | 1.809E-27 | 3.699E-24 |
| Cm-243 | Ac-227+d | 3.312E-05 | 1.355E-31 | 9.344E-30 | 1.143E-25 |
| Cm-243 | Ra-223+d | 3.312E-05 | 7.161E-32 | 5.414E-30 | 7.185E-26 |
| Cm-243 | adsR(j) | 1.620E-05 | 1.581E-05 | 1.272E-05 | 1.504E-05 |
| OCm-243 | Cm-243 | 9.838E-01 | 4.811E-01 | 4.696E-01 | 3.772E-01 |
| Cm-243 | Pu-239 | 9.838E-01 | 3.340E-01 | 9.913E-06 | 2.640E-05 |
| Cm-243 | U-235 | 9.838E-01 | 2.035E-15 | 1.417E-14 | 6.245E-13 |
| Cm-243 | Th-231 | 9.838E-01 | 9.426E-17 | 6.600E-16 | 2.919E-14 |
| Cm-243 | Pa-231 | 9.838E-01 | 9.033E-22 | 1.438E-18 | 4.426E-16 |
| Cm-243 | Ac-227 | 9.838E-01 | 3.795E-21 | 1.047E-20 | 1.663E-17 |
| Cm-243 | Th-227 | 9.838E-01 | 3.232E-23 | 1.177E-21 | 2.437E-18 |
| Cm-243 | Ra-223+d | 9.838E-01 | 1.062E-24 | 4.441E-21 | 1.031E-17 |
| Cm-243 | adsR(j) | 4.811E-01 | 4.696E-01 | 3.773E-01 | 4.248E-02 |

IRESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 39

Summary : RESRAD Intruder Resident

File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

| 0 Parent | Product | Thread | DSR(j,t) | At Time in Years | (mrem/yr)/(pci/g) |
|-----------|----------|-----------|-----------|------------------|-------------------|
| (i) | (j) | Fraction | 0.000E+00 | 1.000E+01 | 1.500E+02 |
| AAAAAA | AAAAAA | AAAAAA | AAAAAA | AAAAAA | AAAAAA |
| Cm-243 | Cm-243 | 1.377E-02 | 6.732E-03 | 5.570E-03 | 5.278E-03 |
| Cm-243 | Pu-239 | 1.377E-02 | 4.673E-03 | 1.387E-07 | 8.731E-07 |
| Cm-243 | U-235 | 1.377E-02 | 2.848E-02 | 1.983E-16 | 8.739E-15 |
| Cm-243 | Th-231 | 1.377E-02 | 1.319E-18 | 2.365E-18 | 4.085E-16 |
| Cm-243 | Pa-231 | 1.377E-02 | 1.264E-21 | 2.012E-20 | 6.194E-18 |
| Cm-243 | Ac-227+d | 1.377E-02 | 3.887E-24 | 1.267E-22 | 2.373E-19 |
| Cm-243 | Ra-223+d | 1.377E-02 | 2.114E-24 | 7.468E-23 | 1.497E-19 |
| Cm-243 | adsR(j) | 6.732E-03 | 6.571E-03 | 5.279E-03 | 5.944E-04 |
| OC-60 | Co-60 | 1.000E+00 | 8.340E-03 | 7.313E+00 | 2.239E+00 |
| OCS-134 | Cs-134 | 1.000E+00 | 4.506E+00 | 3.220E+00 | 1.563E-01 |
| OCS-137+d | Cs-137+d | 1.000E+00 | 1.930E+00 | 1.886E+00 | 1.532E+00 |
| OFe-55 | Fe-55 | 1.000E+00 | 6.414E-05 | 4.962E-05 | 4.922E-06 |
| OH-3 | H-3 | 1.000E+00 | 2.747E-03 | 3.112E-05 | 4.263E-23 |
| OI-129 | I-129 | 1.000E+00 | 2.221E-01 | 2.103E-01 | 1.282E-01 |
| ONi-59 | Ni-59 | 1.000E+00 | 4.134E-04 | 4.134E-04 | 4.133E-04 |
| ONi-63 | Ni-63 | 1.000E+00 | 1.132E-03 | 1.123E-03 | 1.053E-03 |
| OPu-238 | Pu-238 | 1.840E-09 | 3.941E-10 | 3.910E-10 | 3.641E-10 |
| OPu-238 | Pu-238 | 1.000E+00 | 2.142E-01 | 2.125E-01 | 1.979E-01 |
| Pu-238 | U-234 | 1.000E+00 | 5.440E-08 | 1.649E-07 | 1.121E-06 |

new intruder
 Pu-238 Th-230 1.000E+00 2.294E-13 1.558E-12 7.048E-11 5.111E-09 1.019E-08 2.975E-08 5.874E-08
 Pu-238 Ra-226 1.000E+00 7.282E-13 1.172E-14 3.755E-12 2.745E-09 8.363E-09 5.093E-08 1.729E-07
 Pu-238 Rn-222+D 1.000E+00 2.625E-15 4.055E-14 1.260E-11 9.167E-09 2.792E-08 1.700E-07 5.770E-07
 Pu-238 Pb-210 1.000E+00 6.322E-15 1.835E-16 3.166E-13 1.409E-09 5.316E-09 4.188E-08 1.592E-07
 Pu-238 Bi-210 1.000E+00 1.906E-20 6.483E-19 1.292E-15 5.901E-12 2.229E-11 1.757E-10 6.681E-10
 Pu-238 Po-210 1.000E+00 4.713E-19 1.897E-17 4.938E-14 2.433E-10 9.215E-10 7.288E-09 2.774E-08
 Pu-238 adSR(j) 2.142E-01 2.125E-01 1.979E-01 9.715E-02 6.543E-02 1.999E-02 4.123E-03
 0Pu-239 Pu-239 9.862E-01 2.344E-01 2.344E-01 2.343E-01 2.336E-01 2.332E-01 2.319E-01 2.302E-01
 Pu-239 U-235 9.862E-01 2.140E-10 6.427E-10 4.495E-09 4.242E-08 6.303E-08 1.229E-07 1.984E-07
 Pu-239 Th-231 9.862E-01 9.944E-12 3.000E-11 2.102E-10 1.984E-09 2.948E-09 5.748E-09 9.279E-09
 Pu-239 Pa-231 9.862E-01 1.303E-14 9.601E-12 4.690E-12 4.237E-10 9.406E-10 3.637E-09 9.684E-09
 Pu-239 Ac-227 9.862E-01 6.391E-17 8.629E-16 2.262E-13 1.085E-10 2.859E-10 1.339E-09 3.864E-09
 Pu-239 Th-227 9.862E-01 5.994E-18 1.035E-16 3.360E-14 1.672E-11 4.411E-11 2.067E-10 5.970E-10
 Pu-239 Ra-223+D 9.862E-01 2.067E-17 4.020E-16 1.428E-13 7.208E-11 1.902E-10 8.920E-09 2.576E-09
 Pu-239 adSR(j) 2.344E-01 2.344E-01 2.343E-01 2.336E-01 2.332E-01 2.319E-01 2.302E-01

1RESRAD, Version 6.5 T_x Limit = 1 day 01/07/2010 15:00 Page 40
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated
 0 Parent Product Thread DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)
 (i) (j) Fraction 0.000E+00 1.000E+00 1.000E+02 1.500E+02 3.000E+02 5.000E+02
 AAAAAAAA AAAA
 Pu-239 Pu-239 1.380E-02 3.280E-03 3.279E-03 3.268E-03 3.263E-03 3.245E-03 3.222E-03
 Pu-239 U-235 1.380E-02 2.995E-12 8.993E-12 6.290E-11 5.936E-10 8.819E-10 1.720E-09 2.776E-09
 Pu-239 Th-231 1.380E-02 1.391E-13 4.197E-13 2.941E-12 2.776E-11 4.125E-11 8.044E-11 1.298E-10
 Pu-239 Pa-231 1.380E-02 1.823E-19 1.343E-15 6.563E-14 5.929E-12 1.316E-11 5.089E-11 1.355E-10
 Pu-239 Ac-227+D 1.380E-02 6.940E-19 1.087E-17 3.256E-15 1.599E-12 4.215E-12 1.975E-11 5.702E-11
 Pu-239 Ra-223+D 1.380E-02 3.885E-18 6.520E-20 2.060E-15 1.021E-12 2.692E-12 1.262E-11 3.643E-11
 Pu-239 adSR(j) 3.280E-03 3.280E-03 3.279E-03 3.268E-03 3.263E-03 3.245E-03 3.222E-03
 0Pu-241 Pu-241 1.000E+00 4.482E-03 4.271E-03 2.769E-03 3.636E-05 3.276E-06 2.394E-09 1.576E-13
 Pu-241 Am-241 1.000E+00 2.116E-04 6.207E-04 3.499E-03 7.371E-03 6.629E-03 4.696E-03 2.962E-03
 Pu-241 Np-237 1.000E+00 2.441E-10 1.777E-09 7.541E-08 2.451E-06 3.769E-06 6.912E-06 9.672E-06
 Pu-241 Pa-233 1.000E+00 3.610E-11 2.935E-10 4.1350E-08 4.442E-07 6.834E-07 1.254E-06 1.754E-06
 Pu-241 U-233 1.000E+00 3.528E-18 5.450E-17 1.564E-14 6.041E-12 1.476E-11 5.956E-11 1.492E-10
 Pu-241 Th-229 1.000E+00 6.295E-22 2.626E-20 4.843E-17 2.104E-12 8.037E-13 6.969E-12 3.077E-11
 Pu-241 Ra-225 1.000E+00 2.209E-22 1.055E-20 2.798E-17 1.258E-13 4.811E-13 4.177E-12 1.845E-11
 Pu-241 Ac-225+D 1.000E+00 5.263E-22 2.577E-20 6.979E-17 3.149E-13 1.204E-12 1.046E-11 4.619E-11
 Pu-241 adSR(j) 4.694E-03 4.892E-03 6.269E-03 7.411E-03 6.636E-03 4.705E-03 2.974E-03
 0Pu-241 Pu-241 2.450E-05 1.098E-07 1.047E-07 6.785E-08 8.910E-10 8.025E-11 5.865E-14 3.861E-18
 Pu-241 U-237 2.450E-05 6.924E-07 6.803E-06 4.411E-06 5.792E-08 5.217E-09 3.812E-12 2.510E-16
 Pu-241 Np-237 2.450E-05 1.098E-11 3.465E-11 2.043E-10 5.109E-10 5.132E-10 5.094E-10 5.038E-10
 Pu-241 Pa-233 2.450E-05 1.700E-12 5.966E-12 3.685E-11 9.268E-11 9.310E-11 9.240E-11 9.139E-11
 Pu-241 U-233 2.450E-05 2.021E-19 1.512E-18 6.573E-17 2.312E-15 3.725E-15 7.834E-15 1.299E-14
 Pu-241 Th-229 2.450E-05 4.531E-23 8.264E-22 2.762E-19 1.158E-16 2.930E-16 1.309E-15 3.728E-15
 Pu-241 Ra-223 2.450E-05 1.737E-23 4.051E-22 1.612E-19 6.931E-17 1.755E-16 7.846E-15 2.236E-15
 Pu-241 Ac-225+D 2.450E-05 4.168E-23 9.943E-22 4.024E-19 1.7335E-16 4.394E-16 1.964E-15 5.597E-15
 Pu-241 adSR(j) 7.034E-03 6.907E-06 4.479E-06 5.941E-08 5.903E-09 6.057E-10 5.952E-10
 0Sb-125 Sb-125 7.720E-01 8.805E-01 2.280E-01 2.600E-01 8.647E-03 2.123E-14 8.630E-22 5.885E-44 0.000E+00
 Sb-125 Sb-125 2.280E-01 1.086E-02 1.063E-02 4.991E-04 2.940E-14 1.195E-21 7.427E-44 0.000E+00
 Sb-125 adSR(j) 2.709E-01 1.957E-01 9.146E-03 5.063E-14 2.058E-21 1.331E-43 0.000E+00
 0Sr-90 Sr-90 1.000E+00 1.454E+00 1.419E+00 1.140E+00 1.283E-01 3.813E-02 1.000E-03 7.798E-06
 Sr-90 Y-90 1.000E+00 9.874E-02 1.110E-01 8.919E-02 1.004E-02 2.983E-03 7.825E-05 6.099E-07
 Sr-90 adSR(j) 1.552E+00 1.530E+00 1.230E+00 1.384E-01 4.112E-02 1.079E-03 8.408E-06
 0Tc-99 Tc-99 1.000E+00 2.314E-01 2.116E-01 9.402E-02 4.340E-03 4.790E-05 6.436E-11 9.543E-19
 ffffff
 The DSR includes contributions from associated (half-life > 1 day) daughters.
 1RESRAD, Version 6.5 T_x Limit = 1 day 01/07/2010 15:00 Page 41

Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr
 Onuclide (i) t= 0.000E+00 1.000E+00 1.000E+01 1.000E+02 1.500E+02 3.000E+02 5.000E+02
 AAAAAA AAAA
 Am-241 9.330E+01 9.351E+01 9.547E+01 1.174E+02 1.317E+02 1.859E+02 2.940E+02
 C-14 8.416E+02 8.592E+10 *4.455E+12 *4.455E+12 *4.455E+12 *4.455E+12 *4.455E+12
 Cm-243 5.112E+01 5.238E+01 6.519E+01 5.790E+02 1.924E+03 4.071E+04 8.819E+04
 Co-60 2.997E+00 3.419E+00 1.117E+01 1.543E+06 1.107E+09 *1.132E+15 *1.132E+15
 Cs-134 5.548E+00 7.764E+00 1.600E+02 *1.295E+15 *1.295E+15 *1.295E+15 *1.295E+15
 Cs-137 1.295E+01 1.326E+01 1.632E+01 1.306E+02 4.147E+02 1.328E+04 1.350E+06
 Fe-55 3.898E+05 5.039E+05 5.079E+06 *2.410E+15 *2.410E+15 *2.410E+15 *2.410E+15
 H-3 9.102E+03 8.034E+05 *9.597E+15 *9.597E+15 *9.597E+15 *9.597E+15
 I-129 1.126E+02 1.189E+02 1.951E+02 2.756E+04 2.485E+01 9.528E+04 *1.766E+08
 Ni-59 6.048E+04 6.048E+04 6.049E+04 6.062E+04 6.069E+04 6.090E+04 6.119E+04
 Ni-63 2.209E+04 2.225E+04 2.375E+04 4.554E+04 6.539E+04 1.935E+05 8.225E+05
 Pu-238 1.167E+02 1.176E+02 1.263E+02 2.573E+02 3.821E+02 1.250E+03 6.064E+03
 Pu-239 1.052E+02 1.052E+02 1.052E+02 1.056E+02 1.057E+02 1.063E+02 1.071E+02

Pu-241 5.318E+03 5.103E+03 3.985E+03 3.374E+03 3.767E+03 5.314E+03 8.407E+03
 Sb-125 2.171E+01 3.041E+01 6.506E+02 2.041E+14 *1.033E+15 *1.033E+15 *1.033E+15
 Sr-90 1.610E+01 1.634E+01 2.033E+01 1.807E+02 6.080E+02 2.318E+01 2.973E+06
 Tc-99 1.080E+02 1.181E+02 2.659E+02 5.760E+03 5.220E+05 *1.697E+10 *1.697E+10
 ffffff ffffff ffffff ffffff ffffff ffffff ffffff ffffff
 *At specific activity limit
 0
 Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pcCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pcCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years
 ONuclide Initial tmin DSR(i,tmin) G(i,tmin) DSR(i,tmax) G(i,tmax)
 (i) (pcCi/g) (years) (pcCi/g) (pcCi/g)
 AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA
 Am-241 3.040E+00 0.000E+00 2.680E-01 9.330E+01 2.680E-01 9.330E+01
 C-14 5.480E+01 0.000E+00 2.971E-02 8.416E+02 2.971E-02 8.416E+02
 Cm-243 1.330E+01 0.000E+00 4.890E-01 5.112E+01 4.890E-01 5.112E+01
 Co-60 2.480E+05 0.000E+00 8.340E+00 2.997E+00 8.340E+00 2.997E+00
 Cs-134 1.310E+05 0.000E+00 4.506E+00 5.548E+00 4.506E+00 5.548E+00
 Cs-137 2.420E+05 0.000E+00 1.930E+00 1.295E+01 1.930E+00 1.295E+01
 Fe-55 6.840E+05 0.000E+00 6.414E-05 3.898E+05 6.414E-05 3.898E+05
 H-3 4.850E+01 0.000E+00 2.747E-03 9.102E+03 2.747E-03 9.102E+03
 I-129 6.000E+04 112.4 E 0.2 7.873E+00 3.175E+00 2.221E+01 1.126E+00
 Ni-59 1.360E+03 0.000E+00 4.134E-04 6.048E+04 4.134E-04 6.048E+04
 Ni-63 2.460E+05 0.000E+00 1.132E-03 2.209E+04 1.132E-03 2.209E+04
 Pu-238 4.850E+00 0.000E+00 2.142E-01 1.167E+02 2.142E-01 1.167E+02
 Pu-239 3.270E+00 0.000E+00 2.377E-01 1.052E+02 2.377E-01 1.052E+02
 Pu-241 1.030E+03 51.4 E 0.1 7.936E-03 3.150E+03 4.701E-03 5.318E+03
 Sb-125 5.800E+02 0.000E+00 1.151E+00 2.171E+01 1.151E+00 2.171E+01
 Sr-90 6.560E+02 0.000E+00 1.552E+00 3.610E+01 1.552E+00 3.610E+01
 Tc-99 1.180E-02 0.000E+00 2.314E-01 1.080E+02 2.314E-01 1.080E+02
 ffffff ffffff ffffff ffffff ffffff ffffff ffffff ffffff

1RESRAD, Version 6.5 T_x Limit = 1 day 01/07/2010 15:00 Page 42
Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSIE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

**Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated**

| Onuclide | Parent | THF(i) | Parent Nuclide and Branch Fraction Indicated | | | | | | |
|----------|-------------|-----------------|--|-----------|--------------------|--------------------|--------------------|--------------------|--------------------|
| | | | (j) | (i) | DOSE(j,t), mrem/yr |
| AAAAAAA | AAAAAAA | AAAAAAA | t= 0.000E+00 | 1.000E+00 | 1.000E+01 | 1.000E+02 | 1.500E+02 | 3.000E+02 | 5.000E+02 |
| Am-241 | Am-241 | 1.000E+00 | 8.146E-01 | 8.127E-01 | 7.960E-01 | 6.470E-01 | 5.766E-01 | 4.081E-01 | 2.574E-01 |
| Am-241 | Pu-241 | 1.000E+00 | 2.179E-01 | 6.393E-01 | 3.604E+00 | 7.592E-01 | 6.828E+00 | 4.837E+00 | 3.051E+00 |
| Am-241 | adoSE(j) | | 1.033E+00 | 1.452E+00 | 4.400E+00 | 8.239E+00 | 7.404E+00 | 5.245E+00 | 3.309E+00 |
| OnP-237 | Am-241 | 1.000E+00 | 1.459E-06 | 4.527E-06 | 3.195E-06 | 2.763E-06 | 3.912E-06 | 4.638E-06 | 9.039E-06 |
| Np-237 | pu-241 | 1.000E+00 | 2.514E-07 | 1.830E-06 | 7.768E-05 | 2.524E-03 | 3.882E-03 | 7.120E-03 | 9.962E-03 |
| Np-237 | Pu-241 | 2.450E-05 | 1.131E-08 | 3.569E-08 | 2.104E-07 | 5.262E-07 | 5.286E-07 | 5.246E-07 | 5.189E-07 |
| Np-237 | adoSE(j) | | 1.722E-06 | 6.393E-06 | 1.098E-04 | 2.801E-03 | 4.274E-03 | 7.784E-03 | 1.087E-02 |
| OpA-233 | Am-241 | 1.000E+00 | 2.267E-07 | 7.797E-07 | 5.755E-06 | 5.010E-06 | 7.094E-05 | 1.204E-04 | 1.638E-04 |
| Pa-233 | Pu-241 | 1.000E+00 | 3.719E-09 | 3.023E-07 | 1.391E-05 | 4.575E-04 | 7.039E-04 | 1.291E-03 | 1.807E-03 |
| Pa-233 | Pu-241 | 2.450E-05 | 1.751E-09 | 6.145E-09 | 3.796E-08 | 9.546E-08 | 9.590E-08 | 9.518E-08 | 9.413E-08 |
| Pa-233 | adoSE(j) | | 2.657E-07 | 1.088E-06 | 1.970E-05 | 5.077E-08 | 7.750E-04 | 1.412E-03 | 1.971E-03 |
| Ou-233 | Am-241 | 1.000E+00 | 2.745E-14 | 1.989E-13 | 9.553E-12 | 8.111E-10 | 1.745E-09 | 6.147E-09 | 1.457E-08 |
| U-233 | Pu-241 | 1.000E+00 | 3.634E-15 | 5.614E-14 | 6.111E-11 | 6.222E-09 | 1.521E-08 | 6.135E-08 | 1.537E-08 |
| U-233 | Pu-241 | 2.450E-05 | 2.082E-16 | 1.557E-15 | 6.770E-14 | 2.382E-12 | 3.837E-12 | 8.069E-12 | 1.338E-11 |
| U-233 | adoSE(j) | | 3.130E-14 | 2.566E-13 | 2.573E-11 | 7.036E-09 | 1.696E-08 | 6.750E-08 | 1.682E-08 |
| OTh-229 | Am-241 | 1.000E+00 | 6.328E-18 | 1.099E-16 | 3.874E-14 | 3.266E-11 | 1.062E-10 | 7.679E-10 | 3.136E-09 |
| Th-229 | Pu-241 | 1.000E+00 | 6.483E-18 | 2.337E-17 | 4.988E-14 | 2.167E-10 | 8.277E-10 | 7.178E-10 | 3.169E-08 |
| Th-229 | Pu-241 | 2.450E-05 | 4.667E-20 | 8.511E-19 | 2.845E-16 | 1.193E-13 | 3.018E-13 | 1.348E-12 | 3.840E-12 |
| Th-229 | adoSE(j) | | 7.023E-18 | 1.341E-16 | 8.890E-14 | 2.495E-10 | 9.343E-10 | 7.947E-09 | 3.483E-08 |
| OrA-225 | Am-241 | 1.000E+00 | 2.452E-18 | 5.399E-17 | 2.258E-14 | 1.954E-11 | 6.360E-11 | 4.603E-10 | 1.880E-09 |
| Ra-225 | Pu-241 | 1.000E+00 | 2.275E-18 | 1.086E-17 | 2.882E-14 | 1.296E-10 | 4.956E-10 | 4.302E-09 | 1.900E-08 |
| Ra-225 | Pu-241 | 2.450E-05 | 1.789E-20 | 4.172E-19 | 1.660E-16 | 7.139E-14 | 1.808E-13 | 8.082E-13 | 2.303E-12 |
| Ra-225 | adoSE(j) | | 2.697E-18 | 6.527E-17 | 5.157E-14 | 1.492E-10 | 5.594E-10 | 4.763E-09 | 2.089E-08 |
| OAc-225 | Am-241 | 1.000E+00 | 5.890E-18 | 1.326E-16 | 5.636E-14 | 4.890E-11 | 1.592E-10 | 1.152E-09 | 4.708E-09 |
| AC-225 | Pu-241 | 1.000E+00 | 5.421E-19 | 2.654E-17 | 7.189E-14 | 3.243E-10 | 1.240E-09 | 1.077E-08 | 4.755E-08 |
| AC-225 | Pu-241 | 2.450E-05 | 4.293E-20 | 1.024E-18 | 4.144E-16 | 1.787E-13 | 4.526E-13 | 2.023E-12 | 5.765E-12 |
| AC-225 | adoSE(j) | | 6.475E-18 | 1.601E-16 | 1.287E-13 | 3.734E-10 | 1.400E-09 | 1.192E-08 | 5.228E-08 |
| OC-14 | C-14 | 1.000E+00 | 1.628E+00 | 1.595E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |
| OCm-243 | Cm-243 | 2.367E-03 | 1.533E-02 | 1.502E-02 | 1.207E-02 | 1.351E-03 | 4.002E-04 | 1.041E-05 | B.013E-08 |
| Cm-243 | Cm-243 | 3.312E-05 | 2.135E-04 | 2.102E-04 | 1.689E-04 | 1.891E-05 | 5.601E-06 | 1.456E-07 | 1.122E-09 |
| Cm-243 | adoSE(j) | | 1.561E-02 | 1.523E-02 | 1.224E-02 | 1.370E-03 | 4.058E-04 | 1.055E-05 | 8.127E-08 |
| OAcm-243 | Cm-243 | 2.367E-03 | 4.714E-07 | 1.399E-06 | 8.770E-06 | 3.379E-05 | 3.480E-05 | 3.179E-05 | 2.714E-05 |
| Am-243 | Cm-243 | 3.312E-05 | 6.596E-09 | 1.957E-08 | 1.227E-07 | 4.728E-07 | 4.870E-07 | 4.448E-07 | 3.798E-07 |
| Am-243 | adoSE(j) | | 4.780E-07 | 1.418E-06 | 8.893E-06 | 3.426E-05 | 3.529E-05 | 3.223E-05 | 2.752E-05 |
| OnP-239 | Cm-243 | 2.367E-03 | 6.087E-07 | 1.828E-06 | 1.153E-05 | 4.444E-05 | 4.577E-05 | 4.181E-05 | 3.569E-05 |
| Np-239 | Cm-243 | 3.312E-05 | 8.518E-09 | 2.558E-08 | 1.613E-07 | 6.218E-07 | 6.405E-07 | 5.850E-07 | 4.995E-07 |
| Np-239 | adoSE(j) | | 6.173E-07 | 1.854E-06 | 1.169E-05 | 4.506E-05 | 4.641E-05 | 4.239E-05 | 3.619E-05 |
| OPu-239 | Cm-243 | 2.367E-03 | 3.987E-12 | 2.535E-11 | 1.037E-09 | 5.077E-08 | 8.742E-08 | 1.937E-07 | 3.171E-07 |
| 1RESBAD | Version 6.5 | T limit = 1 day | | | | | | | Page 43 |
| | | | | | | | | | 01/02/2010, 15:00 |

1RESRAD, Version 6.5 T_c Limit = 1 day 01/07/2010 15:00 Page 43

Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

new intruder

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated
 DOSE(j,t), mrem/yr

| ONuclide | Parent | THF(i) | t= | DOSE(j,t) |
|----------|----------|-----------|-----------|---|
| (j) | (i) | | 0.000E+00 | 1.000E+00 1.000E+01 1.000E+02 1.500E+02 3.000E+02 5.000E+02 |
| AAAAAAA | AAAAAAA | AAAAAAA | 5.579E-14 | 3.547E-13 1.452E-11 7.104E-10 3.123E-09 2.710E-09 4.437E-09 |
| Pu-239 | Cm-243 | 3.312E-05 | 4.442E-05 | 1.318E-04 8.299E-04 3.354E-03 3.573E-03 3.645E-03 3.622E-03 |
| Pu-239 | Cm-243 | 9.838E-01 | 6.215E-07 | 1.845E-06 1.161E-05 4.694E-05 4.999E-05 5.101E-05 5.068E-05 |
| Pu-239 | Pu-239 | 9.862E-01 | 7.665E-01 | 7.665E-01 7.663E-01 7.638E-01 7.624E-01 7.583E-01 7.529E-01 |
| Pu-239 | adOSE(j) | | 7.666E-01 | 7.666E-01 7.671E-01 7.672E-01 7.660E-01 7.620E-01 7.566E-01 |
| Ou-235 | Cm-243 | 2.367E-03 | 1.475E-21 | 2.247E-21 6.686E-18 3.634E-15 9.851E-15 4.754E-14 1.366E-13 |
| U-235 | Cm-243 | 3.312E-05 | 2.064E-23 | 3.145E-22 9.356E-20 5.085E-23 1.378E-16 6.652E-16 1.911E-15 |
| U-235 | Cm-243 | 9.838E-01 | 2.707E-14 | 1.885E-13 8.306E-12 4.189E-10 7.297E-10 1.676E-09 2.877E-09 |
| U-235 | Cm-243 | 1.377E-02 | 3.787E-13 | 2.637E-15 1.162E-13 5.862E-12 1.021E-11 2.345E-11 4.026E-11 |
| U-235 | Pu-239 | 9.862E-01 | 6.998E-10 | 2.102E-09 1.470E-08 1.387E-07 2.061E-07 4.019E-07 6.487E-07 |
| U-235 | Pu-239 | 1.380E-02 | 9.793E-12 | 2.941E-10 1.045E-21 3.125E-19 1.700E-16 4.607E-16 2.223E-15 6.389E-15 |
| U-235 | adOSE(j) | | 7.096E-10 | 2.131E-09 1.491E-08 1.411E-07 2.097E-07 4.092E-07 6.607E-07 |
| Oth-231 | Cm-243 | 2.367E-03 | 6.804E-23 | 1.045E-21 3.125E-19 1.700E-16 4.607E-16 2.223E-15 6.389E-15 |
| Th-231 | Cm-243 | 3.312E-05 | 9.520E-25 | 1.462E-23 4.372E-21 2.378E-18 6.447E-18 3.111E-17 8.940E-17 |
| Th-231 | Cm-243 | 9.838E-01 | 1.254E-15 | 8.778E-15 3.883E-13 1.959E-11 3.413E-11 7.838E-11 1.346E-10 |
| Th-231 | Cm-243 | 1.377E-02 | 1.754E-17 | 5.433E-16 5.433E-15 2.742E-13 4.778E-13 1.097E-12 1.883E-12 |
| Th-231 | Pu-239 | 9.862E-01 | 3.252E-13 | 9.809E-11 6.873E-10 6.488E-09 9.639E-09 1.880E-09 3.034E-08 |
| Th-231 | Pu-239 | 1.380E-02 | 4.550E-13 | 1.373E-12 9.618E-12 9.079E-11 1.349E-10 2.630E-10 4.246E-10 |
| Th-231 | adOSE(j) | | 3.297E-13 | 9.947E-11 6.973E-10 6.559E-09 9.809E-09 9.194E-09 3.090E-08 |
| Op-231 | Cm-243 | 2.367E-03 | 5.036E-26 | 3.516E-21 2.003E-17 8.394E-17 8.577E-16 4.266E-15 |
| Pa-231 | Cm-243 | 3.312E-05 | 6.915E-28 | 2.406E-26 4.920E-23 2.803E-19 1.175E-18 1.200E-17 5.969E-17 |
| Pa-231 | Cm-243 | 9.838E-01 | 1.201E-18 | 1.912E-17 5.887E-15 3.256E-12 8.893E-12 4.391E-11 1.301E-10 |
| Pa-231 | Cm-243 | 1.377E-02 | 1.681E-20 | 2.676E-19 8.238E-17 4.557E-14 1.244E-13 6.144E-13 1.820E-12 |
| Pa-231 | Pu-239 | 9.862E-01 | 4.260E-14 | 3.140E-13 1.534E-11 1.386E-09 3.076E-09 1.189E-08 3.167E-08 |
| Pa-231 | Pu-239 | 1.380E-02 | 5.961E-16 | 4.393E-15 2.146E-13 1.939E-11 4.304E-11 1.664E-10 4.431E-10 |
| Pa-231 | adOSE(j) | | 4.319E-14 | 3.184E-13 1.556E-11 1.408E-09 3.128E-09 1.210E-08 3.224E-08 |
| OAc-227 | Cm-243 | 2.367E-03 | 1.814E-28 | 1.066E-26 1.074E-22 3.921E-18 2.075E-17 2.824E-16 1.595E-15 |
| Ac-227 | Cm-243 | 9.838E-01 | 5.048E-21 | 1.393E-19 2.211E-16 7.471E-13 2.516E-12 1.576E-11 5.139E-11 |
| Ac-227 | Pu-239 | 9.862E-01 | 2.090E-16 | 2.822E-15 7.397E-13 3.549E-10 9.349E-10 4.377E-09 1.263E-08 |
| Ac-227 | adOSE(j) | | 2.090E-16 | 2.822E-15 7.399E-13 3.557E-10 9.375E-10 4.393E-09 1.269E-08 |
| OTh-227 | Cm-243 | 2.367E-03 | 1.421E-21 | 1.115E-20 5.553E-21 6.026E-19 3.196E-18 4.358E-17 2.464E-16 |
| Th-227 | Cm-243 | 9.838E-01 | 4.299E-23 | 1.565E-20 3.242E-17 1.150E-13 3.879E-13 2.433E-12 7.941E-12 |
| Th-227 | Pu-239 | 9.862E-01 | 1.960E-17 | 3.384E-16 1.099E-13 5.468E-11 1.442E-10 6.761E-10 1.952E-09 |
| Th-227 | adOSE(j) | | 1.960E-17 | 3.385E-16 1.099E-13 5.480E-11 1.446E-10 6.785E-10 1.960E-09 |
| Ora-223 | Cm-243 | 2.367E-03 | 3.111E-29 | 4.122E-27 6.533E-23 2.595E-18 1.378E-17 1.880E-16 1.063E-15 |
| Ra-223 | Cm-243 | 3.312E-05 | 0.000E+00 | 7.072E-29 9.556E-25 3.679E-20 1.951E-19 2.660E-18 1.504E-17 |
| Ra-223 | Cm-243 | 9.838E-01 | 4.142E-21 | 5.907E-20 1.371E-16 4.955E-13 1.672E-12 1.050E-11 3.427E-11 |
| Ra-223 | Cm-243 | 1.377E-02 | 2.812E-23 | 9.932E-22 1.891E-18 7.020E-15 2.367E-14 1.485E-13 4.845E-13 |
| Ra-223 | Pu-239 | 9.862E-01 | 6.759E-17 | 1.315E-15 4.659E-13 2.357E-10 6.220E-10 2.917E-09 8.424E-09 |
| Ra-223 | Pu-239 | 1.380E-02 | 1.270E-18 | 2.132E-17 6.737E-15 3.338E-12 8.802E-12 4.125E-11 1.191E-10 |
| Ra-223 | adOSE(j) | | 6.886E-17 | 1.336E-15 4.738E-13 2.395E-10 6.325E-10 2.969E-09 8.578E-09 |
| OAc-227 | Cm-243 | 3.312E-05 | 0.000E+00 | 1.169E-28 1.520E-24 5.767E-20 3.057E-19 4.165E-18 2.354E-17 |

IRESRAD, Version 6.5 T_e Limit = 1 day 01/07/2010 15:00 Page 44

Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated
 DOSE(j,t), mrem/yr

| ONuclide | Parent | THF(i) | t= | DOSE(j,t) |
|----------|----------|-----------|-----------|---|
| (j) | (i) | | 0.000E+00 | 1.000E+01 1.000E+02 1.500E+02 3.000E+02 5.000E+02 |
| AAAAAAA | AAAAAAA | AAAAAAA | 5.169E-23 | 1.686E-21 3.156E-18 1.100E-14 3.708E-14 2.325E-13 7.585E-13 |
| AC-227 | Cm-243 | 1.377E-02 | 2.269E-20 | 3.556E-17 1.065E-14 5.229E-12 1.378E-11 6.458E-11 1.865E-10 |
| AC-227 | Pu-239 | 1.380E-02 | 2.269E-18 | 3.556E-17 1.065E-14 5.240E-12 1.382E-11 6.482E-11 1.872E-10 |
| OCM-243 | Cm-243 | 9.838E-01 | 6.399E-08 | 2.454E+00 5.017E+00 5.616E-01 1.664E-01 4.325E-03 3.332E-05 |
| Cm-243 | Cm-243 | 1.377E-02 | 8.954E-08 | 7.379E-02 7.020E-02 7.158E-03 2.328E-03 6.053E-03 4.662E-07 |
| Cm-243 | adOSE(j) | | 6.488E-08 | 6.332E+00 5.087E+00 5.694E-01 1.687E-01 4.386E-03 3.378E-05 |
| OCo-60 | Co-60 | 1.000E+00 | 2.068E-06 | 1.814E+06 5.552E+05 4.018E+00 5.599E-03 1.516E-11 5.712E-23 |
| OCS-134 | Cs-134 | 1.000E+00 | 5.903E+05 | 4.218E+05 2.047E+04 1.486E+00 7.456E-17 0.000E+00 0.000E+00 |
| OCS-137 | Cs-137 | 1.000E+00 | 4.671E+05 | 4.564E+05 3.707E+05 4.633E+04 1.459E+04 4.557E+02 4.483E+00 |
| OFe-55 | Fe-55 | 1.000E+00 | 4.387E+01 | 3.394E+01 3.367E+00 3.107E-10 8.268E-16 0.000E+00 0.000E+00 |
| OH-3 | H-3 | 1.000E+00 | 1.332E-01 | 1.509E-03 2.068E-21 0.000E+00 0.000E+00 0.000E+00 0.000E+00 |
| OI-129 | I-129 | 1.000E+00 | 1.333E-04 | 1.262E-04 7.690E-05 5.442E-07 6.035E-04 1.574E-07 2.624E-12 |
| ONi-59 | Ni-59 | 1.000E+00 | 5.622E-01 | 5.622E-01 5.621E-01 5.609E-01 5.602E-01 5.583E-01 5.557E-01 |
| ONi-63 | Ni-63 | 1.000E+00 | 2.784E-02 | 2.764E+02 2.590E+02 1.350E+02 9.405E+01 3.178E+01 7.477E+00 |
| OPu-238 | Pu-238 | 1.840E-09 | 1.911E-09 | 1.896E-09 1.766E-09 8.669E-10 5.838E-10 1.783E-10 3.667E-11 |
| Pu-238 | Pu-238 | 1.000E+00 | 1.039E+00 | 1.031E+00 9.598E-01 4.711E-01 3.173E-01 9.690E-02 1.993E-02 |
| Pu-238 | adOSE(j) | | 1.039E+00 | 1.031E+00 9.598E-01 4.711E-01 3.173E-01 9.690E-02 1.993E-02 |
| Ou-234 | Pu-238 | 1.000E+00 | 2.638E-07 | 7.996E-07 5.438E-06 3.692E-05 4.642E-05 5.859E-05 6.022E-05 |
| OTh-230 | Pu-238 | 1.000E+00 | 1.113E-12 | 7.557E-12 3.418E-10 2.479E-08 4.943E-08 1.443E-07 2.849E-07 |
| Ora-226 | Pu-238 | 1.000E+00 | 3.532E-15 | 5.684E-14 1.821E-11 1.332E-08 4.056E-08 2.470E-07 8.385E-07 |
| Orn-222 | Pu-238 | 1.000E+00 | 1.273E-14 | 1.967E-13 6.111E-11 4.446E-08 1.354E-07 8.245E-07 2.799E-06 |
| OPb-210 | Pu-238 | 1.000E+00 | 3.066E-17 | 8.898E-16 1.536E-12 6.834E-09 2.578E-08 7.720E-07 |

Obi-210 Pu-238 1.000E+00 9.246E-20 3.144E-18 6.268E-15 2.862E-11 1.081E-10 8.523E-10 3.240E-09
 Opo-210 Pu-238 1.000E+00 2.286E-18 9.199E-17 2.395E-13 1.180E-09 4.469E-09 3.535E-08 1.345E-07
 Opu-239 Pu-239 1.380E-02 1.073E-02 1.073E-02 1.072E-02 1.069E-02 1.067E-02 1.061E-02 1.054E-02
 Opu-241 Pu-241 1.000E+00 4.616E+00 4.399E+00 2.853E+00 3.746E-02 3.374E-03 2.466E-06 1.623E-10
 Pu-241 Pu-241 2.450E-05 1.131E-04 1.078E-04 6.989E-05 9.177E-07 8.266E-08 6.041E-11 3.977E-15
 Pu-241 adOSE(j) 4.617E+00 4.400E+00 2.853E+00 3.746E-02 3.374E-03 2.466E-06 1.623E-10
 Ov-237 Pu-241 2.450E-05 7.132E-03 7.007E-03 4.543E-03 5.965E-05 5.373E-06 3.927E-09 2.585E-13
 IRESRAD, Version 6.5 Te Limit = 1 day 01/07/2010 15:00 Page 45
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

ONuclide Parent THF(i) DOSE(j,t), mrem/yr
 (j) (i) t= 0.000E+00 1.000E+00 1.000E+01 1.000E+02 1.500E+02 3.000E+02 5.000E+02
 AAAAAAAA AAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA
 Sb-123 Sb-125 7.720E-01 5.107E+02 3.634E+02 4.169E-11 1.695E-18 0.000E+00 0.000E+00
 Sb-125 Sb-125 2.280E-01 1.508E+02 1.073E+02 5.015E-01 1.231E-11 5.006E-19 0.000E+00 0.000E+00
 Sb-125 adOSE(j) 6.615E+02 4.707E+02 2.200E+01 5.400E-11 2.195E-18 0.000E+00 0.000E+00
 OTe-125m Sb-125 2.280E-01 6.301E+02 6.163E+00 2.895E-01 1.705E-11 6.933E-19 0.000E+00 0.000E+00
 Osr-90 Sr-90 1.000E+00 9.536E+02 9.307E+02 7.481E+02 8.419E+01 2.502E+01 6.563E-01 5.116E-03
 Sr-90 Sr-90 1.000E+00 6.477E+01 7.279E+01 5.851E+01 6.585E+00 1.957E+00 5.133E-02 4.001E-04
 Tc-99 Tc-99 1.000E+00 2.731E-03 2.497E-03 1.109E-03 5.122E-05 5.652E-07 7.594E-13 1.126E-20
 ffffff
 THF(i) is the thread fraction of the parent nuclide.

IRESRAD, Version 6.5 Te Limit = 1 day 01/07/2010 15:00 Page 46
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

ONuclide Parent THF(i) S(j,t), pc/g
 (j) (i) t= 0.000E+00 1.000E+00 1.000E+01 1.000E+02 1.500E+02 3.000E+02 5.000E+02
 AAAAAAAA AAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA
 Am-241 Am-241 1.000E+00 3.040E+00 3.033E+00 2.971E+00 2.414E+00 2.152E+00 1.523E+00 9.606E-01
 Am-241 Pu-241 1.000E+00 0.000E+00 1.611E+00 1.295E+01 2.833E+01 2.548E+01 1.805E+01 1.139E+01
 Am-241 as(j): 3.040E+00 4.644E+00 1.592E+01 3.074E+01 2.763E+01 1.958E+01 1.235E+01
 QnP-237 Am-241 1.000E+00 0.000E+00 9.835E-07 9.731E-06 8.769E-05 1.243E-04 2.113E-04 2.876E-04
 NP-237 Pu-241 1.000E+00 0.000E+00 2.631E-07 2.274E-05 8.001E-04 1.233E-03 2.266E-03 3.173E-03
 NP-237 Pu-241 2.450E-05 0.000E+00 7.772E-09 6.472E-09 1.677E-07 1.685E-07 1.672E-07 1.654E-07
 NP-237 as(j): 0.000E+00 1.254E-06 3.254E-05 8.880E-04 1.358E-03 2.478E-03 3.460E-03
 Opa-233 Am-241 1.000E+00 0.000E+00 8.787E-07 9.628E-05 8.761E-05 1.243E-03 2.113E-04 2.875E-04
 Pa-233 Pu-241 1.000E+00 0.000E+00 2.132E-07 2.230E-05 7.991E-04 1.232E-03 2.265E-03 3.172E-03
 Pa-233 Pu-241 2.450E-05 0.000E+00 6.936E-09 6.417E-08 1.676E-07 1.684E-07 1.672E-07 1.653E-07
 Pa-233 as(j): 0.000E+00 1.099E-06 3.199E-05 8.869E-04 1.357E-03 2.477E-03 3.460E-03
 Qu-233 Am-241 1.000E+00 0.000E+00 1.741E-12 2.089E-10 1.970E-08 4.250E-08 1.503E-07 3.569E-07
 U-233 Pu-241 1.000E+00 0.000E+00 2.856E-13 3.345E-10 1.506E-07 3.700E-07 1.500E-06 3.762E-06
 U-233 Pu-241 2.450E-05 0.000E+00 1.345E-14 1.493E-12 5.801E-11 9.372E-11 1.976E-10 3.279E-10
 U-233 as(j): 0.000E+00 2.040E-12 5.449E-10 1.704E-07 4.126E-07 1.650E-06 4.120E-06
 OTh-229 Am-241 1.000E+00 0.000E+00 5.019E-17 6.521E-14 6.314E-11 2.064E-10 1.500E-09 6.137E-09
 Th-229 Pu-241 1.000E+00 0.000E+00 6.237E-18 8.003E-14 4.180E-10 1.607E-09 1.401E-08 6.201E-08
 Th-229 Pu-241 2.450E-05 0.000E+00 3.784E-19 4.815E-16 2.313E-13 5.878E-13 2.636E-12 7.520E-12
 Th-229 as(j): 0.000E+00 5.680E-17 1.457E-13 4.814E-10 1.814E-09 1.552E-08 6.816E-08
 ORa-223 Am-241 1.000E+00 0.000E+00 4.173E-16 6.407E-13 6.303E-11 2.061E-10 1.499E-09 6.135E-09
 Ra-223 Pu-241 1.000E+00 0.000E+00 4.925E-18 7.821E-14 4.172E-10 1.605E-09 1.401E-08 6.199E-08
 Ra-223 Pu-241 2.450E-05 0.000E+00 3.133E-19 4.733E-16 2.309E-13 5.872E-13 2.635E-12 7.518E-12
 Ra-223 as(j): 0.000E+00 4.697E-17 1.428E-13 4.805E-10 1.811E-09 1.551E-08 6.813E-08
 OAc-225 Am-241 1.000E+00 0.000E+00 3.653E-17 6.330E-14 6.296E-11 2.060E-10 1.498E-09 6.134E-09
 Ac-225 Pu-241 1.000E+00 0.000E+00 4.149E-18 7.700E-14 4.166E-10 1.603E-09 1.400E-08 6.198E-08
 Ac-225 Pu-241 2.450E-05 0.000E+00 2.733E-19 4.678E-16 2.307E-13 5.869E-13 2.634E-12 7.517E-12
 Ac-225 as(j): 0.000E+00 4.095E-17 1.408E-13 4.798E-10 1.810E-09 1.550E-08 6.812E-08
 OC-14 C-14 1.000E+00 5.480E+01 1.672E-07 0.000E+00 0.000E+00 0.000E+00 0.000E+00
 OCm-243 Cm-243 2.367E-03 3.148E-02 3.072E-02 2.468E-02 2.763E-03 8.184E-04 2.128E-05 1.639E-07
 Cm-243 Cm-243 3.312E-05 4.405E-04 4.299E-04 3.454E-04 3.866E-05 1.145E-05 2.978E-07 2.293E-09
 Cm-243 as(j): 3.192E-02 3.115E-02 2.503E-02 2.801E-03 8.299E-04 2.158E-05 1.662E-07
 OAm-243 Cm-243 2.367E-03 0.000E+00 2.920E-06 2.614E-05 1.050E-04 1.082E-04 9.890E-05 8.444E-05
 Am-243 Cm-243 3.312E-05 0.000E+00 4.086E-08 3.657E-07 1.469E-06 1.515E-06 1.384E-06 1.182E-06
 Am-243 as(j): 0.000E+00 2.961E-06 2.650E-05 1.065E-04 1.098E-04 1.003E-04 8.562E-05
 ONP-239 Cm-243 2.367E-03 0.000E+00 2.893E-06 2.611E-05 1.050E-04 1.082E-04 9.890E-05 8.444E-05
 NP-239 Cm-243 3.312E-05 0.000E+00 4.048E-08 3.654E-07 1.469E-06 1.515E-06 1.384E-06 1.182E-06
 NP-239 as(j): 0.000E+00 2.933E-06 2.648E-05 1.065E-04 1.098E-04 1.003E-04 8.562E-05
 OPU-239 Cm-243 2.367E-03 0.000E+00 4.145E-11 3.915E-09 2.118E-07 3.660E-07 8.132E-07 1.333E-06

IRESRAD, Version 6.5 Te Limit = 1 day 01/07/2010 15:00 Page 47
 Summary : RESRAD Intruder Resident
 File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

ONuclide Parent THF(i) S(j,t), pc/g
 (j) (i) t= 0.000E+00 1.000E+00 1.000E+01 1.000E+02 1.500E+02 3.000E+02 5.000E+02
 AAAAAAAA AAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA

new intruder

| | | | | | | | | | |
|---------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Pu-239 | Cm-243 | 3.312E-05 | 0.000E+00 | 5.800E-13 | 5.478E-11 | 2.964E-09 | 5.121E-09 | 1.138E-08 | 1.865E-08 |
| Pu-239 | Cm-243 | 9.838E-01 | 0.000E+00 | 3.723E-04 | 3.345E-03 | 1.410E-02 | 1.503E-02 | 1.534E-02 | 1.524E-02 |
| Pu-239 | Cm-243 | 1.377E-02 | 0.000E+00 | 5.210E-06 | 4.680E-05 | 1.972E-04 | 2.103E-04 | 2.146E-04 | 2.132E-04 |
| Pu-239 | Pu-239 | 9.862E-01 | 0.000E+00 | 3.225E+00 | 3.225E+00 | 3.224E+00 | 3.213E+00 | 3.208E+00 | 3.190E+00 |
| Pu-239 | as(j): | | | 3.225E+00 | 3.225E+00 | 3.227E+00 | 3.228E+00 | 3.223E+00 | 3.206E+00 |
| Ou-235 | Cm-243 | 2.367E-03 | 0.000E+00 | 1.351E-20 | 1.310E-17 | 8.127E-15 | 2.213E-14 | 1.073E-13 | 3.087E-13 |
| U-235 | Cm-243 | 3.312E-05 | 0.000E+00 | 1.891E-22 | 1.832E-19 | 1.137E-16 | 3.097E-16 | 1.501E-15 | 4.320E-15 |
| U-235 | Cm-243 | 9.838E-01 | 0.000E+00 | 1.841E-13 | 1.712E-11 | 9.419E-10 | 1.645E-09 | 3.788E-09 | 6.509E-09 |
| U-235 | Cm-243 | 1.377E-02 | 0.000E+00 | 2.576E-15 | 2.395E-13 | 1.318E-10 | 2.302E-11 | 5.300E-11 | 9.108E-11 |
| U-235 | Pu-239 | 9.862E-01 | 0.000E+00 | 3.176E-09 | 3.171E-08 | 3.126E-07 | 4.652E-07 | 9.087E-07 | 1.468E-06 |
| U-235 | Pu-239 | 1.380E-02 | 0.000E+00 | 4.444E-11 | 4.437E-10 | 4.374E-09 | 6.510E-09 | 1.272E-08 | 2.054E-08 |
| U-235 | as(j): | | | 0.000E+00 | 3.220E-09 | 3.217E-08 | 3.179E-07 | 4.734E-07 | 9.253E-07 |
| Oth-231 | Cm-243 | 2.367E-03 | 0.000E+00 | 1.334E-20 | 1.308E-17 | 8.126E-15 | 2.213E-14 | 1.073E-13 | 3.087E-13 |
| Th-231 | Cm-243 | 3.312E-05 | 0.000E+00 | 1.867E-22 | 1.830E-19 | 1.137E-16 | 3.097E-16 | 1.501E-15 | 4.320E-15 |
| Th-231 | Cm-243 | 9.838E-01 | 0.000E+00 | 1.825E-13 | 1.711E-11 | 9.418E-10 | 1.645E-09 | 3.788E-09 | 6.509E-09 |
| Th-231 | Cm-243 | 1.377E-02 | 0.000E+00 | 2.554E-15 | 2.394E-13 | 1.318E-10 | 2.302E-11 | 5.300E-11 | 9.108E-11 |
| Th-231 | Pu-239 | 9.862E-01 | 0.000E+00 | 3.170E-09 | 3.170E-08 | 3.126E-07 | 4.652E-07 | 9.087E-07 | 1.468E-06 |
| Th-231 | Pu-239 | 1.380E-02 | 0.000E+00 | 4.425E-11 | 4.435E-10 | 4.374E-09 | 6.510E-09 | 1.272E-08 | 2.054E-08 |
| Th-231 | as(j): | | | 0.000E+00 | 3.207E-09 | 3.216E-08 | 3.179E-07 | 4.734E-07 | 9.253E-07 |
| Opa-231 | Cm-243 | 2.367E-03 | 0.000E+00 | 6.972E-26 | 9.991E-22 | 4.722E-18 | 1.991E-17 | 2.046E-16 | 1.020E-15 |
| Pa-231 | Cm-243 | 3.312E-05 | 0.000E+00 | 9.756E-28 | 9.782E-24 | 6.608E-20 | 2.785E-19 | 2.863E-18 | 1.427E-17 |
| Pa-231 | Cm-243 | 9.838E-01 | 0.000E+00 | 1.230E-15 | 7.714E-13 | 2.116E-12 | 1.049E-11 | 3.113E-11 | |
| Pa-231 | Cm-243 | 1.377E-02 | 0.000E+00 | 1.798E-20 | 1.721E-17 | 1.079E-14 | 2.961E-14 | 1.468E-13 | 4.356E-13 |
| Pa-231 | Pu-239 | 9.862E-01 | 0.000E+00 | 3.350E-12 | 3.291E-10 | 2.329E-10 | 2.843E-09 | 7.579E-09 | |
| Pa-231 | Pu-239 | 1.380E-02 | 0.000E+00 | 4.661E-16 | 4.688E-14 | 4.605E-12 | 1.026E-11 | 3.978E-11 | 1.061E-10 |
| Pa-231 | as(j): | | | 0.000E+00 | 3.378E-12 | 3.398E-12 | 3.345E-12 | 7.453E-10 | 2.893E-09 |
| OAc-227 | Cm-243 | 2.367E-03 | 0.000E+00 | 4.361E-28 | 4.249E-23 | 2.003E-18 | 1.070E-17 | 1.468E-16 | 8.318E-16 |
| Ac-227 | Cm-243 | 9.838E-01 | 0.000E+00 | 1.013E-20 | 9.286E-17 | 3.841E-13 | 1.302E-12 | 8.207E-12 | 2.683E-11 |
| Ac-227 | Pu-239 | 9.862E-01 | 0.000E+00 | 3.492E-16 | 3.284E-13 | 1.832E-10 | 4.850E-10 | 2.281E-09 | 6.596E-09 |
| Ac-227 | as(j): | | | 0.000E+00 | 3.492E-16 | 3.285E-13 | 1.835E-10 | 4.863E-10 | 2.290E-09 |
| Oth-227 | Cm-243 | 2.367E-03 | 0.000E+00 | 3.124E-28 | 4.099E-23 | 1.997E-18 | 1.068E-17 | 1.467E-16 | 8.314E-16 |
| Th-227 | Cm-243 | 9.838E-01 | 0.000E+00 | 7.703E-21 | 9.025E-17 | 3.832E-13 | 1.300E-12 | 8.202E-12 | 2.682E-11 |
| Th-227 | Pu-239 | 9.862E-01 | 0.000E+00 | 2.823E-16 | 3.214E-13 | 1.828E-10 | 4.844E-10 | 2.280E-09 | 6.594E-09 |
| Th-227 | as(j): | | | 0.000E+00 | 2.823E-16 | 3.215E-13 | 1.832E-10 | 4.857E-10 | 2.288E-09 |
| Ora-223 | Cm-243 | 2.367E-03 | 0.000E+00 | 2.495E-28 | 4.009E-23 | 1.993E-18 | 1.066E-17 | 1.466E-16 | 8.311E-16 |
| Ra-223 | Cm-243 | 3.312E-05 | 0.000E+00 | 4.932E-30 | 5.816E-25 | 2.797E-20 | 4.959E-19 | 2.053E-18 | 1.164E-17 |
| Ra-223 | Cm-243 | 9.838E-01 | 0.000E+00 | 6.416E-23 | 8.867E-17 | 3.826E-13 | 1.299E-12 | 8.199E-12 | 2.681E-11 |
| Ra-223 | Cm-243 | 1.377E-02 | 0.000E+00 | 1.193E-22 | 1.277E-18 | 5.367E-15 | 1.821E-14 | 1.148E-13 | 3.753E-13 |
| Ra-223 | Pu-239 | 9.862E-01 | 0.000E+00 | 4.251E-16 | 3.172E-13 | 1.826E-10 | 4.841E-10 | 2.279E-09 | 6.593E-09 |
| Ra-223 | Pu-239 | 1.380E-02 | 0.000E+00 | 4.281E-18 | 4.535E-15 | 2.560E-12 | 6.781E-12 | 3.191E-11 | 9.229E-11 |
| Ra-223 | as(j): | | | 0.000E+00 | 2.494E-16 | 3.218E-13 | 1.856E-10 | 4.922E-10 | 2.320E-09 |
| OAc-227 | Cm-243 | 3.312E-05 | 0.000E+00 | 6.103E-30 | 5.946E-25 | 2.803E-20 | 1.497E-19 | 2.054E-18 | 1.164E-17 |

1RESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 48

Summary : RESRAD Intruder Resident

File : C:\USERS\WDORNSFIE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

| Onuclide | Parent | THF(i) | S(j,t), pc/g |
|----------|---------|--------------|---|
| (j) | (i) | t= 0.000E+01 | 1.000E+02 1.500E+02 3.000E+02 5.000E+02 |
| AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA |
| Ac-227 | Cm-243 | 1.377E-02 | 0.000E+00 2.129E-11 5.374E-15 1.822E-14 1.148E-13 3.754E-13 |
| Ac-227 | Pu-239 | 1.380E-02 | 0.000E+00 4.887E-18 4.596E-15 2.563E-12 6.786E-12 3.192E-11 9.230E-11 |
| Ac-227 | as(j): | | 0.000E+00 4.887E-18 4.597E-15 2.568E-12 6.804E-12 3.204E-11 9.268E-11 |
| Ocm-243 | Cm-243 | 9.838E-01 | 1.308E-01 1.277E-01 1.026E+01 1.148E+00 3.402E-01 8.845E-03 6.813E-05 |
| Cm-243 | Cm-243 | 1.377E-02 | 1.831E-01 1.787E-01 1.436E-01 1.607E-01 4.760E-03 1.238E-04 9.533E-07 |
| Cm-243 | as(j): | | 1.327E-01 1.295E-01 1.040E+01 1.164E+00 3.450E-01 8.969E-03 6.908E-05 |
| Oco-60 | Co-60 | 1.000E+00 | 2.480E+05 2.174E+05 6.657E+04 4.817E-01 6.713E-04 1.817E-12 6.856E-24 |
| Ocs-134 | Cs-134 | 1.000E+00 | 1.310E+04 9.360E+04 4.543E+03 3.298E-10 1.655E-17 2.019E-39 0.000E+00 |
| Ocs-137 | Cs-137 | 1.000E+00 | 2.420E+05 2.365E+05 1.921E+05 2.400E+04 7.559E+03 2.361E+02 2.323E+00 |
| Ofe-55 | Fe-55 | 1.000E+00 | 6.840E+05 5.291E+05 5.249E+04 4.844E+04 2.289E-11 2.429E-28 0.000E+00 |
| Oh-3 | H-3 | 1.000E+00 | 4.850E+01 5.022E-01 6.877E-19 0.000E+00 0.000E+00 0.000E+00 |
| OI-129 | I-129 | 1.000E+00 | 6.000E+00 5.679E-04 3.461E-02 4.249E-02 1.565E-07 4.082E-11 6.804E-16 |
| Oni-59 | Ni-59 | 1.000E+00 | 1.360E+03 1.360E+03 1.360E+03 1.357E+03 1.355E+03 1.351E+03 1.344E+03 |
| Oni-63 | Ni-63 | 1.000E+00 | 2.460E+05 2.442E+05 2.288E+05 1.193E+03 8.311E+04 2.808E+04 6.607E+03 |
| Opu-238 | Pu-238 | 1.840E-09 | 8.924E-09 8.854E-09 8.245E-09 4.047E-09 2.716E-09 8.325E-10 1.712E-10 |
| Pu-238 | Pu-238 | 1.000E+00 | 4.850E+00 4.812E+00 4.481E+00 2.200E+00 1.481E+00 4.524E-01 9.306E-02 |
| Pu-238 | as(j): | | 4.850E+00 4.812E+00 4.481E+00 2.200E+00 1.481E+00 4.524E-01 9.306E-02 |
| Ou-234 | Pu-238 | 1.000E+00 | 0.000E+00 1.369E-05 1.320E-04 9.351E-04 1.178E-03 1.488E-03 1.530E-03 |
| OTh-230 | Pu-238 | 1.000E+00 | 0.000E+00 6.172E-11 6.023E-09 4.785E-07 9.576E-07 2.804E-06 5.543E-06 |
| Ora-226 | Pu-238 | 1.000E+00 | 0.000E+00 8.917E-15 8.742E-12 7.241E-09 2.216E-08 1.356E-07 4.610E-07 |
| Orn-222 | Pu-238 | 1.000E+00 | 0.000E+00 8.514E-15 8.691E-12 7.228E-09 2.212E-08 1.354E-07 4.603E-07 |
| Opb-210 | Pu-238 | 1.000E+00 | 0.000E+00 6.484E-17 6.371E-13 3.449E-09 1.310E-08 1.039E-07 3.959E-07 |
| Obi-210 | Pu-238 | 1.000E+00 | 0.000E+00 5.984E-17 6.310E-13 3.441E-09 1.308E-08 1.037E-07 3.952E-07 |
| Opo-210 | Pu-238 | 1.000E+00 | 0.000E+00 1.624E-17 5.145E-13 3.375E-09 1.291E-08 1.031E-07 3.938E-07 |
| Opu-239 | Pu-239 | 1.380E-02 | 4.513E-02 4.512E-02 4.511E-02 4.496E-02 4.488E-02 4.464E-02 4.432E-02 |
| Opu-241 | Pu-241 | 1.000E+00 | 1.030E+03 9.816E+02 6.364E+02 8.357E+00 7.527E-01 5.501E-04 3.621E-08 |
| Pu-241 | Pu-241 | 2.450E-05 | 2.523E-02 2.405E-02 1.559E-02 2.047E-04 1.844E-05 1.348E-08 8.872E-13 |
| Pu-241 | as(j): | | 1.030E+03 9.816E+02 6.364E+02 8.357E+00 7.527E-01 5.501E-04 3.621E-08 |
| Ou-237 | Pu-241 | 2.450E-05 | 0.000E+00 2.408E-02 1.561E-02 2.050E-04 1.847E-05 1.350E-08 8.884E-13 |

1RESRAD, Version 6.5 T_a Limit = 1 day 01/07/2010 15:00 Page 49

Summary : RESRAD Intruder Resident
File : C:\USERS\WDORNSIFE\DOCUMENTS\RESRAD FILES\BLENDING0106.RAD

new intruder

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated
S(j,t), pCi/g

| ONuclide Parent | THF(i) | t= 0.000E+00 | 1.000E+00 | 1.000E+01 | 1.000E+02 | 1.500E+02 | 3.000E+02 | 5.000E+02 |
|-----------------|---------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|
| (j) | (i) | | | | | | | |
| AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA |
| Sb-125 | Sb-125 | 7.720E-01 | 4.478E+02 | 3.186E+02 | 1.489E+01 | 7.400E-13 | 3.008E-20 | 1.626E-42 |
| Sb-125 | Sb-125 | 2.280E-01 | 1.322E+02 | 9.409E+01 | 4.397E+00 | 2.185E-13 | 8.884E-21 | 8.128E-43 |
| Sb-125 | as(j): | | 5.800E+02 | 4.127E+02 | 1.929E+01 | 9.585E-13 | 3.897E-20 | 2.438E-42 |
| OTe-125m | Sb-125 | 2.280E-01 | 0.000E+00 | 9.818E+01 | 4.665E+01 | 2.318E-13 | 9.425E-21 | 8.128E-43 |
| Os-90 | Sr-90 | 1.000E+00 | 6.560E+02 | 6.403E+02 | 5.146E+02 | 5.792E+01 | 1.721E+01 | 4.515E-01 |
| OY-90 | Sr-90 | 1.000E+00 | 0.000E+00 | 6.404E+02 | 5.148E+02 | 5.793E+01 | 1.721E+01 | 4.516E-01 |
| OTc-99 | Tc-99 | 1.000E+00 | 1.180E-02 | 1.078E-02 | 4.791E-03 | 1.437E-06 | 1.586E-08 | 2.131E-14 |
| fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff |

THF(i) is the thread fraction of the parent nuclide.
ORESCALC.EXE execution time = 50.60 seconds