

UNITED STATES OF AMERICA
ATOMIC ENERGY COMMISSION

Regulatory File Cy.

In the Matter of)
)
CONSOLIDATED EDISON COMPANY OF)
NEW YORK, INC.)
(Indian Point Station, Unit No. 3))

Received w/Ltr Dated 8-21-73

Docket No. 50-286

AMENDMENT NO. 5
TO AMENDED AND SUBSTITUTED
APPLICATION FOR LICENSES



Consolidated Edison Company of New York, Inc.,
Applicant in the above-captioned proceeding, hereby files
Amendment No. 5 to its Amended and Substituted Application
for Licenses for the purpose of transmitting Supplement
No. 21 to its Final Facility Description and Safety Analysis
Report. This Supplement contain miscellaneous corrected
pages for the Report, as well as responses to Regulatory Staff
requests for information.

CONSOLIDATED EDISON COMPANY OF
NEW YORK, INC.

By William J. Cahill, Jr.
William J. Cahill, Jr.
Vice President

Subscribed and sworn to
before me this 17th day of
August, 1973

Arthur M. Brown

ARTHUR M. BROWN
Notary Public, State of New York
No. 24-5470901
Qualified in Kings County
Commission Expires March 30, 1974

8111140023 730821
PDR ADOCK 05000286
A PDR

UNITED STATES OF AMERICA
ATOMIC ENERGY COMMISSION



In the Matter of)
)
CONSOLIDATED EDISON COMPANY)
OF NEW YORK, INC.)
(Indian Point Station, Unit)
No. 3))

Docket No. 50-286

Regulatory File Cy.

Received w/Ltr Dated 8-21-73

CERTIFICATE OF SERVICE

I hereby certify that I have this 21st day of August, 1973, served copies of Amendment No. 5 to the Amended and Substituted Application for Licenses and of Supplement No. 21 to the Final Facility Description and Safety Analysis Report in the above-captioned proceeding by mailing them first class, postage prepaid and properly addressed to the following persons:

Chairman
Atomic Safety and Licensing
Board Panel
U.S. Atomic Energy Commission
Washington, D.C. 20545


Mr. R. B. Briggs, Director
Molten-Salt Reactor Program
Oak Ridge National Laboratory
Post Office Box Y
Oak Ridge, Tennessee 37830

Samuel W. Jensch, Esq.
Atomic Safety and Licensing
Board Panel
U.S. Atomic Energy Commission
Washington, D.C. 20545

Mr. Ernest E. Hill
Lawrence Livermore Laboratories
University of California
Post Office Box 808-L-123
Livermore, California 94550

Dr. John C. Geyer, Chairman
Department of Geography and
Environmental Engineering
The Johns Hopkins University
Baltimore, Maryland 21218

Max D. Paglin, Esq.
Atomic Safety and Licensing
Board Panel
U.S. Atomic Energy Commission
Washington, D.C. 20545



Myron Karman, Esq.
Counsel for AEC Regulatory
Staff
U.S. Atomic Energy Commission
Washington, D.C. 20545

Stuart A. Treby, Esq.
Counsel for AEC Regulatory
Staff
U.S. Atomic Energy Commission
Washington, D.C. 20545

J. Bruce MacDonald, Esq.
Deputy Commissioner and
Counsel
New York State Department of
Commerce
99 Washington Avenue
Albany, New York 12210

Hon. George Segnit
Mayor, Village of Buchanan
Buchanan, New York 10511

Nicholas A. Robinson, Esq.
Marshall, Bratter, Greene,
Allison & Tucker
430 Park Avenue
New York, New York 10022

Angus Macbeth, Esq.
Natural Resources Defense
Counsel, Inc.
15 West 44th Street
New York, New York 10036

Hon. Louis J. Lefkowitz
Attorney General of the
State of New York
Attn: Philip Weinberg, Esq.
Room 4776
Two World Trade Center
New York, New York 10047

Eugene R. Fidell

Eugene R. Fidell

LeBoeuf, Lamb, Leiby & MacRae
Attorneys for Applicant

Regulatory

File Cy. 3

Received w/Ltr Dated 8-21-73

INDIAN POINT UNIT NO. 3

SUPPLEMENT 21

INSTRUCTION SHEET



Supplement 21 to the Indian Point Unit No. 3 Final Safety Analysis Report consists of responses to AEC requests for information, corrections and additional information for the report in the form of page changes and additions. The new and revised pages should be added to the report as listed below. This instruction sheet should be inserted in Volume 1 of the report immediately preceding Chapter 1.

Remove Old Sheet
(front/back)

- ~~Figure 6.2-2/Figure 6.2-3~~
- ~~Figure 6.2-4/---~~
- ~~6F-1/6F-2~~
- ~~6F-3/6F-4~~
- ~~6F-5/6F-6~~
- ~~6F-7/6F-8~~
- ~~6F-9/6F-10~~
- ~~6F-11/6F-12~~
- ~~6F-13/6F-14~~
- ~~---/---~~
- ~~---/---~~
- ~~---/---~~
- ~~7.2-31/7.2-32~~

Insert Revised Sheet
(front/back)

- ~~Figure 6.2-2/Figure 6.2-3~~
- ~~Figure 6.2-4/---~~
- ~~6F-1/6F-2~~
- ~~6F-3/6F-4~~
- ~~6F-5/6F-6~~
- ~~6F-7/6F-8~~
- ~~6F-9/6F-10~~
- ~~6F-11/6F-12~~
- ~~6F-13/6F-14~~
- ~~6F-15/6F-16~~
- ~~6F-17/6F-18~~
- ~~6F-19/---~~
- ~~7.2-31/7.2-32~~

In Volume 4 Behind Tab 12

- ~~T-25/T-26~~
- ~~T-27/T-28~~
- ~~T-51/T-52~~
- ~~---/---~~
- ~~14-xi/14-xii~~
- ~~14.3.1-21/14.3.1-22~~

- ~~T-25/T-26~~
- ~~T-27/T-28~~
- ~~T-51/T-52~~
- ~~T-52a---~~
- ~~14-xi/14-xii~~
- ~~14.3.1-21/14.3.1-22~~

6384

INDIAN POINT UNIT NO. 3
SUPPLEMENT 21
INSTRUCTION SHEET (Continued)

Remove Old Sheet
(front/back)

14.3.2-5/14.3.2-6
Figure 14.3.2-2 (1 of 2)/---
Figure 14.3.2-2 (2 of 2)/---
---/---
Figure 14.3.2-3/---
---/---
---/---
---/---
Q7.23-1/---
Q7.23-2/---
---/---
Q8.7-1/---
Q12.13-13/---
Q12.17-7/---
---/---
---/---
---/---
---/---
---/---
---/---
---/---
---/---
---/---
---/---
QB2.0-4/---
QB2.0-5/---
---/---

Insert Revised Sheet
(front/back)

14.3.2-5/14.3.2-6
Figure 14.3.2-2 (1 of 3)/---
Figure 14.3.2-2 (2 of 3)/---
Figure 14.3.2-2 (3 of 3)/---
Figure 14.3.2-3 (1 of 2)/---
Figure 14.3.2-3 (2 of 2)/---
Figure 14.3.2-4a/---
Figure 14.3.2-4b/---
Q7.23-1/---
Q7.23-2/---
Q7.23-3/---
Q8.7-1/---
Q12.13-13/---
Q12.17-7/---
Q12.17-7a/---
Q12.17-7b/---
Figure Q12.17-1/---
Figure Q12.17-2/---
Figure Q12.17-3/---
Figure Q12.17-4/---
Figure Q12.17-5/---
Figure Q12.17-6/---
Figure Q12.17-7/---
Figure Q12.17-8/---
QB2.0-4/---
QB2.0-5/---
QB2.0-5a/---