

BEFORE THE UNITED STATES
ATOMIC ENERGY COMMISSION



In the Matter of)
)
Consolidated Edison Company)
of New York, Inc.)
(Indian Point Station, Unit No. 3))

Docket No. 50-286

Regulatory File Cy.

Received w/ Ltr Dated 05-08-73

AMENDMENT NO. 2
TO AMENDED AND SUBSTITUTED
APPLICATION FOR LICENSES

Consolidated Edison Company of New York, Inc., Applicant in the above-captioned proceeding, hereby files Amendment No. 2 to its Amended and Substituted Application for Licenses for the purpose of transmitting Supplement No. 18 to its Final Facility Description and Safety Analysis Report. This Supplement contains miscellaneous corrected pages for the Report.

CONSOLIDATED EDISON COMPANY
OF NEW YORK, INC.

By William J. Cahill, Jr.
William J. Cahill, Jr.
Vice President


Subscribed and sworn to
before me this 4 day of
May, 1973.

Arthur M. Brown
Notary Public

ARTHUR M. BROWN
Notary Public, State of New York
No. 24 - 5470901
Qualified in Kings County

8111140075 730508
PDR ADOCK 05000286
A PDR
ch 30, 1974

UNITED STATES OF AMERICA
ATOMIC ENERGY COMMISSION



In the Matter of)
)
CONSOLIDATED EDISON COMPANY)
OF NEW YORK, INC.)
(Indian Point Station, Unit)
No. 3))

Docket No. 50-286

Regulatory File Cy
Received w/Ltr Dated 05-08-73

CERTIFICATE OF SERVICE

I hereby certify that I have this 8th day of May, 1973, served copies of Amendment No. 2 to the Amended and Substituted Application for Licenses and Supplement No. 18 to the Final Facility Description and Safety Analysis Report in the above-captioned proceeding by mailing them first class, postage pre-paid and properly addressed to the following persons:

Chairman
Atomic Safety and Licensing
Board Panel
U. S. Atomic Energy Commission
Washington, D. C. 20545

Mr. R. B. Briggs, Director
Molten-Salt Reactor Program
Oak Ridge National Laboratory
Post Office Box Y
Oak Ridge, Tennessee 37830

Samuel W. Jensch, Esq.
Atomic Safety and Licensing
Board Panel
U. S. Atomic Energy Commission
Washington, D. C. 20545

Mr. Ernest E. Hill
Lawrence Livermore Labora-
tories
University of California
Post Office Box 808-L-123
Livermore, California 94550

Dr. John C. Geyer, Chairman
Department of Geography and
Environmental Engineering
The Johns Hopkins University
Baltimore, Maryland 21218

Max D. Paglin, Esq.
Atomic Safety and Licensing
Board Panel
U. S. Atomic Energy Commission
Washington, D. C. 20545

Myron Karman, Esq.
Counsel for AEC Regulatory
Staff
U. S. Atomic Energy Commission
Washington, D. C. 20545

Stuart A. Treby, Esq.
Counsel for AEC Regulatory
Staff
U. S. Atomic Energy Commission
Washington, D. C. 20545

J. Bruce MacDonald, Esq.
Deputy Commissioner and
Counsel
New York State Department
of Commerce
99 Washington Avenue
Albany, New York 12210

Nicholas A. Robinson, Esq.
Marshall, Bratter, Greene,
Allison & Tucker
430 Park Avenue
New York, New York 10022

Angus Macbeth, Esq.
Natural Resources Defense
Council, Inc.
15 West 44th Street
New York, New York 10036

Honorable George Segnit
Mayor, Village of Buchanan
Buchanan, New York 10511

Eugene R. Fidell

Eugene R. Fidell

LeBoeuf, Lamb, Leiby & MacRae
Attorneys for Applicant

INDIAN POINT UNIT NO. 3

SUPPLEMENT 18

INSTRUCTION SHEET

Supplement 18 to the Indian Point Unit No. 3 Final Safety Analysis Report consists of corrections and additional information for the report in the form of page changes and additions. The new and revised pages should be added to the report as listed below. This instruction sheet should be inserted in Volume 1 of the report immediately preceding Chapter 1.

Remove Old Sheet
(front/back)

~~6.2-13/6.2-14~~
~~Table 6.2-7(b)/Table 6.2-7(b) cont'd~~
~~Figure 6.2-1/---~~
~~6.4-13/6.4-14~~
~~6.4-15/6.4-16~~
~~Table 7.2-5/---~~
~~Table 8.2-1/Table 8.2-2~~
~~12.17-13a/12.17-13b~~
~~T-51/T-52~~
~~T-53/T-54~~

Insert Revised Sheet
(front/back)

~~6.2-13/6.2-14~~
~~Table 6.2-7(b)/Table 6.2-7(b) cont'd~~
~~Figure 6.2-1/---~~
~~6.4-13/6.4-14~~
~~6.4-15/6.4-16~~
~~Table 7.2-5/---~~
~~Table 8.2-1/Table 8.2-2~~
~~---/---~~
~~T-51/T-52~~
~~T-53/T-54~~

AEC QUESTIONS

*was not
in volume*

~~Q2.6.8-1/---~~
~~Q2.6.10-1/---~~
~~---/---~~
~~Q3.16-1/---~~
~~Q4.18-1/---~~
~~Q4.30a-1/---~~
~~Q4.30a-2/---~~
~~---/---~~
~~---/---~~
~~Figure Q4.30a-1/---~~
~~---/---~~
~~Q4.30b-1/---~~

~~Q2.6.8-1/---~~
~~Q2.6.10-1/---~~
~~Q2.6.10-2/---~~
~~Q3.16-1/---~~
~~Q4.18-1/---~~
~~Q4.30a-1/---~~
~~Q4.30a-2/---~~
~~Table Q4.30a-1/---~~
~~Table Q4.30a-2/---~~
~~Figure Q4.30a-1/---~~
~~Figure Q4.30a-2/---~~
~~Q4.30b-1/---~~



INSTRUCTION SHEET (Continued)

Remove Old Sheet
(front/back)

Insert Revised Sheet
(front/back)

---/---

Q7.14-1/---

Q9.15.2-2/---

Q9.31-2/---

Q9.31-3/---

Q11.9-6/---

Q11.11-2/---

Q12.17-3/---

Q12.17-4/---

---/---

---/---

---/---

Q4.30b-2/---

Q7.14-1/---

Q9.15.2-2/---

Q9.31-2/---

Q9.31-3/---

Q11.9-6/---

Q11.11-2/---

Q12.17-3/---

Q12.17-4/---

Q12.17-13a/---

Q12.17-13b/---

Q12.17-13c/---