DOCKETED
USAEC

MAY 28 1969

Office of the Secretary
Public Proceedings
Branch

BEFORE THE UNITED STATES

ATOMIC ENERGY COMMISSION

In the Matter of)
) Docket No. 50-286
Consolidated Edison Company)
    of New York, Inc.)

APPLICANT'S PROPOSED CORRECTIONS TO THE TRANSCRIPT

The Applicant requests that the transcript of
the pre-hearing conference and the hearing in the
above-captioned proceeding be corrected as follows:

Page	Line	Correction
27	9	Change "testimony" to "summary"
39	25	Change "Bogard" to "Bogart"
47	16	Delete period at end of line and replace with a comma.
47	23	Change "rulings in" to "rule making"
108	7	Change "construction" to "constructed"
155	5	Change "Rex" to "Lex"
158	22	Change "at" to "and"
159	14	Change "of" to "or"
161	18	Insert "it" after the word "if"

Page	Line	Correction
161	25	Insert "which" after the word "reviews"
162	8	Change "compare" to "prepare"
163	4	Change "chairman of the board of consolidated" to "Chairman of the Board of Consolidated"
165	19	Change "old" to "older"
166	15	Change "fire" to "fired"
167	19	Insert a comma after the word "AEC"
168	5	Change "floords" to "floods"
204	7	Change "CHAIRMAN JENSCH" to "MR. SOLIT"
306	14	Change "Troster" to "Trosten"
316	15	Insert "not" after the word "I'm"
328-333		These pages should be renumbered as follows and rearranged accordingly: 328 should be 333 / 329 should be 332 / 330 should be 331 / 331 should be 330 / 332 should be 329 / 333 should be 328
368	13	Change "Murphy" to "Durfee"
373	6	Change "8/30/68" to "9/16/68"
376	17	Change "Murphy" to "Durfee"
377	5	Change "MURPHY" to "DURFEE"

Page	Line	Correction
383	12	Delete the period at end of line
383	13	Change "Under" to "under"
386	7 and 18	Change "Ervine" to "Irvin"
388	24	Change "Fisher" to "Fischer"
390	16	Change "of" (second appearance) to "from"
392	3	Change "stuiably" to "suitably"
397	15	Change "in operation" to "if operated"
397	17 and 18	Change "makes it unnecessary to put the reactor" to "need not be placed"
407	23	Change "rem" to "ramp"
413	4	Change "incredible" to "credible"
413	17	Change "rod" to "rods"
415	25	Change "I did" to "there was"
420	24	Change "this this" to "the probability by the damage it"
424	1	Change "cannot" to "can"
424	6	Change "800" to "a number"
427	6	Change "envirionment" to "environment"
432	16	Change "potential" to "substantial"
442	3	Change "taht" to "that"
451	1	Change "1/100th" to "25/1000th"

Page	Line	Correction
454	22	Change "normal" to "noble"
458	2	Change "21/100ths" to "20 to 100"
458	23	Change "cold" to "hole in the"
459	11	Delete "no"
459	21	Change "can't" to "can"
520	11	Change "less safe" to "safer"
523	15	Change "Carroll's" to "Terrill's"
527	3	Change "of" to "at"
527	25	Change "pair" to "compare"
552	10	Change "be offered" to "offer"
562	25	Change "must" to "just"
631	12	Change "such as" to "and"
642	11	Change "If" to "Considering"
642	16	Change "even if" to "either"
644	20	Delete "it is"
647	18	Change "NELI" to "NELIA"
647	19	Change "Bayou" to "MAELU"
648	24	Change "credibility. When" to "credibility when"
685	22	Change "Part P" to "Part B"

Page	Line	Correction
690	11	Change "CRF" to "CFR"
695	16	Change "alone" to "along"
699	21 and 22	Change "calculation" to "calculated"
719	5	Insert "on" after the word "depends"
719	12	Change "mentioned" to "mention"
719	19	Change "what" to "way"
722	11	Change "operative" to "operating"
727	12	Change "analogous and does now" to "anomalous and does not"
744	12	Change "graduents" to "gradients"
766	5	Change "abserve" to "adsorb"
798	25	Change "MacRael" to "MacRae"
876	3	Change "MRS." to "MR."
945	11	Change "MRS." to "MR."
965	2	Change "Monco" to "Lamont Cole"
972	7	Change "Applicants" to "Applicant"
976	17	Change "applies" to "implies"
977	8	Change "sensed" to "sensible"
977	19	Delete "supply"
978	4	Change "Gennai" to "Ginna"

Page	Line	Correction
978	8	Change "fire" to "fired"
978	15	Change "practice" to "program"
978	24	Change "this by" to "in this way"
979	14	Change "gasses" to "off-gases"
980	14	Change "From," to "But, from"
981	21	Insert "is" after "Safety Analysis"
984	19	Change "termal" to "thermal"
985	4	Change "recombination" to "activation"
992	5	Change "well" to "weld"
1008	10	Change "delivered" to "deliver"
1010	2	Change "deflating" to "cavity flooding"
1011	11	Change "radiation" to "irradiation"
1012	20	Change "cam" to "canned"
1013	3	Change "applicant" to "application"
1017	11	Change "applicants" to "applicant"
1018	25	Change "affects" to "effects"
1024	25	Insert "20" after "CFR"
1025	18	Change "applicants" to "applicable"
1036-1044		Renumber and rearrange pages as follows:

Page	Line	Correction
		1036 should be 1039
		1037 should be 1040
		1038 should be 1041
		1039 should be 1042
		1040 should be 1043
		1041 should be 1044
		1042 should be 1036
		1043 should be 1037
		1044 should be 1038
1047	10 and 23	Change "985" to "85"
1049	14	Change "985" to "85"
1056	15	Change "1.6, 1-6.1" to "1.6-1"
1057	10	Change "1.6" to "1.6-1"
1059	2	Change "1.6" to "1.6-1"
1060	25	Change "18444" to "14844"
1078	12	Change "TORSTEN" to "TROSTEN"
1081	18	Change "inorganic" to "no organic"
1129	10	Change "opened" to "operated"
1145	16	Change ".7" to "1.7"
1154	17	Change "Kohl" to "Cole"
1162	19	Change "or" to "to"
1164	24	Change "a sufficient" to "insufficient"
1165	24	Change "most of the" to "post"
1170	15	Change "in the" to "and"

Page	Line	Correction
1216	10	Change "106.8" to "106(e)"
1220	2	Delete "this section of the regulation, 106-E, how this"
1220	3	Delete entire line
1234	15	Change "Analyzing" to "and Licensing",
1235	7 and 13	Change "Analyzing" to "and Licensing"
1299	25	Change "harbor" to "Haber"
1323	13 and 16	Change "TROSTEN" to "MOORE"
1325	20 and 25	Change "well" to "weld"
1330	21	Insert "which" after "headers"
1331	8	Change "in terms of" to "in the terms in"
1332	5	Insert "or" after "PH"
1332	19	Change "it or; in fact" to "that"
1340	7	Change "hydrogen" to "hydroxide"
1340	11	Change "valaves" to "valves"
1358	24	Change "Kirk" to "Quirk"
1359	8	Insert "Both." before "Thank you."
1365	7	Change "80 to 100" to "1800"
1377	25	Insert "which" before "was referred to"
1418	2	Change "the principal" to "the permissible"

Page	Line	Correction
1479	24	Change "15" to "16"
1480	2	Change "being" to "authorized to be"
1480	14	Change "stable load" to "stay below"
1495, lines 9, 14 and 20, and on pp. 1496-1518		Where "Fuches" appears, change to "Fuchs"
1499	10	Change "cad-well(?) supplies" to "cad-weld splices"
1527	15	Change "deoquate" to "adequate"
1529	6 and 11	Change "MR. CAHILL" to "DR. McCULLOUGH"
1530	1,7,14,18, and 24	Change "MR. CAHILL" to "DR. McCULLOUGH"
1531	4,10,15, and 24	Change "MR. CAHILL" to "DR. McCULLOUGH"
1532	12,16, & 19	Change "MR. CAHILL" to "DR. McCULLOUGH"
1546	6	Change "sealed" to "seal"
1550	22 and 23	Change "sealed" to "seal"
1551	16	Change "part" to "pass"
1585	20	Change "vessel pumping" to "vessel, pumps"
1585	24	Change "insulation" to "installation"

Page	Line	Correction
1586	18	Change "73 inches" to "173 inches"
1586	18	Change "42 inches high" to "42 feet high"
1586	19	Change "allowance" to "annulus"
1603	19	Change "MR. McADOO" to "DR. BURLEY"
1607	2	Change "measure" to "mesh"
1612	2	Change "comment" to "commitment"
1615	2	Change "wasn't" to "was"
1636	6	Change "decise" to "decide"
1657	14	Change "1957" to "1967"
1659	17	Delete "not"
1660	18	Change "by" to "my"
1698	11	Change "sealed" to "seal"
1699	3 and 6	Change "factor, immunity" to "factor of unity"
1699	13	Change "valves to your" to "valve seal"
1704	16	Change "the" (first appearance) to "by a"
1708	15	Change "marble" to "model"
1708	24	Insert "in" after "and"
1710	6	Change "31" to "38"
1710	22	Change "not" to "now"

Page	Line	Correction
1714	17	Change "of" to "in"
1716	9	Change "a form" to "an informed"
1716	13	Change "2-B-2" to "II-B-2"
1716	19	Change "2-D-2" to "II-D-2"
1716	25	Change "2-E-1" to "II-E-1"
1717	7	Change "2-E-2" to "II-E-2"
1717	11	Change "2-F" to "II-F"
1717	18	Change "2-G" to "II-G"
1717	21	Change "2-H" to "II-H"
1717	25	Change "But," to "DR. BUCK:"
1718	16	Change "of" to "in"
1718	17	Change "wall so the other test" to "wall. Some other tests"
1718	19	Change "wall. And a different direction" to "wall, and a different correction"
1719	1	Change "and" to "to"
1720	7	Insert "in" after "anomaly"
1722	13	Change "16" to "6E"
1725	22	Change "SCE" to "CSE"
1743	15	Insert "for breaks" after "rods"
1743	16	Change "discount" to "lift out"

Page	Line	Correction
1750	24	Change "tanks" to "tank"
1752	4	Change "to" to "from"
1753	10	Change "from the reactor removal" to "or removal from the reactor"
1758	7	Change "33" to "3.3"
1758	21	Change "main" to "mean"
1759	16	Change "82" to "any two"
1760	6	Change "33" to "3.3"
1762	20	Change "summer" to "fall"
1763	1 and 7	Change "33" to "3.3"
1775	17	Change "neutral" to "natural"
1796	1 and 4	Change "33" to "3.3"
1799	8	Delete "at night"
1799	21	Change "interrupt" to "interpret"
1810	15	Change "113" to "1-13"
1811	13	Change "southeast" to "southwest"
1812	6	Change "this figure" (first appearance) to "we"
1820	8	Change "unrelated" to "related"
1820	16	Change "resistance" to "persistence"
1826	6	Change "simpling" to "sampling"

Page	Line	Correction
1828	9	Change "other" to "first"
1829	12	Change "Dr." to "Mr."
1833	14	Change "pi" to "chi"
1851	5	Insert "not" after "would"
1853	14 and 25	Change "Thunderbird" to "Dunderberg"
1853	17	Change "Henderson" to "Halitsky"
1878	16	Change "TORSTEN" to "TROSTEN"
1879	17	Change "SCE" to "CSE"
1908	5	Insert "it has" after "which"
1912	23	Change "But however" to "However"
1914	5	Change "Dr." (second appearance) to "Mr."
1914	17	Change "some" to "the same."
1915	3	Change "configuration" to "consideration"
1915	25	Change "not" to "now"
1949	12	Change "always" to "in no way"
1953	20	Change "a" to "the"
1953	23	Change "Institute from 1940 to 1946. I" to "Institute. From 1940 to 1946 I"
1956	14	Change "ot" to "of"
1956	15 and 16	Change "liter" to "meter"

Page	Line	Correction
1956	25	Change "sampled" to "sample"
1957	3	Change "collecte" to "collected"
1957	18	Insert a comma after "site"
1958	24	Change "monitored" to "monitor"
1984	24	Change "visits, instrumentations forthe" to "physics, instrumentation for the"
1985	22	Change "type" to "types"
2002	25	Change "necessary" to "available"
2011	12	Insert "have" after "to"
2048	19	Delete "a" after "need"
2048	20	Change "protector such as are" to "protection and such are not"
2049	21	Change "917" to "line 17"
2051	3	Change "second" to "seventh"
2062	17	Change "Atlee" to "Ackley"
2064	7	Delete "MR. FLETCHER:"
2068	9	Change "lake above" to "makeup of"
2068	14	Change "3/10ths of a" to "35"
2068	15	Change "centimeter" to "centimeters"
2068	23	Change "T_hO" to "THO"
2070	12	Change "400" to "100"

Page	Line	Correction
2073	22	Change "Algou" to "alkaline"
2087	22	Change "roughening" to "roughing"
2089	15	Change "point" to "pointed"
2095	5	Change "installations" to "insulations"
2115	10	Change "say" to "saw"
2141	7	Delete comma after "well"
2150	23 and 24	Change "278" to "178"
2151	1	Change "278" to "178"
2151	2	Change "3.3. This is" to "5.2"
2151	3	Delete entire line.
2151	4	Delete "We have to reduce the dose by a factor of e."
2173	6	Change "point" to "points."
2176-2178		Renumber and rearrange accordingly the following pages: 2176 should be 2178 2178 should be 2176
2178 (as corrected)	2	Insert "meter" after "displacement"
2178 (as corrected)	11	Change "plotting" to "counting"
2179	2	Change "say" to "saw"
2181	18 and 19	Change "liter" to "meter"

Page	Line	Correction
2183	20 and 21	Change "Tygol" to "Tygon"
2200	10	Change "64, if" to "64. If"
2200	24	Change "It" to "We"
2200	25	Delete "filter"
2207	22	Delete "merely"
2209	15	Change "injectors" to "ejectors"
2209	21	Change "FLATCHER" to "FLETCHER"
2216	12	Insert "was" after "tower"
2222	10, 14, and 19	Change "Dr." to "Mr."
2222	20	Insert "to" after "location"
2223	6	Change "molalogy" to "meteorology"
2223	16	Change "DR." to "MR."

Respectfully submitted,

/s/ Leonard M. Trosten
_____
Leonard M. Trosten
Attorney for Applicant

Dated: May 28, 1969