

REGULATORY DOCKET FILE CO. Y
EFFLUENT AND WASTE DISPOSAL

SEMI-ANNUAL REPORT

3rd & 4th QUARTER, 1979

Docket # 50-3/247/286
Control # 8003050237
Date 2-29-80 of Document
REGULATORY DOCKET FILE

FACILITY: Indian Point Station

LICENSEE: Consolidated Edison Company of New York, Inc.

This information is provided in accordance with the requirements of Regulatory Guide 1.21. The numbered sections of this report reference corresponding sections of the subject Regulatory Guide, pages 1.21-10 to 12. The Power Authority of the State of New York has chosen to issue a separate semi-annual report. The Semi-Annual Effluent and Waste Disposal Report for Indian Point Units 1 and 2 covers discharges for the third and fourth quarters of 1979. The liquid discharges have been proportioned to Units 1 and 2 based on the total volume of site waste processed at Con Edison. The airborne releases are for Units 1 and 2 only.

A. Supplemental Information

1. Regulatory Limits

Indian Point Units 1, 2, and 3 are presently subject to specifications on radioactive waste releases that are set forth in Sections 2.4 and 3.4 of Appendix B to Docket's 50-3, 50-247, or 50-286 entitled "Environmental Technical Specification Requirements for Once-Through Cooling". The percent of technical specification limit reported in Table 2A is the percent of the quarterly limit specified in the ETSR.

2. Maximum Permissible Concentrations

a. Fission and Activation Gases

The quarterly limits for those specifications stated in the ETSR have been used to calculate the percent of technical specification limit. The K, L, M, N values for Unit 2 vent release points are based on the isotopic concentrations reported in Table 1C and on the individual isotopic K, L, M, N values in Table 2.4-5 of the ETSR. The isotopic analysis in Table 1B, and the values in Table 2.4-5 were used to determine the K, L, M, N values for Unit 1 stack releases.

~~8003050~~
8003050243

b&c. Iodines and Particulates

The quarterly limits for Iodine-131 and particulates with half-lives greater than 8 days in Section 2.4.2.b.3 of the ETSR have been used as the maximum permissible concentration for the purpose of calculating the percent of technical specification limit.

d. Liquid Effluents

All liquid discharges from Indian Point are made through a common discharge canal with a minimum of 100,000 gpm dilution water. The isotopic content, excluding tritium and dissolved noble gas, of continuous and batch mode discharges for each calendar quarter have been added, and a weighted average fraction of MPC has been calculated for this isotopic mixture as described in 10CFR20. The percent of applicable limit reported is the percent of MPC concentration of the time averaged diluted concentration for each calendar quarter.

The third and fourth quarter continuous releases are for Units 1 and 2 only. The batch releases discharged through the common site processing facility have been apportioned according to the volume transferred from the respective units to the processing facility.

The tritium limit has been established in the same manner as the other isotopes in liquid effluents.

Since there is no limit stated for dissolved noble gases in 10CFR20, we have adapted the conservative MPC of 2E-4 uci/ml as suggested by E.F. Eckerman.

3. Average Energy

The average energy (E) of the radionuclide mixture in releases of fission and activation gases for the third quarter was \bar{E}_γ 5.44 E-2 Mev/Dis., and \bar{E}_β of 2.11 E-1 Mev/Dis. The corresponding values for the fourth quarter were \bar{E}_γ 5.18 E-2 Mev/Dis., and \bar{E}_β of 1.56 E-1 Mev/Dis.

4. Measurements and Approximations of Total Radioactivity

a. Fission and Activation Gases

Analysis of effluent gases has been performed in compliance with the requirements of Table 2.4-2 of the ETSR. In the case of isolated tanks (batch releases) the total

activity discharged is based on an isotopic analysis of each batch and the volume of gas in that batch corrected to standard temperature and pressure.

Vapor containment ventilation discharges have been generally treated as batch releases. At least one complete isotopic concentration analysis of containment air is performed per month and this is applied to a gross analysis of the ventilation air performed prior to each discharge. This information is combined with the volume of air in each discharge to calculate the radionuclide composition of these discharges.

The continuous discharges are based on the isotopic content determined from weekly samples of ventilation air. This information is combined with total air volume discharged by this route. The accumulation of batch and containment ventilation releases are then used to determine total discharges.

b&c. Iodines and Particulates

Iodine-131 and particulate releases are quantified by collecting a continuous sample of ventilation air on a potassium-iodide impregnated activated charcoal cartridge and a glass-fiber filter paper. These samples are changed weekly as required in Table 2.4-2 of the ETSR, and the concentration of isotopes found by analysis of these samples is combined with the volume of air discharged during the sampling period to calculate the amount of activity discharged.

For other iodine isotopes the ratio of each isotope to Iodine-131 is determined for a monthly 24 hour sample. These ratios are then used, along with the total monthly discharge of Iodine-131, to calculate the amount of these isotopes discharged in this monthly period.

d. Liquid Effluents

A proportional composite sample of each batch discharge is taken and an isotopic analysis is performed in compliance with requirements specified in Table 2.4-1 of the ETSR. This isotopic concentration data is combined with information of volume discharged to determine the amount of each isotope discharged in the period.

Samples of continuous discharges have been taken and analyzed in compliance with Table 2.4-1 of the ETSR. This concentration data is combined with the volume discharged to calculate the total activity discharged.

5. Batch Releases

1979

3rd Qtr. 4th Qtr.a. Liquid

Number of Batch Releases	86	62
Total Time Period Batch Release (Min.)	7177	5310
Maximum Time Period Batch Release (Min.)	295	270
Average Time Period Batch Releases (Min.)	83	86
Minimum Time Period Batch Releases (Min.)	25	40
Average Stream Flow (cfs)	8070	2033

b. Gaseous

Number of Batch Releases	34	102
Total Time Period Batch Releases (Min.)	4923	26734
Maximum Time Period Batch Releases (Min.)	320	3626
Average Time Period Batch Releases (Min.)	145	262
Minimum Time Period Batch Releases (Min.)	35	1

6. Abnormal Releases

- a. Liquid - None
- b. Gaseous - None

Effluent and Waste Disposal

Semi-Annual Report

B - Gaseous Effluents

Second Half - 1979

TABLE 1A

EFFLUENT AND WASTE DISPOSAL SEMIANNUAL REPORT (1979)

GASEOUS EFFLUENTS—SUMMATION OF ALL RELEASES

	Unit	Quarter 3RD	Quarter 4TH	Est. Total Error, %
--	------	----------------	----------------	------------------------

A. Fission & activation gases

1. Total release	Ci	$5.46 E^{+2}$	$1.59 E^{+3}$	$5.0 E^{+1}$
2. Average release rate for period	$\mu\text{Ci}/\text{sec}$	$6.87 E^{+1}$	$2.00 E^{+2}$	
3. Percent of Technical specification limit	%	$1.13 E^{\emptyset}$	$4.60 E^{\emptyset}$	

B. Iodines

1. Total iodine-131	Ci	$4.49 E^{-3}$	$9.73 E^{-2}$	$5.0 E^{+1}$
2. Average release rate for period	$\mu\text{Ci}/\text{sec}$	$5.65 E^{-4}$	$1.22 E^{-2}$	
3. Percent of technical specification limit	%	$3.24 E^{-1}$	$2.92 E^{\emptyset}$	

C. Particulates

1. Particulates with half-lives >8 days	Ci	$1.13 E^{-3}$	$2.87 E^{-3}$	$5.0 E^{+1}$
2. Average release rate for period	$\mu\text{Ci}/\text{sec}$	$1.43 E^{-4}$	$3.61 E^{-4}$	
3. Percent of technical specification limit	%	$3.24 E^{-1}$	$2.92 E^{\emptyset}$	
4. Gross alpha radioactivity	Ci	$3.10 E^{-7}$	$1.86 E^{-7}$	

D. Tritium

1. Total release	Ci	$1.22 E^{\emptyset}$	$1.61 E^{\emptyset}$	$5.0 E^{+1}$
2. Average release rate for period	$\mu\text{Ci}/\text{sec}$	$1.53 E^{-1}$	$2.03 E^{-1}$	
3. Percent of technical specification limit	%	E	E	

TABLE 1B

EFFLUENT AND WASTE DISPOSAL SEMIANNUAL REPORT (1979)

GASEOUS EFFLUENTS—ELEVATED RELEASE

Nuclides Released	Unit	CONTINUOUS MODE		BATCH MODE	
		3RD Quarter	4TH Quarter	Quarter	Quarter

1. Fission gases

krypton-85	Ci	2.82 E ⁺²	2.14 E ⁺¹	. E	. E
krypton-85m	Ci	3.33 E ⁻²	. E	. E	. E
krypton-87	Ci	. E	. E	. E	. E
krypton-88	Ci	. E	1.31 E ⁻¹	. E	. E
xenon-133	Ci	9.52 E ⁺⁰	1.67 E ⁺¹	. E	. E
xenon-135	Ci	8.01 E ⁻¹	1.65 E ⁻¹	. E	. E
xenon-135m	Ci	. E	3.36 E ⁻¹	. E	. E
xenon-138	Ci	. E	. E	. E	. E
Others (specify) Xe 131M	Ci	2.24 E ⁺¹	2.89 E ⁻¹	. E	. E
Xe 133M	Ci	4.03 E ⁺⁰	. E	. E	. E
	Ci	. E	. E	. E	. E
unidentified	Ci	. E	. E	. E	. E
Total for period	Ci	3.19 E ⁺²	3.90 E ⁺¹	. E	. E

2. Iodines

iodine-131	Ci	2.06 E ⁻³	8.65 E ⁻²	. E	. E
iodine-133	Ci	2.09 E ⁻⁴	1.04 E ⁻⁴	. E	. E
iodine-135	Ci	2.75 E ⁻³	1.16 E ⁻³	. E	. E
Total for period	Ci	5.02 E ⁻³	8.78 E ⁻²	. E	. E

3. Particulates

strontium-89	Ci	5.40 E ⁻⁶	3.16 E ⁻⁶	. E	. E
strontium-90	Ci	1.20 E ⁻⁶	1.79 E ⁻⁶	. E	. E
cesium-134	Ci	5.53 E ⁻⁵	8.70 E ⁻⁵	. E	. E
cesium-137	Ci	1.52 E ⁻⁴	3.10 E ⁻⁴	. E	. E
barium-lanthanum-140	Ci	2.30 E ⁻⁵	1.64 E ⁻⁵	. E	. E
Others (specify)					
I-131	Ci	8.40 E ⁻⁶	2.63 E ⁻⁵	. E	. E
Co-58	Ci	1.12 E ⁻⁴	6.59 E ⁻⁵	. E	. E
Co-60	Ci	8.64 E ⁻⁵	2.99 E ⁻⁴	. E	. E
Mn-54	Ci	3.61 E ⁻⁶	1.42 E ⁻⁵	. E	. E
Cr-51	Ci	4.01 E ⁻⁶			
Nb-95	Ci	4.65 E ⁻⁷	2.85 E ⁻⁷		
Fe-55	Ci	1.36 E ⁻⁴	8.36 E ⁻⁴		
P-32	Ci	3.04 E ⁻⁶	6.41 E ⁻⁶		
Ni-63	Ci	1.39 E ⁻⁴	3.40 E ⁻⁴		

TABLE 1C

EFFLUENT AND WASTE DISPOSAL SEMIANNUAL REPORT (1979)

GASEOUS EFFLUENTS—GROUND-LEVEL RELEASES

Nuclides Released	Unit	CONTINUOUS MODE		BATCH MODE	
		3RD Quarter	4TH Quarter	3RD Quarter	4TH Quarter

1. Fission gases

krypton-85	Ci	1.95 E+2	1.78 E+0	2.67 E+0	8.69 E+0
krypton-85m	Ci	9.68 E-2	6.29 E+0	9.98 E-3	3.07 E+0
krypton-87	Ci	. E	9.97 E-1	. E	4.04 E-1
krypton-88	Ci	1.24 E-1	6.58 E+0	1.60 E-2	3.90 E+0
xenon-133	Ci	1.11 E+1	3.55 E+2	1.16 E+1	1.07 E+3
xenon-135	Ci	2.35 E+0	4.92 E +1	4.03 E -1	1.95 E+1
xenon-135m	Ci	. E	3.31 E -1	. E	1.62 E-2
xenon-138	Ci	. E	. E	. E	. E
Others (specify) Xe131M	Ci	2.40 E+0	3.53 E+0	1.24 E -1	1.42 E+1
Xe133M	Ci	1.43 E+0	1.08 E+0	9.46 E -2	1.30 E+1
	Ci	. E	. E	. E	. E
unidentified	Ci	. E	. E	. E	. E
Total for period	Ci	2.13 E+2	4.24 E+2	1.49 E+1	1.13 E+3

2. Iodines

iodine-131	Ci	2.43 E-3	1.11 E -2	. E	. E
iodine-133	Ci	1.86 E-3	2.30 E -3	. E	. E
iodine-135	Ci	1.15 E-2	4.61 E -3	. E	. E
Total for period	Ci	1.58 E-2	1.80 E -2	. E	. E

3. Particulates

strontium-89	Ci	2.65 E-6	1.22 E-6	. E	. E
strontium-90	Ci	7.98 E-7	3.48 E-7	. E	. E
cesium-134	Ci	1.73 E-5	1.83 E-4	. E	. E
cesium-137	Ci	5.18 E-5	2.45 E-4	. E	. E
barium-lanthanum-140	Ci	1.80 E-5	2.83 E-5	. E	. E
Others (specify) I-131	Ci	5.93 E-6	5.30 E-5	. E	. E
Co-58	Ci	7.63 E-5	5.33 E-5	. E	. E
Co-60	Ci	7.52 E-5	9.65 E-5	. E	. E
Mn-54	Ci	5.09 E-7	7.46 E-7	. E	. E
Cr-51	Ci	1.10 E-5	4.68 E-6		
Zn-65	Ci	9.27 E-7			
Fe-55	Ci	2.67 E-5	5.59 E-5		
R32	Ci	4.12 E-6	6.53 E-6		
Ni-63	Ci	1.12 E-4	1.41 E-4		

Effluent and Waste Disposal
Semi-Annual Report

C. Liquid Effluent

Second Half - 1979

TABLE 2A

EFFLUENT AND WASTE DISPOSAL SEMIANNUAL REPORT (1979)

LIQUID EFFLUENTS—SUMMATION OF ALL RELEASES

Unit	Quarter 3RD	Quarter 4TH	Est. Total Error, %
------	----------------	----------------	------------------------

A. Fission and activation products

1. Total release (not including tritium, gases, alpha)	Ci	2.34 E ⁻¹	8.83 E ⁻¹	2.5 E ⁺¹
2. Average diluted concentration during period	μCi/ml	1.02 E ⁻⁹	5.45 E ⁻⁹	
3. Percent of applicable limit	%	1.16 E ⁻²	5.64 E ⁻²	

B. Tritium

1. Total release	Ci	9.79 E ⁺¹	5.92 E ⁺¹	2.5 E ⁺¹
2. Average diluted concentration during period	μCi/ml	4.30 E ⁻⁷	3.65 E ⁻⁷	
3. Percent of applicable limit	%	1.43 E ⁻²	1.21 E ⁻²	

C. Dissolved and entrained gases

1. Total release	Ci	2.99 E ⁻³	1.14 E ⁻²	2.5 E ⁺¹
2. Average diluted concentration during period	μCi/ml	1.31 E ⁻¹¹	7.07 E ⁻¹¹	
3. Percent of applicable limit	%	6.55 E ⁻⁶	3.53 E ⁻⁵	

D. Gross alpha radioactivity

1. Total release	Ci	6.25 E ⁻⁴	1.32 E ⁻³	2.5 E ⁺¹
------------------	----	----------------------	----------------------	---------------------

E. Volume of waste released (prior to dilution)	liters	7.12 E ⁺⁶	2.06 E ⁺⁷	1.0 E ⁺¹
--	--------	----------------------	----------------------	---------------------

F. Volume of dilution water used during period	liters	2.27 E ⁺¹¹	1.61 E ⁺¹¹	1.0 E ⁺¹
---	--------	-----------------------	-----------------------	---------------------

TABLE 2B

EFFLUENT AND WASTE DISPOSAL SEMIANNUAL REPORT (1979)

LIQUID EFFLUENTS

Nuclides Released	Unit	CONTINUOUS MODE		BATCH MODE	
		3RD Quarter	4TH Quarter	3RD Quarter	4TH Quarter
strontium-89	Ci	1.36 E-4	9.56 E-4	3.56 E-4	8.29 E-5
strontium-90	Ci	2.39 E-5	4.09 E-3	1.13 E-3	3.15 E-4
cesium-134	Ci	4.02 E-3	1.55 E-2	1.01 E-2	2.96 E-3
cesium-137	Ci	1.07 E-2	1.69 E-1	3.20 E-2	1.22 E-2
iodine-131	Ci	1.97 E-3	8.18 E-3	3.27 E-3	4.00 E-2
cobalt-58	Ci	3.46 E-4	1.62 E-3	2.07 E-2	1.03 E-1
cobalt-60	Ci	1.21 E-2	3.26 E-2	2.25 E-2	1.02 E-2
iron-59	Ci	7.38 E-4	3.65 E-3	1.35 E-3	4.44 E-4
zinc-65	Ci	7.90 E-4	1.86 E-3	1.46 E-3	4.37 E-4
manganese-54	Ci	7.77 E-4	4.71 E-3	8.32 E-3	2.17 E-3
chromium-51	Ci	2.12 E-3	1.60 E-2	8.39 E-3	2.09 E-3
zirconium-niobium-95	Ci	6.23 E-4	3.05 E-3	1.19 E-3	6.58 E-4
molybdenum-99	Ci	3.45 E-3	1.08 E-2	5.51 E-3	5.04 E-2
technetium-99m	Ci	1.95 E-4	4.96 E-4	6.50 E-4	5.30 E-4
barium-lanthanum-140	Ci	1.25 E-3	8.58 E-3	3.58 E-3	3.27 E-3
cerium-141	Ci	3.18 E-4	3.11 E-3	1.13 E-3	1.27 E-3
Other (specify)	Ci	. E	. E	. E	. E
Fe-55	Ci	3.60 E-2	1.94 E-1	2.77 E-2	3.61 E-2
Ni-63	Ci	1.58 E-3	1.21 E-1	4.68 E-3	3.61 E-3
P 32	Ci	1.35 E-3	1.16 E-2	1.07 E-3	1.26 E-3
	Ci	. E	. E	. E	. E
unidentified	Ci	. E	. E	. E	. E
Total for period (above)	Ci	7.87 E-2	6.12 E-1	1.55 E-1	2.71 E-1
xenon-133	Ci	6.29 E-4	2.09 E-3	1.48 E-3	8.00 E-3
xenon-135	Ci	2.13 E-4	8.21 E-4	6.60 E-4	5.39 E-4

Effluent and Waste Disposal
Semi-Annual Report
D - Solid Waste
Second Half - 1979

TABLE 3

EFFLUENT AND WASTE DISPOSAL SEMIANNUAL REPORT (1979)

SOLID WASTE AND IRRADIATED FUEL SHIPMENTS

A. SOLID WASTE SHIPPED OFFSITE FOR BURIAL OR DISPOSAL (Not irradiated fuel)

3rd and 4th Quarters

1. Type of waste	Unit	6-month Period	Est. Total Error, %
a. Spent resins, filter sludges, evaporator bottoms, etc.	m ³ Ci	2.46 E+2 3.83 E+2	1.0 E+2
b. Dry compressible waste, contaminated equip, etc.	m ³ Ci	4.85 E+2 2.84 E+1	1.0 E+2
c. Irradiated components, control rods, etc.	m ³ Ci	. E . E	. E
d. Other (describe)	m ³ Ci	. E . E	. E

2. Estimate of major nuclide composition (by type of waste)

a.	Cs-137	60%	1.0 E +2
	Cs-134	10%	1.0 E +2
	Co-60	10%	1.0 E +2
	Co-58, Fe-55, Ni-63, I-131	20%	1.0 E +2
		%	. E
b.	Cs-137	60%	1.0 E +2
	Cs-134	10%	1.0 E +2
	Co-60	10%	1.0 E +2
	Co-58, Fe-55, Ni-63, I-131	20%	1.0 E +2
		%	. E
		%	. E
		%	. E

3. Solid Waste Disposition

Number of Shipments

Mode of Transportation

Destination

66

Truck

Barnwell, S.C.

B. IRRADIATED FUEL SHIPMENTS (Disposition)

Number of Shipments

Mode of Transportation

Destination

None

Effluent and Waste Disposal
Semi-Annual Report
E - Radiological Impact on Man
Second Half - 1979

RADIOLOGICAL IMPACT EVALUATION

Doses from noble gas immersion, inhalation, ground deposition, and vegetation ingestion were evaluated for the residence located 730 meters east of Indian Point Unit No.3, which is the point of maximum offsite radiation dose (all pathways considered) likely to be occupied. Doses were evaluated for an individual ingesting milk and meat from a cow located about 8.9 miles to the ESE. In all cases, these evaluations were performed using the models presented in Regulatory Guide 1.109. Noble gas releases were considered to be either batch or continuous, while all iodine and particulate release were considered to be continuous. Noble gas release from containment pressure reliefs and purges were treated as a continuous release, because of the large number of such releases. Other releases (e.g. gas decay tank releases) were considered as batch and were evaluated using actual meteorological conditions existing during the release period. Continuous releases were evaluated using average meteorological conditions based on the six month release period. Estimates of relative deposition per unit area were obtained from the numerical approximation presented in the NRC computer program XOQDOQ for ground releases. Values of atmospheric dispersion factors (X/Q) were computed using the Sagendorf straight line air flow model, assuming a ground level release, and the subroutine POLYN (from XOQDOQ) for computing standard deviations in the horizontal direction (σ_y) and vertical direction (σ_z).

Integrated doses for the population within 50 miles of Indian Point from gaseous effluents were computed based on linear interpolation of 1970 - 2010 population data contained in the Indian Point Unit No. 3 FSAR.

NUREG-0017, "Calculation of Release of Radioactive Materials in Gaseous and Liquid effluents from Pressurized Water Reactors", assumes an annual release of 8.0Ci/yr of Carbon-14. Therefore, to be consistent with NUREG-0017, a release of 4.0 Curies of Carbon-14 was assumed for the six month period in addition to the radioactive materials measured in Indian Point gaseous effluents.

Indian Point Units 1 and 2

RADIOLOGICAL IMPACT ON MAN

(Reference regulatory guide 1.21, page 12)

A, Maximum Individual Doses

<u>Pathways</u> (Gaseous)	<u>Total Body</u> (mr)	<u>Skin</u> (mr)	<u>Thyroid</u> (mr)	<u>Bone</u> (mr)
Noble Gas Immersion				
a) Batch Releases	.0339	.0897		
b) Continuous Releases	.0888	.312		
Inhalation	5.35×10^{-3} *	-	0.331*	1.15×10^{-2} **
Ground Deposition	8.47×10^{-3}	9.95×10^{-3}	-	6.40×10^{-2} **
Milk Ingestion*	2.31×10^{-3}	-	4.16×10^{-2}	2.42×10^{-3}
Meat Ingestion	3.38×10^{-9} **	-	5.44×10^{-4} ***	1.15×10^{-3} **
Vegetable Ingestion	2.16×10^{-2} ***	-	5.79×10^{-1} ***	6.40×10^{-2} **

* Infants are critical age group

** Adults are critical age group

*** Children are critical age group

Pathways
(Liquid)

All

See Attached "LADTAP: printout
Attachment I

B. Population Doses

<u>Pathways</u> (Gaseous)	<u>Total Body</u> (man-rem)	<u>Thyroid</u> (man-thyroid rem)
Noble Gas Immersion		
a) Batch Release	0.372	
b) Continuous Release	3.33	
Inhalation	0.159	9.73
Ground Deposition	0.152	
Totals	4.013	9.73

Pathways
(Liquid)

All See attached "LADTAP" printout
Attachment I

C. Average Doses to Individuals

1. Liquid-Total Body
 2.23×10^{-4} mr
2. Gaseous-Total Body
 2.11×10^{-4} mr

* * * AS LOW AS REASONABLY ACHIEVABLE * * *

A D U L T D O S E S

DOSE (MREM PER YEAR INTAKE)

PATHWAY	SKIN	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH		1.74E+00	4.16E-01	2.77E-01	7.69E-03	1.07E-01	4.04E-02	1.91E-01
INVERTEBRATE		9.03E-02	5.21E-02	1.80E-02	6.10E-04	4.38E-03	3.95E-02	5.16E-02
ALGAE		3.69E-06	2.91E-07	1.86E-07	9.76E-09	1.70E-08	2.86E-08	4.31E-07
DRINKING		2.16E-12	1.01E-12	8.70E-13	1.79E-12	2.69E-13	3.28E-13	3.00E-13
SHORELINE	1.65E-03	1.41E-03	1.41E-03	1.41E-03	1.41E-03	1.41E-03	1.41E-03	1.41E-03
SWIMMING	0.0	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05
BOATING	0.0	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05
TOTAL	1.65E-03	1.83E+00	4.69E-01	2.97E-01	9.73E-03	1.13E-01	8.13E-02	2.34E-01

	USAGE (KG/YR,HR/YR)	DILUTION	TIME(HR)	SHOREWIDTH FACTOR=0.2
FISH	21.0	5.0	25.00	
INVERTEBRATE	5.0	5.0	25.00	
ALGAE	0.0	5.0	25.00	
DRINKING	0.0	500.0	112.00	
SHORELINE	50.0	5.0	1.00	
SWIMMING	50.0	5.0	1.00	
BOATING	100.0	5.0	1.00	

T E E N A G E R D O S E S

DOSE (MREM PER YEAR INTAKE)

PATHWAY	SKIN	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH		1.36E+00	3.93E-01	1.65E-01	6.82E-03	8.15E-02	4.53E-02	1.37E-01
INVERTEBRATE		7.08E-02	4.05E-02	1.35E-02	5.40E-04	3.33E-03	3.02E-02	3.90E-02
ALGAE		3.72E-06	3.03E-07	1.84E-07	1.14E-08	1.70E-08	3.09E-08	4.30E-07
DRINKING		2.74E-12	1.26E-12	8.31E-13	2.08E-12	2.69E-13	3.73E-13	2.83E-13
SHORELINE	2.21E-03	1.89E-03	1.89E-03	1.89E-03	1.89E-03	1.89E-03	1.89E-03	1.89E-03
SWIMMING	0.0	2.71E-05	2.71E-05	2.71E-05	2.71E-05	2.71E-05	2.71E-05	2.71E-05
BOATING	0.0	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05
TOTAL	2.21E-03	1.46E+00	4.36E-01	1.80E-01	9.29E-03	8.67E-02	7.74E-02	1.78E-01

	USAGE (KG/YR,HR/YR)	DILUTION	TIME(HR)	SHOREWIDTH FACTOR=0.2
FISH	16.0	5.0	25.00	
INVERTEBRATE	3.8	5.0	25.00	
ALGAE	0.0	5.0	25.00	
DRINKING	0.0	500.0	112.00	
SHORELINE	67.0	5.0	1.00	
SWIMMING	100.0	5.0	1.00	
BOATING	100.0	5.0	1.00	

C H I L D D O S E S

DOSE (MREM PER YEAR INTAKE)

PATHWAY	SKIN	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH		7.78E-01	3.16E-01	6.62E-02	7.03E-03	3.51E-02	3.46E-02	5.90E-02
INVERTEBRATE		3.57E-02	1.99E-02	6.53E-03	5.78E-04	1.49E-03	1.37E-02	1.74E-02
ALGAE		3.83E-03	3.56E-04	1.96E-04	2.72E-05	1.70E-05	3.64E-05	4.30E-04
DRINKING		5.07E-09	2.33E-09	1.08E-09	4.97E-09	2.69E-10	4.82E-10	2.67E-10
SHORELINE	4.62E-04	3.95E-04	3.95E-04	3.95E-04	3.95E-04	3.95E-04	3.95E-04	3.95E-04
SWIMMING	0.0	6.79E-06	6.79E-06	6.79E-06	6.79E-06	6.79E-06	6.79E-06	6.79E-06
BOATING	0.0	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05	1.36E-05
TOTAL	4.62E-04	8.18E-01	3.37E-01	7.34E-02	8.05E-03	3.71E-02	4.87E-02	7.72E-02

	USAGE (KG/YR,HR/YR)	DILUTION	TIME(HR)	SHOREWIDTH FACTOR=0.2
FISH	8.2	5.0	25.00	
INVERTEBRATE	1.7	5.0	25.00	
ALGAE	0.0	5.0	25.00	
DRINKING	0.0	500.0	112.00	
SHORELINE	14.0	5.0	1.00	
SWIMMING	25.0	5.0	1.00	
BOATING	100.0	5.0	1.00	

INFANT DOSES

DOSE (MREM PER YEAR INTAKE)

PATHWAY	SKIN	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH		7.81E-02	5.13E-02	4.59E-03	1.23E-03	2.55E-03	5.97E-03	4.27E-03
INVERTEBRATE		2.44E-03	1.46E-03	4.18E-04	8.20E-05	8.76E-05	8.41E-04	1.02E-03
ALGAE		4.00E-06	4.98E-07	2.10E-07	6.56E-08	1.70E-08	5.37E-08	4.30E-07
DRINKING		8.45E-12	5.21E-12	1.39E-12	1.20E-11	2.69E-13	8.28E-13	2.62E-13
SHORELINE	9.90E-05	8.46E-05	8.46E-05	8.46E-05	8.46E-05	8.46E-05	8.46E-05	8.46E-05
SWIMMING	0.0	2.71E-12	2.71E-12	2.71E-12	2.71E-12	2.71E-12	2.71E-12	2.71E-12
BOATING	0.0	6.79E-08	6.79E-08	6.79E-08	6.79E-08	6.79E-08	6.79E-08	6.79E-08
TOTAL	9.90E-05	8.06E-02	5.28E-02	5.09E-03	1.40E-03	2.72E-03	6.89E-03	5.38E-03

	USAGE (KG/YR,HR/YR)	DILUTION	TIME(HR)	SHOREWIDTH FACTOR=0.2
FISH	0.5	5.0	25.00	
INVERTEBRATE	0.1	5.0	25.00	
ALGAE	0.0	5.0	25.00	
DRINKING	0.0	500.0	112.00	
SHORELINE	3.0	5.0	1.00	
SWIMMING	0.0	5.0	1.00	
BOATING	0.5	5.0	1.00	

LOCATION IS DOWNSTREAM

ADULT DOSES

DOSE (MREM PER YEAR INTAKE)

PATHWAY	SKIN	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH		1.23E+00	2.96E-01	1.97E-01	5.37E-03	7.64E-02	2.88E-02	1.27E-01
INVERTEBRATE		6.39E-02	3.72E-02	1.28E-02	4.27E-04	3.13E-03	2.82E-02	3.69E-02
ALGAE		2.60E-06	2.06E-07	1.32E-07	6.82E-09	1.21E-08	2.05E-08	3.04E-07
DRINKING		1.56E-10	7.31E-11	6.24E-11	1.78E-10	2.02E-11	2.35E-11	2.27E-11
SHORELINE	1.18E-03	1.01E-03	1.01E-03	1.01E-03	1.01E-03	1.01E-03	1.01E-03	1.01E-03
SWIMMING	0.0	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06
BOATING	0.0	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06
TOTAL	1.18E-03	1.30E+00	3.34E-01	2.11E-01	6.83E-03	8.05E-02	5.81E-02	1.65E-01

	USAGE (KG/YR,HR/YR)	DILUTION	TIME(HR)	SHOREWIDTH FACTOR=0.2
FISH	21.0	7.0	31.00	
INVERTEBRATE	5.0	7.0	31.00	
ALGAE	0.0	7.0	31.00	
DRINKING	0.0	7.0	19.00	
SHORELINE	50.0	7.0	7.00	
SWIMMING	50.0	7.0	7.00	
BOATING	100.0	7.0	7.00	

LOCATION IS DOWNSTREAM

TEENAGER DOSES

DOSE (MREM PER YEAR INTAKE)

PATHWAY	SKIN	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH		9.79E-01	2.80E-01	1.17E-01	4.77E-03	5.82E-02	3.23E-02	9.68E-02
INVERTEBRATE		5.01E-02	2.89E-02	9.66E-03	3.77E-04	2.38E-03	2.16E-02	2.78E-02
ALGAE		2.62E-06	2.14E-07	1.30E-07	7.94E-09	1.21E-08	2.21E-08	3.04E-07
DRINKING		1.97E-10	9.05E-11	5.97E-11	2.07E-10	2.02E-11	2.67E-11	2.13E-11
SHORELINE	1.58E-03	1.35E-03	1.35E-03	1.35E-03	1.35E-03	1.35E-03	1.35E-03	1.35E-03
SWIMMING	0.0	1.93E-05	1.93E-05	1.93E-05	1.93E-05	1.93E-05	1.93E-05	1.93E-05
BOATING	0.0	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06
TOTAL	1.58E-03	1.03E+00	3.11E-01	1.28E-01	6.52E-03	6.19E-02	5.53E-02	1.26E-01

	USAGE (KG/YR,HR/YR)	DILUTION	TIME(HR)	SHOREWIDTH FACTOR=0.2
FISH	16.0	7.0	31.00	
INVERTEBRATE	3.8	7.0	31.00	
ALGAE	0.0	7.0	31.00	
DRINKING	0.0	7.0	19.00	
SHORELINE	67.0	7.0	7.00	
SWIMMING	100.0	7.0	7.00	
BOATING	100.0	7.0	7.00	

LOCATION IS DOWNSTREAM

CHILD DOSES

DOSE (MREM PER YEAR INTAKE)

PATHWAY	SKIN	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH		5.52E-01	2.25E-01	4.71E-02	4.92E-03	2.51E-02	2.47E-02	4.16E-02
INVERTEBRATE		2.53E-02	1.42E-02	4.66E-03	4.04E-04	1.06E-03	9.78E-03	1.24E-02

ALG		2.71E-03	2.5E-03	1.39E-04	1.90E-05	1.21E-05	2.60E-05	3.03E-04
DRINKING		3.64E-07	1.68E-07	7.80E-08	4.90E-07	3.00E-08	4.40E-08	2.01E-08
SHORELINE	3.30E-04	2.82E-04	2.82E-04	2.82E-04	2.82E-04	2.82E-04	2.82E-04	2.82E-04
SWIMMING	0.0	4.83E-06	4.83E-06	4.83E-06	4.83E-06	4.83E-06	4.83E-06	4.83E-06
BOATING	0.0	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06	9.66E-06
TOTAL	3.30E-04	5.80E-01	2.40E-01	5.22E-02	5.64E-03	2.65E-02	3.48E-02	5.46E-02

	USAGE (KG/YR,HR/YR)	DILUTION	TIME(HR)	SHOREWIDTH FACTOR=0.2
FISH	6.9	7.0	31.00	
INVERTEBRATE	1.7	7.0	31.00	
ALGAE	0.0	7.0	31.00	
DRINKING	0.0	7.0	19.00	
SHORELINE	14.0	7.0	7.00	
SWIMMING	25.0	7.0	7.00	
BOATING	100.0	7.0	7.00	

LOCATION IS DOWNSTREAM

INFANT DOSES

DOSE (MREM PER YEAR INTAKE)

PATHWAY	SKIN	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH		5.55E-02	3.66E-02	3.27E-03	8.60E-04	1.82E-03	4.26E-03	3.02E-03
INVERTEBRATE		1.73E-03	1.04E-03	2.98E-04	5.73E-05	6.25E-05	6.00E-04	7.29E-04
ALGAE		2.83E-06	3.54E-07	1.49E-07	4.58E-08	1.21E-08	3.83E-08	3.03E-07
DRINKING		6.07E-10	3.74E-10	1.00E-10	1.20E-09	2.02E-11	5.92E-11	1.97E-11
SHORELINE	7.07E-05	6.04E-05	6.04E-05	6.04E-05	6.04E-05	6.04E-05	6.04E-05	6.04E-05
SWIMMING	0.0	1.93E-12	1.93E-12	1.93E-12	1.93E-12	1.93E-12	1.93E-12	1.93E-12
BOATING	0.0	4.83E-08	4.83E-08	4.83E-08	4.83E-08	4.83E-08	4.83E-08	4.83E-08
TOTAL	7.07E-05	5.73E-02	3.77E-02	3.63E-03	9.77E-04	1.94E-03	4.92E-03	3.81E-03

	USAGE (KG/YR,HR/YR)	DILUTION	TIME(HR)	SHOREWIDTH FACTOR=0.2
FISH	0.5	7.0	31.00	
INVERTEBRATE	0.1	7.0	31.00	
ALGAE	0.0	7.0	31.00	
DRINKING	0.0	7.0	19.00	
SHORELINE	3.0	7.0	7.00	
SWIMMING	0.0	7.0	7.00	
BOATING	0.5	7.0	7.00	

MAN-REM

SPORTFISH HARVEST

-----DOSE (MAN-REM)-----

PATHWAY	AGE GROUP	USAGE	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH	ADULT	7.24E+04	3.30E+00	9.48E-01	6.35E-01	1.11E-02	2.59E-01	9.76E-02	3.34E-01
FISH	TEENAGER	1.16E+04	5.57E-01	1.90E-01	7.90E-02	2.07E-03	4.13E-02	2.30E-02	5.31E-02
FISH	CHILD	7.00E+03	4.65E-01	2.19E-01	4.37E-02	3.00E-03	2.50E-02	2.46E-02	3.20E-02
FISH	TOTAL	9.10E+04	4.32E+00	1.36E+00	7.56E-01	1.62E-02	3.25E-01	1.45E-01	4.19E-01

DILUTION CATCH TIME(HR)-INCLUDES FOOD PROCESSING TIME OF 1.68E+02 HR POPULATION=1.59E+04
 7.00E+00 9.10E+04 1.68E+02

AVERAGE INDIVIDUAL CONSUMPTION (KG/YR) ADULT=6.90E+00 TEEN=5.20E+00 CHILD=2.20E+00

COMMERCIAL HARVEST

-----DOSE (MAN-REM)-----

PATHWAY	AGE GROUP	USAGE	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH	ADULT	8.65E+07	1.23E+01	3.89E+00	2.61E+00	3.62E-02	1.09E+00	4.10E-01	1.23E+00
FISH	TEENAGER	1.38E+07	2.09E+00	7.85E-01	3.18E-01	6.74E-03	1.74E-01	9.66E-02	1.95E-01
FISH	CHILD	8.36E+06	1.81E+00	9.12E-01	1.78E-01	9.74E-03	1.05E-01	1.03E-01	1.18E-01
FISH	TOTAL	1.09E+08	1.62E+01	5.59E+00	3.11E+00	5.27E-02	1.37E+00	6.10E-01	1.54E+00

DILUTION CATCH TIME(HR)-INCLUDES FOOD PROCESSING TIME OF 2.40E+02 HR POPULATION=1.90E+07
 7.00E+00 1.55E+05 2.40E+02

AVERAGE INDIVIDUAL CONSUMPTION (KG/YR) ADULT=6.90E+00 TEEN=5.20E+00 CHILD=2.20E+00

NEPA DOSES

NOTE--TOTAL NEPA DOSE MUST INCLUDE SPORT CATCH, DOSES BELOW ARE FOR COMMERCIAL CATCH ONLY

-----DOSE (MAN-REM)-----

PATHWAY	AGE GROUP	USAGE	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
FISH	ADULT	1.23E+05	4.99E+00	1.57E+00	1.06E+00	1.47E-02	4.40E-01	1.66E-01	4.97E-01
FISH	TEENAGER	1.97E+04	8.47E-01	3.18E-01	1.29E-01	2.73E-03	7.03E-02	3.91E-02	7.90E-02
FISH	CHILD	1.19E+04	7.31E-01	3.69E-01	7.19E-02	3.94E-03	4.25E-02	4.18E-02	4.76E-02
FISH	TOTAL	1.55E+05	6.57E+00	2.26E+00	1.26E+00	2.13E-02	5.53E-01	2.47E-01	6.24E-01

SPORTFISH HARVEST

-----DOSE (MAN-REM)-----

PATHWAY	AGE GROUP	USAGE	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
INVER	ADULT	7.94E+03	8.05E-02	5.65E-02	1.92E-02	4.07E-04	4.83E-03	4.39E-02	5.45E-02
INVER	TEENAGER	1.26E+03	1.33E-02	9.20E-03	3.02E-03	7.54E-05	7.68E-04	7.02E-03	8.64E-03
INVER	CHILD	7.94E+02	9.67E-03	6.38E-03	2.05E-03	1.13E-04	4.83E-04	4.47E-03	5.41E-03
INVER	TOTAL	1.00E+04	1.03E-01	7.20E-02	2.43E-02	5.96E-04	6.08E-03	5.54E-02	6.86E-02

DILUTION 7.00E+00 CATCH 1.00E+04 TIME(HR)-INCLUDES FOOD PROCESSING TIME OF 1.68E+02 HR POPULATION=1.20E+04

AVERAGE INDIVIDUAL CONSUMPTION (KG/YR) ADULT=1.00E+00 TEEN=7.50E-01 CHILD=3.30E-01

MAN-REM

COMMERCIAL HARVEST

-----DOSE (MAN-REM)-----

PATHWAY	AGE GROUP	USAGE	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
INVER	ADULT	1.25E+07	4.96E-02	3.83E-02	1.29E-02	2.16E-04	3.30E-03	3.01E-02	3.66E-02
INVER	TEENAGER	1.99E+06	8.25E-03	6.24E-03	2.03E-03	4.00E-05	5.24E-04	4.81E-03	5.79E-03
INVER	CHILD	1.25E+06	6.07E-03	4.33E-03	1.38E-03	6.01E-05	3.30E-04	3.06E-03	3.63E-03
INVER	TOTAL	1.58E+07	6.39E-02	4.88E-02	1.63E-02	3.16E-04	4.15E-03	3.79E-02	4.60E-02

DILUTION CATCH TIME(HR)-INCLUDES FOOD PROCESSING TIME OF 2.40E+02 HR POPULATION=1.90E+07
 7.00E+00 1.00E+03 2.40E+02

AVERAGE INDIVIDUAL CONSUMPTION (KG/YR) ADULT=1.00E+00 TEEN=7.50E-01 CHILD=3.30E-01

NEPA DOSES

NOTE--TOTAL NEPA DOSE MUST INCLUDE SPORT CATCH, DOSES BELOW ARE FOR COMMERCIAL CATCH ONLY

-----DOSE (MAN-REM)-----

PATHWAY	AGE GROUP	USAGE	BONE	LIVER	TOTAL BODY	THYROID	KIDNEY	LUNG	GI-LLI
INVER	ADULT	7.94E+02	7.23E-03	5.58E-03	1.88E-03	3.15E-05	4.80E-04	4.38E-03	5.32E-03
INVER	TEENAGER	1.26E+02	1.20E-03	9.09E-04	2.96E-04	5.83E-06	7.64E-05	7.01E-04	8.43E-04
INVER	CHILD	7.94E+01	8.85E-04	6.31E-04	2.01E-04	8.76E-06	4.80E-05	4.46E-04	5.28E-04
INVER	TOTAL	1.00E+03	9.32E-03	7.12E-03	2.38E-03	4.60E-05	6.04E-04	5.53E-03	6.70E-03

DOSE(MAN-REM)

PATHWAY	AGE GROUP	USAGE	SKIN	TOTAL BODY	THYROID
SHORELINE	TOTAL POPUL	1.66E+07	3.91E-01	3.34E-01	3.34E-01

LOCATION- DOWNSTREAM

DILUTION=0.70E+01 TRANSIT TIME=0.40E+01 HR SWF=0.2

DOSE(MAN-REM)

PATHWAY	AGE GROUP	USAGE	SKIN	TOTAL BODY	THYROID
SWIMMING	TOTAL POPUL	1.66E+07	0.0	3.21E-03	3.21E-03

LOCATION- DOWNSTREAM

DILUTION=0.70E+01 TRANSIT TIME=0.40E+01 HR

DOSE(MAN-REM)

PATHWAY	AGE GROUP	USAGE	SKIN	TOTAL BODY	THYROID
BOATING	TOTAL POPUL	1.66E+07	0.0	1.61E-03	1.61E-03

LOCATION- DOWNSTREAM

DILUTION=0.70E+01 TRANSIT TIME=0.40E+01 HR

* * DOSE TO BIOTA * * *

MRADS PER YEAR

ILUTION= 7.00E+00 TRANSIT TIME= 4.00E+00 HR

	INTERNAL	EXTERNAL	TOTAL
FISH	4.11E+00	8.84E-01	4.99E+00
INVERTEBRATE	1.10E+00	1.77E+00	2.66E+00
ALGAE	1.85E+01	1.70E-03	1.85E+01
MUSKRAT	3.28E+01	5.89E-01	3.34E+01
RACCOON	9.67E-01	4.41E-01	1.41E+00
HERON	2.29E+01	5.89E-01	2.34E+01
DUCK	3.25E+01	8.83E-01	3.34E+01

* * * COST-BENEFIT ANALYSIS * *

NUCLIDE	RELEASE CI/YR	MAN-REM DOSE		MAN-REM PER CURIE	
		TOTAL BODY	THYROID	TOTAL BODY	THYROID
38SR 89	1.53E-03	4.54E-05	2.39E-08	2.97E-02	1.56E-05
38SR 90	5.56E-03	3.41E-02	9.13E-09	6.13E+00	1.64E-06
55CS 134	3.26E-02	6.47E-01	1.77E-02	1.99E+01	5.43E-01
55CS 137	2.24E-01	2.74E+00	1.81E-01	1.22E+01	8.08E-01
53I 131	5.34E-02	3.28E-04	7.00E-02	6.14E-03	1.31E+00
27CO 58	1.26E-01	5.61E-03	4.46E-03	4.45E-02	3.54E-02
27CO 60	7.74E-02	1.33E-01	1.31E-01	1.72E+00	1.70E+00
26FE 59	1.60E-02	1.45E-03	4.47E-04	9.03E-02	2.79E-02
30ZN 65	4.55E-03	6.49E-03	2.79E-04	1.43E+00	6.12E-02
25MN 54	1.60E-02	6.02E-03	1.80E-03	3.76E-01	1.13E-01
24CR 51	2.86E-02	1.63E-05	1.57E-05	5.70E-04	5.50E-04
40ZR 95	5.52E-03	1.33E-04	1.33E-04	2.42E-02	2.42E-02
42MO 99	7.02E-02	1.22E-04	1.17E-04	1.74E-03	1.67E-03
43TC 99M	1.87E-03	8.79E-07	8.79E-07	4.70E-04	4.70E-04
56BA 140	1.67E-02	6.78E-05	5.12E-05	4.06E-03	3.06E-03
58CE 141	5.83E-03	8.51E-06	8.50E-06	1.46E-03	1.46E-03
26FE 55	2.94E-01	3.91E-02	5.72E-08	1.33E-01	1.95E-07
28NI 63	1.31E-01	5.05E-03	0.0	3.85E-02	0.0
15P 32	1.53E-02	6.23E-01	2.95E-07	4.07E+01	1.93E-05
TOTAL		4.24E+00	4.07E-01		

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: July 1 - September 30, 1979

STABILITY CLASS: A

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	23	18	0	0	0	0	41
NNE	25	66	1	0	0	0	92
NE	7	17	0	0	0	0	24
ENE	4	2	0	0	0	0	6
E	1	1	0	0	0	0	2
ESE	1	0	0	0	0	0	1
SE	2	0	0	0	0	0	2
SSE	1	0	0	0	0	0	1
S	39	18	0	0	0	0	57
SSW	85	49	0	0	0	0	134
SW	24	19	4	0	0	0	47
WSW	9	5	0	0	0	0	14
W	6	9	0	0	0	0	15
WNW	4	7	0	0	0	0	11
NW	4	12	1	0	0	0	17
NNW	4	6	0	0	0	0	10
Total	239	229	6	0	0	0	474

Periods of calm (hours): 0

Hours of missing data: Total hours of missing data for all stability classes this quarter = 42.

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: July 1 - September 30, 1979

STABILITY CLASS: B

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	4	0	0	0	0	0	4
NNE	4	3	0	0	0	0	7
NE	2	5	0	0	0	0	7
ENE	4	1	0	0	0	0	5
E	4	1	0	0	0	0	5
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	1	0	0	0	0	0	1
S	6	1	0	0	0	0	7
SSW	18	5	0	0	0	0	23
SW	7	5	3	0	0	0	15
WSW	4	1	0	0	0	0	5
W	6	0	0	0	0	0	6
WNW	0	1	0	0	0	0	1
NW	1	4	0	0	0	0	5
NNW	1	2	0	0	0	0	3
Total	62	29	3	0	0	0	94
Periods of calm (hours):	0						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: July 1 - September 30, 1979

STABILITY CLASS: C

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	3	2	0	0	0	0	5
NNE	4	7	0	0	0	0	11
NE	5	1	1	0	0	0	7
ENE	5	0	0	0	0	0	5
E	1	0	0	0	0	0	1
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	1	0	0	0	0	0	1
S	8	2	0	0	0	0	10
SSW	17	3	0	0	0	0	20
SW	8	5	1	0	0	0	14
WSW	2	1	0	0	0	0	3
W	5	1	0	0	0	0	6
WNW	1	4	0	0	0	0	5
NW	0	1	0	0	0	0	1
NNW	3	2	0	0	0	0	5
Total	63	29	2	0	0	0	94
Periods of calm (hours):	0						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: July 1 - September 30, 1979

STABILITY CLASS: D

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	3	6	0	0	0	0	9
NNE	27	36	12	0	0	0	75
NE	25	73	16	2	0	0	116
ENE	20	9	0	0	0	0	29
E	16	1	0	0	0	0	17
ESE	6	0	0	0	0	0	6
SE	6	0	0	0	0	0	6
SSE	5	1	0	0	0	0	6
S	48	8	0	0	0	0	56
SSW	69	24	3	0	0	0	96
SW	34	22	1	0	0	0	57
WSW	13	2	0	0	0	0	15
W	17	4	0	0	0	0	21
WNW	5	14	0	0	0	0	19
NW	4	11	1	0	0	0	16
NNW	3	2	0	0	0	0	5
Total	301	213	33	2	0	0	549
Periods of calm (hours):	0						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION^a

PERIOD OF RECORD: July 1 - September 30, 1979

STABILITY CLASS: E

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	18	6	0	0	0	0	24
NNE	22	12	0	0	0	0	34
NE	81	31	0	0	0	0	112
ENE	80	13	0	0	0	0	93
E	35	1	0	0	0	0	36
ESE	21	0	0	0	0	0	21
SE	17	0	0	0	0	0	17
SSE	33	2	0	0	0	0	35
S	69	6	2	1	0	0	78
SSW	105	27	8	0	0	0	140
SW	45	7	1	0	0	0	53
WSW	21	0	0	0	0	0	21
W	22	5	1	0	0	0	28
WNW	6	2	0	0	0	0	8
NW	3	3	0	0	0	0	6
NNW	5	1	0	0	0	0	6
Total	583	116	12	1	0	0	712
Periods of calm (hours):	1						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: July 1 - September 30, 1979

STABILITY CLASS: F

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	14	0	0	0	0	0	14
NNE	23	0	0	0	0	0	23
NE	51	9	0	0	0	0	60
ENE	48	17	0	0	0	0	65
E	10	1	0	0	0	0	11
ESE	2	0	0	0	0	0	2
SE	5	0	0	0	0	0	5
SSE	2	0	0	0	0	0	2
S	9	0	0	0	0	0	9
SSW	15	0	1	0	0	0	16
SW	6	0	0	0	0	0	6
WSW	7	0	0	0	0	0	7
W	4	0	0	0	0	0	4
WNW	1	0	0	0	0	0	1
NW	2	0	0	0	0	0	2
NNW	1	0	0	0	0	0	1
Total	200	27	1	0	0	0	228
Periods of calm (hours):	2						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: July 1 - September 30, 1979

STABILITY CLASS: G

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	0	0	0	0	0	0	0
NNE	1	0	0	0	0	0	1
NE	2	0	0	0	0	0	2
ENE	5	2	0	0	0	0	7
E	1	0	0	0	0	0	1
ESE	1	0	0	0	0	0	1
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	0	0	0
W	0	0	0	0	0	0	0
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Total	10	2	0	0	0	0	12
Periods of calm (hours):	0						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: October 1 - December 31, 1979

STABILITY CLASS: A

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	2	6	3	1	0	0	12
NNE	1	1	1	0	0	0	3
NE	0	1	1	0	0	0	2
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	20	2	0	0	0	0	22
SSW	7	15	0	0	0	0	22
SW	0	8	2	0	0	0	10
WSW	0	3	0	0	0	0	3
W	0	5	2	0	0	0	7
WNW	3	5	3	0	0	0	11
NW	0	13	2	0	0	0	15
NNW	0	6	1	0	0	0	7

Total	33	65	15	1	0	0	114
-------	----	----	----	---	---	---	-----

Periods of calm (hours): 0

Hours of missing data: Total hours of missing data for all stability classes this quarter = 57.

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: October 1 - December 31, 1979

STABILITY CLASS: B

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	0	3	1	4	0	0	8
NNE	0	1	0	0	0	0	1
NE	0	4	1	0	0	0	5
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	4	2	0	0	0	0	6
SSW	11	3	0	0	0	0	14
SW	3	4	1	0	0	0	8
WSW	1	6	0	0	0	0	7
W	0	3	0	0	0	0	3
WNW	1	6	1	0	0	0	8
NW	0	6	2	0	0	0	8
NNW	1	4	5	0	0	0	10
Total	21	42	11	4	0	0	78
Periods of calm (hours):	0						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: October 1 - December 31, 1979

STABILITY CLASS: C

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	1	5	4	1	0	0	11
NNE	3	2	1	0	0	0	6
NE	1	10	2	0	0	0	13
ENE	1	3	0	0	0	0	4
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	1	0	0	0	0	0	1
SSE	0	0	0	0	0	0	0
S	2	2	0	0	0	0	4
SSW	6	1	0	0	0	0	7
SW	8	3	1	0	0	0	12
WSW	1	2	0	0	0	0	3
W	1	3	0	0	0	0	4
WNW	2	7	0	0	0	0	9
NW	0	8	3	0	0	0	11
NNW	2	8	5	0	0	0	15
Total	29	54	16	1	0	0	100
Periods of calm (hours):	0						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION^a

PERIOD OF RECORD: October 1 - December 31, 1979

STABILITY CLASS: D

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	15	58	49	4	0	0	126
NNE	14	30	13	1	0	0	58
NE	22	95	11	1	0	0	129
ENE	13	54	3	0	0	0	70
E	9	12	0	0	0	0	21
ESE	4	0	0	0	0	0	4
SE	4	0	0	0	0	0	4
SSE	3	0	0	0	0	0	3
S	22	8	0	0	0	0	30
SSW	19	14	1	0	0	0	34
SW	30	36	3	0	0	0	69
WSW	21	25	2	0	0	0	48
W	28	33	1	0	0	0	62
WNW	8	50	6	0	0	0	64
NW	4	46	13	0	0	0	63
NNW	8	57	21	5	0	0	91
Total	224	518	123	11	0	0	876
Periods of calm (hours):	0						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: October 1 - December 31, 1979

STABILITY CLASS: E

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	14	5	0	0	0	0	19
NNE	23	3	0	0	0	0	26
NE	39	11	0	0	0	0	50
ENE	46	17	0	0	0	0	63
E	52	5	0	0	0	0	57
ESE	10	2	0	0	0	0	12
SE	9	2	0	0	0	0	11
SSE	17	1	0	0	0	0	18
S	63	23	1	0	0	0	87
SSW	84	31	6	0	0	0	121
SW	76	29	3	0	0	0	108
WSW	50	8	1	0	0	0	59
W	35	4	1	0	0	0	40
WNW	11	16	1	0	0	0	28
NW	8	5	2	0	0	0	15
NNW	9	2	1	0	0	0	12
Total	546	164	16	0	0	0	726
Periods of calm (hours):	0						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: October 1 - December 31, 1979

STABILITY CLASS: F

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	13	0	0	0	0	0	13
NNE	9	0	0	0	0	0	9
NE	29	14	0	0	0	0	43
ENE	27	8	0	0	0	0	35
E	12	9	0	0	0	0	21
ESE	1	0	0	0	0	0	1
SE	8	0	0	0	0	0	8
SSE	4	0	0	0	0	0	4
S	20	2	0	0	0	0	22
SSW	25	1	0	0	0	0	26
SW	17	3	0	0	0	0	20
WSW	12	0	0	0	0	0	12
W	12	1	0	0	0	0	13
WNW	4	0	0	0	0	0	4
NW	2	0	0	0	0	0	2
NNW	5	0	0	0	0	0	5
Total	200	38	0	0	0	0	238
Periods of calm (hours):	0						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.

TABLE 4A

HOURS AT EACH WIND SPEED AND DIRECTION ^a

PERIOD OF RECORD: October 1 - December 31, 1979

STABILITY CLASS: G

ELEVATION: 10 Meters

Wind Direction	Wind Speed (mph) at 10m Level						TOTAL
	1-3	4-7	8-12	13-18	19-24	>24	
N	0	0	0	0	0	0	0
NNE	1	0	0	0	0	0	1
NE	4	1	0	0	0	0	5
ENE	2	2	0	0	0	0	4
E	3	2	0	0	0	0	5
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	1	0	0	0	0	0	1
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	1	0	0	0	0	0	0
WSW	1	0	0	0	0	0	1
W	0	0	0	0	0	0	0
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	1	0	0	0	0	0	1
Total	14	5	0	0	0	0	19
Periods of calm (hours):	0						
Hours of missing data:							

^a In the table, record the total number of hours of each category of wind direction for each calendar quarter. Provide similar tables separately for each atmospheric stability class and elevation.