



Oregon

Theodore R. Kulongoski, Governor

Department of Human
Services

Public Health

Division

Environmental Public
Health

Radiation Protection
Services

800 NE Oregon Street, Suite 640
Portland, OR 97232-2162



March 1, 2010

Terrence Reis, Deputy Director
Division Materials Safety and State Agreements
Office of Federal and State Materials and
Environmental Management Programs
U.S. Nuclear Regulatory Commission
T8-E24
Washington, D.C. 20555-0001

Dear Mr. Reis:

Enclosed is a copy of the final revisions to the State of Oregon, Radiation Protections Services Section, Oregon Administrative Rules. The grayed area found in the attached compatibility chart show the changes made created by the comments received from the first review. These final revisions have been submitted to the State of Oregon, Secretary of State Office for final rules.

<u>Rats ID</u>	<u>Title</u>	<u>State Section</u>
• 1993-3	Respiratory Protection	333-120-0015

We believe that adoption of these rules satisfies the compatibility and health and safety categories established in the Office of Federal and State Materials and Environmental Management Programs (FSME) Procedure SA-200.

If you have any questions, please feel free to contact me at (971) 673-0500 or email me @ Todd.s.carpenter@state.or.us

Sincerely,

Todd S. Carpenter
Licensing Manager

“Assisting People to Become Independent, Healthy and Safe”
An Equal Opportunity Employer



DIVISION 120

STANDARDS FOR PROTECTION AGAINST RADIATION

General Provisions

333-120-0015

Definitions

- (1) "Absorbed dose" means the energy imparted by ionizing radiation per unit mass of irradiated material. The units of absorbed dose are the gray (Gy) and the rad.
- (2) "Activity" is the rate of disintegration (transformation) or decay of radioactive material. The units of activity are the becquerel (Bq) and the Curie (Ci). The becquerel is equal to one disintegration per second (dps) and the Curie is equal to 3.7×10^{10} dps.
- (3) "Adult" means an individual 18 or more years of age.
- (4) "Airborne radioactive material" means radioactive material dispersed in the air in the form of dusts, fumes, particulates, mists, vapors, or gases.
- (5) "Airborne radioactivity area" means a room, enclosure, or area in which the airborne radioactive materials, composed wholly or partly of licensed material, exist in concentrations:
 - (a) In excess of the derived air concentrations (DACs) specified in 10 CFR 20 Appendix B; or
 - (b) To such a degree that an individual present in the area without respiratory protective equipment could exceed, during the hours present in a week, and intake of 0.6 percent of the annual limit of intake (ALI) or 12 DAC hours.
- (6) "Air-purifying respirator" means a respirator with an air-purifying filter, cartridge, or canister that removes specific air contaminants by passing ambient air through the air-purifying element.
- (7) "ALARA" (acronym for "as low as is reasonably achievable") means making every reasonable effort to maintain exposures to radiation as far below the dose limits in this division as is practical consistent with the purpose for which the licensed activity is undertaken, taking into account the state of technology, the economics of improvements in relation to state of technology, the economics of improvements in relation to benefits to the public health and safety, and other societal and socioeconomic considerations, and in relation to the use of licensed materials in the public interest.
- (8) "Annual limit on intake" (ALI) means the derived limit for the amount of radioactive material taken into the body of an adult worker by inhalation or ingestion in a year. ALI is the smaller value of intake of a given radionuclide in a year by the reference man that would result in a committed effective dose equivalent of 0.05 Sv (5 rem) or a committed dose equivalent of 0.5 Sv (50 rem) to any individual organ or tissue. ALI values for intake by ingestion and by inhalation of selected radionuclides are given in Table I, Columns 1 and 2, of Appendix B.
- (9) "Assigned protection factor (APF)" means the expected workplace level of respiratory protection that would be provided by a properly functioning respirator or a class of respirators to properly fitted and trained users. Operationally, the inhaled concentration can be estimated by dividing the ambient airborne concentration by the APF.

(10) "Atmosphere supplying respirator" means a respirator that supplies the respirator user with breathing air from a source independent of the ambient atmosphere, and includes supplied-air respirators (SARs) and self-contained breathing apparatus (SCBA) units.

(11) "Background radiation" means radiation from cosmic sources; naturally occurring radioactive material, including radon (except as a decay product of source or special nuclear material); and global fallout as it exists in the environment from the testing of nuclear explosive devices or from past nuclear accidents such as Chernobyl that contribute to background radiation and are not under the control of the licensee.

"Background radiation" does not include radiation from radioactive or special nuclear materials regulated by the Department.

(12) "Bioassay" (radiobioassay) means the determination of kinds, quantities or concentrations, and, in some cases, the locations of radioactive material in the human body, whether by direct measurement (in vivo counting) or by analysis and evaluation of materials excreted or removed from the human body.

(13) "Class" means a classification scheme for inhaled material according to its rate of clearance from the pulmonary region of the lung. Materials are classified as D, W, or Y, which applies to a range of clearance half-times: for Class D, Days, of less than 10 days; for Class W, Weeks, from 10 to 100 days; and for Class Y, Years, of greater than 100 days. For purposes of these regulations, "lung class" and "inhalation class" are equivalent terms.

(14) "Collective dose" is the sum of the individual doses received in a given period of time by a specified population from exposure to a specified source of radiation.

(15) "Committed dose equivalent" (HT,50) means the dose equivalent to organs or tissues of reference (T) that will be received from an intake of radioactive material by an individual during the 50-year period following the intake.

(16) "Committed effective dose equivalent" (HE,50) is the sum of the products of the weighting factors applicable to each of the body organs or tissues that are irradiated and the committed dose equivalent to these organs or tissues (HE,50) = The Sum of WTHT,50.

(17) "Controlled area" means an area, outside of a restricted area but inside the site boundary, access to which can be limited by the licensee for any reason.

(18) Constraint (dose constraint) means a value above which specified licensee actions are required.

(19) "Critical Group" means the group of individuals reasonably expected to receive the greatest exposure to residual radioactivity for any applicable set of circumstances.

(20) "Declared pregnant woman" means a woman who has voluntarily informed the licensee, in writing, of her pregnancy and the estimated date of conception. The declaration remains in effect until the declared pregnant woman withdraws the declaration in writing or is no longer pregnant.

(21) "Decommission" means to remove a facility or site safely from service and reduce residual radioactivity to a level that permits:

(a) Release of the property for unrestricted use and termination of the license; or

(b) Release of the property under restricted conditions and termination of the license.

(22) "Deep-dose equivalent" (Hd), which applies to external whole-body exposure, is the dose equivalent at a tissue depth of one cm (1000 mg/cm²).

(23) "Demand respirator" means an atmosphere-supplying respirator that admits breathing air to the facepiece only when a negative pressure is created inside the facepiece by inhalation.

(24) "Derived air concentration" (DAC) means the concentration of a given radionuclide in air which, if breathed by the reference man for a working year of 2,000 hours under conditions of light work, results in an intake of one ALI. For purposes of these regulations, the condition of light work is an inhalation rate of 1.2 cubic meters of air per hour for 2,000 hours in a year. DAC values are given in Table I, Column 3, of 10 CFR 20 Appendix B.

(25) "Derived air concentration-hour" (DAC-hour) means the product of the concentration of radioactive material in air, expressed as a fraction or multiple of the derived air concentration for each radionuclide, and the time of exposure to that radionuclide, in hours. A licensee or registrant may take 2,000 DAC-hours to represent one ALI, equivalent to a committed effective dose equivalent of 0.05 Sv (5 rem).

(26) "Disposable respirator" means a respirator for which maintenance is not intended and that is designed to be discarded after excessive breathing resistance, sorbent exhaustion, physical damage, or end-of-service-life renders it unsuitable for use. Examples of this type of respirator are a disposable half-mask respirator or a disposable escape-only self-contained breathing apparatus (SCBA).

(27) "Distinguishable from background" means that the detectable concentration of a radionuclide is statistically different from the background concentration of that radionuclide in the vicinity of the site or, in the case of structures, in similar materials using adequate measurement technology, survey, and statistical techniques.

(28) "Dose or radiation dose" is a generic term that means absorbed dose, dose equivalent, effective dose equivalent, committed dose equivalent, committed effective dose equivalent, or total effective dose equivalent, as defined in this rule.

(29) "Dose equivalent" (HT) means the product of the absorbed dose in tissue, quality factor, and all other necessary modifying factors at the location of interest. The units of dose equivalent are the rem and sievert (Sv).

(30) "Dosimetry processor" means an individual or an organization that processes and evaluates individual monitoring devices in order to determine the radiation dose delivered to the monitoring devices.

(31) "Effective Dose Equivalent" (HE) is the sum of the products of the dose equivalent to the organ or tissue (HT) and the weighting factor (WT) applicable to each of the body organs or tissues that are irradiated ($HE = \text{The Sum of } WTHT$).

(32) "Embryo/fetus" means the developing human organism from conception until the time of birth.

(33) "Entrance or access point" means any location through which an individual could gain access to radiation areas or to radioactive materials. This includes entry or exit portals of sufficient size to permit human entry, irrespective of their intended use.

(34) "Exposure" means being exposed to ionizing radiation or to radioactive material.

(35) "External dose" means that portion of the dose equivalent received from radiation sources outside the body.

(36) "Extremity" means hand, elbow, arm below the elbow, foot, knee, or leg below the knee.

(37) "Eye dose equivalent" applies to the external exposure of the lens of the eye and is taken as the dose equivalent at a tissue depth of 0.3 centimeter (300 mg/cm²). (See "lens dose equivalent").

(38) "Filtering facepiece (dust mask)" means a negative pressure particulate respirator with a filter as an integral part of the facepiece or with the entire facepiece composed of the filtering medium, not equipped with elastomeric sealing surfaces and adjustable straps.

(39) "Fit factor" means a quantitative estimate of the fit of a particular respirator to a specific individual, and typically estimates the ratio of the concentration of a substance in ambient air to its concentration inside the respirator when worn.

(40) "Fit test" means the use of a protocol to qualitatively or quantitatively evaluate the fit of a respirator on an individual.

(41) "Generally applicable environmental radiation standards" means standards issued by the Environmental Protection Agency (EPA) under the authority of the Atomic Energy Act of 1954, as amended, that impose limits on radiation exposures or levels, or concentrations or quantities of radioactive material, in the general environment outside the boundaries of locations under the control of persons possessing or using radioactive material.

(42) "Helmet" means a rigid respiratory inlet covering that also provides head protection against impact and penetration.

(43) "High radiation area" means an area, accessible to individuals, in which radiation levels from radiation sources external to the body could result in an individual receiving a dose equivalent in excess of one mSv (0.1 rem) in one hour at 30 centimeters from the radiation source or 30 centimeters from any surface that the radiation penetrates.

(44) "Hood" means a respiratory inlet covering that completely covers the head and neck and may also cover portions of the shoulders and torso.

(45) "Individual" means any human being.

(46) "Individual monitoring" means:

(a) The assessment of dose equivalent by the use of devices designed to be worn by an individual;

(b) The assessment of committed effective dose equivalent by bioassay (see Bioassay) or by determination of the time-weighted air concentrations to which an individual has been exposed, i.e. DAC-hours; or

(c) The assessment of dose equivalent by the use of survey data.

(47) "Individual monitoring devices" (individual monitoring equipment) means devices designed to be worn by a single individual for the assessment of dose equivalent such as film badges, thermoluminescence dosimeters (TLDs), pocket ionization chambers, and personal ("lapel") air sampling devices.

(48) "Internal dose" means that portion of the dose equivalent received from radioactive material taken into the body.

(49) "Lens dose equivalent (LDE)" applies to the external exposure of the lens of the eye and is taken as the dose equivalent at a tissue depth of 0.3 centimeter (300 mg/cm²).

(50) "Loose fitting facepiece" means a respiratory inlet covering that is designed to form a partial seal with the face.

(51) "Member of the public" means any individual except when that individual is receiving an occupational dose.

(52) "Minor" means an individual less than 18 years of age.

(53) "Monitoring (radiation monitoring, radiation protection monitoring)" means the measurement of radiation levels, concentrations, surface area concentrations or quantities of radioactive material and the use of the results of these measurements to evaluate potential exposures and doses.

(54) "Nationally Tracked Source" means a sealed source containing a quantity equal to or greater than Category 1 or Category 2 levels of radioactive material listed in 10 CFR Part 20, Appendix E. . In this context a sealed source is defined as radioactive material that is sealed in a capsule or closely bonded in a solid form and that is not exempt from regulatory control. It does not mean material encapsulated solely for disposal, or nuclear material contained in any fuel rod, or fuel pellet.

(a) Category 1 nationally traced sources are those containing radioactive material at a quantity equal to or greater than Category 1 threshold.

(b) Category 2 nationally tracked sources are those containing radioactive material at a quantity equal to or greater than the Category 2 threshold but less than the Category 1 threshold.

(55) "Negative pressure respirator (tight fitting)" means a respirator in which the air pressure inside the facepiece is negative during inhalation with respect to the ambient air pressure outside the respirator.

(56) "Nonstochastic effect" means a health effect, the severity of which varies with the dose and for which a threshold is believed to exist. Radiation-induced cataract formation is an example of a nonstochastic effect. For purposes of these regulations, "deterministic effect" is an equivalent term.

(57) "Occupational dose" means the dose received by an individual in the course of employment in which the individual's assigned duties involve exposure to radiation or to radioactive material from licensed and unlicensed sources of radiation, whether in the possession of the licensee or other person. Occupational dose does not include dose received from background radiation, from any medical administration the individual has received, from exposure to individuals administered radioactive material for medical purposes and released under OAR 333-116-0260, from voluntary participation in medical research programs, or as a member of the public.

(58) "Planned special exposure" means an infrequent exposure to radiation, separate from and in addition to the annual occupational dose limits.

(59) "Positive pressure respirator" means a respirator in which the pressure inside the respiratory inlet covering exceeds the ambient air pressure outside the respirator.

(60) "Powered air-purifying respirator" (PAPR) means an air-purifying respirator that uses a blower to force the ambient air through air-purifying elements to the inlet covering.

Deleted:

(61) "Pressure demand respirator" means a positive pressure atmosphere-supplying respirator that admits breathing air to the facepiece when the positive pressure is reduced inside the facepiece by inhalation.

(62) "Public dose" means the dose received by a member of the public from exposure to radiation or radioactive material released by a licensee, or to any other source of radiation under the control of a licensee. Public dose does not include occupational dose or doses received from background radiation, from any medical administration the individual has received, from exposure to individuals administered radioactive material for medical

purposes and released under OAR 333-116-0260, or from voluntary participation in medical research programs.

(63) "Qualitative fit test (QLFT)" means a pass/fail fit test to assess the adequacy of respirator fit that relies on the individual's response to the test agent.

(64) "Quantitative fit test (QNFT)" means an assessment of the adequacy of respirator fit by numerically measuring the amount of leakage into the respirator.

(65) "Quarter" means a period of time equal to one-fourth of the year observed by the licensee, approximately 13 consecutive weeks, providing that the beginning of the first quarter in a year coincides with the starting date of the year and that no day is omitted or duplicated in consecutive quarters.

(66) "Radiation" (ionizing radiation) means alpha particles, beta particles, gamma rays, X-rays, neutrons, high-speed electrons, high-speed protons, and other particles capable of producing ions. Radiation, as used in this part, does not include non-ionizing radiation, such as radio- or microwaves, or visible, infrared, or ultraviolet light.

(67) "Radiation area" means an area, accessible to individuals, in which radiation levels could result in an individual receiving a dose equivalent in excess of 0.05 mSv (0.005 rem) in one hour at 30 centimeters from the radiation source or from any surface that the radiation penetrates.

(68) "Reference man" means a hypothetical aggregation of human physical and physiological characteristics determined by international consensus. These characteristics may be used by researchers and public health employees to standardize results of experiments and to relate biological insult to a common base. A description of the reference man is contained in the International Commission on Radiological Protection report, ICRP Publication 23, "Report of the Task Group on Reference Man."

(69) "Residual radioactivity" means radioactivity in structures, materials, soils, groundwater, and other media at a site resulting from activities under the licensee's control. This includes radioactivity from all licensed and unlicensed sources used by the licensee, but excludes background radiation. It also includes radioactive materials remaining at the site as a result of routine or accidental releases of radioactive material at the site and previous burials at the site.

(70) "Restricted area" means an area, access to which is limited by the licensee for the purpose of protecting individuals against undue risks from exposure to radiation and radioactive materials. Restricted area does not include areas used as residential quarters, but separate rooms in a residential building may be set apart as a restricted area.

(71) "Respiratory protective equipment" means an apparatus, such as a respirator, used to reduce an individual's intake of airborne radioactive materials.

(72) "Sanitary sewerage" means a system of public sewers for carrying off waste water and refuse, but excluding sewage treatment facilities, septic tanks, and leach fields owned or operated by the licensee or registrant.

(73) "Self-contained breathing apparatus" (SCBA) means an atmosphere-supplying respirator for which the breathing air source is designed to be carried by the user.

(74) "Shallow-dose equivalent" (HS), which applies to the external exposure of the skin of the whole body or the skin of an extremity, is taken as the dose equivalent at a tissue depth of 0.007 centimeter (7 mg/cm²) averaged over an area of one square centimeter.

(75) "Site boundary" means that line beyond which the land or property is not owned, leased, or otherwise controlled by the licensee.

(76) "Stochastic effect" means a health effect that occurs randomly and for which the probability of the effect occurring, rather than its severity, is assumed to be a linear function of dose without threshold. Hereditary effects and cancer incidence are examples of stochastic effects. For purposes of these regulations, "probabilistic effect" is an equivalent term.

(77) "Supplied-air respirator" (SAR) or airline respirator means an atmosphere-supplying respirator for which the source of breathing air is not designed to be carried by the user.

(78) "Survey" means an evaluation of the radiological conditions and potential hazards incident to the production, use, transfer, release, disposal, or presence of radioactive material or other sources of radiation. When appropriate, such an evaluation includes a physical survey of the location of radioactive material and measurements or calculations of levels of radiation, or concentrations or quantities of radioactive material present.

(79) "Tight-fitting facepiece" means a respiratory inlet covering that forms a complete seal with the face.

(80) "Total Effective Dose Equivalent" (TEDE) means the sum of the deep-dose equivalent (for external exposures) and the committed effective dose equivalent (for internal exposures).

(81) "Unrestricted area" means an area, access to which is neither limited nor controlled by the licensee.

(82) "User seal check" means an action conducted by the respirator user to determine if the respirator is properly seated to the face. Examples include negative pressure check, positive pressure check, irritant smoke check, or isoamyl acetate check.

(83) "Very high radiation area" means an area, accessible to individuals, in which radiation levels from radiation sources external to the body could result in an individual receiving an absorbed dose in excess of five gray (500 rad) in one hour at one meter from a source of radiation or from any surface that the radiation penetrates. At very high doses received at high dose rates, units of absorbed dose, gray and rad, are appropriate, rather than units of dose equivalent, sievert and rem.

(84) "Weighting factor" (WT) for an organ or tissue means the proportion of the risk of stochastic effects resulting from irradiation of that organ or tissue to the total risk of stochastic effects when the whole body is irradiated uniformly. For calculating the effective dose equivalent, the values of WT are:

Organ Dose Weighting Factors

Organ or Tissue -- WT

Gonads -- 0.25

Breast -- 0.15

Red bone marrow -- 0.12

Lung -- 0.12

Thyroid -- 0.03

Bone surfaces -- 0.03

Remainder -- 0.30 (see (a) below)

Whole Body -- 1.00 (see (b) below)

(a) 0.30 results from 0.06 for each of five "remainder" organs, excluding the skin and the lens of the eye that receives the highest doses.

(b) For the purpose of weighting the external whole body dose, for adding it to the internal dose, a single weighting factor, $WT = 1.0$, has been specified. The use of other

weighting factors for external exposure will be approved on a case-by-case basis until such time as specific guidance is issued.

(85) "Whole body" means, for purposes of external exposure, head, trunk (including male gonads), arms above the elbow, or legs above the knee.

(86) "Working level" (WL) is any combination of short-lived radon daughters (for radon-222: polonium-218, lead-214, bismuth-214, and polonium-214; and for radon-220: polonium-216, lead-212, bismuth-212, and polonium-212) in one liter of air that will result in the ultimate emission of 1.3×10^5 MeV of potential alpha particle energy.

(87) "Working level month" (WLM) means an exposure to one working level for 170 hours (2,000 working hours per year/12 months per year equals approximately 170 hours per month).

Stat. Auth.: ORS 453.635

Stats. Implemented: ORS 453.605 - 453.807

Respiratory Protection and Controls to Restrict Internal Exposures
(64 FR 54543; October 7, 1999; 64 FR 55524, October 13, 1999) RATS ID 1999-3 Effective 2/2/00

§20.1003	Definitions		B			<p>Added the definition of “powered air purifying respirator (PAPR)”. Added definition per final comment</p> <p>333-120-0015(60)</p>	<p>Added Definition: Positive pressure respirator means a respirator in which the pressure inside the respiratory inlet covering exceeds the ambient air pressure outside the respirator. Powered air-purifying respirator (PAPR) means an air-purifying respirator that uses a blower to force the ambient air through air-purifying elements to the inlet covering.</p>
§20.1003	Definitions		B				<p>Added Definition: Pressure demand respirator means a positive pressure atmosphere-supplying respirator that admits breathing air to the facepiece when the positive pressure is reduced inside the facepiece by inhalation.</p>
§20.1003	Definitions		B				<p>Added Definition: Qualitative fit test (QLFT) means a pass/fail fit test to assess the adequacy of respirator fit that relies on the individual's response to the test agent.</p>

Respiratory Protection and Controls to Restrict Internal Exposures
(64 FR 54543; October 7, 1999; 64 FR 55524, October 13, 1999) RATS ID 1999-3 Effective 2/2/00