



**TELEDYNE**  
**BROWN ENGINEERING, INC.**  
 A Teledyne Technologies Company  
 2508 Quality Lane  
 Knoxville, TN 37931-3133  
 865-690-6819

*APRIL 2009*

*REMP SURFACE + DRINKING WATER*

James J. Vouglitois  
 Exelon Nuclear (Oyster Creek)  
 P.O. Box 388  
 US Route 9  
 Forked River, NJ 08731

**Report of Analysis/Certificate of Conformance**

06/16/2009

LIMS #: L38400  
 Project ID# EX001-3EREMPOC-05  
 Received: 05/01/2009  
 Delivery Date 06/05/2009  
 P.O.#: 01000298 REL.#00011  
 Release #  
 SDG#:

This is to certify that Teledyne Brown Engineering - Environmental Services located at 2508 Quality Lane, Knoxville, Tennessee, 37931, has analyzed, tested and documented samples, as received by the laboratory, as specified in the applicable purchase order.

This also certifies that requirements of applicable codes, standards and specifications have been fully met and that any quality assurance documentation which verified conformance to the purchase order is on file and may be examined upon request.

I hereby certify that the above statements are true and correct.

*Keith Jeter*  
 \_\_\_\_\_  
 Keith Jeter  
 Operations Manager

*Cross Reference Table*

Client ID	Laboratory ID	Station ID (if applicable)
33	L38400-1	33
94	L38400-2	94
1	L38400-3	1
37	L38400-4	37
38	L38400-5	38
39	L38400-6	39
QCA	L38400-7	QCA

*FAD*



*Method Reference Numbers*

Matrix	Analysis	Method Reference
WD	GAMMA	EPA 901.1
WD	GR-B	EPA 900.0
WD	H-3 (DIST)	EPA 906.0
WT	GAMMA	EPA 901.1
WT	H-3 (DIST)	EPA 906.0

This report shall not be reproduced or distributed except in its entirety.

# Report of Analysis

06/16/09 18:07



## L38400

Exelon Nuclear (Oyster Creek)

EX001-3EREMPOC-05

Sample ID: 33	Collect Start: 04/01/2009 09:55	Matrix: Surface Water	(WT)
Station: 33	Collect Stop: 04/30/2009 09:55	Volume:	
Description:	Receive Date: 05/01/2009	% Moisture:	
LIMS Number: L38400-1			

Radionuclide	SOP#	Activity Conc	Uncertainty 2 Sigma	MDC	Units	Run #	Aliquot Volume	Aliquot Units	Reference Date	Count Date	Count Time	Count Units	Flag Values
H-3 (DIST)	2011	-6.05E+00	9.64E+01	1.59E+02	pCi/L		10	ml		06/08/09	80	M U	
BE-7	2007	7.82E+00	6.40E+00	1.13E+01	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
K-40	2007	2.15E+02	2.85E+01	8.05E+00	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec +	Yes
MN-54	2007	2.84E-02	5.73E-01	9.33E-01	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
CO-58	2007	-6.69E-01	7.04E-01	1.07E+00	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
FE-59	2007	-4.20E-01	1.74E+00	2.71E+00	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
CO-60	2007	2.06E-01	5.70E-01	9.25E-01	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
ZN-65	2007	9.51E-02	1.25E+00	2.00E+00	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
NB-95	2007	2.05E-01	7.30E-01	1.21E+00	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
ZR-95	2007	5.77E-01	1.29E+00	2.17E+00	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
I-131	2007	-5.80E+00	8.15E+00	1.35E+01	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
CS-134	2007	4.92E-01	5.26E-01	8.58E-01	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
CS-137	2007	-1.98E-01	5.38E-01	8.67E-01	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
BA-140	2007	6.99E+00	9.52E+00	1.65E+01	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
LA-140	2007	6.13E-01	3.11E+00	5.42E+00	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
RA-226	2007	-3.78E+01	1.83E+01	2.56E+01	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No
TH-232	2007	-4.34E+00	3.32E+00	4.07E+00	pCi/L		3774.98	ml	04/30/09 09:55	06/01/09	54748	Sec U	No

### Flag Values

- U = Compound/Analyte not detected or less than 2 sigma
- + = Activity concentration exceeds MDC and 2 sigma; peak identified(gamma only)
- U\* = Compound/Analyte not detected. Peak not identified, but forced activity concentration exceeds MDC and 2 sigma
- High = Activity concentration exceeds customer reporting value
- Spec = MDC exceeds customer technical specification
- L = Low recovery
- H = High recovery

Bolded text indicates reportable value.

- No = Peak not identified in gamma spectrum
- Yes = Peak identified in gamma spectrum
- \*\*\*\* Results are reported on an as received basis unless otherwise noted

MDC - Minimum Detectable Concentration

# Report of Analysis

06/16/09 18:07



## L38400

Exelon Nuclear (Oyster Creek)

EX001-3EREMPOC-05

James J. Vouglitois

Sample ID: 94	Collect Start: 04/02/2009 10:45	Matrix: Surface Water	(WT)
Station: 94	Collect Stop: 04/30/2009 09:10	Volume:	
Description:	Receive Date: 05/01/2009	% Moisture:	
LIMS Number: L38400-2			

Radionuclide	SOP#	Activity Conc	Uncertainty 2 Sigma	MDC	Units	Run #	Aliquot Volume	Aliquot Units	Reference Date	Count Date	Count Time	Count Units	Flag Values
H-3 (DIST)	2011	.00E+00	9.68E+01	1.59E+02	pCi/L		10	ml		06/08/09	80	M U	
BE-7	2007	1.75E+00	6.52E+00	1.11E+01	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
K-40	2007	<b>2.29E+02</b>	3.38E+01	7.82E+00	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec +	Yes
MN-54	2007	6.16E-01	5.11E-01	9.26E-01	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
CO-58	2007	6.21E-02	7.04E-01	1.14E+00	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
FE-59	2007	1.00E-02	1.37E+00	2.16E+00	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
CO-60	2007	3.59E-01	5.88E-01	9.91E-01	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
ZN-65	2007	-8.04E-02	1.05E+00	1.64E+00	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
NB-95	2007	-3.23E-01	7.10E-01	1.10E+00	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
ZR-95	2007	-3.58E-01	1.17E+00	1.82E+00	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
I-131	2007	1.88E+00	7.98E+00	1.37E+01	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
CS-134	2007	1.34E-01	4.61E-01	7.76E-01	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
CS-137	2007	1.88E-01	5.09E-01	8.60E-01	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
BA-140	2007	-7.28E-01	9.88E+00	1.63E+01	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
LA-140	2007	2.04E+00	2.93E+00	5.11E+00	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
RA-226	2007	-7.47E+01	2.01E+01	2.27E+01	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	No
TH-228	2007	7.05E+00	3.76E+00	1.47E+00	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec +	Yes
TH-232	2007	3.26E+00	3.88E+00	2.98E+00	pCi/L		3719.21	ml	04/30/09 09:10	06/01/09	54722	Sec U	Yes

**Flag Values**

- U = Compound/Analyte not detected or less than 2 sigma
- + = Activity concentration exceeds MDC and 2 sigma; peak identified(gamma only)
- U\* = Compound/Analyte not detected. Peak not identified, but forced activity concentration exceeds MDC and 2 sigma
- High = Activity concentration exceeds customer reporting value
- Spec = MDC exceeds customer technical specification
- L = Low recovery
- H = High recovery

- No = Peak not identified in gamma spectrum
- Yes = Peak identified in gamma spectrum
- \*\*\*\* Results are reported on an as received basis unless otherwise noted

MDC - Minimum Detectable Concentration

**Bolded text indicates reportable value.**

# Report of Analysis

06/16/09 18:07



## L38400

Exelon Nuclear (Oyster Creek)

EX001-3EREMPOC-05

James J. Vouglitois

Sample ID: 1	Collect Start: 03/31/2009 10:26	Matrix: Drinking Water	(WD)
Station: 1	Collect Stop: 04/28/2009 10:40	Volume:	
Description:	Receive Date: 05/01/2009	% Moisture:	
LIMS Number: L38400-3			

Radionuclide	SOP#	Activity Conc	Uncertainty 2 Sigma	MDC	Units	Run #	Aliquot Volume	Aliquot Units	Reference Date	Count Date	Count Time	Count Units	Flag Values	
GR-B	2008	2.65E+00	1.28E+00	1.75E+00	pCi/L		500	ml		05/27/09	50	M	+	
H-3 (DIST)	2011	3.17E+01	9.67E+01	1.57E+02	pCi/L		10	ml		06/08/09	80	M	U	
BE-7	2007	-8.42E-01	5.11E+00	9.35E+00	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
K-40	2007	2.19E+01	2.69E+01	5.11E+00	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	Yes
MN-54	2007	-1.55E-01	3.86E-01	6.90E-01	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
CO-58	2007	-1.85E-01	4.52E-01	8.03E-01	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
FE-59	2007	3.56E-01	1.18E+00	2.26E+00	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
CO-60	2007	7.35E-02	4.01E-01	7.61E-01	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
ZN-65	2007	3.07E-01	7.79E-01	1.51E+00	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
NB-95	2007	-3.67E-01	4.39E-01	7.44E-01	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
ZR-95	2007	5.62E-01	9.12E-01	1.78E+00	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
I-131	2007	2.40E+00	7.84E+00	1.47E+01	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
CS-134	2007	1.60E-01	3.61E-01	6.90E-01	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
CS-137	2007	-2.08E-01	3.93E-01	6.97E-01	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
BA-140	2007	9.85E-01	8.69E+00	1.62E+01	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
LA-140	2007	9.23E-01	2.24E+00	4.42E+00	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	No
RA-226	2007	7.97E+00	4.12E+01	1.84E+01	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	Yes
TH-228	2007	4.74E+00	3.48E+00	1.43E+00	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	+	Yes
TH-232	2007	2.63E+00	4.04E+00	2.05E+00	pCi/L		3366.19	ml	04/28/09 10:40	06/01/09	54678	Sec	U	Yes

### Flag Values

- U = Compound/Analyte not detected or less than 2 sigma
- + = Activity concentration exceeds MDC and 2 sigma; peak identified(gamma only)
- U\* = Compound/Analyte not detected. Peak not identified, but forced activity concentration exceeds MDC and 2 sigma
- High = Activity concentration exceeds customer reporting value
- Spec = MDC exceeds customer technical specification
- L = Low recovery
- H = High recovery

- No = Peak not identified in gamma spectrum
- Yes = Peak identified in gamma spectrum
- \*\*\*\* Results are reported on an as received basis unless otherwise noted

MDC - Minimum Detectable Concentration

Bolded text indicates reportable value.

# Report of Analysis

06/16/09 18:07



## L38400

Exelon Nuclear (Oyster Creek)

EX001-3EREMPOC-05

James J. Vouglitois

Sample ID: 37	Collect Start: 04/01/2009 10:55	Matrix: Drinking Water (WD)
Station: 37	Collect Stop: 04/30/2009 10:25	Volume:
Description:	Receive Date: 05/01/2009	% Moisture:
LIMS Number: L38400-4		

Radionuclide	SOP#	Activity Conc	Uncertainty 2 Sigma	MDC	Units	Run #	Aliquot Volume	Aliquot Units	Reference Date	Count Date	Count Time	Count Units	Flag Values
GR-B	2008	1.02E+00	1.11E+00	1.69E+00	pCi/L		500	ml		05/27/09	50	M	U
H-3 (DIST)	2011	-1.60E+01	9.54E+01	1.59E+02	pCi/L		10	ml		06/08/09	80	M	U
BE-7	2007	1.69E+00	6.36E+00	1.11E+01	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
K-40	2007	2.55E+01	2.74E+01	6.59E+00	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U Yes
MN-54	2007	2.39E-01	5.10E-01	8.89E-01	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
CO-58	2007	-9.91E-02	6.23E-01	1.03E+00	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
FE-59	2007	-4.86E-01	1.49E+00	2.35E+00	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
CO-60	2007	3.29E-01	5.09E-01	9.00E-01	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
ZN-65	2007	-6.72E-01	9.93E-01	1.48E+00	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
NB-95	2007	3.57E-01	6.37E-01	1.12E+00	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
ZR-95	2007	2.56E-02	1.20E+00	2.03E+00	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
I-131	2007	-4.66E+00	7.37E+00	1.23E+01	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
CS-134	2007	3.52E-02	4.66E-01	7.95E-01	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
CS-137	2007	-1.68E-03	5.11E-01	8.64E-01	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
BA-140	2007	-1.01E+00	9.22E+00	1.56E+01	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
LA-140	2007	1.91E+00	2.95E+00	5.25E+00	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No
RA-226	2007	4.51E-01	4.26E+01	1.98E+01	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U Yes
TH-228	2007	7.95E+00	3.45E+00	1.40E+00	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	+ Yes
TH-232	2007	-4.08E+00	3.14E+00	4.02E+00	pCi/L		3458.98	ml	04/30/09 10:25	06/01/09	54601	Sec	U No

### Flag Values

- U = Compound/Analyte not detected or less than 2 sigma
- + = Activity concentration exceeds MDC and 2 sigma; peak identified(gamma only)
- U\* = Compound/Analyte not detected. Peak not identified, but forced activity concentration exceeds MDC and 2 sigma
- High = Activity concentration exceeds customer reporting value
- Spec = MDC exceeds customer technical specification
- L = Low recovery
- H = High recovery

**Bolded text indicates reportable value.**

- No = Peak not identified in gamma spectrum
- Yes = Peak identified in gamma spectrum
- \*\*\*\* Results are reported on an as received basis unless otherwise noted

MDC - Minimum Detectable Concentration

# Report of Analysis

06/16/09 18:07



## L38400

Exelon Nuclear (Oyster Creek)

EX001-3EREMPOC-05

James J. Vouglitois

Sample ID: 38	Collect Start: 04/02/2009 11:20	Matrix: Drinking Water (WD)
Station: 38	Collect Stop: 04/30/2009 09:45	Volume:
Description:	Receive Date: 05/01/2009	% Moisture:
LIMS Number: L38400-5		

Radionuclide	SOP#	Activity Conc	Uncertainty 2 Sigma	MDC	Units	Run #	Aliquot Volume	Aliquot Units	Reference Date	Count Date	Count Time	Count Units	Flag Values
GR-B	2008	2.00E+00	1.20E+00	1.70E+00	pCi/L		500	ml		05/27/09	50	M	+
H-3 (DIST)	2011	-5.76E+01	9.22E+01	1.57E+02	pCi/L		10	ml		06/08/09	80	M	U
BE-7	2007	-8.45E-01	6.06E+00	1.01E+01	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
K-40	2007	-1.18E+02	1.56E+01	2.43E+01	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
MN-54	2007	-2.58E-01	4.61E-01	7.32E-01	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
CO-58	2007	1.08E-01	6.45E-01	1.10E+00	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
FE-59	2007	-4.15E-01	1.31E+00	2.13E+00	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
CO-60	2007	6.23E-01	6.98E-01	1.25E+00	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
ZN-65	2007	-6.46E-01	1.05E+00	1.64E+00	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
NB-95	2007	-1.01E+00	6.96E-01	1.00E+00	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
ZR-95	2007	-1.11E-01	1.18E+00	1.97E+00	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
I-131	2007	3.21E+00	8.30E+00	1.42E+01	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
CS-134	2007	-5.56E-01	4.99E-01	7.61E-01	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
CS-137	2007	2.33E-01	4.99E-01	8.75E-01	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
BA-140	2007	3.83E+00	1.01E+01	1.75E+01	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
LA-140	2007	-1.59E-01	2.44E+00	4.22E+00	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
RA-226	2007	-9.40E+01	2.25E+01	2.84E+01	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No
TH-228	2007	4.26E+00	2.81E+00	1.67E+00	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	+ Yes
TH-232	2007	-7.43E+00	3.37E+00	3.90E+00	pCi/L		3585.55	ml	04/30/09 09:45	06/01/09	54513	Sec	U No

Sample ID: 39	Collect Start:	Matrix: Drinking Water (WD)
Station: 39	Collect Stop:	Volume:
Description:	Receive Date: 05/01/2009	% Moisture:
LIMS Number: L38400-6		

Radionuclide	SOP#	Activity Conc	Uncertainty 2 Sigma	MDC	Units	Run #	Aliquot Volume	Aliquot Units	Reference Date	Count Date	Count Time	Count Units	Flag Values
SAMPLE	NA												U

Comment: 1 NO SAMPLE!! Station down for repairs!!

- Flag Values
- U = Compound/Analyte not detected or less than 2 sigma
  - + = Activity concentration exceeds MDC and 2 sigma; peak identified(gamma only)
  - U\* = Compound/Analyte not detected. Peak not identified, but forced activity concentration exceeds MDC and 2 sigma
  - High = Activity concentration exceeds customer reporting value
  - Spec = MDC exceeds customer technical specification
  - L = Low recovery
  - H = High recovery

- No = Peak not identified in gamma spectrum
- Yes = Peak identified in gamma spectrum
- \*\*\*\* Results are reported on an as received basis unless otherwise noted

MDC - Minimum Detectable Concentration

Bolded text indicates reportable value.

# Report of Analysis

06/16/09 18:07



## L38400

Exelon Nuclear (Oyster Creek)

EX001-3EREMPOC-05

James J. Vouglitois

Sample ID: QCA	Collect Start: 03/31/2009 10:26	Matrix: Drinking Water (WD)
Station: QCA	Collect Stop: 04/28/2009 10:40	Volume:
Description:	Receive Date: 05/01/2009	% Moisture:
LIMS Number: L38400-7		

Radionuclide	SOP#	Activity Conc	Uncertainty 2 Sigma	MDC	Units	Run #	Aliquot Volume	Aliquot Units	Reference Date	Count Date	Count Time	Count Units	Flag Values
GR-B	2008	1.84E+00	1.22E+00	1.76E+00	pCi/L		500	ml		05/27/09	50	M	+
H-3 (DIST)	2011	-7.43E+01	9.24E+01	1.59E+02	pCi/L		10	ml		06/08/09	80	M	U
BE-7	2007	3.48E+00	5.62E+00	9.38E+00	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
K-40	2007	3.98E+00	2.11E+01	5.78E+00	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U Yes
MN-54	2007	-1.59E-02	4.36E-01	6.65E-01	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
CO-58	2007	5.62E-02	5.59E-01	8.68E-01	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
FE-59	2007	-4.86E-01	1.45E+00	2.06E+00	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
CO-60	2007	3.73E-02	3.52E-01	6.25E-01	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
ZN-65	2007	-2.63E-01	9.99E-01	1.44E+00	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
NB-95	2007	-3.55E-01	6.43E-01	9.35E-01	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
ZR-95	2007	2.12E-02	1.05E+00	1.63E+00	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
I-131	2007	-6.27E+00	8.88E+00	1.38E+01	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
CS-134	2007	2.29E-01	4.25E-01	6.97E-01	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
CS-137	2007	2.58E-01	4.83E-01	7.89E-01	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
BA-140	2007	1.66E+00	9.87E+00	1.59E+01	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
LA-140	2007	-2.32E-01	3.00E+00	5.15E+00	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U No
RA-226	2007	3.16E+01	3.42E+01	1.56E+01	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U Yes
TH-228	2007	3.02E+00	2.67E+00	1.33E+00	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	+ Yes
TH-232	2007	2.59E+00	3.06E+00	2.26E+00	pCi/L		3556.73	ml	04/28/09 10:40	06/02/09	53267	Sec	U Yes

### Flag Values

- U = Compound/Analyte not detected or less than 2 sigma
- +
- U\* = Activity concentration exceeds MDC and 2 sigma; peak identified(gamma only)
- High = Compound/Analyte not detected. Peak not identified, but forced activity concentration exceeds MDC and 2 sigma
- High = Activity concentration exceeds customer reporting value
- Spec = MDC exceeds customer technical specification
- L = Low recovery
- H = High recovery

- No = Peak not identified in gamma spectrum
- Yes = Peak identified in gamma spectrum
- \*\*\*\* Results are reported on an as received basis unless otherwise noted

MDC - Minimum Detectable Concentration

**Bolded text indicates reportable value.**