

## PMVogleCOLPEm Resource

---

**From:** Joshi, Ravindra  
**Sent:** Sunday, March 14, 2010 2:33 PM  
**To:** 'Amy Aughtman'; 'Bob Hirmanpour'; 'Eddie Grant'; 'Neil Haggerty'; 'Richard Grumbir'; 'Wes Sparkman'  
**Cc:** Coffin, Stephanie; Anderson, Brian; Comar, Manny; McGovern, Denise; Habib, Donald; Haggerty, Sharon; Hughes, Brian; Sebrosky, Joseph; Simms, Tanya; Goetz, Sujata; Spicher, Terri; VogleCOL Resource; Galletta, Thomas  
**Subject:** RE: Vogle RAI data for Tuesday's call, 3/16/2010  
**Attachments:** Vogle RAI Data 3-16.xls.xls; Vogle RAI letter index.doc; Vogle e-RAI Public Report 3-16.pdf

To All,

Attached is the Vogle RAI data for Tuesday's call. **(NOTE the call starts at 08:30 am)**

Ravi Joshi  
301-415-6191

**Hearing Identifier:** Vogtle\_COL\_Public  
**Email Number:** 434

**Mail Envelope Properties** (BBC4D3C29CD0E64E9FD6CE1AF26D84D5263D6801AE)

**Subject:** RE: Vogtle RAI data for Tuesday's call, 3/16/2010  
**Sent Date:** 3/14/2010 2:32:34 PM  
**Received Date:** 3/14/2010 2:32:38 PM  
**From:** Joshi, Ravindra

**Created By:** Ravindra.Joshi@nrc.gov

**Recipients:**

"Coffin, Stephanie" <Stephanie.Coffin@nrc.gov>  
Tracking Status: None  
"Anderson, Brian" <Brian.Anderson@nrc.gov>  
Tracking Status: None  
"Comar, Manny" <Manny.Comar@nrc.gov>  
Tracking Status: None  
"McGovern, Denise" <Denise.McGovern@nrc.gov>  
Tracking Status: None  
"Habib, Donald" <Donald.Habib@nrc.gov>  
Tracking Status: None  
"Haggerty, Sharon" <Sharon.Haggerty@nrc.gov>  
Tracking Status: None  
"Hughes, Brian" <Brian.Hughes@nrc.gov>  
Tracking Status: None  
"Sebrosky, Joseph" <Joseph.Sebrosky@nrc.gov>  
Tracking Status: None  
"Simms, Tanya" <Tanya.Simms@nrc.gov>  
Tracking Status: None  
"Goetz, Sujata" <Sujata.Goetz@nrc.gov>  
Tracking Status: None  
"Spicher, Terri" <Terri.Spicher@nrc.gov>  
Tracking Status: None  
"VogtleCOL Resource" <VogtleCOL.Resource@nrc.gov>  
Tracking Status: None  
"Galletta, Thomas" <Thomas.Galletta@nrc.gov>  
Tracking Status: None  
"Amy Aughtman" <agaughtm@southernco.com>  
Tracking Status: None  
"Bob Hirmanpour" <bobhirman@live.com>  
Tracking Status: None  
"Eddie Grant" <erg-xl@cox.net>  
Tracking Status: None  
"Neil Haggerty" <neilhaggerty@comcast.net>  
Tracking Status: None  
"Richard Grumbir" <rgrumbir@gmail.com>  
Tracking Status: None  
"Wes Sparkman" <wasparkm@southernco.com>  
Tracking Status: None

**Post Office:** HQCLSTR01.nrc.gov

<b>Files</b>	<b>Size</b>	<b>Date &amp; Time</b>
MESSAGE	139	3/14/2010 2:32:38 PM
Vogtle RAI Data 3-16.xls.xls		307194
Vogtle RAI letter index.doc		131066
Vogtle e-RAI Public Report 3-16.pdf		261630

**Options**

**Priority:** Standard

**Return Notification:** No

**Reply Requested:** No

**Sensitivity:** Normal

**Expiration Date:**

**Recipients Received:**

## Vogtle Units 3 and 4

<u>Title</u>	<u>Technical Branch</u>	<u>SRP Section</u>	<u>Status</u>
<u>RAI 2091</u>	<u>Hydrologic Engineering Branch (RHEB)</u>	<u>01 - Introduction and Interfaces</u>	<u>In Evaluation</u>
<u>RAI 3090</u>	<u>AP1000 Projects Branch 1 (NWE1)</u>	<u>01 - Introduction and Interfaces</u>	<u>In Evaluation</u>
<u>RAI 933</u>	<u>Siting and Accident Conseq Branch (RSAC)</u>	<u>02.02.03 - Evaluation of Potential Accidents</u>	<u>In Evaluation</u>
<u>RAI 539</u>	<u>Siting and Accident Conseq Branch (RSAC)</u>	<u>02.03.01 - Regional Climatology</u>	<u>In Evaluation</u>
<u>RAI 1432</u>	<u>Siting and Accident Conseq Branch (RSAC)</u>	<u>02.03.01 - Regional Climatology</u>	<u>In Evaluation</u>
<u>RAI 541</u>	<u>Siting and Accident Conseq Branch (RSAC)</u>	<u>02.03.04 - Short Term Atmospheric Dispersion Estimates for Accident Releases</u>	<u>In Evaluation</u>
<u>RAI 543</u>	<u>Siting and Accident Conseq Branch (RSAC)</u>	<u>02.03.05 - Long-Term Atmospheric Dispersion Estimates for Routine Releases</u>	<u>In Evaluation</u>
<u>RAI 1433</u>	<u>Siting and Accident Conseq Branch (RSAC)</u>	<u>02.03.05 - Long-Term Atmospheric Dispersion Estimates for Routine Releases</u>	<u>In Evaluation</u>
<u>RAI 2057</u>	<u>Hydrologic Engineering Branch (RHEB)</u>	<u>02.04.02 - Floods</u>	<u>In Evaluation</u>
<u>RAI 2300</u>	<u>Hydrologic Engineering Branch (RHEB)</u>	<u>02.04.02 - Floods</u>	<u>In Evaluation</u>
<u>RAI 1531</u>	<u>Health Physics Branch (CHPB)</u>	<u>02.04.13 - Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters</u>	<u>In Evaluation</u>

<u>RAI 1453</u>	<u>Geosciences and Geotechnical Engineering Branch 2 (RGS2)</u>	<u>02.05.04 - Stability of Subsurface Materials and Foundations</u>	In Evaluation
<u>RAI 2171</u>	<u>Geosciences and Geotechnical Engineering Branch 1 (RGS1)</u>	<u>02.05.04 - Stability of Subsurface Materials and Foundations</u>	In Evaluation
<u>RAI 3381</u>	<u>Geosciences and Geotechnical Engineering Branch 2 (RGS2)</u>	<u>02.05.04 - Stability of Subsurface Materials and Foundations</u>	In Evaluation
<u>RAI 1615</u>	<u>Structural Engineering Branch 1 (AP1000/EPR Projects) (SEB1)</u>	<u>03.07.02 - Seismic System Analysis</u>	In Evaluation
<u>RAI 2653</u>	<u>Structural Engineering Branch 1 (AP1000/EPR Projects) (SEB1)</u>	<u>03.07.02 - Seismic System Analysis</u>	In Evaluation
<u>RAI 1854</u>	<u>Structural Engineering Branch 1 (AP1000/EPR Projects) (SEB1)</u>	<u>03.08.04 - Other Seismic Category I Structures</u>	In Evaluation
<u>RAI 3380</u>	<u>Engineering Mechanics Branch 1 (AP1000/EPR Projects) (EMB1)</u>	<u>03.12 - ASME Code Class 1, 2, and 3 Piping Systems and Piping Components and Their Associated Supports</u>	In Evaluation
<u>RAI 1351</u>	<u>Containment and Ventilation Branch 1 (AP1000/EPR Projects) (SPCV)</u>	<u>06.04 - Control Room Habitability System</u>	In Evaluation
<u>RAI 4281</u>	<u>Containment and Ventilation Branch 1 (AP1000/EPR Projects) (SPCV)</u>	<u>06.04 - Control Room Habitability System</u>	Issued/Waiting for Response
<u>RAI 1444</u>	<u>Instrumentation, Controls and Electrical Engineering 1 (AP1000/EPR Projects) (ICE1)</u>	<u>07.05 - Information Systems Important to Safety</u>	In Evaluation
<u>RAI 1596</u>	<u>Electrical Engineering Branch (EEB)</u>	<u>08.02 - Offsite Power System</u>	In Evaluation

<u>RAI 2339</u>	<u>Electrical Engineering Branch (EEB)</u>	<u>08.02 - Offsite Power System</u>	In Evaluation
<u>RAI 3335</u>	<u>Electrical Engineering Branch (EEB)</u>	<u>08.02 - Offsite Power System</u>	In Evaluation
<u>RAI 4067</u>	<u>Electrical Engineering Branch (EEB)</u>	<u>08.02 - Offsite Power System</u>	In Evaluation
<u>RAI 1247</u>	<u>Balance of Plant Branch 1 (AP1000/EPR Projects) (SBPA)</u>	<u>09.02.01 - Station Service Water System</u>	In Evaluation
<u>RAI 1931</u>	<u>Balance of Plant Branch 1 (AP1000/EPR Projects) (SBPA)</u>	<u>09.02.01 - Station Service Water System</u>	In Evaluation
<u>RAI 1242</u>	<u>Balance of Plant Branch 1 (AP1000/EPR Projects) (SBPA)</u>	<u>09.02.02 - Reactor Auxiliary Cooling Water Systems</u>	In Evaluation
<u>RAI 1241</u>	<u>Balance of Plant Branch 1 (AP1000/EPR Projects) (SBPA)</u>	<u>09.02.05 - Ultimate Heat Sink</u>	In Evaluation
<u>RAI 4497</u>	<u>Balance of Plant Branch 1 (AP1000/EPR Projects) (SBPA)</u>	<u>09.03.03 - Equipment and Floor Drainage System</u>	In Final Review
<u>RAI 1396</u>	<u>Fire Protection Team (SFPT)</u>	<u>09.05.01 - Fire Protection Program</u>	In Evaluation
<u>RAI 1400</u>	<u>Fire Protection Team (SFPT)</u>	<u>09.05.01 - Fire Protection Program</u>	In Evaluation
<u>RAI 1211</u>	<u>Instrumentation, Controls and Electrical Engineering 1 (AP1000/EPR Projects) (ICE1)</u>	<u>09.05.02 - Communications Systems</u>	In Evaluation
<u>RAI 1527</u>	<u>Health Physics Branch (CHPB)</u>	<u>11.02 - Liquid Waste Management System</u>	In Evaluation

<u>RAI 1528</u>	<u>Health Physics Branch (CHPB)</u>	<u>11.03 - Gaseous Waste Management System</u>	In Evaluation
<u>RAI 3463</u>	<u>Health Physics Branch (CHPB)</u>	<u>11.04 - Solid Waste Management System</u>	In Evaluation
<u>RAI 3464</u>	<u>Health Physics Branch (CHPB)</u>	<u>11.04 - Solid Waste Management System</u>	In Evaluation
<u>RAI 1748</u>	<u>Health Physics Branch (CHPB)</u>	<u>12.03-12.04 - Radiation Protection Design Features</u>	In Evaluation
<u>RAI 1751</u>	<u>Health Physics Branch (CHPB)</u>	<u>12.03-12.04 - Radiation Protection Design Features</u>	In Evaluation
<u>RAI 1752</u>	<u>Health Physics Branch (CHPB)</u>	<u>12.03-12.04 - Radiation Protection Design Features</u>	In Evaluation
<u>RAI 1721</u>	<u>Operating Licensing and Human Performance Branch (AP1000/EPR Projects) (COLP)</u>	<u>13.01.01 - Management and Technical Support Organization</u>	In Evaluation
<u>RAI 1722</u>	<u>Operating Licensing and Human Performance Branch (AP1000/EPR Projects) (COLP)</u>	<u>13.01.02-13.01.03 - Operating Organization</u>	In Evaluation
<u>RAI 2087</u>	<u>Licensing and Inspection Branch (NSIR/DPR/LIB) (EP)</u>	<u>13.03 - Emergency Planning</u>	In Evaluation
<u>RAI 2312</u>	<u>Licensing and Inspection Branch (NSIR/DPR/LIB) (EP)</u>	<u>13.03 - Emergency Planning</u>	In Evaluation
<u>RAI 2616</u>	<u>Licensing and Inspection Branch (NSIR/DPR/LIB) (EP)</u>	<u>13.03 - Emergency Planning</u>	In Evaluation
<u>RAI 3384</u>	<u>Reactor Security and Programs Branch (NSIR/DRP/RSPLB)</u>	<u>13.06 - Physical Security</u>	In Evaluation

<u>RAI 3388</u>	<u>Reactor Security and Programs Branch (NSIR/DRP/RSPLB)</u>	<u>13.06 - Physical Security</u>	In Evaluation
<u>RAI 3391</u>	<u>Reactor Security and Programs Branch (NSIR/DRP/RSPLB)</u>	<u>13.06 - Physical Security</u>	In Evaluation
<u>RAI 3394</u>	<u>Reactor Security and Programs Branch (NSIR/DRP/RSPLB)</u>	<u>13.06 - Physical Security</u>	In Evaluation
<u>RAI 3395</u>	<u>Reactor Security and Programs Branch (NSIR/DRP/RSPLB)</u>	<u>13.06 - Physical Security</u>	In Evaluation
<u>RAI 3396</u>	<u>Reactor Security and Programs Branch (NSIR/DRP/RSPLB)</u>	<u>13.06 - Physical Security</u>	In Evaluation
<u>RAI 3403</u>	<u>Reactor Security and Programs Branch (NSIR/DRP/RSPLB)</u>	<u>13.06 - Physical Security</u>	In Evaluation
<u>RAI 3682</u>	<u>Integrated Security Coordination and Policy Branch (NSIR/DSP/ISCPB)</u>	<u>13.06 - Physical Security</u>	In Evaluation
<u>RAI 4140</u>	<u>Reactor Security Rulemaking and Licensing Branch (NSIR/DSP/RSRLB)</u>	<u>13.06 - Physical Security</u>	Issued/Waiting for Response
<u>RAI 4142</u>	<u>Reactor Security Rulemaking and Licensing Branch (NSIR/DSP/RSRLB)</u>	<u>13.06 - Physical Security</u>	In Final Review
<u>RAI 4213</u>	<u>Integrated Security Coordination and Policy Branch (NSIR/DSP/ISCPB)</u>	<u>13.06 - Physical Security</u>	Issued/Waiting for Response
<u>RAI 4214</u>	<u>Reactor Security and Programs Branch (NSIR/DRP/RSPLB)</u>	<u>13.06 - Physical Security</u>	Issued/Waiting for Response
<u>RAI 4216</u>	<u>Reactor Security and Programs Branch (NSIR/DRP/RSPLB)</u>	<u>13.06 - Physical Security</u>	Issued/Waiting for Response

<u>RAI 4466</u>	<u>Integrated Security Coordination and Policy Branch (NSIR/DSP/ISCPB)</u>	<u>13.06.06 - Cyber Security (Future SRP Section)</u>	In OGC Review
<u>RAI 4141</u>	<u>Reactor Security Rulemaking and Licensing Branch (NSIR/DSP/RSRLB)</u>	<u>14.03.12 - Physical Security Hardware - Inspections, Tests, Analyses, and Acceptance Criteria</u>	Issued/Waiting for Response
<u>RAI 1260</u>	<u>Siting and Accident Conseq Branch (RSAC)</u>	<u>15.00.03 - Design Basis Accidents Radiological Consequence Analyses for Advanced Light Water Reactors</u>	In Evaluation
<u>RAI 1486</u>	<u>Quality and Vendor Branch 1 (AP1000/EPR Projects) (CQVP)</u>	<u>17.5 - Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants</u>	In Evaluation
<u>RAI 1526</u>	<u>PRA Licensing, Operations Support and Maintenance Branch 1 (AP1000/EPR Projects) (SPLA)</u>	<u>19 - Probabilistic Risk Assessment and Severe Accident Evaluation</u>	In Evaluation
<u>RAI 2306</u>	<u>PRA Licensing, Operations Support and Maintenance Branch 1 (AP1000/EPR Projects) (SPLA)</u>	<u>19 - Probabilistic Risk Assessment and Severe Accident Evaluation</u>	In Evaluation
<u>RAI 3409</u>	<u>PRA Licensing, Operations Support and Maintenance Branch 2 (ESBWR/ABWR Projects) (SPLB)</u>	<u>19 - Probabilistic Risk Assessment and Severe Accident Evaluation</u>	In Evaluation
<u>RAI 3512</u>	<u>PRA Licensing, Operations Support and Maintenance Branch 1 (AP1000/EPR Projects) (SPLA)</u>	<u>19 - Probabilistic Risk Assessment and Severe Accident Evaluation</u>	In Evaluation

<u>RAI 4459</u>	<u>PRA Licensing, Operations Support and Maintenance Branch 1 (AP1000/EPR Projects) (SPLA)</u>	<u>19 - Probabilistic Risk Assessment and Severe Accident Evaluation</u>	In OGC Review
-----------------	--	--	---------------















Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
001	541	Araguas	ML082320837	8/18/08	8/25/08	30 days 9/17/08	VOG-RAI-LTR-001	9/11/08	ML082590051
002	539 and 543	Araguas	ML082421137	8/29/08	9/4/08	30 days 9/29/08	VOG-RAI-LTR-002	9/18/08	ML082660545
003	1247	Simms	ML082800255	10/6/08	10/12/08	30 days 11/06/08	VOG-RAI-LTR-003	11/4/08	ML083110369
004	1241	Simms	ML082800361	10/6/08	10/12/08	30 days 11/06/08	VOG-RAI-LTR-004	11/4/08	ML083110470
005	1211	Simms	ML082800382	10/6/08	10/12/08	45 days 11/21/08	VOG-RAI-LTR-005	11/4/08 12/23/08	ML083110370 ML083640476 (Sup)
006	1444	Simms	ML082900188	10/16/08	10/22/08	30 days 11/17/08	VOG-RAI-LTR-006	11/14/08	ML083230224
007	1260	Joshi	ML082910046	10/17/08	10/23/08	30 days 11/18/08	VOG-RAI-LTR-007	11/14/08	ML083230221
008	1432 and 1433	Araguas	ML082940631	10/20/08	10/26/08	30 days 11/20/08	VOG-RAI-LTR-008	11/18/08	ML083250482
009	1242	Simms	ML083090425	11/04/08	11/10/08	30 days 12/04/08	VOG-RAI-LTR-009	12/2/08	ML083390120
	768	Araguas	ML081050133	3/28/2008	Not Sent				Identical to Bell -713 (Me too letter)
010	1527	Joshi	ML083180069	11/13/08	11/20/08	30 days	VOG-	12/11/08	ML083510076

Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
						12/15/08	RAI-LTR-010		
011	1528	Joshi	ML083180070	11/13/08	11/20/08	12/15/08	VOG-RAI-LTR-011	12/11/08	ML083510078
012	1351	Joshi	ML083180071	11/13/08	11/20/08	12/15/08	VOG-RAI-LTR-012	12/11/08	ML083510077
013	1453	Araguas	ML083180932	11/13/08	11/20/08	12/15/08	VOG-RAI-LTR-013	12/11/08	ML083530555
014	1486	Anderson	ML083300157	11/25/08	12/01/08	30 days 12/25/08	VOG-RAI-LTR-014	12/17/2008	ML083570594
015	1396	Simms	ML083310028	11/26/08	12/02/08	30 days 12/26/08	VOG-RAI-LTR-015	12/17/08	ML083570397
016	1400	Simms	ML083310029	11/26/08	12/02/08	30 days 12/26/08	VOG-RAI-LTR-016	12/17/08	ML083570588
017	1531	Araguas	ML083310349	11/26/08	12/02/08	30 days 12/29/08	VOG-RAI-LTR-017	12/23/08	ML083640477
018	1615	Hughes	ML083500265	12/15/08	12/21/08	30 days 01/14/09	VOG-RAI-LTR-018	1/14/09 3/2/09	ML090150432 ML090700628 (sup)
019	933	Araguas	ML083470948	12/12/08	12/18/08	30 days 1/13/09	VOG-RAI-LTR-019	1/9/09	ML090140355
020	1526	Joshi	MI083520028	12/17/08	12/23/08	60 days 2/17/09	VOG-RAI-	2/10/09	ML090490095

Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
							LTR-020		
021	1748, 1751, 1752	Joshi	ML083540805	12/17/08	12/23/08	30 days 1/17/09	VOG-RAI-LTR-021	1/16/09 11/20/09 1/29/10	ML090220267 ML093280749 (sup) ML100330387 (sup)
022	1854	Hughes	ML083530816	12/18/08	12/24/08	30 days 01/20/09	VOG-RAI-LTR-022	1/16/09	ML090220268
023	1721	Anderson	ML083540133	12/19/08	12/25/08	30 days 01/21/09	VOG-RAI-LTR-023	1/16/09	ML090220269
024	1722	Anderson	ML083540135	12/19/08	12/25/08	30 days 01/21/09	VOG-RAI-LTR-024	1/16/09	ML090220179
025	1596	Araguas for Simms	ML083540807	12/19/08	12/26/08	30 days 01/21/09	VOG-RAI-LTR-025	1/16/09 5/15/09 10/23/09	ML090220180 ML091390566 ML093240096 (revised)
026	1931	Simms	ML090260496	1/26/09	2/01/09	45 days 3/12/09	VOG-RAI-LTR-026	03/12/09	ML090760819
027	2091	Araguas	ML090560655	2/25/09	3/3/09	30 days	VOG-RAI-LTR-027	3/27/09	ML090900179
028	2057	Araguas	ML090560817	2/25/09	3/3/09	30 days	VOG-RAI-LTR-028	3/27/09 8/5/09	ML090920480 ML092230147 (sup)
029	2087	Anderson	ML090650536	3/6/09	3/12/09	30 days 4/5/09		4/3/09 6/18/09	ML090990467 ML091750107 (sup)
030	2171	Hughes	MI090700044	3/10/09	3/16/09	30 days 4/09/09	VOG-RAI-LTR-030	4/9/09	ML091030217

Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
031	2300	Nguyen	ML090890314	3/30/09	04/05/09	30 days 4/29/09	VOG-RAI-LTR-031	4/29/09	ML091200579
032	2312	Anderson	ML091070271	4/17/09	4/23/09	30 days 5/17/09	VOG-RAI-LTR-032	5/15/09	ML091390050
033	2306	Joshi	ML091120011	4/22/09	4/28/09	30 days 5/22/09	VOG-RAI-LTR-033	5/22/09 10/23/09	ML091470574 ML093010571 (revised 19-4)
034	2339	Simms	ML091120284	4/22/09	4/28/09	30 days 5/22/09	VOG-RAI-LTR-034	5/22/09 10/23/09	ML091470575 ML093010573 (revised)
035	2616	Anderson	ML091330816	5/13/09	5/19/09	45 days 6/27/09	VOG-RAI-LTR-035	6/26/09	ML091810095
036	2653	Patel	ML091490779	6/1/2009	6/7/2009	30 days 7/1/2009	VOG-RAI-LTR-036	7/1/09	ML092080390
037	3090	Goetz	ML091680204	6/17/2009	6/23/2009	30 days 7/17/2009	VOG-RAI-LTR-037	7/16/09 10/23/09	ML092010093 ML093010572 (revised 01-2)
038	3335	Simms/ Joshi	ML092160007	08/04/09	08/10/09	30 days 09/04/09	VOG-RAI-LTR-038	8/31/09	ML092450485
039	3463, 3464	Habib	ML092360579	08/24/09		30 days 09/23/09	VOG-RAI-LTR-039	9/23/09	ML092680023
040	3512	Comar	ML 092730351	09/30/09	08/6/09	30 days 10/30/09	VOG-RAI-LTR-040	10/30/09	ML093070284

Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
041	3384, 3388, 3391, 3394, 3395, 3396, 3403	Anderson	ML092600660	09/17/09	9/23/09	30 days 10/17/09	VOG-RAI-LTR-041	10/16/09	ML092930143
042	3409	Comar	ML 092780120	10/01/09	10/06/09	30 days 10/30/09	VOG-RAI-LTR-042	10/29/09 11/13/09 12/23/09 2/5/10	ML093070090 ML093210489 (sup) ML093630697 (revised) ML100481268 (revised)
043	3682	Anderson	SRI letter - ML093000387	10/21/09	SRI letter	30 days 11/20/09	VOG-RAI-LTR-043	11/20/09	ML093280907
044	4067	Simms	ML093420690	12/8/09	12/14/09	30 days 1/08/10	VOG-RAI-LTR-044	1/7/10	ML100110073
045	3381	Joshi	ML100320769	2/1/10	2/7/10	30 days 3/2/10	VOG-RAI-045	3/2/10	ML100630208
046	3380	Joshi	ML100320770	2/1/10	2/7/10	30 days 3/2/10	VOG-RAI-046	3/2/10	ML100630207
047	4140, 4141	McGovern	ML100350179	2/4/10	2/10/10	30 days 3/8/10	VOG-RAI-LTR-047		
048	4281	Habib							
049	4213, 4214, 4216	McGovern	ML100360823	2/5/10	2/11/10	30 days 3/7/10	VOG-RAI-LTR-049		

## eRAI Public Report for Web Site (Vogtle)



**Application Title: Bellefonte Units 3 and 4 - Dockets 52-014 and 52-015**

Question No	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
01-11	142	1425	Std. Design	Confirmatory Action Applicant	SER Open Item 1.4-2	Introduction and Interfaces	NWE1	12/16/08	<a href="#">ML083510576</a>	9/21/09	<a href="#">ML092660091</a>
01-17	162	2566	Std. Design	Responded	SER Open Item 1.5-1	Introduction and Interfaces	NWE1	6/24/09	<a href="#">ML091750079</a>	7/29/09	<a href="#">ML092120064</a>
01-18	162	2610	Std. Design	Responded	SER Open Item 1-1	Introduction and Interfaces	NWE1	6/24/09	<a href="#">ML091750079</a>	7/29/09	<a href="#">ML092120064</a>
01-19	162	2640	Std. Design	Responded	SER Open Item 1-2	Introduction and Interfaces	NWE1	6/24/09	<a href="#">ML091750079</a>	7/29/09	<a href="#">ML092120064</a>
01-15	162	2997	Std. Design	Responded	SER Open Item 1.4-3	Introduction and Interfaces	NWE1	6/24/09	<a href="#">ML091750079</a>	7/29/09	<a href="#">ML092120064</a>
01-16	162	2997	Std. Design	Confirmatory Action Applicant	SER Open Item 1.4-4	Introduction and Interfaces	NWE1	6/24/09	<a href="#">ML091750079</a>	7/29/09	<a href="#">ML092120064</a>
01-20	0	3740	Std. Design	Responded	Confirmatory Item 1.4-2	Introduction and Interfaces	NWE1	9/11/09	<a href="#">ML090900401</a>	7/29/09	<a href="#">ml092120064</a>
02.02.03-10	137	1550	Std. Design	Question Closed/Issue Unresolved	SER Open Item 2.2.3-2	Evaluation of Potential Accidents	RSAC	11/18/08	<a href="#">ML083230896</a>	10/20/09	<a href="#">ML092990266</a>
03.06.02-1	114	569	Std. Design	Question Closed/Issue Unresolved	SER Open Item 3.6-1	Determination of Rupture Locations and Dynamic Effects Associated with the Postulated Rupture of Piping	EMB2	8/7/08	<a href="#">ML082200726</a>	8/21/08	<a href="#">ML082380868</a>
03.09.06-11	7	110	Std. Design	Responded	SER Open Item 3.9-4	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	<a href="#">ML081200506</a>	3/1/10	<a href="#">ML100620826</a>
03.09.06-14	7	110	Std. Design	Question Closed/Issue Unresolved	SER Open Item 3.9-5	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	<a href="#">ML081200506</a>	1/12/10	<a href="#">ML100141734</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 1

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Bellefonte Units 3 and 4 - Dockets 52-014 and 52-015**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
03.09.06-16	7	110	Std. Design	Question Closed/Issue Unresolved	SER Open Item 3.9-6	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	<a href="#">ML081200506</a>	12/14/09	<a href="#">ML093491035</a>
03.09.06-2	7	110	Std. Design	Question Closed/Issue Unresolved	SER Open Item 3.9-1	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	<a href="#">ML081200506</a>	12/14/09	<a href="#">ML093491035</a>
03.09.06-8	7	110	Std. Design	Responded	SER Open Item 3.9-2	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	<a href="#">ML081200506</a>	3/1/10	<a href="#">ML100620826</a>
03.09.06-9	7	110	Std. Design	Responded	SER Open Item 3.9-3	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	<a href="#">ML081200506</a>	3/1/10	<a href="#">ML100620826</a>
03.10-1	111	653	Std. Design	Responded	SER Open Item 3.10-1	Seismic and Dynamic Qualification of Mechanical and Electrical Equipment	EMB2	8/7/08	<a href="#">ML082200569</a>	2/5/10	<a href="#">ML100480513</a>
03.11-1	48	198	Std. Design	Question Closed/Issue Unresolved	SER Open Item 3.11-1	Environmental Qualification of Mechanical and Electrical Equipment	CIB1	6/20/08	<a href="#">ML081720308</a>	12/14/09	<a href="#">ML093491035</a>
04.04-1	0	3849	Std. Design	Responded	Confirmatory Item 4.4-1	Thermal and Hydraulic Design	NWE1	10/7/09	<a href="#">ML000000000</a>	1/8/10	<a href="#">ML100120291</a>
05.02.04-5	74	177	Std. Design	Resolved/Closed	Confirmatory Item 5.2-1	Reactor Coolant Pressure Boundary Inservice Inspection and Testing	CIB1	7/16/08	<a href="#">ML081980777</a>	8/24/09	<a href="#">ML092390080</a>
05.03.01-1	2	139	Std. Design	Resolved/Closed	Confirmatory Item 5.3-1	Reactor Vessel Materials	CIB1	4/17/08	<a href="#">ML081080069</a>	8/24/09	<a href="#">ML092390080</a>
06.01.02-2	170	4337	Std. Design	Responded	SER Open Item 6.1.2-1	Protective Coating Systems (Paints) - Organic Materials	CIB1	2/17/10	<a href="#">ML100490030</a>	3/4/10	<a href="#">ML100640639</a>
06.01.02-1	1	148	Std. Design	Question Closed/Issue Unresolved	SER Open Item 6.1.2-1	Protective Coating Systems (Paints) - Organic Materials	CIB1	4/14/08	<a href="#">ML080990812</a>	5/23/08	<a href="#">ML081490154</a>
06.02.02-1	30	326	Std. Design	Confirmatory Action Applicant	Confirmatory Item 6.3-1	Containment Heat Removal Systems	SPCV	6/6/08	<a href="#">ML081580010</a>	6/9/09	<a href="#">ML091610555</a>

3/14/2010 \*\*\* Status is not a final determination by NRC.

- Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
- Responded** -- The applicant has provided a response to the question.
- Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
- Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
- Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
- Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Bellefonte Units 3 and 4 - Dockets 52-014 and 52-015**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
06.04-7	168	3950	Std. Design	Responded	SER Open Item 6.4-2	Control Room Habitability System	SPCV	12/14/09	<a href="#">ML093480250</a>	1/5/10	<a href="#">ML100280941</a>
06.04-8	169	4184	Std. Design	Issued/Open Action Applicant	SER Open Item 6.4-1	Control Room Habitability System	SPCV	1/7/10	<a href="#">ML100070448</a>		
08.02-10	151	2108	Std. Design	Confirmatory Action Applicant	Confirmatory Item 8.2-1	Offsite Power System	EEB	3/11/09	<a href="#">ML090700362</a>	4/23/09	<a href="#">ML091170077</a>
08.03.01-1	138	1575	Std. Design	Confirmatory Action Applicant	Confirmatory Item 8.3.2-1	AC Power Systems (Onsite)	EEB	11/18/08	<a href="#">ML08230706</a>	1/2/09	<a href="#">ML090080183</a>
08.03.01-2	149	1934	Std. Design	Confirmatory Action Applicant	Confirmatory Item 8.3.1-1	AC Power Systems (Onsite)	EEB	3/3/09	<a href="#">ML090620447</a>	4/6/09	<a href="#">ML090980343</a>
09.01.02-1	165	3571	Std. Design	Responded	SER Open Item 9.1-1	New and Spent Fuel Storage	CIB1	8/21/09	<a href="#">ML092330617</a>	12/30/09	<a href="#">ML100040142</a>
09.01.02-2	167	3829	Std. Design	Responded	SER Open Item 9.1-1	New and Spent Fuel Storage	CIB1	10/13/09	<a href="#">ML093451224</a>	1/5/10	<a href="#">ML100280940</a>
09.01.04-1	84	290	Std. Design	Responded	SER Open Item 9.1-2	Light Load Handling System (Related to Refueling)	SBPB	7/21/08	<a href="#">ML082030667</a>	12/30/09	<a href="#">ML100040142</a>
09.01.05-1	61	291	Std. Design	Responded	SER Open Item 9.1-3	Overhead Heavy Load Handling Systems	SBPB	7/2/08	<a href="#">ML081840267</a>	12/30/09	<a href="#">ML100040142</a>
09.01.05-2	61	291	Std. Design	Responded	SER Open Item 9.1-4	Overhead Heavy Load Handling Systems	SBPB	7/2/08	<a href="#">ML081840267</a>	12/30/09	<a href="#">ML100040142</a>
09.02.01-9	0	4109	Std. Design	Responded	SER Open Item 9.2-2	Station Service Water System	SBPA	12/4/09	<a href="#">ML091120420</a>	12/30/09	<a href="#">ML100040142</a>
09.05.01-16	128	1289	Std. Design	Confirmatory Action Applicant	Confirmatory Item 9.5-1	Fire Protection Program	SFPT	10/7/08	<a href="#">ML082810021</a>	11/20/08	<a href="#">ML083290334</a>
10.03.06-1	18	169	Std. Design	Responded	SER Open Item 10.1-1	Steam and Feedwater System Materials	CIB1	5/13/08	<a href="#">ML081340606</a>	7/16/09	<a href="#">ML092010091</a>
10.03.06-2	18	169	Std. Design	Responded	Confirmatory Item 10.1-1	Steam and Feedwater System Materials	CIB1	5/13/08	<a href="#">ML081340606</a>	9/9/09	<a href="#">ML092530695</a>
12.01-2	164	3282	Std. Design	Responded	SER Open Item 12.1-1	Assuring that Occupational Radiation Exposures Are As Low as is Reasonably Achievable	CHPB	7/1/09	<a href="#">MI091820094</a>	10/30/09	<a href="#">ML093070283</a>
12.01-1	999	3941	Std. Design	Confirmatory Action Applicant	Confirmatory Item 12.1-1	Assuring that Occupational Radiation Exposures Are As Low as is Reasonably Achievable	NWE1	10/27/09	999	10/16/09	<a href="#">ML092930120</a>
12.03-12.04-6	161	2753	Std. Design	Responded	SER Open Item 12.4-1	Radiation Protection Design Features	CHPB	6/17/09	<a href="#">ML091680006</a>	7/16/09	<a href="#">ML092010089</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 3

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Bellefonte Units 3 and 4 - Dockets 52-014 and 52-015**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
12.03-12.04-1	109	613	Std. Design	Responded	Confirmatory Item 12.3-1	Radiation Protection Design Features	CHPB	8/7/08	<a href="#">ML082200591</a>	7/16/09	<a href="#">ML092010089</a>
12.03-12.04-2	109	863	Std. Design	Responded	SER Open Item 12.3-1	Radiation Protection Design Features	CHPB	8/7/08	<a href="#">ML082200591</a>	10/30/09	<a href="#">ML093070283</a>
12.03-12.04-3	109	863	Std. Design	Responded	SER Open Item 12.3-1	Radiation Protection Design Features	CHPB	8/7/08	<a href="#">ML082200591</a>	7/16/09	<a href="#">ML092010089</a>
12.05-2	109	866	Std. Design	Confirmatory Action Applicant	Confirmatory Item 12.5-1	Operational Radiation Protection Program	CHPB	8/7/08	<a href="#">ML082200591</a>	12/16/08	<a href="#">ML083530554</a>
14.02-5	21	101	Std. Design	Confirmatory Action Applicant	Confirmatory Item 14.2-2	Initial Plant Test Program - Design Certification and New License Applicants	CQVP	5/15/08	<a href="#">ML081360305</a>	6/26/08	<a href="#">ML081790813</a>
14.02-6	21	101	Std. Design	Confirmatory Action Applicant	Confirmatory Item 14.2-2	Initial Plant Test Program - Design Certification and New License Applicants	CQVP	5/15/08	<a href="#">ML081360305</a>	6/26/08	<a href="#">ML081790813</a>
14.02-12	139	1681	Std. Design	Confirmatory Action Applicant	Confirmatory Item 14.2-1,3-10,12	Initial Plant Test Program - Design Certification and New License Applicants	CQVP	12/8/08	<a href="#">ML083430755</a>	3/26/09	<a href="#">ML090900181</a>
14.02-13	0	3455	Std. Design	Responded	SER Open Item 14.2-1	Initial Plant Test Program - Design Certification and New License Applicants	NWE1	8/4/09			
14.02-14	0	3456	Std. Design	Responded	SER Open Item 14.2-2	Initial Plant Test Program - Design Certification and New License Applicants	NWE1	8/4/09			
14.03-1	27	171	Std. Design	Confirmatory Action Applicant	Confirmatory Item 8.2A-1	Inspections, Tests, Analyses, and Acceptance Criteria	EEB	5/28/08	<a href="#">ML081490339</a>	5/11/09	<a href="#">ML091330116</a>
15-1	0	3951	Std. Design	Issued/Open Action Applicant	SER Open Item 15.0-1	Introduction - Transient and Accident Analyses	SRSB	11/5/09	<a href="#">ML093090662</a>		
15.04.06-1	0	3952	Std. Design	Responded	SER Open Item 15.4-1	Inadvertent Decrease in Boron Concentration in the Reactor Coolant (PWR)	SRSB	11/5/09	<a href="#">ML093090662</a>	1/22/10	<a href="#">ML100260127</a>
16-1	131	1450	Std. Design	Responded	SER Open Item 16.1-1	Technical Specifications	CTSB	10/21/08	<a href="#">ML082950444</a>	3/1/10	<a href="#">ML100620825</a>
17.01-2	0	3473	Std. Design	Responded	SER Open Item 17.1-1	Quality Assurance During the Design and Construction Phases 07/1981	NWE1	8/5/09		12/31/09	<a href="#">ML100050270</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 4

- Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
- Responded** -- The applicant has provided a response to the question.
- Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
- Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
- Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
- Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Bellefonte Units 3 and 4 - Dockets 52-014 and 52-015**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
17.5-13	16	137	Std. Design	Responded	SER Open Item 17.5-4	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	<a href="#">ML081330640</a>	12/31/09	<a href="#">ML100050270</a>
17.5-14	16	137	Std. Design	Responded	SER Open Item 17.5-5	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	<a href="#">ML081330640</a>	12/31/09	<a href="#">ML100050270</a>
17.5-17	16	137	Std. Design	Responded	SER Open Item 17.5-6	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	<a href="#">ML081330640</a>	7/29/09	<a href="#">ML092120063</a>
17.5-5	13	166	Std. Design	Responded	SER Open Item 17.5-1	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	<a href="#">ML081330515</a>	12/31/09	<a href="#">ML100050270</a>
17.5-6	13	166	Std. Design	Responded	SER Open Item 17.5-2	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	<a href="#">ML081330515</a>	12/31/09	<a href="#">ML100050270</a>
17.5-7	13	166	Std. Design	Responded	SER Open Item 17.5-3	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	<a href="#">ML081330515</a>	12/31/09	<a href="#">ML100050270</a>
19-21	152	1985	Std. Design	Confirmatory Action Applicant	Confirmatory Item 19.59-2	Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	3/11/09	<a href="#">ML090700510</a>	4/15/09	<a href="#">ML091100173</a>

3/14/2010 \*\*\* Status is not a final determination by NRC.

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
01-1	27	2091	Application Specific	Resolved/Closed		Introduction and Interfaces	RHEB	2/25/09	<a href="#">ML090560655</a>	3/27/09	<a href="#">ML090900179</a>
01-2	37	3090	Application Specific	Responded		Introduction and Interfaces	NWE1	6/17/09	<a href="#">ML091680204</a>	10/23/09	<a href="#">ML093010572</a>
02.02.03-1	19	933	Application Specific	Responded		Evaluation of Potential Accidents	RSAC	12/12/08	<a href="#">ML083470948</a>	1/9/09	<a href="#">ML090140355</a>
02.03.01-3	8	1432	Application Specific	Resolved/Closed		Regional Climatology	RSAC	10/20/08	<a href="#">ML082940631</a>	11/18/08	<a href="#">ML083250482</a>
02.03.01-4	8	1432	Application Specific	Resolved/Closed		Regional Climatology	RSAC	10/20/08	<a href="#">ML082940631</a>	11/18/08	<a href="#">ML083250482</a>
02.03.01-1	2	539	Application Specific	Resolved/Closed		Regional Climatology	RSAC	8/29/08	<a href="#">ML082421137</a>	9/18/08	<a href="#">ML082660545</a>
02.03.01-2	2	539	Application Specific	Resolved/Closed		Regional Climatology	RSAC	8/29/08	<a href="#">ML082421137</a>	9/18/08	<a href="#">ML082660545</a>
02.03.04-1	1	541	Application Specific	Resolved/Closed		Short Term Atmospheric Dispersion Estimates for Accident Releases	RSAC	8/18/08	<a href="#">ML082421137</a>	9/11/08	<a href="#">ML082590051</a>
02.03.05-2	8	1433	Application Specific	Resolved/Closed		Long-Term Atmospheric Dispersion Estimates for Routine Releases	RSAC	10/20/08	<a href="#">ML082940631</a>	11/18/08	<a href="#">ML083250482</a>
02.03.05-1	2	543	Application Specific	Resolved/Closed		Long-Term Atmospheric Dispersion Estimates for Routine Releases	RSAC	8/29/08	<a href="#">ML082421137</a>	9/18/08	<a href="#">ML082660545</a>
02.04.02-1	28	2057	Application Specific	Resolved/Closed		Floods	RHEB	2/25/09	<a href="#">ML090560817</a>	8/5/09	<a href="#">ML092230147</a>
02.04.02-2	28	2057	Application Specific	Resolved/Closed		Floods	RHEB	2/25/09	<a href="#">ML090560817</a>	3/27/09	<a href="#">ML090920480</a>
02.04.02-3	28	2057	N/A	Resolved/Closed		Floods	RHEB	2/25/09	<a href="#">ML090560817</a>	3/27/09	<a href="#">ML090920480</a>
02.04.02-4	31	2300	Application Specific	Resolved/Closed		Floods	RHEB	3/30/09	<a href="#">ML090890314</a>	4/29/09	<a href="#">ML091200579</a>
02.04.13-1	17	1531	Application Specific	Resolved/Closed		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	CHPB	11/26/08	<a href="#">ML083310349</a>	12/23/08	<a href="#">ML083640477</a>
02.05.04-1	13	1453	Application Specific	Resolved/Closed		Stability of Subsurface Materials and Foundations	RGS2	11/13/08	<a href="#">ML082320837</a>	12/11/08	<a href="#">ML083530555</a>
02.05.04-2	13	1453	Application Specific	Resolved/Closed		Stability of Subsurface Materials and Foundations	RGS2	11/13/08	<a href="#">ML082320837</a>	12/11/08	<a href="#">ML083530555</a>
02.05.04-3	30	2171	Application Specific	Resolved/Closed		Stability of Subsurface Materials and Foundations	RGS1	3/10/09	<a href="#">ML090700044</a>		<a href="#">ML091030217</a>
02.05.04-4	30	2171	Application Specific	Confirmatory Action Applicant		Stability of Subsurface Materials and Foundations	RGS1	3/10/09	<a href="#">ML090700044</a>	4/9/09	<a href="#">ML091030217</a>
02.05.04-5	45	3381	Application Specific	Responded		Stability of Subsurface Materials and Foundations	RGS2	2/1/10	<a href="#">ML100420769</a>	3/2/10	<a href="#">ML100630208</a>
03.07.02-1	18	1615	N/A	Responded		Seismic System Analysis	SEB1	12/2/08	<a href="#">ML083500265</a>	3/2/09	<a href="#">ML090700628</a>
03.07.02-2	18	1615	N/A	Responded		Seismic System Analysis	SEB1	12/2/08	<a href="#">ML083500265</a>	1/14/09	<a href="#">ML090150432</a>

3/14/2010 \*\*\* Status is not a final determination by NRC.

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.

**Responded** -- The applicant has provided a response to the question.

**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).

**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.

**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.

**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
03.07.02-3	36	2653	Application Specific	Responded		Seismic System Analysis	SEB1	5/29/09	<a href="#">ML091490779</a>	7/1/09	<a href="#">ML092080390</a>
03.08.04-1	22	1854	Application Specific	Responded		Other Seismic Category I Structures	SEB1	12/18/08	<a href="#">ML083530816</a>	1/16/09	<a href="#">ML090220268</a>
03.12-1	46	3380	Application Specific	Responded		ASME Code Class 1, 2, and 3 Piping Systems and Piping Components and Their Associated Supports	EMB1	2/1/10	<a href="#">ML100320770</a>	3/2/10	<a href="#">ML100630207</a>
06.04-1	12	1351	Application Specific	Responded		Control Room Habitability System	SPCV	11/13/08	<a href="#">ML083180071</a>	12/11/08	<a href="#">ML083510077</a>
06.04-2	48	4281	Application Specific	Issued/Open Action Applicant		Control Room Habitability System	SPCV	2/5/10			
06.04-3	48	4281	Application Specific	Issued/Open Action Applicant		Control Room Habitability System	SPCV	2/5/10			
07.05-1	6	1444	Application Specific	Resolved/Closed		Information Systems Important to Safety	ICE1	10/16/08	<a href="#">ML082900188</a>	11/14/08	<a href="#">ML083230224</a>
08.02-1	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	<a href="#">ML083540807</a>	10/23/09	<a href="#">ML093240096</a>
08.02-2	25	1596	Std. Design	Resolved/Closed		Offsite Power System	EEB	12/19/08	<a href="#">ML083540807</a>	1/16/09	<a href="#">ML090220180</a>
08.02-3	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	<a href="#">ML083540807</a>	1/16/09	<a href="#">ML090220180</a>
08.02-4	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	<a href="#">ML083540807</a>	1/16/09	<a href="#">ML090220180</a>
08.02-5	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	<a href="#">ML083540807</a>	10/23/09	<a href="#">ML093240096</a>
08.02-6	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	<a href="#">ML083540807</a>	1/16/09	<a href="#">ML090220180</a>
08.02-7	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	<a href="#">ML083540807</a>	1/16/09	<a href="#">ML090220180</a>
08.02-8	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	<a href="#">ML083540807</a>	10/23/09	<a href="#">ML093240096</a>
08.02-9	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	<a href="#">ML083540807</a>	1/16/09	<a href="#">ML090220180</a>
08.02-10	34	2339	Application Specific	Resolved/Closed		Offsite Power System	EEB	4/22/09	<a href="#">ML091120284</a>	10/23/09	<a href="#">ML093010573</a>
08.02-11	34	2339	Application Specific	Resolved/Closed		Offsite Power System	EEB	4/22/09	<a href="#">ML091120284</a>	10/23/09	<a href="#">ML093010573</a>
08.02-12	38	3335	Application Specific	Resolved/Closed		Offsite Power System	EEB	8/4/09	<a href="#">ML092160007</a>	8/31/09	<a href="#">ML092450485</a>
08.02-13	44	4067	Application Specific	Confirmatory Action Applicant		Offsite Power System	EEB	12/8/09	<a href="#">ML093420690</a>	1/7/10	<a href="#">ML100110073</a>
09.02.01-1	3	1247	Application Specific	Resolved/Closed		Station Service Water System	SBPA	10/6/08	<a href="#">ML082800255</a>	11/4/08	<a href="#">ML083110369</a>
09.02.01-2	3	1247	Application Specific	Confirmatory Action Applicant		Station Service Water System	SBPA	10/6/08	<a href="#">ML082800255</a>	11/4/08	<a href="#">ML083110369</a>
09.02.01-3	3	1247	Application Specific	Resolved/Closed		Station Service Water System	SBPA	10/6/08	<a href="#">ML082800255</a>	11/4/08	<a href="#">ML083110369</a>
09.02.01-4	26	1931	Application Specific	Resolved/Closed		Station Service Water System	SBPA	1/26/09	<a href="#">ML090260496</a>	3/12/09	<a href="#">ML090760819</a>

3/14/2010 \*\*\* Status is not a final determination by NRC.

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
09.02.01-5	26	1931	Application Specific	Confirmatory Action Applicant		Station Service Water System	SBPA	1/26/09	<a href="#">ML090260496</a>	3/12/09	<a href="#">ML090760819</a>
09.02.01-6	26	1931	Application Specific	Resolved/Closed		Station Service Water System	SBPA	1/26/09	<a href="#">ML090260496</a>	3/12/09	<a href="#">ML090760819</a>
09.02.02-1	9	1242	Application Specific	Resolved/Closed		Reactor Auxiliary Cooling Water Systems	SBPA	11/4/08	<a href="#">ML083090425</a>	12/2/08	<a href="#">ML083390120</a>
09.02.05-1	4	1241	Application Specific	Resolved/Closed		Ultimate Heat Sink	SBPA	10/6/08	<a href="#">ML082800361</a>	11/4/08	<a href="#">ML083110470</a>
09.05.01-1	15	1396	Application Specific	Resolved/Closed		Fire Protection Program	SFPT	11/26/08	<a href="#">ML083310028</a>	12/17/08	<a href="#">ML083570397</a>
09.05.01-2	16	1400	Application Specific	Resolved/Closed		Fire Protection Program	SFPT	11/26/08	<a href="#">ML083310029</a>	12/17/08	<a href="#">ML083570588</a>
09.05.02-1	5	1211	Application Specific	Resolved/Closed		Communications Systems	ICE1	10/6/08	<a href="#">ML082800382</a>	12/23/08	<a href="#">ML083640476</a>
09.05.02-2	5	1211	Application Specific	Resolved/Closed		Communications Systems	ICE1	10/6/08	<a href="#">ML082800382</a>	12/23/08	<a href="#">ML083640476</a>
09.05.02-3	5	1211	Application Specific	Resolved/Closed		Communications Systems	ICE1	10/6/08	<a href="#">ML082800382</a>	12/23/08	<a href="#">ML083640476</a>
09.05.02-4	5	1211	Application Specific	Resolved/Closed		Communications Systems	ICE1	10/6/08	<a href="#">ML082800382</a>	12/23/08	<a href="#">ML083640476</a>
11.02-1	10	1527	Application Specific	Resolved/Closed		Liquid Waste Management System	CHPB	11/13/08	<a href="#">ML083180069</a>	12/11/08	<a href="#">ML083510076</a>
11.03-1	11	1528	Application Specific	Resolved/Closed		Gaseous Waste Management System	CHPB	11/13/08	<a href="#">ML083180070</a>	12/11/08	<a href="#">ML083510078</a>
11.04-1	39	3463	Application Specific	Resolved/Closed		Solid Waste Management System	CHPB	8/24/09	<a href="#">ML092360579</a>	9/23/09	<a href="#">ML092680023</a>
11.04-2	39	3464	Application Specific	Resolved/Closed		Solid Waste Management System	CHPB	8/24/09	<a href="#">ML092360579</a>	9/23/09	<a href="#">ML09280023</a>
12.03-12.04-1	21	1748	Application Specific	Responded		Radiation Protection Design Features	CHPB	12/19/08	<a href="#">ML083540805</a>	1/29/10	<a href="#">ML100330387</a>
12.03-12.04-2	21	1751	Application Specific	Responded		Radiation Protection Design Features	CHPB	12/19/08	<a href="#">ML083540805</a>	1/29/10	<a href="#">ML100330387</a>
12.03-12.04-3	21	1752	Application Specific	Resolved/Closed		Radiation Protection Design Features	CHPB	12/19/08	<a href="#">ML083540805</a>	1/16/09	<a href="#">ML090220267</a>
13.01.01-1	23	1721	Application Specific	Resolved/Closed		Management and Technical Support Organization	COLP	12/19/08	<a href="#">ML083540133</a>	1/16/09	<a href="#">ML090220269</a>
13.01.01-2	23	1721	Application Specific	Resolved/Closed		Management and Technical Support Organization	COLP	12/19/08	<a href="#">ML083540133</a>	1/16/09	<a href="#">ML090220269</a>
13.01.02-13.01.03-1	24	1722	Application Specific	Resolved/Closed		Operating Organization	COLP	12/18/08	<a href="#">ML083540135</a>	1/16/09	<a href="#">ML090220179</a>
13.01.02-13.01.03-2	24	1722	Application Specific	Resolved/Closed		Operating Organization	COLP	12/18/08	<a href="#">ML083540135</a>	1/16/09	<a href="#">ML090220179</a>
13.01.02-13.01.03-3	24	1722	Application Specific	Resolved/Closed		Operating Organization	COLP	12/18/08	<a href="#">ML083540135</a>	1/16/09	<a href="#">ML090220179</a>
13.03-1	29	2087	Application Specific	Resolved/Closed		Emergency Planning	EP	3/6/09	<a href="#">ML090650536</a>	6/18/09	<a href="#">ML091750107</a>
13.03-2	29	2087	Application Specific	Resolved/Closed		Emergency Planning	EP	3/6/09	<a href="#">ML090650536</a>	6/18/09	<a href="#">ML091750107</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 8

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
13.03-3	29	2087	Application Specific	Confirmatory Action Applicant		Emergency Planning	EP	3/6/09	<a href="#">ML090650536</a>	6/18/09	<a href="#">ML091750107</a>
13.03-4	29	2087	Application Specific	Confirmatory Action Applicant		Emergency Planning	EP	3/6/09	<a href="#">ML090650536</a>	6/18/09	<a href="#">ML091750107</a>
13.03-5	32	2312	Application Specific	Resolved/Closed		Emergency Planning	EP	4/17/09	<a href="#">ML091070271</a>	5/15/09	<a href="#">ML091390050</a>
13.03-6	35	2616	N/A	Resolved/Closed		Emergency Planning	EP	5/13/09	<a href="#">ML091330816</a>	6/26/09	<a href="#">ML091810095</a>
13.03-7	35	2616	N/A	Resolved/Closed		Emergency Planning	EP	5/13/09	<a href="#">ML091330816</a>	6/26/09	<a href="#">ML091810095</a>
13.06-1	41	3384	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-2	41	3384	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-3	41	3384	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-4	41	3384	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-5	41	3384	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-6	41	3384	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-7	41	3388	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-8	41	3388	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-9	41	3388	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-10	41	3391	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-11	41	3391	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-12	41	3394	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-13	41	3394	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-14	41	3395	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-15	41	3395	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-16	41	3396	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 9

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
13.06-17	41	3396	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-18	41	3403	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-19	41	3403	Application Specific	Confirmatory Action Applicant		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-20	41	3403	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	<a href="#">ML092600660</a>	10/16/09	<a href="#">ML092930143</a>
13.06-21	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	<a href="#">ML093000387</a>	11/20/09	<a href="#">ML093280907</a>
13.06-22	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	<a href="#">ML093000387</a>	11/20/09	<a href="#">ML093280907</a>
13.06-23	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	<a href="#">ML093000387</a>	11/20/09	<a href="#">ML093280907</a>
13.06-24	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	<a href="#">ML093000387</a>	11/20/09	<a href="#">ML093280907</a>
13.06-25	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	<a href="#">ML093000387</a>	11/20/09	<a href="#">ML093280907</a>
13.06-26	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	<a href="#">ML093000387</a>	11/20/09	<a href="#">ML093280907</a>
13.06-27	47	4140	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DS	2/4/10	<a href="#">ML100350179</a>		
13.06-28	47	4140	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DS	2/4/10	<a href="#">ML100350179</a>		
13.06-29	47	4140	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DS	2/4/10	<a href="#">ML100350179</a>		
13.06-30	47	4140	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DS	2/4/10	<a href="#">ML100350179</a>		
13.06-31	47	4140	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DS	2/4/10	<a href="#">ML100350179</a>		
13.06-32	47	4140	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DS	2/4/10	<a href="#">ML100350179</a>		
13.06-33	49	4213	SUNSI - Standard (for	Issued/Open Action Applicant		Physical Security	NSIR/DS	2/5/10			
13.06-34	49	4214	SUNSI - Standard (for	Issued/Open Action Applicant		Physical Security	NSIR/DR	2/5/10			
13.06-35	49	4216	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	2/5/10			
14.03.12-1	47	4141	Application Specific	Issued/Open Action Applicant		Physical Security Hardware - Inspections, Tests, Analyses, and Acceptance Criteria	NSIR/DS	2/4/10	<a href="#">ML100350179</a>		

3/14/2010 \*\*\* Status is not a final determination by NRC. 10

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
14.03.12-2	47	4141	Application Specific	Issued/Open Action Applicant		Physical Security Hardware - Inspections, Tests, Analyses, and Acceptance Criteria	NSIR/DS	2/4/10	<a href="#">ML100350179</a>		
14.03.12-3	47	4141	Application Specific	Issued/Open Action Applicant		Physical Security Hardware - Inspections, Tests, Analyses, and Acceptance Criteria	NSIR/DS	2/4/10	<a href="#">ML100350179</a>		
15.00.03-1	7	1260	Application Specific	Resolved/Closed		Design Basis Accidents Radiological Consequence Analyses for Advanced Light Water Reactors	RSAC	10/17/08	<a href="#">ml082910046</a>	11/14/08	<a href="#">ML083230221</a>
17.5-1	14	1486	Application Specific	Resolved/Closed		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	<a href="#">ML083300157</a>	12/17/08	<a href="#">ML083570594</a>
17.5-2	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	<a href="#">ML083300157</a>	12/17/08	<a href="#">ML083570594</a>
17.5-3	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	<a href="#">ML083300157</a>	12/17/08	<a href="#">ML083570594</a>
17.5-4	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	<a href="#">ML083300157</a>	12/17/08	<a href="#">ML083570594</a>
17.5-5	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	<a href="#">ML083300157</a>	12/17/08	<a href="#">ML083570594</a>
17.5-6	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	<a href="#">ML083300157</a>	12/17/08	<a href="#">ML083570594</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 11

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
17.5-7	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	<a href="#">ML083300157</a>	12/17/08	<a href="#">ML083570594</a>
17.5-8	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	<a href="#">ML083300157</a>	12/17/08	<a href="#">ML083570594</a>
19-1	20	1526	Application Specific	Question Closed/Issue Unresolved		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	12/17/08	<a href="#">ML083520028</a>	2/10/09	<a href="#">ML090490095</a>
19-2	20	1526	Application Specific	Confirmatory Action Applicant		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	12/17/08	<a href="#">ML083520028</a>	2/10/09	<a href="#">ML090490095</a>
19-3	33	2306	Application Specific	Confirmatory Action Applicant		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	<a href="#">ML091120011</a>	5/22/09	<a href="#">ML091470574</a>
19-4	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	<a href="#">ML091120011</a>	10/23/09	<a href="#">ML093010571</a>
19-5	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	<a href="#">ML091120011</a>	5/22/09	<a href="#">ML091470574</a>
19-6	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	<a href="#">ML091120011</a>	5/22/09	<a href="#">ML091470574</a>
19-7	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	<a href="#">ML091120011</a>	5/22/09	<a href="#">ML091470574</a>
19-8	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	<a href="#">ML091120011</a>	5/22/09	<a href="#">ML091470574</a>
19-9	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	<a href="#">ML091120011</a>	5/22/09	<a href="#">ML091470574</a>
19-11	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-12	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-13	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-14	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 12

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
19-15	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-16	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-17	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	2/5/10	<a href="#">ML100481268</a>
19-18	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-19	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-20	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-21	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-22	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-23	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-24	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-25	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-26	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-27	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-28	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-29	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-30	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-31	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-32	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 13

- Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
- Responded** -- The applicant has provided a response to the question.
- Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
- Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
- Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
- Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
19-33	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-34	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-35	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-36	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-38	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-39	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-40	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-41	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-42	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-43	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-44	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-45	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	2/5/10	<a href="#">ML100481268</a>
19-46	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-47	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-48	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-49	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-50	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-51	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 14

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
19-52	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-53	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-54	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-55	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-56	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-57	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-58	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-59	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-60	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-61	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-62	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-63	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-64	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-65	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-66	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	2/5/10	<a href="#">ML100481268</a>
19-67	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-68	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>
19-69	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	11/13/09	<a href="#">ML093210489</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 15

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

**Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026**

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
19-70	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	2/5/10	<a href="#">ML100481268</a>
19-71	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-72	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-73	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	2/5/10	<a href="#">ML100481268</a>
19-75	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-76	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-77	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-78	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-79	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	10/29/09	<a href="#">ML093070090</a>
19-80	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	<a href="#">ML092780120</a>	12/23/09	<a href="#">ML093630697</a>
19-10	40	3512	Application Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	9/30/09	<a href="#">ML092730351</a>	10/30/09	<a href="#">ML093070284</a>

3/14/2010 \*\*\* Status is not a final determination by NRC. 16

**Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.  
**Responded** -- The applicant has provided a response to the question.  
**Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).  
**Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.  
**Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.  
**Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.