



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
612 EAST LAMAR BLVD, SUITE 400
ARLINGTON, TEXAS 76011-4125

March 17, 2010

EA-10-004
EA-10-020

Mr. Matthew W. Sunseri, President and
Chief Executive Officer
Wolf Creek Nuclear Operating Corporation
P.O. Box 411
Burlington, KS 66839

SUBJECT: RESPONSE TO NOTICE OF VIOLATIONS AND NRC INSPECTION
REPORT 05000482/2009005

Dear Mr. Sunseri:

Thank you for your letter of March 11, 2010, in response to our February 11, 2010, letter and Notice of Violations regarding the failure to identify and correct leakage from the refueling water storage tank and to correctly translate the design basis into specifications, drawings and procedures to prevent the formation of voids in the reactor vessel head during shutdown operations. We have reviewed your reply and find it responsive to the concerns raised in our Notice of Violations. We will review the implementation of your corrective actions during a future inspection to determine that full compliance has been achieved and will be maintained.

Sincerely,

/RA/

Geoffrey Miller, Chief
Project Branch B
Division of Reactor Projects

Docket: 50-482
License: NPF-42

Matthew W. Sunseri, President and
Chief Executive Officer
Wolf Creek Nuclear Operating Corporation
P.O. Box 411
Burlington, KS 66839

Vice President Operations/Plant Manager
Wolf Creek Nuclear Operating Corporation
P.O. Box 411
Burlington, KS 66839

Jay Silberg, Esq.
Pillsbury Winthrop Shaw Pittman LLP
2300 N Street, NW
Washington, DC 20037

Supervisor Licensing
Wolf Creek Nuclear Operating Corporation
P.O. Box 411
Burlington, KS 66839

Chief Engineer
Utilities Division
Kansas Corporation Commission
1500 SW Arrowhead Road
Topeka, KS 66604-4027

Office of the Governor
State of Kansas
Topeka, KS 66612-1590

Attorney General
120 S.W. 10th Avenue, 2nd Floor
Topeka, KS 66612-1597

Chairman
Coffey County Courthouse
110 South 6th Street
Burlington, KS 66839

Chief, Radiation and Asbestos
Control Section
Bureau of Air and Radiation
Kansas Department of Health and
Environment
1000 SW Jackson, Suite 310
Topeka, KS 66612-1366

Chief, Technological Hazards

Branch

FEMA, Region VII

9221 Ward Parkway

Suite 300

Kansas City, MO 64114-3372

Electronic distribution by RIV:

Regional Administrator (Elmo.Collins@nrc.gov)
 Deputy Regional Administrator (Chuck.Casto@nrc.gov)
 DRP Director (Dwight.Chamberlain@nrc.gov)
 DRP Deputy Director (Anton.Vegel@nrc.gov)
 DRS Director (Roy.Caniano@nrc.gov)
 DRS Deputy Director (Troy.Pruett@nrc.gov)
 Senior Resident Inspector (Chris.Long@nrc.gov)
 Resident Inspector (Charles.Peabody@nrc.gov)
 Site Secretary (Shirley.Allen@nrc.gov)
 Branch Chief, DRP/B (Geoffrey.Miller@nrc.gov)
 Senior Project Engineer, DRP/B (Rick.Deese@nrc.gov)
 Public Affairs Officer (Victor.Dricks@nrc.gov)
 Public Affairs Officer (Lara.Uselding@nrc.gov)
 Team Leader, DRP/TSS (Chuck.Paulk@nrc.gov)
 RITS Coordinator (Marisa.Herrera@nrc.gov)
 Senior Enforcement Specialist (Ray.Kellar@nrc.gov)

File located: R:_REACTORS\WC\2010\WC NOV Acknowledgement Letter 03-17-10.doc
ML#100760439

SUNSI Rev Compl.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	ADAMS	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Reviewer Initials	GBM
Publicly Avail	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Sensitive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Sens. Type Initials	GBM
PE: DRP/B	C:DRP/B				
GTutak	GMiller				
/RA/	/RA/				
3/16/10	3/17/10				

OFFICIAL RECORD COPY

T=Telephone

E=E-mail

F=Fax