

RECEIVED

NRC FORM 313
(3-2009)
10 CFR 30, 32, 33,
34, 35, 36, 39, and 40

U.S. NUCLEAR REGULATORY COMMISSION

APPROVED BY OMB: NO. 3150-0120

EXPIRES: 3/31/2012

MAR 29 2010

APPLICATION FOR MATERIALS LICENSE

Estimated burden per response to comply with this mandatory collection request: 4.3 hours. Submittal of the application is necessary to determine that the applicant is qualified and that adequate procedures exist to protect the public health and safety. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects.resource@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0120), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

OFFICE OF FEDERAL & STATE MATERIALS AND ENVIRONMENTAL MANAGEMENT PROGRAMS
DIVISION OF MATERIALS SAFETY AND STATE AGREEMENTS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

ALABAMA, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, NORTH CAROLINA, PENNSYLVANIA, PUERTO RICO, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, VERMONT, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

LICENSING ASSISTANCE TEAM
DIVISION OF NUCLEAR MATERIALS SAFETY
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406-1415

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

MATERIALS LICENSING BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, IL 60532-4352

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MISSISSIPPI, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
612 E. LAMAR BOULEVARD, SUITE 400
ARLINGTON, TX 76011-4125

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

1. THIS IS AN APPLICATION FOR (Check appropriate item)

- A. NEW LICENSE 43-29389-01 030-38275
- B. AMENDMENT TO LICENSE NUMBER _____
- C. RENEWAL OF LICENSE NUMBER _____

2. NAME AND MAILING ADDRESS OF APPLICANT (Include ZIP code)

Epic Engineering, P.C.
50 East 100 South
Heber City, Utah 84032

3. ADDRESS WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

State of Idaho

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Korey Walker

TELEPHONE NUMBER

(435) 654-6600

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL
a. Element and mass number; b. chemical and/or physical form; and c. maximum amount which will be possessed at any one time.

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE.

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.

9. FACILITIES AND EQUIPMENT.

10. RADIATION SAFETY PROGRAM.

11. WASTE MANAGEMENT.

12. LICENSE FEES (See 10 CFR 170 and Section 170.31)

FEE CATEGORY 3.P. AMOUNT ENCLOSED \$ 1,400.00

13. CERTIFICATION. (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39, AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

CERTIFYING OFFICER -- TYPED/PRINTED NAME AND TITLE

SIGNATURE

DATE

Korey Walker, S.E. President

03/25/2010

FOR NRC USE ONLY

TYPE OF FEE FEE LOG FEE CATEGORY AMOUNT RECEIVED CHECK NUMBER COMMENTS

APPROVED BY

DATE

472654

ITEMS 5 AND 6: MATERIALS TO BE POSSESSED AND PROPOSED USES

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other Uses Not Listed on SSD Certificate
X		Cesium-137	Sealed source manufacturer or distributor and model number: <u>Troxler Series 3400</u> Device manufacturer or distributor and model number: <u>Troxler 3400 Series</u>	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input checked="" type="checkbox"/> Specific description of the gauge use: <u>To Measure Physical Properties of Materials</u>	<input checked="" type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use)
X		Americium-241	Sealed source manufacturer or distributor and model number: <u>Troxler 3400 Series</u> Device manufacturer or distributor and model number: <u>Troxler 3400 Series</u>	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input checked="" type="checkbox"/> Specific description of the gauge use: <u>To Measure Physical Properties of Materials</u>	<input checked="" type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use)

RENEWAL

UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY
DIVISION OF RADIATION CONTROL
RADIOACTIVE MATERIAL LICENSE

Pursuant to Utah Code Ann. Title 19, Chapter 3 and the Radiation Control Rules, Utah Administrative Code R313, and in reliance on statements and representations heretofore made by the licensee designated below, a license is hereby issued authorizing such licensee to transfer, receive, possess and use the radioactive material designated below; and to use such radioactive material for the purpose(s) and at the place(s) designated below. This licensee is subject to all applicable rules, and orders now or hereafter in effect and to any conditions specified below.

LICENSEE

- 1. Name Epic Engineering, P.C.) 3. License Number UT 2600414
- 2. Address 50 East 100 South) Amendment # 06
- Heber City, Utah 84032) *****
-) 4. Expiration Date
-) August 31, 2013
-) *****
-) 5. License Category - 3-1
-) In accordance with application dated
-) October 2, 2008 this license is
-) amended in its entirety.

- | | | |
|---|--|--|
| 6. Radioactive material (element and mass number) | 7. Chemical and/or physical form | 8. Maximum quantity licensee may possess at any one time |
| A. Cesium-137 | A. Sealed Source(s) registered pursuant to R313-22-210 or an equivalent U.S. Nuclear Regulatory Commission or Agreement State regulation | A. Not to exceed 333 megabecquerels (9 mCi) per source; 660 megabecquerels (180 mCi) total. |
| B. Americium-241 | B. Sealed Neutron Source(s) registered pursuant to R313-22-210 or an equivalent U.S. Nuclear Regulatory Commission or Agreement State regulation | B. Not to exceed 1.63 gigabecquerels (44 mCi) per source; 32.6 gigabecquerels (880 mCi) total. |

9. AUTHORIZED USE

- A. & B. Sealed source(s) contained in compatible portable gauging devices (registered pursuant to R313-22-210 or an equivalent U.S. Nuclear Regulatory Commission or Agreement State regulation) for measuring properties of materials.

UTAH DIVISION OF RADIATION CONTROL
RADIOACTIVE MATERIALS LICENSE
SUPPLEMENTARY SHEET

License # UT 2600414
Amendment # 06

CONDITIONS

10. Licensed material shall be stored only at 50 East 100 South, Heber City, Utah; 60 North 800 West, Vernal, Utah; and 3341 South 4000 West, West Valley City, Utah; and used at temporary job sites of the licensee anywhere in the State of Utah where the Division maintains jurisdiction.
11. The licensee shall comply with the provisions of R313-18, "Notices, Instructions and Reports to Workers, by Licensees or Registrants--Inspections," and R313-15, "Standards for Protection Against Radiation."
12. Licensed material shall be used by, or under the supervision and in the physical presence of, the Radiation Safety Officer or individuals who have been trained in the licensee's standard operating and emergency procedures and have satisfactorily completed at least one of the following:
 - A. The device manufacturer's training course for safe use and handling of portable gauging devices containing licensed material; or
 - B. A portable gauge training program conducted in accordance with the provisions of a specific license issued by the Executive Secretary, an Agreement State or U.S. Nuclear Regulatory Commission.
13. The Radiation Safety Officer for the activities authorized by this license is Mark Baronek.
14.
 - A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by equivalent regulations of an Agreement State.
 - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by equivalent regulations of an Agreement State prior to the transfer, a sealed source received from another person shall not be put into use until tested.
 - C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 3 years without being tested for leakage and/or contamination.
 - D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 μ Ci) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 μ Ci) or more of removable contamination, a report shall be filed with the Executive Secretary in accordance with R313-15-1208, and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Utah Radiation Control Rules. The report shall be filed within 5 days of the date the leak test result is known with the Division of Radiation Control, P.O.

**UTAH DIVISION OF RADIATION CONTROL
RADIOACTIVE MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License # UT 2600414
Amendment # 06

CONDITIONS

10. Licensed material shall be stored only at 50 East 100 South, Heber City, Utah; 60 North 800 West, Vernal, Utah; and 3341 South 4000 West, West Valley City, Utah; and used at temporary job sites of the licensee anywhere in the State of Utah where the Division maintains jurisdiction.
11. The licensee shall comply with the provisions of R313-18, "Notices, Instructions and Reports to Workers, by Licensees or Registrants--Inspections," and R313-15, "Standards for Protection Against Radiation."
12. Licensed material shall be used by, or under the supervision and in the physical presence of, the Radiation Safety Officer or individuals who have been trained in the licensee's standard operating and emergency procedures and have satisfactorily completed at least one of the following:
 - A. The device manufacturer's training course for safe use and handling of portable gauging devices containing licensed material; or
 - B. A portable gauge training program conducted in accordance with the provisions of a specific license issued by the Executive Secretary, an Agreement State or U.S. Nuclear Regulatory Commission.
13. The Radiation Safety Officer for the activities authorized by this license is Mark Baronek.
14.
 - A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by equivalent regulations of an Agreement State.
 - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by equivalent regulations of an Agreement State prior to the transfer, a sealed source received from another person shall not be put into use until tested.
 - C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 3 years without being tested for leakage and/or contamination.
 - D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 μ Ci) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 μ Ci) or more of removable contamination, a report shall be filed with the Executive Secretary in accordance with R313-15-1208, and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Utah Radiation Control Rules. The report shall be filed within 5 days of the date the leak test result is known with the Division of Radiation Control, P.O.

**UTAH DIVISION OF RADIATION CONTROL
RADIOACTIVE MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License # UT 2600414
Amendment # 06

Box 144850, Salt Lake City, Utah 84114-4850. The report shall specify the source involved, the test results, and corrective action taken.

- E. The licensee is authorized to collect leak test samples, but not perform the analysis. Analysis of leak test samples must be performed by persons specifically licensed by the Executive Secretary, the U.S. Nuclear Regulatory Commission, or an Agreement State to perform such services. Alternatively, tests for leakage and/or contamination, including sample collection and analysis, may be performed by other persons specifically licensed by the Executive Secretary, the U.S. Nuclear Regulatory Commission, or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of becquerels or microcuries and shall be maintained for inspection by representatives of the Executive Secretary.
15. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically licensed by the Executive Secretary, an Agreement State, or the U.S. Nuclear Regulatory Commission to perform such service.
16. The licensee shall conduct a physical inventory every six months to account for all devices received and possessed under the license. The records of the inventories shall be maintained for three years from the date of the inventory for inspection by the Division, and shall include the quantities and kinds of radioactive material, manufacturer's name and model numbers, location of the devices, and the date of the inventory.
17. Each portable gauging device shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage or when not under the direct surveillance of an authorized user.
18. A. The licensee shall perform any cleaning or routine maintenance of a portable gauging device in accordance with manufacturer's recommendations and instructions. Routine maintenance is maintenance that does not require the source or source rod to be detached from the gauge.
- B. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the Executive Secretary, an Agreement State, or the U.S. Nuclear Regulatory Commission to perform such services.
19. The licensee may only transport licensed material or deliver licensed material to a carrier for transport in accordance with the provisions of R313-19-100 "Transportation."

**UTAH DIVISION OF RADIATION CONTROL
RADIOACTIVE MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License # UT 2600414
Amendment # 06

20. The licensee shall notify the Executive Secretary in writing when the licensee decides to permanently discontinue activities involving materials authorized under the license and shall report the disposition of licensed material to the Executive Secretary.
21. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in R313-22-35(4) for establishing decommissioning financial assurance.
22. Except as specifically provided otherwise by this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Utah Radiation Control Rules shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the rules.
 - A. Application dated October 2, 2008 [LA # 340-2008]
 - B. Letter dated October 28, 2008 [LA # 340-2008]

UTAH RADIATION CONTROL BOARD

Date

November 25, 2008

Dane L. Finerfrock
Dane L. Finerfrock, Executive Secretary

**UTAH DIVISION OF RADIATION CONTROL
RADIOACTIVE MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License # UT 2600414
Amendment # 06

20. The licensee shall notify the Executive Secretary in writing when the licensee decides to permanently discontinue activities involving materials authorized under the license and shall report the disposition of licensed material to the Executive Secretary.
21. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in R313-22-35(4) for establishing decommissioning financial assurance.
22. Except as specifically provided otherwise by this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Utah Radiation Control Rules shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the rules.
 - A. Application dated October 2, 2008 [LA # 340-2008]
 - B. Letter dated October 28, 2008 [LA # 340-2008]

UTAH RADIATION CONTROL BOARD

November 25, 2008
Date

Dane L. Finerfrock
Dane L. Finerfrock, Executive Secretary

APPENDIX B

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other Uses Not Listed on SSD Certificate
	X	Californium-252	Sealed source manufacturer or distributor and model number: <hr/> Device manufacturer or distributor and model number: <hr/>	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input type="checkbox"/> Specific description of the gauge use: <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>	<input checked="" type="checkbox"/> Not applicable <hr/> <input type="checkbox"/> Uses are: <hr/> (Submit safety analysis supporting safe use)
	X	Other Isotope (Specify):	Sealed source manufacturer or distributor and model number: <hr/> Device manufacturer or distributor and model number: <hr/>	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input type="checkbox"/> Specific description of the gauge use: <hr/>	<input checked="" type="checkbox"/> Not applicable <hr/> <input type="checkbox"/> Uses are: <hr/> (Submit safety analysis supporting safe use)
<i>Financial Assurance Required and Evidence of Financial Assurance Provided</i>						

ITEMS 7 THROUGH 11: TRAINING AND EXPERIENCE, FACILITIES AND EQUIPMENT, RADIATION SAFETY PROGRAM, AND WASTE DISPOSAL

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
<p>7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE – RADIATION SAFETY OFFICER</p> <p>Name: <i>Korey Walker</i></p>	<p>Before obtaining licensed materials, the proposed RSO will have successfully completed one of the training courses described in Criteria in the section entitled "Individual(s) Responsible for Radiation Safety Program and Their Training and Experience – Radiation Safety Officer" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.</p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p>8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS</p>	<p>Before using licensed materials, authorized users will have successfully completed one of the training course described in Criteria in the section entitled "Training for Individuals Working In or Frequenting Restricted Areas" in NUREG-1556, Vol. 1, Rev 1, dated November 2001.</p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p>9. FACILITIES AND EQUIPMENT</p>	<p>No information needs to be submitted in response to this item; key issues are addressed under "Radiation Safety Program – Public Dose" and "Radiation Safety Program – Operating and Emergency Procedures."</p>	<p>Separate Item 9 Response Need Not Be Submitted With Application</p>	
<p>10. RADIATION SAFETY PROGRAM – AUDIT PROGRAM</p>	<p>The applicant is <i>not</i> required to, and should not, submit its audit program to NRC for review during the licensing phase.</p>	<p>Need Not Be Submitted With Application</p>	
<p>10. RADIATION SAFETY PROGRAM – TERMINATION OF ACTIVITIES</p>	<p>The applicant is <i>not</i> required to submit a response to the termination of activities section during the initial application. However, when the license expires when the licensee ceases operation, NRC Form 314 must be submitted.</p>	<p>Need Not Be Submitted With Application</p>	
<p>10. RADIATION SAFETY PROGRAM – SURVEY INSTRUMENTS</p>	<p>We will either possess and use, or have access to and use, a radiation survey meter that meets the Criteria in the section entitled "Radiation Safety Program – Instruments" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.</p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

APPENDIX B

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
10. RADIATION SAFETY PROGRAM – MATERIAL RECEIPT AND ACCOUNTABILITY	Physical inventories will be conducted at intervals not to exceed 6 months, to account for all sealed sources and devices received and possessed under the license.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM – OCCUPATIONAL DOSIMETRY	Either we will maintain, for inspection by NRC, documentation demonstrating that unmonitored individuals are not likely to receive a radiation dose in excess of 10 percent of the allowable limits in 10 CFR Part 20, or we will provide dosimetry processed and evaluated by an NVLAP-approved processor that is exchanged at a frequency recommended by the processor.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM – PUBLIC DOSE	The applicant is <i>not</i> required to submit a response to the public dose section during the licensing phase. This matter will be examined during an inspection.	Need Not Be Submitted With Application	
10. RADIATION SAFETY PROGRAM – OPERATING AND EMERGENCY PROCEDURES	<p>We will implement and maintain the operating and emergency procedures in Appendix H of NUREG-1556, Vol. 1, Rev. 1, dated November 2001, and provide copies of these procedures to all gauge users and at each job site.</p> <p style="text-align: center;">OR</p> <p>Operating and emergency procedures will be developed, implemented, and maintained and will meet the criteria in the section entitled “Radiation Safety Program – Operating and Emergency Procedures” in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.</p>	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM – LEAK TEST	Leak tests will be performed at intervals approved by NRC or an Agreement State and specified in the Sealed Source and Device Registration Sheet. Leak tests will be performed by an organization authorized by NRC or an Agreement State to provide leak testing services for other licensees or using a leak test kit supplied by an organization authorized by NRC or an Agreement State to provide leak test kits to other licensees and according to the kit supplier’s instructions.	<input checked="" type="checkbox"/>	<input type="checkbox"/> The information in Appendix J supporting a request to perform leak testing and sample analysis is attached.

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
10. RADIATION SAFETY PROGRAM – MAINTENANCE	<p><i>Routine Cleaning and Lubrication</i></p> <p>We will implement and maintain procedures for routine maintenance of our gauges according to each manufacturer's recommendations and instructions.</p> <p><i>Non-Routine Maintenance</i></p> <p>We will send the gauge to the manufacturer or other person authorized by NRC or an Agreement State to perform non-routine maintenance or repair operations that require the removal of the source or source rod from the gauge.</p>	<p><input checked="" type="checkbox"/></p> <p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p>The information listed in Appendix G supporting a request to perform non-routine maintenance in-house is attached.</p>
10. RADIATION SAFETY PROGRAM – TRANSPORTATION	<p>The applicant is <i>not</i> required to submit its response to transportation during the licensing process. However, this issue will be reviewed during inspection.</p>		<p>Need Not Be Submitted With Application</p>
11. WASTE MANAGEMENT – GAUGE DISPOSAL AND TRANSFER	<p>The applicant is <i>not</i> required to submit a response to waste management during the licensing process. However, the licensee should develop, implement, and maintain gauge transfer and disposal procedures in its radiation protection program.</p>		<p>Need Not Be Submitted With Application</p>

BETWEEN: : (FOR LFMS USE)
 : INFORMATION FROM LTS
 : -----
 License Fee Management Branch, ARM : Program Code: 03121
 and : Status Code: 3
 Regional Licensing Sections : Fee Category: _____
 : Exp. Date: 0 _____
 : Fee Comments: _____
 : Decom Fin Assur Req'd: _____
 :

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED
 Applicant/Licensee: EPIC ENGINEERING, P.C.
 Received Date: 20100329
 Docket No: 3038275
 Control No.: 472654
 License No.:
 Action Type: New Licensee

2. FEE ATTACHED
 Amount: \$ 1400.00
 Check No.: 4320

3. COMMENTS

Signed *Debbie Murchan*
 Date 3-30-2010

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /_/)

1. Fee Category and Amount: _____
2. Correct Fee Paid. Application may be processed for:
 Amendment _____
 Renewal _____
 License _____
3. OTHER _____

Signed _____
 Date _____