

PMVogtleCOLPEm Resource

From: Joshi, Ravindra
Sent: Monday, March 29, 2010 12:19 PM
To: 'Amy Aughtman'; 'Bob Hirmanpour'; 'Eddie Grant'; 'Neil Haggerty'; 'Richard Grumbir'; 'Wes Sparkman'
Cc: Anderson, Brian; Comar, Manny; McGovern, Denise; Habib, Donald; Haggerty, Sharon; Hughes, Brian; Sebrosky, Joseph; Simms, Tanya; Goetz, Sujata; Spicher, Terri; VogtleCOL Resource; Galletta, Thomas; Cruz, Jeffrey
Subject: RE: Vogtle RAI data for Tuesday's call, 3/30/2010
Attachments: Vogtle RAI Data 3-29.xlsx; Vogtle e-RAI Public Report 3-29.pdf; Vogtle RAI letter index.doc

To All,

Attached is the Vogtle RAI data for Tuesday's call. **(NOTE the call starts at 08:30 am)**

Ravi Joshi
301-415-6191

Hearing Identifier: Vogtle_COL_Public
Email Number: 453

Mail Envelope Properties (BBC4D3C29CD0E64E9FD6CE1AF26D84D5264901BDA1)

Subject: RE: Vogtle RAI data for Tuesday's call, 3/30/2010
Sent Date: 3/29/2010 12:18:31 PM
Received Date: 3/29/2010 12:18:37 PM
From: Joshi, Ravindra

Created By: Ravindra.Joshi@nrc.gov

Recipients:

"Anderson, Brian" <Brian.Anderson@nrc.gov>
Tracking Status: None
"Comar, Manny" <Manny.Comar@nrc.gov>
Tracking Status: None
"McGovern, Denise" <Denise.McGovern@nrc.gov>
Tracking Status: None
"Habib, Donald" <Donald.Habib@nrc.gov>
Tracking Status: None
"Haggerty, Sharon" <Sharon.Haggerty@nrc.gov>
Tracking Status: None
"Hughes, Brian" <Brian.Hughes@nrc.gov>
Tracking Status: None
"Sebrosky, Joseph" <Joseph.Sebrosky@nrc.gov>
Tracking Status: None
"Simms, Tanya" <Tanya.Simms@nrc.gov>
Tracking Status: None
"Goetz, Sujata" <Sujata.Goetz@nrc.gov>
Tracking Status: None
"Spicher, Terri" <Terri.Spicher@nrc.gov>
Tracking Status: None
"VogtleCOL Resource" <VogtleCOL.Resource@nrc.gov>
Tracking Status: None
"Galletta, Thomas" <Thomas.Galletta@nrc.gov>
Tracking Status: None
"Cruz, Jeffrey" <Jeffrey.Cruz@nrc.gov>
Tracking Status: None
"Amy Aughtman" <agaughtm@southernco.com>
Tracking Status: None
"Bob Hirmanpour" <bobhirman@live.com>
Tracking Status: None
"Eddie Grant" <erg-xl@cox.net>
Tracking Status: None
"Neil Haggerty" <neilhaggerty@comcast.net>
Tracking Status: None
"Richard Grumbir" <rgrumbir@gmail.com>
Tracking Status: None
"Wes Sparkman" <wasparkm@southernco.com>
Tracking Status: None

Post Office: HQCLSTR01.nrc.gov

Files	Size	Date & Time
MESSAGE	144	3/29/2010 12:18:37 PM
Vogtle RAI Data 3-29.xlsx		20022
Vogtle e-RAI Public Report 3-29.pdf		128504
Vogtle RAI letter index.doc		105466

Options

Priority:	Standard
Return Notification:	No
Reply Requested:	No
Sensitivity:	Normal
Expiration Date:	
Recipients Received:	

Vogtle Units 3 and 4

ID	Branch	SRP	Status
RAI 2091	Hydrologic Engineering Branch (RHEB)	01 - Introduction and Interfaces	In Evaluation
RAI 3090	AP1000 Projects Branch 1 (NWE1)	01 - Introduction and Interfaces	In Evaluation
RAI 933	Siting and Accident Conseq Branch (RSAC)	02.02.03 - Evaluation of Potential Accidents	In Evaluation
RAI 539	Siting and Accident Conseq Branch (RSAC)	02.03.01 - Regional Climatology	In Evaluation
RAI 1432	Siting and Accident Conseq Branch (RSAC)	02.03.01 - Regional Climatology	In Evaluation
RAI 541	Siting and Accident Conseq Branch (RSAC)	02.03.04 - Short Term Atmospheric Dispersion Estimates for Accident Releases	In Evaluation
RAI 543	Siting and Accident Conseq Branch (RSAC)	02.03.05 - Long-Term Atmospheric Dispersion Estimates for Routine Releases	In Evaluation
RAI 1433	Siting and Accident Conseq Branch (RSAC)	02.03.05 - Long-Term Atmospheric Dispersion Estimates for Routine Releases	In Evaluation
RAI 2057	Hydrologic Engineering Branch (RHEB)	02.04.02 - Floods	In Evaluation
RAI 2300	Hydrologic Engineering Branch (RHEB)	02.04.02 - Floods	In Evaluation
RAI 1531	Health Physics Branch (CHPB)	02.04.13 - Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	In Evaluation
RAI 1453	Geosciences and Geotechnical Engineering Branch 2 (RGS2)	02.05.04 - Stability of Subsurface Materials and Foundations	In Evaluation
RAI 2171	Geosciences and Geotechnical Engineering Branch 1 (RGS1)	02.05.04 - Stability of Subsurface Materials and Foundations	In Evaluation
RAI 3381	Geosciences and Geotechnical Engineering Branch 2 (RGS2)	02.05.04 - Stability of Subsurface Materials and Foundations	In Evaluation
RAI 1615	Structural Engineering Branch 1 (AP1000/EPR Projects) (SEB1)	03.07.02 - Seismic System Analysis	In Evaluation
RAI 2653	Structural Engineering Branch 1 (AP1000/EPR Projects) (SEB1)	03.07.02 - Seismic System Analysis	In Evaluation
RAI 1854	Structural Engineering Branch 1 (AP1000/EPR Projects) (SEB1)	03.08.04 - Other Seismic Category I Structures	In Evaluation
RAI 3380	Engineering Mechanics Branch 1 (AP1000/EPR Projects) (EMB1)	03.12 - ASME Code Class 1, 2, and 3 Piping Systems and Piping Components and Their Associated Supports	In Evaluation
RAI 1351	Containment and Ventilation Branch 1 (AP1000/EPR Projects) (SPCV)	06.04 - Control Room Habitability System	In Evaluation
RAI 4281	Containment and Ventilation Branch 1 (AP1000/EPR Projects) (SPCV)	06.04 - Control Room Habitability System	In Evaluation

RAI 1444	Instrumentation, Controls and Electrical Engineering 1 (AP1000/EPR Projects) (ICE1)	07.05 - Information Systems Important to Safety	In Evaluation
RAI 1596	Electrical Engineering Branch (EEB)	08.02 - Offsite Power System	In Evaluation
RAI 2339	Electrical Engineering Branch (EEB)	08.02 - Offsite Power System	In Evaluation
RAI 3335	Electrical Engineering Branch (EEB)	08.02 - Offsite Power System	In Evaluation
RAI 4067	Electrical Engineering Branch (EEB)	08.02 - Offsite Power System	In Evaluation
RAI 4525	Electrical Engineering Branch (EEB)	08.02 - Offsite Power System	Issued/Waiting for Response
RAI 1247	Balance of Plant Branch 1 (AP1000/EPR Projects) (SBPA)	09.02.01 - Station Service Water System	In Evaluation
RAI 1931	Balance of Plant Branch 1 (AP1000/EPR Projects) (SBPA)	09.02.01 - Station Service Water System	In Evaluation
RAI 1242	Balance of Plant Branch 1 (AP1000/EPR Projects) (SBPA)	09.02.02 - Reactor Auxiliary Cooling Water Systems	In Evaluation
RAI 1241	Balance of Plant Branch 1 (AP1000/EPR Projects) (SBPA)	09.02.05 - Ultimate Heat Sink	In Evaluation
RAI 4497	Balance of Plant Branch 1 (AP1000/EPR Projects) (SBPA)	09.03.03 - Equipment and Floor Drainage System	Issued/Waiting for Response
RAI 1396	Fire Protection Team (SFPT)	09.05.01 - Fire Protection Program	In Evaluation
RAI 1400	Fire Protection Team (SFPT)	09.05.01 - Fire Protection Program	In Evaluation
RAI 1211	Instrumentation, Controls and Electrical Engineering 1 (AP1000/EPR Projects) (ICE1)	09.05.02 - Communications Systems	In Evaluation
RAI 1527	Health Physics Branch (CHPB)	11.02 - Liquid Waste Management System	In Evaluation
RAI 1528	Health Physics Branch (CHPB)	11.03 - Gaseous Waste Management System	In Evaluation
RAI 3463	Health Physics Branch (CHPB)	11.04 - Solid Waste Management System	In Evaluation
RAI 3464	Health Physics Branch (CHPB)	11.04 - Solid Waste Management System	In Evaluation
RAI 1748	Health Physics Branch (CHPB)	12.03-12.04 - Radiation Protection Design Features	In Evaluation
RAI 1751	Health Physics Branch (CHPB)	12.03-12.04 - Radiation Protection Design Features	In Evaluation
RAI 1752	Health Physics Branch (CHPB)	12.03-12.04 - Radiation Protection Design Features	In Evaluation
RAI 1721	Operating Licensing and Human Performance Branch (AP1000/EPR Projects) (COLP)	13.01.01 - Management and Technical Support Organization	In Evaluation
RAI 1722	Operating Licensing and Human Performance Branch (AP1000/EPR Projects) (COLP)	13.01.02-13.01.03 - Operating Organization	In Evaluation
RAI 2087	Licensing and Inspection Branch (NSIR/DPR/LIB) (EP)	13.03 - Emergency Planning	In Evaluation

RAI 2312	Licensing and Inspection Branch (NSIR/DPR/LIB) (EP)	13.03 - Emergency Planning	In Evaluation
RAI 2616	Licensing and Inspection Branch (NSIR/DPR/LIB) (EP)	13.03 - Emergency Planning	In Evaluation
RAI 3384	Reactor Security and Programs Branch (NSIR/DRP/RSPLB)	13.06 - Physical Security	In Evaluation
RAI 3388	Reactor Security and Programs Branch (NSIR/DRP/RSPLB)	13.06 - Physical Security	In Evaluation
RAI 3391	Reactor Security and Programs Branch (NSIR/DRP/RSPLB)	13.06 - Physical Security	In Evaluation
RAI 3394	Reactor Security and Programs Branch (NSIR/DRP/RSPLB)	13.06 - Physical Security	In Evaluation
RAI 3395	Reactor Security and Programs Branch (NSIR/DRP/RSPLB)	13.06 - Physical Security	In Evaluation
RAI 3396	Reactor Security and Programs Branch (NSIR/DRP/RSPLB)	13.06 - Physical Security	In Evaluation
RAI 3403	Reactor Security and Programs Branch (NSIR/DRP/RSPLB)	13.06 - Physical Security	In Evaluation
RAI 3682	Integrated Security Coordination and Policy Branch (NSIR/DSP/ISCPB)	13.06 - Physical Security	In Evaluation
RAI 4140	Reactor Security Rulemaking and Licensing Branch (NSIR/DSP/RSRLB)	13.06 - Physical Security	In Evaluation
RAI 4142	Reactor Security Rulemaking and Licensing Branch (NSIR/DSP/RSRLB)	13.06 - Physical Security	In Final Review
RAI 4213	Integrated Security Coordination and Policy Branch (NSIR/DSP/ISCPB)	13.06 - Physical Security	In Evaluation
RAI 4214	Reactor Security and Programs Branch (NSIR/DRP/RSPLB)	13.06 - Physical Security	In Evaluation
RAI 4216	Reactor Security and Programs Branch (NSIR/DRP/RSPLB)	13.06 - Physical Security	In Evaluation
RAI 4466	Integrated Security Coordination and Policy Branch (NSIR/DSP/ISCPB)	13.06.06 - Cyber Security (Future SRP Section)	Issued/Waiting for Response
RAI 4141	Reactor Security Rulemaking and Licensing Branch (NSIR/DSP/RSRLB)	14.03.12 - Physical Security Hardware - Inspections, Tests, Analyses, and Acceptance Criteria	In Evaluation
RAI 1260	Siting and Accident Conseq Branch (RSAC)	15.00.03 - Design Basis Accidents Radiological Consequence Analyses for Advanced Light Water Reactors	In Evaluation

RAI 1486	Quality and Vendor Branch 1 (AP1000/EPR Projects) (CQVP)	17.5 - Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	In Evaluation
RAI 1526	PRA Licensing, Operations Support and Maintenance Branch 1 (AP1000/EPR Projects) (SPLA)	19 - Probabilistic Risk Assessment and Severe Accident Evaluation	In Evaluation
RAI 2306	PRA Licensing, Operations Support and Maintenance Branch 1 (AP1000/EPR Projects) (SPLA)	19 - Probabilistic Risk Assessment and Severe Accident Evaluation	In Evaluation
RAI 3409	PRA Licensing, Operations Support and Maintenance Branch 2 (ESBWR/ABWR Projects) (SPLB)	19 - Probabilistic Risk Assessment and Severe Accident Evaluation	In Evaluation
RAI 3512	PRA Licensing, Operations Support and Maintenance Branch 1 (AP1000/EPR Projects) (SPLA)	19 - Probabilistic Risk Assessment and Severe Accident Evaluation	In Evaluation
RAI 4459	PRA Licensing, Operations Support and Maintenance Branch 1 (AP1000/EPR Projects) (SPLA)	19 - Probabilistic Risk Assessment and Severe Accident Evaluation	In Final Review
RAI 4543	PRA Licensing, Operations Support and Maintenance Branch 1 (AP1000/EPR Projects) (SPLA)	19 - Probabilistic Risk Assessment and Severe Accident Evaluation	In OGC Review

eRAI Public Report for Web Site (Vogtle)



Application Title: Bellefonte Units 3 and 4 - Dockets 52-014 and 52-015

Question No	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
01-11	142	1425	Std. Design	Confirmatory Action Applicant	SER Open Item 1.4-2	Introduction and Interfaces	NWE1	12/16/08	ML083510576	9/21/09	ML092660091
01-17	162	2566	Std. Design	Responded	SER Open Item 1.5-1	Introduction and Interfaces	NWE1	6/24/09	ML091750079	7/29/09	ML092120064
01-18	162	2610	Std. Design	Responded	SER Open Item 1-1	Introduction and Interfaces	NWE1	6/24/09	ML091750079	7/29/09	ML092120064
01-19	162	2640	Std. Design	Responded	SER Open Item 1-2	Introduction and Interfaces	NWE1	6/24/09	ML091750079	7/29/09	ML092120064
01-15	162	2997	Std. Design	Responded	SER Open Item 1.4-3	Introduction and Interfaces	NWE1	6/24/09	ML091750079	7/29/09	ML092120064
01-16	162	2997	Std. Design	Confirmatory Action Applicant	SER Open Item 1.4-4	Introduction and Interfaces	NWE1	6/24/09	ML091750079	7/29/09	ML092120064
01-20	0	3740	Std. Design	Responded	Confirmatory Item 1.4-2	Introduction and Interfaces	NWE1	9/11/09	ML090900401	7/29/09	ml092120064
02.02.03-10	137	1550	Std. Design	Question Closed/Issue Unresolved	SER Open Item 2.2.3-2	Evaluation of Potential Accidents	RSAC	11/18/08	ML083230896	10/20/09	ML092990266
03.06.02-1	114	569	Std. Design	Question Closed/Issue Unresolved	SER Open Item 3.6-1	Determination of Rupture Locations and Dynamic Effects Associated with the Postulated Rupture of Piping	EMB2	8/7/08	ML082200726	8/21/08	ML082380868
03.09.06-11	7	110	Std. Design	Responded	SER Open Item 3.9-4	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	ML081200506	3/1/10	ML100620826
03.09.06-14	7	110	Std. Design	Question Closed/Issue Unresolved	SER Open Item 3.9-5	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	ML081200506	1/12/10	ML100141734

3/29/2010 *** Status is not a final determination by NRC.

- Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
- Responded** -- The applicant has provided a response to the question.
- Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
- Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
- Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
- Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Bellefonte Units 3 and 4 - Dockets 52-014 and 52-015

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
03.09.06-16	7	110	Std. Design	Question Closed/Issue Unresolved	SER Open Item 3.9-6	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	ML081200506	12/14/09	ML093491035
03.09.06-2	7	110	Std. Design	Question Closed/Issue Unresolved	SER Open Item 3.9-1	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	ML081200506	12/14/09	ML093491035
03.09.06-8	7	110	Std. Design	Responded	SER Open Item 3.9-2	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	ML081200506	3/1/10	ML100620826
03.09.06-9	7	110	Std. Design	Responded	SER Open Item 3.9-3	Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB1	4/28/08	ML081200506	3/1/10	ML100620826
03.10-1	111	653	Std. Design	Responded	SER Open Item 3.10-1	Seismic and Dynamic Qualification of Mechanical and Electrical Equipment	EMB2	8/7/08	ML082200569	2/5/10	ML100480513
03.11-1	48	198	Std. Design	Question Closed/Issue Unresolved	SER Open Item 3.11-1	Environmental Qualification of Mechanical and Electrical Equipment	CIB1	6/20/08	ML081720308	12/14/09	ML093491035
04.04-1	0	3849	Std. Design	Responded	Confirmatory Item 4.4-1	Thermal and Hydraulic Design	NWE1	10/7/09	ML000000000	1/8/10	ML100120291
05.02.04-5	74	177	Std. Design	Resolved/Closed	Confirmatory Item 5.2-1	Reactor Coolant Pressure Boundary Inservice Inspection and Testing	CIB1	7/16/08	ML081980777	8/24/09	ML092390080
05.03.01-1	2	139	Std. Design	Resolved/Closed	Confirmatory Item 5.3-1	Reactor Vessel Materials	CIB1	4/17/08	ML081080069	8/24/09	ML092390080
06.01.02-2	170	4337	Std. Design	Responded	SER Open Item 6.1.2-1	Protective Coating Systems (Paints) - Organic Materials	CIB1	2/17/10	ML100490030	3/4/10	ML100640639
06.01.02-1	1	148	Std. Design	Question Closed/Issue Unresolved	SER Open Item 6.1.2-1	Protective Coating Systems (Paints) - Organic Materials	CIB1	4/14/08	ML080990812	5/23/08	ML081490154
06.02.02-1	30	326	Std. Design	Confirmatory Action Applicant	Confirmatory Item 6.3-1	Containment Heat Removal Systems	SPCV	6/6/08	ML081580010	6/9/09	ML091610555

3/29/2010 *** Status is not a final determination by NRC. 2

- Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
- Responded** -- The applicant has provided a response to the question.
- Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
- Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
- Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
- Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Bellefonte Units 3 and 4 - Dockets 52-014 and 52-015

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
06.04-7	168	3950	Std. Design	Responded	SER Open Item 6.4-2	Control Room Habitability System	SPCV	12/14/09	ML093480250	1/5/10	ML100280941
06.04-8	169	4184	Std. Design	Issued/Open Action Applicant	SER Open Item 6.4-1	Control Room Habitability System	SPCV	1/7/10	ML100070448		
08.02-10	151	2108	Std. Design	Resolved/Closed	Confirmatory Item 8.2-1	Offsite Power System	EEB	3/11/09	ML090700362	4/23/09	ML091170077
08.03.01-1	138	1575	Std. Design	Resolved/Closed	Confirmatory Item 8.3.1-1	AC Power Systems (Onsite)	EEB	11/18/08	ML08230706	1/2/09	ML090080183
08.03.01-2	149	1934	Std. Design	Resolved/Closed	Confirmatory Item 8.3.2-1	AC Power Systems (Onsite)	EEB	3/3/09	ML090620447	4/6/09	ML090980343
09.01.02-1	165	3571	Std. Design	Responded	SER Open Item 9.1-1	New and Spent Fuel Storage	CIB1	8/21/09	ML092330617	12/30/09	ML100040142
09.01.02-2	167	3829	Std. Design	Question Closed/Issue Unresolved	SER Open Item 9.1-1	New and Spent Fuel Storage	CIB1	10/13/09	ML093451224	1/5/10	ML100280940
09.01.04-1	84	290	Std. Design	Responded	SER Open Item 9.1-2	Light Load Handling System (Related to Refueling)	SBPB	7/21/08	ML082030667	12/30/09	ML100040142
09.01.05-1	61	291	Std. Design	Responded	SER Open Item 9.1-3	Overhead Heavy Load Handling Systems	SBPB	7/2/08	ML081840267	12/30/09	ML100040142
09.01.05-2	61	291	Std. Design	Responded	SER Open Item 9.1-4	Overhead Heavy Load Handling Systems	SBPB	7/2/08	ML081840267	12/30/09	ML100040142
09.02.01-9	0	4109	Std. Design	Responded	SER Open Item 9.2-2	Station Service Water System	SBPA	12/4/09	ML091120420	12/30/09	ML100040142
09.05.01-16	128	1289	Std. Design	Confirmatory Action Applicant	Confirmatory Item 9.5-1	Fire Protection Program	SFPT	10/7/08	ML082810021	11/20/08	ML083290334
10.03.06-1	18	169	Std. Design	Responded	SER Open Item 10.1-1	Steam and Feedwater System Materials	CIB1	5/13/08	ML081340606	7/16/09	ML092010091
10.03.06-2	18	169	Std. Design	Responded	Confirmatory Item 10.1-1	Steam and Feedwater System Materials	CIB1	5/13/08	ML081340606	9/9/09	ML092530695
12.01-2	164	3282	Std. Design	Responded	SER Open Item 12.1-1	Assuring that Occupational Radiation Exposures Are As Low as is Reasonably Achievable	CHPB	7/1/09	MI091820094	10/30/09	ML093070283
12.01-1	999	3941	Std. Design	Confirmatory Action Applicant	Confirmatory Item 12.1-1	Assuring that Occupational Radiation Exposures Are As Low as is Reasonably Achievable	NWE1	10/27/09	999	10/16/09	ML092930120

3/29/2010 *** Status is not a final determination by NRC. 3

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Bellefonte Units 3 and 4 - Dockets 52-014 and 52-015

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
12.03-12.04-6	161	2753	Std. Design	Responded	SER Open Item 12.4-1	Radiation Protection Design Features	CHPB	6/17/09	ML091680006	7/16/09	ML092010089
12.03-12.04-1	109	613	Std. Design	Responded	Confirmatory Item 12.3-1	Radiation Protection Design Features	CHPB	8/7/08	ML082200591	7/16/09	ML092010089
12.03-12.04-2	109	863	Std. Design	Responded	SER Open Item 12.3-1	Radiation Protection Design Features	CHPB	8/7/08	ML082200591	10/30/09	ML093070283
12.03-12.04-3	109	863	Std. Design	Responded	SER Open Item 12.3-1	Radiation Protection Design Features	CHPB	8/7/08	ML082200591	7/16/09	ML092010089
12.05-2	109	866	Std. Design	Confirmatory Action Applicant	Confirmatory Item 12.5-1	Operational Radiation Protection Program	CHPB	8/7/08	ML082200591	12/16/08	ML083530554
14.02-5	21	101	Std. Design	Confirmatory Action Applicant	Confirmatory Item 14.2-2	Initial Plant Test Program - Design Certification and New License Applicants	CQVP	5/15/08	ML081360305	6/26/08	ML081790813
14.02-6	21	101	Std. Design	Confirmatory Action Applicant	Confirmatory Item 14.2-2	Initial Plant Test Program - Design Certification and New License Applicants	CQVP	5/15/08	ML081360305	6/26/08	ML081790813
14.02-12	139	1681	Std. Design	Confirmatory Action Applicant	Confirmatory Item 14.2-1,3-10,12	Initial Plant Test Program - Design Certification and New License Applicants	CQVP	12/8/08	ML083430755	3/26/09	ML090900181
14.02-13	0	3455	Std. Design	Responded	SER Open Item 14.2-1	Initial Plant Test Program - Design Certification and New License Applicants	NWE1	8/4/09			
14.02-14	0	3456	Std. Design	Responded	SER Open Item 14.2-2	Initial Plant Test Program - Design Certification and New License Applicants	NWE1	8/4/09			
14.03-1	27	171	Std. Design	Confirmatory Action Applicant	Confirmatory Item 8.2A-1	Inspections, Tests, Analyses, and Acceptance Criteria	EEB	5/28/08	ML081490339	5/11/09	ML091330116
15-1	0	3951	Std. Design	Issued/Open Action Applicant	SER Open Item 15.0-1	Introduction - Transient and Accident Analyses	SRSB	11/5/09	ML093090662		
15.04.06-1	0	3952	Std. Design	Responded	SER Open Item 15.4-1	Inadvertent Decrease in Boron Concentration in the Reactor Coolant (PWR)	SRSB	11/5/09	ML093090662	1/22/10	ML100260127
16-1	131	1450	Std. Design	Responded	SER Open Item 16.1-1	Technical Specifications	CTSB	10/21/08	ML082950444	3/11/10	ML100620825

3/29/2010 *** Status is not a final determination by NRC. 4

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Bellefonte Units 3 and 4 - Dockets 52-014 and 52-015

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
17.01-2	0	3473	Std. Design	Responded	SER Open Item 17.1-1	Quality Assurance During the Design and Construction Phases 07/1981	NWE1	8/5/09		12/31/09	ML100050270
17.5-13	16	137	Std. Design	Responded	SER Open Item 17.5-4	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	ML081330640	12/31/09	ML100050270
17.5-14	16	137	Std. Design	Responded	SER Open Item 17.5-5	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	ML081330640	12/31/09	ML100050270
17.5-17	16	137	Std. Design	Responded	SER Open Item 17.5-6	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	ML081330640	7/29/09	ML092120063
17.5-5	13	166	Std. Design	Responded	SER Open Item 17.5-1	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	ML081330515	12/31/09	ML100050270
17.5-6	13	166	Std. Design	Responded	SER Open Item 17.5-2	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	ML081330515	12/31/09	ML100050270
17.5-7	13	166	Std. Design	Responded	SER Open Item 17.5-3	Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	5/12/08	ML081330515	12/31/09	ML100050270
19-21	152	1985	Std. Design	Confirmatory Action Applicant	Confirmatory Item 19.59-2	Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	3/11/09	ML090700510	4/15/09	ML091100173

3/29/2010 *** Status is not a final determination by NRC.

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
01-1	27	2091	Application Specific	Resolved/Closed		Introduction and Interfaces	RHEB	2/25/09	ML090560655	3/27/09	ML090900179
01-2	37	3090	Application Specific	Responded		Introduction and Interfaces	NWE1	6/17/09	ML091680204	10/23/09	ML093010572
02.02.03-1	19	933	Application Specific	Responded		Evaluation of Potential Accidents	RSAC	12/12/08	ML083470948	1/9/09	ML090140355
02.03.01-3	8	1432	Application Specific	Resolved/Closed		Regional Climatology	RSAC	10/20/08	ML082940631	11/18/08	ML083250482
02.03.01-4	8	1432	Application Specific	Resolved/Closed		Regional Climatology	RSAC	10/20/08	ML082940631	11/18/08	ML083250482
02.03.01-1	2	539	Application Specific	Resolved/Closed		Regional Climatology	RSAC	8/29/08	ML082421137	9/18/08	ML082660545
02.03.01-2	2	539	Application Specific	Resolved/Closed		Regional Climatology	RSAC	8/29/08	ML082421137	9/18/08	ML082660545
02.03.04-1	1	541	Application Specific	Resolved/Closed		Short Term Atmospheric Dispersion Estimates for Accident Releases	RSAC	8/18/08	ML082421137	9/11/08	ML082590051
02.03.05-2	8	1433	Application Specific	Resolved/Closed		Long-Term Atmospheric Dispersion Estimates for Routine Releases	RSAC	10/20/08	ML082940631	11/18/08	ML083250482
02.03.05-1	2	543	Application Specific	Resolved/Closed		Long-Term Atmospheric Dispersion Estimates for Routine Releases	RSAC	8/29/08	ML082421137	9/18/08	ML082660545
02.04.02-1	28	2057	Application Specific	Resolved/Closed		Floods	RHEB	2/25/09	ML090560817	8/5/09	ML092230147
02.04.02-2	28	2057	Application Specific	Resolved/Closed		Floods	RHEB	2/25/09	ML090560817	3/27/09	ML090920480
02.04.02-3	28	2057	N/A	Resolved/Closed		Floods	RHEB	2/25/09	ML090560817	3/27/09	ML090920480
02.04.02-4	31	2300	Application Specific	Resolved/Closed		Floods	RHEB	3/30/09	ML090890314	4/29/09	ML091200579
02.04.13-1	17	1531	Application Specific	Resolved/Closed		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	CHPB	11/26/08	ML083310349	12/23/08	ML083640477
02.05.04-1	13	1453	Application Specific	Resolved/Closed		Stability of Subsurface Materials and Foundations	RGS2	11/13/08	ML082320837	12/11/08	ML083530555
02.05.04-2	13	1453	Application Specific	Resolved/Closed		Stability of Subsurface Materials and Foundations	RGS2	11/13/08	ML082320837	12/11/08	ML083530555
02.05.04-3	30	2171	Application Specific	Resolved/Closed		Stability of Subsurface Materials and Foundations	RGS1	3/10/09	ML090700044		ML091030217
02.05.04-4	30	2171	Application Specific	Confirmatory Action Applicant		Stability of Subsurface Materials and Foundations	RGS1	3/10/09	ML090700044	4/9/09	ML091030217
02.05.04-5	45	3381	Application Specific	Responded		Stability of Subsurface Materials and Foundations	RGS2	2/1/10	ML100420769	3/2/10	ML100630208
03.07.02-1	18	1615	N/A	Responded		Seismic System Analysis	SEB1	12/2/08	ML083500265	3/2/09	ML090700628
03.07.02-2	18	1615	N/A	Responded		Seismic System Analysis	SEB1	12/2/08	ML083500265	1/14/09	ML090150432

3/29/2010 *** Status is not a final determination by NRC.

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
03.07.02-3	36	2653	Application Specific	Responded		Seismic System Analysis	SEB1	5/29/09	ML091490779	7/1/09	ML092080390
03.08.04-1	22	1854	Application Specific	Responded		Other Seismic Category I Structures	SEB1	12/18/08	ML083530816	1/16/09	ML090220268
03.12-1	46	3380	Application Specific	Responded		ASME Code Class 1, 2, and 3 Piping Systems and Piping Components and Their Associated Supports	EMB1	2/1/10	ML100320770	3/2/10	ML100630207
06.04-1	12	1351	Application Specific	Responded		Control Room Habitability System	SPCV	11/13/08	ML083180071	12/11/08	ML083510077
06.04-2	48	4281	Application Specific	Responded		Control Room Habitability System	SPCV	2/5/10	ML100450060	3/5/10	ML100680206
06.04-3	48	4281	Application Specific	Responded		Control Room Habitability System	SPCV	2/5/10	ML100450060	3/5/10	ML100680206
07.05-1	6	1444	Application Specific	Resolved/Closed		Information Systems Important to Safety	ICE1	10/16/08	ML082900188	11/14/08	ML083230224
08.02-1	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	ML083540807	10/23/09	ML093240096
08.02-2	25	1596	Std. Design	Resolved/Closed		Offsite Power System	EEB	12/19/08	ML083540807	1/16/09	ML090220180
08.02-3	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	ML083540807	1/16/09	ML090220180
08.02-4	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	ML083540807	1/16/09	ML090220180
08.02-5	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	ML083540807	10/23/09	ML093240096
08.02-6	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	ML083540807	1/16/09	ML090220180
08.02-7	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	ML083540807	1/16/09	ML090220180
08.02-8	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	ML083540807	10/23/09	ML093240096
08.02-9	25	1596	Application Specific	Resolved/Closed		Offsite Power System	EEB	12/19/08	ML083540807	1/16/09	ML090220180
08.02-10	34	2339	Application Specific	Resolved/Closed		Offsite Power System	EEB	4/22/09	ML091120284	10/23/09	ML093010573
08.02-11	34	2339	Application Specific	Resolved/Closed		Offsite Power System	EEB	4/22/09	ML091120284	10/23/09	ML093010573
08.02-12	38	3335	Application Specific	Resolved/Closed		Offsite Power System	EEB	8/4/09	ML092160007	8/31/09	ML092450485
08.02-13	44	4067	Application Specific	Confirmatory Action Applicant		Offsite Power System	EEB	12/8/09	ML093420690	1/7/10	ML100110073
08.02-14	53	4525	Application Specific	Issued/Open Action Applicant		Offsite Power System	EEB	3/25/10	ML100840706		
09.02.01-1	3	1247	Application Specific	Resolved/Closed		Station Service Water System	SBPA	10/6/08	ML082800255	11/4/08	ML083110369
09.02.01-2	3	1247	Application Specific	Confirmatory Action Applicant		Station Service Water System	SBPA	10/6/08	ML082800255	11/4/08	ML083110369
09.02.01-3	3	1247	Application Specific	Resolved/Closed		Station Service Water System	SBPA	10/6/08	ML082800255	11/4/08	ML083110369
09.02.01-4	26	1931	Application Specific	Resolved/Closed		Station Service Water System	SBPA	1/26/09	ML090260496	3/12/09	ML090760819

3/29/2010 *** Status is not a final determination by NRC.

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.

Responded -- The applicant has provided a response to the question.

Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).

Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.

Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.

Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
09.02.01-5	26	1931	Application Specific	Confirmatory Action Applicant		Station Service Water System	SBPA	1/26/09	ML090260496	3/12/09	ML090760819
09.02.01-6	26	1931	Application Specific	Resolved/Closed		Station Service Water System	SBPA	1/26/09	ML090260496	3/12/09	ML090760819
09.02.02-1	9	1242	Application Specific	Resolved/Closed		Reactor Auxiliary Cooling Water Systems	SBPA	11/4/08	ML083090425	12/2/08	ML083390120
09.02.05-1	4	1241	Application Specific	Resolved/Closed		Ultimate Heat Sink	SBPA	10/6/08	ML082800361	11/4/08	ML083110470
09.03.03-1	50	4497	Application Specific	Issued/Open Action Applicant		Equipment and Floor Drainage System	SBPA	3/16/10	ML100750300		
09.05.01-1	15	1396	Application Specific	Resolved/Closed		Fire Protection Program	SFPT	11/26/08	ML083310028	12/17/08	ML083570397
09.05.01-2	16	1400	Application Specific	Resolved/Closed		Fire Protection Program	SFPT	11/26/08	ML083310029	12/17/08	ML083570588
09.05.02-1	5	1211	Application Specific	Resolved/Closed		Communications Systems	ICE1	10/6/08	ML082800382	12/23/08	ML083640476
09.05.02-2	5	1211	Application Specific	Resolved/Closed		Communications Systems	ICE1	10/6/08	ML082800382	12/23/08	ML083640476
09.05.02-3	5	1211	Application Specific	Resolved/Closed		Communications Systems	ICE1	10/6/08	ML082800382	12/23/08	ML083640476
09.05.02-4	5	1211	Application Specific	Resolved/Closed		Communications Systems	ICE1	10/6/08	ML082800382	12/23/08	ML083640476
11.02-1	10	1527	Application Specific	Resolved/Closed		Liquid Waste Management System	CHPB	11/13/08	ML083180069	12/11/08	ML083510076
11.03-1	11	1528	Application Specific	Resolved/Closed		Gaseous Waste Management System	CHPB	11/13/08	ML083180070	12/11/08	ML083510078
11.04-1	39	3463	Application Specific	Resolved/Closed		Solid Waste Management System	CHPB	8/24/09	ML092360579	9/23/09	ML092680023
11.04-2	39	3464	Application Specific	Resolved/Closed		Solid Waste Management System	CHPB	8/24/09	ML092360579	9/23/09	ML09280023
12.03-12.04-1	21	1748	Application Specific	Responded		Radiation Protection Design Features	CHPB	12/19/08	ML083540805	1/29/10	ML100330387
12.03-12.04-2	21	1751	Application Specific	Responded		Radiation Protection Design Features	CHPB	12/19/08	ML083540805	1/29/10	ML100330387
12.03-12.04-3	21	1752	Application Specific	Resolved/Closed		Radiation Protection Design Features	CHPB	12/19/08	ML083540805	1/16/09	ML090220267
13.01.01-1	23	1721	Application Specific	Resolved/Closed		Management and Technical Support Organization	COLP	12/19/08	ML083540133	1/16/09	ML090220269
13.01.01-2	23	1721	Application Specific	Resolved/Closed		Management and Technical Support Organization	COLP	12/19/08	ML083540133	1/16/09	ML090220269
13.01.02-13.01.03-1	24	1722	Application Specific	Resolved/Closed		Operating Organization	COLP	12/18/08	ML083540135	1/16/09	ML090220179
13.01.02-13.01.03-2	24	1722	Application Specific	Resolved/Closed		Operating Organization	COLP	12/18/08	ML083540135	1/16/09	ML090220179
13.01.02-13.01.03-3	24	1722	Application Specific	Resolved/Closed		Operating Organization	COLP	12/18/08	ML083540135	1/16/09	ML090220179

3/29/2010 *** Status is not a final determination by NRC.

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
13.03-1	29	2087	Application Specific	Resolved/Closed		Emergency Planning	EP	3/6/09	ML090650536	6/18/09	ML091750107
13.03-2	29	2087	Application Specific	Resolved/Closed		Emergency Planning	EP	3/6/09	ML090650536	6/18/09	ML091750107
13.03-3	29	2087	Application Specific	Confirmatory Action Applicant		Emergency Planning	EP	3/6/09	ML090650536	6/18/09	ML091750107
13.03-4	29	2087	Application Specific	Confirmatory Action Applicant		Emergency Planning	EP	3/6/09	ML090650536	6/18/09	ML091750107
13.03-5	32	2312	Application Specific	Resolved/Closed		Emergency Planning	EP	4/17/09	ML091070271	5/15/09	ML091390050
13.03-6	35	2616	N/A	Resolved/Closed		Emergency Planning	EP	5/13/09	ML091330816	6/26/09	ML091810095
13.03-7	35	2616	N/A	Resolved/Closed		Emergency Planning	EP	5/13/09	ML091330816	6/26/09	ML091810095
13.06-1	41	3384	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-2	41	3384	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-3	41	3384	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-4	41	3384	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-5	41	3384	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-6	41	3384	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-7	41	3388	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-8	41	3388	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-9	41	3388	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-10	41	3391	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-11	41	3391	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-12	41	3394	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-13	41	3394	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-14	41	3395	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-15	41	3395	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-16	41	3396	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143

3/29/2010 *** Status is not a final determination by NRC. 9

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
13.06-17	41	3396	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-18	41	3403	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-19	41	3403	Application Specific	Confirmatory Action Applicant		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-20	41	3403	Application Specific	Resolved/Closed		Physical Security	NSIR/DR	9/15/09	ML092600660	10/16/09	ML092930143
13.06-21	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	ML093000387	11/20/09	ML093280907
13.06-22	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	ML093000387	11/20/09	ML093280907
13.06-23	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	ML093000387	11/20/09	ML093280907
13.06-24	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	ML093000387	11/20/09	ML093280907
13.06-25	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	ML093000387	11/20/09	ML093280907
13.06-26	43	3682	N/A	Responded		Physical Security	NSIR/DS	10/21/09	ML093000387	11/20/09	ML093280907
13.06-27	47	4140	Application Specific	Resolved/Closed		Physical Security	NSIR/DS	2/4/10	ML100350179	3/5/10	ML100680210
13.06-28	47	4140	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DS	2/4/10	ML100350179	3/5/10	ML100680210
13.06-29	47	4140	Application Specific	Resolved/Closed		Physical Security	NSIR/DS	2/4/10	ML100350179	3/5/10	ML100680210
13.06-30	47	4140	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DS	2/4/10	ML100350179	3/5/10	ML100680210
13.06-31	47	4140	Application Specific	Confirmatory Action NRC		Physical Security	NSIR/DS	2/4/10	ML100350179	3/5/10	ML100680210
13.06-32	47	4140	Application Specific	Resolved/Closed		Physical Security	NSIR/DS	2/4/10	ML100350179	3/5/10	ML100680210
		4142	Application Specific	Issued/Open Action Applicant		Physical Security	NSIR/DS				
13.06-33	49	4213	SUNSI - Standard (for	Responded		Physical Security	NSIR/DS	2/5/10	ML100360823	3/5/10	ML100680207
13.06-34	49	4214	SUNSI - Standard (for	Responded		Physical Security	NSIR/DR	2/5/10	ML100360823	3/5/10	ML100680207
13.06-35	49	4216	Application Specific	Responded		Physical Security	NSIR/DR	2/5/10	ML100360823	3/5/10	ML100680207
13.06.06-1	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-10	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-11	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			

3/29/2010 *** Status is not a final determination by NRC. 10

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
13.06.06-12	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-13	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-14	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-2	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-3	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-4	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-5	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-6	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-7	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-8	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
13.06.06-9	51	4466	SUNSI - Plant Specific	Issued/Open Action Applicant		Cyber Security (Future SRP Section)	NSIR/DS	3/17/10			
14.03.12-1	47	4141	Application Specific	Confirmatory Action NRC		Physical Security Hardware - Inspections, Tests, Analyses, and Acceptance Criteria	NSIR/DS	2/4/10	ML100350179	3/5/10	ML100680212
14.03.12-2	47	4141	Application Specific	Resolved/Closed		Physical Security Hardware - Inspections, Tests, Analyses, and Acceptance Criteria	NSIR/DS	2/4/10	ML100350179	3/5/10	ML100680212
14.03.12-3	47	4141	Application Specific	Resolved/Closed		Physical Security Hardware - Inspections, Tests, Analyses, and Acceptance Criteria	NSIR/DS	2/4/10	ML100350179	3/5/10	ML100680212
15.00.03-1	7	1260	Application Specific	Resolved/Closed		Design Basis Accidents Radiological Consequence Analyses for Advanced Light Water Reactors	RSAC	10/17/08	ml082910046	11/14/08	ML083230221

3/29/2010 *** Status is not a final determination by NRC. 11

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
17.5-1	14	1486	Application Specific	Resolved/Closed		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	ML083300157	12/17/08	ML083570594
17.5-2	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	ML083300157	12/17/08	ML083570594
17.5-3	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	ML083300157	12/17/08	ML083570594
17.5-4	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	ML083300157	12/17/08	ML083570594
17.5-5	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	ML083300157	12/17/08	ML083570594
17.5-6	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	ML083300157	12/17/08	ML083570594
17.5-7	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	ML083300157	12/17/08	ML083570594
17.5-8	14	1486	Application Specific	Confirmatory Action Applicant		Quality Assurance Program Description - Design Certification, Early Site Permit and New License Applicants	CQVP	11/25/08	ML083300157	12/17/08	ML083570594
19-1	20	1526	Application Specific	Question Closed/Issue Unresolved		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	12/17/08	ML083520028	2/10/09	ML090490095
19-2	20	1526	Application Specific	Confirmatory Action Applicant		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	12/17/08	ML083520028	2/10/09	ML090490095

3/29/2010 *** Status is not a final determination by NRC. 12

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
19-3	33	2306	Application Specific	Confirmatory Action Applicant		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	ML091120011	5/22/09	ML091470574
19-4	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	ML091120011	10/23/09	ML093010571
19-5	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	ML091120011	5/22/09	ML091470574
19-6	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	ML091120011	5/22/09	ML091470574
19-7	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	ML091120011	5/22/09	ML091470574
19-8	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	ML091120011	5/22/09	ML091470574
19-9	33	2306	Application Specific	Resolved/Closed		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	4/22/09	ML091120011	5/22/09	ML091470574
19-11	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-12	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-13	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-14	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-15	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-16	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-17	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	2/5/10	ML100481268
19-18	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-19	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-20	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-21	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090

3/29/2010 *** Status is not a final determination by NRC. 13

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
19-22	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-23	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-24	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-25	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-26	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-27	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-28	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-29	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-30	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-31	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-32	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-33	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-34	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-35	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-36	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-38	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-39	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-40	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697

3/29/2010 *** Status is not a final determination by NRC. 14

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
19-41	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-42	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-43	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-44	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-45	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	2/5/10	ML100481268
19-46	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-47	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-48	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-49	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-50	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-51	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-52	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-53	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-54	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-55	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-56	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-57	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-58	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697

3/29/2010 *** Status is not a final determination by NRC. 15

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Reponse:	Accession No
19-59	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-60	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-61	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-62	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-63	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-64	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-65	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-66	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	2/5/10	ML100481268
19-67	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-68	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-69	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	11/13/09	ML093210489
19-70	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	2/5/10	ML100481268
19-71	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-72	42	3409	SUNSI - Plant Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-73	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	2/5/10	ML100481268
19-75	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-76	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-77	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090

3/29/2010 *** Status is not a final determination by NRC. 16

Issued/Open Action applicant -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
Responded -- The applicant has provided a response to the question.
Confirmatory Action Applicant -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
Confirmatory Action NRC -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
Resolved/Closed -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
Question closed/Issue Unresolved -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Application Title: Vogtle Nuclear Site, Units 3 and 4, Dockets 52-0025 and 52-0026

Question No :	NRC Letter No	System RAI No :	Question Type	Question Status **	Reason	SRP Section:	Tech Branch	RAI Issued:	Accession No	RAI Response:	Accession No
19-78	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-79	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	10/29/09	ML093070090
19-80	42	3409	SUNSI - Standard (for	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	10/2/09	ML092780120	12/23/09	ML093630697
19-10	40	3512	Application Specific	Responded		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLA	9/30/09	ML092730351	10/30/09	ML093070284

3/29/2010 *** Status is not a final determination by NRC. 17

- Issued/Open Action applicant** -- The question has been issued to the applicant and the NRC is waiting for a response from the applicant.
- Responded** -- The applicant has provided a response to the question.
- Confirmatory Action Applicant** -- The applicant has responded the question. The NRC has reviewed and agrees with the response but some action included as part of the response is not complete (e.g., FSAR change is not formally submitted).
- Confirmatory Action NRC** -- The response to the question is acceptable but the NRC wants to verify/confirm that the application contains the information to close the issue. This is NRC staff's activity and no additional information is required from the applicant.
- Resolved/Closed** -- The NRC has accepted the response and no additional issues or concerns are remaining for that question.
- Question closed/Issue Unresolved** -- Question Closed means that the question can be closed if it is related a similar question or superseded by another question. Issue unresolved means that the issue within the question is not resolved and may become an open item in the SER.

Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
001	541	Araguas	ML082320837	8/18/08	8/25/08	30 days 9/17/08	VOG-RAI-LTR-001	9/11/08	ML082590051
002	539 and 543	Araguas	ML082421137	8/29/08	9/4/08	30 days 9/29/08	VOG-RAI-LTR-002	9/18/08	ML082660545
003	1247	Simms	ML082800255	10/6/08	10/12/08	30 days 11/06/08	VOG-RAI-LTR-003	11/4/08	ML083110369
004	1241	Simms	ML082800361	10/6/08	10/12/08	30 days 11/06/08	VOG-RAI-LTR-004	11/4/08	ML083110470
005	1211	Simms	ML082800382	10/6/08	10/12/08	45 days 11/21/08	VOG-RAI-LTR-005	11/4/08 12/23/08	ML083110370 ML083640476 (Sup)
006	1444	Simms	ML082900188	10/16/08	10/22/08	30 days 11/17/08	VOG-RAI-LTR-006	11/14/08	ML083230224
007	1260	Joshi	ML082910046	10/17/08	10/23/08	30 days 11/18/08	VOG-RAI-LTR-007	11/14/08	ML083230221
008	1432 and 1433	Araguas	ML082940631	10/20/08	10/26/08	30 days 11/20/08	VOG-RAI-LTR-008	11/18/08	ML083250482
009	1242	Simms	ML083090425	11/04/08	11/10/08	30 days 12/04/08	VOG-RAI-LTR-009	12/2/08	ML083390120
	768	Araguas	ML081050133	3/28/2008	Not Sent				Identical to Bell -713 (Me too letter)
010	1527	Joshi	ML083180069	11/13/08	11/20/08	30 days	VOG-	12/11/08	ML083510076

Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
						12/15/08	RAI-LTR-010		
011	1528	Joshi	ML083180070	11/13/08	11/20/08	12/15/08	VOG-RAI-LTR-011	12/11/08	ML083510078
012	1351	Joshi	ML083180071	11/13/08	11/20/08	12/15/08	VOG-RAI-LTR-012	12/11/08	ML083510077
013	1453	Araguas	ML083180932	11/13/08	11/20/08	12/15/08	VOG-RAI-LTR-013	12/11/08	ML083530555
014	1486	Anderson	ML083300157	11/25/08	12/01/08	30 days 12/25/08	VOG-RAI-LTR-014	12/17/2008	ML083570594
015	1396	Simms	ML083310028	11/26/08	12/02/08	30 days 12/26/08	VOG-RAI-LTR-015	12/17/08	ML083570397
016	1400	Simms	ML083310029	11/26/08	12/02/08	30 days 12/26/08	VOG-RAI-LTR-016	12/17/08	ML083570588
017	1531	Araguas	ML083310349	11/26/08	12/02/08	30 days 12/29/08	VOG-RAI-LTR-017	12/23/08	ML083640477
018	1615	Hughes	ML083500265	12/15/08	12/21/08	30 days 01/14/09	VOG-RAI-LTR-018	1/14/09 3/2/09	ML090150432 ML090700628 (sup)
019	933	Araguas	ML083470948	12/12/08	12/18/08	30 days 1/13/09	VOG-RAI-LTR-019	1/9/09	ML090140355
020	1526	Joshi	MI083520028	12/17/08	12/23/08	60 days 2/17/09	VOG-RAI-	2/10/09	ML090490095

Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
							LTR-020		
021	1748, 1751, 1752	Joshi	ML083540805	12/17/08	12/23/08	30 days 1/17/09	VOG-RAI-LTR-021	1/16/09 11/20/09 1/29/10	ML090220267 ML093280749 (sup) ML100330387 (sup)
022	1854	Hughes	ML083530816	12/18/08	12/24/08	30 days 01/20/09	VOG-RAI-LTR-022	1/16/09	ML090220268
023	1721	Anderson	ML083540133	12/19/08	12/25/08	30 days 01/21/09	VOG-RAI-LTR-023	1/16/09	ML090220269
024	1722	Anderson	ML083540135	12/19/08	12/25/08	30 days 01/21/09	VOG-RAI-LTR-024	1/16/09	ML090220179
025	1596	Araguas for Simms	ML083540807	12/19/08	12/26/08	30 days 01/21/09	VOG-RAI-LTR-025	1/16/09 5/15/09 10/23/09	ML090220180 ML091390566 ML093240096 (revised)
026	1931	Simms	ML090260496	1/26/09	2/01/09	45 days 3/12/09	VOG-RAI-LTR-026	03/12/09	ML090760819
027	2091	Araguas	ML090560655	2/25/09	3/3/09	30 days	VOG-RAI-LTR-027	3/27/09	ML090900179
028	2057	Araguas	ML090560817	2/25/09	3/3/09	30 days	VOG-RAI-LTR-028	3/27/09 8/5/09	ML090920480 ML092230147 (sup)
029	2087	Anderson	ML090650536	3/6/09	3/12/09	30 days 4/5/09		4/3/09 6/18/09	ML090990467 ML091750107 (sup)
030	2171	Hughes	MI090700044	3/10/09	3/16/09	30 days 4/09/09	VOG-RAI-LTR-030	4/9/09	ML091030217

Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
031	2300	Nguyen	ML090890314	3/30/09	04/05/09	30 days 4/29/09	VOG-RAI-LTR-031	4/29/09	ML091200579
032	2312	Anderson	ML091070271	4/17/09	4/23/09	30 days 5/17/09	VOG-RAI-LTR-032	5/15/09	ML091390050
033	2306	Joshi	ML091120011	4/22/09	4/28/09	30 days 5/22/09	VOG-RAI-LTR-033	5/22/09 10/23/09	ML091470574 ML093010571 (revised 19-4)
034	2339	Simms	ML091120284	4/22/09	4/28/09	30 days 5/22/09	VOG-RAI-LTR-034	5/22/09 10/23/09	ML091470575 ML093010573 (revised)
035	2616	Anderson	ML091330816	5/13/09	5/19/09	45 days 6/27/09	VOG-RAI-LTR-035	6/26/09	ML091810095
036	2653	Patel	ML091490779	6/1/2009	6/7/2009	30 days 7/1/2009	VOG-RAI-LTR-036	7/1/09	ML092080390
037	3090	Goetz	ML091680204	6/17/2009	6/23/2009	30 days 7/17/2009	VOG-RAI-LTR-037	7/16/09 10/23/09	ML092010093 ML093010572 (revised 01-2)
038	3335	Simms/ Joshi	ML092160007	08/04/09	08/10/09	30 days 09/04/09	VOG-RAI-LTR-038	8/31/09	ML092450485
039	3463, 3464	Habib	ML092360579	08/24/09		30 days 09/23/09	VOG-RAI-LTR-039	9/23/09	ML092680023
040	3512	Comar	ML 092730351	09/30/09	08/6/09	30 days 10/30/09	VOG-RAI-LTR-040	10/30/09	ML093070284

Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
041	3384, 3388, 3391, 3394, 3395, 3396, 3403	Anderson	ML092600660	09/17/09	9/23/09	30 days 10/17/09	VOG- RAI- LTR-041	10/16/09	ML092930143
042	3409	Comar	ML 092780120	10/01/09	10/06/09	30 days 10/30/09	VOG- RAI- LTR-042	10/29/09 11/13/09 12/23/09 2/5/10	ML093070090 ML093210489 (sup) ML093630697 (revised) ML100481268 (revised)
043	3682	Anderson	SRI letter - ML093000387	10/21/09	SRI letter	30 days 11/20/09	VOG- RAI- LTR-043	11/20/09	ML093280907
044	4067	Simms	ML093420690	12/8/09	12/14/09	30 days 1/08/10	VOG- RAI- LTR-044	1/7/10	ML100110073
045	3381	Joshi	ML100320769	2/1/10	2/7/10	30 days 3/2/10	VOG- RAI-045	3/2/10	ML100630208
046	3380	Joshi	ML100320770	2/1/10	2/7/10	30 days 3/2/10	VOG- RAI-046	3/2/10	ML100630207
047	4140, 4141	McGovern	ML100350179	2/4/10	2/10/10	30 days 3/8/10	VOG- RAI- LTR-047	3/5/10	ML100680210 ML100680212
048	4281	Habib	ML100450060					3/5/10	ML100680206
049	4213, 4214, 4216	McGovern	ML100360823	2/5/10	2/11/10	30 days 3/7/10	VOG- RAI- LTR-049	3/5/10	ML100680207
050	4497	Simms	ML100750300	3/16/10	3/22/10	30 days 4/15/10	VOG- RAI- LTR-050		

Vogle Units 3 & 4 RAI Letter (E-mail) Index

Letter Number	eRAI Tracking Number(s)	Letter (E-mail) Author	ML Number	Date issued	Release Date	Response Due within xx days and due date	File Name	Response Date	Response ML number and comments
051	4466	McGovern	ML100760357	3/17/10	3/23/10	30 days 4/16/10	VOG-RAI-LTR-051		
052	4459	Comar	ML100	3/22/10	3/22/10	30 days 4/21/10	VOG-RAI-052		
053	4525	Simms	ML100840706	3/25/10	3/31/10	45 days 5/10/10	VOG-RAI-LTR-053		