



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

APR 23 2010

Randall Bardwell
Radiation Safety Officer
Allegiance Health
205 N. East Avenue
Jackson, MI 49201


Dear: Mr. Bardwell:

It has come to our attention that Amendment No. 54 to NRC License No. 21-00258-06 still contained two errors. Marc Renner, M.D. should have been removed from your NRC license and Mohammad Asad, M.D. should not have been removed from your NRC license. Enclosed is a second corrected copy of Amendment No. 54 which shows that Dr. Renner has been removed and Dr. Asad is reinstated for 10 CFR 35.100 and 35.200 material.

We apologize for any inconvenience this may have caused you.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Sincerely,


James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 21-00258-06
Docket No. 030-01990

Enclosure: Second Corrected Copy of Amendment No. 54