



1114 Charlevoix Avenue  
Potoskey, Michigan 49770  
231.439.9700 • fax 231.439.9709  
www.drvisconti.com



**Matthew L. Visconti, M.D.**

Board Certified  
American College of Radiology

Board Certified  
American College of Phlebology

Member of  
International Spinal Injection Society

*SERVICES*

**Comprehensive Breast Services**

Breast Ultrasound

BSGI "Gammagram"

Digital Mammography

Stereotactic Breast Biopsies

Breast MRI

Ultrasound Guided Breast Biopsies

**General Services**

X-RAY

MRI

4D Ultrasound

Teleradiology

Spine Pain Management

Thyroid Biopsies

Vascular Ultrasound

General Ultrasound

3D OB-Gyn Ultrasounds

**Comprehensive Vein Treatments**

CoolTouch CTEV Laser

Ambulatory Phlebectomy

Sclerotherapy

Spider Vein Treatment

April 29, 2010

UNITED STATES NUCLEAR REGULATORY COMMISSION  
Region III, Materials Licensing Section  
2443 Warrenville Road  
Suite 210  
Lisle, IL 60532-4352

Dear Sir/Madam:

Please terminate our NRC License No. 21-32695-01, Visconti Imaging and Vein Institute, P.L.L.C.

The results of the close-out surveys are enclosed for your review.

Thank you for your cooperation with this matter. If you have any questions or require additional information please contact our physics consultant, Michelle Kritzman, at (734) 662-3197.

Sincerely,

Executive Management  
Visconti Imaging and Vein Institute, P.L.L.C.

## CERTIFICATE OF DISPOSITION OF MATERIALS

PLEASE READ THESE INSTRUCTIONS BEFORE COMPLETING NRC FORM 314.

Subpart E of 10 CFR Part 20 establishes the radiological criteria for license terminations/decommissioning of facilities licensed under 10 CFR Parts 30, 40, 50, 60, 61, 70, and 72, as well as other facilities subject to the Commission's jurisdiction under the Atomic Energy Act of 1954, as amended, and the Energy Reorganization Act of 1974, as amended.

### INSTRUCTIONS

#### Section B, Item 2.

Licensees should describe the specific radioactive material transfer actions. If radioactive wastes were generated in terminating this license, the licensee should describe the disposal actions taken, including the disposition of low-level radioactive waste, mixed waste, greater-than-Class-C waste, and sealed sources.

#### Section B, Item 2.a.

The information provided concerning the transfer of radioactive material to another licensee should specify the date of the transfer, the name of the licensee recipient, an individual contact name and telephone number for the licensee recipient, and the recipient's NRC or Agreement State license number.

#### Section B, Item 2.b.

For disposal of radioactive materials, licensees should describe the specific disposal method or procedure (e.g., decay-in-storage). For those cases when radioactive materials are disposed of by a licensed disposal site or by a waste contractor, the licensee should specify the name, address, and telephone number of the licensed disposal site operator or waste contractor.

#### Section B, Item 2.c.

"Residual radioactivity," as defined in 10 CFR 20.1003, means radioactivity in 'areas' (structures, materials, soils, etc.) remaining as a result of activities (licensed and unlicensed) under the licensee's control from sources used by the licensee, excluding background radiation. ALARA is defined in 10 CFR 20.1003.

### FILE CERTIFICATES AS FOLLOWS:

#### IF YOU ARE LOCATED IN:

ALABAMA, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, NORTH CAROLINA, PENNSYLVANIA, PUERTO RICO, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, VERMONT, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND CERTIFICATES TO:

LICENSING ASSISTANT SECTION  
NUCLEAR MATERIALS SAFETY BRANCH  
U.S. NUCLEAR REGULATORY COMMISSION, REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PA 19406-1415

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND CERTIFICATES TO:

MATERIALS LICENSING SECTION  
U.S. NUCLEAR REGULATORY COMMISSION, REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, IL 60532-4352

#### IF YOU ARE LOCATED IN:

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MISSISSIPPI, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING, SEND CERTIFICATES TO:

MATERIAL RADIATION PROTECTION SECTION  
U. S. NUCLEAR REGULATORY COMMISSION, REGION IV  
612 E. LAMAR BOULEVARD, SUITE 400  
ARLINGTON, TX 76011-4125

NRC FORM 314

U.S. NUCLEAR REGULATORY COMMISSION

APPROVED BY OMB: NO. 3150-0028

EXPIRES: 08/31/2010

(4-2008)  
10 CFR 30.36(j)(1); 40.42(j)(1);  
70.38(j)(1); and 72.54(k)(5)(1)(1)

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F52), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to [infocollections@nrc.gov](mailto:infocollections@nrc.gov), and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person need not respond to, this information collection.

### CERTIFICATE OF DISPOSITION OF MATERIALS

LICENSEE NAME AND ADDRESS

Visconti Imaging and Vein Institute, P.L.L.C.  
1114 Charlevoix Ave  
Petoskey, MI 49770

LICENSE NUMBER

21-32695-01

DOCKET NUMBER

LICENSE EXPIRATION DATE

06/30/2018

This license has expired.  **A. LICENSE STATUS** (Check the appropriate box)  
This license has not yet expired; please terminate it.

#### B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- 1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.
  - a. Transfer of radioactive materials to the licensee listed below:
  - b. Disposal of radioactive materials:
    - 1. Directly by the licensee:
    - 2. By licensed disposal site:
    - 3. By waste contractor:
  - c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

#### C. SURVEYS PERFORMED AND REPORTED

- 1. A radiation survey was conducted by the licensee. The survey confirms:
  - a. the absence of licensed radioactive materials
  - b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- 2. A copy of the radiation survey results:
  - a. is attached; or  b. is not attached (Provide explanation); or  c. was forwarded to NRC on: \_\_\_\_\_ Date
- 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
  - a. The results of the latest leak test are attached; and/or
  - b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME <b>Michelle Kritzman, M.S.</b>	TITLE <b>Radiation Safety Officer</b>	TELEPHONE (Include Area Code) <b>(734) 662-3197</b>	E-MAIL ADDRESS
--	--	--	----------------

Mail all future correspondence regarding this license to:

**Matthew Visconti, MD** Visconti Imaging and Vein Institute 1114 Charlevoix Ave Petoskey, MI

#### C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE

**Matthew L. Visconti, MD** Owner

SIGNATURE

DATE

4/29/10

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

## Close-out Survey Information

**Close-out Location:**

**Visconti Imaging and Vein Institute, P.L.L.C.**  
1114 Charlevoix Ave  
Petoskey, MI 49770

**Date performed:** April 21, 2010

**Performed by:** Michelle Kritzman, M.S.

**Comments:** This location was used for 35,200 activities. The isotope used for imaging was Tc-99m. The last day of use for Tc-99m was on 03/18/2010.

**Instruments:**

Wipe tests analyzed on the following Well counter:

Instrument: CAPTUS 3000 S/N 900271

Spectrum: Full Spectrum

Efficiency Full Spectrum: 40%

Area survey performed with the following survey meter:

Manufacturer:	<u>Ludlum</u>
Type:	<u>GM</u>
Model Number:	<u>14C</u>
Serial Number:	<u>250022</u>
Probe Model:	<u>End Window</u>
Check source value:	<u>0.95 mR/hr</u>

**Radionuclides Used:**

**Unsealed**

Tc-99m

**Visual Check:** The area was checked to ensure that all radioactive waste had been removed. No evidence of radioactive material was noted.


**Radiation Level Survey:** No area within the department demonstrated radiation levels in excess of the background reading of 0.02 mR/hr.

**Removable Contamination:** No area within the department demonstrated removable contamination in excess of 49 dpm's.


**Surveys, Wipes, and Diagrams are enclosed for review.**

**Conclusion:** No radioactive materials remain in this area. No removable contamination is present.

**Visconti Imaging and Vein Institute, P.L.L.C.**  
1114 Charlevoix Avenue  
Petoskey, MI, 49770



**Visconti Imaging and Vein Institute, P.L.L.C.**  
1114 Charlevoix Avenue  
Petoskey, MI, 49770



**Visconti Imaging and Vein Institute, P.L.L.C.**  
**License # 21-32695-01**

Date: 4/21/2010

Performed By: M. Kritzman, M.S.

Survey Meter: Ludlum 14C

Check Value: 0.95 mR/hr

		net cpm	net dpm	mR/h
1	Counter Top	30	74	0.02
2	Counter Top	30	74	0.02
3	Counter Top	30	74	0.02
4	Floor	49	122	0.02
5	Floor	49	122	0.02
6	Floor	49	122	0.02
7	Floor	0	0	0.02
8	Floor	0	0	0.02
9	Floor	0	0	0.02
10	Floor	45	112	0.02
11	Floor	45	112	0.02
12	Floor	45	112	0.02
13	Floor	45	112	0.02
14	Floor	24	59	0.02
15	Floor	24	59	0.02
16	Floor	24	59	0.02
17	Floor	46	114	0.02
18	Floor	46	114	0.02
19	Floor	46	114	0.02
20	Floor	46	114	0.02
21	Floor	32	79	0.02
22	Counter Top	32	79	0.02
23	Counter Top	32	79	0.02
	Background	470.4		0.02

Conversion factor 2.5 dpm/cpm

**COMMENTS: No evidence of removable contamination.**



**Visconti Imaging  
& Vein Institute**  
Advanced Radiology Specialists

---

FACSIMILE TRANSMITTAL SHEET

---

TO:	<b>Material Licensing</b>	FROM:	<b>Julie Plichta</b>
COMPANY:	<b>NRC</b>	DATE:	<b>4-29-10</b>
FAX NUMBER:	<b>630-829-9782</b>	TOTAL NO. OF PAGES INCLUDING COVER:	<b>9</b>
RE:	<b>Termination; 21-32695-01</b>	YOUR REFERENCE NUMBER:	

---

URGENT   
 FOR REVIEW   
 PLEASE COMMENT   
 PLEASE REPLY   
 PLEASE RECYCLE

---

Attn: Materials Licensing

The information is attached to terminate License No. 21-32695-01. If any additional information is required, please contact our physics consultant, Michelle Kritzman at (734) 662-3197.

Best regards,

Julie Plichta  
Visconti Imaging & Vein Institute  
231.439.9700

**CONFIDENTIALITY NOTICE:** Unless otherwise indicated or obvious from the transmittal, the information contained in this facsimile message is privileged and confidential healthcare information intended for the use of the individual or entity named above. You, the recipient, are obligated to maintain the information in a safe, secure, and confidential manner. Re-disclosure without additional patient consent or as permitted by law is prohibited. Unauthorized re-disclosure or failure to maintain confidentiality could subject you to penalties described in federal and state law. If the reader of this message is not the intended recipient or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication and are not sure whether it is privileged, please immediately notify us by telephone and return the original message to us at the above address via the U.S. Postal Service at our expense and do not save a copy. Thank you.

---