



~~Official Use Only - Security-Related Information~~

UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

William S. Sarnat, M.D.  
Radiation Safety Officer  
Cardiology Division  
Midwest Medical Group, LLC  
837 East Cedar Street  
Suite 420  
South Bend, IN 46617

MAY 07 2010

Dear Dr. Sarnat:

Enclosed is Amendment No. 9 to your NRC Material License No. 13-26679-01 in accordance with your request. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

NRC's Regulatory Issue Summary (RIS) 2005 31 provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, the NRC's electronic document system. Pursuant to NRC's RIS 2005-31 and in accordance with 10 CFR 2.390, the enclosed license document is exempt from public disclosure because its disclosure to unauthorized individuals could present a security vulnerability. The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/ri200531.pdf> and the link for frequently asked questions regarding protection of security related sensitive information may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/faq.html>. A copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Please be advised that we cannot authorize you to release your old facility located at 837 East Cedar Street, South Bend, Indiana, for unrestricted use (even by other members of your staff) until we have received and reviewed a copy of the results of your close-out survey. The survey should consist of exposure rate measurements to show that all sources of radioactive material have been removed, and contamination checks of areas where radioactive materials were used or stored. Average radiation levels associated with surface contamination and removable contaminations should not exceed those specified in the enclosed decontamination guide. Please submit the following information with your close-out survey:

1. A history of all radionuclides used at your old facility.
2. A current copy of the leak test results for the sealed sources used at your old facility. Also a history of leaking sealed sources (if any).

~~Official Use Only - Security-Related Information~~

The enclosed document contains sensitive security-related information.  
When separated from this cover letter this letter is uncontrolled.

~~Official Use Only - Security-Related Information~~

W.S. Sarnat

3. A diagram of your old facility with survey and wipe test results keyed to specific locations. Please record your survey results using the appropriate units as described in 10 CFR 30.36 (j) (2) (i) (copy enclosed).
4. The name of the person performing the survey.
5. The date the survey was performed.
6. The instrument(s) used for exposure rate measurements and for analysis of the wipes.
7. Background readings.
8. The date that the survey instrument was last calibrated.
9. Confirm that all radioactive waste has been decayed to background radiation or has been transferred to a radioactive waste broker for disposal.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,



William P. Reichhold  
Materials Licensing Branch

License No. 13-26679-01  
Docket No. 030-33963  
Enclosure: Amendment No. 9  
Decontamination Information

~~Official Use Only - Security-Related Information~~