

SOIL CLASSIFICATION CHART

MAJOR DIVISIONS			SYMBOLS		TYPICAL DESCRIPTIONS
			GRAPH LETTER		
COARSE GRAINED SOILS	GRAVEL AND GRAVELLY SOILS MORE THAN 50% OF COARSE FRACTION RETAINED ON NO. 1 SIEVE	CLEAN GRAVELS		GW	WELL-GRADED GRAVELS, GRAVEL - SAND MIXTURES, LITTLE OR NO FINES
		(LITTLE OR NO FINES)		GP	POORLY-GRADED GRAVELS, GRAVEL - SAND MIXTURES, LITTLE OR NO FINES
		GRAVELS WITH FINES		GM	SILTY GRAVELS, GRAVEL - SAND - SILT MIXTURES
		(APPRECIABLE AMOUNT OF FINES)		GC	CLAYEY GRAVELS, GRAVEL - SAND - CLAY MIXTURES
MORE THAN 50% OF MATERIAL IS LARGER THAN NO. 200 SIEVE SIZE	SAND AND SANDY SOILS	CLEAN SANDS		sw	WELL-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
		(LITTLE OR NO FINES)		SP	POORLY-GRADED SANDS, GRAVELLY SAND, LITTLE OR NO FINES
	MORE THAN 50% OF COARSE FRACTION PASSING ON NO. 4 SIEVE	SANDS WITH FINES		SM	SILTY SANDS, SAND - SILT MIXTURES
		(APPRECIABLE AMOUNT OF FINES)		sc	CLAYEY SANDS, SAND - CLAY MIXTURES
FINE GRAINED SOILS MORE THAN 50% OF MATERIAL IS SMALLER THAN NO. 200 SIEVE SIZE	SILTS AND CLAYS	LIQUID LIMIT LESS THAN 50		ML	INORGANIC SILTS AND VERY FINE SANDS, ROCK FLOUR, SILTY OR CLAYEY FINE SANDS OR CLAYEY BILTB WITH BLIGHT PLABTICITY
				CL	INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS
				OL	ORGANIC SILTS AND ORGANIC SILTY CLAYS OF LOW PLASTICITY
	SILTS AND CLAYS	LIGHID LIMIT GREATER THAN 50		МН	INORGANIC SILTS, MICACEOUS OR DIATOMACEOUS FINE SAND OR SILTY SOILS
				СН	INORGANIC CLAYS OF HIGH PLASTICITY
				ОН	ORGANIC CLAYS OF MEDIUM TO HIGH PLASTICITY, ORGANIC SILTS
HIGHLY ORGANIC SOILS				PT	PEAT, HUMUS, SWAMP SOILS WITH HIGH ORGANIC CONTENTS

LEGEND:

HF - Artificial and Hydraulic Fill

Qal - Alluvium

Tkw - Kirkwood Formation

Tvt - Vincentown Formation

Tht - Hornerstown Formation

Knv - Navesink Formation

Kml - Mount Laurel Formation

Kw - Wenonah Formation

Kmt - Marshalltown Formation

Ket - Englishtown Formation

Kwb - Woodbury Formation

Kmv - Merchantville FormationKmg - Magothy Formation

Kp3 - Potomac Formation

WOH - Weight of Hammer

Vs - Shear Wave Velocity

Vp - Compression Wave Velocity

LON, SHN - Long/Short Normal Transitivity

NGAM - Natural Gamma

SPR - Single Point Resistance

N-Value - Standard Penetration Resistance, Blows per Foot (bpf)

- Stabilized Water Level

PSEG Power, LLC

PSEG SITE ESPA

Part 2, Site Safety Analysis Report

Boring Profile - NB-1 FIGURE 2.5.4.4-2C REV 0

20' 0 20'
GRAPHIC SCALE (VERT)- IN FEET

(Reference: 2.5.4.4-2)