

B. L. "Pete" Ivey
Vice President
Nuclear Development Support

**Southern Nuclear
Operating Company, Inc.**
42 Inverness Center Parkway
Post Office Box 1295
Birmingham, Alabama 35242

Tel 205.992.7619
Fax 205.992.5217



MAY 28 2010

Docket Nos.: 52-025
52-026

ND-10-1106

U.S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555-0001

Southern Nuclear Operating Company
Vogtle Electric Generating Plant Units 3 and 4 Combined License Application
Response to Request for Additional Information Letter No. 047, Supplement 1
Physical Security Plan

Ladies and Gentlemen:

By letter dated March 28, 2008, Southern Nuclear Operating Company (SNC) submitted an application for combined licenses (COLs) for proposed Vogtle Electric Generating Plant (VEGP) Units 3 and 4 to the U.S. Nuclear Regulatory Commission (NRC) for two Westinghouse AP1000 reactor plants, in accordance with 10 CFR Part 52. During the NRC's detailed review of this application, the NRC identified a need for additional information required to complete their review of the COL application's Final Safety Analysis Report (FSAR) Section 13.6, "Security," and the proposed Physical Security Plan (PSP) that was submitted to the NRC for review on April 1, 2009. By letter received February 4, 2010, the NRC provided SNC with Request for Additional Information (RAI) letter No. 047 concerning this information need. SNC provided responses to the RAI letter No. 047 questions related to the PSP in a letter dated March 5, 2010. Based on NRC feedback, SNC is providing a supplement to its response to RAI 13.06-31, which was provided in the March 5, 2010 letter. The enclosure to this letter provides SNC's supplemental response to this RAI.

There are no changes to the VEGP Units 3 and 4 combined license application (COLA) associated with this supplemental RAI response.

The RAI response provided in the enclosure to this letter contains Security-Related Information, and accordingly this enclosure is requested to be withheld from public disclosure under 10 CFR 2.390 (d).

S001
D092
NRC

If you have any questions regarding this letter, please contact Mr. Wes Sparkman at (205) 992-5061.

Mr. B. L. Ivey states he is a Vice President of Southern Nuclear Operating Company, is authorized to execute this oath on behalf of Southern Nuclear Operating Company and to the best of his knowledge and belief, the facts set forth in this letter are true.

Respectfully submitted,

SOUTHERN NUCLEAR OPERATING COMPANY



B. L. Ivey

Sworn to and subscribed before me this 28th day of May, 2010

Notary Public: Nancy Louise Henderson

My commission expires: March 23, 2014

BLI/BJ5

Enclosure: Supplemental Response to RAI 13.06-31 from NRC RAI Letter No. 047 on the VEGP Units 3 & 4 COL Application Involving the Physical Security Plan



cc: Southern Nuclear Operating Company

Mr. J. H. Miller, III, President and CEO (w/o enclosure)
Mr. J. A. Miller, Executive Vice President, Nuclear Development (w/o enclosure)
Mr. J. T. Gasser, Executive Vice President, Nuclear Operations (w/o enclosure)
Mr. D. H. Jones, Site Vice President, Vogtle 3 & 4 (w/o enclosure)
Mr. T. E. Tynan, Vice President - Vogtle (w/o enclosure)
Mr. M. K. Smith, Technical Support Director (w/o enclosure)
Mr. D. M. Lloyd, Vogtle 3 & 4 Project Support Director (w/o enclosure)
Mr. C. R. Pierce, AP1000 Licensing Manager (w/o enclosure)
Mr. M. J. Ajluni, Nuclear Licensing Manager (w/o enclosure)
Mr. J. D. Williams, Vogtle 3 & 4 Site Support Manager (w/o enclosure)
Mr. J. T. Davis, Vogtle 3 & 4 Site Licensing Manager (w/o enclosure)
Mr. W. A. Sparkman, COL Project Engineer
Document Services RTYPE: AR01.1053
File AR.01.02.06

Nuclear Regulatory Commission

Mr. L. A. Reyes, Region II Administrator (w/o enclosure)
Mr. F. M. Akstulewicz, Deputy Director Div. of Safety Systems & Risk Assess. (w/o encl.)
Mr. R. G. Joshi, Lead Project Manager of New Reactors (w/o enclosure)
Ms. T. E. Simms, Project Manager of New Reactors (w/o enclosure)
Mr. B. C. Anderson, Project Manager of New Reactors (w/o enclosure)
Mr. M. M. Comar, Project Manager of New Reactors (w/o enclosure)
Ms. S. Goetz, Project Manager of New Reactors (w/o enclosure)
Mr. J. M. Sebrosky, Project Manager of New Reactors (w/o enclosure)
Mr. D. C. Habib, Project Manager of New Reactors (w/o enclosure)
Ms. D. L. McGovern, Project Manager of New Reactors (w/o enclosure)
Ms. T. L. Spicher, Project Manager of New Reactors (w/o enclosure)
Ms. M. A. Sutton, Environmental Project Manager (w/o enclosure)
Mr. M. D. Notich, Environmental Project Manager (w/o enclosure)
Mr. L. M. Cain, Senior Resident Inspector of VEGP 1 & 2 (w/o enclosure)
Mr. J. D. Fuller, Senior Resident Inspector of VEGP 3 & 4 (w/o enclosure)

Georgia Power Company

Mr. T. W. Yelverton, Nuclear Development Director (w/o enclosure)
Ms. A. N. Faulk, Nuclear Regulatory Affairs Manager (w/o enclosure)

Oglethorpe Power Corporation

Mr. M. W. Price, Executive Vice President and Chief Operating Officer (w/o enclosure)
Mr. K. T. Haynes, Director of Contracts and Regulatory Oversight (w/o enclosure)

Municipal Electric Authority of Georgia

Mr. J. E. Fuller, Senior Vice President, Chief Financial Officer (w/o enclosure)
Mr. S. M. Jackson, Vice President, Power Supply (w/o enclosure)

Dalton Utilities

Mr. D. Cope, President and Chief Executive Officer (w/o enclosure)

Bechtel Power Corporation

Mr. J. S. Prebula, Project Engineer (w/o enclosure)
Mr. R. W. Prunty, Licensing Engineer (w/o enclosure)

Tetra Tech NUS, Inc.

Ms. K. K. Patterson, Project Manager (w/o enclosure)

Shaw Stone & Webster, Inc.

Mr. C. A. Fonseca, Vogtle Project Manager (w/o enclosure)
Mr. J. M. Oddo, Licensing Manager (w/o enclosure)
Mr. D. C. Shutt, Licensing Engineer (w/o enclosure)

Westinghouse Electric Company, LLC

Mr. S. D. Rupprecht, Vice President of Regulatory Affairs & Strategy (w/o enclosure)
Mr. N. C. Boyter, Consortium Project Director Vogtle Units 3 & 4 (w/o enclosure)
Mr. S. A. Bradley, Vogtle Project Licensing Manager (w/o enclosure)
Mr. M. A. Melton, Manager, Regulatory Interfaces (w/o enclosure)
Mr. R. B. Sisk, Manager, AP1000 Licensing and Customer Interface (w/o enclosure)
Mr. D. A. Lindgren, Principal Engineer, AP1000 Licensing and Customer Interface (w/o enclosure)

NuStart Energy

Mr. R. J. Grumbir (w/o enclosure)
Mr. E. R. Grant (w/o enclosure)
Mr. P. S. Hastings (w/o enclosure)
Mr. B. Hirmanpour (w/o enclosure)
Mr. N. Haggerty (w/o enclosure)
Ms. K. N. Slays (w/o enclosure)

Other NuStart Energy Associates

Ms. M. C. Kray, NuStart (w/o enclosure)
Mr. S. P. Frantz, Morgan Lewis (w/o enclosure)
Mr. J. A. Bailey, TVA (w/o enclosure)
Ms. A. L. Sterdis, TVA (w/o enclosure)
Mr. J. P. Berger, EDF (w/o enclosure)
Mr. M. W. Gettler, FP&L (w/o enclosure)
Mr. P. Hinnenkamp, Entergy (w/o enclosure)
Mr. G. D. Miller, PG&N (w/o enclosure)
Mr. N. T. Simms, Duke Energy (w/o enclosure)
Mr. G. A. Zinke, NuStart & Entergy (w/o enclosure)
Mr. R. H. Kitchen, PGN (w/o enclosure)
Ms. A. M. Monroe, SCE&G (w/o enclosure)
Mr. T. Beville, DOE/PM (w/o enclosure)