



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

JUN 08 2010

Debra M. Dillon, D.O.
Radiation Safety Officer
Newago County General Hospital Association
d/b/a Spectrum Health Gerber Memorial
212 South Sullivan
Fremont, MI 49412

Dear Dr. Dillon:

This refers to your two letters dated April 30, 2010, and the facsimile received April 30, 2010, notifying the NRC of the transfer of control of license 21-32068-01 issued to Gerber Memorial Health Services. Based on the information submitted, the NRC consents to the transfer of control as described. The transferee should note their new responsibility and liability as an NRC licensee.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,


William P. Reichhold
Materials Licensing Branch

License No. 21-32068-01
Docket No. 030-34665
Enclosure: Amendment No. 6