

Table of Contents

1.0	Introduction And General Description of the Plant	1-1
1.1	Introduction	1-2
1.1.1	Plant Location	1-3
1.1.2	Containment Type	1-4
1.1.3	Reactor Type	1-4
1.1.4	Power Output	1-4
1.1.5	No departures or supplements.Schedule	1-4
1.1.6	Format and Content	1-5
1.1.7	References	1-6
1.2	General Plant Description	1-16
1.2.1	Principal Design Criteria, Operating Characteristics, and Safety Considerations.	1-16
1.2.2	Site Description.	1-16
1.2.3	Plant Description	1-17
1.3	Comparisons with Similar Facility Designs	1-20
1.4	Identification of Agents and Contractors.	1-21
1.4.1	Applicant – Program Manager.	1-21
1.4.2	Other Contractors and Participants	1-22
1.5	Requirements for Further Technical Information	1-24
1.6	Material Referenced	1-25
1.7	Drawings and Other Detailed Information	1-27
1.7.1	Electrical and Instrumentation and Control Drawings	1-27
1.7.2	Piping and Instrumentation Diagrams	1-27
1.8	Interfaces with Standard Designs and Early Site Permits	1-30
1.8.1	COL Information Items	1-30
1.8.2	Departures	1-30
1.9	Conformance with Regulatory Criteria	1-48
1.9.1	Conformance with Regulatory Guides	1-48
1.9.2	Conformance with the Standard Review Plan	1-49
1.9.3	Generic Issues	1-49
1.9.4	Operational Experience (Generic Communications)	1-49
1.9.5	Advanced and Evolutionary Light-Water Reactor Design Issues.	1-49
1.9.6	References	1-49
2.0	Site Characteristics	2-1
2.1	Geography and Demography	2-10
2.1.1	Site Location and Description	2-10
2.1.2	Exclusion Area Authority and Control.	2-12
2.1.3	Population Distribution	2-13
2.1.4	References	2-18
2.2	Nearby Industrial, Transportation And Military Facilities	2-58
2.2.1	Location and Routes	2-58
2.2.2	Descriptions	2-60
2.2.3	Evaluation of Potential Accidents.	2-65
2.2.4	References	2-81
2.3	Meteorology.	2-101
2.3.1	Regional Climatology	2-101

2.3.2	Local Meteorology	2-114
2.3.3	Onsite Meteorological Measurement Program	2-123
2.3.4	Short Term Atmospheric Dispersion Estimates for Accident Releases	2-128
2.3.5	Long-term Atmospheric Dispersion Estimates for Routine Releases	2-132
2.3.6	References	2-136
2.4	Hydrologic Engineering	2-1115
2.4.1	Hydrologic Description	2-1115
2.4.2	Floods	2-1126
2.4.3	Probable Maximum Flood (PMF) on Streams and Rivers	2-1132
2.4.4	Potential Dam Failures	2-1139
2.4.5	Probable Maximum Surge and Seiche Flooding	2-1143
2.4.6	Probable Maximum Tsunami Flooding	2-1146
2.4.7	Ice Effects	2-1148
2.4.8	Cooling Water Canals and Reservoirs	2-1153
2.4.9	Channel Diversions	2-1160
2.4.10	Flooding Protection Requirements	2-1165
2.4.11	Low Water Considerations	2-1167
2.4.12	GroundWater	2-1173
2.4.13	Pathways of Liquid Effluents in Ground and Surface Waters	2-1199
2.4.14	Technical Specification and Emergency Operation Requirements	2-1212
2.5	Geology, Seismology, and Geotechnical Engineering	2-1461
2.5.1	Basic Geologic and Seismic Information	2-1468
2.5.2	Vibratory Ground Motion	2-1572
2.5.3	Surface Faulting	2-1625
2.5.4	Stability of Subsurface Materials and Foundations	2-1636
2.5.5	Stability of Slopes	2-1685
2.5.6	References	2-1691
3.0	Design of Structures, Components, Equipment and Systems	3-1
3.1	Compliance with Nuclear Regulatory Commission General Design Criteria	3-2
3.1.1	Overall Requirements	3-2
3.1.2	Protection by Multiple Fission Product Barriers	3-3
3.1.3	Protection and Reactivity Control Systems	3-3
3.1.4	Fluid Systems	3-3
3.1.5	Reactor Containment	3-3
3.1.6	Fuel and Reactivity Control	3-3
3.1.7	References	3-3
3.2	Classification of Structures, Systems, and Components	3-4
3.2.1	Seismic Classification	3-4
3.2.2	System Quality Group Classification	3-5
3.2.3	References	3-5
3.3	Wind and Tornado Loadings	3-16
3.3.1	Wind Loadings	3-16
3.3.2	Tornado Loadings	3-17
3.3.3	References	3-18
3.4	Water Level (Flood) Design	3-19
3.4.1	Internal Flood Protection	3-19
3.4.2	External Flood Protection	3-19
3.4.3	Analysis of Flooding Events	3-20
3.4.4	Analysis Procedures	3-21
3.4.5	References	3-21

3.5	Missile Protection	3-22
3.5.1	Missile Selection and Description	3-22
3.5.2	Structures, Systems, and Components to Be Protected From Externally Generated Missiles.....	3-29
3.5.3	Barrier Design Procedures.....	3-29
3.5.4	References	3-29
3.6	Protection Against Dynamic Effects Associated with Postulated Rupture of Piping	3-30
3.6.1	Plant Design for Protection Against Postulated Piping Failures in Fluid Systems Outside of Containment	3-30
3.6.2	Determination of Rupture Locations and Dynamic Effects Associated with the Postulated Rupture of Piping.....	3-30
3.6.3	Leak-Before-Break Evaluation Procedures.....	3-31
3.7	Seismic Design	3-32
3.7.1	Seismic Design Parameters.....	3-32
3.7.2	Seismic System Analysis.....	3-41
3.7.3	Seismic Subsystem Analysis	3-51
3.7.4	Seismic Instrumentation	3-53
3.8	Design of Category I Structures.....	3-217
3.8.1	Concrete Containment.....	3-217
3.8.2	Steel Containment.....	3-218
3.8.3	Concrete and Steel Internal Structures of Concrete Containment	3-218
3.8.4	Other Seismic Category I Structures	3-219
3.8.5	Foundations.....	3-229
3.8.6	References	3-235
3.9	Mechanical Systems and Components.....	3-243
3.9.1	Special Topics for Mechanical Components.....	3-243
3.9.2	Dynamic Testing and Analysis of Systems, Components, and Equipment	3-243
3.9.3	ASME Code Class 1, 2, and 3 Components, Component Supports, and Core Support Structures	3-245
3.9.4	Control Rod Drive System	3-248
3.9.5	Reactor Pressure Vessel Internals	3-248
3.9.6	Functional Design, Qualification, and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	3-248
3.10	Seismic and Dynamic Qualification of Mechanical And Electrical Equipment	3-255
3.10.1	Seismic Qualification Criteria	3-256
3.10.2	Methods and Procedures for Qualifying Mechanical, Electrical and I&C Equipment	3-257
3.10.3	Methods and Procedures for Qualifying Supports of Mechanical And Electrical Equipment and Instrumentation	3-257
3.10.4	Test and Analysis Results and Experience Database	3-258
3.10.5	References	3-258
3.11	Environmental Qualification Of Mechanical And Electrical Equipment	3-270
3.11.1	Equipment Identification and Environmental Conditions.....	3-270
3.11.2	Qualification Tests and Analysis	3-271
3.11.3	Qualification Test Results	3-271
3.11.4	Loss of Ventilation	3-272
3.11.5	Estimated Chemical and Radiation Environment.....	3-272
3.11.6	Qualification of Mechanical Equipment.....	3-272
3.11.7	References	3-272
3.12	ASME Code Class 1, 2, And 3 Piping Systems, Piping Components, And Their Associated	

Supports	3-279
3.12.1 Introduction	3-279
3.12.2 Codes and Standards	3-279
3.12.3 Piping Analysis Methods	3-279
3.12.4 Piping Modeling Techniques	3-279
3.12.5 Piping Stress Analysis Criteria	3-280
3.12.6 Piping Support Design Criteria	3-281
3.12.7 References	3-281
3.13 Threaded Fasteners (ASME Code Class 1, 2, and 3)	3-282
3.13.1 Design Considerations	3-282
3.13.2 Inservice Inspection Requirements	3-282
3.13.3 References	3-282
3A Criteria for Distribution System Analysis and Support	3-283
3B Dimensional Arrangement Drawings	3-284
3C Reactor Coolant System Structural Analysis Methods	3-285
3D Methodology for Qualifying Safety-Related Electrical and Mechanical Equipment	3-286
3E.0 Critical Sections for Safety-Related Category I Structures	3-287
3E.1 Nuclear Island Structures	3-288
3E.2 Emergency Power Generating Buildings	3-289
3E.3 Essential Service Water Buildings	3-290
3E.4 {ESWEMS Pumphouse and ESWEMS Retention Pond	3-291
3E.4.1 References	3-295
4.0 Reactor	4-1
4.1 Summary Description	4-2
4.2 Fuel System Design	4-3
4.3 Nuclear Design	4-4
4.4 Thermal-Hydraulic Design	4-5
4.5 Reactor Materials	4-6
4.6 Functional Design of Reactivity Control Systems	4-7
5.0 Reactor Coolant System and Connected Systems	5-1
5.1 Summary Description	5-2
5.2 Integrity of the Reactor Coolant Pressure Boundary	5-3
5.2.1 Compliance with Codes and Code Cases	5-3
5.2.2 Overpressure Protection	5-3
5.2.3 Reactor Coolant Pressure Boundary Materials	5-3
5.2.4 Inservice Inspection and Testing of the RCPB	5-3
5.2.5 RCPB Leakage Detection	5-4
5.2.6 References	5-4
5.3 Reactor Vessel	5-5
5.3.1 Reactor Vessel Materials	5-5
5.3.2 Pressure-Temperature Limits, Pressurized Thermal Shock, and Charpy Upper- Shelf Energy Data and Analyses	5-5
5.3.3 Reactor Vessel Integrity	5-6
5.3.4 References	5-6
5.4 Component and Subsystem Design	5-7

5.4.1	Reactor Coolant Pumps	5-7
5.4.2	Steam Generators (PWR)	5-7
5.4.3	Reactor Coolant Piping	5-8
5.4.4	Not Used in U.S. EPR Design	5-9
5.4.5	Not Used in U.S. EPR Design	5-9
5.4.6	Not Used in U.S. EPR Design	5-9
5.4.7	Residual Heat Removal System	5-9
5.4.8	Not Used in U.S. EPR Design	5-9
5.4.9	Not Used in U.S. EPR Design	5-9
5.4.10	Pressurizer	5-9
5.4.11	Pressurizer Relief Tank	5-9
5.4.12	Reactor Coolant System High Point Vents	5-9
5.4.13	Safety and Relief Valves	5-9
5.4.14	Component Supports	5-9
5.4.15	References	5-9
6.0	Engineered Safety Features	6-1
6.1	Engineered Safety Features Materials	6-2
6.1.1	Metallic Materials	6-2
6.1.2	Organic Materials	6-2
6.1.3	References	6-4
6.2	Containment Systems	6-5
6.2.1	Containment Functional Design	6-5
6.2.2	Containment Heat Removal Systems	6-5
6.2.3	Secondary Containment Functional Design	6-5
6.2.4	Containment Isolation System	6-5
6.2.5	Combustible Gas Control in Containment	6-5
6.2.6	Containment Leakage Testing	6-5
6.2.7	Fracture Prevention of Containment Pressure Vessel	6-5
6.2.8	References	6-5
6.3	Emergency Core Cooling System	6-6
6.3.1	Design Bases	6-6
6.3.2	System Design	6-6
6.3.3	Performance Evaluation	6-7
6.3.4	Tests and Inspections	6-7
6.3.5	Instrumentation Requirements	6-7
6.3.6	References	6-7
6.4	Habitability Systems	6-9
6.4.1	Design Basis	6-9
6.4.2	System Design	6-9
6.4.3	System Operational Procedures	6-9
6.4.4	Design Evaluations	6-10
6.4.5	Testing and Inspection	6-10
6.4.6	Instrumentation Requirements	6-11
6.4.7	References	6-11
6.5	Fission Product Removal and Control Systems	6-12
6.6	Inservice Inspection of Class 2 and 3 Components	6-13
6.6.1	Components Subject to Examination	6-13
6.6.2	Accessibility	6-13
6.6.3	Examination Techniques and Procedures	6-13
6.6.4	Inspection Intervals	6-13

6.6.5	Examination Categories and Requirements	6-14
6.6.6	Evaluation of Examination Results	6-14
6.6.7	System Pressure Tests	6-14
6.6.8	Augmented ISI to Protect Against Postulated Piping Failures	6-14
6.6.9	References	6-14
6.7	Main Steamline Isolation Valve Leakage Control System (BWRS)	6-16
6.8	Extra Borating System	6-17
7.0	Instrumentation and Controls	7-1
7.1	Introduction	7-2
7.2	Reactor Trip System	7-3
7.3	Engineered Safety Features Systems	7-4
7.4	Systems Required for Safe Shutdown	7-5
7.5	Information Systems Important to Safety	7-6
7.5.1	Description	7-6
7.5.2	Analysis	7-6
7.5.3	References	7-7
7.6	Interlock Systems Important to Safety	7-8
7.7	Control Systems Not Required For Safety	7-9
7.8	Diverse I&C Systems	7-10
7.9	Data Communication Systems	7-11
8.0	Electric Power	8-1
8.1	Introduction	8-2
8.1.1	Offsite Power Description	8-2
8.1.2	Onsite Power System Description	8-2
8.1.3	Safety-Related Loads	8-2
8.1.4	Design Bases	8-2
8.1.5	References	8-5
8.2	Offsite Power System	8-9
8.2.1	Description	8-9
8.2.2	Analysis	8-15
8.2.3	References	8-25
8.3	Onsite Power System	8-29
8.3.1	Alternating Current Power Systems	8-29
8.3.2	DC Power Systems	8-32
8.3.3	References	8-32
8.4	Station Blackout	8-43
8.4.1	Description	8-43
8.4.2	Analysis	8-43
8.4.3	References	8-45
9.0	Auxiliary Systems	9-1
9.1	Fuel Storage and Handling	9-2
9.1.1	Criticality Safety of New and Spent Fuel Storage and Handling	9-2
9.1.2	New and Spent Fuel Storage	9-2
9.1.3	Spent Fuel Pool Cooling and Purification System	9-3
9.1.4	Fuel Handling System	9-3
9.1.5	Overhead Heavy Load Handling System	9-3

9.2	Water Systems	9-7
9.2.1	Essential Service Water System	9-7
9.2.2	Component Cooling Water System	9-8
9.2.3	Demineralized Water Distribution System	9-8
9.2.4	Potable and Sanitary Water Systems (PSWS)	9-9
9.2.5	Ultimate Heat Sink	9-13
9.2.6	Condensate Storage Facilities	9-20
9.2.7	Seal Water Supply System	9-20
9.2.8	Safety Chilled Water System	9-21
9.2.9	Raw Water Supply System	9-21
9.3	Process Auxiliaries	9-36
9.4	Air Conditioning, Heating, Cooling and Ventilation Systems	9-37
9.4.1	Main Control Room Air Conditioning System	9-37
9.4.2	Fuel Building Ventilation System	9-38
9.4.3	Nuclear Auxiliary Building Ventilation System	9-38
9.4.4	Turbine Building Ventilation System	9-38
9.4.5	Safeguard Building Controlled-Area Ventilation System	9-42
9.4.6	Electrical Division of Safeguard Building Ventilation System (SBVSE)	9-42
9.4.7	Containment Building Ventilation System	9-42
9.4.8	Radioactive Waste Building Ventilation System	9-42
9.4.9	Emergency Power Generating Building Ventilation System	9-42
9.4.10	Switchgear Building Ventilation System	9-42
9.4.11	Essential Service Water Pump Building Ventilation System	9-42
9.4.12	Main Steam and Feedwater Valve Room Ventilation System	9-42
9.4.13	Smoke Confinement System	9-42
9.4.14	Access Building Ventilation System	9-42
9.4.15	{ESWEMS Pumphouse HVAC System	9-42
9.5	Other Auxiliary Systems	9-51
9.5.1	Fire Protection System	9-51
9.5.2	Communication System	9-59
9.5.3	Lighting System	9-61
9.5.4	Diesel Generator Fuel Oil Storage and Transfer System	9-61
9.5.5	Diesel Generator Cooling Water System	9-62
9.5.6	Diesel Generator Starting Air System	9-62
9.5.7	Diesel Generator Lubricating System	9-62
9.5.8	Diesel Generator Air Intake and Exhaust System	9-62
9A	Fire Protection Analysis	9-73
9B	Fire Protection Analysis - Plant Specific Supplement	9B-1
9B.1	Introduction	9B-2
9B.1.1	Regulatory Bases	9B-2
9B.1.2	Defense-in-depth	9B-3
9B.1.3	Scope	9B-3
9B.2	Fire Protection Analysis Methodology	9B-5
9B.2.1	General Design Criteria	9B-5
9B.2.2	Specific Elements	9B-5
9B.2.3	Assumptions	9B-9
9B.3	Fire Area-by-Fire Area Evaluation	9B-13
9B.3.1	Turbine Building	9B-13
9B.3.2	Switchgear Building	9B-15
9B.3.3	Auxiliary Power Transformer Area	9B-17

9B.3.4	Generator Transformer Area.....	9B-19
9B.3.5	{Warehouse Building.....	9B-20
9B.3.6	Security Access Facility.....	9B-20
9B.3.7	Central Gas Supply Building.....	9B-20
9B.3.8	{Grid Systems Control Building.....	9B-21
9B.3.9	Fire Protection Building.....	9B-21
9B.3.10	{Circulating Water System Cooling Tower Structures.....	9B-22
9B.3.11	Circulating Water System Pumphouse.....	9B-22
9B.3.12	Essential Service Water Emergency Makeup System Pumphouse.....	9B-23
9B.3.13	Circulating Water System Makeup Water Intake Structure.....	9B-24
9B.4	References.....	9B-25
10.0	Steam and Power Conversion System.....	10-1
10.1	Summary Description.....	10-2
10.2	Turbine-Generator.....	10-3
10.2.1	Design Bases.....	10-3
10.2.2	General Description.....	10-3
10.2.3	Turbine Rotor Integrity.....	10-3
10.2.4	Safety Evaluation.....	10-4
10.2.5	References.....	10-4
10.3	Main Steam Supply System.....	10-5
10.3.1	Design Bases.....	10-5
10.3.2	System Description.....	10-5
10.3.3	Safety Evaluation.....	10-5
10.3.4	Inspection and Testing Requirements.....	10-5
10.3.5	Secondary Side Water Chemistry Program.....	10-5
10.3.6	Steam and Feedwater System Materials.....	10-5
10.3.7	References.....	10-7
10.4	Other Features Of Steam And Power Conversion System.....	10-8
10.4.1	Main Condensers.....	10-8
10.4.2	Main Condenser Evacuation System.....	10-8
10.4.3	Turbine Gland Sealing System.....	10-8
10.4.4	Turbine Bypass System.....	10-8
10.4.5	Circulating Water System.....	10-9
10.4.6	Condensate Polishing System.....	10-17
10.4.7	Condensate and Feedwater System.....	10-17
10.4.8	Steam Generator Blowdown System (PWR).....	10-17
10.4.9	Emergency Feedwater System.....	10-17
11.0	Radioactive Waste Management.....	11-1
11.1	Source Terms.....	11-2
11.1.1	Reference.....	11-2
11.2	Liquid Waste Management System.....	11-3
11.2.1	Design Basis.....	11-3
11.2.2	System Description.....	11-3
11.2.3	Radioactive Effluent Releases.....	11-3
11.2.4	Liquid Waste Management System Cost-Benefit Analysis.....	11-6
11.2.5	References.....	11-7
11.3	Gaseous Waste Management Systems.....	11-22
11.3.1	Design Basis.....	11-22
11.3.2	System Description.....	11-22

11.3.3	Radioactive Effluent Releases.....	11-22
11.3.4	Gaseous Waste Management System Cost-Benefit Analysis	11-22
11.3.5	References	11-23
11.4	Solid Waste Management Systems	11-26
11.4.1	Design Basis	11-26
11.4.2	System Description	11-26
11.4.3	Radioactive Effluent Releases.....	11-26
11.4.4	Solid Waste Management System Cost-Benefit Analysis	11-26
11.4.5	Failure Tolerance	11-26
11.4.6	References	11-26
11.5	Process and Effluent Radiological Monitoring and Sampling Systems.....	11-27
11.5.1	Design Basis	11-27
11.5.2	System Description	11-27
11.5.3	Effluent Monitoring and Sampling.....	11-27
11.5.4	Process Monitoring and Sampling.....	11-27
11.5.5	References	11-27
12.0	Radiation Protection	12-1
12.1	Ensuring that Occupational Radiation Exposures are As Low As is Reasonably Achievable	12-2
12.1.1	Policy Considerations	12-2
12.1.2	Design Considerations	12-2
12.1.3	Operational Considerations	12-2
12.1.4	References	12-2
12.2	Radiation Sources.....	12-3
12.2.1	Contained Sources.....	12-3
12.2.2	Airborne Radioactive Material Sources.....	12-4
12.2.3	References	12-4
12.3	Radiation Protection Design Features.....	12-5
12.3.1	Facility Design Features	12-5
12.3.2	Shielding	12-5
12.3.3	Ventilation	12-5
12.3.4	Area Radiation and Airborne Radioactivity Monitoring Instrumentation	12-5
12.3.5	Dose Assessment	12-8
12.3.6	Minimization of Contamination	12-15
12.3.7	References	12-15
12.4	Dose Assessment	12-46
12.5	Operational Radiation Protection Program.....	12-47
12.5.1	References	12-47
13.0	Conduct Of Operations	13-1
13.1	Organizational Structure of Applicant	13-2
13.1.1	Management and Technical Support Organization.....	13-2
13.1.2	Operating Organization.....	13-9
13.1.3	Qualifications of Nuclear Plant Personnel	13-17
13.1.4	References	13-18
13.2	Training	13-25
13.2.1	References	13-25
13.3	Emergency Planning.....	13-26
13.4	Operational Program Implementation.....	13-27
13.4.1	References	13-27

13.5	Plant Procedures	13-33
13.5.1	Administrative Procedures	13-33
13.5.2	Operating and Maintenance Procedures	13-36
13.5.3	References	13-40
13.6	Security	13-41
13.6.1	References	13-41
13.7	Fitness For Duty	13-43
13.7.1	References	13-43
13.8	References.....	13-44
14.0	Verification Programs	14-1
14.1	Specific Information to be Addressed for the Initial Plant Test Program	14-2
14.2	Initial Plant Test Program.....	14-3
14.2.1	Summary of Test Program and Objectives	14-3
14.2.2	Organization and Staffing	14-3
14.2.3	Test Procedures.....	14-6
14.2.4	Conduct of Test Program.....	14-8
14.2.5	Review, Evaluation, and Approval of Test Results.....	14-8
14.2.6	Test Records.....	14-11
14.2.7	Conformance of Test Programs with Regulatory Guides	14-11
14.2.8	Utilization of Reactor Operating and Testing Experience in Development of Initial Test Program.....	14-11
14.2.9	Trial Use of Plant Operating and Emergency Procedures	14-11
14.2.10	Initial Fuel Loading and Initial Criticality.....	14-11
14.2.11	Test Program Schedule	14-11
14.2.12	Individual Test Descriptions	14-12
14.2.13	References	14-13
14.2.14	COL Applicant Site-Specific Tests	14-13
14.3	Inspection, Test, Analysis, and Acceptance Criteria	14-29
14.3.1	Tier 1, Chapter 1, Introduction.....	14-29
14.3.2	Tier 1, Chapter 2, System Based Design Descriptions and ITAAC	14-29
14.3.3	Tier 1, Chapter 3, Non-System Based Design Descriptions and ITAAC	14-30
14.3.4	Tier 1, Chapter 4, Interface Requirements	14-30
14.3.5	Tier 1, Chapter 5, Site Parameters	14-30
14.3.6	References	14-30
15.0	Transient and Accident Analysis.....	15-1
15.0.1	Radiological Consequence Analysis	15-1
15.0.2	Computer Codes Used in Analysis	15-1
15.0.3	Radiological Consequences of Design Basis Accidents	15-1
15.0.4	Plant Cooldown	15-4
15.0.5	Compliance with Section C.I.15, "Transient and Accident Analyses," of Regulatory Guide 1.206	15-4
15.0.6	References	15-4
15.1	Increase in Heat Removal by the Secondary System	15-8
15.2	Decrease in Heat Removal by the Secondary System	15-9
15.3	Decrease in Reactor Coolant System Flow Rate	15-10
15.4	Reactivity and Power Distribution Anomalies	15-11
15.5	Increase in Reactor Coolant Inventory	15-12

15.6	Decrease in Reactor Coolant Inventory Events	15-13
15.7	Radioactive Release from a Subsystem or Component	15-14
15.8	Anticipated Transients Without Scram	15-15
15.9	Boiling Water Reactor Stability	15-16
15.10	Spent Fuel Pool Criticality and Boron Dilution Analysis	15-17
15.10.1	References	15-17
16.0	TECHNICAL SPECIFICATIONS	16-1
17.0	Quality Assurance and Reliability Assurance	17-1
17.1	Quality Assurance During Design	17-2
17.2	Quality Assurance During the Operations Phase	17-3
17.3	Quality Assurance Program Description	17-4
17.4	Reliability Assurance Program	17-5
17.4.1	Reliability Assurance Program Scope, Stages, and Goals	17-5
17.4.2	Reliability Assurance Program Implementation	17-5
17.4.3	Organization, Design Control, Procedures and Instructions, Corrective Actions, and Audit Plans	17-6
17.4.4	Reliability Assurance Program Information Needed in a COL Application	17-6
17.4.5	References	17-16
17.5	Quality Assurance Program description	17-34
17.5.1	QA Program Responsibilities	17-34
17.5.2	SRP Section 17.5 and the QA Program Description	17-36
17.5.3	Evaluation of the QAPD Against the SRP and QAPD Submittal Guidance	17-36
17.5.4	References	17-36
17.6	Description of Applicant's Program for Implementation of 10 CFR 50.65, the Maintenance Rule	17-37
17.6.1	Scoping Per 10 CFR 50.65(b)	17-37
17.6.2	Monitoring Per 10 CFR 50.65(A)	17-37
17.6.3	Periodic Evaluation Per 10 CFR 50.65(A)(3)	17-37
17.6.4	Risk Assessment and Management Per 10 CFR 50.65(A)(4)	17-38
17.6.5	Maintenance Rule Training and Qualification	17-38
17.6.6	Maintenance Rule Program Role in Implementation of Reliability Assurance Program (RAP) in the Operations Phase	17-38
17.6.7	Maintenance Rule Program Implementation	17-38
17.6.8	References	17-39
17.7	Maintenance Rule Program	17-40
18.0	Human Factors Engineering	18-1
18.1	Human Factors Engineering Program Management	18-2
18.1.1	Human Factors Engineering Program Goals, Assumptions and Constraints, and Scope	18-2
18.1.2	Human Factors Engineering and Control Room Design Team Organization	18-3
18.1.3	Human Factors Engineering Processes and Procedures	18-3
18.1.4	Human Factors Engineering Issues Tracking	18-3
18.1.5	Technical Program	18-3
18.1.6	References	18-3
18.2	Operating Experience Review	18-4
18.3	Functional Requirements Analysis and Function Allocation	18-5
18.4	Task Analysis	18-6
18.5	Staffing and Qualifications	18-7

18.6 Human Reliability Analysis	18-8
18.7 Human System Interface Design.....	18-9
18.8 Procedure Development.....	18-10
18.9 Training Program Development.....	18-11
18.10 Verification and Validation	18-12
18.11 Design Implementation.....	18-13
18.12 Human Performance Monitoring	18-14
19.0 Probabilistic Risk Assessment and Severe Accident Evaluation	19-1
19.1 Probabilistic Risk Assessment	19-2
19.1.1 Uses and Application of the PRA.....	19-2
19.1.2 Quality of PRA	19-3
19.1.3 Special Design/Operational Features	19-5
19.1.4 Safety Insights from the Internal Events PRA for Operations at Power.....	19-5
19.1.5 Safety Insights from the External Events PRA for Operations at Power	19-8
19.1.6 Safety Insights from the PRA for Other Modes of Operation	19-20
19.1.7 PRA-Related Input to Other Programs and Processes.....	19-20
19.1.8 Conclusions and Findings.....	19-20
19.1.9 References	19-21
19.2 Severe Accident Evaluations	19-24
19.3 Open, Confirmatory, and COL Action Items Identified as Unresolved.....	19-25

List of Tables

Table 1.1-1— {Acronyms Used in this Document}	1-7
Table 1.6-1— {Reports Referenced}	1-26
Table 1.7-1— {I&C Functional and Electrical One Line Diagrams}	1-28
Table 1.7-2— {Piping and Instrumentation Diagrams}	1-29
Table 1.8-1— FSAR Sections that Demonstrate Conformance to U.S. EPR FSAR Interface Requirements	1-32
Table 1.8-2— FSAR Sections that Address COL Items	1-33
Table 1.9-1— {Conformance with Regulatory Guides}	1-50
Table 2.0-1— {U.S. EPR Site Design Envelope Comparison}.....	2- 2
Table 2.0-2— {Comparison of Inventory of Radionuclides Which Could Potentially Seep Into the Groundwater }.....	2-8
Table 2.1-1— {BBNPP Specific Location of the Center of the Containment Structure}	2-19
Table 2.1-2— {Population for Counties Within 10 mi (16 km) Radius of BBNPP}	2-20
Table 2.1-3— {SECPOP Population Within 10mi (16 km) Radius of BBNPP (2000 - 2060)}	2-21
Table 2.1-4— {SECPOP Population Within 50 mi (80 km) Radius of BBNPP (2000 - 2060)}	2-22
Table 2.1-5— {Population Census and Projections (2010-2060) for Counties Within 50 mile (80 km) Radius of BBNPP}	2-23
Table 2.1-6— {Transient Population Facilities - Major Employers Within 10 mi (16 km) Radius of BBNPP}	2-24
Table 2.1-7— {Transient Population Facilities - Major Recreational Areas and Attractions Within 10 mi (16 km) Radius of BBNPP}	2-25
Table 2.1-8— {Special Facilities - Hospitals and Nursing Homes Within the 10 mi (16 km) Zone}	2-26
Table 2.1-9— {Special Facilities - Schools Within 10 mi (16 km) Zone}	2-27
Table 2.1-10— {Commuting Patterns To and From Columbia and Luzerne Counties (2000)}	2-28
Table 2.1-11— {SECPOP Actual (2000) and Projected (2010-2060) Population Within the 1 mi (1.6 km) to 30 mi (48 km) Zones}	2-29
Table 2.1-12— {SECPOP Actual (2000) and Projected (2010-2060) Population Density (persons/mi ²) within the 1 mi (1.6 km) to 30 mi (48 km) Zones}	2-30
Table 2.2-1— {Description of Facilities, Products, and Materials}	2-84
Table 2.2-2— {SSES and BBNPP Chemical Storage}	2-85
Table 2.2-3— {Hazardous Chemical Railway, Road, or Waterway Freight}	2-87
Table 2.2-4— {Aircraft Operations - Significance Factors}	2-88
Table 2.2-5— {SSES Site and BBNPP Site Chemical Disposition}	2-89
Table 2.2-6— {Hazardous Material, Nearby Facilities, Disposition}.....	2-91
Table 2.2-7— {Hazardous Material, Transported Chemicals, Disposition}	2-93
Table 2.2-8— {Explosion Event Analysis}	2-94
Table 2.2-9— {Flammable Vapor Cloud Events (Delayed Ignition) Analysis}.....	2-95
Table 2.2-10— {Toxic Vapor Cloud Analysis}.....	2-96
Table 2.2-11— {Description of Pipelines}.....	2-97
Table 2.2-12— {Description of Highways}	2-98
Table 2.3-1— {National Ambient Air Quality Standards}	2-137
Table 2.3-2— {Tornados Reported in Luzerne County, Pennsylvania}	2-138
Table 2.3-3— {Tornadoes Reported in Columbia County, Pennsylvania}.....	2-139
Table 2.3-4— {Tropical Storms and Hurricanes Passing Within 100 Statute Miles (161 km) of BBNPP, Pennsylvania}.....	2-140
Table 2.3-5— {Total and Average Numbers of Tropical Storms and Hurricanes (1851-2004)}	2-142
Table 2.3-6— {Monthly Mean Number of Days with Thunderstorms}	2-143
Table 2.3-7— {Drought Events Reported in Luzerne County, Pennsylvania}.....	2-144
Table 2.3-8— {Drought Events Reported in Columbia County, Pennsylvania}	2-146

Table 2.3-9— {Fifty Knots or Greater High Wind Events in Luzerne County, Pennsylvania}	2-148
Table 2.3-10— {Winds Greater than 75 mph and Less than 124 mph in Luzerne County, Pennsylvania}	2-150
Table 2.3-11— {Fifty Knots or Greater High Wind Events in Columbia County, Pennsylvania}	2-151
Table 2.3-12— {Winds Greater than 75 mph and Less than 124 mph in Columbia County, Pennsylvania}	2-153
Table 2.3-13— {Hail Events in Luzerne County, Pennsylvania}	2-154
Table 2.3-14— {Hail Events in Columbia County, Pennsylvania}	2-156
Table 2.3-15— {Ice Storm Events in Luzerne County, Pennsylvania}	2-158
Table 2.3-16— {Ice Storm Events in Columbia County, Pennsylvania}	2-159
Table 2.3-17— {Snow Storm Events in Luzerne County, Pennsylvania}	2-161
Table 2.3-18— {Snow Storm Events in Columbia County, Pennsylvania}	2-163
Table 2.3-19— {Probable Maximum Winter Precipitation (PMWP) Values}	2-165
Table 2.3-20— {Design-Basis Tornado Characteristics for BBNPP}	2-166
Table 2.3-21— {Annual Heating and Humidification Design Conditions for Wilkes-Barre/Scranton, Pennsylvania}	2-167
Table 2.3-22— {Zero Percent Exceedance Temperature Values for Wilkes-Barre/Scranton, Pennsylvania}	2-168
Table 2.3-23— {Annual Cooling, Dehumidification, and Enthalpy Design Conditions for Wilkes-Barre/Scranton, Pennsylvania}	2-169
Table 2.3-24— {Extreme Annual Design Conditions for Wilkes-Barre/Scranton, Pennsylvania}	2-170
Table 2.3-25— {Monthly Design Dry Bulb and Mean Coincident Wet Bulb Temperatures for Wilkes-Barre/Scranton, Pennsylvania}	2-171
Table 2.3-26— {Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperatures for Wilkes-Barre/Scranton, Pennsylvania}	2-172
Table 2.3-27— {Monthly Mean Daily Temperature Range for Wilkes-Barre/Scranton, Pennsylvania}	2-173
Table 2.3-28— {SSES 33' (10-m) 2001-2007 Annual JFD}	2-174
Table 2.3-29— {SSES 197' (60-m) 2001-2007 Annual JFD}	2-190
Table 2.3-30— {SSES 33' (10-m) 2001-2006 Annual JFD}	2-206
Table 2.3-31— {SSES 197' (60-m) 2001-2006 Annual JFD}	2-222
Table 2.3-32— {SSES 33' (10-m) 2001-2006 Winter JFD}	2-238
Table 2.3-33— {SSES 33' (10-m) 2001-2006 Spring JFD}	2-254
Table 2.3-34— {SSES 33' (10-m) 2001-2006 Summer JFD}	2-270
Table 2.3-35— {SSES 33' (10-m) 2001-2006 Autumn JFD}	2-286
Table 2.3-36— {SSES 197' (60-m) 2001-2006 Winter JFD}	2-302
Table 2.3-37— {SSES 197' (60-m) 2001-2006 Spring JFD}	2-318
Table 2.3-38— {SSES 197' (60-m) 2001-2006 Summer JFD}	2-334
Table 2.3-39— {SSES 197' (60-m) 2001-2006 Autumn JFD}	2-350
Table 2.3-40— {SSES 33' (10-m) 2001-2006 January JFD}	2-366
Table 2.3-41— {SSES 33' (10-m) 2001-2006 February JFD}	2-382
Table 2.3-42— {SSES 33' (10-m) 2001-2006 March JFD}	2-398
Table 2.3-43— {SSES 33' (10-m) 2001-2006 April JFD}	2-414
Table 2.3-44— {SSES 33' (10-m) 2001-2006 May JFD}	2-430
Table 2.3-45— {SSES 33' (10-m) 2001-2006 June JFD}	2-446
Table 2.3-46— {SSES 33' (10-m) 2001-2006 July JFD}	2-462
Table 2.3-47— {SSES 33' (10-m) 2001-2006 August JFD}	2-478
Table 2.3-48— {SSES 33' (10-m) 2001-2006 September JFD}	2-494
Table 2.3-49— {SSES 33' (10-m) 2001-2006 October JFD}	2-510
Table 2.3-50— {SSES 33' (10-m) 2001-2006 November JFD}	2-526
Table 2.3-51— {SSES 33' (10-m) 2001-2006 December JFD}	2-542
Table 2.3-52— {SSES 197' (60-m) 2001-2006 January JFD}	2-558
Table 2.3-53— {SSES 197' (60-m) 2001-2006 February JFD}	2-574

Table 2.3-54— {SSES 197' (60-m) 2001-2006 March JFD}	2-590
Table 2.3-55— {SSES 197' (60-m) 2001-2006 April JFD}	2-606
Table 2.3-56— {SSES 197' (60-m) 2001-2006 May JFD}	2-622
Table 2.3-57— {SSES 197' (60-m) 2001-2006 June JFD}	2-638
Table 2.3-58— {SSES 197' (60-m) 2001-2006 July JFD}	2-654
Table 2.3-59— {SSES 197' (60-m) 2001-2006 August JFD}	2-670
Table 2.3-60— {SSES 197' (60-m) 2001-2006 September JFD}	2-686
Table 2.3-61— {SSES 197' (60-m) 2001-2006 October JFD}	2-702
Table 2.3-62— {SSES 197' (60-m) 2001-2006 November JFD}	2-718
Table 2.3-63— {SSES 197' (60-m) 2001-2006 December JFD}	2-734
Table 2.3-64— {Input Used to Determine JFD's}	2-750
Table 2.3-65— {Monthly Mean Wind Speed and Prevailing Wind Direction (tens of degrees) for Sites Around Bell Bend Nuclear Power Plant}	2-751
Table 2.3-66— {Monthly Maximum Two-Minute Wind Speed and Direction (tens of degrees) for Sites Around Bell Bend Nuclear Power Plant}	2-752
Table 2.3-67— {Monthly Maximum Five-Second Wind Speed and Direction (tens of degrees) for Sites Around Bell Bend Nuclear Power Plant}	2-753
Table 2.3-68— {SSES 33' (10-m) Wind Direction Persistence Summary for 2001}	2-754
Table 2.3-69— {SSES 33' (10-m) Wind Direction Persistence Summary for 2002}	2-756
Table 2.3-70— {SSES 33' (10-m) Wind Direction Persistence Summary for 2003}	2-758
Table 2.3-71— {SSES 33' (10-m) Wind Direction Persistence Summary for 2004}	2-760
Table 2.3-72— {SSES 33' (10-m) Wind Direction Persistence Summary for 2005}	2-762
Table 2.3-73— {SSES 33' (10-m) Wind Direction Persistence Summary for 2006}	2-764
Table 2.3-74— {SSES 33' (10-m) Average Wind Direction Persistence Summary for Years 2001-2006}	2-766
Table 2.3-75— {SSES 60m Wind Direction Persistence Summary for 2001}	2-768
Table 2.3-76— {SSES 60m Wind Direction Persistence Summary for 2002}	2-771
Table 2.3-77— {SSES 60m Wind Direction Persistence Summary for 2003}	2-774
Table 2.3-78— {SSES 60m Wind Direction Persistence Summary for 2004}	2-777
Table 2.3-79— {SSES 60m Wind Direction Persistence Summary for 2005}	2-779
Table 2.3-80— {SSES 60m Wind Direction Persistence Summary for 2006}	2-781
Table 2.3-81— {SSES 197' (60-m) Average Wind Direction Persistence Summary for Years 2001-2006}	2-784
Table 2.3-82— {SSES Daily Average and Extreme Temperatures (2001-2006)}	2-786
Table 2.3-83— {SSES Daily Average and Extreme Dew Point Temperatures (2001-2006)}	2-832
Table 2.3-84— {Williamsport, PA, Daily Average and Extreme Temperature and Dew Point Temperature Values (2000-2005)}	2-878
Table 2.3-85— {SSES Monthly Mean Temperatures (2001-2006)}	2-925
Table 2.3-86— {SSES Monthly Mean Extreme Maximum Temperatures (2001-2006)}	2-926
Table 2.3-87— {SSES Monthly Mean Extreme Minimum Temperatures (2001-2006)}	2-927
Table 2.3-88— {SSES Monthly Mean Daily Maximum Temperatures (2001-2006)}	2-928
Table 2.3-89— {SSES Monthly Mean Daily Minimum Temperatures (2001-2006)}	2-929
Table 2.3-90— {SSES Maximum Hourly Temperatures (2001-2006)}	2-930
Table 2.3-91— {SSES Minimum Hourly Temperatures (2001-2006)}	2-931
Table 2.3-92— {Number of SSES Hourly Temperature Values Greater Than or Less Than Indicated Value and Percent Frequency of Occurrence (2001-2006)}	2-932
Table 2.3-93— {SSES Monthly Mean Relative Humidity (2001-2006)}	2-933
Table 2.3-94— {Monthly Mean Temperatures (1971-2000) for Sites Around Bell Bend Nuclear Power Plant}	2-934
Table 2.3-95— {Monthly Mean Daily Maximum Temperatures (1971-2000) for Sites Around Bell Bend Nuclear Power Plant}	2-935
Table 2.3-96— {Monthly Mean Daily Minimum Temperatures (1971-2000) for Sites Around Bell Bend Nuclear Power Plant}	2-936
Table 2.3-97— {Monthly Mean Wet Bulb Temperatures (1978-2000) for Sites Around Bell Bend Nuclear	

Power Plant}	2-937
Table 2.3-98— {Monthly Mean Dew Point Temperatures (1978-2000) for Sites Around Bell Bend Nuclear Power Plant}	2-938
Table 2.3-99— {Mean Number of Days with Maximum Hourly Temperature Value Greater Than or Equal to 90°F (1971-2000) for Sites Around Bell Bend Nuclear Power Plant}	2-939
Table 2.3-100— {Mean Number of Days with Minimum Hourly Temperature Value Less Than or Equal to 32°F (1971-2000) for Sites Around BBNPP}	2-940
Table 2.3-101— {Mean Number of Days with Minimum Hourly Temperature Value Less Than or Equal to 0°F (1971-2000) for Sites Around BBNPP}	2-941
Table 2.3-102— {Monthly Mean Relative Humidity (1971-2000) for Sites Around BBNPP}	2-942
Table 2.3-103— {Daily Variation of Monthly Mean Relative Humidity (%) (1971-2000) for Sites Around BBNPP}	2-943
Table 2.3-104— {Annual Heating and Humidification Design Conditions for Wilkes-Barre/Scranton, PA}	2-944
Table 2.3-105— {Annual Cooling, Dehumidification, and Enthalpy Design Conditions for Wilkes-Barre/Scranton, PA}	2-945
Table 2.3-106— {Extreme Annual Design Conditions for Wilkes-Barre/Scranton, PA}	2-946
Table 2.3-107— {Monthly Design Dry Bulb and Mean Coincident Wet Bulb Temperature Values for Wilkes-Barre/Scranton, PA (1972-2001)}	2-947
Table 2.3-108— {Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for Wilkes-Barre/Scranton, PA (1972-2001)}	2-948
Table 2.3-109— {Monthly Design Dry Bulb and Mean Coincident Wet Bulb Temperature Values for Allentown, PA (1972-2001)}	2-949
Table 2.3-110— {Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for Allentown, PA (1972-2001)}	2-950
Table 2.3-111— {Monthly Mean Daily Temperature Range in Fahrenheit Degrees for Wilkes-Barre/Scranton, PA}	2-951
Table 2.3-112— {SSES Monthly and Annual Precipitation (2001-2006)}	2-952
Table 2.3-113— {SSES Monthly and Annual Percent Frequency (%) of Precipitation Occurrence (2001-2006)}	2-953
Table 2.3-114— {SSES Hourly Rainfall Rate Distribution (2001-2006)}	2-954
Table 2.3-115— {SSES Measured Extreme Precipitation Hourly Values (2001-2006)}	2-955
Table 2.3-116— {Mean Monthly and Annual Precipitation for Sites Around Bell Bend Nuclear Power Plant (1971-2000)}	2-956
Table 2.3-117— {Mean Monthly and Annual Snowfall for Sites Around Bell Bend Nuclear Power Plant (1971-2000)}	2-957
Table 2.3-118— {Monthly Mean Number of Days with Precipitation for Sites Around Bell Bend Nuclear Power Plant (1971-2000)}	2-958
Table 2.3-119— {Monthly Mean Number of Days with Heavy Fog for Sites Around Bell Bend Nuclear Power Plant (1964-2006)}	2-959
Table 2.3-120— {SSES 33' (10-m) Annual Stability Persistence Summary for Year 2001}	2-960
Table 2.3-121— {SSES 33' (10-m) Annual Stability Persistence Summary for Year 2002}	2-962
Table 2.3-122— {SSES 33' (10-m) Annual Stability Persistence Summary for Year 2003}	2-964
Table 2.3-123— {SSES 33' (10-m) Annual Stability Persistence Summary for Year 2004}	2-966
Table 2.3-124— {SSES 33' (10-m) Annual Stability Persistence Summary for Year 2005}	2-968
Table 2.3-125— {SSES 33' (10-m) Annual Stability Persistence Summary for Year 2006}	2-971
Table 2.3-126— {SSES 33' (10-m) Annual Stability Persistence Summary for Years 2001-2006}	2-973
Table 2.3-127— {SSES 197' (60-m) Annual Stability Persistence Summary for Year 2001}	2-974
Table 2.3-128— {SSES 197' (60-m) Annual Stability Persistence Summary for Year 2002}	2-976
Table 2.3-129— {SSES 197' (60-m) Annual Stability Persistence Summary for Year 2003}	2-978
Table 2.3-130— {SSES 197' (60-m) Annual Stability Persistence Summary for Year 2004}	2-980
Table 2.3-131— {SSES 197' (60-m) Annual Stability Persistence Summary for Year 2005}	2-982

Table 2.3-132— {SSES 197' (60-m) Annual Stability Persistence Summary for Year 2006}	2-985
Table 2.3-133— {SSES 197' (60-m) Annual Stability Persistence Summary for Years 2001-2006}	2-988
Table 2.3-134— {SSES Monthly Atmospheric Stability Summary (2001-2006)}	2-989
Table 2.3-135— {Monthly and Annual Average Mixing Height Values (m)}	2-990
Table 2.3-136— {Monthly and Annual Average Mixing Height Values (ft)}	2-991
Table 2.3-137— {Temperature Inversion Frequency and Persistence at SSES, Year 2001}	2- 992
Table 2.3-138— {Temperature Inversion Frequency and Persistence at SSES, Year 2002}	2-993
Table 2.3-139— {Temperature Inversion Frequency and Persistence at SSES, Year 2003}	2-994
Table 2.3-140— {Temperature Inversion Frequency and Persistence at SSES, Year 2004}	2-995
Table 2.3-141— {Temperature Inversion Frequency and Persistence at SSES, Year 2005}	2-996
Table 2.3-142— {Temperature Inversion Frequency and Persistence at SSES, Year 2006}	2-997
Table 2.3-143— {National Ambient Air Quality Standards}	2-998
Table 2.3-144— {Primary Meteorological Tower Instrument Types, Specifications and Accuracies for Pre-Operational and Operational Programs}	2-999
Table 2.3-145— {Distances from BBNPP Met Tower to Nearby Obstructions to Air Flow}	2-1000
Table 2.3-146— {AEOLUS3 and ARCON96 Input }	2-1001
Table 2.3-147— {EAB/LPZ Accident χ/Q Values for Ground Level Release Using SSES 2001-2007 Meteorological Data}	2-1003
Table 2.3-148— {50th Percentile BBNPP Site Atmospheric Dispersion Factors}	2-1004
Table 2.3-149— {Control Room/TSC χ/Q Values for Stack Release Using SSES 2001-2007 Meteorological Data}	2-1005
Table 2.3-150— {Control Room/TSC χ/Q Values for Silencer Release Using SSES 2001-2007 Meteorological Data}	2-1006
Table 2.3-151— {Control Room/TSC χ/Q Values for Canopy Release Using SSES 2001-2007 Meteorological Data}	2-1007
Table 2.3-152— {Control Room/TSC χ/Q Values for Equipment Hatch Release Using SSES 2001-2007 Meteorological Data}	2-1008
Table 2.3-153— {Control Room/TSC χ/Q Values for Depressurization Shaft Release Using SSES 2001-2007 Meteorological Data}	2-1009
Table 2.3-154— {AEOLUS3 Input}	2-1010
Table 2.3-155— {Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-1018
Table 2.3-156— {Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Site Boundary Receptors}	2-1020
Table 2.3-157— {Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values (sec/m^3) for Mixed Mode Release With Building Wake for Nearest Residents}	2-1021
Table 2.3-158— {Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values (sec/m^3) for Mixed Mode Release With Building Wake for Nearest Gardens}	2-1022
Table 2.3-159— {Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values (sec/m^3) for Mixed Mode Release With Building Wake for Nearest Milk Animals}	2-1023
Table 2.3-160— {Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values (sec/m^3) for Mixed Mode Release With Building Wake for Nearest Meat Animals}	2-1024
Table 2.3-161— {Normal Effluent Annual Average, Decayed, Depleted χ/Q Values (sec/m^3) for Mixed Mode Release With Building Wake for Grid Receptors}	2-1025
Table 2.3-162— {Normal Effluent Annual Average, Decayed, Depleted χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Site Boundary Receptors}	2-1027
Table 2.3-163— {Normal Effluent Annual Average, Decayed, Depleted χ/Q Values (sec/m^3) for Mixed Mode Release With Building Wake for Nearest Residents}	2-1028
Table 2.3-164— {Normal Effluent Annual Average, Decayed, Depleted χ/Q Values (sec/m^3) for Mixed Mode Release With Building Wake for Nearest Gardens}	2-1029
Table 2.3-165— {Normal Effluent Annual Average, Decayed, Depleted χ/Q Values (sec/m^3) for Mixed Mode Release With Building Wake for Nearest Milk Animals}	2-1030

Table 2.3-166— {Normal Effluent Annual Average, Decayed, Depleted χ/Q Values (sec/m ³) for Mixed Mode Release With Building Wake for Nearest Meat Animals}	2-1031
Table 2.3-167— {Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-1032
Table 2.3-168— {Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-1033
Table 2.3-169— {Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Site Boundary Receptors}	2-1034
Table 2.3-170— {Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values (sec/m ³) for Mixed Mode Release With Building Wake for Nearest Residents}	2-1035
Table 2.3-171— {Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values (sec/m ³) for Mixed Mode Release With Building Wake for Nearest Gardens}	2-1036
Table 2.3-172— {Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values (sec/m ³) for Mixed Mode Release With Building Wake for Nearest Milk Animals}	2-1037
Table 2.3-173— {Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values (sec/m ³) for Mixed Mode Release With Building Wake for Nearest Meat Animals}	2-1038
Table 2.3-174— {Normal Effluent Annual Average D/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-1039
Table 2.3-175— {Normal Effluent Annual Average D/Q Values (1/m ²) for Mixed Mode Release Using 242,458 cfm Flow Rate for Site Boundary Receptors}	2-1041
Table 2.3-176— {Normal Effluent Annual Average D/Q Values (1/m ²) for Mixed Mode Release With Building Wake for Nearest Residents}	2-1042
Table 2.3-177— {Normal Effluent Annual Average D/Q Values (1/m ²) for Mixed Mode Release With Building Wake for Nearest Gardens}	2-1043
Table 2.3-178— {Normal Effluent Annual Average D/Q Values (1/m ²) for Mixed Mode Release With Building Wake for Nearest Milk Animals}	2-1044
Table 2.3-179— {Normal Effluent Annual Average, D/Q Values (1/m ²) for Mixed Mode Release With Building Wake for Nearest Meat Animals}	2-1045
Table 2.3-180— 100-Year Return Period and Historical Maximum Snowfall Events	2-1046
Table 2.3-181— Highest Daily Snow Depth	2-1047
Table 2.4-1— {Approximate Length and Average Gradient of Creeks Located near BBNPP}	2-1215
Table 2.4-2— {Annual Peak Streamflow for Wilkes-Barre, PA USGS Station No. 01536500, (1787 through 2006)}	2-1216
Table 2.4-3— {Monthly Streamflow for Wilkes-Barre, PA USGS Station No. 01536500, (1899 through 2006)}	2-1219
Table 2.4-4— {Mean Daily Streamflow for Wilkes-Barre, PA USGS Station No. 01536500, (1899 through 2006)}	2-1223
Table 2.4-5— {Maximum Daily Streamflow for Wilkes-Barre, PA USGS Station No. 01536500, (1899 through 2006)}	2-1224
Table 2.4-6— {Minimum Daily Streamflow for Wilkes-Barre, PA USGS Station No. 01536500, (1899 through 2006)}	2-1225
Table 2.4-7— {Annual Peak Streamflow for Danville, PA USGS Station No. 01540500, (1865 through 2006)}	2-1226
Table 2.4-8— {Monthly Streamflow for the Danville, PA USGS Station No. 01540500, (1905 through 2006)}	2-1229
Table 2.4-9— {Mean Daily Streamflow for Danville, PA USGS Station No. 01540500, (1905 through 2006)}	2-1233
Table 2.4-10— {Maximum Daily Streamflow for Danville, PA USGS Station No. 01540500, (1905 through 2006)}	2-1234
Table 2.4-11— {Minimum Daily Streamflow for Danville, PA USGS Station No. 01540500, (1905 through 2006)}	2-1235
Table 2.4-12— {Susquehanna River Basin Upstream Dam Information}	2-1236

Table 2.4-13— {Surface Water Users in Luzerne County}	2-1243
Table 2.4-14— {SSES Units 1 and 2 Monthly Consumptive Water Use (Million Gallons per Month)} ..	2-1245
Table 2.4-15— {Major Public Water Suppliers within Luzerne and Columbia Counties}.....	2-1246
Table 2.4-16— {SSES Units 1 and 2 Cooling Tower Blowdown Discharge Rate Permit Nol PA0047325}	2-1247
Table 2.4-17— {Water Pollution Control Facilities in Luzerne County}	2-1248
Table 2.4-18— {1-Hour 1 mi2 Probable Maximum Precipitation (PMP) Depths}	2-1250
Table 2.4-19— {72-Hour 10 mi2 Probable Maximum Precipitation (PMP) Depths}.....	2-1251
Table 2.4-20— {Sub-Basin Drainage Areas for BBNPP (Site Drainage)}	2-1252
Table 2.4-21— {HEC-HMS Sub-Basin Site PMP Peak Discharges for BBNPP (Site Drainage)}	2-1253
Table 2.4-22— {Safety-Related Facility Entrance Elevation Summary}	2-1254
Table 2.4-23— {Walker Run Probable Maximum Precipitation Depths}	2-1255
Table 2.4-24— {Walker Run PMP Peak Flow Rates}.....	2-1256
Table 2.4-25— {Walker Run PMF Water Surface Elevations}	2-1257
Table 2.4-26— {Historical Tsunamis and Maximum Generated Wave Heights}	2-1258
Table 2.4-27— {Estimated Average Monthly Ice Thickness, Susquehanna River 2001-2007}	2-1259
Table 2.4-28— {Estimated Average Monthly Ice Thickness, ESW Emergency Makeup Retention Pond 2001- 2007}	2-1260
Table 2.4-29— {10 mi2 (25.9 km2) Probable Maximum Precipitation Depths at the ESWEMS}.....	2-1261
Table 2.4-30— {Data Input and Results for Wind Setup Calculations}	2-1262
Table 2.4-31— {Wave Runup Results}	2-1263
Table 2.4-32— {Highest Wind Speeds Using Fisher-Tippet Type I (Frechet) Distribution}.....	2-1264
Table 2.4-33— {Summary of Information of the Stations and Range of Data Used}.....	2-1265
Table 2.4-34— {Annual Minimum Water Levels at Danville, PA Station}.....	2-1266
Table 2.4-35— {Annual Minimum Water Levels at Wilkes-Barre PA Station}.....	2-1269
Table 2.4-36— {Annual Low Flow Statistics for Danville and Wilkes-Barre Stations}	2-1272
Table 2.4-37— {Estimated Recurrence Interval for the Lowest Recorded Flow, Wilkes-Barre and Danville Stations}	2-1273
Table 2.4-38— {Physical Characteristics of Groundwater Wells in the North Branch Susquehanna River Basin, Pennsylvania}	2-1274
Table 2.4-39— {Yields and Specific Capacities of Wells in the North Branch Susquehanna River Basin, Pennsylvania}	2-1275
Table 2.4-40— {Specific Capacities of Wells in the Berwick-Bloomsburg-Danville Area, Pennsylvania}	2-1276
Table 2.4-41— {Effect of Lithology on Well Yields, Berwick-Bloomsburg - Danville Area, Pennsylvania}	2-1277
Table 2.4-42— {Computed Water Budget Components for Selected Drainage Basins in the North Branch Susquehanna River Basin, Pennsylvania}	2-1278
Table 2.4-43— {BBNPP Monitoring Wells and Construction Details}	2-1279
Table 2.4-44— {Monthly Groundwater Elevation Measurements, BBNPP}.....	2-1281
Table 2.4-45— {Monthly Surface Water Elevation Measurements, BBNPP}	2-1285
Table 2.4-46— {Water Use in the Upper Susquehanna River Basin, Pennsylvania, in 1970}.....	2-1287
Table 2.4-47— {Groundwater Wells Located Within a 5-Mile (8 km) Radius of BBNPP}.....	2-1288
Table 2.4-48— {Groundwater Withdrawals Located Within a 25-Mile (40-km) Radius of BBNPP}	2-1307
Table 2.4-49— {Groundwater Withdrawals Located Within a 5-Mile (8-km) Radius of BBNPP}	2-1316
Table 2.4-50— {Drinking Water Wells Used for Public Water Supplies, Luzerne and Columbia Counties}	2-1317
Table 2.4-51— {Horizontal Hydraulic Gradients}	2-1334
Table 2.4-52— {Vertical Hydraulic Gradients and Flow Directions}.....	2-1335
Table 2.4-53— {Hydraulic Conductivity Values Based on Slug Tests}.....	2-1337
Table 2.4-54— {Hydraulic Properties Based on Pumping Tests}	2-1338

Table 2.4-55— {Hydraulic Conductivity Values of Bedrock (Mahantango Shale) Based on Packer Tests}	2-1339
Table 2.4-56— {Summary of Hydraulic Property Testing at the SSES}	2-1341
Table 2.4-57— {Reactor Coolant Storage Tank Radionuclide Inventory}	2-1343
Table 2.4-58— {Transport Analysis Considering Advection and Radioactive Decay - Equation Inputs}	2-1344
Table 2.4-59— {Transport Analysis Considering Advection and Radioactive Decay - Results}	2-1347
Table 2.4-60— {BBNPP Site-Specific Radionuclide Adsorption (Kd) Values}	2-1349
Table 2.4-61— {Distribution Coefficients and Retardation Factors Used in Advection-Decay-Retardation Analysis}	2-1350
Table 2.4-62— {Transport Analysis Considering Advection, Radioactive Decay, and Retardation} ...	2-1351
Table 2.4-63— {Transport Analysis Considering Advection, Radioactive Decay, Retardation, and Dilution}	2-1352
Table 2.4-64— {Transport Analysis Considering Advection, Radioactive Decay, Retardation, and Dilution - continued}	2-1353
Table 2.4-65— {Transport Analysis Considering Advection, Radioactive Decay, Retardation, and Dilution - continued}	2-1354
Table 2.4-66— {Compliance with 10 CFR Part 20, Appendix B, Table 2}	2-1355
Table 2.5-1— {USGS Earthquake Catalog for the CEUS with $m_b \geq 3.0$ }	2-1692
Table 2.5-2— {Conversion Between Body-Wave (m_b) and Moment (M) Magnitude}	2-1753
Table 2.5-3— {Summary of Bechtel Group Seismic Sources}	2-1754
Table 2.5-4— {Summary of Dames & Moore Seismic Sources}	2-1755
Table 2.5-5— {Summary of Law Engineering Seismic Sources}	2-1756
Table 2.5-6— {Summary of Rondout Associates Seismic Sources}	2-1757
Table 2.5-7— {Summary of Weston Geophysical Seismic Sources}	2-1758
Table 2.5-8— {Summary of Woodward-Clyde Consultants Seismic Sources}	2-1759
Table 2.5-9— {Alternative New Madrid Fault Locations}	2-1760
Table 2.5-10— {Earthquake Frequencies for Repeating New Madrid Earthquake Sequences}	2-1762
Table 2.5-11— {Controlling Earthquakes for BBNPP}	2-1763
Table 2.5-12— {Controlling Earthquakes for BBNPP}	2-1764
Table 2.5-13— {Recommended Horizontal and Vertical SSE Amplitudes and common V/H Ratio} ...	2-1765
Table 2.5-14— {Amplification Factors for 10^{-4} and 10^{-5} Input Motions and HF and LF Rock Spectra} ..	2-1766
Table 2.5-15— {Uniform Hazard Response Spectra (Hard Rock Conditions)}	2-1768
Table 2.5-16— {Earthquake Frequencies for Repeating New Madrid Earthquake Sequences}	2-1769
Table 2.5-17— {USGS 2008 Seismicity Smoothing Models}	2-1770
Table 2.5-18— {Selected Controlling Rock Motion Time Histories}	2-1771
Table 2.5-19— Comparison of Post-EPRI NP-6395-D 1989 Magnitude Estimates for the 1886 Charleston Earthquake	2-1775
Table 2.5-20— {Mean and Fractile Rock Hazard Curves for PGA}	2-1776
Table 2.5-21— {Mean and Fractile Rock Hazard Curves for 25 Hz}	2-1777
Table 2.5-22— {Mean and Fractile Rock Hazard Curves for 10 Hz}	2-1778
Table 2.5-23— {Mean and Fractile Rock Hazard Curves for 5 Hz}	2-1779
Table 2.5-24— {Mean and Fractile Rock Hazard Curves for 2.5 Hz}	2-1780
Table 2.5-25— {Mean and Fractile Rock Hazard Curves for 1 Hz}	2-1781
Table 2.5-26— {Mean and Fractile Rock Hazard Curves for 0.5 Hz}	2-1782
Table 2.5-27— {Summary Of Thicknesses And Termination Elevations For Various Strata}	2-1783
Table 2.5-28— {Summary Of Geotechnical Field Tests}	2-1785
Table 2.5-29— {Boring Locations And Surface Elevations}	2-1786
Table 2.5-30— {Summary of Hammer-Rod Energy Measurements}	2-1788
Table 2.5-31— {Summary Of Field-Measured Standard Penetration Test (Spt) N-Values}	2-1789
Table 2.5-32— {Summary Of Adjusted Spt N-Values Based On Energy Measurements}	2-1790
Table 2.5-33— {Summary Of Borehole Pressuremeter Test Results}	2-1791
Table 2.5-34— {Summary Of Laboratory Tests}	2-1793

Table 2.5-35— {Summary Of Moisture Content}	2-1794
Table 2.5-36— {Summary Of Unit Weight Tests Special Care Rock Samples And Undisturbed Samples}	2-1796
Table 2.5-37— {Summary Of Specific Gravity Tests Special Care Rock Samples And Undisturbed Samples}	2-1798
Table 2.5-38— {Chemical Test Results Of Soil And Rock Samples}	2-1799
Table 2.5-39— {Summary Of Unconfined Compressive Strength Tests Special Care Rock Samples} ..	2-1801
Table 2.5-40— {Hydraulic Conductivity Test Results}	2-1803
Table 2.5-41— {Dynamic Testing Program Samples}.....	2-1805
Table 2.5-42— {Resonant Column Low Strain Properties}.....	2-1806
Table 2.5-43— {"Free-Free" Test Results}	2-1808
Table 2.5-44— {Category 1 Structural Fill and Backfill Properties}	2-1810
Table 2.5-45— {Category 1 Structural Fill and Backfill Properties}	2-1811
Table 2.5-46— {Recommended Values Of Index Properties}	2-1812
Table 2.5-47— {Rock Mass Rating For Mahantango Formation}	2-1814
Table 2.5-48— {Recommended Values For Strength Properties}	2-1816
Table 2.5-49— {Recommended Values For Hydraulic Conductivity}	2-1818
Table 2.5-50— {Recommended Values For Elastic Modulus}	2-1820
Table 2.5-51— {Recommended Values For Static Elastic Properties}.....	2-1822
Table 2.5-52— {Recommended Values For Low Strain Dynamic Elastic Properties At Center Of Nuclear Island Footprint}.....	2-1824
Table 2.5-53— {Peak Ground Acceleration from FIRS Study}	2-1826
Table 2.5-54— {Soil Conditions For The U.S. EPR Standard Plant}.....	2-1828
Table 2.5-55— {Soil Conditions For The U.S. EPR Standard Plant}.....	2-1830
Table 2.5-56— {Foundation Elevations}	2-1832
Table 2.5-57— {Earth Pressure Coefficients}.....	2-1836
Table 2.5-58— {Bearing Capacity (Failure Controlled)}	2-1837
Table 2.5-59— {Elastic Settlement Analysis By Simplified Approximations}.....	2-1839
Table 2.5-60— {Detailed Elastic Settlement Analysis}	2-1841
Table 2.5-61— {Factor Of Safety Against Sliding}	2-1843
Table 2.5-62— {Smooth Uniform Hazard Response Spectra}	2-1844
Table 2.5-63— Relation of the Tectonic History of the Site Region to the Associated Tectonic Features	2-1845
Table 2.5-64— {2002-2007 Events In 500 Mile (805 km) Radius}	2-1848
Table 2.5-65— {Uniform Hazard Response Spectra Comparison of 500-mi Sensitivity Analysis}.....	2-1850
Table 2.5-66— {Uniform Hazard Response Spectra Comparison for the 625 mile (1006 km) Charlevoix Sensitivity Analysis Case 1}.....	2-1851
Table 2.5-67— {Maximum Magnitude Distribution used for the for the 625 mile (1006 km) Charlevoix Sensitivity Analyses }	2-1852
Table 2.5-68— {Uniform Hazard Response Spectra Comparison for the 625 mile (1006 km) Charlevoix Sensitivity Analysis Case 2}.....	2-1853
Table 2.5-69— {Maximum Magnitude Distribution for the RSZ EST Zones}	2-1854
Table 3.2-1— {Classification Summary for Site-Specific SSCs}	3-6
Table 3.7-1— {Best Estimate Soil Modeling}.....	3-55
Table 3.7-2— {Lower Bound Soil Modeling}	3-56
Table 3.7-3— {Upper Bound Soil Modeling}	3-57
Table 3.7-4— {Comparison of Worst Case Maximum Accelerations in EPGB}.....	3-58
Table 3.7-5— {Comparison of Worst Case Maximum Accelerations in ESWB}	3-59
Table 3.7-6— {BBNPP Worst Case Maximum Accelerations - EPGB}.....	3-60
Table 3.7-7— {Comparison of Nodal Accelerations for Selected Critical Locations in the ESWEMS Pumphouse}	3-61
Table 3.8-1— {ESWEMS Pumphouse Basemat & Pump Well Foundation Summary Table On the Building	

Stability}	3-236
Table 3.8-2— {ESWEMS Retention Pond - Summary of the Slope Stability}	3-237
Table 3.9-1— {Site-Specific Inservice Pump Testing Program Requirements}	3-251
Table 3.9-2— {Site-Specific Inservice Valve Testing Program Requirements}	3-252
Table 3.10-1— {Site-Specific Seismic and Dynamic Qualifications of Mechanical and Electrical Equipment}	3-258
Table 3.11-1— {Site-Specific Environmentally Qualified Electrical/I&C Equipment}	3-274
Table 3E-1 — {Response Spectrum Analysis - Design Load Combinations for ESWEMS Pumphouse Structure}	3-295
Table 3E-2 — {Required Factor Of Safety for ESWEMS Pumphouse Stability}	3-296
Table 3E-3 — {ESWEMS Pumphouse Base Mat Resultant Membrane Forces and Moments}	3-297
Table 3E-4 — {ESWEMS Pump Well Foundation Group Resultant Membrane Forces and Moments}	3-298
Table 3E-5 — {ESWEMS Shear Keys Reaction Forces and Moments}	3-299
Table 3E-6 — {ESWEMS Pumphouse Walls Resultant Membrane Forces & Moments}	3-300
Table 3E-7 — {Required Factor of Safety for the ESWEMS Retention Pond Slope Stability}	3-301
Table 6.6-1— {Inservice Inspection Requirements for Class 3 Site-Specific ESWEMS}	6-15
Table 8.1-1— {Division 1 Emergency Diesel Generator Nominal Loads}	8-4
Table 8.1-2— {Division 2 Emergency Diesel Generator Nominal Loads}	8-5
Table 8.1-3— {Division 3 Emergency Diesel Generator Nominal Loads}	8-6
Table 8.1-4— {Division 4 Emergency Diesel Generator Nominal Loads}	8-7
Table 8.2-1— {PPL EU Transmission System Circuits Connected to the BBNPP Site}	8-26
Table 8.3-1— {BBNPP Onsite AC Power System Component Data Nominal Values}	8-33
Table 8.3-2— {BBNPP EPSS Switchgear, Load Center, and Motor Control Center Numbering and Nominal Voltage}	8-34
Table 8.3-3— {BBNPP Normal Power Supply System Switchgear Numbering and Nominal Voltage }	8-35
Table 9.5-1— {Fire Protection Program Compliance with Regulatory Guide 1.189}	9-63
Table 9B-1— Predefined Severities for Common Plant Ignition Source Fires	9-26
Table 9B-2— {Fire Area Parameters}	9-27
Table 10.4-1— {Circulating Water System Cooling Tower Design Specifications}	10-18
Table 11.2-1— {Input Parameters for PWR GALE Computer Code}	11-9
Table 11.2-2— {GALE Liquid Release Rates (Ci/yr)}	11-13
Table 11.2-3— {GALE Gaseous Release Rates (Ci/yr)}	11-14
Table 11.2-4— {Carbon - 14 Release Data from PWRs from GALE}	11-15
Table 11.2-5— {Carbon-14 Gaseous Release Chemical Form Reported at Two U.S. PWRs}	11-16
Table 11.2-6— {GALE Liquid Release for U.S. EPR at Bell Bend (Ci/yr)}	11-17
Table 11.2-7— {GALE Gaseous Release for U.S. EPR at Bell Bend (Ci/yr)}	11-18
Table 11.2-8— {Obtainable Dose Benefits for Liquid Waste System Augment}	11-19
Table 11.2-9— {Liquid Waste System Augment Total-Body Dose Cost-Benefit Analysis}	11-20
Table 11.2-10— {Liquid Waste System Augment Thyroid Dose Cost-Benefit Analysis}	11-21
Table 11.3-1— {Obtainable Dose Benefits for Gaseous Waste System Augment}	11-24
Table 11.3-2— {Gaseous Waste System Augment Total Body / Thyroid Dose Cost-Benefit Analysis}	11-25
Table 12.3-1— {Radiation Sources at SSES Units 1 and 2}	12-17
Table 12.3-2— {Historical All-Source Compliance for Offsite General Public}	12-18
Table 12.3-3— {FTE for BBNPP Construction Workers}	12-19
Table 12.3-4— {Gaseous Dose Rate Type and Coefficients}	12-20
Table 12.3-5— {Historic Gaseous Releases For 2001 Through 2006}	12-21
Table 12.3-6— {Historical Liquid Releases for Input to LADTAPII}	12-22
Table 12.3-7— {Historical Dilutions for Input to LADTAPII}	12-23
Table 12.3-8— {Historical Shoreline Dose}	12-24
Table 12.3-9— {Historic and Projected Loading of SSES ISFSI}	12-25

Table 12.3-10— {Condensate Storage Tank Source Terms}.....	12-26
Table 12.3-11— {LLRWHF Source Term}.....	12-28
Table 12.3-12— {SEALAND Container Source Term}	12-29
Table 12.3-13— {Occupancy by Construction Zone}.....	12-30
Table 12.3-14— {Collective Dose to BBNPP Construction Workers}.....	12-31
Table 13.1-1— {BBNPP Position/Site Specific Position Cross Reference}	13-20
Table 13.1-2— {Minimum Shift Crew Composition}.....	13-23
Table 13.4-1— {Operational Programs Required by NRC Regulations and Program Implementation}..	13-28
Table 14.3-1— {Site Specific Analyses (Safety Significant Features)}	14-31
Table 14.3-2— {Site Specific SSC ITAAC Screening Summary}	14-32
Table 14.3-3— {Interface Requirements Screening Summary}	14-33
Table 15.0-1— {BBNPP Atmospheric Dispersion Factors}	15-5
Table 15.0-2— {BBNPP Radiological Consequences of Design Basis Accidents (rem TEDE)}.....	15-6
Table 15.0-3— {BBNPP Offsite Receptor Variables}.....	15-7
Table 17.4-1— Input to RAP List from Importance Measures and Initiating Event Contribution.....	17-17
Table 17.4-2— Design Certification Scope Systems Included Within RAP	17-31
Table 17.4-3— {Site Specific Systems Included Within RAP}	17-33
Table 19.1-1— {Summary of External Events Evaluated for BBNPP}.....	19-22

List of Figures

Figure 1.1-1— {Site Area Map and Exclusion Area Boundary}	1-12
Figure 1.1-2— {Combined Exclusion Area Boundaries}	1-13
Figure 1.1-3— {10 mi (16 km) Surrounding Area}	1-14
Figure 1.1-4— {50 mi (80 km) Surrounding Area}	1-15
Figure 1.2-1— {BBNPP Nuclear and Turbine Building Island Layout}	1-19
Figure 2.1-1— {BBNPP Site Area Map}	2-31
Figure 2.1-2— {BBNPP Site 50 Mile (80 km) Radius}	2-32
Figure 2.1-3— {BBNPP Site 10 Mile (16 km) Radius}	2-33
Figure 2.1-4— {BBNPP Exclusion Area Boundary}	2-34
Figure 2.1-5— {BBNPP Principle Plant Structures}	2-35
Figure 2.1-6— {BBNPP 10 Mile (16 km) Radius Map}	2-36
Figure 2.1-7— {BBNPP 10 Mile (16 km) 2000 Population Distribution}	2-37
Figure 2.1-8— {BBNPP 10 Mile (16 km) 2010 Population Distribution}	2-38
Figure 2.1-9— {BBNPP 10 Mile (16 km) 2020 Population Distribution}	2-39
Figure 2.1-10— {BBNPP 10 Mile (16 km) 2030 Population Distribution}	2-40
Figure 2.1-11— {BBNPP 10 Mile (16 km) 2040 Population Distribution}	2-41
Figure 2.1-12— {BBNPP 10 Mile (16 km) 2050 Population Distribution}	2-42
Figure 2.1-13— {BBNPP 10 Mile (16 km) 2060 Population Distribution}	2-43
Figure 2.1-14— {BBNPP 10 Mile (16 km) 2018 Population Distribution}	2-44
Figure 2.1-15— {BBNPP 10 Mile (16 km) 2058 Population Distribution}	2-45
Figure 2.1-16— {BBNPP 50 Mile (80 km) Radius Map}	2-46
Figure 2.1-17— {BBNPP 50 Mile (80 km) 2000 Population Distribution}	2-47
Figure 2.1-18— {BBNPP 50 Mile (80 km) 2010 Population Distribution}	2-48
Figure 2.1-19— {BBNPP 50 Mile (80 km) 2020 Population Distribution}	2-49
Figure 2.1-20— {BBNPP 50 Mile (80 km) 2030 Population Distribution}	2-50
Figure 2.1-21— {BBNPP 50 Mile (80 km) 2040 Population Distribution}	2-51
Figure 2.1-22— {BBNPP 50 Mile (80 km) 2050 Population Distribution}	2-52
Figure 2.1-23— {BBNPP 50 Mile (80 km) 2060 Population Distribution}	2-53
Figure 2.1-24— {BBNPP Low Population Zone}	2-54
Figure 2.1-25— {BBNPP 50 Mile (80 km) 2018 Population Distribution}	2-55
Figure 2.1-26— {BBNPP 50 Mile (80 km) 2058 Population Distribution}	2-56
Figure 2.1-27— {EAB Area and Land Owners}	2-57
Figure 2.2-1— {Site Vicinity Map}	2-99
Figure 2.2-2— {Airports and Airway Routes within 10 mi (16 km) of the BBNPP Site}	2-100
Figure 2.3-1— {Annual Average Number of Tornadoes, 1950-1995}	2-1048
Figure 2.3-2— {Annual Average Number of Strong-Violent (F2-F5) Tornadoes, 1950-1995}	2-1049
Figure 2.3-3— {Annual Thunderstorm Frequency}	2-1050
Figure 2.3-4— {Five-Year Lightning Flash Density Map}	2-1051
Figure 2.3-5— {Plotted PMWP Values for BBNPP}	2-1052
Figure 2.3-6— {BBNPP 33' (10-m) Annual Wind Rose}	2-1053
Figure 2.3-7— {BBNPP 197' (60-m) Annual Wind Rose}	2-1054
Figure 2.3-8— {BBNPP 33' (10-m) Seasonal Wind Roses}	2-1055
Figure 2.3-9— {BBNPP 197' (60-m) Seasonal Wind Roses}	2-1056
Figure 2.3-10— {BBNPP 33' (10-m) January Wind Rose}	2-1057
Figure 2.3-11— {BBNPP 33' (10-m) February Wind Rose}	2-1058
Figure 2.3-12— {BBNPP 33' (10-m) March Wind Rose}	2-1059
Figure 2.3-13— {BBNPP 33' (10-m) April Wind Rose}	2-1060
Figure 2.3-14— {BBNPP 33' (10-m) May Wind Rose}	2-1061
Figure 2.3-15— {BBNPP 33' (10-m) June Wind Rose}	2-1062
Figure 2.3-16— {BBNPP 33' (10-m) July Wind Rose}	2-1063
Figure 2.3-17— {BBNPP 33' (10-m) August Wind Rose}	2-1064

Figure 2.3-18— {BBNPP 33' (10-m) September Wind Rose}	2-1065
Figure 2.3-19— {BBNPP 33' (10-m) October Wind Rose}	2-1066
Figure 2.3-20— {BBNPP 33' (10-m) November Wind Rose}	2-1067
Figure 2.3-21— {BBNPP 33' (10-m) December Wind Rose}	2-1068
Figure 2.3-22— {BBNPP 197' (60-m) January Wind Rose}	2-1069
Figure 2.3-23— {BBNPP 197' (60-m) February Wind Rose}	2-1070
Figure 2.3-24— {BBNPP 197' (60-m) March Wind Rose}	2-1071
Figure 2.3-25— {BBNPP 197' (60-m) April Wind Rose}	2-1072
Figure 2.3-26— {BBNPP 197' (60-m) May Wind Rose}	2-1073
Figure 2.3-27— {BBNPP 197' (60-m) June Wind Rose}	2-1074
Figure 2.3-28— {BBNPP 197' (60-m) July Wind Rose}	2-1075
Figure 2.3-29— {BBNPP 197' (60-m) August Wind Rose}	2-1076
Figure 2.3-30— {BBNPP 197' (60-m) September Wind Rose}	2-1077
Figure 2.3-31— {BBNPP 197' (60-m) October Wind Rose}	2-1078
Figure 2.3-32— {BBNPP 197' (60-m) November Wind Rose}	2-1079
Figure 2.3-33— {BBNPP 197' (60-m) December Wind Rose}	2-1080
Figure 2.3-34— {Wilkes-Barre/Scranton, Pennsylvania, Wind Rose}	2-1081
Figure 2.3-35— {Allentown, Pennsylvania, Wind Rose}	2-1082
Figure 2.3-36— {Williamsport, Pennsylvania, Wind Rose}	2-1083
Figure 2.3-37— {BBNPP 33' (10-m) Annual Precipitation Wind Rose}	2-1084
Figure 2.3-38— {BBNPP 197' (60-m) Annual Precipitation Wind Rose}	2-1085
Figure 2.3-39— {BBNPP 33' (10-m) January Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1086
Figure 2.3-40— {BBNPP 33' (10-m) February Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1087
Figure 2.3-41— {BBNPP 33' (10-m) March Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1088
Figure 2.3-42— {BBNPP 33' (10-m) April Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1089
Figure 2.3-43— {BBNPP 33' (10-m) May Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1090
Figure 2.3-44— {BBNPP 33' (10-m) June Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1091
Figure 2.3-45— {BBNPP 33' (10-m) July Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1092
Figure 2.3-46— {BBNPP 33' (10-m) August Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-093
Figure 2.3-47— {BBNPP 33' (10-m) September Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} ..	2-1094
Figure 2.3-48— {BBNPP 33' (10-m) October Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} ..	2-1095
Figure 2.3-49— {BBNPP 33' (10-m) November Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} ..	2-1096
Figure 2.3-50— {BBNPP 33' (10-m) December Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} ..	2-1097
Figure 2.3-51— {BBNPP 197' (60-m) January Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} ..	2-1098
Figure 2.3-52— {BBNPP 197' (60-m) February Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} ..	2-1099
Figure 2.3-53— {BBNPP 197' (60-m) March Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1100
Figure 2.3-54— {BBNPP 197' (60-m) April Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1101
Figure 2.3-55— {BBNPP 197' (60-m) May Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1102
Figure 2.3-56— {BBNPP 197' (60-m) June Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1103
Figure 2.3-57— {BBNPP 197' (60-m) July Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1104
Figure 2.3-58— {BBNPP 197' (60-m) August Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}	2-1105
Figure 2.3-59— {BBNPP 197' (60-m) September Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} ..	2-1106
Figure 2.3-60— {BBNPP 197' (60-m) October Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} ..	2-1107
Figure 2.3-61— {BBNPP 197' (60-m) November Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} ..	2-1108
Figure 2.3-62— {BBNPP 197' (60-m) December Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} ..	2-1109
Figure 2.3-63— {Monthly Average Mixing Heights}	2-1110
Figure 2.3-64— {Topography Within 1-Mile of the BBNPP Site}	2-1111
Figure 2.3-65— {Topography Within 5-Miles of the BBNPP Site}	2-1112
Figure 2.3-66— {Topography Within 50-Miles of the BBNPP Site}	2-1113
Figure 2.3-67— {Maximum Elevation versus Distance Within 50 Miles of the BBNPP Site}	2-1114
Figure 2.4-1— {Susquehanna River Basin and Sub-basins}	2-1357
Figure 2.4-2— {Site Area Topographic Map 5 Mile (8 km) Radius}	2-1358

Figure 2.4-3— {Walker Run Watershed}	2-1359
Figure 2.4-4— {Site Drainage Flow Pattern}	2-1360
Figure 2.4-5— {Site Utilization Plant Layout}	2-1361
Figure 2.4-6— {Susquehanna River Profile}	2-1362
Figure 2.4-7— {USGS Stream Gauges within a 50 Mile (80 Km) Radius}	2-1363
Figure 2.4-8— {Mean, Maximum & Minimum Monthly Streamflows for Wilkes-Barre, PA USGS 01536500, (1900 through 2007)}	2-1364
Figure 2.4-9— {Mean, Maximum & Minimum Monthly Streamflows for Danville, PA USGS 01540500 (1905 through 2007)}	2-1365
Figure 2.4-10— {Susquehanna River Bathymetry near Intake & Blowdown Structures}	2-1366
Figure 2.4-11— {Flood Insurance Map Panel 1 of 4}	2-1367
Figure 2.4-12— {Flood Insurance Map Panel 2 of 4}	2-1368
Figure 2.4-13— {Flood Insurance Map Panel 3 of 4}	2-1369
Figure 2.4-14— {Flood Insurance Map Panel 4 of 4}	2-1370
Figure 2.4-15— {Dams within the Susquehanna River Basin}	2-1371
Figure 2.4-16— {Surface Water Withdrawal in Luzerne County}	2-1372
Figure 2.4-17— {Surface Water Withdrawal within 5-mile (8 km) Radius}	2-1373
Figure 2.4-18— {Water Pollution Control Facilities Locations within a 5-mile (8-km) Radius}	2-1374
Figure 2.4-19— {Water Pollution Control Facilities Locations within Luzerne County}	2-1375
Figure 2.4-20— {Peak Streamflow at Wilkes-Barre and Danville Gauging Stations}	2-1376
Figure 2.4-21— {Sub-basin Site Drainage Delineation}	2-1377
Figure 2.4-22— {HEC-HMS Hydrologic Diagram}	2-1378
Figure 2.4-23— {BBNPP Site Location}	2-1379
Figure 2.4-24— {HEC-HMS Model Setup of Walker Run Watershed}	2-1380
Figure 2.4-25— {Junction 1 Hydrograph}	2-1381
Figure 2.4-26— {Junction 2 Hydrograph}	2-1382
Figure 2.4-27— {Sub-Basin A1 Hydrograph}	2-1383
Figure 2.4-28— {Sub-Basin A2 Hydrograph}	2-1384
Figure 2.4-29— {Sub-Basin A3 Hydrograph}	2-1385
Figure 2.4-30— {HEC-RAS Cross Section Locations Near Power Block}	2-1386
Figure 2.4-31— {HEC-RAS Cross Section Locations}	2-1387
Figure 2.4-32— {Complete HEC-RAS Cross Section Locations}	2-1388
Figure 2.4-33— {Walker Run PMF Water Surface Profile}	2-1389
Figure 2.4-34— {Susquehanna River Basin and Sub-Basins}	2-1390
Figure 2.4-35— {Major and Minor Dams Upstream from BBNPP}	2-1391
Figure 2.4-36— {Digital Tectonic Activity Map of the Earth}	2-1392
Figure 2.4-37— {Pennsylvania Landslide Susceptibility}	2-1393
Figure 2.4-38— {Ice Jams within 50 Mile (80 km) Radius}	2-1394
Figure 2.4-39— {ESWEMS Schematic Layout}	2-1395
Figure 2.4-40— {Glacial Deposits of Pennsylvania, 25-mile (40 km) and 5-mile (8 km) Radii}	2-1396
Figure 2.4-41— {Mean Monthly Minimum Streamflows, 1905 to 2006}	2-1397
Figure 2.4-42— {Low Flow Frequency Distribution for Danville Station}	2-1398
Figure 2.4-43— {Low Flow Frequency Distribution for Wilkes-Barre Station}	2-1399
Figure 2.4-44— {Flow Discharge Curve for Danville Station}	2-1400
Figure 2.4-45— {Flow Discharge Curve for Wilkes-Barre Station}	2-1401
Figure 2.4-46— {SRBC Water Consumptive Use}	2-1402
Figure 2.4-47— {30-Day Moving Average for Danville Station}	2-1403
Figure 2.4-48— {30-Day Moving Average for Wilkes-Barre Station}	2-1404
Figure 2.4-49— {Geologic Map of the BBNPP Site and Vicinity}	2-1405
Figure 2.4-50— {Stratigraphy and Geologic Cross Section of Berwick Anticlinorium}	2-1406
Figure 2.4-51— {Surficial Deposits at BBNPP Site and Vicinity}	2-1407
Figure 2.4-52— {Legend for Figure 2.4-51}	2-1408

Figure 2.4-53— {Frequency Distribution of Nondomestic Well Yields Grouped According to Dominant Rock Type}	2-1409
Figure 2.4-54— {Frequency Distribution of Nondomestic Well Yields Grouped According to Topographic Setting}	2-1410
Figure 2.4-55— {Distribution of Water-Bearing Zones with Depth}	2-1411
Figure 2.4-56— {Average Annual Precipitation in the North Branch Susquehanna River Basin (1941-1970)} 2-1412	
Figure 2.4-57— {Percent Frequency Distribution of Annual Precipitation in the Southern Part of the North Branch Susquehanna River Basin (1931-1980)}	2-1413
Figure 2.4-58— {Locations of Drainage Basins Where Long-Term Water Budget Analyses Have Been Performed}	2-1414
Figure 2.4-59— {Percent Frequency Distribution of Annual Runoff from Wapwallopen Creek, Pennsylvania (1920-1980)}	2-1415
Figure 2.4-60— {Hydrographs of Two USGS Monitoring Wells in Luzerne County Screened in Glacial Overburden}	2-1416
Figure 2.4-61— {Hydrographs of Two USGS Monitoring Wells in Luzerne County Screened in the Catskill Formation}	2-1417
Figure 2.4-62— {Locations of Groundwater Monitoring Wells}	2-1418
Figure 2.4-63— {Locations of BBNPP Surface Water Monitoring Stations}	2-1419
Figure 2.4-64— {Location of Hydrogeological Cross Sections}	2-1420
Figure 2.4-65— {Hydrogeological Cross Section A-A'}	2-1421
Figure 2.4-66— {Hydrogeological Cross Section B-B'}	2-1422
Figure 2.4-67— {Saturated Thickness Map of the Glacial Overburden Aquifer}	2-1423
Figure 2.4-68— {Topography of the Bedrock Surface}	2-1424
Figure 2.4-69— {Topography of the Bedrock Surface in the Power Block Area}	2-1425
Figure 2.4-70— {Sole Source Aquifers Located in USEPA Region 3}	2-1426
Figure 2.4-71— {Groundwater Use in the Susquehanna River Basin 1995}	2-1427
Figure 2.4-72— {Groundwater Well Locations within a 25-Mile (40 km) Radius (PaGWIS Data)}	2-1428
Figure 2.4-73— {Groundwater Well Locations within a 5 Mile (80 km) Radius (PaGWIS Data)}	2-1429
Figure 2.4-74— {Groundwater Withdrawal within a 25-Mile (40-km) Radius (PaGWIS Data)}	2-1430
Figure 2.4-75— {Groundwater Withdrawal within a 5-Mile (8-km) Radius (PaDEP Data)}	2-1431
Figure 2.4-76— {Groundwater Production Wells at SSES}	2-1432
Figure 2.4-77— {Potentially Stressed Areas and Water Challenged Areas in the Susquehanna River Basin}	2-1433
Figure 2.4-78— {Groundwater Elevations versus Time, Well Clusters MW301 and MW302}	2-1434
Figure 2.4-79— {Groundwater Elevations versus Time, Well Clusters MW303 and MW304}	2-1435
Figure 2.4-80— {Groundwater Elevations versus Time, Well Clusters MW305 and MW306}	2-1436
Figure 2.4-81— {Groundwater Elevations versus Time, Well Clusters MW307 and MW308}	2-1437
Figure 2.4-82— {Groundwater Elevations versus Time, Well Clusters MW309 and MW310}	2-1438
Figure 2.4-83— {Water Level Fluctuations in MW301 Cluster Area Based on Pressure Transducer Data}	2-1439
Figure 2.4-84— {Water Level Fluctuations in MW302 Cluster Area Based on Pressure Transducer Data}	2-1440
Figure 2.4-85— {Potentiometric Surface Map of Glacial Overburden Aquifer, October 2007}	2-1441
Figure 2.4-86— {Potentiometric Surface Map of Glacial Overburden Aquifer, January 2008}	2-1442
Figure 2.4-87— {Potentiometric Surface Map of Glacial Overburden Aquifer, March 2008}	2-1443
Figure 2.4-88— {Potentiometric Surface Map of Glacial Overburden Aquifer, July 2008}	2-1444
Figure 2.4-89— {Potentiometric Surface Map of Shallow Bedrock Aquifer, October 2007}	2-1445
Figure 2.4-90— {Potentiometric Surface Map of Shallow Bedrock Aquifer, January 2008}	2-1446
Figure 2.4-91— {Potentiometric Surface Map of Shallow Bedrock Aquifer, March 2008}	2-1447
Figure 2.4-92— {Potentiometric Surface Map of Shallow Bedrock Aquifer, July 2008}	2-1448
Figure 2.4-93— {Potentiometric Map of Deep Bedrock Aquifer, October 2007}	2-1449

Figure 2.4-94— {Potentiometric Map of Deep Bedrock Aquifer, January 2008}	2-1450
Figure 2.4-95— {Potentiometric Map of Deep Bedrock Aquifer, March 2008}	2-1451
Figure 2.4-96— {Potentiometric Map of Deep Bedrock Aquifer, July 2008}	2-1452
Figure 2.4-97— {Areas Known or Suspected of Having Upward-Flowing Groundwater from Bedrock}	2-1453
Figure 2.4-98— {Vertical Distribution of Fractures in MW301C Between 45 and 345 Feet Below Ground Surface}	2-1454
Figure 2.4-99— {Distribution of Fracture Dip Directions in Monitoring Well MW301C}	2-1455
Figure 2.4-100— {Distribution of Fracture Dip Angles in Monitoring Well MW301C}	2-1456
Figure 2.4-101— {Vertical Distribution of Fractures in MW301C Between 45 and 345 Feet Below Ground Surface}	2-1457
Figure 2.4-102— {Hypothetical Point of Release and Subsurface Migration Path of Accidental Spill}	2-1458
Figure 2.4-103— {Distribution of Fracture Dip Directions in Monitoring Well MW310C}	2-1459
Figure 2.4-104— {Distribution of Fracture Dip Angles in Monitoring Well MW310C}	2-1460
Figure 2.5-1— {Site Region Topographic Map 200 Mile (322 km) Radius}	2-1855
Figure 2.5-2— {Site Vicinity Topographic Map 25 Mile (40 km) Radius}	2-1856
Figure 2.5-3— {2.5-3 Site Topographic Map 5 Mile (8 km) Radius}	2-1857
Figure 2.5-4— {2.5-4 Site Topographic Map 0.6 Mile (1 km) Radius}	2-1858
Figure 2.5-5— {Physiographic Provinces (National) 200 Mile (322 km) Radius}	2-1859
Figure 2.5-6— {Evolution of the Appalachian Orogen}	2-1860
Figure 2.5-7— {Location Map and Cross Section of the Middle U.S. Atlantic Passive Margin}	2-1861
Figure 2.5-8— {Maximum Horizontal Stress Directions in Eastern North America}	2-1862
Figure 2.5-9— {Map Showing the Location of the Appalachian Basin Cross Section}	2-1863
Figure 2.5-10— {Stratigraphic Correlation Chart of Appalachian Basin}	2-1864
Figure 2.5-11— {New Madrid Seismic Zone with Microearthquake Activity (1979-2006)}	2-1865
Figure 2.5-12— {Updated Charleston Seismic Zone (UCSS) Map}	2-1866
Figure 2.5-13— {Tectonic Interpretations by Bechtel Group}	2-1867
Figure 2.5-14— {Tectonic Interpretations by Dames and Moore}	2-1868
Figure 2.5-15— {Tectonic Interpretations by Law Engineering}	2-1869
Figure 2.5-16— {Tectonic Interpretations by Rondout Associates}	2-1870
Figure 2.5-17— {Tectonic Interpretation by Weston Geophysical}	2-1871
Figure 2.5-18— {Tectonic Interpretations by Woodward-Clyde Consultants}	2-1872
Figure 2.5-19— {Bechtel Group EPRI Source Zones}	2-1873
Figure 2.5-20— {Dames & Moore EPRI Source Zones}	2-1874
Figure 2.5-21— {Law Engineering EPRI Source Zones}	2-1875
Figure 2.5-22— {Rondout Associates EPRI Source Zones}	2-1876
Figure 2.5-23— {Weston Geophysical EPRI Source Zones}	2-1877
Figure 2.5-24— {Woodward-Clyde Consultants EPRI Source Zones}	2-1878
Figure 2.5-25— {Regional Bouguer Gravity Anomaly Map}	2-1879
Figure 2.5-26— {Site Vicinity Bouguer Gravity Anomaly Map}	2-1880
Figure 2.5-27— {Regional Magnetic Anomaly Map}	2-1881
Figure 2.5-28— {Site Vicinity Magnetic Anomaly Map}	2-1882
Figure 2.5-29— {Site Specific Stratigraphic Column}	2-1883
Figure 2.5-30— {Ten-Foot Solid Core of Mahantango Shale with No Open Fractures}	2-1884
Figure 2.5-31— {Bechtel Group EPRI Source Zones}	2-1885
Figure 2.5-32— {Bechtel Group EPRI Source Zones 50-mile Radius}	2-1886
Figure 2.5-33— {Dames & Moore EPRI Source Zones}	2-1887
Figure 2.5-34— {Dames & Moore EPRI Source Zones 50-mile Radius}	2-1888
Figure 2.5-35— {Law Engineering EPRI Source Zones}	2-1889
Figure 2.5-36— {Law Engineering EPRI Source Zones 50-mile Radius}	2-1890
Figure 2.5-37— {Rondout Associates EPRI Source Zones}	2-1891
Figure 2.5-38— {Rondout Associates EPRI Source Zones 50-mile Radius}	2-1892

Figure 2.5-39— {Weston Geophysical EPRI Source Zones}	2-1893
Figure 2.5-40— {Weston Geophysical EPRI Source Zones 50-mile Radius}	2-1894
Figure 2.5-41— {Woodward-Consultants EPRI Source Zones}	2-1895
Figure 2.5-42— {Woodward-Clyde Consultants EPRI Source Zones 50-mile Radius}	2-1896
Figure 2.5-43— {Logic Tree of New Madrid Fault System}	2-1897
Figure 2.5-44— {Uniform Hazard Spectra for Hard Rock at 7 Structural Frequencies}	2-1898
Figure 2.5-45— {Mean 10-4 Rock Deaggregation for 1 and 2.5 Hz}	2-1899
Figure 2.5-46— {Mean 10-4 Rock Deaggregation for 5 and 10 Hz}	2-1900
Figure 2.5-47— {Mean 10-5 Rock Deaggregation for 1 and 2.5 Hz}	2-1901
Figure 2.5-48— {Mean 10-5 Rock Deaggregation for 5 and 10 Hz}	2-1902
Figure 2.5-49— {Smooth Hard Rock UHRS Spectra}	2-1903
Figure 2.5-50— {Shear-Wave Velocity Vs and its Coefficient of Variation for Depth to 350 ft (107m)}	2-1904
Figure 2.5-51— {Best Estimate Shear-Wave Velocity Vs and its Coefficient of Variation for Depth to 190 ft (57.9 m)}	2-1905
Figure 2.5-52— {Shear-wave Velocity Vs. Depth for Profiles 1 through 60}	2-1906
Figure 2.5-53— {Mean + Standard Deviation of Shear-wave Velocity (Vs) Vs. Depth for all 60 profiles, Compared to Best Estimate Profile described in Section 2.5.2.5.1.2}	2-1907
Figure 2.5-54— {G/Gmax Curves Representing Uncertainty in Damping for Layer Backfill within Depth 0-20ft}	2-1908
Figure 2.5-55— {Damping Curves Representing Uncertainty in Damping for Layer Backfill within Depth 0-20 ft}	2-1909
Figure 2.5-56— {Mean Site Amplification Factor and Coefficient of Variation at the Top of Concrete for 10-4 HF DEM Input Motion}	2-1910
Figure 2.5-57— {Maximum Strains Vs. Depth for 10-4 HF DEM Input Motion}	2-1911
Figure 2.5-58— {Mean Site Amplification Factor and Coefficient of Variation at the Top of Concrete for 10 ⁻⁴ LF DEM Input Motion}	2-1912
Figure 2.5-59— {Maximum Strains Vs, Depth for 10 ⁻⁴ LF DEM Input Motion}	2-1913
Figure 2.5-60— {Mean Site Amplification Factor and Coefficient of Variation at the Top of Concrete for 10 ⁻⁵ HF DEM Input Motion}	2-1914
Figure 2.5-61— {Maximum Strains Vs. Depth for 10 ⁻⁵ HF DEM Input Motion}	2-1915
Figure 2.5-62— {Mean Site Amplification Factor and Coefficient of Variation at the Top of Concrete for 10 ⁻⁵ LF DEM Input Motion}	2-1916
Figure 2.5-63— {Maximum Strains Vs. Depth for 10 ⁻⁵ LF DEM Input Motion}	2-1917
Figure 2.5-64— {HF and LF Site Spectra, and Envelopes for 10 ⁻⁴ and 10 ⁻⁵ }	2-1918
Figure 2.5-65— {Recommended Horizontal and Vertical SSE Spectra}	2-1919
Figure 2.5-66— {VH Ratios from Several Publications and Recommended VH Ratios}	2-1920
Figure 2.5-67— {Mean and Fractile Rock Hazard Curves for PGA}	2-1921
Figure 2.5-68— {Mean and Fractile Rock Hazard Curves for 25Hz}	2-1922
Figure 2.5-69— {Mean and Fractile Rock Hazard Curves for 10 Hz}	2-1923
Figure 2.5-70— {Mean and Fractile Rock Hazard Curves for 5.0 Hz}	2-1924
Figure 2.5-71— {Mean and Fractile Rock Hazard Curves for 2.5 Hz}	2-1925
Figure 2.5-72— {Mean and Fractile Rock Hazard Curves for 1.0 Hz}	2-1926
Figure 2.5-73— {Mean and Fractile Rock Hazard Curves for 0.5 Hz}	2-1927
Figure 2.5-74— {Location of the Arms of the New Madrid Fault System}	2-1928
Figure 2.5-75— {Logic Tree of Ground Motion Models fro Non-General Sources}	2-1929
Figure 2.5-76— {Logic Tree of Ground Motion Models for General Area Sources}	2-1930
Figure 2.5-77— {10 ⁻⁴ Response Spectra of Controlling Events at BBNPP}	2-1931
Figure 2.5-78— {10 ⁻⁵ Response Spectra of Controlling Events at BBNPP}	2-1932
Figure 2.5-79— {Response Spectra of Selected Time Histories for 10 ⁻⁴ Controlling Events LF, DEL and DEH after Spectral Matching}	2-1933
Figure 2.5-80— {10 ⁻⁴ Smooth Hard Rock Reference Spectra}	2-1934
Figure 2.5-81— {Figure 2.5-81 10 ⁻⁵ Smooth Hard Rock Reference Spectra}	2-1935

Figure 2.5-82— {UCSS Map}	2-1936
Figure 2.5-83— {Updated Charleston Seismic Sources (UCSS) Logic Tree}	2-1937
Figure 2.5-84— {Comparison Vs Profiles Between 10 Generic S I Profiles and Average BBNPP Profile}	2-1938
Figure 2.5-85— {Mean 10^{-6} Rock Deaggregation for 1 and 2.5 Hz}	2-1939
Figure 2.5-86— {Mean 10^{-6} Rock Deaggregation for 5 and 10 Hz}	2-1940
Figure 2.5-87— {Bechtel EPRI Source Zones and 2002-2007 Events in 500-Mile Radius}	2-1941
Figure 2.5-88— {Dames and Moore EPRI Source Zones and 2002-2007 Events in 500-mile Radius} ..	2-1942
Figure 2.5-89— {Law Engineering EPRI Source Zones and 2002-2007 Events in 500-Mile Radius}	2-1943
Figure 2.5-90— {Rondout Associates EPRI Source Zones and 2002-2007 Events in 500-Mile Radius} .	2-1944
Figure 2.5-91— {Weston Geophysical EPRI Source Zones and 2002-2007 Events in 500-Mile Radius} .	2-1945
Figure 2.5-92— {Woodward-Clyde EPRI Source Zones and 2002-2007 Events in 500-Mile Radius} ...	2-1946
Figure 2.5-93— {Comparison of Seismicity Rates}	2-1947
Figure 2.5-94— {Comparison of PGA-Mean Hazard Curves}	2-1948
Figure 2.5-95— {Seismicity of New York-Philadelphia Area}	2-1949
Figure 2.5-96— {Bechtel EPRI Source Zones for Charlevoix Sensitivity Analysis Case 1}	2-1950
Figure 2.5-97— {Dames and Moore EPRI Source Zones for Charlevoix Sensitivity Analysis Case 1} ...	2-1951
Figure 2.5-98— {Law Engineering EPRI Source Zones for Charlevoix Sensitivity Analysis Case 1}	2-1952
Figure 2.5-99— {Rondout Associates EPRI Source Zones for Charlevoix Sensitivity Analysis Case 1} .	2-1953
Figure 2.5-100— {Weston Geophysical EPRI Source Zones for Charlevoix Sensitivity Analysis Case 1} .	2-1954
Figure 2.5-101— {Woodward-Clyde EPRI Source Zones for Charlevoix Sensitivity Analysis Case 1} ..	2-1955
Figure 2.5-102— {Bechtel EPRI Source Zones for Charlevoix Sensitivity Analysis Case 2}	2-1956
Figure 2.5-103— {Dames and Moore EPRI Source Zones for Charlevoix Sensitivity Analysis Case 2} .	2-1957
Figure 2.5-104— {Law Engineering EPRI Source Zones for Charlevoix Sensitivity Analysis Case 2} ...	2-1958
Figure 2.5-105— {Rondout Associates EPRI Source Zones for Charlevoix Sensitivity Analysis Case 2} .	2-1959
Figure 2.5-106— {Weston Geophysical EPRI Source Zones for Charlevoix Sensitivity Analysis Case 2} .	2-1960
Figure 2.5-107— {Woodward-Clyde EPRI Source Zones for Charlevoix Sensitivity Analysis Case 2} ..	2-1961
Figure 2.5-108— {Comparison of PGA Mean Hazard Curves for Charlevoix Sensitivity Analysis}	2-1962
Figure 2.5-109— {Seismicity Rates Charlevoix Sensitivity Analysis}	2-1963
Figure 2.5-110— {Hazard Curves Sensitivity Study of the Ramapo Fault System}	2-1964
Figure 2.5-111— {Seismicity Rates of the Ramapo Fault System}	2-1965
Figure 2.5-112— {Earthquake Epicenters Map 25-mile (40 km) radius}	2-1966
Figure 2.5-113— {Map Showing the Location of the Appalachian Basin Cross Section}	2-1967
Figure 2.5-114— {Stratigraphic Correlation Chart of Appalachian Basin}	2-1968
Figure 2.5-115— {Tectonic Features}	2-1969
Figure 2.5-116— {Site Geotechnical Investigation Plan}	2-1970
Figure 2.5-117— {Seismic Velocity Contours}	2-1971
Figure 2.5-118— {Bedrock Elevation Contour Map}	2-1972
Figure 2.5-119— {Refraction Survey Page 1 of 6}	2-1973
Figure 2.5-120— {Refraction Survey Page 2 of 6}	2-1974
Figure 2.5-121— {Refraction Survey Page 3 of 6}	2-1975
Figure 2.5-122— {Refraction Survey Page 4 of 6}	2-1976
Figure 2.5-123— {Refraction Survey Page 5 of 6}	2-1977
Figure 2.5-124— {Refraction Survey Page 6 of 6}	2-1978
Figure 2.5-125— {Elevation of Competent Rock}	2-1979
Figure 2.5-126— {Westward View of Syber Creek, with no Evidence of the Light Street Fault}	2-1980
Figure 2.5-127— {View of Syber Creek Looking North, with no Expression of the Light Street Fault} .	2-1981
Figure 2.5-128— {Rocky Bed of the Susquehanna River at the Berwick Bridge}	2-1982
Figure 2.5-129— {Gravelly Deposits along Hunlock Creek, a Tributary to the Susquehanna}	2-1983
Figure 2.5-130— {Exposure of Soft Sediments on the East Bank of the Susquehanna River}	2-1984
Figure 2.5-131— {Exposure of Man-made Fill on the Susquehanna River}	2-1985
Figure 2.5-132— {Shale Outcrop at the Site with Steeply Dipping Cleavage (85 Degrees to the SSE)}	2-1986

Figure 2.5-133— {Fractured Shale in Borrow Area Along Highway 11, Showing No Offset of the Glacial Till Contact}	2-1987
Figure 2.5-134— {Shale in Borrow Area Dipping 15 Degrees NNW, and Overlain by Glacial Till}	2-1988
Figure 2.5-135— {Continuous Contact Between Glacial Till and Top of Shale Bedrock}	2-1989
Figure 2.5-136— {Aerial Photo of Site with Waypoints from Field Reconnaissance}	2-1990
Figure 2.5-137— {Boring Location Plan}	2-1991
Figure 2.5-138— {Geotechnical Cross Sections}	2-1992
Figure 2.5-139— {Geotechnical Subsurface Section A-A'}	2-1993
Figure 2.5-140— {Geotechnical Subsurface Section B-B'}	2-1994
Figure 2.5-141— {Geotechnical Subsurface Section C-C'}	2-1995
Figure 2.5-142— {Geotechnical Subsurface Section D-D'}	2-1996
Figure 2.5-143— {Surface Elevation Contours}	2-1997
Figure 2.5-144— {Thickness of Overburden}	2-1998
Figure 2.5-145— {Thickness of Weathered Rock}	2-1999
Figure 2.5-146— {Elevation of Competent Rock}	2-2000
Figure 2.5-147— {Overburden Thickness and Elevation of Rock (Area near Essential Service Water Emergency Makeup System - ESWEMS)}	2-2001
Figure 2.5-148— {Location of Shelby Tubes}	2-2002
Figure 2.5-149— {Location of Special Care Samples}	2-2003
Figure 2.5-150— {Standard Penetration Test (SPT) Variability}	2-2004
Figure 2.5-151— {Geophysical Tests B-301}	2-2005
Figure 2.5-152— {Geophysical Tests G-301}	2-2006
Figure 2.5-153— {{Geophysical Tests G-302}}	2-2007
Figure 2.5-154— {Geophysical Tests G-303}	2-2008
Figure 2.5-155— {Refraction Survey Page 1 of 7}	2-2009
Figure 2.5-156— {Refraction Survey Page 2 of 7}	2-2010
Figure 2.5-157— {Refraction Survey Page 3 of 7}	2-2011
Figure 2.5-158— {Refraction Survey Page 4 of 7}	2-2012
Figure 2.5-159— {Refraction Survey Page 5 of 7}	2-2013
Figure 2.5-160— {Refraction Survey Page 6 of 7}	2-2014
Figure 2.5-161— {Refraction Survey Page 7 of 7}	2-2015
Figure 2.5-162— {Resonant Column Test A B331-ST-2}	2-2016
Figure 2.5-163— {Resonant Column Test A B310-U3}	2-2017
Figure 2.5-164— {Resonant Column Test Pit Face}	2-2018
Figure 2.5-165— {NI Soil Velocity Profile}	2-2019
Figure 2.5-166— {Recommended Strain Dependent Properties}	2-2020
Figure 2.5-167— {Excavation Plan}	2-2021
Figure 2.5-168— {Excavation West Profile}	2-2022
Figure 2.5-169— {Excavation East Profile}	2-2023
Figure 2.5-170— {Excavation Cross Section}	2-2024
Figure 2.5-171— {Liquefaction Analysis, Vs Method}	2-2025
Figure 2.5-172— {Liquefaction Analysis, SPT Method}	2-2026
Figure 2.5-173— {NI Settlement Analysis Service Loads}	2-2027
Figure 2.5-174— {NI Settlement Analysis Results}	2-2028
Figure 2.5-175— {Examples of Earth Pressure Diagrams}	2-2029
Figure 2.5-176— {ESWEMS and Cross Sections}	2-2030
Figure 2.5-177— {North Side Natural Slope}	2-2031
Figure 2.5-178— {Permanent Slope Cross Sections}	2-2032
Figure 2.5-179— {Temporary Slopes Cross Sections}	2-2033
Figure 2.5-180— {Generic Soil Profile}	2-2034
Figure 2.5-181— {Regional Geology Map 200 Mile (322 km) Radius}	2-2035

Figure 2.5-182— {Physiographic Provinces of Pennsylvania (Geologic Map of Pennsylvania) 25 Mile (40 km) and 5 Mile (8 km) Radii}	2-2036
Figure 2.5-183— {Physiographic Provinces of Pennsylvania with Sections 25 Mile (40 km) and 5 Mile (8 km) Radii}	2-2037
Figure 2.5-184— {Glacial Deposits of Pennsylvania 25 Mile (40 km) and 5 Mile (8 km) Radii}	2-2038
Figure 2.5-185— {Cross Section Showing the Cambrian and Ordovician Rocks of the Appalachian Basin}	2-2039
Figure 2.5-186— {Regional Generalized Composite Stratigraphic Column}	2-2063
Figure 2.5-187— {Precambrian Basement Map of Appalachian Basin 25 mile (40 km) and 5 mile (8 km) Radii}	2-2040
Figure 2.5-188— {Regional Tectonic Features}	2-2041
Figure 2.5-189— {Geological Map of the St. Lawrence Rift System Between Quebec City and the St. Lawrence Estuary}	2-2042
Figure 2.5-190— {Regional Tectonic Basins with Gravity and Magnetic Anomalies}	2-2043
Figure 2.5-191— {Regional Cross Section}	2-2044
Figure 2.5-192— {Stratigraphic Description for Regional Cross Section}	2-2045
Figure 2.5-193— {Bedrock Geologic Map Berwick Quadrangle}	2-2046
Figure 2.5-194— {Cross Section of Berwick Anticlinorium - Bedrock Geology of The Berwick Quadrangle}	2-2047
Figure 2.5-195— {Surficial Geologic Site Map 0.6 Mile (1 km)}	2-2048
Figure 2.5-196— {Surficial Sediments Description}	2-2049
Figure 2.5-197— {Site Area Geologic Map 0.6-mile (1 km) Radius}	2-2050
Figure 2.5-198— {Site Area Geologic Map 5-mile (8km) Radius}	2-2051
Figure 2.5-199— {Site Area Geologic Map 25-mile (40km) Radius}	2-2052
Figure 2.5-200— {Geotechnical Site Cross Section A-A}	2-2053
Figure 2.5-201— {Geotechnical Site Cross Section B-B}	2-2054
Figure 2.5-202— {Geotechnical Site Cross Section C-C}	2-2055
Figure 2.5-203— {Geotechnical Site Cross Section D-D}	2-2056
Figure 2.5-204— {Geotechnical Site Cross Section E-E}	2-2057
Figure 2.5-205— {Geotechnical Site Cross Section F-F}	2-2058
Figure 2.5-206— {LIDAR Image with Topographic Sections Across the Site Vicinity}	2-2059
Figure 2.5-207— {Topographical Map of Site Area 25-mile (40 km) Radius with Waypoints from Field Reconnaissance}	2-2060
Figure 2.5-208— {Mesozoic Basins and Associated Known Faults}	2-2061
Figure 2.5-209— {Site Geology in Available LIDAR Data Base map}	2-2062
Figure 2.5-210— {Topographic Section for the Zone Nearest to the Site Based on LiDAR Data}	2-2063
Figure 2.5-211— {Location Map for West Chester and Avondale Massifs}	2-2064
Figure 2.5-212— {Generic Distribution of Structures and Features of Mesozoic Rift Basins}	2-2065
Figure 2.5-213— {Idealized Cross Section of the Reading Prong, West Chester and Avondale Massifs, and the Philadelphia Terrane}	2-2066
Figure 2.5-214— {Development of the Reading Prong Nappe Megasytem}	2-2067
Figure 2.5-215— {Regional Tectonic Features with Bouguer Anomaly}	2-2068
Figure 2.5-216— {Regional Tectonic Basins with Bouguer Anomaly}	2-2069
Figure 2.5-217— {Regional Tectonic Features with Magnetic Anomaly}	2-2070
Figure 2.5-218— {Regional Tectonic Basins with Magnetic Anomaly}	2-2071
Figure 2.5-219— {Surficial Sediment Description Overlaid in LiDAR Base Map}	2-2072
Figure 2.5-220— {LiDAR Data Base Map Without Overlaid Surficial Sediment Description}	2-2073
Figure 2.5-221— {Site Area Geology in Available LiDAR Data Base Map}	2-2074
Figure 2.5-222— {LiDAR Data Base Map Without Overlaid Site Area Geology}	2-2075
Figure 2.5-223— {Stretched LiDAR Data Base Map Without Overlaid Site Area Geology and Higher Altitudes}	2-2076
Figure 2.5-224— {Site Vicinity Geology in Available LiDAR Data Base Map}	2-2077

Figure 2.5-225— {LiDAR Data Base Map Without Overlaid Site Vicinity Geology}	2-2078
Figure 2.5-226— {Uncolored Bedrock Elevation Contours Map with Anomalous Intervals/Areas from Seismic Refraction Survey}	2-2079
Figure 2.5-227— {Anomalous Intervals/Areas from Seismic Refraction Survey in LiDAR Data Base Map}	2-2080
Figure 2.5-228— {Technostratigraphic Provinces with Regional Bouguer Anomaly}	2-2081
Figure 2.5-229— {Tectonostratigraphic Provinces with Regional Magnetic Anomaly}	2-2082
Figure 2.5-230— {Generalized Geologic Map and Cross Section in the Potomac River Region}	2-2083
Figure 2.5-231— {Generalized Geologic Map and Cross Section of the Eastern Maryland Piedmont}	2-2084
Figure 2.5-232— {Tectonostratigraphic Provinces within the Site Region (200 mile, 320 km Radius)}	2-2085
Figure 3.7-1— {Comparison of BBNPP GMRS and EUR CSDRS, 5% Damping (Horizontal)}	3-62
Figure 3.7-2— {Comparison of BBNPP GMRS and EUR CSDRS, 5% Damping (Vertical)}	3-63
Figure 3.7-3— {BBNPP Horizontal SSE Ground Motion and EUR CSDRS Anchored at 0.1g PGA Horizontal Direction, 5% Damping}	3-64
Figure 3.7-4— {Comparison of BBNPP FIRS (EPGB 1 and 2) and EUR CSDRS, Horizontal Direction, 5% Damping}	3-65
Figure 3.7-5— {Comparison of BBNPP FIRS (EPGB 1 and 2) and EUR CSDRS, Vertical Direction, 5% Damping}	3-66
Figure 3.7-6— {Comparison of BBNPP FIRS (EPGB 3 and 4) and EUR CSDRS, Horizontal Direction, 5% Damping}	3-67
Figure 3.7-7— {Comparison of BBNPP FIRS (EPGB 3 and 4) and EUR CSDRS, Vertical Direction, 5% Damping}	3-68
Figure 3.7-8— {Comparison of BBNPP FIRS (ESWB 1 & 2) and EUR CSDRS, Horizontal Direction, 5% Damping}	3-69
Figure 3.7-9— {Comparison of BBNPP FIRS (ESWB 1 & 2) and EUR CSDRS, Vertical Direction, 5% Damping}	3-70
Figure 3.7-10— {Comparison of BBNPP FIRS (ESWB 3) and EUR CSDRS, Horizontal Direction, 5% Damping}	3-71
Figure 3.7-11— {Comparison of BBNPP FIRS (ESWB 3) and EUR CSDRS, Vertical Direction, 5% Damping}	3-72
Figure 3.7-12— {Comparison of BBNPP FIRS (ESWB 4) and EUR CSDRS, Horizontal Direction, 5% Damping}	3-73
Figure 3.7-13— {Comparison of BBNPP FIRS (ESWB 4) and EUR CSDRS, Vertical Direction, 5% Damping}	3-74
Figure 3.7-14— {Shear Wave Velocity Profiles Below NI Base Mat for BBNPP}	3-75
Figure 3.7-15— {EPR DC Soil Cases (Uniform) vs BBNPP Soil Cases for SSI Analysis of NI}	3-76
Figure 3.7-16— {EPR DC Soil Cases (Layered) vs BBNPP Soil Cases for SSI Analysis of NI}	3-77
Figure 3.7-17— {NI Base Mat (Node 417) X- Direction Response Spectra at 5% Damping}	3-78
Figure 3.7-18— {NI Base Mat (Node 417) Y- Direction Response Spectra at 5%Damping}	3-79
Figure 3.7-19— {NI Base Mat (Node 417) Z- Direction Response Spectra at 5%Damping}	3-80
Figure 3.7-20— {EPGB 1 & 2 Base Mat X- Direction Response Spectra at 5% Damping}	3-81
Figure 3.7-21— {EPGB 1 & 2 Base Mat Y- Direction Response Spectra at 5% Damping}	3-82
Figure 3.7-22— {EPGB 1 & 2 Base Mat Z- Direction Response Spectra at 5% Damping}	3-83
Figure 3.7-23— {EPGB 3 & 4 Base Mat X- Direction Response Spectra at 5% Damping}	3-84
Figure 3.7-24— {EPGB 3 & 4 Base Mat Y- Direction Response Spectra at 5% Damping}	3-85
Figure 3.7-25— {EPGB 3 & 4 Base Mat Z- Direction Response Spectra at 5% Damping}	3-86
Figure 3.7-26— {ESWB 1 Base Mat X- Direction Response Spectra at 5% Damping}	3-87
Figure 3.7-27— {ESWB 1 Base Mat Y- Direction Response Spectra at 5% Damping}	3-88
Figure 3.7-28— {ESWB 1 Base Mat Z- Direction Response Spectra at 5% Damping}	3-89
Figure 3.7-29— {ESWB 2 Base Mat X- Direction Response Spectra at 5% Damping}	3-90

Figure 3.7-30— {ESWB 2 Base Mat Y- Direction Response Spectra at 5% Damping}	3-91
Figure 3.7-31— {ESWB 2 Base Mat Z- Direction Response Spectra at 5% Damping}	3-92
Figure 3.7-32— {ESWB 3 Base Mat X- Direction Response Spectra at 5% Damping}	3-93
Figure 3.7-33— {ESWB 3 Base Mat Y- Direction Response Spectra at 5% Damping}	3-94
Figure 3.7-34— {ESWB 3 Base Mat Z- Direction Response Spectra at 5% Damping}	3-95
Figure 3.7-35— {ESWB 4 Base Mat X- Direction Response Spectra at 5% Damping}	3-96
Figure 3.7-36— {ESWB 4 Base Mat Y- Direction Response Spectra at 5% Damping}	3-97
Figure 3.7-37— {ESWB 4 Base Mat Z- Direction Response Spectra at 5% Damping}	3-98
Figure 3.7-38— {Reactor Bldg Internal Structure, Elev. 5.15m, X (E-W) Direction, 5% Damping}	3-99
Figure 3.7-39— {Reactor Bldg Internal Structure, Elev. 5.15m, Y (N-S) Direction, 5%Damping}	3-100
Figure 3.7-40— {Reactor Bldg Internal Structure, Elev. 5.15m, Z (Vert) Direction, 5%Damping}	3-101
Figure 3.7-41— {Reactor Bldg Internal Structure, Elev. 19.5m, X (E-W) Direction, 5%Damping}	3-102
Figure 3.7-42— {Reactor Bldg Internal Structure, Elev. 19.5m, Y (N-S) Direction, 5%Damping}	3-103
Figure 3.7-43— {Reactor Bldg Internal Structure, Elev. 19.5m, Z (Vert) Direction, 5% Damping}	3-104
Figure 3.7-44— {Safeguard Building 1, Elev. 8.1m, X (E-W) Direction, 5% Damping}	3-105
Figure 3.7-45— {Safeguard Building 1, Elev. 8.1m, Y (N-S) Direction, 5% Damping}	3-106
Figure 3.7-46— {Safeguard Building 1, Elev. 8.1m, Z (Vert) Direction, 5% Damping}	3-107
Figure 3.7-47— {Safeguard Building 1, Elev. 21.0m, X (E-W) Direction, 5% Damping}	3-108
Figure 3.7-48— {Safeguard Building 1, Elev. 21.0m, Y (N-S) Direction, 5% Damping}	3-109
Figure 3.7-49— {Safeguard Building 1, Elev. 21.0m, Z (Vert) Direction, 5% Damping}	3-110
Figure 3.7-50— {Safeguard Building 2/3, Elev. 8.1m, X (E-W) Direction, 5% Damping}	3-111
Figure 3.7-51— {Safeguard Building 2/3, Elev. 8.1m, Y (N-S) Direction, 5% Damping}	3-112
Figure 3.7-52— {Safeguard Building 2/3, Elev. 8.1m, Z (Vert) Direction, 5% Damping}	3-113
Figure 3.7-53— {Safeguard Building 2/3, Elev. 15.4m, X (E-W) Direction, 5% Damping}	3-114
Figure 3.7-54— {Safeguard Building 2/3, Elev. 15.4m, Y (N-S) Direction, 5% Damping}	3-115
Figure 3.7-55— {Safeguard Building 2/3, Elev. 15.4m, Z (Vert) Direction, 5% Damping}	3-116
Figure 3.7-56— {Safeguard Building 4, Elev. 21.0m, X (E-W) Direction, 5% Damping}	3-117
Figure 3.7-57— {Safeguard Building 4, Elev. 21.0m, Y (N-S) Direction, 5% Damping}	3-118
Figure 3.7-58— {Safeguard Building 4, Elev. 21.0m, Z (Vert) Direction, 5% Damping}	3-119
Figure 3.7-59— {Containment Building, Elev. 37.6m, X (E-W) Direction, 5% Damping}	3-120
Figure 3.7-60— {Containment Building, Elev. 37.6m, Y (N-S) Direction, 5% Damping}	3-121
Figure 3.7-61— {Containment Building, Elev. 37.6m, Z (Vert) Direction, 5% Damping}	3-122
Figure 3.7-62— {Containment Building, Elev. 58.0m, X (E-W) Direction, 5% Damping}	3-123
Figure 3.7-63— {Containment Building, Elev. 58.0m, Y (N-S) Direction, 5% Damping}	3-124
Figure 3.7-64— {Containment Building, Elev. 58.0m, Z (Vert) Direction, 5% Damping}	3-125
Figure 3.7-65— {EPBG, Elev. 0.0m X (E-W) Direction, 5% Damping}	3-126
Figure 3.7-66— {EPGB, Elev. 0.0m, Y (N-S) Direction, 5% Damping}	3-127
Figure 3.7-67— {EPGB, Elev. 0.0m, Z (Vert) Direction, 5% Damping}	3-128
Figure 3.7-68— {ESWB, Elev. 19.20m, X (E-W) Direction, 5% Damping}	3-129
Figure 3.7-69— {ESWB, Elev. 19.20m, Y (N-S) Direction, 5% Damping}	3-130
Figure 3.7-70— {ESWB, Elev. 19.20m, Z (Vert) Direction, 5% Damping}	3-131
Figure 3.7-71— {ESWB, Elev. 4.27m, X (E-W) Direction, 5% Damping}	3-132
Figure 3.7-72— {ESWB, Elev. 4.27m, Y (N-S) Direction, 5% Damping}	3-133
Figure 3.7-73— {ESWB, Elev. 4.27m, Z (Vert) Direction, 5% Damping}	3-134
Figure 3.7-74— {Stick vs. FEM Spectrum Comparison at Elev. 58.00m – Containment Dome Apex (Without Polar Crane), 5% Damping X-Direction}	3-135
Figure 3.7-75— {Stick vs. FEM Spectrum Comparison at Elev. 58.00m – Containment Dome Apex (Without Polar Crane), 5% Damping Y-Direction}	3-136
Figure 3.7-76— {Stick vs. FEM Spectrum Comparison at Elev. 58.00m – Containment Dome Apex (Without Polar Crane), 5% Damping Z-Direction}	3-137
Figure 3.7-77— {Stick vs. FEM Spectrum Comparison at Elev. 37.60m – Containment Building (Without Polar Crane), 5% Damping Y-Direction}	3-138

Figure 3.7-78— {Stick vs. FEM Spectrum Comparison at Elev. 37.60m – Containment Building (Without Polar Crane), 5% Damping X-Direction}	3-139
Figure 3.7-79— {Stick vs. FEM Spectrum Comparison at Elev. 37.60m – Containment Building (Without Polar Crane), 5% Damping Z-Direction}	3-140
Figure 3.7-80— {Spectrum Comparison at Elev. 19.50m – Reactor Building Internal Structure, 4% Damping X-Direction}	3-141
Figure 3.7-81— {Spectrum Comparison at Elev. 19.50m – Reactor Building Internal Structure, 4% Damping Y-Direction}	3-142
Figure 3.7-82— {Spectrum Comparison at Elev. 19.50m – Reactor Building Internal Structure, 4% Damping Z-Direction}	3-143
Figure 3.7-83— {Spectrum Comparison at Elev. 5.15m – Reactor Building Internal Structure, 4% Damping X-Direction}	3-144
Figure 3.7-84— {Spectrum Comparison at Elev. 5.15m – Reactor Building Internal Structure, 4% Damping Y-Direction}	3-145
Figure 3.7-85— {Spectrum Comparison at Elev. 5.15m – Reactor Building Internal Structure, 4% Damping Z-Direction}	3-146
Figure 3.7-86— {3D Finite Element Model of Balance of NI Common Base Mat Structures Perspective View}	3-147
Figure 3.7-87— {Section Cutoff of Dynamic FE Model}	3-148
Figure 3.7-88— {Balance of NI Individual Component of Dynamic FE Model}	3-149
Figure 3.7-89— {Reactor Building Internal Structure of Dynamic FE Model}	3-150
Figure 3.7-90— {Reactor Containment Building of Dynamic FE Model}	3-151
Figure 3.7-91— {Reactor Coolant System of Dynamic FE Model}	3-152
Figure 3.7-92— {Isometric View of FEM for EPGB}	3-153
Figure 3.7-93— {BBNPP Response Spectra at NI Common Base Mat Structure (Node 417) – 5% Damping, X - Direction}	3-154
Figure 3.7-94— {BBNPP Response Spectra at NI Common Base Mat Structure (Node 417) – 5% Damping, Y - Direction}	3-155
Figure 3.7-95— {BBNPP Response Spectra at NI Common Base Mat Structure (Node 417) – 5% Damping, Z - Direction}	3-156
Figure 3.7-96— {BBNPP Response Spectra at Centers of Footprints of EPGB and ESWB – 5% Damping, X - Direction}	3-157
Figure 3.7-97— {BBNPP Response Spectra at Centers of Footprints of EPGB and ESWB – 5% Damping, Y - Direction}	3-158
Figure 3.7-98— {BBNPP Response Spectra at Centers of Footprints of EPGB and ESWB – 5% Damping, Z - Direction}	3-159
Figure 3.7-99— {Comparison of Response Spectra – Dynamic Versus Static Model, Reactor Shield Building, X-Direction}	3-160
Figure 3.7-100— {Comparison of Response Spectra – Dynamic Versus Static Model, Reactor Shield Building, Y-Direction}	3-161
Figure 3.7-101— {Comparison of Response Spectra – Dynamic Versus Static Model, Reactor Shield Building, Z-Direction}	3-162
Figure 3.7-102— {Comparison of Response Spectra – Dynamic Versus Static Model, Reactor Building Internal Structure, X-Direction}	3-163
Figure 3.7-103— {Comparison of Response Spectra – Dynamic Versus Static Model, Reactor Building Internal Structure, Y-Direction}	3-164
Figure 3.7-104— {Comparison of Response Spectra – Dynamic Versus Static Model, Reactor Building Internal Structure, Z-Direction}	3-165
Figure 3.7-105— {Comparison of Response Spectra – Dynamic Versus Static Model, Containment Building, X-Direction}	3-166
Figure 3.7-106— {Comparison of Response Spectra – Dynamic Versus Static Model, Containment Building, Y-Direction}	3-167

Figure 3.7-107— {Comparison of Response Spectra – Dynamic Versus Static Model, Containment Building, Z-Direction}	3-168
Figure 3.7-108— {Comparison of Response Spectra – Dynamic Versus Static Model, Safeguard Building 1, X-Direction}	3-169
Figure 3.7-109— {Comparison of Response Spectra – Dynamic Versus Static Model, Safeguard Building 1, Y-Direction}	3-170
Figure 3.7-110— {Comparison of Response Spectra – Dynamic Versus Static Model, Safeguard Building 1, Z-Direction}	3-171
Figure 3.7-111— {Comparison of Response Spectra – Dynamic Versus Static Model, Safeguard Buildings 2 and 3, X-Direction}	3-172
Figure 3.7-112— {Comparison of Response Spectra – Dynamic Versus Static Model, Safeguard Buildings 2 and 3, Y-Direction}	3-173
Figure 3.7-113— {Comparison of Response Spectra – Dynamic Versus Static Model, Safeguard Buildings 2 and 3, Z-Direction}	3-174
Figure 3.7-114— {Comparison of Response Spectra – Dynamic Versus Static Model, Safeguard Building 4, X-Direction}	3-175
Figure 3.7-115— {Comparison of Response Spectra – Dynamic Versus Static Model, Safeguard Building 4, Y-Direction}	3-176
Figure 3.7-116— {Comparison of Response Spectra – Dynamic Versus Static Model, Safeguard Building 4, Z-Direction}	3-177
Figure 3.7-117— {Spectrum Envelope of Reactor Bldg Internal Structure, Elev. 5.15m, X (EW) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-178
Figure 3.7-118— {Spectrum Envelope of Reactor Bldg Internal Structure, Elev. 5.15m, Y (N-S) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-179
Figure 3.7-119— {Spectrum Envelope of Safeguard Building 1, Elev. 8.1m, X (E-W) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-180
Figure 3.7-120— {Spectrum Envelope of Safeguard Building 1, Elev. 8.1m, Y (N-S) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-181
Figure 3.7-121— {Spectrum Envelope of Safeguard Building 2/3, Elev. 8.1m, X (E-W) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-182
Figure 3.7-122— {Spectrum Envelope of EPGB, Elev. 0.0m, X (E-W) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-183
Figure 3.7-123— {Spectrum Envelope of EPGB, Elev. 0.0m, Y (N-S) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-184
Figure 3.7-124— {Spectrum Envelope of EPGB, Elev. 0.0m, Z (Vert) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-185
Figure 3.7-125— {Spectrum Envelope of ESWB, Elev. 19.20m, X (E-W) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-186
Figure 3.7-126— {Spectrum Envelope of ESWB, Elev. 19.20m, Y (N-S) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-187
Figure 3.7-127— {Spectrum Envelope of ESWB, Elev. 19.20m, Z (Vert) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-188
Figure 3.7-128— {Spectrum Envelope of ESWB, Elev. 4.27m, X (E-W) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-189
Figure 3.7-129— {Spectrum Envelope of ESWB, Elev. 4.27m, Y (N-S) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-190
Figure 3.7-130— {Spectrum Envelope of ESWB, Elev. 4.27m, Z (Vert) Direction, 2%, 3%, 4%, 5%, 7%, and 10% Damping}	3-191
Figure 3.7-131— {Horizontal and Vertical FIRS at Elevation 669 ft msl (203.9 m)}	3-192
Figure 3.7-132— {N-S Direction Time Histories Matching ESWEMS Foundation Level FIRS}	3-193
Figure 3.7-133— {E-W Direction Time Histories Matching ESWEMS Foundation Level FIRS}	3-194
Figure 3.7-134— {Vertical Direction Time Histories Matching ESWEMS Foundation Level FIRS}	3-195

Figure 3.7-135— {Response Spectra Computed from the Time History and Target FIRS in N-S Direction}	3-196
Figure 3.7-136— {Response Spectra Computed from the Time History and Target FIRS in E-W Direction}	3-197
Figure 3.7-137— {Response Spectra Computed from the Time History and Target FIRS in Vertical Direction}	3-198
Figure 3.7-138— {Low-Strain Body Wave Velocity Profile Below the Pumphouse}	3-199
Figure 3.7-139— {Strain-Compatible Soil Properties for the Lower Bound, Best Estimate and Upper Bound Profiles}	3-200
Figure 3.7-140— {In-Structure Floor Response Spectra in E-W Direction at First Floor Level of the ESWEMS Pumphouse}	3-201
Figure 3.7-141— {In-Structure Floor Response Spectra in N-S Direction at First Floor Level of the ESWEMS Pumphouse}	3-202
Figure 3.7-142— {In-Structure Floor Response Spectra in Vertical Direction at First Floor Level of the ESWEMS Pumphouse}	3-203
Figure 3.7-143— {In-Structure Floor Response Spectra in E-W Direction at Mezzanine Level of the ESWEMS Pumphouse}	3-204
Figure 3.7-144— {In-Structure Floor Response Spectra in N-S Direction at Mezzanine Level of the ESWEMS Pumphouse}	3-205
Figure 3.7-145— {In-Structure Floor Response Spectra in Vertical Direction at Mezzanine Level of the ESWEMS Pumphouse}	3-206
Figure 3.7-146— {In-Structure Floor Response Spectra in E-W Direction at Roof Level of the ESWEMS Pumphouse}	3-207
Figure 3.7-147— {In-Structure Floor Response Spectra in N-S Direction at Roof Level of the ESWEMS Pumphouse}	3-208
Figure 3.7-148— {In-Structure Floor Response Spectra in Vertical Direction at Roof Level of the ESWEMS Pumphouse}	3-209
Figure 3.7-149— {Isometric View of the ESWEMS Pumphouse GT-Strudl Finite Element Model - Exterior Wall, Roof and Apron}	3-210
Figure 3.7-150— {Isometric View of the ESWEMS Pumphouse GT-Strudl Finite Element Model - Exterior Wall, Roof and Apron}	3-211
Figure 3.7-151— {BBNPP Buried Pipe Horizontal FIRS}	3-212
Figure 3.7-152— {BBNPP Buried Pipe Vertical FIRS}	3-213
Figure 3.7-153— {Dynamic Soil Structure Interaction Model}	3-214
Figure 3.7-154— {Boundary Conditions of the GT-Strudl Model}	3-215
Figure 3.8-1— {Schematic Site Plan of Seismic Category I Buried Utilities at the NI (Electrical Duct Banks)}	3-238
Figure 3.8-2— {Schematic Site Plan of Seismic Category I Buried Utilities at the NI (Underground Piping)}	3-239
Figure 3.8-3— {Isometric View of the GT Strudl Finite Element Model for the ESWEMS Pumphouse Structure (Partial View of Basemat, Exterior Walls, and Interior Walls)}	3-240
Figure 3.8-4— {Isometric View of the GT Strudl Finite Element Model for the ESWEMS Pumphouse Structure (Partial View of Pump Wells, Wing Walls and Apron)}	3-241
Figure 3E-1— {Isometric View of ESWEMS Pumphouse Main Base Mat & Pump Well Base - Finite Element Mesh}	3-302
Figure 3E-2— {Isometric View of ESWEMS Pumphouse GT Strudl Finite Element Model - Exterior Wall, Roof and Apron}	3-303
Figure 3E-3— {GT Strudl Finite Element Planar Reference System}	3-304
Figure 3E-4— {Plant Arrangement - ESWEMS Pumphouse Excavation Cut & Backfill}	3-305
Figure 3E-5— {Plant Arrangement - ESWEMS Retention Pond & Pumphouse Location Plan}	3-306
Figure 3E-6— {Plant Arrangement - ESWEMS Retention Pond Typical Riprap Detail}	3-307
Figure 3E-7— {Plant Arrangement - ESWEMS Retention Pond Spillway Plan}	3-308

Figure 3E-8— {Plant Arrangement - ESWEMS Retention Pond Spillway Section}	3-309
Figure 3E-9— {Plant Arrangement - ESWEMS Retention Pond Section at Embankment}	3-310
Figure 3E-10— {Plant Arrangement - ESWEMS Retention Pond Section at Embankment}	3-311
Figure 3E-11— {Plant Arrangement - ESWEMS Retention Pond Section at Embankment}	3-312
Figure 3E-12— {Plant Arrangement - ESWEMS Pumphouse Rebar}	3-313
Figure 8.1-1— {BBNPP Site 500 kV Circuit Corridors}	8-8
Figure 8.2-1— {BBNPP 500kV Switchyard and Transmission Line Layout}	8-27
Figure 8.2-2— {BBNPP 500kV Switchyard Single Line Diagram}	8-28
Figure 8.3-1— {BBNPP Emergency Power Supply System Single Line Drawing}	8-36
Figure 8.3-2— {BBNPP Normal Power Supply System Single Line Drawing}	8-39
Figure 9.2-1— {Potable Water}	9-25
Figure 9.2-2— {Sanitary Waste Water System}	9-26
Figure 9.2-3— {ESWEMS Schematic}	9-27
Figure 9.2-4— {Plant Arrangement - ESWEMS Pumphouse Floor Plan}	9-28
Figure 9.2-5— {Plant Arrangement - ESWEMS Pumphouse Section A-A}	9-29
Figure 9.2-6— {Plant Arrangement - ESWEMS Pumphouse Section B-B}	9-30
Figure 9.2-7— {Plant Arrangement - ESWEMS Pumphouse Section C-C}	9-31
Figure 9.2-8— {Plant Arrangement - ESWEMS Pumphouse Pumpwell Plan}	9-32
Figure 9.2-9— {Plant Arrangement - ESWEMS Pumphouse Mezzanine Plan}	9-33
Figure 9.2-10— {Plant Arrangement - ESWEMS Pumphouse Roof Plan}	9-34
Figure 9.2-11— {Raw Water System}	9-35
Figure 9.4-1— {ESWEMS Pumphouse HVAC}	9-48
Figure 9.4-2— {ESWEMS Pumphouse HVAC Duct and Instrumentation Diagram}	9-49
Figure 9.4-3— {Turbine Building Ventilation System}	9-50
Figure 9.5-1— {Fire Protection Organization}	9-71
Figure 9.5-2— {Fire Water Distribution System - Site Specific Facilities}	9-72
Figure 9B-1— {Fire Barrier Location, Turbine Building Plan at Elevation (-)23ft}	9B-43
Figure 9B-2— {Fire Barrier Location, Turbine Building Plan at Elevation 0 ft}	9B-44
Figure 9B-3— {Fire Barrier Location, Turbine Building Plan at Elevation +38 ft}	9B-45
Figure 9B-4— {Fire Barrier Location, Turbine Building Plan at Elevation +65 ft}	9B-46
Figure 9B-5— {Fire Barrier Location, Turbine Building Plan at Elevation (-)43 ft}	9B-47
Figure 9B-6— {Fire Barrier Location, Turbine Building Roof Plan}	9B-48
Figure 9B-7— {Fire Barrier Location, Turbine Building Section A-A}	9B-49
Figure 9B-8— {Fire Barrier Location, Turbine Building Section B-B}	9B-50
Figure 9B-9— {Fire Barrier Location, Turbine Building Section C-C}	9B-51
Figure 9B-10— {Fire Barrier Location, SWGR-SBO Buildings Plan View at Elevation (-)13 ft}	9B-52
Figure 9B-11— {Fire Barrier Location, SWGR-SBO-AUX BLR Buildings Plan View at Elevation 0 ft}	9B-53
Figure 9B-12— {Fire Barrier Location, SWGR-SBO-AUX BLR Buildings Plan View at Elevation 13 ft}	9B-54
Figure 9B-13— {Fire Barrier Location, SWGR-SBO-AUX BLR Buildings Plan View at Elevation 24.5 ft}	9B-55
Figure 9B-14— {Fire Barrier Location, SWGR-SBO-AUX BLR Buildings Plan View Section A-A}	9B-56
Figure 9B-15— {Fire Barrier Location, Transformer Area Plan View at Elevation 0 ft}	9B-57
Figure 9B-16— {Fire Barrier Location, Warehouse Building Plan}	9B-58
Figure 9B-17— {Fire Barrier Location, Security Access Facility Plan}	9B-59
Figure 9B-18— {Fire Barrier Location, Central Gas Supply Building Plan View at Elevation 85'0"}	9B-60
Figure 9B-19— {Fire Barrier Location, Grid Systems Control Building}	9B-61
Figure 9B-20— {Fire Barrier Location, Fire Protection Building Plan View at Elevation 85'0"}	9B-62
Figure 9B-21— {Fire Barrier Location, Cooling Tower Structure, Plan View and Section A-A}	9B-63
Figure 9B-22— {Fire Barrier Location, Circulating Water System Pumphouse}	9B-64
Figure 9B-23— {Fire Barrier Location, ESWEMS Ground Floor and Mezzanine Plan}	9B-65
Figure 9B-24— {Fire Barrier Location, Circulating Water System Makeup Water Intake Structure}	9B-66
Figure 10.4-1— {Circulating Water System P&ID (at Cooling Tower)}	10-19
Figure 10.4-2— {CWS Pumphouse (Plan View)}	10-20

Figure 10.4-3— {CWS Pumphouse (Section View)}	10-21
Figure 10.4-4— {Circulating Water System Cooling Tower}	10-22
Figure 10.4-5— {CWS Makeup Water Intake Structure (Plan View)}	10-23
Figure 10.4-6— {Circulating Water System P&ID (Makeup System)}	10-24
Figure 10.4-7— {CWS Makeup Water Intake Structure (Section View)}	10-25
Figure 10.4-8— {Circulating Water System P&ID (Blowdown System)}	10-26
Figure 10.4-9— {Discharge Diffuser}	10-27
Figure 12.3-1— {Site Layout}	12-32
Figure 12.3-2— {CST and RWST Locations on Plant Grid}	12-33
Figure 12.3-3— {Source Location}	12-34
Figure 12.3-4— {Annual Dose Rate in 2017 in Units of mrem 8760 hours}	12-35
Figure 12.3-5— {Worker Zone Locations}	12-36
Figure 12.3-6— {ISFSI Distance Equation}	12-37
Figure 12.3-7— {ISFSI Satellite Image}	12-38
Figure 12.3-8— {SSES ISFSI (blue border) with TLDs and Grid}	12-39
Figure 12.3-9— {TLD (ID 13S2) Data Verifying Time Correlation Function}	12-40
Figure 12.3-10— {Dose vs Distance for CSTs}	12-41
Figure 12.3-11— {Dose vs Distance for LLRWHF}	12-42
Figure 12.3-12— {Dose vs Distance for SEALAND Containers}	12-43
Figure 12.3-13— {Dose vs Distance for Steam Dryer Storage Vault}	12-44
Figure 12.3-14— {Dose vs Distance for Turbine Building}	12-45
Figure 13.1-1— {BBNPP Organization Chart}	13-24