

Dominion Resources Services, Inc.
5000 Dominion Boulevard, Glen Allen, VA 23060
Web Address: www.dom.com



Dominion®

July 29, 2010

U.S. Nuclear Regulatory Commission
Attention: Document Control Desk
Washington, D.C. 20555-0001

Serial No.: 10-441
NL&OS/MAE: R0
Docket Nos.: 50-305
50-245/336/423
50-338/339
50-280/281
72-2/16/47/55/56/64
License Nos.: DPR-43
DPR-21/65
NPF-49
NPF-4/7
DPR-32/37
SNM-2501/2507

DOMINION ENERGY KEWAUNEE, INC. (DEK)
DOMINION NUCLEAR CONNECTICUT, INC. (DNC)
VIRGINIA ELECTRIC AND POWER COMPANY (DOMINION)
KEWAUNEE POWER STATION AND ISFSI
MILLSTONE POWER STATION UNITS 1, 2, 3 AND ISFSI
NORTH ANNA POWER STATION UNITS 1, 2 AND ISFSIs
SURRY POWER STATION UNITS 1, 2 AND ISFSIs
SGI AND OOU CORRESPONDENCE DISTRIBUTION REQUEST

In April 3, 2008 letters, the NRC requested that Virginia Electric and Power Company (Dominion) provide current information on those individuals authorized to receive documents containing Safeguards (SGI) and Official Use Only (OOU) information on issues relating to our facilities at North Anna and Surry Power Stations. This information was provided in a May 29, 2008 letter (Serial No. 08-0232), and later updated in a June 25, 2009 letter (09-406).

Due to personnel changes, this information is being updated. In addition, information is also provided for Kewaunee and Millstone Power Stations. Attachments 1 through 4 contain information for those individuals authorized to receive documents containing SGI and OOU information for Kewaunee, Millstone, North Anna, and Surry Power Stations, respectively. To maintain the integrity of the SGI and OOU distribution, these attachments also address "a need to know." Only a limited number of individuals are identified as having "a need to know" all SGI and OOU information associated with a specific plant. We request that the NRC only send SGI or OOU information to those who have been identified as having "a need to know" for all correspondence.

If there are any questions, please contact Ms. Margaret A. Earle at (804) 273-2768.

Sincerely,

Leslie N. Hartz
Vice President – Nuclear Support Services

Attachments (4)

Commitments made by this letter: None

M006
S001A

NRA
H1455

cc: U. S. Nuclear Regulatory Commission
Region I
Regional Administrator
475 Allendale Road
King of Prussia, PA 19406-1415

U. S. Nuclear Regulatory Commission
Region II
Regional Administrator
245 Peachtree Center Ave., NE, Suite 1200
Atlanta, GA 30303-1257

U. S. Nuclear Regulatory Commission
Region III
Regional Administrator
2443 Warrenville Road
Suite 210
Lisle, Illinois 60532-4352

Mr. James T. Wiggins, Director
Office of Nuclear Security Incident Response
U. S. Nuclear Regulatory Commission
Mail Stop 4 D22A
Two White Flint North
11545 Rockville Pike
Rockville, MD 20852-2738

Mr. Richard P. Correia, Director
Division of Security Policy
Office of Nuclear Security Incident Response
U. S. Nuclear Regulatory Commission
Mail Stop 4 F25M
Two White Flint North
11545 Rockville Pike
Rockville, MD 20852-2738

Mr. Barry C. Westreich, Director
Division of Security Oversight
Office of Nuclear Security Incident Response
U. S. Nuclear Regulatory Commission
Mail Stop 3 A5M
Two White Flint North
11545 Rockville Pike
Rockville, MD 20852-2738

Mr. Douglas G. Huyck, Chief
Reactor Security Rulemaking and Licensing Branch
Office of Nuclear Security Incident Response
U. S. Nuclear Regulatory Commission
Mail Stop 4 F25M
Two White Flint North
11545 Rockville Pike
Rockville, MD 20852-2738

Director, Spent Fuel Project Office
Office of Nuclear Material Safety and Safeguards
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555-0001

Ms. Pamela Longmire
NRC Project Manager
U. S. Nuclear Regulatory Commission
Mail Stop EBB-E3 D2M
One White Flint North
11555 Rockville Pike
Rockville, MD 20852-2738

Mr. John M. Goshen
NRC Project Manager
U. S. Nuclear Regulatory Commission
Mail Stop EBB-E3 D2M
One White Flint North
11555 Rockville Pike
Rockville, MD 20852-2738

Ms. Jennifer Davis
NRC Project Manager
U. S. Nuclear Regulatory Commission
Mail Stop EBB-E3 D2M
One White Flint North
11555 Rockville Pike
Rockville, MD 20852-2738

Mr. K. D. Feintuch
NRC Project Manager Kewaunee
U. S. Nuclear Regulatory Commission
Mail Stop O-8 H4A
One White Flint North
11555 Rockville Pike
Rockville, MD 20852-2738

Mr. J. B. Hickman
NRC Project Manager Millstone Unit 1
U. S. Nuclear Regulatory Commission
Mail Stop T-8 F5
Two White Flint North
11545 Rockville Pike
Rockville, MD 20852-2738

Ms. C. J. Sanders
NRC Project Manager Millstone Units 2 & 3
U. S. Nuclear Regulatory Commission
Mail Stop O-8-B 3
One White Flint North
11555 Rockville Pike
Rockville, MD 20852-2738

Ms. K. R. Cotton
NRC Project Manager Surry
U. S. Nuclear Regulatory Commission
Mail Stop O-8 G9A
One White Flint North
11555 Rockville Pike
Rockville, MD 20852-2738

Dr. V. Sreenivas
NRC Project Manager North Anna
U. S. Nuclear Regulatory Commission
Mail Stop O-8 G9A
One White Flint North
11555 Rockville Pike
Rockville, MD 20852-2738

Ms. L. A. Kauffman
NRC Inspector
475 Allendale Road
King of Prussia, PA 19406-1415

NRC Senior Resident Inspector
Millstone Power Station

NRC Senior Resident Inspector
Kewaunee Power Station

NRC Senior Resident Inspector
North Anna Power Station

NRC Senior Resident Inspector
Surry Power Station

Attachment 1

Kewaunee SGI and OUO Distribution List

All formal correspondence to DEK concerning Kewaunee Power Station should be addressed to Mr. David A. Heacock. He is authorized to receive SGI or OUO information and has a need to know on all correspondence. Letters should be addressed as follows:

Mr. David A. Heacock
President and Chief Nuclear Officer Dominion Nuclear
Dominion Energy Kewaunee, Inc.
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

The following individual is authorized to receive SGI or OUO material, has a need to know, and is requested to be copied on all correspondence that contains SGI or OUO material:

Mr. Kenneth B. Morris
Manager Nuclear Protection Services
Kewaunee Power Station
N 490 Highway 42
Kewaunee, WI 54216

The following individuals are requested to be copied on the cover letter of transmittals forwarding SGI or OUO material, provided no SGI or OUO material is contained in the cover letter. These individuals may or may not have a need to know (depending on the material) or may not have appropriate storage at their location. If SGI or OUO material is contained in the cover letter, these individuals should not receive the cover letters:

Mr. Stephen Scace
Site Vice President
Kewaunee Power Station
N 490 Highway 42
Kewaunee, WI 54216

Mr. Nelson K. Martin
Manager Nuclear Fleet Protection Services
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Thomas Breene
Manager Nuclear Licensing
Kewaunee Power Station
N 490 Highway 42
Kewaunee, WI 54216

Ms. Lillian M. Cuoco
Senior Counsel
Dominion Resources Services, Inc.
120 Tredegar Street, RS-2
Richmond, VA 23219

Ms. Leslie N. Hartz
Vice President – Nuclear Support Services
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Chris L. Funderburk, Director
Nuclear Licensing & Operations Support
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Paul A. Blasioli, Director
Nuclear Protection Services and Emergency Preparedness
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Attachment 2

Millstone SGI and OUO Distribution List

All formal correspondence to DNC concerning Millstone Power Station should be addressed to Mr. David A. Heacock. He is authorized to receive SGI or OUO information and has a need to know on all correspondence. Letters should be addressed as follows:

Mr. David A. Heacock
President and Chief Nuclear Officer Dominion Nuclear
Dominion Nuclear Connecticut, Inc.
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

The following individual is authorized to receive SGI or OUO material, has a need to know, and is requested to be copied on all correspondence that contains SGI or OUO material:

(Before September 1, 2010)

Mr. Phillip H. Baumann
Manager Nuclear Protection Services
Millstone Power Station
P. O. Box 128, Route 156 Rope Ferry Road
Waterford, CT 06385

(Beginning September 1, 2010)

Mr. John Curling
Manager Nuclear Protection Services
Millstone Power Station
P. O. Box 128, Route 156 Rope Ferry Road
Waterford, CT 06385

The following individuals are requested to be copied on the cover letter of transmittals forwarding SGI or OUO material, provided no SGI or OUO material is contained in the cover letter. These individuals may or may not have a need to know (depending on the material) or may not have appropriate storage at their location. If SGI or OUO material is contained in the cover letter, these individuals should not receive the cover letters:

Mr. A. J. Jordan
Site Vice President
Millstone Power Station
P. O. Box 128, Route 156 Rope Ferry Road
Waterford, CT 06385

Mr. Nelson K. Martin
Manager Nuclear Fleet Protection Services
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. William Bartron
Supervisor Nuclear Engineering
Millstone Power Station
P. O. Box 128, Route 156 Rope Ferry Road
Waterford, CT 06385

Ms. Lillian M. Cuoco
Senior Counsel
Dominion Resources Services, Inc.
120 Tredegar Street, RS-2
Richmond, VA 23219

Ms. Leslie N. Hartz
Vice President – Nuclear Support Services
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Chris L. Funderburk, Director
Nuclear Licensing & Operations Support
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Paul A. Blasioli, Director
Nuclear Protection Services and Emergency Preparedness
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Attachment 3

North Anna SGI and OUO Distribution List

All formal correspondence to Dominion concerning North Anna Power Station should be addressed to Mr. David A. Heacock. He is authorized to receive SGI or OUO information and has a need to know on all correspondence. Letters should be addressed as follows:

Mr. David A. Heacock
President and Chief Nuclear Officer Dominion Nuclear
Virginia Electric and Power Company
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

The following individual is authorized to receive SGI or OUO material, has a need to know, and is requested to be copied on all correspondence that contains SGI or OUO material:

Mr. Clarence L. Gum
Manager Nuclear Protection Services
North Anna Power Station
1022 Haley Drive
Mineral, VA 23117

The following individuals are requested to be copied on the cover letter of transmittals forwarding SGI or OUO material, provided no SGI or OUO material is contained in the cover letter. These individuals may or may not have a need to know (depending on the material) or may not have appropriate storage at their location. If SGI or OUO material is contained in the cover letter, these individuals should not receive the cover letters:

Mr. N. L. Lane
Site Vice President
North Anna Power Station
1022 Haley Drive
Mineral, VA 23117

Mr. Nelson K. Martin
Manager Nuclear Fleet Protection Services
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Page Kemp
Manager Nuclear Organizational Effectiveness
North Anna Power Station
1022 Haley Drive
Mineral, VA 23117

Ms. Lillian M. Cuoco
Senior Counsel
Dominion Resources Services, Inc.
120 Tredegar Street, RS-2
Richmond, VA 23219

Ms. Leslie N. Hartz
Vice President – Nuclear Support Services
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Chris L. Funderburk, Director
Nuclear Licensing & Operations Support
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Paul A. Blasioli, Director
Nuclear Protection Services and Emergency Preparedness
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Attachment 4

Surry SGI and OUO Distribution List

All formal correspondence to Dominion concerning Surry Power Station should be addressed to Mr. David A. Heacock. He is authorized to receive SGI or OUO information and has a need to know on all correspondence. Letters should be addressed as follows:

Mr. David A. Heacock
President and Chief Nuclear Officer Dominion Nuclear
Virginia Electric and Power Company
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

The following individual is authorized to receive SGI or OUO material, has a need to know, and is requested to be copied on all correspondence that contains SGI or OUO material:

Mr. Gregory S. Haynes
Manager Nuclear Protection Services
Surry Power Station
5570 Hog Island Road
Surry, VA 23883-0315

The following individuals are requested to be copied on the cover letter of transmittals forwarding SGI or OUO material, provided no SGI or OUO material is contained in the cover letter. These individuals may or may not have a need to know (depending on the material) or may not have appropriate storage at their location. If SGI or OUO material is contained in the cover letter, these individuals should not receive the cover letters:

Mr. Gerald T. Bischof
Site Vice President
Surry Power Station
5570 Hog Island Road
Surry, VA 23883-0315

Mr. Nelson K. Martin
Manager Nuclear Fleet Protection Services
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Barry Garber
Supervisor Nuclear Engineering
Surry Power Station
5570 Hog Island Road
Surry, VA 23883-0315

Ms. Lillian M. Cuoco
Senior Counsel
Dominion Resources Services, Inc.
120 Tredegar Street, RS-2
Richmond, VA 23219

Ms. Leslie N. Hartz
Vice President – Nuclear Support Services
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Chris L. Funderburk, Director
Nuclear Licensing & Operations Support
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711

Mr. Paul A. Blasioli, Director
Nuclear Protection Services and Emergency Preparedness
Innsbrook Technical Center
5000 Dominion Boulevard
Glen Allen, VA 23060-6711