Enclosure 1

Revised BBNPP COLA Part 2 (FSAR), Chapter 2.3, Revision 2a

2.3 METEOROLOGY

This section of the U.S. EPR FSAR is incorporated by reference with the following departures and supplements.

The U.S. EPR FSAR includes the following COL Item in Section 2.3.1:

If a COL applicant that references the U.S. EPR design certification identifies site-specific meteorology values outside the range of the design parameters in Table 2.1-1, then the COL applicant will demonstrate the acceptability of the site-specific values in the appropriate sections of the Combined License application.

This COL Item is addressed as follows:

{The Bell Bend Nuclear Power Plant (BBNPP) site-specific meteorology values have been reviewed and compared to determine if they are within the bounds of the assumed meteorology values for a U.S. EPR. This comparison is provided in Table 2.0-1. The BBNPP site-specific meteorology parameters are within the bounds of the conservative limiting meteorology values presented in Table 2.0-1.}

2.3.1 Regional Climatology

No departures or supplements.

2.3.1.1 Basis for Meteorological Parameters

The U.S. EPR FSAR includes the following COL Item in Section 2.3.1.1:

A COL applicant that references the U.S. EPR design certification will provide site-specific characteristics for regional climatology.

This COL Item is addressed as follows:

{The BBNPP site is located in east-central Pennsylvania in the Susquehanna Valley. The site is in Luzerne County near the border with Columbia County, approximately 20 mi (32 km) west-southwest from Wilkes-Barre, Pennsylvania. Luzerne County is located in the Ridge and Valley Region (or Ridge and Valley Province), which lies northwest of the Piedmont and between the Blue Ridge and Allegheny Mountains. This is a region of forested ridges alternating with fertile and extensively farmed valleys. The Ridge and Valley Region is 80 to 100 mi (129 to 161 km) wide and characterized by parallel ridges and valleys oriented northeast-southwest. The mountain ridges vary from 1,300 to 1,600 ft (396 to 488 m) above sea level, with local relief from 600 to 700 ft (183 to 213 m).

The Ridge and Valley Region, while not having a true mountain climate, does have many of the characteristics of such a climate. The mountain/valley influence on air movements causes greater temperature extremes than found in southeastern Pennsylvania, and the daily range of temperature increases under the valley influences.

The effects of radiational cooling at night in the valleys and the tendency for cool air masses to flow down them at night result in a shortening of the growing season by causing freezes later in the spring and earlier in the fall than would otherwise occur. The growing (freeze-free) season in this region is longest in the middle Susquehanna Valley, where it averages about 165 days, and shortest in Schuylkill and Carbon Counties, averaging less than 130 days.

The annual precipitation in this area averages 3 to 4 in (76 to 102 mm) more than in the southeastern part of the state, but the geographic distribution is less uniform. The mountain ridges are high enough to have some deflecting influence on general storm winds, while summer showers and thunderstorms tend to follow along the valleys. Seasonal snowfall of the Ridge and Valley Region varies considerably within short distances. It is greatest in Somerset County, averaging 88 in (2,235 mm) in the vicinity of Somerset, and least in Huntingdon, Mifflin, and Juniata Counties, averaging about 37 in (940 mm).

The BBNPP site and the Wilkes-Barre/Scranton observation site are located in climate division PA-01 (Pocono Mountains), as designated by the U.S. National Climatic Data Center. A climate division represents a region within a state that is as climatically homogeneous as possible. The long term (1931-2000) annual average precipitation in the PA-01 climate division is 43.94 in (1,116 mm) (NCDC, 2002a). The long term (1931-2000) annual average temperature in the PA-01 climate division is 46.8°F (8.2°C). The long term (1931-2000) average monthly temperatures for January and July in the PA-01 climate division are 24.0°F (-4.4°C) and 69.2°F (20.7°C), respectively (NCDC, 2002b).}

2.3.1.2 Meteorological Data for Evaluating the Ultimate Heat Sink

The U.S. EPR FSAR includes the following COL Item in Section 2.3.1.2:

A COL applicant that references the U.S. EPR design certification will describe the means for providing UHS makeup sufficient to meet the maximum evaporative and drift water loss after 72 hours through the remainder of the 30 day period consistent with RG 1.27.

This COL Item is addressed as follows:

{This COL Item is addressed in Section 2.3.1.2.2.13.

Section 2.3.1.2.1 and Section 2.3.1.2.2 are added as a supplement to the U.S. EPR FSAR.

2.3.1.2.1 Regional Air Quality

Background

The Clean Air Act (PL, 1977) which was last amended in 1990, requires the U.S. Environmental Protection Agency (EPA) to set National Ambient Air Quality Standards (CFR, 2007a) for pollutants considered harmful to public health and the environment. The Clean Air Act established two types of national air quality standards. Primary standards set limits to protect public health, including the health of "sensitive" populations such as asthmatics, children, and the elderly. Secondary standards set limits to protect public welfare, including protection against decreased visibility, damage to animals, crops, vegetation, and buildings.

The EPA Office of Air Quality Planning and Standards (OAQPS) has set National Ambient Air Quality Standards for six principal pollutants, which are called "criteria" pollutants. Units of measure for the standards are parts per million (ppm) by volume, milligrams per cubic meter of air (mg/m3), (mg/m³), and micrograms per cubic meter of air (µg/m3). (µg/m³). Areas are either in attainment of the air quality standards or in nonattainment. Attainment means that the air quality is better than the standard.

Luzerne County

Based on EPA data (USEPA, 2008), Luzerne County, Pennsylvania, is in attainment for all the National Ambient Air Quality Standards (NAAQS). The NAAQS are presented in Table 2.3-1. Based on Pennsylvania Department of Environmental Protection data, the BBNPP site 1030

I

was in attainment in 2004 for sulfur dioxide, particulate matter (2.5 microns), carbon monoxide, and ozone (PADEP, 2008).

Luzerne County is part of the Northeast Pennsylvania-Upper Delaware Valley Interstate Air Quality Control Region (AQCR) (CFR, 2008a). The attainment status of the Northeast Pennsylvania-Upper Delaware Valley Interstate AQCR with regard to national ambient air quality standards is listed as being better than national standards for sulphur dioxide, ozone (8-hr), and total suspended particulates; unclassifiable/attainment for carbon monoxide, nitrogen dioxide, and particulate matter (2.5 microns); unclassifiable for particulate matter (10 microns); nonattainment/marginal for ozone (1-hr); and not designated for lead (CFR, 2008b). Note that the 1-hour ozone standard was revoked effective June 15, 2005, for all areas in Pennsylvania.

Columbia County

Based on EPA data (USEPA, 2008), Columbia County, Pennsylvania, is in attainment for all the National Ambient Air Quality Standards (NAAQS). The NAAQS are presented in Table 2.3-1.

Columbia County is part of the Central Pennsylvania Intrastate Air Quality Control Region (AQCR) (CFR, 2008c). The attainment status of the Central Pennsylvania Intrastate AQCR with regard to national ambient air quality standards is listed as being better than national standards for sulphur dioxide, nitrogen dioxide, and total suspended particulates; unclassifiable/attainment for carbon monoxide, particulate matter (2.5 and 10 microns), and ozone (8-hr); and nonattainment/marginal for ozone (1-hr) (CFR, 2008b). Note that the 1-hour ozone standard was revoked effective June 15, 2005, for all areas in Pennsylvania.

2.3.1.2.1.1 Class-1 Federal Lands

Class 1 federal lands include areas such as national parks, national wilderness areas, and national monuments. These areas are granted special air quality protections under Section 162(a) of the federal Clean Air Act. 40 CFR Section 51.307-requires the operator of any new major stationary source or major modification located within 62 mi (100 km) of a Class I area to contact the Federal Land Managers for that area.

The closest Class 1 Federal Land to BBNPP is the Brigantine Wilderness Area, New Jersey, which was established in 1939. In 1984 Brigantine was combined with Barnegat and renamed the Edwin B. Forsythe Refuge. The distance from Bell Bend Nuclear Power Plant to the Brigantine Wilderness Area is approximately 150 mi (242 km); therefore, no action is required.

Class 1 Federal Lands

<u>Class 1 federal lands include areas such as national parks, national wilderness areas, and</u> <u>national monuments. These areas are granted special air quality protections under</u> <u>Section 162(a) of the federal Clean Air Act. 40 CFR Section 51.307 requires the operator of any</u> <u>new major stationary source or major modification located within 62 mi (100 km) of a Class I</u> <u>area to contact the Federal Land Managers for that area.</u>

The closest Class 1 Federal Land to BBNPP is the Brigantine Wilderness Area, New Jersey, which was established in 1939. In 1984 Brigantine was combined with Barnegat and renamed the Edwin B. Forsythe Refuge. The distance from Bell Bend Nuclear Power Plant to the Brigantine Wilderness Area is approximately 150 mi (242 km); therefore, no action is required.

2.3.1.2.2 Severe Weather Phenomena

2.3.1.2.2.1 Tornadoes and Waterspouts

Tornadoes occur infrequently in Pennsylvania compared with areas such as the Great Plains, as can be seen in Figure 2.3-1 and Figure 2.3-2. Pennsylvania averaged ten tornadoes a year during the period from 1950-1995. Pennsylvania averaged three strong tornadoes a year during the period from 1950-1995. Figure 2.3-1 and Figure 2.3-2 (NCDC, 2000) show the annual average number of tornadoes and strong-violent tornadoes (F2-F5) respectively. No waterspouts were reported in Luzerne or Columbia County between January 1, 1950, and February 28, 2008.

In the period from January 1, 1950, through August 31, 2007, 15 tornadoes were reported in Luzerne County, Pennsylvania as presented in Table 2.3-2. This corresponds to an annual average of about 0.3 tornadoes per year. The magnitude of the tornados ranged from F0 to F2, as designated by the National Weather Service. An F0 tornado has estimated wind speeds less than 73 mph (33 m/sec). An F1 tornado has estimated wind speeds between 73 and 112 mph (33 and 50 m/sec). An F2 tornado has estimated wind speeds between 113 and 157 mph (50 and 70 m/sec). The width of the paths of the 15 tornados in Luzerne County were was estimated to range from 13 to 530 yards (12 to 485 m).

In the period from January 1, 1950, through August 31, 2007, eight tornadoes were reported in Columbia County, Pennsylvania as presented in Table 2.3-3. This corresponds to an annual average of about 0.14 tornadoes per year. The magnitude of the tornados ranged from F0 to F2, as designated by the National Weather Service. The width of the paths of the 15 tornadoes in Columbia Count were County was estimated to range from 10 to 75 yards (9 to 69 m).

Table 5-1 of NUREG/CR-4461, Revision 2, (NRC, 2007a) presents tornado strike probabilities for the contiguous United States and for the West, Central, and East regions of the country. The listed tornado strike probability for the East region, in which BBNPP is located, is 2.58 X 10-5. This value takes into account finite building dimensions and the variation of tornado intensity along and across the tornado path.

2.3.1.2.2.2 Hurricanes and Tropical Storms

National Hurricane Center statistics (NOAA, 2008b) list 52 records of tropical storms and hurricanes that have passed within 100 statute miles (161 km) of BBNPP. Note that the Saffir-Simpson Hurricane Scale ranks hurricanes on a scale of 1-5 based on the intensity of the storm (NOAA, 2008c). In the eastern United States, hurricane season begins June 1st and ends November 30th.

Table 2.3-4 presents the year, month, day of occurrence of these 52 storm records as well as information, if available, on wind speed and atmospheric pressure. Of these storms there was one category 1 hurricane that occurred in the month of October. In addition to the hurricane and 11 tropical storms, there were 6 tropical depressions, and 8 extratropical storms that passed within 100 statute mi (161 km) of BBNPP. The tropical storms occurred in August and September.

The remnants of Hurricane Agnes dropped approximately 18 inches (457 mm) of rain in Luzerne County in June 1972. The resultant flooding destroyed nearly 25,000 homes and caused approximately one billion dollars in damage.

Table 2.3-5 shows the total and average number of tropical storms and hurricanes, by month, for the period 1851-2004 (NOAA, 2005). Note that most tropical storms and hurricanes occur in September.

2.3.1.2.2.3 Thunderstorms

From information provided by the Oklahoma Climatological Survey and presented in Figure 2.3-3, there are approximately 30 to 50 days per year during which thunderstorms occur in the vicinity of the BBNPP site. They occur in all months of the year, but the majority (75 to 80 percent) occur in May through August. They occur less than once per month from November to February. Thunderstorms are most likely to occur during the afternoon and evening hours. Table 2.3-6 presents the monthly mean number of days on which thunderstorms occurred at Wilkes-Barre/Scranton, Allentown, and Williamsport, Pennsylvania, during the period from 1950-2006 (Wilkes-Barre/Scranton), 1947-2006 (Allentown), and 1953 through 2006 (Williamsport) (NCDC, 2006a) (NCDC, 2006b) (NCDC, 2006c). The information is from certified data from the National Climatic Data Center for Wilkes-Barre/Scranton, Allentown, and Williamsport, which are the three National Weather Service primary stations closest to BBNPP. Most thunderstorms in the region occur during May through August, with about 30 thunderstorms occurring per year.

2.3.1.2.2.4 Lightning

J. L. Marshall (Marshall, 1973) presented a methodology for estimating lightning strike frequencies which includes consideration of the attractive area of structures. The method consists of determining the number of lightning flashes to earth per year per square kilometer and then defining an area over which the structure can be expected to attract a lightning strike. There are four flashes to earth per year per square kilometer in the vicinity of the proposed BBNPP. Lightning flash density for the U.S. for the five-year period 1996-2000, is shown in Figure 2.3-4 (NOAA, 2007).2007a). Marshall defines the total attractive area, A, of a structure with length L, width W, and height H, for lightning flashes with a current magnitude of 50 percent of all lightning flashes as:

$$A = LW + 4H(L + W) + 12.57 \frac{H^2}{H^2} Eq. 2.3-1$$

The following building dimensions were used to estimate conservatively the attractive area of BBNPP (these values are much larger than the dimensions for the tallest building which measure approximately 58m X 58m X 60m; they are also larger than the approximate dimensions of the combined containment, the four safeguards buildings, the access building, the fuel building, and the nuclear auxiliary building):

L = 215 m, W = 140m, H = 40m Eq. 2.3-2

The total attractive area is therefore equal to 0.11 square kilometers. Consequently, the lightning strike frequency computed using Marshall's (Marshall, 1973) methodology for BBNPP is 0.44 flashes per year.

2.3.1.2.2.5 Droughts

Five drought events were listed in the National Climatic Data Center's Storm Events database for Luzerne County, Pennsylvania, from 1950-2008<u>1993-2008</u> (see Table 2.3-7). The following description of the latest drought event (09/01/1999) is from "Drought/Ice/Snow Events for Luzerne and Columbia Counties, PA," July 2008 (NOAA, 2008d): A very dry spring and summer caused major crop failures and some wells to run dry. Many streams and rivers were also brought to their lowest recorded levels. The crops most affected were corn and hay, which dealt a major blow to dairy farmers. September rains from the remnants of Hurricanes Dennis and Floyd helped to ease the summertime drought conditions although they came too late to help the vegetable and grain crops. Approximately 20 million dollars in crop damage occurred.

A very dry spring and summer caused major crop failures and some wells to run dry. Many streams and rivers were also brought to their lowest recorded levels. The crops most affected were corn and hay, which dealt a major blow to dairy farmers. September rains from the remnants of Hurricanes Dennis and Floyd helped to ease the summertime drought conditions although they came too late to help the vegetable and grain crops. Approximately 20 million dollars in crop damage occurred.

Eight drought events were listed in the National Climatic Data Center's Storm Events database for Columbia County, Pennsylvania, from 1950-2008 1993-2008 (see Table 2.3-8). The following description of the latest drought event (08/01/1999) is from "Drought/Ice/Snow Events for Luzerne and Columbia Counties, PA," July 2008 (NOAA, 2008d):

A drought emergency remained in effect for 55 of the 67 counties of Pennsylvania. In spite of the severe flash flooding in a few locations and normal or above normal precipitation in many others, water tables remained low and water usage was restricted.

A drought emergency remained in effect for 55 of the 67 counties of Pennsylvania. In spite of the severe flash flooding in a few locations and normal or above normal precipitation in many others, water tables remained low and water usage was restricted.

2.3.1.2.2.6 High Winds

Table 2.3-9 presents occurrences of winds greater than 50 knots (58 mph or 26 m/sec) by storm type for Luzerne County. This data was retrieved from the National Climatic Data Center's Storm Events database (NOAA, 2008d). There were 52 events that occurred during the period from June 6, 1971, through August 25, 2007. Wind speeds ranged from 50 to 175 knots (58 to 201 mph; 26 to 90 m/sec). The highest value occurred on May 31, 1998, during a thunderstorm event.

There were four storm events where the wind speed was at least 75 mph (34 mps) and less than 124 mph (55 mps). This data was retrieved from the National Climatic Data Center's Storm Events database (NOAA, 2008d). These events occurred June 6, 1971, May 27, 2001, June 9, 2005, and December 1, 2006, and are listed in Table 2.3-10.

Table 2.3-11 presents occurrences of winds of 50 knots or greater (58 mph or 26 m/sec) by storm type for Columbia County. There were 56 events that occurred during the period from April 17, 1982 through August 25, 2007. Wind speeds ranged from 50 to 75 knots (58 to 86 mph; 26 to 39 m/sec). The highest value occurred on July 13, 2005.

There were two storm events in Columbia County where the wind speed was at least 75 mph (34 mps) and less than 124 mph (55 mps). These events occurred on November 13, 2003, and July 13, 2005 and are listed in Table 2.3-12.

2.3.1.2.2.7 Hail

Table 2.3-13 presents occurrences of hail events reported in Luzerne County. This data was retrieved from the National Climatic Data Center's Storm Events database (NOAA, 2008d). There were 45 events that occurred between June 1958 and August 2007. Hail stone diameters ranged from 0.75 to 2.75 in (19.1 to 69.9 mm). The largest values occurred on June 24, 1985.

Table 2.3-14 presents occurrences of hail events reported in Columbia County. This data was retrieved from the National Climatic Data Center's Storm Events database (NOAA, 2008d). There were 28 events that occurred between July 1980 and August 2007. Hail stone diameters ranged from 0.75 to 2.75 in (19.1 to 69.9 mm). The largest values occurred on, July 19, 1983.

2.3.1.2.2.8 Dust/Sand Storms

No dust or sand storms are listed during the period from January 1950<u>1993</u> to February 2008 in the National Climatic Data Center's Storm Events database for Luzerne or Columbia County, Pennsylvania.

2.3.1.2.2.9 Ice Storms

Table 2.3-15 presents ice storm events which occurred in Luzerne County, Pennsylvania. This data was retrieved from the National Climatic Data Center's Storm Events database (NOAA, 2008d). There were 13 events that occurred between January 1999 and April 2007. Up to 0.5 in (12.7 mm) of ice accumulated during the December 13, 2000 event. For many of the ice events, the ice thickness was not recorded.

Table 2.3-16 presents ice storm events which occurred in Columbia County, Pennsylvania. This data was retrieved from the National Climatic Data Center's Storm Events database (NOAA, 2008d). There were 28 events that occurred between November 1994 and February 2007. Up to 0.25 in (6.35 mm) of ice accumulated during the December 13, 2000, December 11, 2002 and December 16, 2005 events. For many of the ice events, the ice thickness was not recorded.

2.3.1.2.2.10 Snow Storms

Table 2.3-17 presents snow storm events which occurred in Luzerne County, Pennsylvania. This data was retrieved from the National Climatic Data Center's Storm Events database (NOAA, 2008d). There were 44 events that occurred between February 1995 and April 2007. During the period, the Wilkes-Barre/Scranton Airport in Avoca, Pennsylvania, recorded the largest snowfall of up to 30 in (762 mm) during the March 31, 1997 event.

Table 2.3-18 presents snow storm events which occurred in Columbia County, Pennsylvania. This data was retrieved from the National Climatic Data Center's Storm Events database (NOAA, 2008d). There were 40 snow events that occurred between January 1995 and March 2007 disregarding ice events. Snow up to 18 in (457 mm) fell during the December 25, 2002.

2.3.1.2.2.11 High Air Pollution Potential

Major air pollution episodes are usually related to the presence of stagnating anticyclones. Such anticyclones may linger over an area four days or more. During such a period, surface wind speeds can fall to very low values. The near surface circulation is therefore insufficient to disperse accumulated pollutants. The analysis of these air stagnation events determined that approximately 10 air stagnation days occur per year, on average for 1948-1998, in the vicinity of BBNPP (NOAA, 1999). By contrast, the maximum number of air stagnation days (over the same period), averaged about 80 per year, near the border of California, Arizona, and Mexico. Most air stagnation events happen in an extended summer season from May to October as a result of weaker pressure and temperature gradients and the concommitant concomitant weaker wind circulations.

Holzworth (EPA, 1972), from a study which derived climatological statistics on morning and afternoon mixing heights and associated vertically averaged wind speeds, indicates that the mean annual morning mixing height depth over BBNPP is approximately 650 m (2,133 ft) and that the mean afternoon mixing height depth over BBNPP is approximately 1,500 m (4,921 ft). The mean annual wind speed through the morning mixing layer was found to be 5.5 m/sec (12.3 mph) and the mean annual wind speed through the afternoon mixing layer was found to be 7.5 m/sec (16.7 mph).

2.3.1.2.2.12 Snow/Loads on Roofs of Safety Related Structures

The Interim Staff Guidance on Assessment of Normal and Extreme Winter Precipitation Loads on the Roofs of Seismic Category I Structures (ISG-07) (NRC, 2009) clarified the NRC position on identifying winter precipitation events as site characteristics and site parameters for determining normal and extreme winter precipitation loads on the roofs of Seismic Category I structures. The normal winter precipitation event should be the highest ground-level weight (in $\frac{lb/ft!b/ft^2}{2}$ among (1) the 100-year return period snow pack, (2) the historical maximum snowpack, (3) the 100-year return period snowfall event, or (4) the historical maximum snowfall event in the site region.

ISG-07 indicates that an appropriate source for the 100-year return period snow pack is the American Society of Civil Engineers (ASCE) Standard No. 7-05, "Minimum Design Loads for Buildings and Other Structures" (ASCE, 2005). Figure 7-1 of ASCE 7-05 presents a map of the continental United States showing ground snowpack values (in $\frac{1b}{ft^2}$)²) with a 50-year mean recurrence interval. Table C7-3 of ASCE 7-05 indicates that 1.22 is a reasonable factor to convert the 50-year value recurrence interval values to 100-year mean recurrence interval values (i.e., the 50-year value divided by 0.82).

Based on ASCE 7-05, the 50-year mean recurrence ground snow load in the BBNPP region is listed as CS, which indicates that a site-specific Case Study is required to establish ground snow loads due to extreme variations in ground snow loads in the area. However, ASCE 7-05 does indicate that at the closest isopleths to the plant site, the 50-year mean recurrence ground snow load is 30 lb/ftlb/ft²² (146.5 kg/mkg/m²)² and that the maximum value in the StateCommonwealth of Pennsylvania is 35 lb/ftlb/ft²² (170.9 kg/mkg/m²²). Both of these values have upper elevation limits that are higher than the site elevation of 650 ft (198 m). Therefore, a value of 35 lb/ftlb/ft²² (170.9 kg/mkg/m²)²) was chosen to represent the 50-year mean recurrence ground snow load at the site. The conversion factor listed in Table C7-3 of ASCE 7-05 can be used to adjust the 50-year recurrence ground snow load to a 100-year recurrence ground snow load. Using a conversion factor of 1.22, the 100-year mean recurrence ground snow load is 42.7 lb/ftlb/ft²² (208.5 kg/mkg/m²).²

ISG-07 indicates that an appropriate source for the 100-year return period two-day snowfall event and the historical two-day maximum snowfall event is the National Climatic Data Center's (NCDC's) Snow Climatology website, which includes observations from first-order National Weather Service (NWS) stations, and NCDC cooperative network observing stations.

Table 2.3-180 presents the 100-year return period and historical maximum 2-day snowfall events from NCDC's Snow Climatology website (NOAA, 2009a). Equation 2 from ISG-07 was used to determine ground snow load values from these snowfall events. None of the ground

I

I

I

Į

snow load values presented in the table is greater than the 100-year mean recurrence ground snow load value of 42.7 lb/ftlb/ft²² (208.5 kg/mkg/m²)²) determined using ASCE 7-05.

ISG-07 indicates that appropriate sources for the historical maximum snowpack include Local Climatological Data summaries (NOAA, 2009a), NCDC Climatology of the United States No. 20 series (NOAA, 2009b), NCDC Daily Surface Data (TD3200/3210) (NOAA, 2009c), and NCDC's on-line Storm Events data base (NOAA, 2009d). Equation 1 from ISG-07 was used to determine ground snow load values from these snowfall events.

Table 2.3-181 presents the highest daily snow depth (snowpack) taken from one of the NCDC data sources (NOAA, 2009a) (NOAA, 2009b) (NOAA, 2009c). These values are used to represent the historical maximum snowpack according to guidance from ISG-07 and were corroborated where possible by data from the other two sources. None of the ground snow load values presented in Table 2.3-181 are greater than the 100-year mean recurrence ground snow load value of 42.7 $\frac{16}{ft}\frac{12}{2}$ (208.5 $\frac{kg}{mkg}/m^2)^2$) determined using ASCE 7-05.

The extreme frozen winter precipitation event should be the higher ground-level weight (in $\frac{lb/ft^2}{2}$) between (1) the 100-year return period snowfall event and (2) the historical maximum snowfall event in the site region (NRC, 2009). Table 2.3-180 presents these values; the higher groundlevel weight is 25.0 $\frac{lb/ft}{10}/ft^2(122.1 + \frac{lb}{2}) + \frac{lb}{2}$.

The extreme liquid winter precipitation event is defined as the theoretically greatest depth of precipitation (in inches of water) for a 48-hour period that is physically possible over a 10 mimi²² (25.9 kmkm²)²) area at a particular geographical location during those months with the historically highest snowpacks (NRC, 2009). This value can be determined from Hydrometeorological Report Number 53 (USWB, 1980) by plotting (using a smooth curve) the probable maximum 6-hour, 24-hour, and 72-hour precipitation during the winter months of December through February. The 6-hour, 24-hour, and 72-hour PMWP Probable Maximum Winter Precipitation (PMWP) values are provided in Table 2.3-19. The plot of the probable maximum 6-hour, 24-hour precipitation is presented in Figure 2.3-5. The 10 mimi²² (25.9 kmkm²)²) 48-hour PMWP is selected for the site from the plot using the December **I** data since it is more conservative; the value of the 48-hour PMWP is 17.3 inches (439.4 mm).

ISG-07 endorses the guidance provided in ASCE 7-05 for converting the ground snow load due to a normal winter precipitation event to a roof snow load. Using Equation 7-1 from ASCE 7-05:

$$p_{f} = 0.7 C_{e} C_{t} | p_{q}$$

where p_f is the roof snow load in $\frac{1b}{ft!b}{ft'_2}^2$, Ce is the exposure factor, Ct is the thermal factor, I is the importance factor, and pg is the ground snow load in $\frac{1b}{ft!b}{ft'_2}^2$. The exposure factor for partially exposed, terrain category C from Table 7-2 of ASCE 7-05 was used (value of 1.0). The thermal factor and the importance factor were both set to unity according to guidance provided in ISG-07. The ground snow load is 42.7 $\frac{1b}{ft!b}{ft'^2}$ (208.5 $\frac{kg}{mkg}{m^2})^2$) determined using ISG-07. Therefore, the roof snow load is:

 $p_f = 0.7 (1.0) (1.0) (1.0) (42.7 \text{ lb/ft} (b/ft^2)^2) = 29.9 \text{ lb/ft} (b/ft^2^2 (146.0 \text{ kg/mkg/m}^2)^2)$

This value is applied as a normal live load on the roof in all loading combinations for Seismic Category I structures except the ESWEMS Pumphouse.

Extreme winter precipitation event roof loads are based on the roof load due to the normal winter precipitation event plus the roof load due to the extreme winter precipitation event. Roof loads due to the extreme winter precipitation event shall be the higher roof load resulting from either the extreme frozen winter precipitation event or the extreme liquid winter precipitation event. Since there are no parapets on the roofs of Seismic Category I structures other than the ESWEMS Pumphouse to impede drainage, the extreme frozen winter precipitation event.

The ground load for the extreme frozen winter precipitation event is 25.0 $\frac{16}{16}$ (122.1 kg/mkg/m²)²) Using Equation 7-1 from ASCE 7-05, the roof snow load due to the extreme winter precipitation event is:

$$p_f = 0.7 (1.0) (1.0) (1.0) (25.0 \frac{b}{ft} \frac{b}{ft^2}^2) = \frac{17.5 b}{ft} \frac{17.5 b}{ft} \frac{17.5 b}{ft^2} (85.4 \frac{b}{m} \frac{b}{m}$$

Therefore, the extreme winter precipitation live roof load is $\frac{29.9\text{lb/ft}^29.9^2}{12} + \frac{17.5\text{lb/ft}^17.5^2}{12} + \frac{17.5\text{lb$

The ESWEMS Pumphouse contains parapets that are 1.0 ft higher than the roof, thus requiring a separate evaluation for snow loads. As demonstrated previously the normal roof live load from the normal winter precipitation event is calculated from Equation 7-1 from ASCE 7-05. According to ISG-07, flat roofs with parapets should be considered as a sheltered roof when determining the exposure factor Ce. Thus, the exposure factor Ce shall be taken as 1.1 for terrain category C from ASCE 7-05. The importance factor (I) and thermal factor (Ct) remain 1.0. Thus, the roof snow load for the ESWEMS Pumphouse is:

 $p_f = 0.7 (1.1) (1.0) (1.0) (42.7 \frac{b}{ft} \frac{b}{ft^2})^2 = 32.9 \frac{b}{ft} \frac{b}{ft^2} (160.6 \frac{kg}{m} \frac{kg}{m} \frac{kg}{m^2})^2$

The extreme winter precipitation event for the ESWEMS Pumphouse is taken from the extreme liquid winter precipitation event assuming that the scuppers in the parapets are fully blocked. The height of the parapets is 1.0 ft, thus limiting the height of the water on the roof to 12 inches instead of the 17.3 inches from the 48-hour PMWP. The weight of the extreme liquid winter precipitation event on the roof is the same as the weight on the ground <u>(ISG-07, page 7)</u> (NRC, 2009). Thus, the extreme liquid winter precipitation event roof load is:

 $p_f = (1.0 \text{ feet}) (62.4 \text{ lb/ft} \text{lb/ft}^3)^3) = 62.4 \text{ lb/ft} \text{lb/ft}^{22} (304.7 \text{ kg/mkg/m}^2)^2)$

Therefore, the extreme winter precipitation live roof load for the ESWEMS Pumphouse is 32.9 $\frac{1}{10}$ /ft $\frac{10}{10}$ /ft $\frac{10}{1$

2.3.1.2.2.13 Conditions for Maximum Evaporation and Potential Water Freezing in the Ultimate Heat Sink

In accordance with Regulatory Guide 1.27 Section C.1 (NRC, 1976), the meteorological conditions resulting in maximum evaporation and drift loss should be the worst 30-day average combination of controlling parameters (wet bulb and dry bulb temperatures). Monthly design wet bulb and mean coincident dry bulb temperature values were determined by the American Society of Heating, Refrigeration, and Air Conditioning Engineers (ASHRAE) using 30 years (1972-2001) of meteorological data from Wilkes-Barre/Scranton, Pennsylvania

(ASHRAE, 2005). The highest monthly design wet bulb and mean coincident dry bulb temperature values reported were for the month of July. The 0.4% design values (the values that would be exceeded 0.4% of the time in the month of July or roughly 3 hours out of 744) are 77.4°F (25.2°C) and 87.6°F (30.9°C) for the wet and coincident dry bulb temperature values, respectively. The 1% design values are 76.2°F (24.6°C) and 85.8°F (29.9°C) for the wet and coincident dry bulb temperature values, respectively. The 2% design values are 75.1°F (23.9°C) and 84.1°F (28.9°C) for the wet and coincident dry bulb temperature.

The National Climatic Data Center identifies both the BBNPP site and Wilkes-Barre/Scranton as being within the same climate division. A climate division represents a region within a state that is as climatically homogeneous as possible. As such, it is deemed acceptable to use Wilkes-Barre/Scranton high temperature statistics to characterize the BBNPP site.

Another meteorological condition to consider is the maximum one-hour dry bulb temperature. The maximum one-hour dry bulb temperature determined for Wilkes-Barre/ Scranton over the period 1950-2000 is 101°F (38.3°C). The maximum one-hour dry bulb temperature determined for Berwick, PA, over the period 1944-1978 is 103°F (39.4°C). While the Berwick data are not as recent as the Wilkes-Barre/Scranton data, the maximum hourly temperature for Berwick is provided since Berwick is approximately 4 miles (6.4 km) from the BBNPP site, while the Wilkes-Barre/Scranton International Airport in Avoca, PA, is located approximately 40 miles from the BBNPP site.

The meteorological conditions resulting in minimum cooling due to evaporation of water should be periods of high wet bulb temperature values. Using 30 years (1972-2001) of meteorological data from Wilkes-Barre/Scranton, Pennsylvania, the annual average wet bulb temperature that is exceeded only 0.4% of the time per year is 74.6°F (23.7°C) (ASHRAE, 2005). The annual average wet bulb temperature that is exceeded only 1% of the time per year is 73.0°F (22.8°C). The annual average wet bulb temperature that is exceeded only 2% of the time per year is 71.5°F (21.9°C).

The meteorological conditions resulting in the potential for water freezing in the ultimate heat sink water storage facility should be low dry bulb temperature values and associated wind speeds. Using 30 years (1972-2001) of meteorological data from Wilkes-Barre/Scranton, Pennsylvania, the coldest month wind speed and coincident dry bulb temperature that are exceeded only 0.4% of the time per year are 24.9 mph (11.2 mps) and 32.5°F (0.3°C). The coldest month wind speed and coincident dry bulb temperature that are exceeded only 1% of the time per year are 22.6 mph (10.1 mps) and 27.9°F (-2.3°C).

According to information from ASHRAE (ASHRAE, 2005), the 100-year return period values of maximum and minimum dry bulb temperature are 101.4°F (38.6°C) and -23.7°F (-30.9°C), respectively. The 100-year return period value of maximum wet bulb temperature coincident with the 100-year return period value of maximum dry bulb temperature is 80.6°F (27.0°C). The 100-year return period value of maximum wet bulb temperature (non-coincident) is 91.5°F (33.1°C).

2.3.1.2.2.14 Tornado Parameters

Using the methodology and values in Table 1 from Regulatory Guide 1.76 (NRC, 2007b), the design-basis tornado characteristics for BBNPP are presented in Table 2.3-20. The maximum tornado wind speed is 230 mph (103 mps), the pressure drop is 1.2 psi (83 mb), and the rate of pressure drop is 0.5 psi/s (37 mb/s).

2.3.1.2.2.15 100 Year Return Period 3 Second Wind Gust

In accordance with ASCE 7-05 (ASCE, 2006), the basic wind speed to be used in determination of design wind loads on buildings and other structures is given in Figure 6-1 of that document. This value for the BBNPP site is 90 mph (40 mps). Note that this value is the three-second wind gust for a 50-year return period. Using the appropriate conversion factor from Table C6-7 of ASCE 7-05, the 100-year return period three-second wind gust value is 90 mph X 1.07 = 96.3 mph (43.0 mps). Note, the conversion factor of 1.07 is not the importance factor; the importance factor is 1.15.

2.3.1.2.2.16 Temperature and Humidity for Heating, Ventilation and Air Conditioning

Table 2.3-21 through Table 2.3-28 present temperature and humidity data for Wilkes-Barre/ Scranton, Pennsylvania (ASHRAE, 2005) (NOAA, 2008a). These data are to be used in the design of plant heating, ventilating, and air conditioning systems. The National Climatic Data Center indentifies both the BBNPP site and the NWS station at Wilkes-Barre/Scranton as being within the same climate division (NCDC, 2002). A climate division represents a region within a state that is as climatically homogeneous as possible. As such, it is acceptable to use Wilkes-Barre/Scranton climatic statistics to characterize the BBNPP site. Values are expressed in the units provided by ASHRAE.

The-U.S. EPR FSAR Section 2.3.1.1 indicates that the U.S. EPR design is based on the 0% and 1% exceedance dry bulb temperature value (100°F or 37.8°C) and the coincident wet bulb temperature value (71.7°F or 21.2°C), and the zero percent exceedance non-coincident wet bulb temperature (78.9°F or 26.1°C) value are presented temperatures listed in Table 2.3-22. The minimum 0% exceedance dry bulb temperature value (-15.1°F or -26.2°C) is presented in U.S. EPR FSAR Table 2.3-22. These 2.1-1. Site-specific values for these parameters were determined using 3045 years (1971-2000) (1961-2005) of hourly meteorological data from the Wilkes-Barre/Scranton NWS site.(NOAA, International Airport, Pennsylvania (NOAA, 2008a) (NOAA, 1997) (NOAA, 2002a) (NOAA, 2006a).

The highest-BBNPP site-specific annual basis 0% exceedance maximum dry bulb and coincident wet bulb temperature values are 100.0°F (37.8°C) and 71.7°F (22.1°C), respectively. The BBNPP site-specific annual-basis 0% exceedance minimum dry bulb temperature value is <u>-17.5°F (-27.5°C). The BBNPP site-specific seasonal-basis 1% monthly design exceedance</u> maximum dry bulb and mean coincident wet bulb temperatures presented in Table 2.3-25 (ASHRAE, 2005) are the temperature values are 89.1°F (31.7°C) and 65.1°F (18.4°C), respectively. <u>The BBNPP site-specific seasonal-basis</u> 1% exceedance minimum dry bulb temperature value (90.5°F-or 32.5°C) is 1.0°F (-17.2°C). The BBNPP site-specific 0% and the 1% exceedance temperature values are presented in Table 2.3-22 and Table 2.3-24. The U.S. EPR 0% annual-basis exceedance maximum dry bulb and coincident wet bulb temperature value (73.1°F or 22.8°C). the highest 1% monthly design wet bulb temperature presented in Table 2.3-26 (ASHRAE, 2005) is the 1% values are 115°F (46°C) and 80°F (27°C), respectively. The U.S. <u>EPR 0% annual-basis</u> exceedance non-coincident wetminimum dry bulb temperature value (76.2°F or 24.6°C). is -40°F (-40°C). The U.S. EPR seasonal-basis 1% temperature value listed under coldest month wind speed/mean coincident exceedance maximum dry bulb and coincident wet bulb temperature (WS/MCDB) presented in Table 2.3-21 is the minimum values are 100°F (38°C) and 77°F (25°C), respectively. The U.S. EPR seasonal-basis 1% exceedance minimum dry bulb temperature value (27.9°F or -2.3°C). is -10°F (-23°C). The U.S. EPR design values bound the 0% and 1% exceedance values for BBNPP.

The calculated 100-year return period values of maximum and minimum dry bulb temperature are 101.5°F (38.6°C) and -21.2°F (-29.6°C), respectively. The 100-year return period value of mean wet bulb temperature coincident with the 100-year return period value of maximum dry bulb temperature is 76.3°F (24.6°C). These values, except for the mean wet bulb temperature coincident with the 100-year return period value of the maximum dry bulb temperature, were determined using the ASHRAE (ASHRAE, 2005) methodology and the maximum two-hour average dry bulb values for each year of the same 45-year meteorological data set used to determine the BBNPP site-specific 0% and 1% exceedance temperature values.

The site-specific 1% exceedance Because the 100-year return period maximum dry bulb and temperature is a calculated value, there is no wet bulb temperature values presented in Table 2.3-25 and Table 2.3-26 are bounded by the values presented in Table 2.1-1 of the U.S. EPR Final Safety Analysis Report. The site-specific 0% exceedance measurement that is coincident with it, as there would be if it was a measured value. Therefore, a relationship between dry bulb and wet bulb temperature values presented in Table 2.3-22 are bounded by was determined and this value was also calculated using the values presented in Table 2.1-1 ASHRAE (ASHRAE, 2005) methodology and 45 years of the U.S. EPR Final Safety Analysis Report. hourly meteorological data from Wilkes-Barre/Scranton International Airport, Pennsylvania.

A review was also conducted of historical maximum and minimum temperature values at stations within approximately 50 miles of the BBNPP site and obtained from the National Climatic Data Center (NOAA, 2002b) (NOAA, 2007b). The highest recorded maximum temperature value was 105°F (40.6°C) at Allentown on July 3, 1966 and at Palmerton, Pennsylvania on August 2, 1975. The lowest recorded minimum temperature value was -28°F (-33.3°C) at Francis E. Walter Dam, Pennsylvania, on February 18, 1979. Therefore, the highest recorded maximum temperature value of 105°F (40.6°C) is the extreme maximum annual site temperature. The lowest recorded minimum temperature value of -28°F (-33.3°C) is the extreme minimum annual site temperature. The U.S. EPR design values bound the site area extreme historic temperature values for BBNPP.

2.3.1.2.2.17 Possible Changes in Climate and Potential Impact on the Proposed Climate-Related Site Characteristics

Historical data and current literature on postulated long-term environmental changes were reviewed to provide assurance that the methods to predict weather extremes are appropriate and reasonable. Globally, reports issued by the International panel on Climate Change (IPCC, 2007) and the U.S. Global Change Research Program (GCRP, 2009) indicate that global average air temperatures are increasing. However, there is insufficient evidence to determine whether trends exist in small-scale phenomena such as tornadoes, hail, lightning, and dust storms, and there is no clear trend in the annual number of tropical storms (IPCC, 2007).

<u>Regionally, the Pennsylvania Department of Environmental Protection reports (ENRI, 2009)</u> that climate change could result in the following impacts in Pennsylvania:

Temperature is projected to increase throughout the century, but is dependent on emissions scenario, especially by late century. The temperature rise for a high emission scenario at the end of the century, for instance, is nearly twice that of a low emission scenario.

- Precipitation is projected to increase during the winter, with small to no increase in summer. There is also a potential increase in heavy precipitation events. As a result, a substantial decrease in snow cover extent and duration is expected.
- Tropical and extratropical storms may increase in intensity, but there is substantial uncertainty in their future projections.

The Pennsylvania Department of Environmental Protection further reports that the potential impacts over the next 20 years do not differ between a high and low emission scenario. However, Pennsylvania's projected climate by the end of the century differs significantly between the two emissions scenarios.

As a result, the above described climate change projections have a degree of uncertainty. Although broad trends that may result as a consequence of climate change are identified, such projections are so general that an assessment of the potential impact on design site characteristics is inherently limited. However, these potential climate-related changes were considered and addressed as follows:

- ★ The amount of air temperature increase later in the century is dependent on factors such as the mitigation of greenhouse gas emissions and cannot be predicted accurately. However, even if the high emission projected average temperature increase at the end of the century of nearly 7°F is added to the average maximum temperature in the site area of 92.4°F for the 45-year period 1961-2005, the result is comparable to the calculated 100-year return period dry-bulb temperature of 101.5°F (AREVA, 2010). The highest recorded temperature within the region of 105°F is also comparable with the 100-year projected maximum dry-bulb temperature value. Thus, the method used to calculate the extreme dry-bulb temperature is appropriate and reasonable. The calculated extreme temperature also is considerably less than the U.S. EPR design parameter of 115°F.
- The maximum rainfall rate is generally associated with tropical and extratropical storms (which include hurricanes), whose frequency and storm tracks cannot be predicted. However, for the site region (Berwick, PA), the National Weather Service calculated a 100-year annual recurrence interval of 2.46 in/hr (NOAA, 2006b). This value is considerably less than the U.S. EPR design parameter of 19.4 in/hr.
- ◆ Winter snow volumes are projected to decrease while winter precipitation amounts are projected to increase. Thus, there is likely no impact on the snow roof loads.
- There are no specific projections regarding wind speed. Although winds from tropical and extratropical storms are likely to increase, there is substantial uncertainty in their future projections, e.g., their frequency and whether storm tracks will impact the state. Thus there is no basis to assess the potential impact on the U.S. EPR design parameter, which is the ASCE 7-05 Basic Wind Speed (3-second gust).
- There is insufficient evidence to determine whether trends exist in small-scale phenomena such as tornadoes. Thus, there is no basis to assess the potential impact on the U.S. EPR design parameter for the tornado maximum wind speed.

2.3.1.2.3 References

AREVA, 2010. AREVA NP Document 32-9075363-002, "Calculation for Bell Bend Nuclear Power Plant FSAR Section 2.3", May 2010.

ASCE, 2006. American Society of Civil Engineers, ASCE/SEI 7-05, "Minimum Design Loads for Buildings and Other Structures," 2006.

ASHRAE, 2005. American Society of Heating, Refrigerating, and Air-Conditioning Engineers, Inc., Weather Data Viewer version 3.0, 2005.

CFR, 2008a. U.S. Code of Federal Regulations, Title 40 – Protection of Environment, Chapter I – Environmental Protection Agency, Part 81 – Designation of Areas for Air Quality Planning Purposes, Subpart B – Designation of Air Quality Control Regions, Section 81.55 – Northeast Pennsylvania-Upper Delaware Valley Interstate Air Quality Control Region (40CFR81.55), June 9, 2008.

CFR, 2008b. U.S. Code of Federal Regulations, Title 40 – Protection of Environment, Chapter I – Environmental Protection Agency, Part 81 – Designation of Areas for Air Quality Planning Purposes, Subpart C – Section 107 Attainment Status Designations, Section 81.339 – Pennsylvania, June 9, 2008.

CFR, 2008c. U.S. Code of Federal Regulations, Title 40 – Protection of Environment, Chapter I – Environmental Protection Agency, Part 81 – Designation of Areas for Air Quality Planning Purposes, Subpart B – Designation of Air Quality Control Regions, Section 81.104 – Central Pennsylvania Interstate Air Quality Control Region (40CFR81.104), June 9, 2008.

ENRI, 2009. Pennsylvania Climate Impact Assessment, Report to the Pennsylvania Department of Environmental Protection, prepared by the Environment and Natural Resources Institute, the Pennsylvania State University, June 29, 2009.

GCRP, 2009. Global Climate Change Impacts in the United States, Thomas R. Karl, Jerry M. Melillo, and Thomas Peterson (eds.) Cambridge University Press, 2009.

IPCC, 2007. Climate Change, 2007: Synthesis Report, An Assessment of the Intergovernmental Panel on Climate Change, 2007.

Marshall, 1973. J. L. Marshall, Lightning Protection, John Wiley & Sons, New York, NY, 1973.

NCDC, 2000. U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, Technical Report 99-02, "1998-1999 Tornadoes and a Long-term U.S. Tornado Climatology", August 2000.

NCDC, 2002a. U.S. National Climatic Data Center, Climatography of the United States No. 85, Divisional Normals and Standard Deviations of Temperature, Precipitation, and Heating and CoolingCooling Degree Days 1971-2000 (and previous normal periods), Section 2: Precipitation, 2002.

NCDC, 2002b. U.S. National Climatic Data Center, Climatography of the United States No. 85, Divisional Normals and Standard Deviations of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000 (and previous normals periods), Section 1: Temperature, 2002.

NCDC, 2006a. U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, Local Climatological Data, 2006 Annual Summary with Comparative Data, Wilkes-Barre/Scranton Pennsylvania (KAVP).

NCDC, 2006b. U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, Local Climatological Data, 2006 Annual Summary with Comparative Data, Allentown Pennsylvania (KABE).

NCDC, 2006c. U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, Local Climatological Data, 2006 Annual Summary with Comparative Data, Williamsport Pennsylvania (KIPT).

NOAA, 1997. U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, U.S. Hourly Weather Observations 1990-1995.

NOAA, 1999. Air Resources Laboratory, National Oceanic and Atmospheric Adminstration, Administration, U.S. Department of Commerce, "Air Stagnation Climatology for the United States (1948-1998)," April 1999<u>1999</u>.

NOAA, 2002a. U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, Integrated Surface Hourly Data 1995-1999.

NOAA, 2002b. U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, Cooperative Summary of the Day (data through 2001).

NOAA, 2005. National Oceanic and Atmospheric Administration Technical Memorandum NWS TPC-4, "The Deadliest, Costliest, and Most Intense United States Tropical Cyclones From 1851-2004 (And other Frequently Requested Hurricane Facts)", updated August 2005.

NOAA, 2006a. U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, Integrated Surface Hourly Observations, received on separate CD's for each year 2000-2005.

NOAA, 2006b. Precipitation-Frequency Atlas of the United States NOAA Atlas 14, Wilkes-Barre-Scranton, Pennsylvania (36-9705), Volume 2, Version 3.0, NOAA, National Weather Service, Silver Spring, Maryland, revised 2006.

NOAA, 2007. Lightning Flash Density Map of the United States, National Oceanic and Atmospheric Administration, Website: http://www.crh.noaa.gov/Image/pub/ltg2/usa_ltg_fdm.gif, Date accessed: March 13, 2007.

NOAA, 2007b. U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, U.S. Summary of Day Climate Data (DS 3200/3210) 2002-2006.

NOAA, 2008a. U.S. Department of Commerce, National Oceanic and Amospheric<u>Atmospheric</u> Administration, National Environmental Satellite, Data, and Information Service, National Climatic Data Center, Solar and Meteorological Surface Observation Network, Eastern United States (1961-1990 data period), purchased January 2008.

NOAA, 2008b. National Oceanic and Atmospheric Administration, Coastal Services Center, Historical Hurricane Tracks, Website: http://maps.csc.noaa.gov/hurricanes/viewer.html, Date accessed: January 22, 2008.

NOAA, 2008c. National Oceanic and Atmospheric Administration, National Weather Service, National Hurricane Center, The Saffir-Simpson Hurricane Hurricane Scale, Website: http://www.nhc.noaa.gov/aboutsshs.shtml, Date accessed: January 2008.

NOAA, 2008d. Storm Events for Pennsylvania, U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, Website: http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll? wwevent~storms, Date accessed: January 2008.

NOAA, 2009a. United States Snow Climatography, http://www.ncdc.noaa.gov/uscc/index.jsp, NarionalNationalOceanic and Atmospheric Administration/National Environment Satellite, Data, and Information Service. National Climatic Data Center, Date accessed September 2009.

NOAA, 2009b. Climatography of the United States No. 20, Monthly Station Climate Summaries, 1971-2000, National Oceanic and Atmospheric Administration/National Environmental Satellite, Data, and Information Service, National Climatic Data Center, Date accessed September 2009.

NOAA, 2009c. Daily Surface Data, TD 3200/3210, National Oceanic and Atmospheric Administration/National Environmental Satellite, Data, and Information Service, National Climatic Data Center, 2009.

NOAA, 2009d. Storm Events Database, http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll? wwEvent~Storms, National Oceanic and Atmospheric Administration/National Environmental Satellite, Data, and Information Service, National Climatic Data Center, Date accessed September 2009.

NRC, 1976. U.S. Nuclear Regulatory Commission Regulatory Guide 1.27, Revision 2, "Ultimate Heat Sink for Nuclear Power Plants," January 1976.

NRC, 2007a. NUREG/CR-4461, Revision 2, "Tornado Climatology of the Contiguous United States," February 2007.

NRC, 2007b. U.S. Nuclear Regulatory Commission Regulatory Guide 1.76, Revision 1, "Design-Basis Tornado and Tornado Missiles for Nuclear Power Plants," March 2007.

NRC, 2009. Interim Staff Guidance on Assessment of Normal and Extreme Winter Precipitation Loads on the Roofs of Seismic Category I Structures, 2009.

PADEP, 2008. "Pennsylvania Department of environmental Protection Air Quality Data," February 2008.

PL, 1977. Clean Air Act (CAA), Public law 95-95, 42 USC Section 7622, August 7, 1977.

USEPA, 1972. U.S. Environmental Protection Agency, Office of Air Programs, "Mixing Heights, Wind Speeds, and Potential for Urban Air Pollution Throughout the Contiguous United States," George C. Holzworth, January 1972

USEPA, 2008. U.S. Environmental Protection Agency, AirData, Nonattainment Areas Map-Criteria Air Pollutants, Website: http://www.epa.gov/air/data/nonat.html? st~PA~Pennsylvania, Date accessed: January 15, 2008.

USWB, 1980. Hydrometerological Report No. 53, <u>SeasnoalSeasonal</u> Variation of 10-Square-Mile Probable Maximum Precipitation Estimates, United States East of the 105th Meridian," April 1980.

2.3.2 Local Meteorology

The U.S. EPR FSAR includes the following COL Item in Section 2.3.2:

A COL applicant that references the U.S. EPR design certification will provide site-specific characteristics for local meteorology.

This COL Item is addressed as follows:

{Section 2.3.2.1 through Section 2.3.2.4 are added as a supplement to the U.S. EPR FSAR.

Section 2.3.2.1 through Section 2.3.2.3 present local summaries of meteorological data based on on-site measurements made in accordance with Regulatory Guide 1.23 and National Weather Service station summaries from appropriate nearby locations. Note that the National Climatic Data Center identifies both the BBNPP site and the NWS station at Wilkes-Barre/ Scranton as being within the same climatic division. A climate division represents a region within a state that is as climatically homogeneous as possible. As such, it is deemed acceptable to use Wilkes-Barre/Scranton climatic statistics to characterize the BBNPP site.

On-site meteorological data compiled for SSES Units 1 and 2 were used in this analysis. These data are from the existing units' on-site meteorological monitoring program which was designed, and has been operated, according to Regulatory Guide 1.23, Revision 0 (NRC, 1972). The data recovery goal of 90% was met for each of the six years of data (2001-2006) used for meteorological statistics other than the joint frequency distribution tables used to determine atmospheric dispersion and deposition factors. The data recovery goal of 90% also was met for each of the seven years of data (2001-2007) used for joint frequency distribution tables used to determine atmospheric dispersion and deposition factors.

A review of the differences between Regulatory Guide 1.23, Revision 0, and Regulatory Guide 1.23, Revision 1 (NRC, 2007), concluded that the guidance provided in the two versions of the document are sufficiently similar, and that there is no adverse impact from using the on-site meteorological data monitored for SSES Units 1 and 2 in analyses for BBNPP. The on-site meteorological measurement program is described in Section 2.3.3.

Local meteorological values used for design and operating bases are bounded by those in the U.S. EPR design certification.

2.3.2.1 Normal and Extreme Values of Meteorological Parameters

Monthly and annual summaries of meteorological data are provided in Section 2.3.2.1.1 through Section 2.3.2.1.7.

2.3.2.1.1 Wind Speed and Direction

Table 2.3-29 and Table 2.3-30 present annual joint frequency distributions (JFD's) of wind speed and direction as a function of atmospheric stability for the 33 ft (10m) and 197 ft (60 m) measurement levels derived from the 2001-2007 data from the SSES on-site meteorological monitoring program. This set of JFD tables included the latest year of meteorological data available at the time. The hourly data used to calculate these tables were used to determine the atmospheric dispersion and deposition factors presented in Section 2.3.4 and Section 2.3.5.

Table 2.3-31 and Table 2.3-32 present annual JFD's of wind speed and direction as a function of atmospheric stability for the 33 ft (10m) and 197 ft (60 m) measurement levels. Table 2.3-33

1

through Table 2.3-40 present seasonal JFD's of wind speed and direction as a function of atmospheric stability. Table 2.3-41 through Table 2.3-64 present-monthly JFD's of wind speed and direction as a function of atmospheric stability. These tables were developed using six years of on-site meteorological data (2001–2006) following the guidance in Regulatory Guide 1.23 (NRC, 2007).

Assumptions used to determine these JFD's are:

- Maximum wind speed allowable as good data was assumed to be 90 MPH.
- Maximum allowable delta temperature value was assumed to be 18°F.
- Maximum allowable wind direction value was assumed to be 540 degrees.

Input (other than the hourly meteorological data) used to determine these JFD's is provided in Table 2.3-65.

Table 2.3-66 through Table 2.3-68 present monthly and annual wind speed and direction information for NWS locations around the BBNPP-site.

Figure 2.3-6 and Figure 2.3-7 present annual wind rose plots of the SSES 2001-2006 meteorological data for the 33 ft (10 m) and 197 ft (60 m) elevations using the wind speed classes utilized for the JFD tables. Figure 2.3-8 and Figure 2.3-9 present seasonal wind rose plots of the SSES 2001-2006 meteorological data for the 33 ft (10 m) and 197 ft (60 m) elevations using the wind speed classes utilized for the JFD tables. Figure 2.3-8 and Figure 2.3-9 present seasonal wind rose plots of the SSES 2001-2006 meteorological data for the 33 ft (10 m) and 197 ft (60 m) elevations using the wind speed classes utilized for the JFD tables. Figure 2.3-33 present monthly wind rose plots of the SSES 2001-2006 meteorological data for the 33 ft (10 m) and 197 ft (60 m) elevations using the wind speed classes utilized for the JFD tables. Figure 2.3-33 present monthly wind rose plots of the SSES 2001-2006 meteorological data for the 33 ft (10 m) and 197 ft (60 m) elevations using the wind speed classes utilized for the JFD tables.

Figure 2.3-34 through Figure 2.3-36 present multi-year average annual wind rose plots for National Weather Service (NWS) stations around BBNPP (Wilkes Barre/Scranton, Allentown, and Williamsport, Pennsylvania). Meteorological data used to create the plots were received from the U.S. Environmental Protection Agency Support Center for Regulatory Air Models and were measured at approximately 33 ft (10 m) above ground level. For Wilkes Barre/Scranton, the meteorological data were from 1984 through 1987, 1989, 1991 and 1992. For Allentown and Williamsport, the meteorological data were from 1984 through 1987.

The annual prevailing wind direction (the direction from which the wind blows most often) at the SSES site at the 33 ft (10 m) level is from the east-northeast, approximately 15% of the time (Table 2.3-31). The next most prevalent wind direction is from the southwest approximately 11% of the time. Winds from the north-northeast through east-northeast sectors occur approximately 32% of the time. Conversely, winds from the west through northwest sectors occur approximately 9% of the time. The annual prevailing wind direction at the SSES site at the 197 ft (60 m) level is from the north-northeast, approximately 15% of the time (Table 2.3-32). The next most prevalent wind direction is from the southwest approximately 12% of the time. Winds from the north hortheast sectors occur approximately 32% of the time. The annual prevailing wind direction at the SSES site at the 197 ft (60 m) level is from the north-northeast, approximately 15% of the time (Table 2.3-32). The next most prevalent wind direction is from the southwest approximately 12% of the time. Winds from the north through northeast sectors occur approximately 32% of the time. As is normally the case, there are more observations of calm winds at the lower level than at the higher level (0.05% versus 0.01%). At both levels, winds occur most infrequently from the west-northwest (approximately 2% of the time).

The annual prevailing wind direction at Wilkes-Barre/Scranton, Pennsylvania, is from the southwest, approximately 13% of the time (Figure 2.3-34). At Allentown, Pennsylvania, the annual prevailing wind direction is from the west-southwest, approximately 10% of the time (Figure 2.3-35). At Williamsport, Pennsylvania, the annual prevailing wind direction is from the west, approximately 12% of the time (Figure 2.3-36).

During the winter season, the prevailing wind direction at the 33 ft (10 m) level at SSES is from the southwest, approximately 12% (Table 2.3-33). The prevailing wind direction at the 197 ft (60 m) level at SSES is from the west-southwest, approximately 16% (Table 2.3-37). During the spring season, the prevailing wind direction at the 33 ft (10 m) level is from the east-northeast, approximately 12% of the time (Table 2.3-34). The prevailing wind direction at the 197 ft (60 m) level at SSES is from the north-northeast, approximately 14% (Table 2.3-38).

During the summer season, the prevailing wind direction at the 33 ft (10 m) level at SSES is from the east-northeast, approximately 18% of the time (Table 2.3-35). The prevailing wind direction at the 197 ft (60 m) level at SSES is from the north-northeast, approximately 18% (Table 2.3-39). During the autumn season, the prevailing wind direction at the 33 ft (10 m) level is from the east-northeast, approximately 17% of the time (Table 2.3-36). At the 197 ft (60 m) level, the prevailing wind direction is from the north-northeast, approximately 18% (Table 2.3-36). At the 197 ft (60 m) level, the prevailing wind direction is from the north-northeast, approximately 18% (Table 2.3-40).

The most prevalent wind speed class at SSES on an annual basis for the 33 ft (10 m) level is the 0.5-1.0 mps (1.1-2.2 mph) class, which occurs approximately 27% of the time (Table 2.3-31). The most prevalent wind speed class on an annual basis for the 197 ft (60 m) level is the 2.1-3.0 mps (4.7-6.7 mph) class, which occurs approximately 19% of the time (Table 2.3-32). Note that there are more observations of calm winds at the three NWS sites than at SSES. This may be due to:

The use of different wind measurement instruments due to the different needs at the sites. The NWS sites are at airports, where high wind speeds are more important than low wind speeds since they have a greater impact on aviation. At SSES, wind measurements are made to determine atmospheric dispersion to aid in dose assessment; therefore, low wind speeds are more important since they will lead to less dispersion and higher dose.

The average wind speed at Wilkes-Barre/Scranton, Pennsylvania, is 3.67 mps (8.2 mph) and there have been observations of wind speeds up to 11 mps (25 mph) (Figure 2.3-34). At Allentown, Pennsylvania, the average wind speed is 3.92 (8.8 mph) and there have been observations of wind speeds greater than 11 mps (25 mph) (Figure 2.3-35). At Williamsport, Pennsylvania, the average wind speed is 3.44 (7.7 mph) and there have been observations of wind speed is 3.94 (7.7 mph) and there have been observations of wind speed is 3.94 (7.7 mph).

On a seasonal basis, the most prevalent wind speed class for the 33 ft (10 m) level is the 0.5–1.0 mps (1.1–2.2 mph) class, which occurs approximately 24% of the time during the winter season (Table 2.3–33), 22% of the time during the spring season (Table 2.3–34), 32% during the summer season (Table 2.3–35), and 29% during the autumn season (Table 2.3–36). At the 197 ft (60 m) level, the most prevalent wind speed class is the 2.1–3.0 mps (4.7–6.7 mph) class, which occurs approximately 16% during the winter season (Table 2.3–37), 19% during the spring season (Table 2.3–38), 21% during the summer season (Table 2.3–37), and 19% during the autumn season (Table 2.3–38), 21% during the summer season (Table 2.3–39), and 19% during the autumn season (Table 2.3–39), and 19% during the autumn season (Table 2.3–39).

The maximum hourly wind speed measured at the 33 ft (10 m) level during the period 2001-2006 is 11.6 mps (26.0 mph). The maximum hourly wind speed measured at the 197 ft (60 m) level during the period 2001-2006 is 17.1 mps (38.3 mph).

Table 2.3-69 through Table 2.3-82 present annual and overall wind direction persistence summaries for the 33 ft (10 m) and 197 ft (60 m) measurement levels at SSES. These tables were developed using six years of on-site meteorological data (2001-2006). Table 2.3-75 and Table 2.3-82 present an average of the six individual year summaries for the 33 ft (10 m) and 197 ft (60 m) measurement levels respectively.

The majority of the time, approximately 91%, wind direction persistence events last for less than four hours at both measurement levels. Wind direction persistence events lasting 12 hours occur 6 and 7 times per year on the average for the 33 ft (10 m) and 197 ft (60 m) levels, respectively. Wind direction persistence events lasting greater than 24 hours occur less than once per year on the average for the 33 ft (10 m) level and twice per year on the 197 ft (60 m) levels.

2.3.2.1.2 Wind Speed and Direction

Table 2.3-29 and Table 2.3-30 present annual joint frequency distributions (JFD's) of wind speed and direction as a function of atmospheric stability for the 33 ft (10m) and 197 ft (60 m) measurement levels derived from the 2001-2007 data from the SSES on-site meteorological monitoring program. This set of JFD tables included the latest year of meteorological data available at the time. The hourly data used to calculate these tables were used to determine the atmospheric dispersion and deposition factors presented in Section 2.3.4 and Section 2.3.5.

Table 2.3-31 and Table 2.3-32 present annual JFD's of wind speed and direction as a function of atmospheric stability for the 33 ft (10m) and 197 ft (60 m) measurement levels. Table 2.3-33 through Table 2.3-40 present seasonal JFD's of wind speed and direction as a function of atmospheric stability. Table 2.3-41 through Table 2.3-64 present monthly JFD's of wind speed and direction as a function of atmospheric stability. These tables were developed using six years of on-site meteorological data (2001-2006) following the guidance in Regulatory Guide 1.23 (NRC, 2007).

Assumptions used to determine these JFD's are:

- Maximum wind speed allowable as good data was assumed to be 90 MPH.
- Maximum allowable delta temperature value was assumed to be 18°F.
- ◆ Maximum allowable wind direction value was assumed to be 540 degrees.

Input (other than the hourly meteorological data) used to determine these JFD's is provided in Table 2.3-65.

Table 2.3-66 through Table 2.3-68 present monthly and annual wind speed and direction information for NWS locations around the BBNPP site.

Figure 2.3-6 and Figure 2.3-7 present annual wind rose plots of the SSES 2001-2006 meteorological data for the 33 ft (10 m) and 197 ft (60 m) elevations using the wind speed classes utilized for the JFD tables. Figure 2.3-8 and Figure 2.3-9 present seasonal wind rose plots of the SSES 2001-2006 meteorological data for the 33 ft (10 m) and 197 ft (60 m) elevations using the wind speed classes utilized for the JFD tables. Figure 2.3-10 through Figure 2.3-33 present monthly wind rose plots of the SSES 2001-2006 meteorological data for the 33 ft (10 m) and 197 ft (60 m) elevations using the wind speed classes utilized for the JFD tables.

Figure 2.3-34 through Figure 2.3-36 present multi-year average annual wind rose plots for National Weather Service (NWS) stations around BBNPP (Wilkes-Barre/Scranton, Allentown, and Williamsport, Pennsylvania). Meteorological data used to create the plots were received from the U.S. National Climatic Data Center and were measured at approximately 33 ft (10 m) above ground level. For all three stations, the meteorological data were from 2001 through 2006.

The annual prevailing wind direction (the direction from which the wind blows most often) at the SSES site at the 33 ft (10 m) level is from the east-northeast, approximately 15% of the time (Table 2.3-31). This is due primarily to low-speed drainage flows down the Susquehanna River Valley. The next most prevalent wind direction is from the southwest approximately 11% of the time. Winds from the north-northeast through east-northeast sectors occur approximately 32% of the time. Conversely, winds from the west through northwest sectors occur approximately 9% of the time. The annual prevailing wind direction at the SSES site at the 197 ft (60 m) level is from the north-northeast, approximately 15% of the time. The annual prevailing wind direction at the SSES site at the 197 ft (60 m) level is from the north-northeast sectors occur approximately 12% of the time. Winds from the north-northeast approximately 15% of the time. Winds from the north-northeast sectors occur approximately 12% of the time. Conversely, winds from the southwest approximately 12% of the time. Winds from the north through northeast sectors occur approximately 10% of the time. Conversely, winds from the east through southeast sectors occur approximately 10% of the time. As is normally the case, there are more observations of calm winds at the lower level than at the higher level (0.05% versus 0.01%). At both levels, winds occur most infrequently from the west-northwest (approximately 2% of the time).

The annual prevailing wind direction at Wilkes-Barre/Scranton, Pennsylvania, is from the southwest, approximately 13% of the time (Figure 2.3-34). At Allentown, Pennsylvania, the annual prevailing wind direction is from the west-southwest, approximately 13.5% of the time (Figure 2.3-35). At Williamsport, Pennsylvania, the annual prevailing wind direction is from the west, approximately 24% of the time (Figure 2.3-36).

During the winter season, the prevailing wind direction at the 33 ft (10 m) level at SSES is from the southwest, approximately 12% (Table 2.3-33). The prevailing wind direction at the 197 ft (60 m) level at SSES is from the west-southwest, approximately 16% (Table 2.3-37). During the spring season, the prevailing wind direction at the 33 ft (10 m) level is from the east-northeast, approximately 12% of the time (Table 2.3-34). The prevailing wind direction at the 197 ft (60 m) level at SSES is from the north-northeast, approximately 14% (Table 2.3-38).

During the summer season, the prevailing wind direction at the 33 ft (10 m) level at SSES is from the east-northeast, approximately 18% of the time (Table 2.3-35). The prevailing wind direction at the 197 ft (60 m) level at SSES is from the north-northeast, approximately 18% (Table 2.3-39). During the autumn season, the prevailing wind direction at the 33 ft (10 m) level is from the east-northeast, approximately 17% of the time (Table 2.3-36). At the 197 ft (60 m) level, the prevailing wind direction is from the north-northeast, approximately 18% (Table 2.3-40).

The most prevalent wind speed class at SSES on an annual basis for the 33 ft (10 m) level is the 0.5-1.0 mps (1.1-2.2 mph) class, which occurs approximately 27% of the time (Table 2.3-31).

The most prevalent wind speed class on an annual basis for the 197 ft (60 m) level is the 2.1-3.0 mps (4.7-6.7 mph) class, which occurs approximately 19% of the time (Table 2.3-32).

The average wind speed at Wilkes-Barre/Scranton, Pennsylvania, is 3.72 mps (8.3 mph) and there have been observations of wind speeds up to 11 mps (25 mph) (Figure 2.3-34). At Allentown, Pennsylvania, the average wind speed is 3.79 (8.5 mph) and there have been observations of wind speeds greater than 11 mps (25 mph) (Figure 2.3-35). At Williamsport, Pennsylvania, the average wind speed is 3.87 (8.7 mph) and there have been observations of wind speeds greater than 11 mps (25 mph) (Figure 2.3-36). Note that the most prevelant wind speed class on an annual basis for the 10-meter (33-feet) level at SSES (0.5-1.0 mps (1.1-2.2 mph)) is lower than the average annual wind speeds at the same measurement height for these three NWS stations; this would lead to more conservative atmospheric dispersion estimates using the SSES onsite meterological data.

On a seasonal basis, the most prevalent wind speed class for the 33 ft (10 m) level is the 0.5-1.0 mps (1.1-2.2 mph) class, which occurs approximately 24% of the time during the winter season (Table 2.3-33), 22% of the time during the spring season (Table 2.3-34), 32% during the summer season (Table 2.3-35), and 29% during the autumn season (Table 2.3-36). At the 197 ft (60 m) level, the most prevalent wind speed class is the 2.1-3.0 mps (4.7-6.7 mph) class, which occurs approximately 16% during the winter season (Table 2.3-37), 19% during the spring season (Table 2.3-38), 21% during the summer season (Table 2.3-39), and 19% during the autumn season (Table 2.3-30).

The maximum hourly wind speed measured at the 33 ft (10 m) level during the period 2001-2006 is 11.6 mps (26.0 mph). The maximum hourly wind speed measured at the 197 ft (60 m) level during the period 2001-2006 is 17.1 mps (38.3 mph).

Table 2.3-69 through Table 2.3-82 present annual and overall wind direction persistence summaries for the 33 ft (10 m) and 197 ft (60 m) measurement levels at SSES. These tables were developed using six years of on-site meteorological data (2001-2006). Table 2.3-75 and Table 2.3-82 present an average of the six individual year summaries for the 33 ft (10 m) and 197 ft (60 m) measurement levels respectively.

The majority of the time, approximately 91%, wind direction persistence events last for less than four hours at both measurement levels. Wind direction persistence events lasting 12 hours occur 6 and 7 times per year on the average for the 33 ft (10 m) and 197 ft (60 m) levels, respectively. Wind direction persistence events lasting greater than 24 hours occur less than once per year on the average for the 33 ft (10 m) level and twice per year on the 197 ft (60 m) levels.

2.3.2.1.3 Temperature and Humidity

Daily average and extreme temperature and dew point temperature summaries from the BBNPP on-site meteorological monitoring program are presented in Table 2.3-83 and Table 2.3-84 for the period from January 2001 through December 2006. Daily average and extreme temperature and dew point temperature summaries from Williamsport, PA for the period 2000-2005 are presented in Table 2.3-85. Monthly and annual temperature summaries from the SSES on-site meteorological monitoring program are presented in Table 2.3-86 through Table 2.3-93 for the period from January 2001 through December 2006. Monthly and annual mean relative humidity summaries from the SSES on-site meteorological monitoring program is presented in Table 2.3-94 for the period from January 2001 through December 2006.

The monthly mean temperature at SSES ranges from 27.9°F (-2.3°C) in January to 71.6°F (22.0°C) in July (Table 2.3-86). The monthly mean extreme maximum temperature (defined as the highest of the maximum values for each month over the period 2001-2006) at SSES was 73.6°F (23.1°C) in July (Table 2.3-87) and the monthly mean extreme minimum temperature (defined as the lowest of the minimum values for each month over the period 2001-2006) was 21.0°F (-6.1°C) in January (Table 2.3-88). The monthly mean daily maximum temperature (defined as the highest of the daily maximum values for each month over the period 2001-2006) at SSES was 81.6°F (27.6°C) in July and August (Table 2.3-89) and the monthly mean daily minimum temperature (defined as the lowest of the daily minimum values for each month over the period 2001-2006) was 21.2°F (-6.0°C) in January (Table 2.3-90). The maximum hourly temperature at SSES was 96.8°F (36.0°C) in August (Table 2.3-91) and the minimum hourly temperature was -7.0°F (-21.7°C) in January (Table 2.3-92). The frequency of occurrence of hourly temperature values falling below the freezing point (32°F or 0°C) is approximately 18% (Table 2.3-93). The frequency of occurrence of hourly temperature values falling below 0°F (-17.8°C) is less than 0.1% (Table 2.3-93). The mean number of days with maximum hourly temperature greater than or equal to 90°F, with minimum hourly temperature less than or equal to 32°F, and with minimum hourly temperature less than or equal to 0°F for sites around BBNPP (1971-2000) are presented in Table 2.3-100, Table 2.3-101 and Table 2.3-102.

The monthly mean relative humidity at SSES ranged from 49.6% in April to 63.2% in June over the period from 2001-2006 (Table 2.3-94). The monthly mean relative humidity and the daily variation of monthly mean relative humidity for sites around BBNPP (1971-2000) are presented in Table 2.3-103 and Table 2.3-104.

Temperature and humidity statistics from National Weather Service (NWS) sites around BBNPP are presented in Table 2.3-95 through Table 2.3-99. Dry bulb temperature values are from the 30-year period from 1971-2000. Wet bulb and dew point temperature values are from the 23-year period from 1978-2000.

The monthly mean temperature values at SSES are within approximately 7% of the monthly mean temperature values measured at Wilkes-Barre/Scranton. The monthly mean temperature values at SSES are within approximately 5% of the monthly mean temperature values at Allentown. The monthly mean temperature values at SSES are within approximately 9% of the monthly mean temperature values measured at Wilkes-Barre/Scranton.

Table 2.3-105 through Table 2.3-112 present temperature and atmospheric moisture design conditions, including the monthly design dry bulb temperature and the mean coincident wet bulb temperature, and the monthly design wet bulb temperature and the mean coincident dry bulb temperature, for locations in the vicinity of BBNPP. These wet bulb temperature values correspond to 0.4%, 1.0%, and 2.0% cumulative frequency of occurrence for the indicated month (ASHRAE, 2005). Data for Wilkes-Barre/Scranton and Allentown, Pennsylvania, are from the period 1972-2001.

2.3.2.1.4 Precipitation and Fog

The monthly and annual precipitation summary from the SSES on-site meteorological monitoring program is presented in Table 2.3-113 through Table 2.3-116 for the period 2001-2006. Precipitation statistics from NWS sites around BBNPP are presented in Table 2.3-117 through Table 2.3-119 for the period from 1971-2000. Monthly and annual summaries of heavy fog (visibility less than ¼ mi) are presented in Table 2.3-120 for sites around BBNPP for the period from 1964-2006.

Monthly average precipitation at SSES ranges from 1.88 inches (47.75 mm) in February to 4.44 inches (112.78 mm) in October (Table 2.3-113). Monthly percent frequency of occurrence of precipitation at SSES ranges from 4.55% in July to 8.58% in January (Table 2.3-114). The rainfall rate distribution presented in Table 2.3-115 indicates that heavy rainfalls occur infrequently at BBNPP. The maximum monthly precipitation measured at SSES corresponds with the values from the NWS sites around the plant. The minimum monthly precipitation measured at SSES, however, does not correspond with the values from the NWS sites around the plant; this may be due to the difference in the period of records (6 years for SSES versus 30 for the NWS sites).

Figure 2.3-37 and Figure 2.3-38 present annual precipitation wind roses at SSES for the 33 ft (10 m) and 197 ft (60 m) elevations. These precipitation wind roses portray joint frequency distributions of wind speed and direction for only the hours in which precipitation was recorded. These annual precipitation wind roses show that the most frequent wind direction during precipitation events is from the north-northeast.

Figure 2.3-39 through Figure 2.3-62 present monthly precipitation wind roses of wind speed and direction as a function of precipitation rate class (0.1-0.2 in/hr or 2.5-5.1 mm/hr) at SSES for the 33 ft (10 m) and 197 ft (60 m) elevations. These precipitation wind roses portray joint frequency distributions of wind speed and direction as a function of precipitation rate class for only the hours in which precipitation was recorded.

Snowfall statistics for NWS sites located around BBNPP are presented in Table 2.3-118 for the period 1971-2000. Annual snowfall amounts ranged from 32.3 inches (820.42 mm) at Allentown to 47.0 inches (1193.80 mm) at Wilkes-Barre/Scranton. (NCDC, 2006)

Fog observations are not made as part of the on-site meteorological monitoring program. Fog observations were made at the NWS stations at Wilkes-Barre/Scranton, Allentown, and Williamsport, Pennsylvania. The average number of days per year with heavy fog (visibility less than one-quarter mile) are 20.3 for Wilkes-Barre/Scranton, 22.5 for Allentown, and 36.4 for Williamsport (Table 2.3-120).

2.3.2.1.5 Atmospheric Stability

Depending on the amount of incoming solar radiation and other factors, the atmosphere may be more or less turbulent at any given time. Meteorologists have defined atmospheric stability classes, each representing a different degree of turbulence in the atmosphere. When moderate to strong incoming solar radiation heats air near the ground, causing it to rise and generate large eddies, the atmosphere is considered unstable, or relatively turbulent. Unstable conditions are associated with atmospheric stability classes A and B. When solar radiation is relatively weak or absent, air near the surface has a reduced tendency to rise, and less turbulence develops. In this case, the atmosphere is considered stable, or less turbulent, and the stability class would be E, F or G. Stability classes C and D represent conditions of more neutral stability, or moderate turbulence. Neutral conditions are associated with relatively strong wind speeds and moderate solar radiation.

Atmospheric stability is determined by the delta temperature method as defined in Regulatory Guide 1.23 (NRC, 2007). This methodology classifies atmospheric stability based on the temperature change with height (°C per 100 m). At SSES, atmospheric stability is classified according to the difference between the temperature measurements at the 197 ft (60 m) and 33 ft (10 m) levels.

Table 2.3-121 through Table 2.3-134 present annual and overall atmospheric stability persistence summaries at the SSES site for the 33 ft (10 m) and 197 ft (60 m) elevations. The annual tables were developed using six years of on-site meteorological data (2001-2006). Note that there are slight differences between the two elevations even though they use the same delta-temperature measurements to determine atmospheric stability. This is because the computer code used to develop the tables checks the validity of the wind speed and direction values as well as the delta-temperature values.

The majority of the time (approximately 73%), stability persistence events last for less than four hours. Stability persistence events lasting 12 hours occur 13 times per year on the average and events lasting for greater than 24 hours occur 14 times per year on the average.

Table 2.3-135 presents a monthly atmospheric stability summary at the SSES site. It was generated using six years of on-site meteorological data (2001-2006). The most prevalent atmospheric stability class is class D; the least prevalent atmospheric stability class is class B.

2.3.2.1.6 Monthly Mixing Height Data and Inversion Summary

Monthly average mixing height values for the period 1997-2007 were calculated from the daily average values for each month of each year (as data were available) based on twice daily mixing height data from the National Climatic Data Center. These data were taken from the upper air and surface National Weather Service stations closest to BBNPP (Buffalo, New York, and Wilkes-Barre, Pennsylvania, respectively). Daily average mixing height values were calculated for each day that had both a morning and afternoon mixing height value; days not having both morning and afternoon mixing height values were excluded.

Overall monthly average mixing height values were calculated from the individual monthly average values; for example, the January overall monthly average mixing height value of 935 meters is the average of all of the individual January mixing height values from 1997 through 2007. On average, the number of valid days of data per month ranged from 14 to 31 (that is, days that had both a morning and afternoon mixing height value).

Annual and monthly average mixing height values are presented in Table 2.3-136 and Table 2.3-137. The annual average mixing height was 1,055 m (3,459 ft). The monthly average mixing heights ranged from 935 m (3,067 ft) in January and September to 1,222 m (4,008 ft) in April. A graphical portrayal of the monthly average mixing height values is to be found in Figure 2.3-63.

Frequency and persistence of temperature inversion conditions at SSES are presented in Table 2.3-138 through Table 2.3-143. These tables were developed using six years (2001-2006) of meteorological data from the on-site meteorological monitoring program at SSES. The maximum temperature inversion lasted 27 hours. Approximately 75% of the inversions lasted less than 12 hours.

2.3.2.1.7 Air Quality

Based on EPA data, Luzerne County, Pennsylvania, is in attainment for all the National Ambient Air Quality Standards (NAAQS). The NAAQS are presented in Table 2.3-144. Based on Pennsylvania Department of Environmental Protection data, the site location was in attainment in 2004 (most recent Ambient Air Quality Report available on the PADEP web site as of July 03, 2008) for sulfur dioxide, particulate matter (2.5 microns), carbon monoxide, and ozone. (PADEP, 2008) Based on EPA data, Columbia County, Pennsylvania, is in attainment for all the National Ambient Air Quality Standards (NAAQS).

Luzerne County is part of the Northeast Pennsylvania-Upper Delaware Valley Interstate Air Quality Control Region (AQCR), as designated in the U.S. Code of Federal Regulations, Title 40, Part 81, Subpart B, Section 81.55 (40 CFR 81.55). The attainment status of the Northeast Pennsylvania-Upper Delaware Valley Interstate AQCR with regard to national ambient air quality standards is listed as being better than national standards for sulphur dioxide, ozone (8-hr), and total suspended particulates, unclassifiable/attainment for carbon monoxide, nitrogen dioxide, and particulate matter (2.5 microns), nonattainment/marginal for ozone (1-hr), and particulate matter (2.5 microns), and not designated for lead (40 CFR 81.339). Note that the 1-hour ozone standard was revoked effective June 15, 2005, for all areas in Pennsylvania.

Columbia County is part of the Central Pennsylvania Intrastate Air Quality Control Region (AQCR), as designated in he U.S. Code of Federal Regulations, Title 40, Part 81, Subpart B, Section 81.104 (40 CFR 81.104). The attainment status of the Central Pennsylvania Intrastate AQCR with regard to national ambient air quality standards is listed as being better than national standards for sulphur dioxide, nitrogen dioxide, and total suspended particulates, unclassifiable/attainment for carbon dioxide, particulate matter (2.5 and 10 microns), and ozone (8-hr), nonattainment/marginal for ozone (1-hr).

2.3.2.2 Potential Influence of the Plant and its Facilities on Local Meteorology

Figure 2.3-64 presents a map which shows the topography within a 1-mile (1.6-kilometer) radius of the site, the location of the meteorological towers, and SSES Units 1 and 2. Figure 2.3-65 presents a map which shows the topography within a 5 mi (8 km) radius of the site. Figure 2.3-66 presents a map which shows the topography within a 50 mi (80 km) radius of the site. Figure 2.3-67 presents a plot of maximum elevation versus distance from the center of the plant in each of the sixteen 22.5 degree compass point sectors (centered on true north, north-northeast, northeast, etc.) radiating from the plant to a distance of 50 mi (80 km).

BBNPP will be southwest of the existing SSES Units 1 and 2. Some portions of the site will be cleared of existing vegetation and graded to accommodate the reactor building and its ancillary structures. These terrain modifications would be limited to the BBNPP site and the immediate surrounding area and, therefore, will not represent a significant alteration to the topographic character of the region around the BBNPP site.

Construction activity will meet all pertinent federal and state air quality regulations. During operation of BBNPP, the diesel generators to be used in emergencies will be run on a reduced schedule. This schedule will balance maintenance and operability requirements with the need to limit emissions.

Waste heat produced by BBNPP will be dissipated by a closed cycle cooling system. Two natural-draft cooling towers will be used. An analysis was performed to determine any cooling tower impact on local meteorology. The results of the analysis are as follows:

- The sectors of maximum occurrence of visible plumes are NE and ENE.
- No fogging or icing will occur due to the operation of the BBNPP natural-draft cooling towers due to the height at which the release occurs.

- Maximum salt deposition rates in the vicinity of the BBNPP site and at the existing and proposed switchyards will be lower than the range of values provided in NUREG-1555, Section 5.3.3.2, to predict effects of drift deposition on plants (0.108 to 0.289 kg/ hectare/month vs. 10 to 20 kg/hectare/month).
- The maximum number of hours, annually, in which the plume will cause shadowing (partial blocking of the sunlight from reaching the ground) was determined to be 2,537 for distances within 400 meters of the cooling tower.
- Since there are no industrial pollution sources within 2 km (1.2 mi) of the BBNPP site, the potential for vapor plume interaction with air pollutant plumes was not evaluated.
- Due to the height of release, it was determined that the cooling tower plumes will not increase ground level humidity.

The effect of the cooling tower upon local cloud and precipitation patterns is expected to be negligible. As such, the plant is not expected to cause any significant influence on local meteorology.

It is not anticipated that plant construction and operation will cause changes in the normal and extreme meteorological values presented in this report.

2.3.2.3 Local Meteorological Conditions for Design and Operating Bases

Meteorological conditions for design and operating bases are discussed in Section 2.3.1.2.

2.3.2.4 References

ASHRAE, 2005. Weather Data Viewer, version 3.0, American Society of Heating, Refrigerating, and Air Conditioning Engineers (ASHRAE), Inc., 2005.

NCDC, 2006. U.S. Department of Commerce, NOAA/NESDIS, National Climatic Data Center, Local Climatological Data, 2006 Annual Summary with Comparative Data, Williamsport Pennsylvania (KIPT).

NRC, 1972. Onsite Meteorological Programs, Safety Guide 23 (Regulatory Guide 1.23 Revision 0), U.S. Nuclear Regulatory Commission, February 1972.

NRC, 2007. Meteorological Monitoring Programs for Nuclear Power Plants, Regulatory Guide 1.23, Revision 1, U.S. Nuclear Regulatory Commission, March 2007.

PADEP, 2008. "PA Department of Environmental Protection Air Quality Data,: March 2008.}

2.3.3 Onsite Meteorological Measurement Program

The U.S. EPR FSAR includes the following COL Item in Section 2.3.3:

A COL applicant that references the U.S. EPR design certification will provide the site-specific, onsite meteorological measurement program.

This COL Item is addressed as follows:

{Section 2.3.3.1 through Section 2.3.3.2 are added as a supplement to the U.S. EPR FSAR.

2.3.3.1 Pre-Application and Pre-operational Meteorological Measurement Program

The pre-application and pre-operational meteorological monitoring program for BBNPP is the operational program for SSES Units 1 and 2. The SSES program was designed in accordance with the guidance provided in Regulatory Guide 1.23 (Safety Guide 23) (NRC, 1972) and complies with the requirements of the second proposed Revision 1 of Regulatory Guide 1.23 March 2007 (NRC, 1986). There are currently three monitoring locations at SSES: a primary meteorological tower, a backup tower, and a supplemental (downriver) tower (described below in greater detail). tower. The pre-application and pre-operational meteorological monitoring program for BBNPP will only include data from the primary SSES meteorological tower.

2.3.3.1.1 Tower Location

The site is about 8 km (5 mi) ENE of Berwick, Pennsylvania. The primary meteorological tower for SSES is located on the SSES site (650 ft (198 m) msl) approximately 1,115 ft (340 m) to the southeast of the cooling towers. The area is generally level, increasing slightly in elevation to the north and west. South and east of the tower the topography slopes down towards the Susquehanna River. Vegetation in the immediate vicinity consists of low weeds with some deciduous trees in a gully to the south. The deciduous trees are approximately 40 ft (12 m) in height and are approximately 100 ft (30 m) from the tower. An ash facility exists approximately 185 ft (56 m) north of the tower. The maximum height of this structure is approximately 30 ft (9 m).

Figure 2.3-64, presents the location of the SSES and BBNPP meteorological towers as well as the topography of the BBNPP site within a 1 mi (1.6 km) radius. Figure 2.3-65, Topography Within 5-Miles of the BBNPP Site, presents the general topographic features of the region.

2.3.3.1.2 Tower Design

The primary SSES meteorological tower is a 200 ft (61 m) open-lattice steel framed tower.

The primary data recording system used for the SSES meteorological tower is a digital data acquisition system. All telemetry transmitters, translators and a data logger are housed in a weatherproof cinder block building. This building has thermostatically controlled heating and air conditioning. The secondary recording system is the SSES Control Room recorders.

2.3.3.1.3 Instrumentation

Instruments at the SSES meteorological tower monitor temperature, wind speed and direction, delta temperature, dew point and precipitation. Primary Meteorological meteorological tower instrument types, specifications and accuracies are presented in Table 2.3-145.

The temperature measuring system consists of multiple thermistor composite sensors. Two sensors are mounted in motor aspirated shields at each of the 33 ft (10 m) and 197 ft (60 m) levels (above ground level). Vertical dispersion coefficients are computed from the vertical temperature differences.

Wind speed and direction are monitored at the 33 ft (10 m) and 197 ft (60 m) levels using a 3-cup anemometer and a counterbalanced lightweight vane. The standard deviation of the wind direction (sigma theta) is measured at 33 ft (10 m) and 197 ft (60 m) and is used to compute horizontal dispersion coefficients. Sigma theta calculations based on wind direction

measurements are used as a backup to temperature difference readings to monitor atmospheric stability.

The dew point temperature is measured at the 33 ft (10 m) level using a sensor consisting of bifilar gold electrodes wound on a lithium chloride impregnated wick.

Precipitation is measured at the base of the tower using a heated tipping bucket rain gauge. This is a remote reading rain gauge which produces a signal proportional to total rainfall.

The wind sensors are mounted on a boom that is at least twice the length of the tower side. However, the boom is not mounted on the tower such that the instruments are approximately perpendicular to the primary two wind directions. This tower was installed before RG 1.23, Revision 1, was published.

2.3.3.1.4 Instrument Maintenance and Surveillance Schedules

Calibration schedules are specified to comply with Regulatory Guide 1.23 recommendations. Equipment checks are performed at least weekly. Charts are changed as required. Component checks and adjustments are performed when required. All meters and other equipment used in calibration are, in turn, calibrated at scheduled intervals.

Inspection and maintenance of all equipment is accomplished in accordance with procedures. Inspection is implemented by qualified technicians that are capable of performing the maintenance, if required. The results of the inspections and maintenance performed are recorded.

2.3.3.1.5 Data Reduction and Compilation

The primary data recording system is a digital data acquisition system. Both 15-minute and hourly averaged data values are produced. An analog recording system provides a backup in case of digital system failure, so that a high data recovery rate can be maintained. Data recovery rates for the SSES Units 1 and 2 meteorological monitoring program have consistently been greater than 95%.

Section 2.3.3.6 of the SSES Units 1 and 2 FSAR, Rev. 60 (June 2005) (SSES, 2005) describes the analytical data reduction procedures used to produce hourly averages and other specified meteorological compilations including the following:

- For temperature and dew point, computing hourly averages from five second sample data
- Treatment of calm wind conditions
- Computing hourly averages for wind speed and wind direction
- Replacement of invalid or missing digital data with analog data
- Substituting data from the secondary tower level (197 ft (60 m)) for unavailable data from the primary tower level (33 ft (10 m))
- Reducing the 197 ft (60 m) wind speed to the equivalent 33 ft (10 m) value utilizing the wind power law.

The hourly values of the meteorological parameters are then processed to obtain the following compilations:

- Joint frequency distributions of wind speed and stability for lower and upper levels
- Wind direction persistence summaries by stability class
- Maximum, minimum and diurnal variation of temperature and humidity
- Annual average values of relative concentration with direction and distance
- Frequency distribution of concentrations for the 0-2 hour, 0-8 hour, 8-24 hour, 1-4 day and 4-30 day time periods.

The 15-minute averaged data are available for use in determination of magnitude and continuous assessment of the impact of releases of radioactive materials to the environment during a radiological emergency. The hourly averaged data are available for use in:

- Determining radiological effluent release limits associated with normal operations can be met for any individual located off-site.
- ◆ Determining radiological dose consequences of postulated accidents meet prescribed dose limits at the Exclusion Area Boundary (EAB) and Low Population Zone (LPZ).
- Evaluating personnel exposures in the control room during radiological and airborne hazardous material accident conditions.
- Determining compliance with numerical guides for design objectives and limiting conditions for operation to meet the requirements that radioactive material in effluents released to unrestricted areas be kept as low as reasonably achievable.
- Determining compliance with dose limits for members of the public.

Annual summaries of meteorological data in the form of joint frequency distributions of wind speed and wind direction by atmospheric stability class are kept onsite and are available to the Nuclear Regulatory Commission upon request. The annual summaries used for licensing are presented in FSAR Section 2.3.2.

ER Section 2.7 indicates that the SSES meteorological data represent long-term conditions at the site by comparing site meteorological statistics with similar statistics from surrounding National Weather Service (NWS) stations (Wilkes-Barre/Scranton, Allentown, and Williamsport, PA). The comparison noted:

- Wilkes-Barre/Scranton is located in the same climatic division as the BBNPP and SSES site. (A climate division represents a region within a state that is as climatically homogeneous as possible, as determined by the U.S. National Climatic Data Center.)
- The monthly mean temperatures at the SSES site are within 0.90.6 degree Fahrenheit (0.5(0.3) degree Celsius) of the three NWS sites on the average. The annual mean temperature at the SSES site is within 0.1 degree Fahrenheit (0.6(0.06) degree Celsius) of the Allentown value.
- The annual average precipitation at the SSES site is within 1.5 inches (38.1 mm) of the Wilkes-Barre/Scranton value.

• Winds are from the SW approximately 11% of the time at the SSES site and are from the SW approximately 13% of the time at Wilkes-Barre/Scranton.

2.3.3.1.6 Nearby Obstructions to Air Flow

Downwind distances from the SSES meteorological tower to nearby (within 0.5 mi (0.8 km)) obstructions to air flow were determined using U.S. Geological Survey topographical maps. Highest terrain is to the west and north. Lowest terrain is to the northeast through southeast (river valley). Table 2.3-146 presents the distances to nearby obstructions to air flow in each downwind sector.

Table 2.3-184 presents information on existing man-made potential obstructions to air flow for the SSES meteorological tower.

A study performed to determine the effect of the SSES Units 1 and 2 cooling towers on meteorological measurements at SSES Units 1 and 2 concluded that the impact of the cooling towers on wind speed measurements is minimal and the effect on wind direction measurements is nearly non-existent.

2.3.3.1.7 Deviations to Guidance from Regulatory Guide 1.23

The pre-operational meteorological monitoring program for BBNPP deviates from the guidance provided in Regulatory Guide 1.23, Revision 1 (NRC, 2007) The SSES meteorological tower is not at a distance at least 10 times the height of any nearby obstruction that exceeds one-half the height of the wind measurement. Further discussion is provided in <u>ER</u> Section 6.4.1.1. The SSES meteorological tower is not at the same elevation as the finished BBNPP grade. The SSES tower location was selected to assure the meteorological tower was located on level, open terrain at a suitable distance from any nearby obstructions and complies with the guidance of the second proposed revision to Reguatory Guide 1.23, Revision 1 (NRC, 1986). Also, the resolution of the existing sensors does not meet the measurement resolution recommended in Regulatory Guide 1.23, Revision 1.

The tower, guyed wire, and anchor inspections are performed once every 5 years instead of an annual inspection for tower and guyed wire and an anchor inspection of once every 3 years as provided in Regulatory Guide 1.23, Revision 1.

The wind instruments are not mounted on the tower such that the instruments are approximately perpendicular to the primary two wind directions. Further discussion is provided in Section 2.3.3.1.3.

2.3.3.2 .OperationalOperational Meteorological Measurement Program

The operational meteorological monitoring program for BBNPP utilizes the BBNPP meteorological tower and its instrumentation, telemetry and data recording system. This program complies with the guidance provided in Regulatory Guide 1.23, Revision 1 (NRC, 2007).

Information relating to the BBNPP meteorological tower location and support facilities for the operational meteorological monitoring program is the same as-contained in Section 2.3.3.2.1. Section 2.3.3.2.3 contains general instrument information.

Table 2.3-183 presents information on the BBNPP meteorological tower instrument specifications. The BBNPP meteorological tower instrumentation complies with regulatory guidance in Regulatory Guide 1.23, Revision 1. Information relating to operational instrument

maintenance and service schedules is contained in Section 2.3.3.2.4. Data reduction and compilation is contained in Section 2.3.3.2.5.

Pertinent meteorological data is submitted to the NRC's ERDS as required in Section VI of Appendix E to 10 CFR Part 50.

2.3.3.2.1 Tower Location

The BBNPP meteorological tower and support facilities for the operational meteorological monitoring program is located approximately 35774,368 ft (1090(1,331 m) ESE of the BBNPP Reactor Building Building. Grade at the tower is approximately 670 ft (204 m) msl. While tower grade is not the same as plant grade, it is nonetheless acceptable, as discussed in Section 2.3.3.2.7. Figure 2.3-647 presents the location of the BBNPP meteorological tower and the topography of the BBNPP site within a 1 mi (1.6 km) radius. Figure 2.3-65, Topography Within 5-Miles of the BBNPP Site, presents the general topographic features of the region.

2.3.3.2.2 Tower Design

The BBNPP meteorological tower is provided an open-lattice steel tower approximately 197 ft (60 m) in Section 2.3.3.1.2.height.

2.3.3.2.3 Instrumentation

Information relating Equipment includes sensors to the primary meteorological tower is a 200 ft (61-m) steel framed tower.measure wind speed, wind direction, ambient temperature, delta temperature, dew point or wet bulb temperature, and precipitation.

Sensor accuracies and resolutions will meet those presented in Table 2 of Regulatory Guide 1.23, Revision 1 (NRC, 2007). The wind sensors are mounted at a distance equal to at least twice the horizontal dimension of the tower (e.g., the side of a triangular tower). The wind sensors are mounted in a direction perpendicular to the primary data recording system used for two primary wind directions (up- and down-valley). Wind measurements are made at 33 ft (10 m) and 197 ft (60 m). The temperature sensors will be mounted in downward-pointing aspirated shields. The fan-aspirated shield will be at least one and one half times the BBNPP meteorological tower is a digital data acquisition system. All telemetry transmitters, translators and a data logger are housed in a weatherproof cinder block building. This building has thermostatically controlled heating and air conditioning. The secondary recording system istower horizontal width away from the nearest point on the tower. Delta temperature is measured between the 197 ft (60 m) and 33 ft (10 m) levels of the tower. Precipitation is measured at or near the base of the Process Information and Control System (PICS), tower and will be equipped with a wind shield. BBNPP meteorological tower instrument types, specifications and accuracies are presented in Table 2.3-183.

2.3.3.2.4 Instrument Maintenance and Surveillance Schedules

Information relating to the primary meteorological tower instrument maintenance and surveillance schedules is provided in Section 2.3.3.1.4.

2.3.3.2.5 Data Reduction and Compilation

The BBNPP meteorological tower data collection uses electronic digital data acquisition systems as the primary data recording system and conforms to the guidance in Regulatory Guide 1.23, Revision 1 (NRC, 2007).

The 15-minute averaged data are available for use in the determination of magnitude and continuous assessment of the impact of releases of radioactive materials to the environment

during a radiological emergency (as required in 10 CFR Part 50, Paragraphs 50.47 (b)(4), 50.47 (b)(8), and 50.47 (b)(9) as well as Section IV.E.2 of 10 CFR 50 Appendix E). The hourly averaged data are available for use to:

- 1. Determine radiological effluent release limits associated with normal operations can be met for any individual located off site (as required in 10 CFR 100.21 (c)(1).
- 2. Determine radiological dose consequences of postulated accidents meet prestrikeprescribed dose limits at the Exclusion Area Boundary (EAB) and Low Population Zone (LPZ) (as required in 10 CFR 52.79 (a)(1)(vi)).
- 3. Evaluate personnel exposures in the control room during radiological and airborne hazardous material accident conditions (as required in 10 CFR Part 50, Appendix A).
- 4. Determine compliance with numerical guides for design objectives and limiting conditions for operation to meet the requirement that radioactive material in effluents released to unrestricted areas be kept as low as is reasonably achievable (as required in 10 CFR Part 50, Appendix I).
- 5. Determine compliance with dose limits for individual members of the public (as required in 10 CFR Part 20, Subpart D).

2.3.3.2.6 Nearby Obstructions to Air Flow

Downwind distances from the BBNPP meteorological tower to nearby (within 0.5 mile or 0.8 km) obstructions to air flow were determined using U.S. Geological Survey topographical maps. Highest terrain is to the west and north. Lowest terrain is to the northeast through southeast (river valley). Table 2.3-146 presents the distances to nearby obstructions to air flow in each downwind sector.

Environmental<u>Table 2.3-185</u> Report Table 6.4-4-presents building heights and distances from various structures to the BBNPP meteorological tower. The BBNPP cooling towers are 474<u>475</u> ft (145 m) tall and the SSES cooling towers are 540 ft (165 m) tall. The two tallest EPR buildings are the Reactor Building 204 ft (62 m) and the Turbine Building 181<u>160</u> ft (55<u>149</u> m). The Turbine Building is also the closest major building to the meteorological tower. Both buildings will be finished grade of approximately 674<u>720</u> ft (205<u>19</u> m) msl. Grade at the BBNPP meteorological tower is approximately 670 ft (204 m) msl. This small difference in grade between finished site grade and the-meteorological tower grade is acceptable per Regulatory Guide 1.23, Revision 1. for the following reasons:

- It is assumed in atmospheric dispersion modeling that the plume follows the terrain, therefore, the meteorological measurements would be applicable for their primary purpose, atmospheric dispersion modeling to protect the health and safety of members of the public.
- ◆ The selected location is suitably far from man-made obstructions to air flow.
- Any potential locations closer to plant grade have significant obstructions to air flow.

All EPR buildings are greater than a factor of ten times their respective heights away from the meteorological tower, and as such are not expected to impact the meteorological measurements. The BBNPP and SSES cooling towers are closer than a factor of ten times their respective heights away from the BBNPP meteorological tower. This deviation from Regulatory

Guide 1.23, Revision 1 has a minimal influence on the BBNPP meteorological tower instruments as discussed in the study described below.

A study performed to determine the effect of the SSES Unit 1 and 2 cooling towers on meteorological measurements at SSES (refer to Section 2.3.3.1.6) concluded that the impact of the cooling towers on wind speed measurements inis minimal and the effect on wind I direction measurements is nearly non-existent. Since the BBNPP meteorological tower is further away from the SSES cooling towers than the SSES meteorological tower, it is concluded that there will be little to no impact on wind measurements made at the BBNPP meteorological tower due to the SSES cooling towers. Similarly, since the BBNPP meteorological tower is further away from the BBNPP cooling towers than the SSES meteorological tower is to the SSES cooling towers, it is concluded that there will be little to no impact on wind measurements made at the BBNPP meteorological tower due to the BBNPP cooling towers. In addition, the predominant wind direction for the site has been from the east-northeast at the 10 m level and from the north-northeast at the 60 m level with secondary peaks at both levels from the southwest. Due to the orientation of the BBNPP meteorological tower with respect to the BBNPP and SSES cooling towers, the influence of the local meteorology will act also to minimize the impact of the cooling towers on meteorological measurements.

2.3.3.2.7 Deviations to Guidance from Regulatory Guide 1.23

The only deviation to the guidance from Regulatory Guide 1.23, Revision 1 (NRC, 2007) is the <u>BBNPP and SSES cooling towers do not meet the distance</u> criterion that the distance of any nearby obstructions are to airflow being at least 10 times the height of the structure that exceeds one-half of the height of the wind measurement away from the <u>BBNPP</u> meteorological tower. The BBNPP and SSES cooling towers do not meet this distance criterion for This deviation from Regulatory Guide 1.23, Revision 1 has minimal influence on the BBNPP meteorological tower as discussed in the study described in Section 2.3.3.2.6.

The BBNPP meteorological tower is not at the same elevation as the finished BBNPP grade. The difference between finished site grade and meteorological tower grade is acceptable, for the following reasons: 1) it is assumed in atmospheric dispersion modeling that the plume follows the terrain; therefore, the meteorological measurements would be applicable for their primary purpose, atmospheric dispersion modeling to protect the health and safety of members of the public, 2) the selected location is suitably far from man-made obstructions to air flow, and 3) any potential locations closer to plant grade have significant obstructions to air flow.

2.3.3.3 References

NRC, 1972. Onsite Meteorological Programs, Safety Guide 23 (Regulatory Guide 1.23 Revision 0), U.S. Nuclear Regulatory Commission, February 1972.

NRC, 1986. Meteorological Measurement Program For Nuclear Power Plants, Regulatory Guide 1.23, Second Proposed Revision 1, U.S. Nuclear Regulatory Commission, April 1986.

NRC, 2007. Meteorological Monitoring Programs for Nuclear Power Plants, Regulatory Guide 1.23, Revision 1, U.S. Nuclear Regulatory Commission, March 2007.

SSES, 2005. Susquehanna Steam Electric Station, Final Safety Analysis Report, Rev. 60, June 2005.}
2.3.4 Short Term Atmospheric Dispersion Estimates for Accident Releases

The U.S. EPR FSAR includes the following COL Items in Section 2.3.4:

A COL applicant that references the U.S. EPR design certification will confirm that site-specific χ/Q values, based on site-specific meteorological data, are bounded by those specified in Table 2.1-1 at the EAB, LPZ and the control room.

For site-specific χ/Q values that exceed the bounding χ/Q values, a COL applicant that references the U.S. EPR design certification will demonstrate that the radiological consequences associated with the controlling design basis accident continue to meet the dose reference values given in 10 CFR Part 50.34 and the control room operator dose limits given in GDC 19 using site-specific χ/Q values.

A COL applicant that references the U.S. EPR design certification will provide a description of the atmospheric dispersion modeling used in evaluating potential design basis events to calculate concentrations of hazardous materials (e.g., flammable or toxic clouds) outside building structures resulting from the onsite and/or offsite airborne releases of such materials.

A COL applicant that references the U.S. EPR design certification will provide χ/Q values for each cumulative frequency distribution which exceeds the median value (50 percent of the time) as part of the assessment of the postulated impact of an accident on the environment.

These COL Items are addressed as follows:

These COL Items are addressed in Section 2.3.4.2.1 through Section 2.3.4.3.

{Sections 2.3.4.1 through 2.3.4.4 are added as a supplement to the U.S. EPR FSAR.

2.3.4.1 Objective

This section provides, for appropriate time periods up to 30 days after an accident, conservative estimates of atmospheric dispersion factors (χ /Q) values at the exclusion area boundary (EAB), at the outer boundary of the low population zone (LPZ), and at the control room for postulated accidental radioactive airborne releases. This section also addresses atmospheric dispersion modeling used in Section 2.2.3 to evaluate potential design basis events resulting from the onsite and/or offsite airborne releases of hazardous materials (e.g., flammable vapor clouds, toxic chemicals, and smoke from fires).

2.3.4.2 Calculations

2.3.4.2.1 Conservative Short-Term (Accident Release) Atmospheric Dispersion Estimates for EAB and LPZ

Short-term atmospheric dispersion estimate (χ /Q) values at the Exclusion Area Boundary (EAB) and Low Population Zone (LPZ) are provided in Table 2.1-1 of the U.S. EPR FSAR. Conservative estimates of site-specific atmospheric dispersion for the Bell Bend Nuclear Power Plant (BBNPP) EAB and the boundary of the site-specific LPZ were determined using computer code and seven years of meteorological data (2001-2007) from the onsite monitoring program at the existing Susquehanna Steam Electric Station (SSES) Units 1 and 2. Site-specific local meteorological data are described in Section 2.3.2, Local Meteorology.

Input details for AEOLUS3 Version 1 are provided in Section 2.3.4.3

The determination of the site-specific atmospheric dispersion for the EAB and the outer boundary of the LPZ complies with the guidance provided in Regulatory Guide 1.145, Revision 1 (NRC, 1982).

Conservative estimates of atmospheric dispersion for the EAB and the boundary of the LPZ for BBNPP are presented in Table 2.3-149. The 0-2 hour χ/Q value for the EAB, and the 1-4 days and 4-30 days χ/Q values for the LPZ are bounded by the values presented in Table 2.1-1 in the U.S. EPR Final Safety Analysis Report. The 0-2 hour χ/Q value for the EAB and the 0-2 hour, 2-8 hour, and 8-24 hour χ/Q values for the LPZ are not bounded. The justification for these departures and exemptions is provided in Part 7 of the COL Application.

2.3.4.2.2 Realistic Short-Term (Accident Release) Atmospheric Dispersion Estimates for EAB and LPZ

Realistic estimates of the site-specific atmospheric dispersion for the BBNPP EAB (exclusion area boundary) and the boundary of the site-specific LPZ were determined using computer code AEOLUS3 and seven years of meteorological data (2001-2007) from the onsite monitoring program at the existing SSES Units 1 and 2. Site-specific local meteorological data are described in Section 2.3.2, Local Meteorology.

In determining the 50th percentile χ /Q's for Section 7.1 of the Environmental Report, use was made of the methodology in Sections 1.4 and 2.2 of Regulatory Guide 1.145 (NRC, 1982), the 0-2 hour 50th percentile value for the LPZ, and the five percentile values for all accident time periods determined using computer code AEOLUS3 and seven years of onsite meteorological data from SSES (2001-2007), to determine the 50th percentile 2-8 hour, 8-24 hour, 1-4 days, and 4-30 days time periods for the LPZ. The 0-2 hour 50th percentile value for the EAB was extracted directly from the computer output.

Regulatory Guide 1.145 requires the following steps to be performed for computation of the accident atmospheric dispersion factors (χ/Q) at the Low Population Zone (LPZ):

- 1. The 2-hour accident χ/Q and the annual average χ/Q are determined for each sector at the outer LPZ boundary distances.
- 2. The two values for any given sector (the 2-hour accident χ/Q and the annual average χ/Q) are plotted on a log-log graph, and values at other time intervals of interest are determined through logarithmic interpolation between these two points.
- 3. The time periods should be selected to represent appropriate meteorological time regimes (an 8-hour interval for releases during the first 8 hours of the postulated accident, a 16-hour interval for releases between 8 and 24 hours, a 3-day interval for releases between 1 and 4 days, and a 26-day interval for releases between 4 and 30 days).

Since the annual average χ/Q is an integral part of the model for determination of accident χ/Q values, it is possible to use the Regulatory Guide 1.145 methodology in reverse order to determine the annual average χ/Q which was used in the computation of the accident χ/Q values. The accident χ/Q values and the annual average χ/Q value should be on a straight line when plotted on a log-log graph. Hence, the 50th percentile atmospheric dispersion factors were determined using this methodology. These factors are presented in Table 2.3-149.

2.3.4.2.3 Short-Term (Accident Release) Atmospheric Dispersion Estimates for the Control Room

Short-term atmospheric dispersion estimates (χ/Q) values estimated for the control room are provided in Table 2.1-1 of the U.S. EPR FSAR. Short-term atmospheric dispersion χ/Q estimates for unfiltered inleakage into the control room are provided in Table 2.1-1 of the U.S. EPR FSAR. Conservative estimates of the site-specific atmospheric dispersion for the control room were determined using computer code ARCON96 and seven years of meteorological data (2001-2007) from the onsite monitoring program at the existing SSES Units 1 and 2. The version of the ARCON96 code which was used is the May 9, 1997 version which is endorsed in Regulatory Guide 1.194. Site-specific local meteorological data are described in Section 2.3.2, Local Meteorology.

ARCON96 implements the guidance in Regulatory Guide 1.194, "Atmospheric Relative Concentrations for Control Room Radiological Habitability Assessments at Nuclear Power Plants" (NRC, 2003). ARCON96 was specifically developed for the Nuclear Regulatory Commission (NRC, 1997). The determination of the site-specific atmospheric dispersion for the control room complies with the guidance provided in Regulatory Guide 1.194, Revision 0.

Inputs to the ARCON96 computer code are provided in Table 2.3-147.

Conservative site-specific estimates of atmospheric dispersion for the BBNPP control room are presented in Table 2.3-150 through Table 2.3-154. The values for the control room presented in Table 2.3-150 through Table 2.3-154 are bounded by those in Table 2.1-1 within the U.S. EPR Final Safety Analysis Report.

U.S. EPR FSAR Table 2.1-1 provides the locations of potential accident release pathways and their relationship to the control room. COL FSAR Figures 2.1.1-1 and 2.3.4-1 provide the BBNPP site plant and control room location.

2.3.4.2.4 Atmospheric Dispersion Modeling for Hazardous Materials

The description of the atmospheric modeling used in the evaluation of potential design basis events to calculate concentration of hazardous material is provided in Section 2.2.3.1.

2.3.4.3 Input Details for Computer Code AEOLUS3 (Version 1)

AEOLUS3 was developed and validated by Entech Engineering. It implements the guidance in Regulatory Guide 1.145, "Atmospheric Dispersion Models for Potential Accident Consequence Assessments at Nuclear Power Plants," for accidental releases (NRC, 1982).

The following assumptions were made for the short-term atmospheric dispersion analysis:

- Short-term atmospheric dispersion factors determined using AEOLUS3 assumed a ground level release. Therefore, in accordance with Regulatory Guide 1.145, the release point and receptor elevations were assumed to be the same.
- For EAB/LPZ atmospheric dispersion factors for DBAs, all post-accident release points were based on the ground level release model with no dispersion credit for building wake effects. However, plume meander, which predominates building wake effects during short time intervals, is accounted for.
- Downwind distances for which atmospheric dispersion factors for DBA analyses will be determined using computer code AEOLUS3 version 1.0 are: 402 mmeters (0.25-mi),

610 m (0.379 mi), 632 m (0.39 mi), 644 m (0.4 mi), 692 m (0.43 mi), mile), EAB, 805 mmeters (0.5 mi), 845 m (0.53 mi or 2,772 ft), 1,207 m (0.75 mi), 1,609 mmile), 1207 meters (0.75 mile), 1560 meters (0.97 miles)[distance from BBNPP to SSES],1609 meters (1.0 mi), 2,414 mmile), 2414 meters (1.5 mi), 3,219 m miles), 3219 meters (2.0 mi), 4,023 mmiles), 4023 meters (2.5 mi), 4,828 mmiles), 4828 meters (3.0 mi), 6,437 mmiles), 6437 meters (4.0 mi), miles), and 8,047 m8047 meters (5.0 mi). miles).

- The EAB has the following distances for the sixteen compass headings: N through SSW 632 meters (0.39 miles); SW 531 meters (0.33 miles); WSW through WNW 504 meters (0.31 miles); NW 546 meters (0.34 miles); NNW 632 meters (0.39 miles). The distance from Bell Bend Unit 1 Reactor Building centerline to SSES Unit 1 and 2 control room air intakes is 1560 meters (0.97 miles). The distance of 1.5 miles 2414 meters (1.5 miles) in the above list corresponds to the LPZ. The analytical distance of distances for the EAB (for example, 632 meters (0.393 mile) is (0.39 miles) in the N through SSW sectors) are equivalent to the physical distancedistances of the EAB of 0.430 miles measured from the containment building centerline. The difference between the physical and analytical distances (60 m) corresponds to the distance of the US EPR farthest release point from the containment building centerline; this was conservatively assumed to apply to all release points.
- There are two redundant outside air intakes for the CR/TSC envelope, one on the roof of Safeguard Building Division #2 (Building 2UJK), and another on Safeguard Building #3 (Building 3UJK). The locations for these intakes are in the corners farthest away from the containment building (on the northwest corner of Division 2 and the northeast corner of Division 3). In addition, there could be multiple/alternative release points for any given accident, such as four Main Steam Relief Trains for a postulated Steam Generator Tube Rupture accident. In the present application, it was assumed that the outside air for the CR/TSC envelope will be from a single intake.
- For the canopy and depressurization shaft releases, intervening walls and roof in the line of sight between the release points and the Control Room air intakes were conservatively ignored.

Inputs to the AEOLUS3 computer code are provided in Table 2.3-147.

2.3.4.4 References

NRC, 1982. Regulatory Guide 1.145, Revision 1, Atmospheric Dispersion Models for Potential Accident Consequence Assessments at Nuclear Power Plants, U.S. Nuclear Regulatory Commission, November 1982.

NRC, 1997. NURGE/CR-6331, Revision 1, Atmospheric Relative Concentrations in Building Wakes, U.S. Nuclear Regulatory Commission, May 1997.

NRC, 2003. Regulatory Guide 1.194, Revision 0, Atmospheric Relative Concentrations for Control Room Radiological Habitability Assessments at Nuclear Power Plants, U.S. Nuclear Regulatory Commission, June 2003.}

2.3.5 Long-term Atmospheric Dispersion Estimates <u>for For</u> Routine Releases

} .

ł

The U.S. EPR FSAR includes the following COL Items in Section 2.3.5:

A COL applicant that references the U.S. EPR design certification will provide the site-specific, long-term diffusion estimates for routine releases. In developing this

information, the COL applicant should consider the guidance provided in Regulatory Guides 1.23, 1.109, 1.111, and 1.112. The maximum annual average χ/Q value at the site boundary, provided in Table 2.1-1, is used to calculate radionuclide concentrations associated with routine gaseous effluent releases, addressed in Section 11.3, for comparison with environmental release limits and dose limits given in 10 CFR Part 20. If a reactor site has an annual average χ/Q value that exceeds the reference value, then a site-specific evaluation will be performed.

A COL applicant that references the U.S. EPR design certification will also provide estimates of annual average atmospheric dispersion (χ /Q values) and deposition (D/Q values) for 16 radial sectors to a distance of 50 mi from the plant as part of its environmental assessment.

These COL Items are addressed as follows:

{Section 2.3.5.1 through Section 2.3.5.4 are added as a supplement to U.S. EPR FSAR.

2.3.5.1 Objective

This section provides realistic estimates of annual average atmospheric dispersion (χ /Q values) and deposition (D/Q values) to a distance of 50 mi (80 km) for annual average release limit calculations and person-rem estimates.

2.3.5.2 Calculations

Realistic estimates of site-specific annual average atmospheric transport and diffusion characteristics were determined using computer code AEOLUS3 and seven years of meteorological data (2001-2007) from the onsite monitoring program at the existing Susquehanna Steam Electric Station (SSES) Units 1 and 2. Site-specific local meteorological data are described in Section 2.3.2, Local Meteorology.

AEOLUS3 was developed and validated by Entech Engineering. It implements the guidance in Regulatory Guide 1.111, "Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Reactors," for routine releases (NRC, 1977a).

AEOLUS3 operates in a batch-input mode with various options that are user selectable. The program is based on a straight-line trajectory Gaussian plume model. The plume can be depleted by wet deposition, dry deposition, and radioactive decay. The computed ground-level concentration can be modified to account for plume recirculation or stagnation. The program computes an effective plume height which accounts for physical release height, aerodynamic downwash, plume rise, and terrain heights. Other options include plume-meander effects and wind speed extrapolation.

AEOLUS3 produced the following dispersion parameters: the concentration χ/Q , which is used for the determination of airborne concentrations and inhalation doses at offsite receptors of interest as well as gamma air doses, the gamma χ/Q , which may be employed in the computation of external gamma radiation from the ensuing finite clouds of radioactive material, and the deposition factor D/Q, which is used as a measure of the relative deposition of released radioactivity. Doses calculated due to postulated normal effluents from Bell Bend Nuclear Power Plant (BBNPP) made use of the concentration χ/Q and deposition D/Q values. The gamma χ/Q values, while not used to determine normal effluent doses for BBNPP, represent an alternative methodology to determine gamma air doses. AEOLUS3 computes plume standard deviations in the horizontal and vertical dimensions (sy and sz, respectively) using the analytical expressions from the Nuclear Regulatory Commission sponsored computer program XOQDOQ. The onsite meteorological data used in the dispersion analysis has been shown to be representative of the region as discussed in Section 2.3.2. Thus, the atmospheric dispersion and deposition factors determined by AEOLUS3 from the site boundary to a radius of 50 mi (80 km) from the plant are appropriate for use in estimating the consequences of routine releases for BBNPP.

Meteorological data summaries used as input to AEOLUS3 are provided in Section 2.3.2. The regulatory guidance described in Regulatory Guide 1.23, Revision 1 (NRC 2007), was followed in the determination of appropriate onsite meteorological data. The regulatory guidance described in Regulatory Guide 1.112 (NRC, 1977b) was followed in the determination of points of routine release of radioactive materials to the atmosphere and their characteristics. The regulatory guidance described in Regulatory Guide 1.109, Revision 1 (NRC, 1977c), was followed in the determination of potential receptors of interest.

The following assumptions were made for the long-term atmospheric dispersion analysis:

- Seven years of onsite meteorological data were used (2001 through 2007),
- A mixed mode release from the stack,
- Lower level (10 m or 33 ft) wind speed and direction data were used,
- Wind speed extrapolation was performed using the XOQDOQ coefficients,
- Vertical temperature difference (temperature difference between 60 m (197 ft) and 10 m (33 ft)) data were used,
- Building wake credit was taken using a Reactor Building height of 60 m (197 ft) and cross-sectional area of 2,940 m² (31,630 ft²),
- Stack height was assumed to be 62 m (203 ft),
- Stack inner diameter was assumed to be 3.8 m (12.5 ft (a conservative assumption)),
- Stack flow rate was assumed to be 242,458 ft3/min (6,865,646 l/min) (a conservative-assumption),
- Midpoint energy and relative intensity of the gamma spectrum used to determine gamma χ/Q values were 0.3 MeV and 1.0 MeV/sec,
- Twelve wind speed groups were used per Regulatory Guide 1.23, Revision 1 (with additional wind speed class breakdown at the lower wind speeds that are important for atmospheric dispersion),
- Plume rise was considered for the elevated portion of the mixed mode release,
- Plume meander was considered,
- Site-specific recirculation correction factors were used.
- Dispersion coefficients were modeled as done in NRC code XOQDOQ,
- Regulatory Guide 1.111 depletion and deposition curves were used,

- An annual average mixing height value of 900 m (2,953 ft) was used (conservative value),
- Grid receptor distances were chosen per Regulatory Guide 1.109 (NRC, 1977c), Appendix D, Section 2.6 with some additional distances,
- Special receptors were included (site boundary, nearest residents, gardens, and milk and meat animals) according to the guidance provided in Regulatory Guide 1.109 (NRC, 1977c),
- Terrain height of receptors was considered.

Inputs to the AEOLUS3 computer code are provided in Table 2.3-156.

The atmospheric transport and diffusion model used to determine the long-term atmospheric dispersion estimates for routine releases for BBNPP complies with the guidance provided in Regulatory Guide 1.111, Revision 1 (NRC, 1977a).

A mixed mode release from the BBNPP stack was modeled to determine routine release normal effluent atmospheric dispersion and deposition factors. Figure 2.3-1 of the U.S. EPR Final Safety Analysis Report indicates the location of the stack. As previously stated, seven years of meteorological data (2001-2007) from the onsite monitoring program at SSES Units 1 and 2 were used in the analysis. A summary of these data in the form of a joint frequency distribution of wind speed and direction as a function of atmospheric stability is provided in Section 2.3.2.

Credit for building wake effect was taken. The release point was 203 ft (62 m) above grade (6.6 ft (2 m) above the Reactor Building). Terrain height values for downwind receptor locations were determined using topographic maps from the U.S. Geological Survey. The annual average height of the inversion layer and the maximum allowable plume centerline height were set to 900 m (2,953 ft). This value was determined using Figures 1 and 6 from Report AP-101 (EPA, 1972). A stack flow rate of 242,458 ft3/min was used; this is a conservative value, since the actual flow rate for normal operations will be higher.

Table 2.3-157 through Table 2.3-180 present the site-specific normal effluent annual average atmospheric dispersion and deposition factors for a mixed mode release from the BBNPP stack. Locations of interest (i.e., site boundary, nearest resident, nearest garden, milk/meat animals) were derived from the SSES Annual Radiological Environmental Operating Report for 2006, and from regulatory guidance. The specific locations of the potential receptors of interest are provided in each table in terms of downwind sector and distance from the stack.

2.3.5.3 Site-Specific Evaluation of Maximum Annual Average X/Q and D/Q

The maximum site-specific annual average χ/Q and D/Q values at or beyond the site boundary are 9.672E-06 6.781E-06 sec/m³ (site boundary, NWSW downwind sector, 320251 m) and 1.721E-08-2.268E-08 1/m² (site boundary, NE downwind sector, 928.5506.8 m), respectively. The maximum annual average χ/Q at or beyond the site boundary is not bounded by the value presented in Table 2.1-1 within the U.S. EPR Final Safety Analysis Report (FSAR). This is a departure from the U.S. EPR FSAR. The maximum annual average D/Q at or beyond the site boundary is bounded by the value presented in Table 2.1-1 within the U.S. EPR Final Safety Analysis Report (FSAR).

I

2.3.5.4 References

EPA, 1972. Division of Meteorology, Report AP-101, Mixing Heights, Wind Speeds, and Potential for Urban Air Pollution Throughout the Contiguous United States, U.S. Environmental Protection Agency, George C. Holztworth, 1972.

NRC, 1977a. Regulatory Guide 1.111, Revision 1, Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Reactors, U.S. Nuclear Regulatory Commission, July 1977.

NRC, 1977b. Regulatory Guide 1.112, Revision 0-R, Calculation of Releases of Radioactive Materials in Gaseous and Liquid Effluents from Light-Water-Cooled Power Reactors, U.S. Nuclear Regulatory Commission, May 1977.

NRC, 1977c. Regulatory Guide 1.109, Revision 1, Calculation of Annual Dose to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR Part 50, Appendix I, U.S. Nuclear Regulatory Commission, October 1977.

NRC, 2007. Regulatory Guide 1.23, Revision 1, Meteorological Monitoring Programs for Nuclear Power Plants, U.S. Nuclear Regulatory Commission, October 2007.

2.3.6 References

No departures or supplements.

	Primar	y Standards	Seconda	ry Standards	
Pollutant	Level	Averaging Time	Level	Averaging Time	
Carbon Manavida	9 ppm (10 mg/m ³)	8-hour(1)			
Carbon Monoxide	35 ppm (40 mg/m ³)	1-hour(1)	1 '	vone	
Lead	1.5 μg/m ³	Quarterly Average	Same	as Primary	
Nitrogen Dioxide	0.053 ppm (100 μg/m ³)	Annual (Arithmetic Mean)	Same as Primary		
Particulate Matter (PM10)	150 μg/m³	24-hour(2)	Same	as Primary	
Particulate Matter	15.0 μg/m ³	Annual(3) (Arithmetic Mean)	Same as Primary		
(PMI2.5)	35 μg/m ³	24-hour(4)	1		
	0.075 ppm (2008 std)	8-hour(5)			
	0.08 ppm (1997 std)	8-hour(6)			
Ozone	0.12 ppm	1-hour(7) (Applies only in limited areas)	Same	as Primary	
Sulfur Dioxide	0.03 ppm	Annual (Arithmetic Mean)	0.5 ppm	3-hour(1)	
	0.14 ppm	24-hour(1)	- (1300 μg/Π-)		

Table 2.3-1— {National Ambient Air Quality Standards}

(1) Not to be exceeded more than once per year.

(2) Not to be exceeded more than once per year on average over 3 years.

(3) To attain this standard, the 3-year average of the weighted annual mean PM2.5 concentrations from single or multiple community-oriented monitors must not exceed 15.0 μ g/m³.

(4) To attain this standard, the 3-year average of the 98th percentile of 24-hour concentrations at each

population-oriented monitor within an area must not exceed 35 µg/m³ (effective December 17, 2006).

(5) To attain this standard, the 3-year average of the fourth-highest daily maximum 8-hour average ozone concentrations measured at each monitor within an area over each year must not exceed 0.075 ppm. (effective May 27, 2008)

(6) (a) To attain this standard, the 3-year average of the fourth-highest daily maximum 8-hour average ozone concentrations measured at each monitor within an area over each year must not exceed 0.08 ppm.

(b) The 1997 standard-and the implementation rules for that standard-will remain in place for implementation purposes as EPA undertakes rulemaking to address the transition from the 1997 ozone standard to the 2008 ozone standard.

(7) (a) The standard is attained when the expected number of days per calendar year with maximum hourly average concentrations above 0.12 ppm is < 1.

(b) As of June 15, 2005 EPA revoked the 1-hour ozone standard in all areas except the 8-hour ozone nonattainment Early Action Compact (EAC) Areas.

I

15 TORNADO(s) were between 01/01/1950	reported in L and 08/31/20	uzerne Cour 07	nty, Pennsylv	ania	Mag: Dth: Inj: PrD: CrD:	Magnitu Deaths Injuries Propert Crop Da	ude y Damage mage	
	Pennsylvania							
Location or County	Date	Time	Туре	Mag	Dth	lnj	PrD	CrD
1 Luzerne	07/04/1960	1630	Tornado	F2	0	0	25K	0
2 Luzerne	01/27/1962	0130	Tornado	F1	0	0	250K	0
3 Luzerne	09/10/1968	1345	Tornado	F2	0	0	25K	0
4 Luzerne	06/19/1975	0930	Tornado	F1	0	0	25K	0
5 Luzerne	05/06/1980	1445	Tornado	FO	0	0	ЗK	0
6 Luzerne	06/21/1981	1530	Tornado	F1	0	0	25K	0
7 Luzerne	07/06/1984	1615	Tornado	F2	0	12	250K	0
8 Luzerne	05/31/1985	2045	Tornado	F1	0	0	250K	0
9 Luzerne	08/10/1986	1845	Tornado	F0	0	0	ЗК	0
10 Luzerne	09/20/1988	2000	Tornado	F1	0	0	25K	0
11 Bear Creek	04/16/1993	1520	Tornado	F1	0	0	500K	0
12 Duryea	06/22/1996	03:00 PM	Tornado	FO	0	0	200K	0
13 Pittston	05/31/1998	06:00 PM	Tornado	FO	0	0	50K	0
14 Dallas	07/22/2006	11:15 AM	Tornado	FO	0	0	100K	0
15 Hobbie	12/01/2006	04:52 PM	Tornado	F2	0	5	1.0M	0
	- I	4.		TOTALS:	0	17	2.730M	0

Table 2.3-2— {Tornados{Tornadoes Reported in Luzerne County, Pennsylvania}

8 TORNADO(s) were i between 01/01/1950	reported in Co and 08/31/20	lumbia Cou 07	nty, Pennsylv	vania	Mag: Dth: Inj: PrD: CrD:	Magnit Deaths Injuries Proper Crop D	sude s ty Damag amage	je
			Pennsylvania)		-		
Location or County	Date	Time	Туре	Mag	Dth	Inj	PrD	CrD
1 Columbia	03/26/1964	1230	Tornado	F1	0	0	ок	0
2 Columbia	04/17/1982	1550	Tornado	F2	0	1	25K	0
3 Columbia	07/26/1989	1615	Tornado	F1	0	0	25K	0
4 Columbia	07/15/1992	1300	Tornado	F1	0	0.	ок	0
5 Bloomsburg	06/27/1994	1245	Tornado	F1	0	0	500K	0
6 Catawissa	05/27/2001	02:25 PM	Tornado	F0	0	0	0	0
7 Jerseytown	04/28/2002	04:55 PM	Tornado	F1	0	0	90K	0
8 Millville	06/17/2004	03:50 PM	Tornado	F1	0	0	0	0
TOTALS:		•		•	0	1	640K	0

Table 2.3-3— {Tornadoes Reported in Columbia County, Pennsylvania}

Rec	YEAR	MONTH	DAY	STORM NAME	WIND SPEED(kts)	PRESSURE(mb)	CATEGORY
1	1878	10	23	NOTNAMED <u>NOT</u> NAMED	80	975	H1
2	1878	10	23	NOTNAMED <u>NOT</u> NAMED	70	0	H1
3	1885	10	13	NOTNAMED <u>NOT</u> NAMED	40	0	E
4	1885	10	14	NOTNAMED <u>NOT</u> NAMED	40	0	E
5	1888	8	21	NOTNAMED <u>NOT</u> <u>NAMED</u>	45	0	TS
6	1888	8	22	NOTNAMED <u>NOT</u> NAMED	40	0	TS
7	1893	8	29	NOTNAMED <u>NOT</u> NAMED	55	0	TS
8	1893	8	29	NOTNAMED <u>NOT</u> NAMED	55	0	TS
9	1899	11	1	NOTNAMED <u>NOT</u> NAMED	50	0	E
10	1899	11	1	NOTNAMED <u>NOT</u> NAMED	50	0	E
11	1903	9	16	NOTNAMED <u>NOT</u> NAMED	55	0	TS
12	1903	9	17	NOTNAMED <u>NOT</u> NAMED	55	0	TS
13	1903	9	17	NOTNAMED <u>NOT</u> NAMED	45	0	TS
14	1915	8	4	NOTNAMED <u>NOT</u> <u>NAMED</u>	25	0	TD
15	1915	8	4	NOTNAMED <u>NOT</u> <u>NAMED</u>	25	0	TD
16	1923	10	24	NOTNAMED <u>NOT</u> NAMED	45	0	E
17	1923	10	24	NOTNAMED <u>NOT</u> NAMED	40	0	E
18	1923	10	24	NOTNAMED <u>NOT</u> NAMED	35	0	E
19	1929	10	3	NOTNAMED <u>NOT</u> NAMED	35	0	E
20	1929	10	3	NOTNAMED <u>NOT</u> NAMED	30	0	E
21	1933	8	24	NOTNAMED <u>NOT</u> NAMED	45	0	TS
22	1933	8	24	NOTNAMEDNOT NAMED	45	0	TS
23	1933	8	24	NOTNAMED <u>NOT</u> NAMED	40	0	TS
24	1939	8	19	NOTNAMED <u>NOT</u> NAMED	25	0	TD
25	1939	8	20	NOTNAMED <u>NOT</u> NAMED	25	0	TD

Table 2.3-4— {Tropical Storms and Hurricanes Passing Within 100 Statute Miles (161 km) of BBNPP, Pennsylvania} (Page 1 of 2)

Rec	YEAR	MONTH	DAY	STORM NAME	WIND SPEED(kts)	PRESSURE(mb)	CATEGORY
26	1939	8	20	NOTNAMED <u>NOT</u> <u>NAMED</u>	25	0	TD
27	1943	10	1	NOTNAMED <u>NOT</u> <u>NAMED</u>	30	0	TD
28	1945	9	18	NOTNAMED <u>NOT</u> NAMED	30	0	E
29	1945	9	19	NOTNAMED <u>NOT</u> NAMED	25	0	E
30	1949	8	29	NOTNAMED <u>NOT</u> NAMED	40	1000	TS
31	1949	8	29	NOTNAMED <u>NOT</u> <u>NAMED</u>	35	1000	TS
32	1952	9	1	ABLE	35	0	TS
33	1954	10	15	HAZEL	80	970	E
34	1954	10	16	HAZEL	70	0	E
35	1955	8	13	CONNIE	45	982	TS
36	1955	8	13	CONNIE	35	995	. TS
37	1955	8	18	DIANE	45	1004	TS
38	1955	8	19	DIANE	40	1003	TS
39	1959	10	1	GRACIE	30	0	E
40	1959	10	1	GRACIE	30	0	E
41	1979	9	6	DAVID	40	989	TS
42	1979	9	6	DAVID	40	991	TS
43	1979	9	14	FREDERIC	35	997	TS
44	1988	8	29	CHRIS	20	1010	TD
45	1992	9	26	DANIELLE	35	1010	TS
46	1994	8	18	BERYL	15	1011	TD
47	1994	8	18	BERYL	15	1010	TD
48	1999	9	7	DENNIS	20	1009	TD
49	1999	9	7	DENNIS	20	1008	TD
50	2006	9	2	ERNESTO	40	1010	E
51	2006	9	3	ERNESTO	35	1012	E
52	2006	9	3	ERNESTO	25	1014	E
	Т	E = Extra D = Tropica TS = Tropi	-tropical Il Depressi ical Storm	on	1 1 kr	knot = 1.15 mph not = 0.514 m/sec	
	H	1 = Hurricar	ne Categor	у 1	·		

(161 km) of BBNPP, Pennsylvania} (Page 2 of 2)

Table 2.3-5— {Total and Average Numbers of Tropical Storms and Hurricanes (1851-2004)}

	TROPICA	L STORMS1	HURR	ICANES	U.S. HURRICANES	
MONTH	Total	Average	Total	Average	Total	Average
JANUARY-APRIL	5	*	1	*	0	0.00
MAY	18	0.1	4	*	0	0.00
JUNE	76	0.5	28	0.2	19	0.12
JULY	94	0.6	47	0.3	23	0.15
AUGUST	336	2.2	214	1.4	74	0.48
SEPTEMBER	448	2.9	309	2.0	102	0.67
OCTOBER	273	1.8	154	1.0	50	0.33
NOVEMBER	58	0.4	38	0.2	5	0.03
DECEMBER	8	0.1	4	*	0	0.00
YFAR	1316	8.5	799	5.2	273	1.78

.

SITE	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL
Wilkes-Barre/ Scranton, PA	0.2	0.2	0.6	1.9	3.5	5.3	6.3	4.6	2.2	0.9	0.4	0.2	26.3
Allentown, PA	0.3	0.2	0.8	2.0	3.7	5.4	6.0	5.2	2.6	0.8	0.7	0.1	27.8
Williamsport, PA	0.3	0.3	0.8	2.0	4.5	6.3	7.4	5.6	2.9	0.9	0.5	0.3	31.8

Table 2.3-6— {Monthly Mean Number of Days with Thunderstorms}

Table 2.3-7— {Drought Events Reported in Luzerne County, Pennsylvania} (Page 1 of 2)

•

?

Date	Time	Description
09/24/1993	0800	Below normal rainfall during the summer months caused reservoirs in the Upper Delaware Basin to drop significantly. Subsequently, a drought warning was issued on September 24 for the Poconos, Northeast Metropolitan, Lehigh Valley, Southeast and portions of the Lower Susquehanna Valley. Normal and above normal precipitation during September and October did allow the reservoirs to recharge in October.
03/01/1995(1)	0000	None provided.
05/01/1995(1)	0000	May 1995 was an unseasonably dry month throughout most of Northeast Pennsylvania and parts of the Middle and Lower Susquehanna Valley. Departures from normal exceeded one inch in this area (Close to two inches in Wayne, Luzerne and Lackawanna Counties). Wilkes-Barre Scranton Airport in Avoca had only 1.40 inches of rain during May. Normal is 3.65 inches.
06/01/1995(1)	0000	June 1995 continued the trend of drier than normal weather throughout most of eastern Pennsylvania except for the Western Poconos and the Middle and Lower Susquehanna Valleys. Monthly rainfall totals of 30 to 67 percent of normal occurred with the driest weather in Lackawanna, Philadelphia and Wyoming Counties. At Philadelphia International Airport, the monthly rainfall of 0.62 inches was the 5th driest June on record. At the Allentown-Bethlehem-Easton Airport, the 1.44 inches of rain was the 6th driest June on record.
09/01/1995(1)	0000	The drought, which entered its thirteenth month, continued unabated throughout Eastern Pennsylvania the first half of September. Rainfall was closer to normal during the second half of the month, especially in the extreme southeast. Consequently Bradford, Bucks, Chester, Delaware, Montgomery and Philadelphia Counties either had normal or above normal rainfall for the month. Most other counties had about 75% of normal rainfall, but precipitation deficiencies of less than 50% of normal (or around two inches below normal for the month) occurred in the Susquehanna Valley in Union, Synder, Perry and Cumberland Counties. The rain came too late to help farmers and by the end of the month, most of Eastern Pennsylvania was under a drought emergency. Harrisburg Pennsylvania set a record for the longest period without measurable precipitation, 28 days, from August 10 through September 7. September started dry and a Drought Warning was declared by the Pennsylvania Department of Environmental Protection for all of Eastern Pennsylvania on the 1st. The warning asked for voluntary conservation of non-essential water use. Tougher, mandatory restrictions were implemented during the first half of the month in some townships in Bucks and Lancaster Counties. In Lancaster County by September 13th about 80 separate brush fires were extinguished. Most were caused by cigarette butts tossed from moving cars, sparks from railroads and fires which burned out of control. Ephrata Township banned all outside burning. On September 14th the Susquehanna River Basin Commission declared a drought warning (first since 1993) for all or part of 17 eastern counties within the river's 13,539 square mile drainage basin. Both warnings requested voluntary curbs on non-essential water use. On September 20th, the drought warning was upgraded to a drought emergency for all of Eastern Pennsylvania except Perry, Dauphin, Lebanon, Cumberland, York and Lancaster Counties. It was the first drought emergency declared in Pennsylvania since July 1991. Mandatory res

Table 2.3-7— {Drought Events Reported in Luzerne County, Pennsylvania} (Page 2 of 2)

Date	Time	Description
08/01/1997	12:00 AM	A very dry summer finally culminated in major crop failures come harvest time towards the end of August. Sweet corn and tomatoes, two of the major money making crops for small farmers in northeast Pennsylvania, appeared to suffer some of the worst damage. According to figures from some of the individual farmers themselves and also the Pennsylvania State Agricultural Extension Service, losses nearing 1.5 million dollars were tallied. Financial assistance was granted in many cases. Precipitation figures at the Wikes-BarreWilkes-Barre Scranton airport and other cooperative sites across the region averaged less than 30% of normal for the period from June 1st to the end of August. At long last, a couple of more significant rainfall events began to ease the situation at the very end of August.
12/01/1998	12:00 AM	December was another very dry month across northeastern Pennsylvania. This culminated a six month period starting back in the early summer of dry conditions. During December, much of the region received between 1.0 and 1.5 inches of liquid equivalent precipitation. This equates to half or less of the normal precipitation for the month. Precipitation totals for the six month period between June and December averaged 6 to 7 inches below climatological normals for the entire region. A drought watch was issued early in the month by the Pennsylvania Department of Environmental Protection. This watch called for voluntary water conservation. The watch was upgraded to a drought warning on the 14th. The Delaware River Basin Commission followed suit with a drought warning issuance for those counties within the Delaware River Basin, including Wayne and Pike. These warnings remained in effect for the remainder of the month and called for a ten percent voluntary reduction in non-essential water usage.
09/01/1999	12:00 AM	A very dry spring and summer caused major crop failures and some wells to run dry. Many streams and rivers were also brought to their lowest recorded levels. The crops most affected were corn and hay, which dealt a major blow to dairy farmers. September rains from the remnants of Hurricanes Dennis and Floyd helped to ease the summertime drought conditions although they came too late to help the vegetable and grain crops.

Table 2.3-8— {Drought Events Reported in Columbia County, Pennsylvania} (Page 1 of 2)

Date	Time	Description
03/01/1995	0000	None provided.
05/01/1995	0000	May 1995 was an unseasonably dry month throughout most of Northeast Pennsylvania and parts of the Middle and Lower Susquehanna Valley. Departures from normal exceeded one inch in this area (Close to two inches in Wayne, Luzerne and Lackawanna Counties). Wilkes-Barre Scranton Airport in Avoca had only 1.40 inches of rain during May. Normal is 3.65 inches.
05/01/1995	0000	Three consecutive months of below normal precipitation culminated in one of the driest springs on record for the Poconos, Middle Susquehanna Valley and parts of the Philadelphia Metropolitan Area. It was the second driest spring on record at Williamsport with only 5.55 inches falling. It was the 5th driest spring on record in Philadelphia with only 6.30 inches falling.
09/01/1995	0000	The drought, which entered its thirteenth month, continued unabated throughout Eastern Pennsylvania the first half of September. Rainfall was closer to normal during the second half of the month, especially in the extreme southeast. Consequently Bradford, Bucks, Chester, Delaware, Montgomery and Philadelphia Counties either had normal or above normal rainfall for the month. Most other counties had about 75% of normal rainfall, but precipitation deficiencies of less than 50% of normal (or around two inches below normal for the month) occurred in the Susquehanna Valley in Union, Synder, Perry and Cumberland Counties. The rain came too late to help farmers and by the end of the month, most of Eastern Pennsylvania was under a drought emergency. Harrisburg Pennsylvania set a record for the longest period without measurable precipitation, 28 days, from August 10 through September 7. September started dry and a Drought Warning was declared by the Pennsylvania Department of Environmental Protection for all of Eastern Pennsylvania on the 1st. The warning asked for voluntary conservation of non-essential water use. Tougher, mandatory restrictions were implemented during the first half of the month in some townships in Bucks and Lancaster Counties. In Lancaster County by September 13th about 80 separate brush fires were extinguished. Most were caused by cigarette butts tossed from moving cars, sparks from railroads and fires which burned out of control. Ephrata Township banned all outside burning. On September 14th the Susquehanna River Basin Commission declared a drought warning (first since 1993) for all or part of 17 eastern counties within the river's 13,539 square mile drainage basin. Both warnings requested voluntary curbs on non-essential water use. On September 20th, the drought warning was upgraded to a drought emergency for all of Eastern Pennsylvania except Perry, Dauphin, Lebanon, Cumberland, York and Lancaster Counties. It was the first drought emergency declared in Pennsylvania since July 1991. Mandatory res
10/31/1997	08:00 AM	As the growing season drew to a close, farmers assessed damage from an early season drought. Forty-six counties and their contiguous neighbors were declared agricultural disaster areas by the U.S. Department of Agriculture. Farmers in all Pennsylvania counties became eligible for disaster relief. Precipitation deficits for the growing season from April through October ranged from -1.6 inches over Cumberland County to a disastrous -8.5 inches over York County. Much of the rain over Cumberland and Mifflin Counties fell during the flash flood of September 11th, too late to be beneficial to crops.

Table 2.3-8— {Drought Events Reported in Columbia County, Pennsylvania} (Page 2 of 2)

Date	Time	Description
12/15/1998	12:01 AM	Abnormally dry conditions through the Fall months developed into drought across all of central Pennsylvania by mid-December. Governor Tom Ridge declared drought emergency conditions in 9 central Pennsylvania counties with drought warnings in others, calling for restrictions on water use and reduced water consumption of 10 to 15 percent. Precipitation departures from normal for the 4 months leading up to the declaration totaled more than 8 inches in a number of locations, with nearly all areas in deficit by more than 4 inches. Bans were placed on outdoor burning as numerous woodland and brush fires occurred across the region.
07/01/1999	12:00 AM	Governor Ridge declared a drought emergency in 55 of the 67 counties of Pennsylvania following extended dry weather through much of the summer. Water usage was restricted. Precipitation deficits for many counties for the months of May through July averaged between 5 and 7 inches. Precipitation departures for the 365 day period ending in mid-July were over 1 foot below normal in many places. This is about one-third of total annual normal precipitation in most areas. Streams were empty, wells dried up, and the Susquehanna River hit record low flows. Hot sunny days combined with the dry weather to take a large toll on crops. Estimates by the Department of Agriculture indicated possible crop losses in excess of \$500 million. The figure did not include a 20% decrease in milk production due to the drought that would also result in million dollar losses. There were some counties that experienced 70 to 100% crop loss. At least 30% losses are needed for a drought disaster declaration.
08/01/1999	12:01 AM	A drought emergency remained in effect for 55 of the 67 counties of Pennsylvania. In spite of the severe flash flooding in a few locations and normal or above normal precipitation in many others, water tables remained low and water usage was restricted.

Wind Speed Time Date Type knots (m/s) 06/06/1971 1752 76 (39) Tstm Wind 04/03/1982 1440 60 (31) Tstm Wind 07/16/1988 1712 50 (26) Tstm Wind 01/14/1992 0935 Tstm Wind 64 (33) 09/03/1993 1630 52 (27) Tstm Wind Tstm Wind 05/24/1995 1924 56 (29) Tstm Wind 07/18/1997 04:35 PM 55 (28) 02/17/1998 04:00 PM **High Wind** 55 (28) 05/31/1998 05:15 PM 175 (90) Tstm Wind/hail 09/07/1998 11:10 AM 65 (33) Tstm Wind 07/09/1999 09:55 PM 50 (26) Tstm Wind 05/18/2000 04:00 PM Tstm Wind 65 (33) Tstm Wind 06/02/2000 04:18 PM 55 (28) 12/12/2000 05:00 AM 52 (27) **High Wind** 04/09/2001 06:50 PM 52 (27) Tstm Wind 04/09/2001 06:50 PM 52 (27) Tstm Wind 05/27/2001 05:00 PM 80 (41) Tstm Wind 07/01/2001 01:50 PM 55 (28) Tstm Wind 07/10/2001 03:10 PM 50 (26) Tstm Wind 03/09/2002 11:25 PM 60 (31) Tstm Wind 07/21/2003 04:50 PM 55 (28) Tstm Wind 07/21/2003 05:10 PM 55 (28) Tstm Wind 09/19/2003 05:00 AM 50 (26) High Wind 10/15/2003 12:00 PM High Wind 60 (31) 11/13/2003 12:00 PM 58 (30) **High Wind** 08/20/2004 Tstm Wind 03:00 PM 60 (31) 11/25/2004 08:00 AM 60 (31) Tstm Wind 06/06/2005 12:20 PM 50 (26) tstm Wind 06/09/2005 03:00 PM 75 (39) Tstm Wind 07/13/2005 03:25 PM 50 (26) Tstm Wind Tstm Wind 08/12/2005 04:25 PM 50 (26) 08/14/2005 05:40 PM 50 (26) Tstm Wind 11/06/2005 05:45 PM 50 (26) Tstm Wind 11/06/2005 06:04 PM 57 (29) Tstm Wind 11/06/2005 06:12 PM 50 (26) Tstm Wind 11/09/2005 04:30 PM 50 (26) Tstm Wind 11/29/2005 06:00 AM 50 (26) Strong Wind 02/17/2006 09:25 AM 57 (29) Tstm Wind Tstm Wind 07/02/2006 03:35 PM 50 (26) 08/03/2006 03:35 PM 50 (26) Tstm Wind 12/01/2006 03:00 PM 51 (26) High Wind 12/01/2006 04:45 PM Tstm Wind 55 (28) 12/01/2006 04:50 PM 66 (34) Tstm Wind 12/01/2006 04:55 PM 57 (29) Tstm Wind 06/08/2007 Tstm Wind 1:15 PM 50 (26)

Table 2.3-9— {Fifty Knots or Greater High Wind Events in Luzerne County, Pennsylvania}

(Page 1 of 2)

Table 2.3-9— {Fifty Knots or Greater High Wind Events in Luzerne County, Pennsylvania} (Page 2 of 2)

Date	Time	Wind Speed knots (m/s)	Туре
06/19/2007	16:34 PM	50 (26)	Tstm Wind
06/19/2007	16:55 PM	50 (26)	Tstm Wind
06/19/2007	17:05 PM	50 (26)	Tstm Wind
06/27/2007	17:30 PM	52 (27)	Tstm Wind
07/27/2007	16:15 PM	52 (27)	Tstm Wind
08/07/2007	23:35 PM	50 (26)	Tstm Wind
08/25/2007	18:20 PM	50 (26)	Tstm Wind

Table 2.3-10— {Winds Greater than 75 mph and Less than 124 mph in
Luzerne County, Pennsylvania}

Date	Time	Wind Speed knots (m/s)	Туре
06/06/1971	1752	76 (39)	Tstm Wind
05/27/2001	05:00 PM	80 (41)	Tstm Wind
06/09/2005	03:00 PM	75 (39)	Tstm Wind
12/01/2006	16:50 PM	66 (34)	Tstm Wind
Wind speed conversion:	1 knot = 1.15 mph = 0	515 mps	

Date	Time	Wind Speed knots (m/s)	Туре
04/17/1982	1645	60 (31)	Tstm Wind
09/23/1986	1245	52 (27)	Tstm Wind
04/23/1996	03:15 PM	52 (27)	Tstm Wind
05/03/1997	03:45 PM	51 (26)	Tstm Wind
05/06/1997	09:05 AM	51 (26)	Tstm Wind
05/19/1997	07:15 PM	51 (26)	Tstm Wind
07/18/1997	04:15 PM	51 (26)	Tstm Wind
07/18/1997	04:20 PM	51 (26)	Tstm Wind
08/16/1997	02:20 PM	51 (26)	Tstm Wind
05/29/1998	04:45 PM	51 (26)	Tstm Wind
05/31/1998	08:30 PM	51 (26)	Tstm Wind
06/02/1998	05:10 PM	51 (26)	Tstm Wind
06/16/1998	06:10 PM	51 (26)	Tstm Wind
06/16/1998	07:56 PM	51 (26)	Tstm Wind
06/16/1998	08:15 PM	51 (26)	Tstm Wind
06/30/1998	04:20 PM	51 (26)	Tstm Wind
07/17/1998	03:40 PM	51 (26)	Tstm Wind
08/25/1998	09:15 PM	51 (26)	Tstm Wind
09/16/1999	04:00 PM	60 (31)	High Wind
09/29/1999	08:00 PM	60 (31)	High Wind
04/09/2000	06:00 AM	58 (30)	High Wind
06/30/2001	07:30 PM	50 (26)	Tstm Wind
07/01/2001	02:30 PM	50 (26)	Tstm Wind
07/17/2001	04:00 PM	50 (26)	Tstm Wind
08/28/2001	02:30 PM	50 26)	Tstm Wind
10/16/2001	04:10 PM	50 (26)	Tstm Wind
03/09/2002	07:30 PM	50 (26)	High Wind
03/09/2002	11:05 PM	50 (26)	Tstm Wind
07/18/2003	05:05 PM	50 (26)	Tstm Wind
07/21/2003	04:55 PM	50 (26)	Tstm Wind
11/13/2003	05:00 AM	71 (37)	High Wind
05/26/2004	05:08 PM	50 (26)	Tstm Wind
06/17/2004	04:32 PM	50 (26)	Tstm Wind
11/25/2004	07:30 AM	50 26)	Tstm Wind
06/06/2005	12:05 PM	60 (31)	Tstm Wind
06/06/2005	12:10 PM	50 (26)	Tstm Wind
06/06/2005	12:30 PM	50 (26)	Tstm Wind
06/06/2005	12:50 PM	50 26)	Tstm Wind
07/13/2005	03:20 PM	75 (39)	Tstm Wind
07/13/2005	04:26 PM	50 (26)	Tstm Wind
07/13/2005	04:45 PM	50 (26)	Tstm Wind
07/26/2005	08:30 PM	50 (26)	Tstm Wind
07/27/2005	02:00 PM	50 (26)	Tstm Wind
11/06/2005	05:40 PM	50 (26)	Tstm Wind
05/30/2006	09:30 PM	50 (26)	Tstm Wind

Table 2.3-11— {Fifty Knots or Greater High Wind Events in Columbia County, Pennsylvania} (Page 1 of 2)

(Page 2 of 2)				
Date	Time	Wind Speed knots (m/s)	Туре	
06/22/2006	08:10 PM	50 (26)	Tstm Wind	
08/26/2006	12:10 AM	50 (26)	Tstm Wind	
12/01/2006	16:32 PM	50 (26)	Tstm Wind	
06/08/2007	20:40 PM	50 (26)	Tstm Wind	
06/12/2007	17:05 PM	50 (26)	Tstm Wind	
06/12/2007	17:15 PM	50 (26)	Tstm Wind	

50 (26)

50 (26)

50 (26)

50 (26)

50 (26)

Tstm Wind

Tstm Wind

Tstm Wind

Tstm Wind

Tstm Wind

12:30 PM

17:25 PM

12:40 PM

16:05 PM

17:45 PM

Wind speed conversion: 1 knot = 1.15 mph = 0.515 mps

06/27/2007

06/27/2007

08/17/2007

08/25/2007

08/25/2007

Table 2.3-11— {Fifty Knots or Greater High Wind Events in Columbia County, Pennsylvania}

BBNPP

Table 2.3-12— {Winds Greater than 75 mph and Less than 124 mph in Columbia County, Pennsylvania}

Date	Time	Wind Speed knots (m/s)	Туре
11/13/2003	05:00 AM	71 (37)	High Wind
07/13/2005	03:20 PM	75 (39)	Tstm Wind
Wind speed conversion	: 1 knot = 1.15 mph = 0	.515 mps	

`

Location or	Date	Time	Туре	Diameter inches
County				mm
1 LUZERNE	06/10/1958	1728	Hail	1 25.4
2 LUZERNE	06/10/1958	1728	Hail	1 25.4
3 LUZERNE	06/06/1971	1655	Hail	1.75 44
4 LUZERNE	06/06/1971	1735	Hail	1 25.4
5 LUZERNE	07/03/1975	1100	Hail	1.75 44
6 LUZERNE	07/03/1975	1145	Hail	0.75 19
7 LUZERNE	06/29/1976	1630	Hail	1.75 44
8 LUZERNE	06/30/1976	0940	Hail	1.75 44
9 LUZERNE	06/24/1985	1030	Hail	0.75 19
10 LUZERNE	06/24/1985	1030	Hail	2.75 70
11 LUZERNE	06/24/1985	1130	Hail	2.75 70
12 LUZERNE	07/12/1985	1653	Hail	1 25.4
13 LUZERNE	06/30/1990	1830	Hail	1.75 44
14 Mountaintop	08/27/1994	1450	Hail	1 25.4
15 Mountain Top	06/14/1995	1450	Hail	1 25.4
16 Mountaintop Plymouth	07/06/1995	1715	Hail	Not listed
17 Plymouth And Mountain	07/15/1995	1615	Hail	1 25.4
18 Shavertown	05/31/1998	05:15 PM	Tstm Wind/hail	Not listed
19 Dorrance	05/24/2000	02:15 PM	Hail	1.75 44
20 Huntsville	07/10/2001	03:15 PM	Hail	1 25.4
21 Plymouth	07/10/2001	03:30 PM	Tstm Wind/hail	Not listed
22 Nanticoke	07/11/2001	03:40 AM	Hail	1.75 44.
23 Plymouth	07/11/2001	03:40 AM	Tstm Wind/hail	Not listed
24 Wilkes Barre	11/25/2001	04:30 PM	Tstm Wind/hail	Not listed
25 White Haven	05/11/2003	06:55 PM	Hail	0.75 19
26 Wilkes Barre	08/16/2003	12:30 PM	Hail	0.75 19
27 Dallas	05/24/2004	02:30 PM	Hail	1 25.4

Table 2.3-13— {Hail Events in Luzerne County, Pennsylvania})(Page 1 of 2)

Location or County	Date	Time	Туре	Diameter inches mm
28 Nescopeck	06/06/2005	12:30 PM	Hail	0.75 19
29 Nanticoke	04/24/2006	04:15 AM	Hail	0.88 22
30 White Haven	05/30/2006	03:45 PM	Hail	0.75 19
31 West Wyoming	06/09/2006	04:53 PM	Hail	0.88 22
32 Hughestown	06/09/2006	05:00 PM	Hail	0.75 19
33 Hughestown	06/09/2006	05:05 PM	Hail	0.88 22
34 Hazleton	07/09/2006	06:25 PM	Hail	0.75 19
35 Hazleton	07/09/2006	06:56 PM	Hail	0.88 22
36 Mtn Top	07/09/2006	07:02 PM	Hail	0.75 19
37 Hazleton	07/09/2006	07:20 PM	Hail	0.88
38 West Hazleton	07/11/2006	09:21 PM	Hail	0.75 19
39 Harveys Lake	05/31/2007	14:05 PM	Hail	0.75 19
40 Wilkes Barre	07/06/2007	17:30 PM	Hail	0.75 19
41 Conyngham	08/17/2007	12:55 PM	Hail	0.75 19
42 Hazleton Municipal Airport	8/17/2007	13:00 PM	Hail	0.88 22
43 Jeanesville	08/17/2007	13:00 PM	Hail	0.75 19
44 Jeanesville	08/17/2007	13:05 PM	Hail	1.75 44
45 Jeanesville	08/17/2007	13:18 PM	Hail	1.25 32

Table 2.3-13— {Hail Events in Luzerne County, Pennsylvania} (Page 2 of 2)

t

Location or County	Date	Time	Туре	Diameter inches
1 COLUMBIA	07/11/1980	1800	Hail	1.75
2 COLUMBIA	07/19/1983	1235	Hail	2.75
	08/01/1986	1615	Hail	2.00
	07/23/1991	1300	Hail	51
	07/25/1991	1255		25.4
	0//15/1992	1255	Hall	51
6 Orangeville	07/06/1994	1725	Hail	19
7 Bloomsburg	08/27/1994	1629	Hail	1 25.4
8 Bloomsburg	04/04/1995	1055	Hail	0.75 19.
9 Centralia	05/11/1996	02:05 PM	Hail	1.75 44
10 Centralia	06/02/1998	08:45 PM	Hail	0.75
11 Jerseytown	09/07/1998	10:41 AM	Hail	0.88
12 Benton	05/10/2000	11:10 AM	Hail	1 25.4
13 Stillwater	05/24/2000	01:45 PM	Hail	0.75
14 Millville	07/21/2000	02:15 PM	Hail	1.25 32
15 Millville	06/20/2001	02:15 PM	Hail	1 25.4
16 Waller	09/13/2001	05:35 [°] PM	. Hail	1.75 44
17 Millville	09/13/2001	06:15 PM	Hail	0.75
18 Numidia	05/26/2004	05:25 PM	Hail	0.75
19 Millville	06/17/2004	03:40 PM	Hail	0.88
20 Bloomsburg	07/14/2004	02:54 PM	Hail	0.75
21 Central	08/12/2005	04:15 PM	Hail	1 25.4
22 Numidia	05/30/2006	05:59 PM	Hail	1 25.4
23 Bloomsburg	06/13/2007	13:55 PM	Hail	0.75
24 Bloomsburg	06/19/2007	16:40 PM	Hail	0.75
25 Millville	08/17/2007	12:43 PM	Hail	0.88

Table 2.3-14— {Hail Events in	Columbia County, Pennsylvania}
(F	Page 1 of 2)

.

Location or County	Date	Time	Туре	Diameter inches mm
26 Bloomsburg	08/17/2007	13:16 PM	Hail	1 25.4
27 Bloomsburg	08/25/2007	16:00 PM	Hail	0.75 19
28 Orangeville	08/30/2007	16:35 PM	Hail	0.88 22

Table 2.3-14— {Hail Events in Columbia County, Pennsylvania} (Page 2 of 2)

Location or County	Start Date and time	End Date and Time	Ice Thickness
PAZ038>040 - 043>044 - 047>048	01/02/1999 05:00 PM	01/03/1999 09:00 AM	Not listed
PAZ038>040 - 043>044 - 047>048	01/13/1999 08:00 PM	01/15/1999 11:00 AM	Not listed
PAZ038>040 - 043>044 - 047>048	02/13/2000 05:00 PM	02/14/2000 03:00 PM	Up to 0.25 inches 6.35 mm
PAZ040 - 043>044 - 047>048	12/13/2000 11:00 PM	12/14/2000 10:00 AM	0.25 to 0.5 inches 6.35 to 12.7 mm
PAZ038>040 - 043>044 - 047>048	02/24/2001 11:00 PM	02/25/2001 12:00 PM	Not listed
PAZ038>040 - 043>044 - 047>048	01/31/2002 01:00 AM	01/31/2002 11:59 PM	Up to 0.25 inches 6.35 mm
PAZ038>040 - 043>044 - 047>048	02/01/2002 12:00 AM	02/01/2002 12:00 PM	Up to 0.25 inches 6.35 mm
PAZ038>040 - 043>044 - 047>048	12/11/2002 08:00 AM	12/12/2002 08:00 AM	Up to 0.5 inches 12.7 mm
PAZ038>040 - 043>044 - 047>048 - 072	01/06/2005 02:00 AM	01/06/2005 02:00 PM	Up to 0.25 inches 6.35 mm
PAZ038>040 - 043>044 - 047>048 - 072	10/25/2005 11:00 AM	10/25/2005 10:00 PM	Not listed
PAZ040 - 043>044 - 047>048 - 072	12/16/2005 06:00 AM	12/16/2005 08:00 AM	Up to 0.5 inches 12.7 mm
PAZ038>040 - 043>044 - 047>048 - 072	02/13/2007 03:00 PM	02/14/2007 21:00 PM	Not listed
PAZ038>040 - 043>044 - 047	04/15/2007 01:00 AM	04/16/2007 19:00 PM	Not listed

Table 2.3-15— {Ice Storm Events in Luzerne County, Pennsylvania}

Table 2.3-16— {Ice Storm Events in Columbia County, Pennsylvania} (Page 1 of 2)

Location or County	Start Date and time	End Date and Time	Ice Thickness
PAZ037>047 - 049>054 - 056>059	11/27/1994 1500 PM	11/27/1994 2130 PM	Not listed
PAZ037>043 - 045 - 046 - 048>053 - 058	12/09/1994 1300 PM	12/09/1994 2100 PM	Not listed
PAZ037>055 - 058 - 060>062	12/31/1994 1445 PM	01/01/1995 0500	Not listed
PAZ045 - 046 - 048>055 - 058 - 060>062	01/06/1995 1900 PM	01/07/1995 0500 AM	Not listed
PAZ037>043 - 045 - 046 - 049>055 - 058 - 060>062	01/11/1995 1900 PM	01/12/1995 0400 AM	Not listed
PAZ037>055 - 058 - 060>062	01/31/1995 1445 PM	02/01/1995 0500 AM	Not listed
PAZ037>039 - 041>053 - 056 - 057 - 059 - 063>071	02/15/1995 0900 AM	02/15/1995 2100 PM	Not listed
PAZ045 - 046 - 049 - 053>059 - 063>066	02/26/1995 2200 PM	02/27/1995 0400 AM	Not listed
PAZ037>039 - 041 - 042 - 045 - 046 - 049>053	02/27/1995 1000 AM	02/28/1995 0500 AM	Not listed
PAZ004 - 005 - 006 - 010 - 011 - 012 - 017>019 - 024>028 - 033>037 - 041 - 042 - 045 - 046 - 049>053 - 056 - 063	11/14/1995 0600 AM	Not provided	Not listed
PAZ004 - 005 - 006 010 - 011 - 012 017>019 - 024>028 - 033>037 - 041 - 042 - 045 - 046 - 049>053 - 056 - 063	12/19/1995 0500 AM	12/20/1995 0300 AM	Not listed
PAZ017>019 - 024 - 026>028 - 036>037 - 041>042 - 045 - 049>053 - 056>059 - 063>066	02/13/1997 12:00 PM	02/13/1997 12:00 PM	Not listed
PAZ005>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	01/15/1998 04:00 PM	01/15/1998 0400 AM	Up to 0.25 inches 6.35 mm
PAZ006 - 012 - 018>019 - 037 - 041>042 - 045>046 - 049>053	01/22/1998 10:00 PM	01/22/1998 10:00 PM	Not listed
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	01/02/1999 11:00 PM	01/02/1999 11:00 PM	Not listed
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	01/08/1999 08:00 PM	01/08/1999 08:00 PM	Not listed
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	01/14/1999 06:00 AM	01/14/1999 06:00 AM	Not listed
PAZ005>006 - 010>012 - 018>019 - 025>028 - 037 - 041>042 - 045>046 - 049>053 - 056>059 - 064>066	02/13/2000 06:00 PM	02/14/2000 08:00 AM	Not listed
PAZ005>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	02/18/2000 08:00 AM	02/19/2000 08:00 AM	Not listed
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	12/13/2000 10:00 PM	12/14/2000 10:00 AM	Up to 0.25 inches 6.35 mm
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	12/10/2002 08:00 AM	12/11/2002 10:00 PM	0.25 to 0.5 inches 6.35 to 12.7 mm
PAZ005>006 - 010>012 - 041>042 - 045>046 - 053	01/01/2003 03:00 AM	01/02/2003 08:00 PM	Not listed for Columbia County
PAZ004>005 - 010>011 - 017>019 - 024>028 - 033>036 - 042 - 049>053 - 056>059 - 063>066	02/06/2004 05:00 AM	02/06/2004 03:00 PM	0.25 to 0.5 inches 6.35 to 12.7 mm
PAZ004>006 - 010>012 - 017>019 - 024>028 - 034 - 037 - 041>042 - 045>046 - 049>053 - 058	01/05/2005 10:00 PM	01/06/2005 10:00 AM	Not listed for Columbia County

Table 2.3-16—	<pre>- {Ice Storm</pre>	Events in	Columbia	County,	Pennsylvania}
---------------	-------------------------	------------------	----------	---------	---------------

(Page 2 of 2)

Location or County	Start Date and time	End Date and Time	Ice Thickness
PAZ012 - 018 - 028 - 041>042 - 053 - 058	01/08/2005 01:00 AM	01/08/2005 03:50 AM	Up to 0.25 inches 6.35 mm
PAZ004>006 - 010>012 - 017>019 - 024>025 - 033 - 037 - 041>042 - 053 - 057>059 - 065>066	01/22/2005 12:00 PM	01/23/2005 07:00 AM	Not listed
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056 - 058 - 063>064	12/16/2005 03:00 AM	12/16/2005 09:00 AM	0.25 inches or more 6.35 mm or more
PAZ046 - 053	02/13/2007 11:00 AM	02/14/2007 2100 PM	Not listed

.

Location or County	Date	Snow Amount
PAZ037>055 - 058 - 060>062	02/03/1995	5 to 8 inches 127 to 203 mm
LUZERNE	02/06/1995	< 1 inch < 25.4 mm
	03/08/1995	5 inches 127 mm
PAZ038>040 - 043 - 044 - 047 - 048	11/14/1995	6 to 12 inches 152 to 305 mm
PAZ038>040 - 043>044 - 047>048	01/02/1996	8 to 12 inches 203 to 305 mm
PAZ038>040 - 043>044 - 047>048	01/07/1996	Up to 21 inches 533 mm
PAZ038>040 - 043>044 - 047>048	01/12/1996	8 to 12 inches 203 to 305 mm
PAZ038>040 - 043>044 - 047>048	03/06/1996	6 to 10 inches 152 to 254 mm
PAZ039>040 - 043>044 - 047>048	03/31/1997	12 to 30 inches 305 to 762 mm
PAZ038>040 - 043>044 - 047>048	12/29/1997	6 to 14 inches 152 to 356 mm
PAZ038>040 - 043>044 - 047>048	02/23/1998	4 to 12 inches 102 to 305 mm
PAZ038>040 - 043>044 - 047>048	01/02/1999	< 1 inch < 25.4 mm
PAZ038>040 - 043>044 - 047>048	01/13/1999	5 to 9 inches 127 to 229 mm
PAZ040 - 044 - 047>048	03/14/1999	7 to 10 inches 178 to 254 mm
PAZ038>040 - 043>044 - 047	03/21/1999	6 to 12 inches 152 to 305 mm
PAZ038>040 - 043>044 - 047>048	01/20/2000	2 to 5 inches 51 to 127 mm
PAZ038>040 - 043>044 - 047>048	01/25/2000	5 to12 inches 127 to 305 mm
PAZ038>040 - 043>044 - 047>048	01/30/2000	10 to 18 inches 254 to 457 mm
PAZ038>040 - 043>044 - 047>048	02/18/2000	4 to 7 inches 102 to 178 mm
PAZ039>040 - 043>044 - 047>048	04/08/2000	4 to 8 inches 102 to 203 mm
PAZ040 - 043>044 - 047>048	12/13/2000	Up to 3 inches Up to 76 mm
PAZ039>040 - 044 - 047	12/19/2000	4 to 7 inches 102 to 178 mm
PAZ040 - 044 - 047>048	01/20/2001	4 to 7 inches 102 to 178 mm
PAZ039>040 - 043>044 - 047>048	02/05/2001	4 to 8 inches 102 to 203 mm
PAZ038>040 - 043>044 - 047>048	03/04/2001	6 to 20 inches 152 to 508 mm
PAZ038>040 - 043>044 - 047>048	01/06/2002	7 to 15 inches 178 to 381 mm

Table 2.3-17— {Snow Storm Events in Luzerne County, Pennsylvania}

(Page 1 of 2)

Location or County	Date	Snow Amount
PAZ038>040 - 043>044 - 047>0468	01/31/2002	2 inches 51 mm
PAZ038>040 - 043>044 - 047>048	02/01/2002	2 inches 51 mm
PAZ040 - 043>044 - 047>048	12/05/2002	6 to 10 inches 152 to 254 mm
PAZ038>040 - 043>044 - 047>048	12/11/2002	Up to 2 inches 51 mm
PAZ038>040 - 043>044 - 047>048	12/24/2002	9 to 14 inches 229 to 356 mm
PAZ038>040 - 043>044 - 047>048	01/03/2003	4 to 9 inches 102 to 229 mm
PAZ038>040 - 043>044 - 047>048	02/17/2003	10 to 20 inches 254 to 508 mm
PAZ038>040 - 043>044 - 047>048	12/06/2003	5 to 9 inches 127 to 229 mm
PAZ038>040 - 043>044 - 047 - 072	03/16/2004	5 to 9 inches 127 to 229 mm
PAZ038>040 - 043>044 - 047>048 - 072	01/06/2005	3 to 7 inches 76 to 178 mm
PAZ038>040 - 043>044 - 047>048 - 072	01/23/2005	6 to 12 inches 152 to 305 mm
PAZ038>040 - 043>044 - 047>048 - 072	03/01/2005	8 to 14 inches 203 to 356 mm
PAZ038>040 - 043>044 - 047>048 - 072	03/24/2005	6 to 8 inches 152 to 203 mm
PAZ038>040 - 043>044 - 047>048 - 072	10/25/2005	Up to 2 inches Up to 51 mm
PAZ039>040 - 043>044 - 047>048 - 072	12/09/2005	6 to 10 inches 152 to 254 mm
PAZ038>040 - 043>044 - 047>048 - 072	02/13/2007	12 to 24 inches 305 to 610 mm
PAZ039>040 - 043>044 - 047>048 - 072	03/16/2007	10 to 15 inches 254 to 381 mm
PAZ038>040 - 043>044 - 047	04/15/2007	Up to 2 inches Up to 51 mm

Table 2.3-17— {Snow Storm Events in Luzerne County, Pennsylvania}

(Page 2 of 2)

Location or County	Date	Snow Amount
PAZ045 - 046 - 048>055 - 058 - 060>062	01/06/1995	Not listed
PAZ037>043 - 045 - 046 - 049>055 - 058 - 060>062	01/11/1995	< 1 inch < 25.4 mm
PAZ037>055 - 058 - 060>062	02/03/1995	5 to 8 inches 127 to 203 mm
PAZ037>056 - 058 - 063 - 064	03/08/1995	3 to 5 inches 76 to 127mm
PAZ42 - 053 - 065	11/11/1995	4 to 5 inches 102 to 127 mm
PAZ004 - 005 - 006 - 010 - 011 - 012 - 017>019 - 024>028 - 033>037 - 041 - 042 - 045 - 046 - 049>053 - 056 - 063	11/14/1995	Not listed for Columbia County
PAZ004 - 005 - 006 010 - 011 - 012 017>019 - 024>028 - 033>037 - 041 - 042 - 045 - 046 - 049>053 - 056 - 063	12/19/1995	17 inches 432 mm
PAZ004>006 - 010>011 - 018>019 - 037 - 041>042 - 045>046 - 049>050 - 052>053	01/02/1996	6 to 10 inches 152 to 254 mm
PAZ019 - 026>028 - 035>036 - 041>042 - 046 - 049>053 - 056>059 - 063>066	01/12/1996	Not listed for Columbia County
PAZ005>006 - 010>012 - 017>019 - 037 - 041>042 - 045>046 - 049>053	03/07/1996	6 inches 152 mm
PAZ017>019 - 024 - 026>028 - 036>037 - 041>042 - 045 - 049>053 - 056>059 - 063>066	02/13/1997	3 to 7 inches 76 to 178 mm
PAZ006 - 011>012 - 018>019 - 024 - 026>028 - 033 - 035>037 - 041>042 - 045>046 - 049>053 - 058	12/29/1997	8 to 14 inches 127 to 356 mm
PAZ006 - 011>012 - 017 - 019 - 024 - 028 - 033 - 037 - 041>042 - 049>050 - 053 - 058	02/23/1998	2 inches 51 mm
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	01/02/1999	1 to 4 inches 25.4 to 102 mm
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	01/08/1999	Not listed for Columbia County
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	01/14/1999	3 to 6 inches 76 to 152 mm
PAZ041>042 - 046 - 053	02/07/1999	6 inches 152 mm
PAZ018>019 - 024>028 - 033>036 - 049>053 - 056>059 - 063>066	03/14/1999	6 inches 152 mm
PAZ028 - 036 - 041>042 - 046 - 049>053 - 056>059 - 063>066	01/25/2000	Not listed for Columbia County
PAZ012 - 018>019 - 024>028 - 034>036 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	01/30/2000	10 to 12 inches 254 to 305 mm
PAZ005>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	02/18/2000	4.to 7 inches 102 to 178 mm
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	12/13/2000	1 to 2 inches 25.4 to 51 mm
PAZ024 - 033 - 036 - 042 - 051 - 053 - 058>059 - 064>066	01/20/2001	5 to 8 inches 127 to 203 mm
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>058 - 063>064	03/04/2001	12 to 15 inches 305 to 381 mm
PAZ005>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>065	01/06/2002	10 to 14 inches 254 to 356 mm
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	12/05/2002	5 to 8 inches 127 to 203 mm

Table 2.3-18— {Snow Storm Events in Columbia County, Pennsylvania} (Page 1 of 2)

t

Table 2.3-18— {Snow Storm Events in Columbia County, Pennsylvania} (Page 2 of 2)

Location or County	Date	Snow Amount
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	12/25/2002	12 to 18 inches 305 to 457 mm
PAZ006 - 012 - 017>019 - 024>025 - 033 - 037 - 041>042 - 045>046 - 049 - 051 - 053	01/02/2003	6 to 8 inches 152 to 203 mm
PAZ012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	02/16/2003	4 to 10 inches 102 to 254 mm
PAZ017>019 - 024>028 - 033>036 - 053 - 056>059 - 063>066	12/05/2003	6 to 12 inches 152 to 305 mm
PAZ017 - 024 - 033 - 042 - 046 - 051>053	01/27/2004	5 to 8 inches 127 to 203 mm
PAZ004>006 - 010>012 - 017>019 - 027>028 - 037 - 041>042 - 045>046 - 049>053 - 058	03/16/2004	6 to 8 inches 152 to 203 mm
PAZ018>019 - 027>028 - 049>053 - 056>058 - 063	03/19/2004	5 to 8 inches 127 to 203 mm
PAZ004>006 - 010>012 - 017>019 - 024>028 - 034 - 037 - 041>042 - 045>046 - 049>053 - 058	01/05/2005	6 to 10 inches 152 to 254 mm
PAZ004>006 - 010>012 - 017>019 - 024>025 - 033 - 037 - 041>042 - 053 - 057>059 - 065>066	01/22/2005	5 to 7 inches 127 to 178 mm
PAZ010>012 - 017>019 - 024 - 028 - 033 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	03/01/2005	6 to 8 inches 152 to 203 mm
PAZ012 - 017>019 - 024>028 - 033>036 - 041>042 - 045>046 - 049>053 - 056>059 - 063>066	12/09/2005	6 to 10 inches 152 to 254 mm
PAZ004>006 - 010>012 - 017>019 - 024>028 - 033>037 - 041>042 - 045>046 - 049>053 - 056 - 058 - 063>064	12/16/2005	3 to 6 inches 76 to 152 mm
PAZ046 - 053	02/13/2007	10 to 11 inches 254 to 279 mm
PAZ017>019 - 027>028 - 049>053 - 056>059 - 063	03/16/2007	6 to 12 inches 152 to 305 mm
/

Table 2.3-19— {Probable Maximum Winter Precipitation (PMWP) Values}

duration	PMWP depth inches							
nours	Jan-Feb	Dec						
6	8	10						
24	13	15						
72	16	19						

Region	Maximum Wind Speed m/s (mi/h)	Translational Speed m/s (mi/h)	Maximum Rotational Speed m/s (mi/h)	Radius of Maximum Rotational Speed m (ft)	Pressure Drop mb (psi)	Rate of Pressure Drop mb/s (psi/s)
I	103 (230)	21 (46)	82 (184)	45.7 (150)	83 (1.2)	37 (0.5)

Table 2.3-20— {Design-Basis Tornado Characteristics for BBNPP}

Table 2.3-21--- {Annual Heating and Humidification Design Conditions for Wilkes-Barre/ Scranton, Pennsylvania}

			4	Innua	Heating	and H	lumid	ification I	Design	Condition	-			
				umid	ification [OP/MC	DB ar	nd HR	Co	dest mor	th WS/	MCDB	-	-
Coldest	Heatin	д ък		99.6	%		999	₩	E).4%		1%	-	-
month	99.6%	99%	Đ₽	HR	MCDB	₽₽	HR	MCDB	₩s	MCDB	₩s	MCDB	MCWS	PCWD
2	3a	3b	4 a	4 b	4€	4 d	4e	4f	5a	5b	5 €	5d	6a	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2.9	7.6	-8.5	3.6	5.0	-3.7	4.7	9.6	24.9	32.5	22.6	27.9	8.3	240
Notes: DB- Dry bulb WS- Wind spe MCDB- Mean	temperat eed, mph coincider	ure, °F nt dry k	bulb te	mper	ature, °F					L	4,	•	£	

DP- Dew point temperature °F

MCDP-Mean coincident dew point temperature, °F

PCWD- Prevailing coincident wind direction, °, 0= North, 90= East

HR- Humidity ratio, grains of moisture per lb of dry air

Table 2.3-22--- {Zero Percent Exceedance Temperature Values for Wilkes-Barre/Scranton, Pennsylvania}

Maximum Dry Bulb Temperature (°F)	Coincident Wet Bulb Temperature (°F)	Non-Coincident Wet Bulb Temperature (°F)	Minimum Dry Bulb Temperature (°F)		
100.0	71.7	78.9<u>81.0</u>	-15.1<u>-17.5</u>		

FSAR: Section 2.3

L

Table 2.3–23 — {Annual Cooling, Dehumidification, and Enthalpy Design Conditions for Wilkes
--

				An	nual Coolii	ng, Dehur	nidificatior	ı, and Entl	halpy Desig	gn Conditi	ons				
								-							
11	Hottest			Cooling-l	DB/MCWB			Evaporation WB/MCWB						MCWS/PCWD	
month	month	0.	4%	1	%	ź	2%	0.	4%	1	%	2	%	t o 0 .	4-DB
montar	DB range	ĐB	MCWB	ÐB	MCWB	ÐB	MCWD	₩₿	MCWB	₩₿	MCWB	₩₿	MCWB	MCWS	PCWD
7	8	9a	9b	9 e	9d	9 e	9f	10a	10b	10c	10d	10e	10f	11a	11b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	18.8	88.1	71.6	85.2	70.3	82.7	68.8	74.6	83.5	73.0	81.3	71.5	79.0	10.5	230
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dehumidification DP/MCDB and HR										•	Enthalp	y/MCBD			-
	0.4%			1%			2%		0.4	4%	1	%	2	%	-
DP	HR	MCDB	DP	HR	MCDB	DP	HR	MCDB	Enth	MCDB	Enth	MCDB	Enth	MCDB	-
12a	12b	12c	12d	12e	12f	12g	12h	12i	13a	13b	13c	13d	13e	13f	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71.8	121.9	79.1	70.3	115.5	77.3	68.9	109.9	76.0	31.0	83.6	29.5	81.3	28.1	79.2	-
Notes:											· · · · · ·			•	
DB Dry b	ulb tempera	ature, °F													
MCDB- M	ean coincid e	ent dry bu	lb tempera	t ure, °F											
MCWS- M	ean coincid	ent wind s	peed, mph												
DP- Dew p	point tempe	erature, °F													
Enth- Entl	halpy, Btu/ll	÷													
		-													

PCWD- Prevailing coincident wind direction, °, 0 = North, 90 = East WB- Wet bulb temperature, °F

HR- Humidity ratio, grains of moisture per lb of dry air MCWB- Mean coincident wet bulb temperature, °F

<u>Maximum Dry Bulb</u> <u>Temperature (OF)</u>	<u>Coincident Wet Bulb</u> <u>Temperature (OF)</u>	Non-Coincident Wet Bulb Temperature (OF)	<u>Minimum Dry Bulb</u> Temperature (OF)
<u>89.1</u>	<u>65.1</u>	75.0	1.0

Table 2.3-24— {One Percent Exceedance Seasonal Basis Temperature Values for Wilkes- Barre/Scranton, Pennsylvania}

Table 2.3-25 {Extreme Annual Design Conditions for Wilkes-Barre/Scranton, Pennsylvania}

	Extreme Annual Design Conditions														
			Extreme		Extreme	Annual DB				n-Year Ret	turn Period	Values of E	Extreme DB		
EXIF	eme Annua	31 VV 3	Max	Mean Standard deviation			n=5	years	n=10	n=10 years		years	n=50 years		
1%	2.5%	5%	 ₩ ₿	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min
14a	14b	14c	15	16a	16b	16c	16d	17a	17b	17c	17d	17e	17f	17g	17h
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20.3	18.3	16.7	84.9	92.6	- 3.9	2.8	6.3	94.6	- 8.4	96.3	-12.1	97.8	-15.7	99.9	-20.2
Notes: WB- Wet I	bulb tempe	rature.°F	·····			·				•	•	·			

WS- Wind speed, mph

DB- Dry bulb temperature, °F

BBNPP

Table 2.3-26—{Monthly Design Dry Bulb and Mean Coincident Wet Bulb Temperatures for Wilkes-Barro/Scranton, Pennsylvania}

	Monthly Design Dry Bulb and Mean Coincident Wet Bulb Temperatures											
-	-	-	-		-	-	-	-	-	-	-	-
96 Jan		an	F	eb	A	Mar		Apr		A ay	Jun	
	ĐB	MCWB	ĐB	MCWB	DB ·	MCWB	ÐB	MCWB	ĐB	MCWB	DB	MCWB
-	18a	18b	18 6	18d	18e	18f	18g	18h	18i	18j	18k	18
-	-	-	-	-	-	-	-	-	-	-	-	-
0.4%	60.4	55.8	59.2	50.7	74.3	58.8	82.4	62.5	86. 4	66.6	89.2	72.1
1%	55.9	51.1	56.1	4 9.5	69.1	56.2	78. 4	60.6	84.4	65.9	87.3	71.2
2%	51.5	47.7	53.0	4 7.6	65.3	53.7	74.6	58.7	82.4	65.3	85.4	70.2
-	-	-	-	-	-	-	-	-	-	-	-	-
04	ŀ	lul	A	ug	5	ер	€)ct	4	lov	£	ee
70	ĐB	MCWB	ÐB	MCWB	, DB	MCWB	ĐB	MCWB	DB	MCWB	ĐB	MCWB
-	18m	18n	180	18р	18q	18r	18s	-18t	18u	18v	18w	18x
-	-	-		-	-	-	-	-	-	-	-	-
0.4%	93.0	73.5	90.8	73.5	85.9	70.5	77.0	64.1	70.0	60.0	61.6	55.3
1%	90.5	73.1	88.7	72.5	83.7	69.0	74.7	63.2	66.5	59.0	58.0	52.6
2%	88.6	72.6	86.6	71.5	81.6	68.6	72.2	61.9	64.3	57.7	54.9	50.7
Notes:								-		•		•

DB- Dry bulb temperature, °F MCWB- Mean coincident wet bulb temperature, °F

-	
S	
5	
<	
<u> </u>	
••	
S	
n	
õ	
÷+ -	
-	
0	
-	
\sim	
1.5	
ω.	
	FSAR: Section 2.3

Table 2.2-27 - (Month	ly Design Wet Bulb and Mean Coincident)ry Bulh Tomporatures for Wilkes	Parro Coranton Donneylyania
TODIC Z.J ZI (INDITCH	ry besign werband and mean comercent	ry build reiniperatures for winkes	-Danescianton, remisyivamaj

<u> </u>	Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperatures												
-	-	- "		-	-	-	-	-	-	-	-	-	
96	Jan F		eb	b Mar			vpr ~	A	4 ay	Jun			
70	₩₿	MCDB	₩₿	MCDB	₩₿	MCDB	₩₿	MCDB	₩₿	MCDB	₩B	MCDB	
-	19a	19b	19c	19d	19e	19f	19g	19h	19i	19j	19k	19	
-	-	-	-	-	-	-	-	-	-	-	-	-	
0.4%	56.9	59.9	53.8	57.5	60.9	71.9	64.3	77.2	71.8	81.1	75.4	84.8	
1%	52.2	55.0	51. 4	54.2	58.3	67.1	62.8	75.1	70.1	79.4	73.8	82.8	
2%	48.1	50.6	4 8. 4	52.1	55.7	62.8	61.0	71.8	68.3	77.6	72.6	81.1	
-	-	-	-	-	-	-	-	-	-	-	-	-	
06	-	lul	A	ug	5	ер	€)ct	4	lov	Ð	lec	
70	₩₿	MCDB	₩₿	MCDB	₩₿	MCDB	₩₿	MCDB	₩₿	MCDB	₩₿	MCDB	
-	19m	19n	190	19p	19q	19r	19s	19t	19u	19v	19w	19x	
-	-	-	-	-	-	-	-	-	-	-	-	-	
0.4%	77.4	87.6	76.0	85.8	73.5	81.2	67.5	72.9	62.6	67.0	57.1	60.7	
1%	76.2	85.8	74.9	84.2	72.3	80.0	65.8	70.6	61.0	65.1	54.1	57.1	
2%	75.1	84.1	74.0	83.0	71.1	78.4	64.3	69.3	59.0	63.3	51.1	53.7	
Notes:	•		•	•	•		•		•	•	•		

WB- Wet bulb temperature, °F MCDB- Mean coincident dry bulb temperature, °F

BBNPP

				Month	ly Mean Daily	/ Temperature	Range				
-	-	-	-	-	-		-	-	-	-	-
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Đec
20a	20b	20c	20d	20e	20f	20g	20h	20i	20j	20k	201
-	-	-	-	-			-	-	-	-	-
13.3	14.6	16.5	18.5	19.7	19.0	18.8	18.4	18.1	17.8	14.0	12.4

 Table 2.3-28
 {Monthly Mean Daily Temperature Range for Wilkes-Barre/Scranton, Pennsylvania}

Table 2.3-29— {SSES 33['] (10-m) 2001-2007 Annual JFD} (Page 1 of 2)

				SSES JA	N01-DE	C07 MET	DATA J	OINT FRE	QUENC	Y DISTRI	BUTION	(60-METE	RTOW	ER)				
33.0) FT WIN	D DATA			STAE	BILITY CL	ASS A				C	LASS FRE	QUENC	Y (PERCE	NT) = 5.	.01		
							w	IND DIR	ECTION	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S,	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	- 0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	2	14	11	13	9	5	2	2	1	0	0	0	0	0	61
(1)	.00	.00	.07	.07	.46	.36	.43	.30	.16	.07	.07	.03	.00	.00	.00	.00	.00	2.00
(2)	.00	.00	.00	.00	.02	.02	.02	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.10
1.1- 1.5	2	13	31	36	35	36	25	25	38	35	33	15	5	3	2	4	0	338
(1)	.07	.43	1.02	1.18	1.15	1.18	.82	.82	1.25	1.15	1.08	.49	.16	.10	.07	.13	.00	11.10
(2)	.00	.02	.05	.06	.06	.06	.04	.04	.06	.06	.05	.02	.01	.00	.00	.01	.00	.56
1.6- 2.0	6	15	27	26	29	22	22	33	47	69	76	18	4	2	3	4	0	403
(1)	.20	.49	.89	.85	.95	.72	.72	1.08	1.54	2.27	2.50	.59	.13	.07	.10	.13	.00	13.23
(2)	.01	.02	.04	.04	.05	.04	.04	.05	.08	.11	, [.] .12	.03	.01	.00	.00	.01	.00	.66
2.1- 3.0	23	52	60	15	11	9	44	37	81	182	321	. 59	10	10	8	14	0	936
· (1)	.76	1.71	1.97	.49	.36	.30	1.44	1.21	2.66	5.98	10.54	1.94	.33	.33	.26	.46	.00	30.73
(2)	.04	.09	.10	.02	.02	.01	.07	.06	.13	.30	.53	.10	.02	.02	.01	.02	.00	1.54
3.1- 4.0	58	67	22	1	1	3	21	23	52	103	306	81	24	13	10	14	0	799
(1)	1.90	2.20	.72	.03	.03	.10	.69	.76	1.71	3.38	10.05	2.66	.79	.43	.33	.46	.00	26.23
(2)	.10	.11	.04	.00	.00	.00	.03	.04	.09	.17	.50	.13	.04	.02	.02	.02	.00	1.31
4.1- 5.0	21	17	4	0	0	1	14	7	25	30	141	88	15	5	5	9	.0	382
(1)	.69	.56	.13	.00	.00	.03	.46	.23	.82	.98	4.63	2.89	.49	.16	.16	.30	.00	12.54
(2)	.03	.03	.01	.00	.00	.00	.02	.01	.04	.05	.23	.14	.02	.01	.01	.01	.00	.63
5.1- 6.0	9	2	0	0	0	1	2	0	0	3	42	32	3	0	3	5	0	102
(1)	.30	.07	.00	.00	.00	.03	.07	.00	.00	.10	1.38	1.05	.10	.00	.10	.16	.00	3.35
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.05	.00	.00	.00	.01	.00	.17
6.1- 8.0	3	0.	0	0	0	0	0	1	1	0	12	5	0	0	1	2	0	25

BBNPP

2-82 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD} (Page 2 of 2)

				SSES JA	N01-DEC	CO7 MET	DATA JO	DINT FRE	QUENCI	DISTRIE	BUTION (60-METE	R TOWI	ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS A				C	LASS FRE	QUENC	Y (PERCE	NT) = 5.	01		
							W	IND DIRE	CTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.10	.00	.00	.00	.00	.00	.00	.03	.03	.00	.39	.16	.00	.00	.03	.07	.00	.82
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.01	.00	.00	.00	.00	.00	.04
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	122	166	146	80	90	83	141	135	249	424	933	299	61	33	32	52	0	3046
(1)	4.01	5.45	4.79	2.63	2.95	2.72	4.63	4.43	8.17	13.92	30.63	9.82	2.00	1.08	1.05	1.71	.00	100.00
(2)	.20	.27	.24	.13	.15	.14	.23	.22	.41	.70	1.53	.49	.10	.05	.05	.09	.00	5.01

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.

BBNPP

Rev. 2a

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES JA	N01-DE	CO7 MET	DATA JO ASS B	DINT FRE	QUENC	/ DISTRIE	BUTION	(60-METE LASS FRI	ER TOW	ER) Y (PERCE	NT) = 2.	.77		
								IND DIR	ECTION F	ROM	_				,			
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	2	0	3	2	13	11	5	3	5	2	1	1	0	. 1	1	0	0	50
(1)	.12	.00	.18	.12	.77	65	.30	.18	.30	.12	.06	.06	.00	.06	.06	.00	.00	2.97
(2)	.00	.00	.00	.00	.02	.02	.01	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.08
1.1- 1.5	8	2	17	25	18	11	11	11	18	19	13	2	0	1	0	0	0	156
(1)	.48	.12	1.01	1.49	1.07	.65	.65	.65	1.07	1.13	.77	.12	.00	.06	.00	.00	.00	9.27
(2)	.01	.00	.03	.04	.03	.02	.02	.02	.03	.03	.02	.00	.00	.00	.00	.00	.00	.26
1.6- 2.0	11	16	17	14	11	7	9	14	10	28	30	7	0	1	0	5	0	180
(1)	.65	.95	1.01	.83	.65	.42	.54	.83	.59	1.66	1.78	.42	.00	.06	.00	.30	.00	10.70
(2)	.02	.03	.03	.02	.02	.01	.01	.02	.02	.05	.05	.01	.00	.00	.00	.01	.00	.30
2.1- 3.0	12	53	43	7	7	3	20	11	27	82	124	25	10	2	10	8	0	444
(1)	.71	3.15	2.56	.42	.42	.18	1.19	.65	1.61	4.88	7.37	1.49	.59	.12	.59	.48	.00	26.40
(2)	.02	.09	.07	.01	.01	.00	.03	.02	.04	.13	.20	.04	.02	.00	.02	.01	.00	.73
3.1- 4.0	37	42	21	1	5	1	9	9	14	30	160	51	22	17	10	24	0	453
(1)	2.20	2.50	1.25	.06	.30	.06	.54	.54	.83	1.78	9.51	3.03	1.31	1.01	.59	1.43	.00	26.93
(2)	.06	.07	.03	.00	.01	.00	.01	.01	.02	.05	.26	.08	.04	.03	.02	.04	.00	.75
4.1- 5.0	21	14	6	0	2	1	3	2	4	8	92	50	19	12	9	21	0	264
(1)	1.25	.83	.36	.00	.12	.06	.18	.12	.24	.48	5.47	2.97	1.13	.71	.54	1.25	.00	15.70
(2)	.03	.02	.01	.00	.00	.00	.00	.00	.01	.01	.15	.08	.03	.02	.01	.03	.00	.43
5.1- 6.0	6	4	0	0	0	0	1	0	1	2	38	32	2	1	8	8	0	103
(1)	.36	.24	.00	.00	.00	.00	.06	.00	.06	.12	2.26	1.90	.12	.06	.48	.48	.00	6.12
(2)	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.06	.05	.00	.00	.01	.01	.00	.17
6.1- 8.0	4	0	0	0	0	0	0	0	0	0	11	9	0	0	3	3	0	30

BBNPP

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DE	CO7 MET	DATA JO	DINT FRE	QUENC	/ DISTRIE	SUTION (60-METE	R TOWI	ER)				
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS B				C	LASS FRE	QUENC	Y (PERCE	NT) = 2.	.77		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.24	.00	.00	.00	.00	.00	.00	.00	.00	.00	.65	.54	.00	.00	.18	.18	.00	1.78
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.01	.00	.00	.00	.00	.00	.05
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06	.00	.00	.00	.00	.06	.00	.12
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Ó	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	101	131	107	49	56	34	58	50	79	171	470	177	53	35	41	70	0	1682
(1)	6.00	7.79	6.36	2.91	3.33	2.02	3.45	2.97	4.70	10.17	27.94	10.52	3.15	2.08	2.44	4.16	.00	100.00
(2)	.17	.22	.18	.08	.09	.06	.10	.08	.13	.28	.77	.29	.09	.06	.07	.12	.00	2.77

.

.

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

				SSES JA	N01-DE	C07 MET	DATA JO	DINT FRE	QUENCY	Y DISTRII	BUTION	(60-METE	RTOW	ER)				
33.0	FT WING	D DATA			STAE	BILITY CL	ASS C				C	LASS FRE		Y (PERCE	NT) = 4.	.17		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	2	5	б	15	21	14	10	10	3	2	0	0	1	0	0	0	89
(1)	.00	.08	.20	.24	.59	.83	.55	.39	.39	.12	.08	.00	.00	.04	.00	.00	.00	3.51
(2)	.00	.00	.01	.01	.02	.03	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.15
1.1- 1.5	9	13	16	27	28	19	13	11	27	26	19	2	8	1	1	3	0	223
(1)	.36	.51	.63	1.07	1.11	.75	.51	.43	1.07	1.03	.75	.08	.32	.04	.04	.12	.00	8.80
(2)	.01	.02	.03	.04	.05	.03	.02	.02	.04	.04	.03	.00	.01	.00	.00	.00	.00	.37
1.6- 2.0	10	25	25	24	12	14	14	15	20	39	48	15	8	5	3	3	0	280
(1)	.39	.99	.99	.95	.47	.55	.55	.59	.79	1.54	1.89	.59	.32	.20	.12	.12	.00	11.05
(2)	.02	.04	.04	.04	.02	.02	.02	.02	.03	.06	.08	.02	.01	.01	.00	.00	.00	.46
2.1- 3.0	43	89	61	19	7	6	17	15	43	86	219	58	10	8	13	20	0	714
(1)	1.70	3.51	2.41	.75	.28	.24	.67	.59	1.70	3.40	8.65	2.29	.39	.32	.51	.79	.00	28.19
(2)	.07	.15	.10	.03	.01	.01	.03	.02	.07	.14	.36	.10	.02	.01	.02	.03	.00	1.17
3.1- 4.0	90	57	8	3	3	4	18	11	32	30	186	78	25	17	30	36	0	628
(1)	3.55	2.25	.32	.12	.12	.16	.71	.43	1.26	1.18	7.34	3.08	.99	.67	1.18	1.42	.00	24.79
(2)	.15	.09	.01	.00	.00	.01	.03	.02	.05	.05	.31	.13	.04	.03	.05	.06	.00	1.03
4.1- 5.0	38	15	4	0	0	2	3	4	10	9	103	89	21	14	17	38	0	367
(1)	1.50	.59	.16	.00	.00	.08	.12	.16	.39	.36	4.07	3.51	.83	.55	.67	1.50	.00	14.49
(2)	.06	.02	.01	.00	.00	.00	.00	.01	.02	.01	.17	.15	.03	.02	.03	.06	.00	.60
5.1- 6.0	10	5	0	0	0	0	1	0	1	0	36	47	19	2	20	24	0	165
(1)	.39	.20	.00	.00	.00	.00	.04	.00	.04	.00	1.42	1.86	.75	.08	.79	.95	.00	6.51
(2)	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.06	.08	.03	.00	.03	.04	.00	.27
6.1- 8.0	2	0	0	0	0	0	1	0	0	0	17	26	7	0	3	7	0	63

Rev. 2a

(Page 2 of 2)

				SSES JA	N01-DE	C07 MET	DATA JO	DINT FRE	QUENC	' DISTRIE	BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS C				c	LASS FRE	QUENC	Y (PERCE	NT) = 4.	17		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.08	.00	.00	.00	.00	.00	.04	.00	.00	.00	.67	1.03	.28	.00	.12	.28	.00	2.49
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.04	.01	.00	.00	.01	.00	.10
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.12	.00	.00	.00	.00	.00	.16
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	202	206	119	79	65	66	81	66	143	193	631	318	98	48	87	131	0	2533
(1)	7.97	8.13	4.70	3.12	2.57	2.61	3.20	2.61	5.65	7.62	24.91	12.55	3.87	1.89	3.43	5.17	.00	100.00
(2)	.33	.34	.20	.13	.11	.11	.13	.11	.24	.32	1.04	.52	.16	.08	.14	.22	.00	4.17

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

				SSES JA	NO1-DE	CO7 MET	DATA JO	DINT FRE	QUENC	Y DISTRI	BUTION	(60-METE	RTOW	ER)				
33.0		DDATA			STAB		ASS D		CTION		C	LASS FRE	QUENC	Y (PEKCEI	N(1) = 40	.31		
(DEED /	••				-		w	IND DIRI	CHONE	-KOM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	22F	5	22.AA	SW	wsw	W	WNW	NW	NNW	VKBL	TOTAL
LI .2	1	1	1	2	2	0	0	0	0	0	0	0	0	0	0	0	0	/
(1)	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	0	4	12	13	9	6	6	4	2	1	0	0	1	1	0	0	59
(1)	.00	.00	.02	.05	.05	.04	.02	.02	.02	.01	.00	.00	.00	.00	.00	.00	.00	.24
(2)	.00	.00	.01	.02	.02	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.10
.5- 1.0	40	141	229	271	350	324	269	178	169	98	65	28	11	5	24	20	0	2222
(1)	.16	.58	.93	1.11	1.43	1.32	1.10	.73	.69	.40	.27	.11	.04	.02	.10	.08	.00	9.07
(2)	.07	.23	.38	.45	.58	.53	.44	.29	.28	.16	.11	.05	.02	.01	.04	.03	.00	3.65
11-15	127	346	381	261	199	184	263	232	322	359	256	108	50	44	46	37	0	3215
(1)	52	1 4 1	1 55	1.06	81	75	1 07	95	1 31	146	1 04	44	20	18	19	15	ñ	13 12
(2)	21	57	63	43	.27	30	43	38	53	59	47	18	08	.10	08	.15	.00	5 79
(2)		,	.05	. 15		.50	.15		.55		.12		.00	.07	.00	.00	.00	5.29
1.6- 2.0	198	405	354	155	132	127	218	198	258	380	318	148	103	64	73	71	0	3202
(1)	.81	1.65	1.44	.63	.54	.52	.89	.81	1.05	1.55	1.30	.60	.42	.26	.30	.29	.00	13.06
(2)	.33	.67	.58	.25	.22	.21	.36	.33	.42	.62	.52	.24	.17	.11	.12	.12	.00	5.27
2.1- 3.0	600	719	494	134	106	179	291	263	414	572	821	347	248	242	296	374	0	6100
(1)	2.45	2.93	2.02	.55	.43	.73	1.19	1.07	1.69	2.33	3.35	1.42	1.01	.99	1.21	1.53	.00	24.89
(2)	.99	1.18	.81	.22	.17	.29	.48	.43	.68	.94	1.35	.57	.41	.40	.49	.62	.00	10.03
3.1-4.0	569	344	146	44	40	59	136	96	139	196	752	401	271	275	480	537	0	4485
(1)	2.32	1.40	.60	.18	.16	.24	.55	.39	.57	.80	3.07	1.64	1.11	1.12	1.96	2.19	.00	18.30
(2)	.94	.57	.24	.07	.07	.10	.22	.16	.23	.32	1.24	.66	.45	.45	.79	.88	.00	7.38
(-)																		
4.1- 5.0	250	74	21	8	11	17	32	30	48	38	463	441	289	228	468	485	0	2903
(1)	1.02	.30	.09	.03	.04	.07	.13	.12	.20	.16	1.89	1.80	1.18	.93	1.91	1.98	.00	11.84
(2)	.41	.12	.03	.01	.02	.03	.05	.05	.08	.06	.76	.73	.48	.37	.77	.80	.00	4.77
5.1- 6.0	46	10	5	3	5	6	10	12	9	7	211	323	173	145	310	214	0	1489
(1)	.19	.04	.02	.01	.02	.02	.04	.05	.04	.03	.86	1.32	.71	.59	1.26	.87	.00	6.08
(2)	.08	.02	.01	.00	.01	.01	.02	.02	.01	.01	.35	.53	.28	.24	.51	.35	.00	2.45
6.1- 8.0	6	1	1	2	0	3	5	8	7	2	90	235	118	73	113	81	0	745

FSAR: Section 2.3

BBNPP

Table 2.3-29---- {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

33.0	FT WINI			SSES JA	NO1-DE	CO7 MET	DATA JO ASS D	DINT FRE	QUENCY	DISTRI	BUTION (CL	60-METE		ER) Y (PERCEI	NT) = 40	.31		
55.0		o ontra					w	IND DIR	CTION F	ROM					,			
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.02	.00	.00	.01	.00	.01	.02	.03	.03	.01	.37	.96	.48	.30	.46	.33	.00	3.04
(2)	.01	.00	.00	.00	.00	.00	.01	.01	.01	.00	.15	.39	.19	.12	.19	.13	.00	1.23
8.1-10.0	0	0	0	0	0	0	1	0	2	0	5	47	18	4	2	2	0	81
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.02	.19	.07	.02	.01	.01	.00	.33
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.08	.03	.01	.00	.00	.00	.13
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	1837	2041	1636	892	858	908	1231	1023	1372	1654	2982	2079	1282	1081	1813	1821	0	24510
(1)	7.49	8.33	6.67	3.64	3.50	3.70	5.02	4.17	5.60	6.75	12.17	8.48	5.23	4.41	7.40	7.43	.00	100.00
(2)	3.02	3.36	2.69	1.47	1.41	1.49	2.02	1.68	2.26	2.72	4.90	3.42	2.11	1.78	2.98	2.99	.00	40.31

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

33.0				SSES JA	NO1-DE STAF	CO7 MET BILITY CL	DATA JO ASS E	DINT FRE	QUENCI	r DISTRIE		(60-METE	R TOW	ER) Y (PERCEI	NT) = 28	.44		
0010					51710		w		ECTION F	ROM	-			. (//@	, - 10			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	3	5	3	1	0	0	0	1	0	0	0	0	0	0	0	13
(1)	.00	.00	.02	.03	.02	.01	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.08
(2)	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	4	15	23	38	23	24	17	5	4	1	0	1	0	0	1	0	156
(1)	.00	.02	.09	.13	.22	.13	.14	.10	.03	.02	.01	.00	.01	.00	.00	.01	.00	.90
(2)	.00	.01	.02	.04	.06	.04	.04	.03	.01	.01	.00	.00	.00	.00	.00	.00	.00	.26
.5- 1.0	100	287	745	1287	1141	744	677	468	431	231	88	31	21	16	15	21	0	6303
(1)	.58	1.66	4.31	7.44	6.60	4.30	3.92	2.71	2.49	1.34	.51	.18	.12	.09	.09	.12	.00	36.45
(2)	.16	.47	1.23	2.12	1.88	1.22	1.11	.77	.71	.38	.14	.05	.03	.03	.02	.03	.00	10.37
1.1- 1.5	167	553	729	518	163	134	215	301	577	516	237	79	57	27	27	40	0	4340
(1)	.97	3.20	4.22	3.00	.94	.78	1.24	1.74	3.34	2.98	1.37	.46	.33	.16	.16	.23	.00	25.10
(2)	.27	.91	1.20	.85	.27	.22	.35	.50	.95	.85	.39	.13	.09	.04	.04	.07	.00	7.14
1.6- 2.0	222	436	265	85	43	49	59	139	272	510	239	116	48	32	47	45	0	2607
(1)	1.28	2.52	1.53	.49	.25	.28	.34	.80	1.57	2.95	1.38	.67	.28	.19	.27	.26	.00	15.08
(2)	.37	.72	.44	.14	.07	.08	.10	.23	.45	.84	.39	.19	.08	.05	.08	.07	.00	4.29
2.1- 3.0	240	361	193	34	35	43	60	82	225	411	413	106	65	41	97	157	0	2563
(1)	1.39	2.09	1.12	.20	.20	.25	.35	.47	1.30	2.38	2.39	.61	.38	.24	.56	.91	.00	14.82
(2)	.39	.59	.32	.06	.06	.07	.10	.13	.37	.68	.68	.17	.11	.07	.16	.26	.00	4.22
3.1- 4.0	70	98	59	17	13	17	22	33	71	88	209	65	20	18	28	67	0	895
(1)	.40	.57	.34	.10	.08	.10	.13	.19	.41	.51	1.21	.38	.12	.10	.16	.39	.00	5.18
(2)	.12	.16	.10	.03	.02	.03	.04	.05	.12	.14	.34	.11	.03	.03	.05	.11	.00	1.47
4.1- 5.0	14	15	7	2	5	4	12	20	29	27	53	22	8	6	15	16	0	255
(1)	.08	.09	.04	.01	.03	.02	.07	.12	.17	.16	.31	.13	.05	.03	.09	.09	.00	1.47
(2)	.02	.02	.01	.00	.01	.01	.02	.03	.05	.04	.09	.04	.01	.01	.02	.03	.00	.42
5.1- 6.0	4	1	5	3	1	8	9	9	16	6	11	14	3	5	3	2	0	100
(1)	.02	.01	.03	.02	.01	.05	.05	.05	.09	.03	.06	.08	.02	.03	.02	.01	.00	.58
(2)	.01	.00	.01	.00	.00	.01	.01	.01	.03	.01	.02	.02	.00	.01	.00	.00	.00	.16
6.1- 8.0	0	3	0	2	2	2	8	8	10	1	6	9	0	1	1	1	0	54

BBNPP

FSAR: Section 2.3

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DEC	C07 MET	DATA JO	DINT FRE	QUENC	OISTRIE	UTION (60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS E				CI	ASS FRE	QUENC	Y (PERCEN	IT) = 28	.44		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.02	.00	.01	.01	.01	.05	.05	.06	.01	.03	.05	.00	.01	.01	.01	.00	.31
(2)	.00	.00	.00	.00	.00	.00	.01	.01	.02	.00	.01	.01	.00	.00	.00	.00	.00	.09
8.1-10.0	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	3
(1)	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	817	1759	2021	1976	1444	1025	1086	1077	1636	1795	1258	444	223	146	233	350	0	17290
(1)	4.73	10.17	11.69	11.43	8.35	5.93	6.28	6.23	9.46	10.38	7.28	2.57	1.29	.84	1.35	2.02	.00	100.00
(2)	1.34	2.89	3.32	3.25	2.37	1.69	1.79	1.77	2.69	2.95	2.07	.73	.37	.24	.38	.58	.00	28.44

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-29--- {SSES 33' (10-m) 2001-2007 Annual JFD - continued}

	(Page 1	of 2)
--	---	--------	-------

33.0) FT WIN	D DATA		SSES JA	NO1-DEC STAB	CO7 MET	DATA JO .ASS F	DINT FRE	QUENC	Y DISTRIE	BUTION C	(60-METE	R TOW	ER) Y (PERCEI	NT) = 11	.76		
							w	IND DIRI	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	1	1	1	1	0	0	0	0	0	0	Ō	0	0	0	0	0	4
(1)	.00	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	1	3	4	16	28	10	7	3	2	0	2	0	1	0	0	0	0	77
(1)	.01	.04	.06	.22	.39	.14	.10	.04	.03	.00	.03	.00	.01	.00	.00	.00	.00	1.08
(2)	.00	.00	.01	.03	.05	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.13
.5- 1.0	15	90	544	1896	1008	399	241	172	165	50	20	8	5	2	7	8	0	4630
(1)	.21	1.26	7.61	26.52	14.10	5.58	3.37	2.41	2.31	.70	.28	.11	.07	.03	.10	.11	.00	64.77
(2)	.02	.15	.89	3.12	1.66	.66	.40	.28	.27	.08	.03	.01	.01	.00	.01	.01	.00	7.61
1.1- 1.5	27	105	381	1062	96	24	35	64	118	90	38	6	2	3	3	7	0	2061
(1)	.38	1.47	5.33	14.86	1.34	.34	.49	.90	1.65	1.26	.53	.08	.03	.04	.04	.10	.00	28.83
(2)	.04	.17	.63	1.75	.16	.04	.06	.11	.19	.15	.06	.01	.00	.00	.00	.01	.00	3.39
1.6- 2.0	14	52	52	82	2	1	1	12	17	38	23	5	0	1	2	3	0	305
(1)	.20	.73	.73	1.15	.03	.01	.01	.17	.24	.53	.32	.07	.00	.01	.03	.04	.00	4.27
(2)	.02	.09	.09	.13	.00	.00	.00	.02	.03	.06	.04	.01	.00	.00	.00	.00	.00	.50
2.1- 3.0	5	8	2	0	0	0	0	1	3	6	23	5	2	1	1	5	0	62
(1)	.07	.11	.03	.00	.00	.00	.00	.01	.04	.08	.32	.07	.03	.01	.01	.07	.00	.87
(2)	.01	.01	.00	.00	.00	.00	.00	.00	.00	.01	.04	.01	.00	.00	.00	.01	.00	.10
3.1- 4.0	2	1	1	0	0	0	0	0	0	1	0	0	0	1	1	1	0	8
(1)	.03	.01	.01	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.01	.01	.01	.00	.11
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
4.1- 5.0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

FSAR: Section 2.3

BBNPP

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DEC	CO7 MET	DATA JO	DINT FRE	QUENCI	DISTRIE	BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	IT) = 11	.76		
							W	IND DIRE	CTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	65	260	985	3057	1135	434	284	252	305	185	106	24	10	8	14	24	0	7148
(1)	.91	3.64	13.78	42.77	15.88	6.07	3.97	3.53	4.27	2.59	1.48	.34	.14	.11	.20	.34	.00	100.00
(2)	.11	.43	1.62	5.03	1.87	.71	.47	.41	.50	.30	.17	.04	.02	.01	.02	.04	.00	11.76

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES JA	N01-DE0 STAB	CO7 MET	DATA JO ASS G	DINT FRE	QUENC	Y DISTRIE	BUTION	(60-METE		ER) CY (PERCE	NT) = 7.	56		
									ECTION I	FROM	-				, - , .			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT.2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00	ñ	04
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	1	0	0	5	4	3	1	0	0	0	0	0	0	0	0	0	0	14
(1)	.02	.00	.00	.11	.09	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.30
(2)	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	8	42	483	1564	489	156	90	56	26	9	4	1	0	0	3	2	0	2933
(1)	.17	.91	10.51	34.03	10.64	3.39	1.96	1.22	.57	.20	.09	.02	.00	.00	.07	.04	.00	63.82
(2)	.01	.07	.79	2.57	.80	.26	.15	.09	.04	.01	.01	.00	.00	.00	.00	.00	.00	4.82
1.1- 1.5	2	15	244	1124	56	16	10	11	25	8	3	0	1	0	0	2	0	1517
(1)	.04	.33	5.31	24.46	1.22	.35	.22	.24	.54	.17	.07	.00	.02	.00	.00	.04	.00	33.01
(2)	.00	.02	.40	1.85	.09	.03	.02	.02	.04	.01	.00	.00	.00	.00	.00	.00	.00	2.49
1.6- 2.0	2	4	27	77	1	1	0	1	0	5	3	0	0,	0	0	0	0	121
(1)	.04	.09	.59	1.68	.02	.02	.00	.02	.00	.11	.07	.00	.00	.00	.00	.00	.00	2.63
(2)	.00	.01	.04	.13	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.20
2.1- 3.0	0	2	2	1	0	0	2	0	0	2	0	0	0	0	0	0	0	9
(1)	.00	.04	.04	.02	.00	.00	.04	.00	.00	.04	.00	.00	.00	.00	.00	.00	.00	.20
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	· 0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DEC	:07 MET	DATA JO	DINT FRE	QUENC	OISTRIB	UTION	(60-METE	R TOW	ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 7.	56		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	14	63	756	2772	550	176	103	68	51	24	10	1	1	0	3	.4	0	4596
(1)	.30	1.37	16.45	60.31	11.97	3.83	2.24	1.48	1.11	.52	.22	.02	.02	.00	.07	.09	.00	100.00
(2)	.02	.10	1.24	4.56	.90	.29	.17	.11	.08	.04	.02	.00	.00	.00	.00	.01	.00	7.56

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES JA	NO1-DE STABI	CO7 MET LITY CLA	DATA JO	DINT FRE	QUENCY	DISTRI	SUTION (CL	(60-METE ASS FREC	R TOW	ER) ' (PERCEN	IT) = 10(0.00		
							W		ECTION F	ROM			•	•••••	•			
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	2	2	5	9	6	1	0	0	0	1	0	0	0	0	0	0	0	26
(1)	.00	.00	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04
(2)	.00	.00	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04
.24	2	7	23	56	83	45	38	26	11	6	4	0	2	1	, 1	1	0	306
(1)	.00	.01	.04	.09	.14	.07	.06	.04	.02	.01	.01	.00	.00	.00	.00	.00	.00	.50
(2)	.00	.01	.04	.09	.14	.07	.06	.04	.02	.01	.01	.00	.00	.00	.00	.00	.00	.50
.5- 1.0	165	562	2011	5028	3030	1666	1309	896	811	395	182	70	37	25	50	51	0	16288
(1)	.27	.92	3.31	8.27	4.98	2.74	2.15	1.47	1.33	.65	.30	.12	.06	.04	.08	.08	.00	26.79
(2)	.27	.92	3.31	8.27	4.98	2.74	2.15	1.47	1.33	.65	.30	.12	.06	.04	.08	.08	.00	26.79
1.1- 1.5	342	1047	1799	3053	595	424	572	655	1125	1053	599	212	123	79	79	93	0	11850
(1)	.56	1.72	2.96	5.02	.98	.70	.94	1.08	1.85	1.73	.99	.35	.20	.13	.13	.15	.00	19.49
(2)	.56	1.72	2.96	5.02	.98	.70	.94	1.08	1.85	1.73	.99	.35	.20	.13	.13	.15	.00	19.49
1.6- 2.0	463	953	767	463	230	221	323	412	624	1069	737	309	163	105	128	131	0	7098
(1)	.76	1.57	1.26	.76	.38	.36	.53	.68	1.03	1.76	1.21	.51	.27	.17	.21	.22	.00	11.67
(2)	.76	1.57	1.26	.76	.38	.36	.53	.68	1.03	1.76	1.21	.51	.27	.17	.21	.22	.00	11.67
2.1- 3.0	923	1284	855	210	166	240	434	409	793	1341	19 21	600	345	304	425	578	0	10828
(1)	1.52	2.11	1.41	.35	.27	.39	.71	.67	1.30	2.21	3.16	.99	.57	.50	.70	.95	.00	17.81
(2)	1.52	2.11	1.41	.35	.27	.39	.71	.67	1.30	2.21	3.16	.99	.57	.50	.70	.95	.00	17.81
3.1- 4.0	826	609	257	66	62	84	206	172	308	448	1613	676	362	341	559	679	0	7268
(1)	1.36	1.00	.42	.11	.10	.14	.34	.28	.51	.74	2.65	1.11	.60	.56	.92	1.12	.00	11.95
(2)	1.36	1.00	.42	.11	.10	.14	.34	.28	.51	.74	2.65	1.11	.60	.56	.92	1.12	.00	11.95
4.1- 5.0	345	135	42	10	18	25	64	63	116	112	852	690	352	265	514	569	0	4172
(1)	.57	.22	.07	.02	.03	.04	.11	.10	.19	.18	1.40	1.13	.58	.44	.85	.94	.00	6.86
(2)	.57	.22	.07	.02	.03	.04	.11	.10	.19	.18	1.40	1.13	.58	.44	.85	.94	.00	6.86
5.1- 6.0	75	22	10	6	6	15	23	21	27	18	338	448	200	153	344	253	0	1959
(1)	.12	.04	.02	.01	.01	.02	.04	.03	.04	.03	.56	.74	.33	.25	.57	.42	.00	3.22
(2)	.12	.04	.02	.01	.01	.02	.04	.03	.04	.03	.56	.74	.33	.25	.57	.42	.00	3.22
6.1- 8.0	15	4	1	4	2	5	14	17	18	3	136	284	125	74	121	94	0	917

FSAR: Section 2.3

BBNPP

Table 2.3-29— {SSES 33' (10-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DEC	CO7 MET	DATA JO	DINT FRE	QUENCY	' DISTRIE	BUTION (60-METE	RTOW	ER)				
33.0	FT WINE	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	T) = 100	0.00		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.02	.01	.00	.01	.00	.01	.02	.03	.03	.00	.22	.47	.21	.12	.20	.15	.00	1.51
(2)	.02	.01	.00	.01	.00	.01	.02	.03	.03	.00	.22	.47	.21	.12	.20	.15	.00	1.51
8.1-10.0	0	1	0 .	0	0	0	1	0	2	0	8	51	18	4	2	3	0	90
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.08	.03	.01	.00	.00	.00	.15
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.08	.03	.01	.00	.00	.00	.15
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	3158	4626	5770	8905	4198	2726	2984	2671	3835	4446	6390	3342	1728	1351	2223	2452	0	60805
(1)	5.19	7.61	9.49	14.65	6.90	4.48	4.91	4.39	6.31	7.31	10.51	5.50	2.84	2.22	3.66	4.03	.00	100.00
(2)	5.19	7.61	9.49	14.65	6.90	4.48	4.91	4.39	6.31	7.31	10.51	5.50	2.84	2.22	3.66	4.03	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD} (Page 1 of 2)

197.0	D FT WIN	D DATA		SSES JA	N01-DE STAE	C07 MET BILITY CL	DATA JO ASS A	OINT FRE	QUENCI	/ DISTRI	BUTION C	(60-METE LASS FRE	R TOW	ER) CY (PERCE	NT) = 4.	.55		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	2	4	8	7	11	5	2	9	2	3	0	0	0	1	0	0	54
(1)	.00	.07	.15	.30	.26	.41	.19	.07	.33	.07	.11	.00	.00	.00	.04	.00	.00	2.00
(2)	.00	.00	.01	.01	.01	.02	.01	.00	.02	.00	.01	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	1	4	23	25	13	12	11	5	18	24	19	5	1	1	1	0	0	163
(1)	.04	.15	.85	.93	.48	.45	.41	.19	.67	.89	.71	.19	.04	.04	.04	.00	.00	6.05
(2)	.00	.01	.04	.04	.02	.02	.02	.01	.03	.04	.03	.01	.00	.00	.00	.00	.00	.28
1.6- 2.0	3	16	27	28	12	12	17	14	19	37	28	9	2	2	1	0	0	227
(1)	.11	.59	1.00	1.04	.45	.45	.63	.52	.71	1.37	1.04	.33	.07	.07	.04	.00	.00	8.42
(2)	.01	.03	.05	.05	.02	.02	.03	.02	.03	.06	.05	.02	.00	.00	.00	.00	.00	.38
2.1- 3.0	7	32	49	12	11	14	20	21	27	83	121	30	1	0	5	4	0	437
(1)	.26	1.19	1.82	.45	.41	.52	.74	.78	1.00	3.08	4.49	1.11	.04	.00	.19	.15	.00	16.22
(2)	.01	.05	.08	.02	.02	.02	.03	.04	.05	.14	.20	.05	.00	.00	.01	.01	.00	.74
3.1- 4.0	21	33	37	4	3	4	16	14	24	55	159	50	11	8	6	9	0	454
(1)	.78	1.22	1.37	.15	.11	.15	.59	.52	.89	2.04	5.90	1.86	.41	.30	.22	.33	.00	16.85
(2)	.04	.06	.06	.01	.01	.01	.03	.02	.04	.09	.27	.08	.02	.01	.01	.02	.00	.77
4.1- 5.0	42	46	15	10	1	1	18	17	24	54	193	71	15	10	4	8	0	529
(1)	1.56	1.71	.56	.37	.04	.04	.67	.63	.89	2.00	7.16	2.63	.56	.37	.15	.30	.00	19.63
(2)	.07	.08	.03	.02	.00	.00	.03	.03	.04	.09	.33	.12	.03	.02	.01	.01	.00	.89
5.1- 6.0	15	40	8	3	0	1	18	14	25	40	164	93	21	3	4	5	0	454
(1)	.56	1.48	.30	.11	.00	.04	.67	.52	.93	1.48	6.09	3.45	.78	.11	.15	.19	.00	16.85
(2)	.03	.07	.01	.01	.00	.00	.03	.02	.04	.07	.28	.16	.04	.01	.01	.01	.00	.77
6.1- 8.0	11	13	2	1	0	3	4	7	28	48	93	106	6	0	4	4	0	330

BBNPP

Rev. 2a

Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD} (Page 2 of 2)

				SSES JA	N01-DE	C07 MET	DATA JO	DINT FRE	QUENCI	DISTRIE	BUTION (60-METE	RTOW	ER)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS A				C	LASS FRE	QUENC	Y (PERCE	NT) = 4.	55		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.41	.48	.07	.04	.00	.11	.15	.26	1.04	1.78	3.45	3.93	.22	.00	.15	.15	.00	12.24
(2)	.02	.02	.00	.00	.00	.01	.01	.01	.05	.08	.16	.18	.01	.00	.01	.01	.00	.56
8.1-10.0	4	1	0	0	0	1	1	1	1	9	7	16	0	0	1	0	0	42
(1)	.15	.04	.00	.00	.00	.04	.04	.04	.04	.33	.26	.59	.00	.00	.04	.00	.00	1.56
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.02	.01	.03	.00	.00	.00	.00	.00	.07
10.1-40.3	0	0	0	0	0	0	0	0	1	0	1	3	0	0	Õ	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.04	.00	.04	.11	.00	.00	.00	.00	.00	.19
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.01
ALL SPEEDS	104	187	165	91	47	59	110	95	176	352	788	383	57	24	27	30	0	2695
(1)	3.86	6.94	6.12	3.38	1.74	2.19	4.08	3.53	6.53	13.06	29.24	14.21	2.12	.89	1.00	1.11	.00	100.00
(2)	.18	.32	.28	.15	.08	.10	.19	.16	.30	.59	1.33	.65	.10	.04	.05 ,	.05	.00	4.55

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

197.0	0 FT WIN	ID DATA		SSES JA	N01-DE STAE	CO7 MET BILITY CL	DATA JO ASS B	OINT FRE	QUENC	Y DISTRII	BUTION C	(60-METE LASS FRI	ER TOW	ER) TY (PERCE	NT) = 2.	.75		
							W	IND DIR	ECTION	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	5	5	5	5	3	2	3	4	0	1	0	0	0	1	0	34
(1)	.00	.00	.31	.31	.31	.31	.18	.12	.18	.25	.00	.06	.00	.00	.00	.06	.00	2.08
(2)	.00	.00	.01	.01	.01	.01	.01	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.06
1.1- 1.5	3	6	11	10	8	8	5	3	7	11	4	1	0	0	1	0	0	78
(1)	.18	.37	.67	.61	.49	.49	.31	.18	.43	.67	.25	.06	.00	.00	.06	.00	.00	4.78
(2)	.01	.01	.02	.02	.01	.01	.01	.01	.01	.02	.01	.00	.00	.00	.00	.00	.00	.13
1.6- 2.0	3	16	21	11	1	9	2	2	6	13	16	0	1	0	1	2	0	104
(1)	.18	.98	1.29	.67	.06	.55	.12	.12	.37	.80	.98	.00	.06	.00	.06	.12	.00	6.38
(2)	.01	.03	.04	.02	.00	.02	.00	.00	.01	.02	.03	.00	.00	.00	.00	.00	.00	.18
2.1- 3.0	12	25	27	9	5	4	9	8	7	29	53	11	3	3	3	5	0	213
(1)	.74	1.53	1.66	.55	.31	.25	.55	.49	.43	1.78	3.25	.67	.18	.18	.18	.31	.00	13.06
(2)	.02	.04	.05	.02	.01	.01	.02	.01	.01	.05	.09	.02	.01	.01	.01	.01	.00	.36
3.1- 4.0	15	36	22	6	5	2	7	9	7	28	85	27	5	5	7	4	0	270
(1)	.92	2.21	1.35	.37	.31	.12	.43	.55	.43	1.72	5.21	1.66	.31	.31	.43	.25	.00	16.55
(2)	.03	.06	.04	.01	.01	.00	.01	.02	.01	.05	.14	.05	.01	.01	.01	.01	.00	.46
4.1- 5.0	20	32	16	1	4	2	8	7	14	20	110	49	21	15	10	17	0	346
(1)	1.23	1.96	.98	.06	.25	.12	.49	.43	.86	1.23	6.74	3.00	1.29	.92	.61	1.04	.00	21.21
(2)	.03	.05	.03	.00	.01	.00	.01	.01	.02	.03	.19	.08	.04	.03	.02	.03	.00	.58
5.1- 6.0	24	27	9	1	2	0	7	4	8	21	77	48	19	9	9	16	0	281
(1)	1.47	1.66	.55	.06	.12	.00	.43	.25	.49	1.29	4.72	2.94	1.16	.55	.55	.98	.00	17.23
(2)	.04	.05	.02~	.00	.00	.00	.01	.01	.01	.04	.13	.08	.03	.02	.02	.03	.00	.47
6.1- 8.0	12	11	5	0	2	2	4	5	5	11	60	105	15	0	7	9	0	253

BBNPP

Table 2.3-30— {SSES 197'	(60-m) 2001-2007	Annual JFD - continued}
	(Page 2 of 2)	

				SSES JA	N01-DE0	C07 MET	DATA JO	DINT FRE	QUENCI	/ DISTRIE	BUTION ((60-METE	RTOW	ER)				
197.0	FT WIN	D DATA			STAB	BILITY CL	ASS B				C	LASS FRE		Y (PERCE	NT) = 2.	75		
							· W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.74	.67	.31	.00	.12	.12	.25	.31	.31	.67	3.68	6.44	.92	.00	.43	.55	.00	15.51
(2)	.02	.02	.01	.00	.00	.00	.01	.01	.01	.02	.10	.18	.03	.00	.01	.02	.00	.43
8.1-10.0	4	2	0	0	0	0	0	0	1	7	8	18	1	0	3	0	0	44
(1)	.25	.12	.00	.00	.00	.00	.00	.00	.06	.43	.49	1.10	.06	.00	.18	.00	.00	2.70
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.03	.00	.00	.01	.00	.00	.07
10.1-40.3	0	. 0	0	0	0	0	0	0	0	0	5	2	0	0	0	1	0	8
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.31	.12	.00	.00	.00	.06	.00	.49
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.01
ALL SPEEDS	93	155	116	43	32	32	45	40	58	144	418	262	65	32	41	55	0	1631
(1)	5.70	9.50	7.11	2.64	1.96	1.96	2.76	2.45	3.56	8.83	25.63	16.06	3.99	1.96	2.51	3.37	.00	100.00
(2)	.16	.26	.20	.07	.05	.05	.08	.07	.10	.24	.71	.44	.11	.05	.07	.09	.00	2.75

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

SSES JAN01-DEC07 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
197.	D FT WIN	ID DATA		STABILITY CLASS C CLASS FREQUENCY (PERCENT) = 4.16														
							w	IND DIRE	CTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	É	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	2	7	11	7	3	4	3	11	3	2	0	1	1	0	0	0	55
(1)	.00	.08	.28	.45	.28	.12	.16	.12	.45	.12	.08	.00	.04	.04	.00	.00	.00	2.23
(2)	.00	.00	.01	.02	.01	.01	.01	.01	.02	.01	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	6	8	12	18	17	6	5	7	11	22	9	1	1	1	0	2	0	126
(1)	.24	.32	.49	.73	.69	.24	.20	.28	.45	.89	.36	.04	.04	.04	.00	.08	.00	5.11
(2)	.01	.01	.02	.03	.03	.01	.01	.01	.02	.04	.02	.00	.00	.00	.00	.00	.00	.21
1.6- 2.0	9	22	18	16	14	4	6	4	10	25	15	4	3	2	0	2	0	154
(1)	.36	.89	.73	.65	.57	.16	.24	.16	.41	1.01	.61	.16	.12	.08	.00	.08	.00	6.24
(2)	.02	.04	.03	.03	.02	.01	.01	.01	.02	.04	.03	.01	.01	.00	.00	.00	.00	.26
2.1- 3.0	13	43	39	19	2	8	9	6	16	45	90	28	5	6	6	9	0	344
(1)	.53	1.74	1.58	.77	.08	.32	.36	.24	.65	1.82	3.65	1.14	.20	.24	.24	.36	.00	13.95
(2)	.02	.07	.07	.03	.00	.01	.02	.01	.03	.08	.15	.05	.01	.01	.01	.02	.00	.58
3.1- 4.0	33	55	42	4	4	4	9	5	15	33	135	57	13	10	15	16	0	450
(1)	1.34	2.23	1.70	.16	.16	.16	.36	.20	.61	1.34	5.47	2.31	.53	.41	.61	.65	.00	18.25
(2)	.06	.09	.07	.01	.01	.01	.02	.01	.03	.06	.23	.10	.02	.02	.03	.03	.00	.76
4.1- 5.0	56	53	10	5	2	5	10	9	21	28	151	78	21	19	27	35	0	530
(1)	2.27	2.15	.41	.20	.08	.20	.41	.36	.85	1.14	6.12	3.16	.85	.77	1.09	1.42	.00	21.49
(2)	.09	.09	.02	.01	.00	.01	.02	.02	.04	.05	.25	.13	.04	.03	.05	.06	.00	.89
5.1- 6.0	37	29	2	5	1	1	10	7	15	19	57	95	26	6	16	34	0	360
(1)	1.50	1.18	.08	.20	.04	.04	.41	.28	.61	.77	2.31	3.85	1.05	.24	.65	1.38	.00	14.60
(2)	.06	.05	.00	.01	.00	.00	.02	.01	.03	.03	.10	.16	.04	.01	.03	.06	.00	.61
6.1- 8.0	19	18	3	0	0	3	2	5	15	22	57	136	31	10	22	12	0	355

Rev. 2a

Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

SSES JAN01-DEC07 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS C CLASS FREQUENCY (PERCENT) = 4.16																		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.77	.73	.12	.00	.00	.12	.08	.20	.61	.89	2.31	5.52	1.26	.41	.89	.49	.00	14.40
(2)	.03	.03	.01	.00	.00	.01	.00	.01	.03	.04	.10	.23	.05	.02	.04	.02	.00	.60
8.1-10.0	1	1	1	0	0	0	1	0	0	5	9	47	8	0	0	5	0	78
(1)	.04	.04	.04	.00	.00	.00	.04	.00	.00	.20	.36	1.91	.32	.00	.00	.20	.00	3.16
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.02	.08	.01	.00	.00	.01	.00	.13
10.1-40.3	0	0	0	0	0	0	1	0	0	0	1	12	0	0	0	0	0	14
(1)	.00	.00	.00	.00	.00	.00	.04	.00	.00	.00	.04	.49	.00	.00	.00	.00	.00	.57
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
ALL SPEEDS	174	231	134	78	47	34	57	46	114	202	526	458	109	55	86	115	0	2466
(1)	7.06	9.37	5.43	3.16	1.91	1.38	2.31	1.87	4.62	8.19	21.33	18.57	4.42	2.23	3.49	4.66	.00	100.00
(2)	.29	·.39	.23	.13	.08	.06	.10	.08	.19	.34	.89	.77	.18	.09	.15	.19	.00	4.16

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

								(Page	e i of 2)										
SSES JAN01-DEC07 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																			
1 9 7.0			STAE	BILITY CL	ASS D				CLASS FREQUENCY (PERCENT) = 40.94										
							W	IND DIRE	CTION I	ROM									
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL	
LT .2	0	0	0	0	1	0	0	0	0	0	0	.0	0	0	0	0	0	1	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
.24	0	3	1	2	5	1	0	2	1	1	2	0	1	0	1	0	0	20	
(1)	.00	.01	.00	.01	.02	.00	.00	.01	.00	.00	.01	.00	.00	.00	.00	.00	.00	.08	
(2)	.00	.01	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	
.5- 1.0	30	88	168	156	110	117	109	95	98	70	47	21	10	9	7	11	0	1146	
(1)	.12	.36	.69	.64	.45	.48	.45	.39	.40	.29	.19	.09	.04	.04	.03	.05	.00	4.72	
(2)	.05	.15	.28	.26	.19	.20	.18	.16	.17	.12	.08	.04	.02	.02	.01	.02	.00	1.93	
1.1- 1.5	64	193	228	137	82	63	89	117	148	182	159	49	13	11	12	30	0	1577	
(1)	.26	.80	.94	.56	.34	.26	.37	.48	.61	.75	.66	.20	.05	.05	.05	.12	.00	6.50	
(2)	.11	.33	.38	.23	.14	.11	.15	.20	.25	.31	.27	.08	.02	.02	.02	.05	.00	2.66	
1.6- 2.0	83	177	169	94	89	69	77	83	113	232	279	110	29	17	18 [.]	23	0	1662	
(1)	.34	.73	.70	.39	.37	.28	.32	.34	.47	.96	1.15	.45	.12	.07	.07	.09	.00	6.85	
(2)	.14	.30	.29	.16	.15	.12	.13	.14	.19	.39	.47	.19	.05	.03	.03	.04	.00	2.80	
2.1- 3.0	245	430	346	189	144	115	201	145	137	307	578	260	141	118	107	112	0	3575	
(1)	1.01	. 1.77	1.43	.78	.59	.47	.83	.60	.56	1.27	2.38	1.07	.58	.49	.44	.46	.00	14.74	
(2)	.41	.73	.58	.32	.24	.19	.34	.24	.23	52	.98	.44	.24	.20	.18	.19	.00	6.03	
3.1- 4.0	379	455	344	85	89	100	157	177	157	199	466	336	219	224	268	289	0	3944	
(1)	1.56	1.88	1.42	.35	.37	.41	.65	.73	.65	.82	1.92	1.38	.90	.92	1.10	1.19	.00	16.26	
(2)	.64	.77	.58	.14	.15	.17	.26	.30	.26	.34	.79	.57	.37	.38	.45	.49	.00	6.65	
4.1- 5.0	405	414	216	61	56	92	132	136	180	176	412	481	297	284	458	468	0	4268	
(1)	1.67	1.71	.89	.25	.23	.38	.54	.56	.74	.73	1.70	1.98	1.22	1.17	.1.89	1.93	.00	17.59	
(2)	.68	.70	.36	.10	.09	.16	.22	.23	.30	.30	.70	.81	.50	.48	.77	.79	.00	7.20	
5.1- 6.0	242	300	114	21	31	49	91	79	124	170	311	592	328	265	419	389	0	3525	
(1)	1.00	1.24	.47	.09	.13	.20	.38	.33	.51	.70	1.28	2.44	1.35	1.09	1.73	1.60	.00	14.53	
(2)	.41	.51	.19	.04	.05	.08	.15	.13	.21	.29	.52	1.00	.55	.45	.71	.66	.00	5.95	
6.1- 8.0	96	160	55	12	19	33	41	55	77	137	255	1047	467	280	417	277	0	3428	

Table 2.3-30--- {SSES 197' (60-m) 2001-2007 Annual JFD - continued}

BBNPP

Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

SSES JAN01-DEC07 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																			
197.0) FT WIN	D DATA			STAB	SILITY CL	ASS D			CLASS FREQUENCY (PERCENT) = 40.94									
							W	IND DIR	ECTION F	ROM									
SPEED m/s	Ν	NNE	NE	ENĘ	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL	
(1)	.40	.66	.23	.05	.08	.14	.17	.23	.32	.56	1.05	4.32	1.92	1.15	1.72	1.14	.00	14.13	
(2)	.16	.27	.09	.02	.03	.06	.07	.09	.13	.23	.43	1.77	.79	.47	.70	.47	.00	5.78	
8.1-10.0	4	8	4	2	4	6	11	17	20	36	52	388	179	61	51	35	0	878	
(1)	.02	.03	.02	.01	.02	.02	.05	.07	.08	.15	.21	1.60	.74	.25	.21	.14	.00	3.62	
(2)	.01	.01	.01	.00	.01	.01	.02	.03	.03	.06	.09	.65	.30	.10	.09	.06	.00	1.48	
10.1-40.3	1	2	1	3	1	3	3	6	9	11	4	136	48	8	1	0	0	237	
(1)	.00	.01	.00	.01	.00	.01	.01	.02	.04	.05	.02	.56	.20	.03	.00	.00	.00	.98	
(2)	.00	.00	.00	.01	.00	.01	.01	.01	.02	.02	.01	.23	.08	.01	.00	.00	.00	.40	
ALL SPEEDS	1549	2230	1646	762	631	648	91 1	912	1064	1521	2565	3420	1732	1277	1759	1634	0	24261	
(1)	6.38	9.19	6.78	3.14	2.60	2.67	3.75	3.76	4.39	6.27	10.57	14.10	7.14	5.26	7.25	6.74	.00	100.00	
(2)	2.61	3.76	2.78	1.29	1.06	1.09	1.54	1.54	1.80	2.57	4.33	5.77	2.92	2.15	2.97	2.76	.00	40.94	

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

				SSES JAN01-DEC07 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)														
197.	O FT WIN	ID DATA		STABILITY CLASS E CLASS FREQUENCY (PERCENT) = 28.48														
							w	IND DIR	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	1	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	4
(1)	.00	.01	.01	.01	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	0	5	9	5	5	7	5	4	2	1	0	0	0	0	0	0	43
(1)	.00	.00	.03	.05	.03	.03	.04	.03	.02	.01	.01	.00	.00	.00	.00	.00	.00	.25
(2)	.00	.00	.01	.02	.01	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	78	182	354	255	215	208	200	162	164	116	81	34	21	4	12	29	0	2115
(1)	.46	1.08	2.10	1.51	1.27	1.23	1.19	.96	.97	.69	.48	.20	.12	.02	.07	.17	.00	12.53
(2)	.13	.31	.60	.43	.36	.35	.34	.27	.28	.20	.14	.06	.04	.01	.02	.05	.00	3.57
1.1- 1.5	126	390	462	146	133	87	141	195	187	199	171	59	31	11	16	39	0	2393
(1)	.75	2.31	2.74	.87	.79	.52	.84	1.16	1.11	1.18	1.01	.35	.18	.07	.09	.23	.00	14.18
(2)	.21	.66	.78	.25	.22	.15	.24	.33	.32	.34	.29	.10	.05	.02	.03	.07	.00	4.04
1.6- 2.0	[,] 177	544	253	1 12	70	45	81	85	142	189	201	99	36	16	19	25	0	2094
(1)	1.05	3.22	1.50	.66	.41	.27	.48	.50	.84	1.12	1.19	.59	.21	.09	.11	.15	.00	12.41
(2)	.30	.92	.43	.19	.12	.08	.14	.14	.24	.32	.34	.17	.06	.03	.03	.04	.00	3.53
2.1- 3.0	329	776	362	165	108	95	102	165	191	283	436	216	100	94	59	71	0	3552
(1)	1.95	4.60	2.14	.98	.64	.56	.60	.98	1.13	1.68	2.58	1.28	.59	.56	.35	.42	.00	21.05
(2)	.56	1.31	.61	.28	.18	.16	.17	.28	.32	.48	.74	.36	.17	.16	.10	.12	.00	5.99
3.1- 4.0	189	331	271	63	63	55	81	132	200	343	396	263	90	48	92	90	0	2707
(1)	1.12	1.96	1.61	.37	.37	.33	.48	.78	1.19	2.03	2.35	1.56	.53	.28	.55	.53	.00	16.04
(2)	.32	.56	.46	.11	.11	.09	.14	.22	.34	.58	.67	.44	.15	.08	.16	.15	.00	4.57
4.1- 5.0	89	176	138	34	24	25	47	70	131	281	351	296	46	29	96	79	0	1912
(1)	.53	1.04	.82	.20	.14	.15	.28	.41	.78	1.66	2.08	1.75	.27	.17	.57	.47	.00	11.33
(2)	.15	.30	.23	.06	.04	.04	.08	.12	.22	.47	.59	.50	.08	.05	.16	.13	.00	3.23
5.1- 6.0	23	101	72	15	3	11	20	31	70	150	164	317	21	11	50	26	0	1085
(1)	.14	.60	.43	.09	.02	.07	.12	.18	.41	.89	.97	1.88	.12	.07	.30	.15	.00	6.43
(2)	.04	.17	.12	.03	.01	.02	.03	.05	.12	.25	.28	.53	.04	.02	.08	.04	.00	1.83
6.1- 8.0	6	59	30	4	15	13	16	30	76	125	59	261	23	11	15	9	0	752

Rev. 2a

Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

	SSES JAN01-DEC07 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
197.0			STAE	BILITY CL	ASS E				CLASS FREQUENCY (PERCENT) = 28.48										
							W	IND DIRE	CTION I	FROM									
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL	
(1)	.04	.35	.18	.02	.09	.08	.09	.18	.45	.74	.35	1.55	.14	.07	.09	.05	.00	4.46	
(2)	.01	.10	.05	.01	.03	.02	.03	.05	.13	.21	.10	.44	.04	.02	.03	.02	.00	1.27	
8.1-10.0	0	3	10	2	0	11	14	14	30	37	12	23	4	0	0	0	0	160	
(1)	.00	.02	.06	.01	.00	.07	.08	.08	.18	.22	.07	.14	.02	.00	.00	.00	.00	.95	
(2)	.00	.01	.02	.00	.00	.02	.02	.02	.05	.06	.02	.04	.01	.00	.00	.00	.00	.27	
10.1-40.3	0	5	3	3	2	2	5	8	16	6	4	· 5	1	0	0	0	0	60	
(1)	.00	.03	.02	.02	.01	.01	.03	.05	.09	.04	.02	.03	.01	.00	.00	.00	.00	.36	
(2)	.00	.01	.01	.01	.00	.00	.01	.01	.03	.01	.01	.01	.00	.00	.00	.00	.00	.10	
ALL SPEEDS	1017	2568	1961	809	638	557	714	898	1211	1731	1876	1573	373	224	359	368	0	16877	
(1)	6.03	15.22	11.62	4.79	3.78	3.30	4.23	5.32	7.18	10.26	11.12	9.32	2.21	1.33	2.13	2.18	.00	100.00	
(2)	1.72	4.33	3.31	1.37	1.08	.94	1.20	1.52	2.04	2.92	3.17	2.65	.63	.38	.61	.62	.00	28.48	

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Meteorology
Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

				SSES JA	N01-DE	C07 MET	DATA JO	OINT FRE	QUENCY	DISTRIE	UTION	(60-METE	RTOW	ER)				
197.0) FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCEI	NT) = 11	.56		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	1	1	6	6	3	3	0	1	0	1	0	0	0	0	0	0	0	22
(1)	.01	.01	.09	.09	.04	.04	.00	.01	.00	.01	.00	.00	.00	.00	.00	.00	.00	.32
(2)	.00	.00	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04
.5- 1.0	31	98	226	176	145	129	110	56	50	30	14	9	9	6	8	8	0	1105
(1)	.45	1.43	3.30	2.57	2.12	1.88	1.61	.82	.73	.44	.20	.13	.13	.09	.12	.12	.00	16.12
(2)	.05	.17	.38	.30	.24	.22	.19	.09	.08	.05	.02	.02	.02	.01	.01	.01	.00	1.86
1.1- 1.5	95	455	389	133	96	70	83	82	107	59	40	14	6	3	5	12	0	1649
(1)	1.39	6.64	5.68	1.94	1.40	1.02	1.21	1.20	1.56	.86	.58	.20	.09	.04	.07	.18	.00	24.06
(2)	.16	.77	.66	.22	.16	.12	.14	.14	.18	.10	.07	.02	.01	.01	.01	.02	.00	2.78
1.6- 2.0	155	711	218	40	31	20	18	38	70	86	51	16	8	10	10	10	0	1492
(1)	2.26	10.38	3.18	.58	.45	.29	.26	.55	1.02	1.25	.74	.23	.12	.15	.15	.15	.00	21.77
(2)	.26	1.20	.37	.07	.05	.03	.03	.06	.12	.15	.09	.03	.01	.02	.02	.02	.00	2.52
2.1- 3.0	289	806	134	17	21	10	13	20	66	127	163	22	11	13	19	18	0	1749
(1)	4.22	11.76	1.96	.25	.31	.15	.19	.29	.96	1.85	2.38	.32	.16	.19	.28	.26	.00	25.52
(2)	.49	1.36	.23	.03	.04	.02	.02	.03	.11	.21	.28	.04	.02	.02	.03	.03	.00	2.95
3.1- 4.0	50	97	31	1	5	3	7	11	26	67	121	69	5	2	14	5	0	514
(1)	.73	1.42	.45	.01	.07	.04	.10	.16	.38	.98	1.77	1.01	.07	.03	.20	.07	.00	7.50
(2)	.08	.16	.05	.00	.01	.01	.01	.02	.04	.11	.20	.12	.01	.00	.02	.01	.00	.87
4.1- 5.0	7	6	3	0	0	1.	0	1	10	28	44	108	0	0	4	3	0	215
(1)	.10	.09	.04	.00	.00	.01	.00	.01	.15	.41	.64	1.58	.00	.00	.06	.04	.00	3.14
(2)	.01	.01	.01	.00	.00	.00	.00	.00	.02	.05	.07	.18	.00	.00	.01	.01	.00	.36
5.1- 6.0	3	0	0	0	1	0	0	0	2	6	14	56	0	0	0	1	0	83
(1)	.04	.00	.00	.00	.01	.00	.00	.00	.03	.09	.20	.82	.00	.00	.00	.01	.00	1.21
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.01	.02	.09	.00	.00	.00	.00	.00	.14
6.1- 8.0	1	0	0	0	0	0	0	1	1	1	1	15	1	0	1	0	0	22

BBNPP

Rev. 2a

FSAR: Section 2.3

Meteorology

Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DE	C07 MET	DATA JO	DINT FRE	QUENC	/ DISTRIB	UTION	(60-METE	R TOW	ER)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 11	.56		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.01	.00	.00	.00	.00	.00	.00	.01	.01	.01	.01	.22	.01	.00	.01	.00	.00	.32
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.04
8.1-10.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	632	2174	1008	373	302	236	231	210	332	406	448	309	40	34	61	57	0	6853
(1)	9.22	31.72	14.71	5.44	4.41	3.44	3.37	3.06	4.84	5.92	6.54	4.51	.58	.50	.89	.83	.00	100.00
(2)	1.07	3.67	1.70	.63	.51	.40	.39	.35	.56	.69	.76	.52	.07	.06	.10	.10	.00	11.56

.

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-30---- {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

197.0) FT WIN	ID DATA		SSES JA	NO1-DE	CO7 MET BILITY CL	DATA JO ASS G	DINT FRE	QUENC	DISTRI	SUTION C	(60-METE LASS FRE	R TOW	er) Cy (perce	NT) = 7.	.57		
							w	IND DIR	ECTION I	ROM			-	•				
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	1	2	1	4	1	0	0	0	0	0	0	0	0	1	0	0	10
(1)	.00	.02	.04	.02	.09	.02	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.22
(2)	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	20	46	118	115	89	76	51	39	26	14	5	3	1	1	0	3	0	607
(1)	.45	1.03	2.63	2.56	1.98	1.69	1.14	.87	.58	.31	.11	.07	.02	.02	.00	.07	.00	13.54
(2)	.03	.08	.20	.19	.15	.13	.09	.07	.04	.02	.01	.01	.00	.00	.00	.01	.00	1.02
1.1- 1.5	45	280	328	123	88	71	63	59	69	41	21	4	4	5	4	б	0	1211
(1)	1.00	6.24	7.31	2.74	1.96	1.58	1.40	1.32	1.54	.91	.47	.09	.09	.11	.09	.13	.00	27.01
(2)	.08	.47	.55	.21	.15	.12	.11	.10	.12	.07	.04	.01	.01	.01	.01	.01	.00	2.04
1.6- 2.0	132	543	227	49	15	12	17	23	59	52	33	10	2	2	5	3	0	1184
(1)	2.94	12.11	5.06	1.09	.33	.27	.38	.51	1.32	1.16	.74	.22	.04	.04	.11	.07	.00	26.40
(2)	.22	.92	.38	.08	.03	.02	.03	.04	.10	.09	.06	.02	.00	.00	.01	.01	.00	2.00
2.1- 3.0	229	447	117	14	6	12	8	14	68	98	92	18	1	6	15	10	0	1155
(1)	5.11	9.97	2.61	.31	.13	.27	.18	.31	1.52	2.19	2.05	.40	.02	.13	.33	.22	.00	25.76
(2)	.39	.75	.20	.02	.01	.02	.01	.02	.11	.17	.16	.03	.00	.01	.03	.02	.00	1.95
3.1- 4.0	39	43	8	0	0	2	3	0	13	47	48	19	2	3	9	1	0	237
(1)	.87	.96	.18	.00	.00	.04	.07	.00	.29	1.05	1.07	.42	.04	.07	.20	.02	.00	5.29
(2)	.07	.07	.01	.00	.00	.00	.01	.00	.02	.08	.08	.03	.00	.01	.02	.00	.00	.40
4.1- 5.0	3	0	0	0	1	0	0	1	3	16	7	25	0	0	1	0	0	57
(1)	.07	.00	.00	.00	.02	.00	.00	.02	.07	.36	.16	.56	.00	.00	.02	.00	.00	1.27
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.01	.03	.01	.04	.00	.00	.00	.00	.00	.10
5.1- 6.0	0	0	0	0	0	0	0	1	1	4	1	8	0	0	0	0	0	15
(1)	.00	.00	.00	.00	.00	.00	.00	.02	.02	.09	.02	.18	.00	.00	.00	.00	.00	.33
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.01	.00	.00	.00	.00	.00	.03
6.1- 8.0	0	0	0	0	0	0	0	0	0	1	1	6	0	0	0	0	0	8

Table 2.3-30— {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DE(C07 MET	DATA JO	DINT FRE	QUENC	/ DISTRIE	UTION	(60-METE	R TOW	ER)				
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 7.	57		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.13	.00	.00	.00	.00	.00	.18
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.01
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	468	1360	800	302	203	174	142	137	239	273	208	93	10	17	35	23	0	4484
(1)	10.44	30.33	17.84	6.74	4.53	3.88	3.17	3.06	5.33	6.09	4.64	2.07	.22	.38	.78	.51	.00	100.00
(2)	.79	2.29	1.35	.51	.34	.29	.24	.23	.40	.46	.35	.16	.02	.03	.06	.04	.00	7.57

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-30--- {SSES 197' (60-m) 2001-2007 Annual JFD - continued} (Page 1 of 2)

				SSES JA	N01-DE	CO7 MET	DATA JO	DINT FRE		Y DISTRII	BUTION	(60-METE	RTOW	ER)				
197.	0 FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCI	(PERCEN	T) = 100	0.00		
							W	IND DIRE	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	1	2	1	1	0	0	1	0	0	0	0	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	1	5	14	. 18	.17	10	7	8	5	4	3	0	1	0	2	0	0	95
(1)	.00	.01	.02	.03	.03	.02	.01	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.16
(2)	.00	.01	.02	.03	.03	.02	.01	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.16
.5- 1.0	159	418	882	726	578	549	482	359	361	239	152	68	42	21	28	52	0	5116
(1)	.27	.71	· 1.49	1.22	.98	.93	.81	.61	.61	.40	.26	.11	.07	.04	.05	.09	.00	8.63
(2)	.27	.71	1.49	1.22	.98	.93	.81	.61	.61	.40	.26	.11	.07	.04	.05	.09	.00	8.63
1.1- 1.5	340	1336	1453	592	437	317	397	468	547	538	423	133	56	32	39	89	0	7197
(1)	.57	2.25	2.45	1.00	.74	.53	.67	.79	.92	.91	.71	.22	.09	.05	.07	.15	.00	12.14
(2)	.57	2.25	2.45	1.00	.74	.53	.67	.79	.92	.91	.71	.22	.09	.05	.07	.15	.00	12.14
1.6- 2.0	562	2029	933	350	232	171	218	249	419	634	623	248	81	49	54	65	0	6917
(1)	.95	3.42	1.57	.59	.39	.29	.37	.42	.71	1.07	1.05	.42	.14	.08	.09	.11	.00	11.67
(2)	.95	3.42	1.57	.59	.39	.29	.37	.42	.71	1.07	1.05	.42	.14	.08	.09	.11	.00	11.67
2.1- 3.0	1124	2559	1074	425	297	258	362	379	512	972	1533	585	262	240	214	229	0	11025
(1)	1.90	4.32	1.81	.72	.50	.44	.61	.64	.86	1.64	2.59	.99	.44	.40	.36	.39	.00	18.60
(2)	1.90	4.32	1.81	.72	.50	.44	.61	.64	.86	1.64	2.59	.99	.44	.40	.36	.39	.00	18.60
3.1- 4.0	726	1050	755	163	169	170	280	348	442	772	1410	821	345	300	411	414	0	8576
(1)	1.22	1.77	1.27	.28	.29	.29	.47	.59	.75	1.30	2.38	1.39	.58	.51	.69	.70	.00	14.47
(2)	1.22	1.77	1.27	.28	.29	.29	.47	.59	.75	1.30	2.38	1.39	.58	.51	.69	.70	.00	14.47
4.1- 5.0	622	727	398	111	88	126	215	241	383	603	1268	1108	400	357	600	610	0	7857
(1)	1.05	1.23	.67	.19	.15	.21	.36	.41	.65	1.02	2.14	1.87	.67	.60	1.01	1.03	.00	13.26
(2)	1.05	1.23	.67	.19	.15	.21	.36	.41	.65	1.02	2.14	1.87	.67	.60	1.01	1.03	.00	13.26
5.1- 6.0	344	497	205	45	38	62	146	136	245	410	788	1209	415	294	498	471	0	5803
(1)	.58	.84	.35	.08	.06	.10	.25	.23	.41	.69	1.33	2.04	.70	.50	.84	.79	.00	9.79
(2)	.58	.84	.35	.08	.06	.10	.25	.23	.41	.69	1.33	2.04	.70	.50	.84	.79	.00	9.79
6.1- 8.0	145	261	95	17	36	54	67	103	202	345	526	1676	543	301	466	311	0	5148

			Та	able 2.	3-30—	(SSES 1	97' (60	- m) 20 (Page	01-200 2 of 2)	7 Annu	ıal JFD	- contii	nued}					
197.0) FT WIN	ID DATA		SSES JA	N01-DEC	CO7 MET LITY CLA	DATA JO		QUENCY		BUTION (CL	60-METE	ER TOWE QUENCY	ER) (PERCEN	IT) = 100	0.00		
SPEED m/s	N	NNF	NF	ENE	F	FSF	SE	SSF	S S	SSW	sw	wsw	w	WNW	NW	NNW	VRRI	τοται
(1)	.24	.44	.16	.03	.06	.09	.11	.17	.34	.58	.89	2.83	.92	.51	.79	52	00	8 69
(2)	.24	.44	.16	.03	.06	.09	.11	.17	.34	.58	.89	2.83	.92	.51	.79	.52	.00	8.69
8.1-10.0	13	15	15	4	4	18	27	32	52	95	88	492	192	61	55	40	0	1203
(1)	.02	.03	.03	.01	.01	.03	.05	.05	.09	.16	.15	.83	.32	.10	.09	.07	.00	2.03
(2)	.02	.03	.03	.01	.01	.03	.05	.05	.09	.16	.15	.83	.32	.10	.09	.07	.00	2.03
10.1-40.3	1	7	4	6	3	5	9	14	26	17	15	158	49	8	1	1	0	324
(1)	.00	.01	.01	.01	.01	.01	.02	.02	.04	.03	.03	.27	.08	.01	.00	.00	.00	.55
(2)	.00	.01	.01	.01	.01	.01	.02	.02	.04	.03	.03	.27	.08	.01	.00	.00	.00	.55
ALL SPEEDS	4037	8905	5830	2458	1900	1740	2210	2338	3194	4629	6829	6498	2386	1663	2368	2282	0	59267
(1)	6.81	15.03	9.84	4.15	3.21	2.94	3.73	3.94	5.39	7.81	11.52	10.96	4.03	2.81	4.00	3.85	.00	100.00
(2)	6.81	15.03	9.84	4.15	3.21	2.94	3.73	3.94	5.39	7.81	11.52	10.96	4.03	2.81	4.00	3.85	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-31— {SSES 33' (10-m) 2001-2006 Annual JFD} (Page 1 of 2)

33.0	FT WIN	ΠΠΑΤΑ		SSES JA	NO1-DE	CO6 MET	DATA JO	DINT FRE	QUENCY	Y DISTRII		60-METE		ER) V (DEDCE	NT) 5	76		
55.0		DAIA			JIAL		w			ROM	Ľ		QUENC	I (FERCE	N1/= 3.	.70		
SPEED m/s	N	NNE	NE	ENE	F	FSF	SE	SSE	s	SCIM	SM/	WSW	\M/		NIXAZ	NINIM	VDDI	τοται
	0	0	0		0	0	ر	0	0	0	0	0	••				VKDL	
(1)	00	00	00	00	00	00	00	00	00	00	0	00	0	00	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	2	12	11	12	9	5	1	2	1	0	0	0	0	0	57
(1)	.00	.00	.07	.07	.40	.37	.40	.30	.17	.03	.07	.03	.00	.00	.00	.00	.00	1.90
(2)	.00	.00	.00	.00	.02	.02	.02	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.11
	-		20	24		~~	~ /	~ .					_	_	-			
1.1-1.5	2	12	30	36	35	35	24	24	3/	35	32	15	5	2	2	4	0	330
(1)	.07	.40	1.00	1.20	1.17	1.17	.80	.80	1.23	1.17	1.07	.50	.17	.07	.07	.13	.00	10.99
(2)	.00	.02	.06	.07	.07	.07	.05	.05	.07	.07	.06	.03	.01	.00	.00	.01	.00	.63
1.6- 2.0	6	15	27	26	29	22	22	33	47	68	74	18	4	2	3	4	0	400
(1)	.20	.50	.90	.87	.97	.73	.73	1.10	1.56	2.26	2.46	.60	.13	.07	.10	.13	.00	13.32
(2)	.01	.03	.05	.05	.06	.04	.04	.06	.09	.13	.14	.03	.01	.00	.01	.01	.00	.77
	~~					-												
2.1- 3.0	23	52	60	15	11	9	44	37	81	178	313	59	10	10	8	14	0	924
(1)	.//	1.73	2.00	.50	.37	.30	1.46	1.23	2.70	5.93	10.42	1.96	.33	.33	.27	.47	.00	30.76
(2)	.04	.10	.12	.03	.02	.02	.08	.07	.16	.34	.60	.11	.02	.02	.02	.03	.00	1.77
3.1- 4.0	57	65	22	1	1	3	21	23	52	103	299	81	24	13	10	14	0	789
(1)	1.90	2.16	.73	.03	.03	.10	.70	.77	1.73	3.43	9.95	2.70	.80	.43	.33	.47	00	26.26
(2)	.11	.12	.04	.00	.00	.01	.04	.04	.10	.20	.57	.16	.05	.02	.02	.03	.00	1 51
				····.												100		1.51
4.1- 5.0	21	17	4	0	0	1	14	7	25	30	138	88	15	5	5	9	0	379
(1)	.70	.57	.13	.00	.00	.03	.47	.23	.83	1.00	4.59	2.93	.50	.17	.17	.30	.00	12.62
(2)	.04	.03	.01	.00	.00	.00	.03	.01	.05	.06	.26	.17	.03	.01	.01	.02	.00	.73
51-60	q	2	0	0	0	1	2	0	0	3	40	30	3	0	2	5	0	100
(1)	30	07	ň	00	ñ	. 03	07	00	00	10	1 3 3	1 07	10	00	10	17	00	100
(2)	02	.00	.00	.00	.00	.00	.00	.00	.00	.10	08	06	01	.00	.10	01	.00	3.33 10
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.01	.00	.01	.01	.00	.19
6.1- 8.0	3	0	0	0	0	0	0	1	1	0	12	5	0	0	1	2	0	25

BBNPP

FSAR: Section 2.3

Meteorology

Table 2.3-31— {SSES 33' (10-m) 2001-2006 Annual JFD} (Page 2 of 2)

				SSES JA	N01-DE	C06 MET	DATA JO	DINT FRE	QUENCY	/ DISTRIE	BUTION (60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS A				C	LASS FRE	QUENC	Y (PERCE	NT) = 5.	76		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.10	.00	.00	.00	.00	.00	.00	.03	.03	.00	.40	.17	.00	.00	.03	.07	.00	.83
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.01	.00	.00	.00	.00	.00	.05
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	121	163	145	80	88	82	139	134	248	418	910	299	61	32	32	52	0	3004
(1)	4.03	5.43	4.83	2.66	2.93	2.73	4.63	4.46	8.26	13.91	30.29	9.95	2.03	1.07	1.07	1.73	.00	100.00
(2)	.23	.31	.28	.15	.17	.16	.27	.26	.48	.80	1.75	.57	.12	.06	.06	.10	.00	5.76

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-31— {SSES 33' (10-m) 2001-2006 Annual JFD - continuec	:{ }
(Page 1 of 2)	

				SSES JA	N01-DEC	CO6 MET	DATA JO	DINT FRE	QUENCY	DISTRIE	BUTION	(60-METE	R TOWE	ER)				
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS B				C	LASS FRE		Y (PERCE	NT) = 3.	.07		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	2	0	3	2	13	11	5	3	5	2	1	1	0	1	1	0	0	50
(1)	.13	.00	.19	.13	.81	.69	.31	.19	.31	.13	.06	.06	.00	.06	.06	.00	.00	3.13
(2)	.00	.00	.01	.00	.02	.02	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.10
1.1- 1.5	7	2	17	25	17	11	11	10	18	19	13	2	0	1	0	0	0	153
(1)	.44	.13	1.06	1.56	1.06	.69	.69	.63	1.13	1.19	.81	.13	.00	.06	.00	.00	.00	9.57
(2)	.01	.00	.03	.05	.03	.02	.02	.02	.03	.04	.02	.00	.00	.00	.00	.00	.00	.29
1.6- 2.0	11	16	13	13	11	7	9	14	10	28	29	7	0	1	0	5	0	174
(1)	.69	1.00	.81	.81	.69	.44	.56	.88	.63	1.75	1.81	.44	.00	.06	.00	.31	.00	10.89
(2)	.02	.03	.02	.02	.02	.01	.02	.03	.02	.05	.06	.01	.00	.00	.00	.01	.00	.33
2.1- 3.0	10	50	41	7	7	3	20	11	25	66	118	25	10	2	10	7	0	412
(1)	.63	3.13	2.57	.44	.44	.19	1.25	.69	1.56	4.13	7.38	1.56	.63	.13	.63	.44	.00	25.78
(2)	.02	.10	.08	.01	.01	.01	.04	.02	.05	.13	.23	.05	.02	.00	.02	.01	.00	.79
3.1- 4.0	33	35	20	1	5	.1	9	8	14	26	148	49	22	17	10	24	0	422
(1)	2.07	2.19	1.25	.06	.31	.06	.56	.50	.88	1.63	9.26	3.07	1.38	1.06	.63	1.50	.00	26.41
(2)	.06	.07	.04	.00	.01	.00	.02	.02	.03	.05	.28	.09	.04	.03	.02	.05	.00	.81
4.1- 5.0	19	13	2	· 0	2	1	3	2	4	8	91	48	19	12	9	21	0	254
(1)	1.19	.81	.13	.00	.13	.06	.19	.13	.25	.50	5.69	3.00	1.19	.75	.56	1.31	.00	15.89
(2)	.04	.02	.00	.00	.00	.00	.01	.00	.01	.02	.17	.09	.04	.02	.02	.04	.00	.49
5.1- 6.0	6	4	0	0	0	0	1	0	1	2	37	32	2	1	8	8	0	102
(1)	.38	.25	.00	.00	.00	.00	.06	.00	.06	.13	2.32	2.00	.13	.06	.50	.50	.00	6.38
(2)	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.07	.06	.00	.00	.02	.02	.00	.20
6.1- 8.0	4	0	0	0	0	0	0	0	0	0	10	9	0	0	3	3	0	29

Table 2.3-31— {SSES 33' (10-m) 2001-2006 Annual JFD - continued}
(Page 2 of 2)

				SSES JA	N01-DEG	C06 MET	DATA JO	DINT FRE	QUENCY	DISTRIE	SUTION ((60-METE	RTOW	ER)				
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS B				С	LASS FRE		Y (PERCE	NT) = 3.	07		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.25	.00	.00	.00	.00	.00	.00	.00	.00	.00	.63	.56	.00	.00	.19	.19	.00	1.81
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.01	.01	.00	.06
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06	.00	.00	.00	.00	.06	.00	.13
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	92	120	96	48	55	34	58	48	77	151	448	173	53	35	41	69	0	1598
(1)	5.76	7.51	6.01	3.00	3.44	2.13	3.63	3.00	4.82	9.45	28.04	10.83	3.32	2.19	2.57	4.32	.00	100.00
(2)	.18	.23	.18	.09	.11	.07	.11	.09	.15	.29	.86	.33	.10	.07	.08	.13	.00	3.07

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-31— {SSES 33' (10-m) 2001-2006 Annual JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES JA	NO1-DÉ STAE	CO6 MET BILITY CL	DATA JO ASS C	DINT FRE	QUENCI	/ DISTRI	BUTION C	(60-METE LASS FRE	R TOW	ER) CY (PERCE	NT) = 4.	.25		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	2	5	5	15	21	14	10	10	3	2	0	0	1	0	0	0	88
· (1)	.00	.09	.23	.23	.68	.95	.63	.45	.45	.14	.09	.00	.00	.05	.00	.00	.00	3.97
(2)	.00	.00	.01	.01	.03	.04	.03	.02	.02	.01	.00	.00	.00	.00	.00	.00	.00	.17
1.1- 1.5	7	13	14	25	27	16	13	11	27	26	19	2	8	1	1	3	0	213
(1)	.32	.59	.63	1.13	1.22	.72	.59	.50	1.22	1.17	.86	.09	.36	.05	.05	.14	.00	9.62
(2)	.01	.02	.03	.05	.05	.03	.02	.02	.05	.05	.04	.00	.02	.00	.00	.01	.00	.41
1.6- 2.0	10	22	21	21	11	14	13	15	20	34	47	14	8	5	3	3	0	261
(1)	.45	.99	.95	.95	.50	.63	.59	.68	.90	1.53	2.12	.63	.36	.23	.14	.14	.00	11.78
(2)	.02	.04	.04	.04	.02	.03	.02	.03	.04	.07	.09	.03	.02	.01	.01	.01	.00	.50
2.1- 3.0	38	70	47	13	7	6	17	15	39	73	167	55	10	8	11	16	0	592
(1)	1.72	3.16	2.12	.59	.32	.27	.77	.68	1.76	3.30	7.54	2.48	.45	.36	.50	.72	.00	26.73
(2)	.07	.13	.09	.02	.01	.01	.03	.03	.07	.14	.32	.11	.02	.02	.02	.03	.00	1.14
3.1- 4.0	73	42	6	3	3	4	18	11	30	27	148	65	22	17	28	29	0	526
(1)	3.30	1.90	.27	.14	.14	.18	.81	.50	1.35	1.22	6.68	2.93	.99	.77	1.26	1.31	.00	23.75
(2)	.14	.08	.01	.01	.01	.01	.03	.02	.06	.05	.28	.12	.04	.03	.05	.06	.00	1.01
4.1- 5.0	32	10	4	0	0	2	3	4	10	9	89	79	21	14	16	29	0	322
(1)	1.44	.45	.18	.00	.00	.09	.14	.18	.45	.41	4.02	3.57	.95	.63	.72	1.31	.00	14.54
(2)	.06	.02	.01	.00	.00	.00	.01	.01	.02	.02	.17	.15	.04	.03	.03	.06	.00	.62
5.1- 6.0	10	3	0	0	0	0	1	0	1	0	36	44	18	2	18	21	0	154
(1)	.45	.14	.00	.00	.00	.00	.05	.00	.05	.00	1.63	1.99	.81	.09	.81	.95	.00	6.95
(2)	.02	.01	.00	.00	.00	.00	.00	00	.00	.00	.07	.08	.03	.00	.03	.04	.00	.30
6.1- 8.0	2	0	0	0	0	0	1	0	0	0	14	23	7	0	3	5	0	55

			I	able 2.	3-31—	{SSES	33' (10-	m) 200 (Page	1-2006 2 of 2)	5 Annu	al JFD -	contin	ued}					
33.0	FT WIN	D DATA	÷	SSES JA	N01-DE STAB	CO6 MET BILITY CL	DATA JO ASS C		QUENCY		BUTION (C	60-METE LASS FRE	R TOWI	ER) Y (PERCE	NT) = 4.	.25		
SPEED m/s	N	NNE	NE	ENE	F	ESE			CHONF	SSW	SW	\M/S\M	۱۸/		NIM/	NINIM/	VDBI	τοται
(1)	09	00	00	00	00	00	05	00	00	00	63	1 04	32	00	14	23	00	248
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.04	.01	.00	.01	.01	.00	.11
8.1-10.0	, 0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.14	.00	.00	.00	.00	.00	.18
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.01
10.1-40.3	0 .	0	0	0	0	0	0	0	0	0	[.] 0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	172	162	97	67	63	63	80	66	137	172	523	285	94	48	80	106	0	2215
(1)	7.77	7.31	4.38	3.02	2.84	2.84	3.61	2.98	6.19	7.77	23.61	12.87	4.24	2.17	3.61	4.79	.00	100.00
(2)	.33	.31	.19	.13	.12	.12	.15	.13	.26	.33	1.00	.55	.18	.09	.15	.20	.00	4.25

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-31--- {SSES 33' (10-m) 2001-2006 Annual JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES JA	NO1-DEO STAB	CO6 MET SILITY CL	DATA JO ASS D	DINT FRE	QUENC	' DISTRIE		(60-METE	R TOWE	ER) Y (PERCEI	NT) = 38	.76		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	1	1	1	2	2	0	0	0	0	0	0	0	0	0	0	0	0	7
(1)	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	0	4	8	12	5	3	6	2	1	1	0	0	1	1	0	0	44
(1)	.00	.00	.02	.04	.06	.02	.01	.03	.01	.00	.00	.00	.00	.00	.00	.00	.00	.22
(2)	.00	.00	.01	.02	.02	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08
.5- 1.0	32	114	199	228	298	278	220	143	146	80	47	24	9	4	22	18	0	1862
(1)	.16	.56	.99	1.13	1.48	1.38	1.09	.71	.72	.40	.23	.12	.04	.02	.11	.09	.00	9.22
(2)	.06	.22	.38	.44	.57	.53	.42	.27	.28	.15	.09	.05	.02	.01	.04	.03	.00	3.57
1.1- 1.5	106	291	295	216	174	149	221	179	261	285	211	96	41	35	37	33	0	2630
(1)	.52	1.44	1.46	1.07	.86	.74	1.09	.89	1.29	1.41	1.04	.48	.20	.17	.18	.16	.00	13.02
(2)	.20	.56	.57	.41	.33	.29	.42	.34	.50	.55	.40	.18	.08	.07	.07	.06	.00	5.05
1.6- 2.0	159	317	282	131	108	116	190	162	202	303	264	124	89	55	54	61	0	2617
(1)	.79	1.57	1.40	.65	.53	.57	.94	.80	1.00	1.50	1.31	.61	.44	.27	.27	.30	.00	12.95
(2)	.31	.61	.54	.25	.21	.22	.36	.31	.39	.58	.51	.24	.17	.11	.10	.12	.00	5.02
2.1- 3.0	497	598	415	113	92	164	256	232	313	458	664	285	207	206	253	331	0	5084
(1)	2.46	2.96	2.05	.56	.46	.81	1.27	1.15	1.55	2.27	3.29	1.41	1.02	1.02	1.25	1.64	.00	25.17
(2)	.95	1.15	.80	.22	.18	.31	.49	.45	.60	.88	1.27	.55	.40	.40	.49	.64	.00	9.76
3.1- 4.0	460	281	111	40	29	47	115	86	107	158	627	323	220	233	408	456	0	3701
(1)	2.28	1.39	.55	.20	.14	.23	.57	.43	.53	.78	3.10	1.60	1.09	1.15	2.02	2.26	.00	18.32
(2)	.88	.54	.21	.08	.06	.09	.22	.17	.21	.30	1.20	.62	.42	.45	.78	.88	.00	7.10
4.1- 5.0	200	60	14	6	11	17	26	27	44	33	376	338	229	196	382	395	0	2354
(1)	.99	.30	.07	.03	.05	.08	.13	.13	.22	.16	1.86	1.67	1.13	.97	1.89	1.96	.00	11.65
(2)	.38	.12	.03	.01	.02	.03	.05	.05	.08	.06	.72	.65	.44	.38	.73	.76	.00	4.52
5.1- 6.0	40	8	5	2	4	6	10	12	9	6	170	251	128	126	251	182	0	1210
(1)	.20	.04	.02	.01	.02	.03	.05	.06	.04	.03	.84	1.24	.63	.62	1.24	.90	.00	5.99
(2)	.08	.02	.01	.00	.01	.01	.02	.02	.02	.01	.33	.48	.25	.24	.48	.35	.00	2.32
6.1- 8.0	6	1	1	2	0	3	5	8	7	2	75	192	91	66	82	72	0	613

BBNPP

FSAR: Section 2.3

Meteorology

Table 2.3-31—	- {SSES 33' (10-	m) 2001-2006 Ann	ual JFD - continued}
---------------	------------------	------------------	----------------------

(Page 2 of 2)

				SSES JA	N01-DE	C06 MET	DATA JO	DINT FRE	QUENCY	' DISTRIE	BUTION (60-METE	R TOWE	IR)				
33.0	FT WINI	D DATA	•		STAE	BILITY CL	ASS D				CL	ASS FRE	QUENC	Y (PERCEN	IT) = 38	.76		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.03	.00	.00	.01	.00	.01	.02	.04	.03	.01	.37	.95	.45	.33	.41	.36	.00	3.03
(2)	.01	.00	.00	.00	.00	.01	.01	.02	.01	.00	.14	.37	.17	.13	.16	.14	.00	1.18
8.1-10.0	0	0	0	0	0	0	1	0	2	0	5	44	17	4	2	2	0	77
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.02	.22	.08	.02	.01	.01	.00	.38
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.08	.03	.01	.00	.00	.00	.15
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	1501	1671	1327	748	730	785	1047	855	1093	1326	2440	1678	1032	926	1492	1550	0	20201
(1)	7.43	8.27	6.57	3.70	3.61	3.89	5.18	4.23	5.41	6.56	12.08	8.31	5.11	4.58	7.39	7.67	.00	100.00
(2)	2.88	3.21	2.55	1.44	1.40	1.51	2.01	1.64	2.10	2.54	4.68	3.22	1.98	1.78	2.86	2.97	.00	38.76

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-31— {SSES 33' (10-m) 2001-2006 Annual JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES JA	NO1-DE	CO6 MET BILITY CL	DATA JO ASS E	DINT FRE	QUENC	r distrië	SUTION C	(60-METE LASS FRE		ER) Y (PERCEI	VT) = 28	.78		
							w		ECTION	ROM			QUEITC	. (. 2002)	, - 20			
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	รพ่	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	3	5	3	1	0	0	0	1	0	0	0	0	0	0	0	13
(1)	.00	.00	.02	.03	.02	.01	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	4	13	18	34	22	21	16	5	3	1	0	1	0	0	1	0	139
(1)	.00	.03	.09	.12	.23	.15	.14	.11	.03	.02	.01	.00	.01	.00	.00	.01	.00	.93
(2)	.00	.01	.02	.03	.07	.04	.04	.03	.01	.01	.00	.00	.00	.00	.00	.00	.00	.27
.5- 1.0	86	246	662	1121	965	624	584	399	369	199	74	23	20	15	13	18	0	5418
(1)	.57	1.64	4.41	7.48	6.44	4.16	3.89	2.66	2.46	1.33	.49	.15	.13	.10	.09	.12	.00	36.13
(2)	.17	.47	1.27	2.15	1.85	1.20	1.12	.77	.71	.38	.14	.04	.04	.03	.02	.03	.00	10.40
1.1- 1.5	143	475	648	457	145	118	196	262	478	438	205	73	47	22	25	34	0	3766
(1)	.95	3.17	4.32	3.05	.97	.79	1.31	1.75	3.19	2.92	1.37	.49	.31	.15	.17	.23	.00	25.11
(2)	.27	.91	1.24	.88	.28	.23	.38	.50	.92	.84	.39	.14	.09	.04	.05	.07	.00	7.23
1.6- 2.0	188	381	240	77	38	48	54	123	227	422	209	107	41	30	38	42	0	2265
(1)	1.25	2.54	1.60	.51	.25	.32	.36	.82	1.51	2.81	1.39	.71	.27	.20	.25	.28	.00	15.10
(2)	.36	.73	.46	.15	.07	.09	.10	.24	.44	.81	.40	.21	.08	.06	.07	.08	.00	4.35
2.1- 3.0	213	327	179	30	34	43	56	78	177	336	350	91	61	36	79	133	0	2223
(1)	1.42	2.18	1.19	.20	.23	.29	.37	.52	1.18	2.24	2.33	.61	.41	.24	.53	.89	.00	14.82
(2)	.41	.63	.34	.06	.07	.08	.11	.15	.34	.64	.67	.17	.12	.07	.15	.26	.00	4.27
3.1- 4.0	67	96	57	14	12	17	19	31	62	73	173	58	17	17	26	59	0	798
(1)	.45	.64	.38	.09	.08	.11	.13	.21	.41	.49	1.15	.39	.11	.11	.17	.39	.00	5.32
(2)	.13	.18	.11	.03	.02	.03	.04	.06	.12	.14	.33	.11	.03	.03	.05	.11	.00	1.53
4.1- 5.0	13	14	7	2	5	4	12	19	27	27	48	18	6	2	11	16	0	231
(1)	.09	.09	.05	.01	.03	.03	.08	.13	.18	.18	.32	.12	.04	.01	.07	.11	.00	1.54
(2)	.02	.03	.01	.00	.01	.01	.02	.04	.05	.05	.09	.03	.01	.00	.02	.03	.00	.44
5.1- 6.0	4	1	5	3	1	8	8	8	16	6	11	10	2	4	2	2	0	91
(1)	.03	.01	.03	.02	.01	.05	.05	.05	.11	.04	.07	.07	.01	.03	.01	.01	.00	.61
(2)	.01	.00	.01	.01	.00	.02	.02	.02	.03	.01	.02	.02	.00	.01	.00	.00	.00	.17
6.1- 8.0	0	3	0	2	2	2	8	8	7	1	5	8	0	0	1	1	0	48

BBNPP

Meteorology

Table 2.3-31— {SSES 33' (10-m) 2001-2006 Annual JFD - continued} (Page 2 of 2)

								-										
				SSES JA	N01-DE	C06 MET	DATA JO	DINT FRE	QUENC	Y DISTRIB	UTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	VT) = 28	.78		
							w	IND DIRE	CTION I	FROM			•					
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.02	.00	.01	.01	.01	.05	.05	.05	.01	.03	.05	.00	.00	.01	.01	.00	.32
(2)	.00	.01	.00	.00	.00	.00	.02	.02	.01	.00	.01	.02	.00	.00	.00	.00	.00	.09
8.1-10.0	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	3
(1)	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.02

.00

0

.00

.00

944

6.30

1.81

.00

0

.00

.00

1368

9.12

2.63

.00

0

.00

.00

1506

10.04

2.89

.00

0

.00

.00

1077

7.18

2.07

.00

1

.01

.00

390

2.60

.75

.00

0

.00

.00

195

1.30

.37

.00

0

.00

.00

126

.84

.24

.00

0

.00

.00

195

1.30

.37

.00

0

.00

.00

306

2.04

.59

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.00

0

.00

.00

1548

10.32

2.97

.00

0

.00

.00

1814

12.10

3.48

.00

0

.00

.00

1729

11.53

3.32

.00

0

.00

.00

1239

8.26

2.38

.00

0

.00

.00

887

5.91

1.70

.00

0

.00

.00

958

6.39

1.84

(2)

10.1-40.3

(1)

(2)

ALL SPEEDS

(1)

(2)

.00

0

.00

.00

714

4.76

1.37

BBNPP

© 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED 2-123 FSAR: Section 2.3

.00

0

.00

.00

0

.00

.00

.01

1

.01

.00

14996

100.00

28.78

Rev. 2a

							(Page	2 1 01 2)									
0 FT MÜNI			SSES JA	NO1-DEC	06 MET	DATA JO	DINT FRE	QUENC	Y DISTRIE	UTION	(60-METE	RTOW	ER)				
	DDATA			STAB	ILITY CL	ASS F		CTION		C	LASS FRE	QUENC	Y (PERCE	(T) = 11	.95		
N	NNE	NE	ENE	E	ECE	SE W		CHON I	-KOM	C14/	MCM		14/6/14/	N 1347	A1504/	VODI	TOTAL
N 0		1		E 1	ESE	SE	22E	>	22.00 0	SW	wsw	w	WNW	NW	NNW	VKBL	IOTAL
0	02	02	. 07	02	0	0.	00	00	00	0	0	0	0	0	0	0	4
.00	.02	.02	.02	.02	.00	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.06
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
1	3	4	14	27	9	6	3	2	0	2	0	1	0	0	0	0	72
.02	.05	.06	.22	.43	.14	.10	.05	.03	.00	.03	.00	.02	.00	.00	.00	.00	1.16
.00	.01	.01	.03	.05	.02	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14
14	83	460	1654	877	346	209	152	145	42	19	7	5	2	7	6	0	4028
.22	1.33	7.39	26.56	14.08	5.56	3.36	2.44	2.33	.67	31	, 11	08	03	, 11	10	00	64 68
.03	.16	.88	3.17	1.68	.66	40		2.55	.07	.51	01	.00	00	01	01	.00	773
			5117					.20	.00			.01	.00	.01	.01	.00	7.75
24	94	324	927	85	19	29	54	111	77	30	б	2	3	3	5	0	1793
.39	1.51	5.20	14.88	1.36	.31	.47	.87	1.78	1.24	.48	.10	.03	.05	.05	.08	.00	28.79
.05	.18	.62	1.78	.16	.04	.06	.10	.21	.15	.06	.01	.00	.01	.01	.01	.00	3.44
9	46	47	75	2	1	1	11	15	37	17	5	0	0	2	3	0	271
.14	.74	.75	1.20	.03	.02	.02	.18	.24	.59	.27	.08	.00	.00	.03	.05	.00	4.35
.02	.09	.09	.14	.00	.00	.00	.02	.03	.07	.03	.01	.00	.00	.00	.01	.00	.52
4	8	1	0	0	0	0	1	з	5 '	19	5	7	1	1	٦	0	53
.06	.13	.02	00	00	00	ñ	02	05	08	31	08	03	02	02	05	00	85
.01	.02	.00	.00	.00	.00	.00	.00	.01	.00	04	.00	00	.02	.02	.05	.00	10
													.00	.00	.01	.00	.10
2	1	1	0	0	0	0	0	0	1	0	0	0	0	1	1	0	7
.03	.02	.02	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.02	.02	.00	.11
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	D FT WIN N 0 .00 .00 1 .02 .00 14 .22 .03 .24 .39 .05 9 .14 .02 .4 .02 .4 .02 .4 .02 .03 .00 .01 .2 .03 .00 .01 .2 .03 .00 .01 .02 .00 .00 .00 .00 .00 .00 .00	N NNE 0 1 0 02 .00 .02 .00 .00 1 3 .02 .00 1 3 .02 .00 1 3 .02 .00 1 3 .02 .00 14 83 .22 1.33 .03 .16 24 94 .39 1.51 .05 .18 9 46 .14 .74 .02 .09 4 .8 .06 .13 .01 .02 .02 .00 .03 .02 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00	N NNE NE 0 1 1 .00 .02 .00 .00 .00 .00 1 3 4 .02 .00 .00 1 3 4 .02 .05 .06 .00 .01 .01 14 83 460 .22 1.33 7.39 .03 .16 .88 24 94 .324 .39 1.51 .520 .05 .18 .62 .9 46 .47 .02 .09 .09 4 .8 1 .06 .13 .02 .01 .02 .00 .02 .01 .02 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00	N NNE NE NE ENE 1 0 1 1 1 1 1 00 0.02 0.02 0.02 0.00 1 3 4 14 1 0.02 0.01 0.01 0.01 0.01 14 83 460 1654 0.22 1.33 7.39 26.56 0.3 1.16 .88 3.17 24 94 324 927 39 1.51 5.20 14.88 0.5 .18 .62 1.78 9 46 47 75 1.20 .09 .09 .14 .02 .09 .09 .04 .03 .02 .00 .00 .01 .02 .00 .00 .02 .09 .09 .14 .03 .02 .00 .00 .00 .00	N NNE NE ENE ENE I 0 1 1 1 1 1 1 00 0.22 0.22 0.22 0.22 0.22 0.00 0.00 0.00 0.00 0.00 0.00 1 3 4 14 27 0.02 0.05 0.66 2.22 4.33 0.00 0.1 0.1 0.3 0.5 14 83 460 1654 877 2.2 1.33 7.39 26.56 14.08 0.3 1.6 88 3.17 1.68 24 94 324 927 85 3.9 1.51 5.20 14.88 1.36 0.5 1.8 .62 1.78 .16 9 46 47 75 1.20 .03 .02 .09 .09 .04 .00 .00 .03 .	N NNE NE ENE E E ESSE JANCIDECTSTABLITYCE 0 1 1 1 1 1 1 0 0 1 1 1 1 1 0 00 00 0.02 0.02 0.02 0.02 0.02 0.00 1 3 4 14 27 9 0.02 0.05 0.06 2.22 4.33 1.14 0.00 0.01 0.01 0.3 0.55 0.02 14 83 460 1654 877 346 22 1.33 7.39 26.56 14.08 5.56 1.4 83 462 1.78 1.66 31 0.5 1.18 62 1.78 1.66 32 1.4 .74 .75 1.20 0.3 0.2 0.02 .09 .01 .00 .00 .00 0.01	DFT WIND DATA SSES JAND LOECO MET DATA (STABILITY CLASS F () W N NNE NE ENE E ESE SE 0 1 1 1 1 0 0 0.0 0.02 0.02 0.02 0.02 0.00 0.00 0.00 1 3 4 14 27 9 6 0.02 0.05 .06 .22 .43 .14 .10 0.00 .01 .01 .03 .05 .02 .01 14 83 460 1654 877 346 209 .22 1.33 7.39 26.56 14.08 .56 .36 .03 .16 .88 3.17 1.68 .66 .40 24 94 .324 .927 .85 19 .29 .14 .74 .75 1.20 .03 .02 .02 .02 .09 .00	DFT WIND DATA SSES JANO1-DECO6 MET DATA JOINT FRE STABILITY CLASS NNE NE ENE E SE SE SSE NNE NE ENE E SSE SSE SSE 0 1 1 1 0 0 0 0 0.00 .	SSES JANO1-DECOG MET DATA JOINT FREQUENCY STABILITY CLASS F N NNE NE ENE E ESE SE SSE SSE <thse< th=""> SSE SSE</thse<>	SEES JANO1-DECOG MET DATA JOINT FREQUENCY DISTRIE STABILITY CLASS F N NNE NE ENE E ESE SE SSE SSE SSE 0 1 1 1 0<	SESES JANO1-DECOG MET DATA JOINT FREQUENCY DISTRIBUTION STABILITY CLASS F (rage + 01.2) N NNE NE ENE E ESE SE SSE S SSW SW 0 1 1 1 0<	(Fage 1 of 2) SEES JANO1-DECOG MET DATA JOINT FREQUENCY DISTRIBUTION (60-METE STABILITY CLASS F N NNE NE E E ESE S S SSW SW WSW 0 1 1 1 1 1 1 0 <	Sets JANO1-DECOG MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOW) O FT WIND DATA SESE JANO1-DECOG MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOW) NNE NE E E SE S SW WW W 0 1 1 1 0	Urage For L SEES JANO1 DECOG MET DATON FROM CLASS FREQUENCY (PERCENT) NINE NIC OCC MET DATON INFORM NNE ENE ENE E ESE SSG SGG SGG	Series Jano 1-DECo 6 MET DATA SESE JANO 1-DECO 6 MET DATA UND FRE (UEV U) UST RIBULTON (60-MET DATA) SISE JANO 1-DECO 6 MET DATA UND FRE (UEV U) UST RIBULTON (60-MET DATA) NNE NE ENE CLASS FRE QUENCY (PERCENT) = 11 N NNE NE ENE E ESE SSE SSE <th< td=""><td>SPENING LATA SESE JANG-DECOM MET DATA DIVIT REVUEV LY DERIGUEUCY (PERCENT) = 11.95 CLASS FREQUEUCY (PERCENT) = 11.95 N NME NE E E E SSE SSE SSE SSE SSE NUME N NME N NME N E FSE SSE SSE SSE SSE SSE SSE N WSE N NNW NN NN 0 1 1 1 0 00</td><td>Sets JANDI-DECOG MET DAT JOINT FREQUENCY USTRIBUTION (GO-METTER TOWER) STABULTY CLASS F CLASS FREQUENCY (PERCENT) = 11.95 N NR NE E E ESE SSE SSE SSW SW WSW W NW NU NU <</td></th<>	SPENING LATA SESE JANG-DECOM MET DATA DIVIT REVUEV LY DERIGUEUCY (PERCENT) = 11.95 CLASS FREQUEUCY (PERCENT) = 11.95 N NME NE E E E SSE SSE SSE SSE SSE NUME N NME N NME N E FSE SSE SSE SSE SSE SSE SSE N WSE N NNW NN NN 0 1 1 1 0 00	Sets JANDI-DECOG MET DAT JOINT FREQUENCY USTRIBUTION (GO-METTER TOWER) STABULTY CLASS F CLASS FREQUENCY (PERCENT) = 11.95 N NR NE E E ESE SSE SSE SSW SW WSW W NW NU NU <

Table 2.3-31— {SSES 33' (10-m) 2001-2006 Annual JFD - continued}

BBNPP

2-124 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

[able 2.3-31— {SSES 33' (10-m) 2001-2006 Annual JFD - continued	ł}
(Page 2 of 2)	

				SSES JA	N01-DEC	06 MET	DATA JO	DINT FRE	QUENCY	' DISTRIB	UTION (60-METE	RTOW	ER)				
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS F				a	ASS FRE	QUENC	Y (PERCEI	(1) = 11	.95		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	54	236	838	2671	992	375	245	221	276	162	87	23	10	6	14	18	0	6228
(1)	.87	3.79	13.46	42.89	15.93	6.02	3.93	3.55	4.43	2.60	1.40	.37	.16	.10	.22	.29	.00	100.00
(2)	.10	.45	1.61	5.13	1.90	.72	.47	.42	.53	.31	.17	.04	.02	.01	.03	.03	.00	11.95

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Meteorology

FSAR: Section 2.3

Rev. 2a

Table 2.3-31—	{SSES 33' (10-m)) 2001-2006 Annual	JFD - continued}

(Page 1 of 2)

33.0	FT WIN	D DATA		SSES JA	NO1-DEC	CO6 MET	DATA JO ASS G	DINT FRE	QUENC	Y DISTRIE	UTION	(60-METE LASS FRE	R TOW	ER) CY (PERCE	NT) = 7.	.43		
							w	IND DIRE	CTION I	FROM				•	•			
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.03	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	1	0	0	3	3	2	1	0	0	0	0	0	0	0	0	0	0	10
(1)	.03	.00	.00	.08	.08	.05	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.26
(2)	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	8	32	398	1281	403	129	71	48	24	8	4	1	0	0	2	2	0	2411
(1)	.21	.83	10.28	33.09	10.41	3.33	1.83	1.24	.62	.21	.10	.03	.00	.00	.05	.05	.00	62.28
(2)	.02	.06	.76	2.46	.77	.25	.14	.09	.05	.02	.01	.00	.00	.00	.00	.00	.00	4.63
1.1- 1.5	2	14	225	977	46	13	9	10	21	7	2	0	0	0	0	2	0	1328
(1)	.05	.36	5.81	25.24	1.19	.34	.23	.26	.54	.18	.05	.00	.00	.00	.00	.05	.00	34.31
(2)	.00	.03	.43	1.87	.09	.02	.02	.02	.04	.01	.00	.00	.00	.00	.00	.00	.00	2.55
1.6- 2.0	2	4	24	71	1	1	0	1	0	4	3	0	0	0	0	0	0	111
(1)	.05	.10	.62	1.83	.03	.03	.00	.03	.00	.10	.08	.00	.00	.00	.00	.00	.00	2.87
(2)	.00	01	.05	.14	.00	.00	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.21
2.1- 3.0	0	2	2	1	0	0	2	0	0	2	0	0	0	0	0	0	0	9
(1)	.00	.05	.05	.03	.00	.00	.05	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.23
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Meteorology

able 2.3-31— {SSE الم	S 33' (10-m)	2001-2006	Annual JFD	<pre>- continued}</pre>

(Page 2 of 2)

				SSES JA	N01-DEC	:06 MET	DATA JO	DINT FRE	QUENCY	DISTRIB	UTION	(60-METE	R TOW	ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	CY (PERCE	NT) = 7.	.43		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	14	52	649	2334	453	145	83	59	45	21	9	1	0	0	2	4	0	3871
(1)	.36	1.34	16.77	60.29	11.70	3.75	2.14	1.52	1.16	.54	.23	.03	.00	.00	.05	.10	.00	100.00
(2)	.03	.10	1.25	4.48	.87	.28	.16	.11	.09	.04	.02	.00	.00	.00	.00	.01	.00	7.43

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

			Т	able 2.	3-31—	{SSES :	33' (10-	m) 200 (Page	1-2006 1 of 2)	5 Annua	al JFD ·	contin	ued}					
33	.0 FT WINI	D DATA		SSES JA	NO1-DE STABI	CO6 MET LITY CLA	DATA JO SS ALL	INT FRE	QUENCY	DISTRIE	BUTION (CL	(60-METE ASS FREC	R TOWI QUENCY	ER) ' (PERCEN	T) = 100).00		
•							WI	ND DIRE	CTION F	ROM				-	-			
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	· 2	2	5	9	6	1	0	0	0	1	0	0	0	0	0	0	0	26
(1)	.00	.00	.01	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00.	.00	.00	.00	.05
(2)	.00	.00	.01	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
.24	2	7	21	43	76	38	31	25	9	4	4	ò	2	1	1	1	0	265
(1)	.00	.01	.04	.08	.15	.07	.06	.05	.02	.01	.01	.00	.00	.00	.00	.00	.00	.51
(2)	.00	.01	.04	.08	.15	.07	.06	.05	.02	.01	.01	.00	.00	.00	.00	.00	.00	.51
.5- 1.0	142	477	1729	4293	2583	1420	1115	764	704	335	149	57	34	23	45	44	0	13914
(1)	.27	.92	3.32	8.24	4.96	2.72	2.14	1.47	1.35	.64	.29	.11	.07	.04	.09	.08	.00	26.70
(2)	.27	.92	3.32	8.24	4.96	2.72	2.14	1.47	1.35	.64	.29	.11	.07	.04	.09	.08	.00	26.70
1.1- 1.5	291	901	1553	2663	529	361	503	550	953	887	512	194	103	64	68	81	0	10213
(1)	.56	1.73	2.98	5.11	1.02	.69	.97	1.06	1.83	1.70	.98	.37	.20	.12	.13	.16	.00	19.60
(2)	.56	1.73	2.98	5.11	1.02	.69	.97	1.06	1.83	1.70	.98	.37	.20	.12	.13	.16	.00	19.60
1.6- 2.0	385	801	654	414	200	209	289	359	521	896	643	275	142	93	100	118	0	6099
(1)	.74	1.54	1.25	.79	.38	.40	.55	.69	1.00	1.72	1.23	.53	.27	.18	.19	.23	.00	11.70
(2)	.74	1.54	1.25	.79	.38	.40	.55	.69	1.00	1.72	1.23	.53	.27	.18	.19	.23	.00	11.70
2.1- 3.0	785	1107	745	179	151	225	395	374	638	1118	1631	520	300	263	362	504	0	9297
(1)	1.51	2.12	1.43	.34	.29	.43	.76	.72	1.22	2.15	3.13	1.00	.58	.50	.69	.97	.00	17.84
(2)	1.51	2.12	1.43	.34	.29	.43	.76	.72	1.22	2.15	3.13	1.00	.58	.50	.69	.97	.00	17.84
3.1- 4.0	692	520	217	59	50	72	182	159	265	388	1395	576	305	297	483	583	0	6243
(1)	1.33	1.00	.42	.11	.10	.14	.35	.31	.51	.74	2.68	1.11	.59	.57	.93	1.12	.00	11.98
(2)	1.33	1.00	.42	.11	.10	.14	.35	.31	.51	.74	2.68	1.11	.59	.57	.93	1.12	.00	11.98
4.1- 5.0	285	114	31	8	18	25	58	59	110	107	742	571	290	229	423	470	0	3540
(1)	.55	.22	.06	.02	.03	.05	.11	.11	.21	.21	1.42	1.10	.56	.44	.81	.90	.00	6.79
(2)	.55	.22	.06	.02	.03	.05	.11	.11	.21	.21	1.42	1.10	.56	.44	.81	.90	.00	6.79
5.1- 6.0	69	18	10	5	5	15	22	20	27	17	294	369	153	133	282	218	0	1657
(1)	.13	.03	.02	.01	.01	.03	.04	.04	.05	.03	.56	./1	.29	.26	.54	.42	.00	3.18
(2)	.13	.03	.02	.01	.01	.03	.04	.04	.05	.03	.56	.71	.29	.26	.54	.42	.00	3.18
6.1-8.0	15	4	1	4	2	5	14	17	15	3	116	237	98	66	90	83	0	770

BBNPP

2-128 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-31— {SSES 33' (10-m) 2001-2006 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DEC	206 MET	DATA JO	DINT FRE	QUENCY	DISTRIE	SUTION (60-METE	RTOW	ER)				
33.0	FT WINI	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	QUENCY	(PERCEN	T) = 100	0.00		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.03	.01	.00	.01	.00	.01	.03	.03	.03	.01	.22	.45	.19	.13	.17	.16	.00	1.48
(2)	.03	.01	.00	.01	.00	.01	.03	.03	.03	.01	.22	.45	.19	.13	.17	.16	.00	1.48
8.1-10.0	0	1	0	0	0	0	1	0	2	0	8	48	17	4	2	3	0	86
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.09	.03	.01	.00	.01	.00	.17
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.09	.03	.01	.00	.01	.00	.17
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
ALL SPEEDS	2668	3952	4966	7677	3620	2371	2610	2327	3244	3756	5494	2849	1445	1173	1856	2105	0.	52113
(1)	5.12	7.58	9.53	14.73	6.95	4.55	5.01	4.47	6.22	7.21	10.54	5.47	2.77	2.25	3.56	4.04	.00	100.00
(2)	5.12	7.58	9.53	14.73	6.95	4.55	5.01	4.47	6.22	7.21	10.54	5.47	2.77	2.25	3.56	4.04	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD} (Page 1 of 2)

197.0) FT WIN	ID DATA		SSES JA	N01-DE STAE	CO6 MET BILITY CL	DATA JO ASS A	DINT FRE	QUENC	Y DISTRI		(60-METE LASS FRE	R TOW	ER) IY (PERCE	NT) = 5.	24		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	2	4	7	7	10	5	2	7	2	3	0	0	0	1	0	0	50
(1)	.00	.08	.15	.26	.26	.38	.19	.08	.26	.08	.11	.00	.00	.00	.04	.00	.00	1.89
(2)	.00	.00	.01	.01	.01	.02	.01	.00	.01	.00	.01	.00	.00	.00	.00	.00	.00	.10
1.1- 1.5	1	4	23	24	12	11	11	4	18	23	19	5	1	1	1	0	0	158
(1)	.04	.15	.87	.90	.45	.41	.41	.15	.68	.87	.72	.19	.04	.04	.04	.00	.00	5.96
(2)	.00	.01	.05	.05	.02	.02	.02	.01	.04	.05	.04	.01	.00	.00	.00	.00	.00	.31
1.6- 2.0	3	14	27	28	12	12	17	14	19	35	26	9	2	2	1	0	0	221
(1)	.11	.53	1.02	1.06	.45	.45	.64	.53	.72	1.32	.98	.34	.08	.08	.04	.00	.00	8.33
(2)	.01	.03	.05	.06	.02	.02	.03	.03	.04	.07	.05	.02	.00	.00	.00	.00	.00	.44
2.1- 3.0	7	32	49	12	11	14	20	21	27	83	120	30	1	0	5	4	0	436
(1)	.26	1.21	1.85	.45	.41	.53	.75	.79	1.02	3.13	4.52	1.13	.04	.00	.19	.15	.00	16.44
(2)	.01	.06	.10	.02	.02	.03	.04	.04	.05	.16	.24	.06	.00	.00	.01	.01	.00	.86
3.1- 4.0	21	33	37	4	3	4	16	14	24	54	157	50	11	8	6	9	0	451
(1)	.79	1.24	1.40	.15	.11	.15	.60	.53	.90	2.04	5.92	1.89	.41	.30	.23	.34	.00	17.01
(2)	.04	.07	.07	.01	.01	.01	.03	.03	.05	.11	.31	.10	.02	.02	.01	.02	.00	.89
4.1- 5.0	41	45	15	10	1	1	18	17	24	54	182	71	15	10	4	8	0	516
(1)	1.55	1.70	.57	.38	.04	.04	.68	.64	.90	2.04	6.86	2.68	.57	.38	.15	.30	.00	19.46
(2)	.08	.09	.03	.02	.00	.00	.04	.03	.05	.11	.36	.14	.03	.02	.01	.02	.00	1.02
5.1- 6.0	15	40	8	3	0	1	18	14	25	40	160	93	21	3	4	5	0	450
(1)	.57	1.51	.30	.11	.00	.04	.68	.53	.94	1.51	6.03	3.51	.79	.11	.15	.19	.00	16.97
(2)	.03	.08	.02	.01	.00	.00	.04	.03	.05	.08	.32	.18	.04	.01	.01	.01	.00	.89
6.1- 8.0	11	12	2	1	0	3	4	7	27	48	90	105	6	0	4	4	0	324

Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD} (Page 2 of 2)

				SSES JA	N01-DE	C06 MET	DATA JO	DINT FRE	QUENCY	DISTRIE	SUTION (60-METE	RTOW	ER)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS A				С	LASS FRE	QUENC	Y (PERCE	NT) = 5.	24		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.41	.45	.08	.04	.00	.11	.15	.26	1.02	1.81	3.39	3.96	.23	.00	.15	.15	.00	12.22
(2)	.02	.02	.00	.00	.00	.01	.01	.01	.05	.09	.18	.21	.01	.00	.01	.01	.00	.64
8.1-10.0	4	1	0	0	0	1	1	1	1	9	7	15	0	0	1	0	0	41
(1)	.15	.04	.00	.00	.00	.04	.04	.04	.04	.34	.26	.57	.00	.00	.04	.00	.00	1.55
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.02	.01	.03	.00	.00	.00	.00	.00	.08
10.1-40.3	0	0	0	0	0	0	0	0	1	0	1	3	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.04	.00	.04	.11	.00	.00	.00	.00	.00	.19
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.01
ALL SPEEDS	103	183	165	89	46	57	110	94	173	348	765	381	57	24	27	30	0	2652
(1)	3.88	6.90	6.22	3.36	1.73	2.15	4.15	3.54	6.52	13.12	28.85	14.37	2.15	.90	1.02	1.13	.00	100.00
(2)	.20	.36	.33	.18	.09	.11	.22	.19	.34	.69	1.51	.75	.11	.05	.05	.06	.00	5.24

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Meteorology

Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD - continued} (Page 1 of 2)

197.0) FT WIN	ID DATA		SSES JA	N01-DE STAE	CO6 MET BILITY CL	DATA JO ASS B	DINT FRE	QUENC	Y DISTRI	BUTION C	(60-METE LASS FRI	R TOW	ER) IY (PERCE	NT) = 3.	.06		
							w	IND DIRE	CTION	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	5	5	5	5	3	2	3	4	0	1	0	0	0	1	0	34
(1)	.00	.00	.32	.32	.32	.32	.19	.13	.19	.26	.00	.06	.00	.00	.00	.06	.00	2.20
(2)	.00	.00	.01	.01	.01	.01	.01	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.07
1.1- 1.5	3	6	10	10	8	8	5	3	6	11	4	1	0	0	1	0	0	76
(1)	.19	.39	.65	.65	.52	.52	.32	.19	.39	.71	.26	.06	.00	.00	.06	.00	.00	4.91
(2)	.01	.01	.02	.02	.02	.02	.01	.01	.01	.02	.01	.00	.00	.00	.00	.00	.00	.15
1.6- 2.0	3	15	21	11	1	9	2	2	6	13	15	0	1	0	1	2	0	102
(1)	.19	.97	1.36	.71	.06	.58	.13	.13	.39	.84	.97	.00	.06	.00	.06	.13	.00	6.59
(2)	.01	.03	.04	.02	.00	.02	.00	.00	.01	.03	.03	.00	.00	.00	.00	.00	.00	.20
2.1- 3.0	11	21	25	8	5	4	9	8	7	29	53	11	3	3	3	5	0	205
(1)	.71	1.36	1.61	.52	.32	.26	.58	.52	.45	1.87	3.42	.71	.19	.19	.19	.32	.00	13.24
(2)	.02	.04	.05	.02	.01	.01	.02	.02	.01	.06	.10	.02	.01	.01	.01	.01	.00	.40
3.1- 4.0	14	35	21	6	5	2	7	9	7	19	78	26	5	5	7	4	0	250
(1)	.90	2.26	1.36	.39	.32	.13	.45	.58	.45	1.23	5.04	1.68	.32	.32	.45	.26	.00	16.15
(2)	.03	.07	.04	.01	.01	.00	.01	.02	.01	.04	.15	.05	.01	.01	.01	.01	.00	.49
4.1- 5.0	18	29	15	1	4	2	8	7	13	16	99	48	21	15	10	17	0	323
· (1)	1.16	1.87	.97	.06	.26	.13	.52	.45	.84	1.03	6.40	3.10	1.36	.97	.65	1.10	.00	20.87
(2)	.04	.06	.03	.00	.01	.00	.02	.01	.03	.03	.20	.09	.04	.03	.02	.03	.00	.64
5.1- 6.0	20	23	- 7	1	2	0	7	3	8	21	71	45	19	9	9	16	0	261
(1)	1.29	1.49	.45	.06	.13	.00	.45	.19	.52	1.36	4.59	2.91	1.23	.58	.58	1.03	.00	16.86
(2)	.04	.05	.01	.00	.00	.00	.01	.01	.02	.04	.14	.09	.04	.02	.02	.03	.00	.52
6.1- 8.0	12	10	2	0	2	2	4	5	5	11	59	103	15	0	7	9	0	246

Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DE	C06 MET	DATA JO	DINT FRE	QUENCY	DISTRII	BUTION	60-METE	RTOW	ER)				
197.0) FT WIN	D DATA			STAE	BILITY CL	ASS B				C	LASS FR	EQUENC	Y (PERCE	NT) = 3.	.06		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.78	.65	.13	.00	.13	.13	.26	.32	.32	.71	3.81	6.65	.97	.00	.45	.58	.00	15.89
(2)	.02	.02	.00	.00	.00	.00	.01	.01	.01	.02	.12	.20	.03	.00	.01	.02	.00	.49
8.1-10.0	4	2	0	0	0	0	0	0	1	7	8	17	1	0	3	0	0	43
(1)	.26	.13	.00	.00	.00	.00	.00	.00	.06	.45	.52	1.10	.06	.00	.19	.00	.00	2.78
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.01	.02	.03	.00	.00	.01	.00	.00	.08
10.1-40.3	0	0	0	0	0	0	0	0	0	0	5	2	0	0	0	1	0	8
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.32	.13	.00	.00	.00	.06	.00	.52
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.02
ALL SPEEDS	85	141	106	42	32	32	45	39	56	131	392	254	65	32	41	55	0	1548
(1)	5.49	9.11	6.85	2.71	2.07	2.07	2.91	2.52	3.62	8.46	25.32	16.41	4.20	2.07	2.65	3.55	.00	100.00
(2)	.17	.28	.21	.08	.06	.06	.09	.08	.11	.26	.77	.50	.13	.06	.08	.11	.00	3.06

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Rev. 2a

Table 2.3-32— {SSES	197' (60-m) 2001·	2006 Annual JF	<pre>> - continued}</pre>

(Page 1 of 2)

				SSES JA	N01-DE	CO6 MET	DATA J	DINT FRE	QUENC	Y DISTRI	BUTION	(60-METE	RTOW	ER)				
197.) FT WIN	ID DATA			STAE	BILITY CL	ASS C				c	LASS FRE	EQUENC	Y (PERCE	NT) = 4.	.26		
							W	IND DIRE	CTION	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	2	6	11	7	3	4	3	1 1	3	2	0	1	1	0	0	0	54
(1)	.00	.09	.28	.51	.32	.14	.19	.14	.51	.14	.09	.00	.05	.05	.00	.00	.00	2.50
(2)	.00	.00	.01	.02	.01	.01	.01	.01	.02	.01	.00	.00	.00	.00	.00	.00	.00	.11
1.1- 1.5	5	8	10	15	16	6	5	7	11	22	9	1	1	1	0	2	0	119
(1)	.23	.37	.46	.70	.74	.28	.23	.32	.51	1.02	.42	.05	.05	.05	.00	.09	.00	5.52
(2)	.01	.02	.02	.03	.03	.01	.01	.01	.02	.04	.02	.00	.00	.00	.00	.00	.00	.24
1.6- 2.0	9	21	16	14	13	4	6	4	10	25	15	4	3	1	0	2	0	147
(1)	.42	.97	.74	.65	.60	.19	.28	.19	.46	1.16	.70	.19	.14	.05	.00	.09	.00	6.82
(2)	.02	.04	.03	.03	.03	.01	.01	.01	.02	.05	.03	.01	.01	.00	.00	.00	.00	.29
2.1- 3.0	13	39	30	18	2	8	9	6	16	42	80	28	5	6	4	7	0	313
(1)	.60	1.81	1.39	.83	.09	.37	.42	.28	.74	1.95	3.71	1.30	.23	.28	.19	.32	.00	14.52
(2)	.03	.08	.06	.04	.00	.02	.02	.01	.03	.08	.16	.06	.01	.01	.01	.01	.00	.62
3.1- 4.0	27	45	31	3	4	4	9	5	13	22	96	53	13	9	15	12	0	361
(1)	1.25	2.09	1.44	.14	.19	.19	.42	.23	.60	1.02	4.45	2.46	.60	.42	.70	.56	.00	16.74
(2)	.05	.09	.06	.01	.01	.01	.02	.01	.03	.04	.19	.10	.03	.02	.03	.02	.00	.71
4.1- 5.0	43	38	7	3	2	5	10	9	19	26	112	67	20	19	22	27	0	429
(1)	1.99	1.76	.32	.14	.09	.23	.46	.42	.88	1.21	5.19	3.11	.93	.88	1.02	1.25	.00	19.90
(2)	.08	.08	.01	.01	.00	.01	.02	.02	.04	.05	.22	.13	.04	.04	.04	.05	.00	.85
5.1- 6.0	30	26	2	5	1	1	10	7	14	19	47	82	26	6	13	30	0	319
(1)	1.39	1.21	.09	.23	.05	.05	.46	.32	.65	.88	2.18	3.80	1.21	.28	.60	1.39	.00	14.80
(2)	.06	.05	.00	.01	.00	.00	.02	.01	.03	.04	.09	.16	.05	.01	.03	.06	.00	.63
6.1- 8.0	19	13	3	0	0	3	2	5	14	22	54	128	30	10	17	11	0	331

Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DE0	C06 MET	DATA JO	DINT FRE	QUENCY	Y DISTRIE	BUTION (60-METE	R TOW	ER)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS C				C	LASS FRE	QUENC	Y (PERCE	NT) = 4.	26		
							W	IND DIRE	CTION P	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.88	.60	.14	.00	.00	.14	.09	.23	.65	1.02	2.50	5.94	1.39	.46	.79	.51	.00	15.35
(2)	.04	.03	.01	.00	.00	.01	.00	.01	.03	.04	.11	.25	.06	.02	.03	.02	.00	.65
8.1-10.0	1	1	0	0	0	0	1	0	0	5	7	42	8	0	0	5	0	70
(1)	.05	.05	.00	.00	.00	.00	.05	.00	.00	.23	.32	1.95	.37	.00	.00	.23	.00	3.25
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.08	.02	.00	.00	.01	.00	.14
10.1-40.3	0	0	0	0	0	0	1	0	0	0	1	11	0	0	0	0	0	13
(1)	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.05	.51	.00	.00	.00	.00	.00	.60
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.03
ALL SPEEDS	147	193	105	69	45	34	57	46	108	186	423	416	107	53	71	96	0	2156
(1)	6.82	8.95	4.87	3.20	2.09	1.58	2.64	2.13	5.01	8.63	19.62	19.29	4.96	2.46	3.29	4.45	.00	100.00
(2)	.29	.38	.21	.14	.09	.07	.11	.09	.21	.37	.84	.82	.21	.10	.14	.19	.00	4.26

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

								(Page	e 1 of 2)									
				SSES JA	N01-DE	CO6 MET	DATA J	OINT FRE		Y DISTRI	BUTION	(60-METE	RTOW	ER)				
197.	0 FT WIN	ID DATA			STAE	BILITY CL	ASS D				c	LASS FRE	QUENC	Y (PERCE	NT) = 39	.44		
							W	IND DIR	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	3	1	2	4	1	0	1	1	0	2	0	1	0	1	0	0	17
(1)	.00	.02	.01	.01	.02	.01	.00	.01	.01	.00	.01	.00	.01	.00	.01	.00	.00	.09
(2)	.00	.01	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03
.5- 1.0	23	69	139	127	91	99	92	79	79	57	39	19	9	8	7	11	0	948
(1)	.12	.35	.70	.64	.46	.50	.46	.40	.40	.29	.20	.10	.05	.04	.04	.06	.00	4.75
(2)	.05	.14	.27	.25	.18	.20	.18	.16	.16	.11	.08	.04	.02	.02	.01	.02	.00	1.87
1.1- 1.5	51	163	192	113	68	50	73	93	123	145	136	41	10	10	9	27	0	1304
(1)	.26	.82	.96	.57	.34	.25	.37	.47	.62	.73	.68	.21	.05	.05	.05	.14	.00	6.53
(2)	.10	.32	.38	.22	.13	.10	.14	.18	.24	.29	.27	.08	.02	.02	.02	.05	.00	2.58
1.6- 2.0	64	147	144	70	69	60	58	65	90	176	238	88	21	13	13	19	0	1335
(1)	.32	.74	.72	.35	.35	.30	.29	.33	.45	.88	1.19	.44	.11	.07	.07	.10	.00	6.68
(2)	.13	.29	.28	.14	.14	.12	.11	.13	.18	.35	.47	.17	.04	.03	.03	.04	.00	2.64
2.1- 3.0	200	337	275	154	128	105	170	115	105	235	473	227	114	97	87	97	0	2919
(1)	1.00	1.69	1.38	.77	.64	.53	.85	.58	.53	1.18	2.37	1.14	.57	.49	.44	.49	.00	14.62
(2)	.40	.67	.54	.30	.25	.21	.34	.23	.21	.46	.93	.45	.23	.19	.17	.19	.00	5.77
3.1- 4.0	315	351	285	71	79	92	141	159	119	144	363	273	188	188	233	249	0	3250
(1)	1.58	1.76	1.43	.36	.40	.46	.71	.80	.60	.72	1.82	1.37	.94	.94	1.17	1.25	.00	16.27
(2)	.62	.69	.56	.14	.16	.18	.28	.31	.24	.28	.72	.54	.37	.37	.46	.49	.00	6.42
4.1- 5.0	322	348	192	54	45	82	118	120	144	139	337	394	253	225	397	409	0	3579
(1)	1.61	1.74	.96	.27	.23	.41	.59	.60	.72	.70	1.69	1.97	1.27	1.13	1.99	2.05	.00	17.92
(2)	.64	.69	.38	.11	.09	.16	.23	.24	.28	.27	.67	.78	.50	.44	.78	.81	.00	7.07
5.1- 6.0	205	250	86	21	20	42	76	68	90	139	259	477	269	218	344	320	0	2884
(1)	1.03	1.25	.43	.11	.10	.21	.38	.34	.45	.70	1.30	2.39	1.35	1.09	1.72	1.60	.00	14.44
(2)	.40	.49	.17	.04	.04	.08	.15	.13	.18	.27	.51	.94	.53	.43	.68	.63	.00	5.70
6.1- 8.0	84	123	46	9	17	30	34	54	65	116	210	843	354	243	331	236	0	2795

Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD - continued}

			Та	able 2.3	8-32—	{SSES 1	97' (60)-m) 20 (Page	01-200 2 of 2)	6 Annı	ial JFD	- contir	nued}					
197.0) FT WIN	D DATA		SSES JA	NO1-DE STAE	CO6 MET BILITY CL	DATA JO ASS D	DINT FRE	QUENC	Y DISTRIE	BUTION (CI	60-METE ASS FRE	R TOWI	ER) Y (PERCE	NT) = 39	.44		
	WIND DIRECTION FROM D m/s N NNE NE ENE E ESE SE SSE S SSW SW WSW W WNW NW NNW VRE																	
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.42	.62	.23	.05	.09	.15	.17	.27	.33	.58	1.05	4.22	1.77	1.22	1.66	1.18	.00	14.00
(2)	.17	.24	.09	.02	.03	.06	.07	.11	.13	.23	.41	1.66	.70	.48	.65	.47	.00	5.52
8.1-10.0	3	7	4	1	3	б	11	17	20	. 34	37	313	143	51	36	34	0	720
(1)	.02	.04	.02	.01	.02	.03	.06	.09	.10	.17	.19	1.57	.72	.26	.18	.17	.00	3.61
(2)	.01	.01	.01	.00	.01	.01	.02	.03	.04	.07	.07	.62	.28	.10	.07	.07	.00	1.42
10.1-40.3	1	2	1	3	1	3	3	6	9	11	3	122	45	8	1	0	0	219
(1)	.01	.01	.01	.02	.01	.02	.02	.03	.05	.06	.02	.61	.23	.04	.01	.00	00	1 10
(2)	.00	.00	.00	.01	.00	.01	.01	.01	.02	.02	.01	.24	.09	.02	.00	.00	.00	.43
ALL SPEEDS	1268	1800	1365	625	526	570	776	777	845	1196	2097	2797	1407	1061	1459	1402	0	19971
(1)	6.35	9.01	6.83	3.13	2.63	2.85	3.89	3.89	4.23	5.99	10.50	14.01	7.05	5.31	7.31	7.02	.00	100.00
(2)	2.50	3.56	2.70	1.23	1.04	1.13	1.53	1.53	1.67	2.36	4.14	5.52	2.78	2.10	2.88	2.77	.00	39.44

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD - continued} (Page 1 of 2)

				SSES JA	N01-DE	C06 MET	DATA JO	DINT FRE	QUENC	OISTRIE	BUTION	60-METE	RTOW	ER)				
197.0) FT WIN	ID DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCEI	NT) = 28	3.82		
					_		W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE ·	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	4	7	4	5	6	5	3	2	1	0	0	0	0	0	0	37
(1)	.00	.00	.03	.05	.03	.03	.04	.03	.02	.01	.01	.00	.00	.00	.00	.00	.00	.25
(2)	.00	.00	.01	.01	.01	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	68	165	294	214	184	178	169	141	140	108	68	31	19	3	8	25	0	1815
(1)	.47	1.13	2.01	1.47	1.26	1.22	1.16	.97	.96	.74	.47	.21	.13	.02	.05	.17	.00	12.44
(2)	.13	.33	.58	.42	.36	.35	.33	.28	.28	.21	.13	.06	.04	.01	.02	.05	.00	3.58
1.1- 1.5	105	321	393	124	118	73	121	166	162	164	151	55	28	11	13	32	0	2037
(1)	.72	2.20	2.69	.85	.81	.50	.83	1.14	1.11	1.12	1.03	.38	.19	.08	.09	.22	.00	13.96
(2)	.21	.63	.78	.24	.23	.14	.24	.33	.32	.32	.30	.11	.06	.02	.03	.06	.00	4.02
1.6 - 2.0	157	474	230	100	62	43	70	69	120	157	176	91	34	15	16	21	0	1835
(1)	1.08	3.25	1.58	.69	.42	.29	.48	.47	.82	1.08	1.21	.62	.23	.10	.11	.14	.00	12.57
(2)	.31	.94	.45	.20	.12	.08	.14	.14	.24	.31	.35	.18	.07	.03	.03	.04	.00	3.62
2.1- 3.0	290	644	318	149	103	91	89	146	160	230	373	185	89	83	53	62	0	3065
(1)	1.99	4.41	2.18	1.02	.71	.62	.61	1.00	1.10	1.58	2.56	1.27	.61	.57	.36	.42	.00	21.00
(2)	.57	1.27	.63	.29	.20	.18	.18	.29	.32	.45	.74	.37	.18	.16	.10	.12	.00	6.05
3.1- 4.0	157	300	230	57	58	54	73	115	156	288	328	235	83	41	78	78	0	2331
(1)	1.08	2.06	1.58	.39	.40	.37	.50	.79	1.07	1.97	2.25	1.61	.57	.28	.53	.53	.00	15.97
(2)	.31	.59	.45	.11	.11	.11	.14	.23	.31	.57	.65	.46	.16	.08	.15	.15	.00	4.60
4.1- 5.0	78	162	130	30	24	25	44	63	105	232	286	265	40	24	85	69	0	1662
(1)	.53	1.11	.89	.21	.16	.17	.30	.43	.72	1.59	1.96	1.82	.27	.16	.58	.47	.00	11.39
(2)	.15	.32	.26	.06	.05	.05	.09	.12	.21	.46	.56	.52	.08	.05	.17	.14	.00	3.28
5.1- 6.0	22	97	68	12	3	10	20	31	56	127	136	282	15	8	46	24	0	957
(1)	.15	.66	.47	.08	.02	.07	.14	.21	.38	.87	.93	1.93	.10	.05	.32	.16	.00	6.56
(2)	.04	.19	.13	.02	.01	.02	.04	.06	.11	.25	.27	.56	.03	.02	.09	.05	.00	1.89
6.1- 8.0	6	57	29	4	13	13	15	29	63	105	53	214	21	5	14	8	0	649

BBNPP

Rev. 2a

Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DE	C06 MET	DATA JO	DINT FRE	QUENCY	' DISTRIE	BUTION ((60-METE	RTOW	ER)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				CI	LASS FRE	QUENC	Y (PERCE	NT) = 28	.82		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.04	.39	.20	.03	.09	.09	.10	.20	.43	.72	.36	1.47	.14	.03	.10	.05	.00	4.45
(2)	.01	.11	.06	.01	.03	.03	.03	.06	.12	.21	.10	.42	.04	.01	.03	.02	.00	1.28
8.1-10.0	0	3	10	2	0	11	13	13	29	33	12	18	4	0	0	0	0	148
(1)	.00	.02	.07	.01	.00	.08	.09	.09	.20	.23	.08	.12	.03	.00	.00	.00	.00	1.01
(2)	.00	.01	.02	.00	.00	.02	.03	.03	.06	.07	.02	.04	.01	.00	.00	.00	.00	.29
10.1-40.3	0	5	3	3	2	2	5	8	13	б	3	5	1	0	0	0	0	56
(1)	.00	.03	.02	.02	.01	.01	.03	.05	.09	.04	.02	.03	.01	.00	.00	.00	.00	.38
(2)	.00	.01	.01	.01	.00	.00	.01	.02	.03	.01	.01	.01	.00	.00	.00	.00	.00	.11
ALL SPEEDS	883	2228	1710	703	571	505	625	786	1007	1452	1587	1381	334	190	313	319	0	14594
. (1)	6.05	15.27	11.72	4.82	3.91	3.46	4.28	5.39	6.90	9.95	10.87	9.46	2.29	1.30	2.14	2.19	.00	100.00
(2)	1.74	4.40	3.38	1.39	1.13	1.00	1.23	1.55	1.99	2.87	3.13	2.73	.66	.38	.62	.63	.00	28.82

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD - continued} (Page 1 of 2)

197.(SSES JAN01-DEC06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS F UND DIRECTION FROM WIND DIRECTION FROM																	
							w		CTION F	ROM	-		QUENC					
SPEED m/s	N	NNE	NE	ENE	F	ESE	SE	SSE	S	SSW	sw	wsw	w	WNW	NW	NNW	VRBI	ΤΟΤΑΙ
LT.2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	ñ	.02
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	1	0	5	6	3	3	0	1	0	1	0	0	0	0	0	0	0	20
(1)	.02	.00	.08	.10	.05	.05	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.34
(2)	.00	.00	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04
.5- 1.0	25	87	199	148	132	111	98	51	42	26	12	7	9	6	7	5	0	965
(1)	.42	1.46	3.35	2.49	2.22	1.87	1.65	.86	.71	.44	.20	.12	.15	.10	.12	.08	.00	16.24
(2)	.05	.17	.39	.29	.26	.22	.19	.10	.08	.05	.02	.01	.02	.01	.01	.01	.00	1.91
1.1- 1.5	73	377	355	114	84	64	77	69	97	52	34	11	6	2	5	9	0	1429
(1)	1.23	6.34	5.97	1.92	1.41	1.08	1.30	1.16	1.63	.88	.57	.19	.10	.03	.08	.15	.00	24.05
(2)	.14	.74	.70	.23	.17	.13	.15	.14	.19	.10	.07	.02	.01	.00	.01	.02	.00	2.82
1.6- 2.0	129	609	192	35	26	18	18	26	63	73	46	16	7	7	6	9	0	1280
(1)	2.17	10.25	3.23	.59	.44	.30	.30	.44	1.06	1.23	.77	.27	.12	.12	.10	.15	.00	21.54
(2)	.25	1.20	.38	.07	.05	.04	.04	.05	.12	.14	.09	.03	.01	.01	.01	.02	.00	2.53
2.1- 3.0	236	706	123	13	19	9	12	17	51	106	143	19	11	13	15	14	0	1507
(1)	3.97	11.88	2.07	.22	.32	.15	.20	.29	.86	1.78	2.41	.32	.19	.22	.25	.24	.00	25.36
(2)	.47	1.39	.24	.03	.04	.02	.02	.03	.10	.21	.28	.04	.02	.03	.03	.03	.00	2.98
3.1- 4.0	41	84	31	1	4	3	6	10	21	60	110	66	5	1	12	3	0	458
(1)	.69	1.41	.52	.02	.07	.05	.10	.17	· .35	1.01	1.85	1.11	.08	.02	.20	.05	.00	7.71
(2)	.08	.17	.06	.00	.01	.01	.01	.02	.04	.12	.22	.13	.01	.00	.02	.01	.00	.90
4.1- 5.0	5	6	3	0	0	1	0	1	9	24	33	99	0	0	4	2	0	187
(1)	.08	.10	.05	.00	.00	.02	.00	.02	.15	.40	.56	1.67	.00	.00	.07	.03	.00	3.15
(2)	.01	.01	.01	.00	.00	.00	.00	.00	.02	.05	.07	.20	.00	.00	.01	.00	.00	.37
5.1- 6.0	2	0	0	0	1	0	0	0	1	6	12	50	0	0	0	1	0	73
(1)	.03	.00	.00	.00	.02	.00	.00	.00	.02	.10	.20	.84	.00	.00	.00	.02	.00	1.23
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.02	.10	.00	.00	.00	.00	.00	.14
6.1- 8.0	1	0	0	0	0	0	0	1	1	1	1	15	0	0	1	0	0	21

Meteorology

(Page 2 of 2)

				SSES JA	N01-DE	C06 MET	DATA JO	DINT FRE	QUENC	DISTRIE	BUTION	(60-METE	RTOW	ER)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 11	.74		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.02	.00	.00	.00	.00	.00	.00	.02	.02	.02	.02	.25	.00	.00	.02	.00	.00	.35
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.04
8.1-10.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	513	1869	909	317	269	209	211	176	285	350	391	283	38	29	50	43	0	5942
(1)	8.63	31.45	15.30	5.33	4.53	3.52	3.55	2.96	4.80	5.89	6.58	4.76	.64	.49	.84	.72	.00	100.00
(2)	1.01	3.69	1.80	.63	.53	.41	.42	.35	.56	.69	.77	.56	.08	.06	.10	.08	.00	11.74

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.

Table 2.3-32--- {SSES 197' (60-m) 2001-2006 Annual JFD - continued} (Page 1 of 2)

107/				SSES JA	NO1-DE	CO6 MET	DATA JO	DINT FRE	QUENC	/ DISTRI	BUTION	(60-METE		ER)	NIT) - 7			
197.0		DUDATA			STAD		.A35 G W			DOM	Ľ	LASS PRE	QUEN	.T (PERCE	NT) = 7.	.44		
	N		NE		E	FCF	6E				CIM	MCM	14/	14/6114/	813 <i>87</i>		VDDI	TOTAL
				EINE	E 0	ESE	3 E	335	3	22 VV	200	VV 5 VV	vv O	WINW			VKBL	
LI.2 (1)	0	0	0	0	0	0	0	0	0	0	0	0	0	. 00	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	1	1	1	3	1	0	0	0	0	0	0	0	0	1	0	0	8
(1)	.00	.03	.03	.03	.08	.03	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.21
(2)	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	17	37	103	103	72	61	41	35	19	10	2	2	1	1	0	3	0	507
(1)	.45	.98	2.73	2.73	1.91	1.62	1.09	.93	.50	.27	.05	.05	.03	.03	.00	.08	.00	13.46
(2)	.03	.07	.20	.20	.14	.12	.08	.07	.04	.02	.00	.00	.00	.00	.00	.01	.00	1.00
11-15	37	240	279	106	76	62	57	50	49	33	18	4	٦	5	3	4	0	1026
(1)	.98	6.37	7.40	2.81	2.02	1.65	1.51	1.33	1.30	.88	.48	.11	.08	.13	.08	11	.00	27 23
(2)	.07	.47	.55	.21	.15	.12	.11	.10	.10	.07	.04	.01	.01	.01	.01	.01	.00	2.03
16.20	110	453	100	40	13	10	1.4	10	40	20	24	7	2	0		-	0	007
1.6- 2.0	110	453	190	40	15		14	19	48	39	24	10	2	0	4	2	0	987
(1)	2.92	12.02	5.20	1.22		.27	.57	.50	1.27	1.04	.04	.19	.05	.00	.11	cu.	.00	20.19
(2)	.22	.89	.59	.09	.05	.02	.05	.04	.09	.08	.05	.01	.00	.00	.01	.00	.00	1.95
2.1- 3.0	200	372	106	13	6	12	8	11	53	82	77	13	1	3	13	9	0	979
(1)	5.31	9.87	2.81	.35	.16	.32	.21	.29	1.41	2.18	2.04	.35	.03	.08	.35	.24	.00	25.98
(2)	.40	.73	.21	.03	.01	.02	.02	.02	.10	.16	.15	.03	.00	.01	.03	.02	.00	1.93
3.1- 4.0	34	39	7	0	0	2	3	0	7	31	42	15	1	1	5	1	0	188
(1)	.90	1.04	.19	.00	.00	.05	.08	.00	.19	.82	1.11	.40	.03	.03	.13	.03	.00	4.99
(2)	.07	.08	.01	.00	.00	.00	.01	.00	.01	.06	.08	.03	.00	.00	.01	.00	.00	.37
4 1- 5 0	3	0	n	٥	1	0	٥	1	٦	12	5	24	0	0	1	٥	0	50
(1)	08	00	00	00	03	00	ññ	03	08	32	13	64	ñ	00	03	ň	ñ	1 3 3
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.01	.05	.00	.00	.00	.00	.00	.10
51 60	0	0	0	0	0	0	0	1	1	4	•	0	0	0	•	0	0	15
5.1- 0.U (1)	00	0	0	00	0	00	00	03	02	4	1	0 21	0	00	00	00	0	10
(1)	.00	.00	.00	.00	.00	.00	.00	.05	.05	.11	.05	.∠ı 02	.00	.00	.00	.00	.00	.40
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.02	.00	.00	.00	.00	.00	.co.
6.1- 8.0	0	0	0	0	0	0	0	0	0	1	1	6	0	0	0	0	0	8

BBNPP

Rev. 2a

Meteorology

Table 2.3-32 {SSES 197'	(60-m) 2001-2006 Annual JFD - continued}

(Page 2 of 2)

				SSES JA	N01-DE0	CO6 MET	DATA JO	DINT FRE	QUENC	/ DISTRIE	UTION	(60-METE	R TOW	ER)				
197.0	D FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUEN	CY (PERCE	NT) = 7.	44		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.03	.16	.00	.00	.00	.00	.00	.21
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	401	1142	692	269	171	148	123	117	180	212	170	79	8	10	27	19	0	3768
(1)	10.64	30.31	18.37	7.14	4.54	3.93	3.26	3.11	4.78	5.63	4.51	2.10	.21	.27	.72	.50	.00	100.00
(2)	.79	2.26	1.37	.53	.34	.29	.24	.23	.36	.42	.34	.16	.02	.02	.05	.04	.00	7.44

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOPERIOD

BBNPP

I

FSAR: Section 2.3

Rev. 2a
Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD - continued} (Page 1 of 2)

				SSES JA	NO1-DE	C06 MET	DATA J	DINT FRE	QUENC	Y DISTRI	BUTION	60-METE	RTOW	ER)				
197.0) FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	QUENCI	(PERCEN	IT) = 10	0.00		
							W	IND DIRE	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	1	4	11	16	14	10	6	7	4	3	3	0	1	0	2	0	0	82
(1)	.00	.01	.02	.03	.03	.02	.01	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.16
(2)	.00	.01	.02	.03	.03	.02	.01	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.16
.5- 1.0	133	362	750	615	498	467	412	313	301	210	126	60	39	19	23	45	0	4373
(1)	.26	.71	1.48	1.21	.98	.92	.81	.62	.59	.41	.25	.12	.08	.04	.05	.09	.00	8.64
(2)	.26	.71	1.48	1.21	.98	.92	.81	.62	.59	.41	.25	.12	.08	.04	.05	.09	.00	8.64
1.1- 1.5	275	1119	1262	506	382	274	349	392	466	450	371	118	49	30	32	74	0	6149
(1)	.54	2.21	2.49	1.00	.75	.54	.69	.77	.92	.89	.73	.23	.10	.06	.06	.15	.00	12.14
(2)	.54	2.21	2.49	1.00	.75	.54	.69	.77	.92	.89	.73	.23	.10	.06	.06	.15	.00	12.14
1.6- 2.0	475	1733	826	304	196	156	185	199	356	518	540	215	70	38	41	55	0	5907
(1)	.94	3.42	1.63	.60	.39	.31	.37	.39	.70	1.02	1.07	.42	.14	.08	.08	.11	.00	11.67
(2)	.94	3.42	1.63	.60	.39	.31	.37	.39	.70	1.02	1.07	.42	.14	.08	.08	.11	.00	11.67
2.1- 3.0	957	2151	926	367	274	243	317	324	419	807	1319	513	224	205	180	198	0	9424
(1)	1.89	4.25	1.83	.72	.54	.48	.63	.64	.83	1.59	2.61	1.01	.44	.40	.36	.39	.00	18.61
(2)	1.89	4.25	1.83	.72	.54	.48	.63	.64	.83	1.59	2.61	1.01	.44	.40	.36	.39	.00	18.6 1
3.1- 4.0	609	887	642	142	153	161	255	312	347	618	1174	718	306	253	356	356	0	728 9
(1)	1.20	1.75	1.27	.28	.30	.32	.50	.62	.69	1.22	2.32	1.42	.60	.50	.70	.70	.00	14.40
(2)	1.20	1.75	1.27	.28	.30	.32	.50	.62	.69	1.22	2.32	1.42	.60	.50	.70	.70	.00	14.40
4.1- 5.0	510	628	362	98	77	116	198	218	317	503	1054.	968	349	293	523	532	0	6746
(1)	1.01	1.24	.71	.19	.15	.23	.39	.43	.63	.99	2.08	1.91	.69	.58	1.03	1.05	.00	13.32
(2)	1.01	1.24	.71	.19	.15	.23	.39	.43	.63	.99	2.08	1.91	.69	.58	1.03	1.05	.00	13.32
5.1- 6.0	294	436	171	42	27	54	131	124	195	356	686	1037	350	244	416	396	0	4959
(1)	.58	.86	.34	.08	.05	.11	.26	.24	.39	.70	1.35	2.05	.69	.48	.82	.78	.00	9.79
(2)	.58	.86	.34	.08	.05	.11	.26	.24	.39	.70	1.35	2.05	.69	.48	.82	.78	.00	9.79
6.1- 8.0	133	215	82	14	32	51	59	101	175	304	468	1414	426	258	374	268	0	4374

Rev. 2a

Table 2.3-32— {SSES 197' (60-m) 2001-2006 Annual JFD - continued} (Page 2 of 2)

				SSES JA	N01-DEG	CO6 MET	DATA JO	DINT FRE	QUENCY	DISTRIE	BUTION (60-METE	RTOW	ER)				
197.0) FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	QUENCY	(PERCEN	T) = 100	0.00		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.26	.42	.16	.03	.06	.10	.12	.20	.35	.60	.92	2.79	.84	.51	.74	.53	.00	8.64
(2)	.26	.42	.16	.03	.06	.10	.12	.20	.35	.60	.92	2.79	.84	.51	.74	.53	.00	8.64
8.1-10.0	12	14	14	3	3	18	26	31	51	89	71	405	156	51	40	39	0	1023
(1)	.02	.03	.03	.01	.01	.04	.05	.06	.10	.18	.14	.80	.31	.10	.08	.08	.00	2.02
(2)	.02	.03	.03	.01	.01	.04	.05	.06	.10	.18	.14	.80	.31	.10	.08	.08	.00	2.02
10.1-40.3	1	7	4	6	3	5	9	14	23	17	13	143	46	8	1	1	0	301
(1)	.00	.01	.01	.01	.01	.01	.02	.03	.05	.03	.03	.28	.09	.02	.00	.00	.00	.59
(2)	.00	.01	.01	.01	.01	.01	.02	.03	.05	.03	.03	.28	.09	.02	.00	.00	.00	.59
ALL SPEEDS	3400	7556	5052	2114	1660	1555	1947	2035	2654	3875	5825	5591	2016	1399	1988	1964	0	50631
(1) ·	6.72	14.92	9.98	4.18	3.28	3.07	3.85	4.02	5.24	7.65	11.50	11.04	3.98	2.76	3.93	3.88	.00	100.00
(2)	6.72	14.92	9.98	4.18	3.28	3.07	3.85	4.02	5.24	7.65	11.50	11.04	3.98	2.76	3.93	3.88	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD} (Page 1 of 2)

FSAR: Section 2.3

.

Meteorology

				SSES W	INTER 01	-06 MET	DATA JO	OINT FRE	QUENCY	Y DISTRI	BUTION ((60-METE	IR TOW	ER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS A				С	LASS FRE		Y (PERCE	NT) = 2	.08		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSŴ	Ŵ	WNW	NW	NNW	VRBL	TOTAL
LT .2	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	Ō	0	0	0	0	0	0	0.0	0	0	0	0	. 0	0	0.	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	. 0	0	1
(1)	.00	.00	.00	.00	.37	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.37
(2)	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
1.1- 1.5	0	1	0	0	1	2	2	3	3	4	4	1	0	1	0	0	0	22
(1)	.00	.37	.00	.00	.37	.74	.74	1.11	1.11	1.48	1.48	.37	.00	.37	.00	.00	.00	8.15
(2)	.00	.01	.00	.00	.01	.02	· .02	.02	.02	.03	.03	.01	.00	.01	.00	.00	.00	.17
1.6- 2.0	0	0	1	0	3	1	0	2	8	11	10	0	0	0	0	1	0	37
(1)	.00	.00	.37	.00	1.11	.37	.00	.74	2.96	4.07	3.70	.00	.00	.00	.00	.37	.00	13.70
(2)	.00	.00	.01	.00	.02	.01	.00	.02	.06	.08	.08	.00	.00	.00	.00	.01	.00	.28
2.1- 3.0	0	1	6	3	0	1	4	1	7	22	29	3	2	. 3	0	0	0	82
(1)	.00	.37	2.22	1.11	.00	.37	1.48	.37	2.59	8.15	10.74	1.11	.74	1.11	.00	.00	.00	30.37
(2)	.00	.01	.05	.02	.00	.01	.03	.01	.05	.17	.22	.02	.02	.02	.00	.00	.00	.63
3.1- 4.0	0	1	1	0	0	0	4	1	3	12	28	3	2	0	0	0	0	55
(1)	.00	.37	.37	.00	.00	.00	1.48	.37	1,11	4.44	10.37	1.11	.74	.00	.00	.00	.00	20.37
(2)	.00	.01	.01	.00	.00	.00	.03	.01	.02	.09	.22	.02	.02	.00	.00	.00	.00	.42
4.1- 5.0	0	0	1	0	0	0	0	0	4	2	30	6	2	0	0	0	0	45
. (1)	.00	.00	.37	.00	.00	.00	.00	.00	1.48	.74	11.11	2.22	.74	.00	.00	.00	.00	16.67
(2)	.00	.00	.01	.00	.00	.00	.00	.00	· .03	.02	.23	.05	.02	.00	.00	.00	.00	.35
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	13	7	0	0	1	0	0	21
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.81	2.59	.00	.00	.37	.00	.00	7.78
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.10	.05	.00	.00	.01	.00	.00	.16
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	5	2	0	0	0	0	0	7

BBNPP

2-146 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD} (Page 2 of 2)

				SSES WI	NTER 01	-06 MET	DATA JO	DINT FRE	QUENC	Y DISTRIE	BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS A				С	LASS FRE		Y (PERCE	NT) = 2.	.08		
							W	IND DIRE	ECTION P	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.85	.74	.00	.00	.00	.00	.00	2.59
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.02	.00	.00	.00	.00	.00	.05
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	3	9	3	5	4	10	7	25	51	119	22	6	4	1	1	0	270
(1)	.00	1.11	3.33	1.11	1.85	1.48	3.70	2.59	9.26	18.89	44.07	8.15	2.22	1.48	.37	.37	.00	100.00
(2)	.00	.02	.07	.02	.04	.03	.08	.05	.19	.39	.92	.17	.05	.03	.01	.01	.00	2.08

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES WI	NTER 01 STAE	-06 MET BILITY CL	DATA J ASS B	OINT FRE		Y DISTRI		(60-METE LASS FRE	R TOW	ER) Y (PERCE	NT) = 1.	82		
							w		ECTION F	ROM	-					-		
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	0	0	0	1	1	0	0	2	1	0	1	0	0	1	0	0	8
(1)	.42	.00	.00	.00	.42	.42	.00	.00	.85	.42	.00	.42	.00	.00	.42	.00	.00	3.39
(2)	.01	.00	.00	.00	.01	.01	.00	.00	.02	.01	.00	.01	.00	.00	.01	.00	.00	.06
1.1- 1.5	0	0	0	0	2	0	0	3	3	4	0	1	0	0	0	0	0	13
(1)	.00	.00	.00	.00	.85	.00	.00	1.27	1.27	1.69	.00	.42	.00	.00	.00	.00	.00	5.51
(2)	.00	.00	.00	.00	.02	.00	.00	.02	.02	.03	.00	.01	.00	.00	.00	.00	.00	.10
1.6- 2.0	0	1	3	1	1	1	1	2	2	7	5	0	0	1	0	1	0	26
(1)	.00	.42	1.27	.42	.42	.42	.42	.85	.85	2.97	2.12	.00	.00	.42	.00	.42	.00	11.02
(2)	.00	.01	.02	.01	.01	.01	.01	.02	.02	.05	.04	.00	.00	.01	.00	.01	.00	.20
2.1- 3.0	0	2	8	0	2	0	0	2	2	9	11	5	2	0	1	1	0	45
(1)	.00	.85	3.39	.00	.85	.00	.00	.85	.85	3.81	4.66	2.12	.85	.00	.42	.42	.00	19.07
(2)	.00	.02	.06	.00	.02	.00	.00	.02	.02	.07	.08	.04	.02	.00	.01	.01	.00	.35
3.1- 4.0	4	8	7	0	0	0	0	0	4	6	19	6	1	3	0	2	0	60
(1)	1.69	3.39	2.97	.00	.00	.00	.00	.00	1.69	2.54	8.05	2.54	.42	1.27	.00	.85	.00	25.42
(2)	.03	.06	.05	.00	.00	.00	.00	.00	.03	.05	.15	.05	.01	.02	.00	.02	.00	.46
4.1- 5.0	2	4	1	0	0	0	0	0	0	3	29	8	2	2	0	1	0	52
(1)	.85	1.69	.42	.00	.00	.00	.00	.00	.00	1.27	12.29	3.39	.85	.85	.00	.42	.00	22.03
(2)	.02	.03	.01	.00	.00	.00	.00	.00	.00	.02	.22	.06	.02	.02	.00	.01	.00	.40
5.1- 6.0	0	1	0	0	0	0	0	0	0	1	17	8	1	0	1	0	0	29
(1)	.00	.42	.00	.00	.00	.00	.00	.00	.00	.42	7.20	3.39	.42	.00	.42	.00	.00	12.29
(2)	.00	.01	.00	.00	.00	.00	.00	.00	.00	.01	.13	.06	.01	.00	.01	.00	.00	.22
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	3

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued} (Page 2 of 2)

				SSES WI	NTER 01	-06 MET	DATA J	DINT FRE	QUENC	Y DISTRI	BUTION	(60-METE	RTOW	ER)				
33.0	FT WINI	D DATA			STAB	BILITY CL	ASS B				c	LASS FRE	QUENC	Y (PERCE	NT) = 1.	82		
							w	IND DIRE	CTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.42	.85	.00	.00	.00	.00	.00	1.27
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.02	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	7	16	19	1	6	2	1	7	13	31	82	31	6	6	3	5	0	236
(1)	2.97	6.78	8.05	.42	2.54	.85	.42	2.97	5.51	13.14	34.75	13.14	2.54	2.54	1.27	2.12	.00	100.00
(2)	.05	.12	.15	.01	.05	.02	.01	.05	.10	.24	.63	.24	.05	.05	.02	.04	.00	1.82

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

33.0	FT WIN	D DATA		33E3 W	STAE	BILITY CL	ASS C		QUENC	DISTRI		LASS FRE		ER) Y (PERCE	NT) = 2.	.85		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	. E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	4	4	3	3	3	0	1	0	0	0	0	0	0	18
(1)	.00	.00	.00	.00	1.08	1.08	.81	.81	.81	.00	.27	.00	.00	.00	.00	.00	.00	4.86
(2)	.00	.00	.00	.00	.03	.03	.02	.02	.02	.00	.01	.00	.00	.00	.00	.00	.00	.14
1.1- 1.5	0	1	1	0	5	7	1	1	7	5	2	1	1	0	0	0	0	32
(1)	.00	.27	.27	.00	1.35	1.89	.27	.27	1.89	1.35	.54	.27	.27	.00	.00	.00	.00	8.65
(2)	.00	.01	.01	.00	.04	.05	.01	.01	.05	.04	.02	.01	.01	.00	.00	.00	.00	.25
1.6- 2.0	0	1	6	2	2	1	1	4	· 4	8	7	1	1	1	0	1	0	40
(1)	.00	,27	1.62	.54	.54	.27	.27	1.08	1.08	2.16	1.89	.27	.27	.27	.00	.27	.00	10.81
(2)	.00	.01	.05	.02	.02	.01	.01	.03	.03	.06	.05	.01	.01	.01	.00	.01	.00	.31
2.1- 3.0	3	10	7	4	0	0	2	1	8	8	20	7	1	1	2	0	0	74
(1)	.81	2.70	1.89	1.08	.00	.00	.54	.27	2.16	2.16	5.41	1.89	.27	.27	.54	.00	.00	20.00
(2)	.02	.08	.05	.03	.00	.00	.02	.01	.06	.06	.15	.05	.01	.01	.02	.00	.00	.57
3.1- 4.0	9	4	2	0	0	0	2	0	3	10	18	9	1	3	1	3	0	65
(1)	2.43	1.08	.54	.00	.00	.00	.54	.00	.81	2.70	4.86	2.43	.27	.81	.27	.81	.00	17.57
(2)	.07	.03	.02	.00	.00	.00	.02	.00	.02	.08	.14	.07	.01	.02	.01	.02	.00	.50
4.1- 5.0	8	1	3	0	0	0	0	0	2	4	38	14	3	5	4	8	0	90
(1)	2.16	.27	.81	.00	.00	.00	.00	.00	.54	1.08	10.27	3.78	.81	1.35	1.08	2.16	.00	24.32
(2)	.06	.01	.02	.00	.00	.00	.00	.00	.02	.03	.29	.11	.02	.04	.03	.06	.00	.69
5.1- 6.0	0	0	0	0	0	0	0	0	1	0	15	11	7	0	1	5	0	40
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.27	.00	4.05	2.97	1.89	.00	.27	1.35	.00	10.81
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.12	.08	.05	.00	.01	.04	.00	.31
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	4	3	4	0	0	0	0	11

								(Page	2012)									
				SSES W	INTER 01	-06 MET	DATA J	DINT FRE		Y DISTRI	BUTION	(60-METI	R TOW	ER)				
33.0	FT WIN	D DATA			STAE	ILITY CL	ASS C				С	LASS FRI		Y (PERCE	NT) = 2.	85		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.08	.81	1.08	.00	.00	.00	.00	2.97
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.02	.03	.00	.00	.00	.00	.08
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	20	17	19	6	11	12	9	9	28	35	105	46	18	10	8	17	0	370
(1)	5.41	4.59	5.14	1.62	2.97	3.24	2.43	2.43	7.57	9.46	28.38	12.43	4.86	2.70	2.16	4.59	.00	100.00
(2)	.15	.13	.15	.05	.08	.09	.07	.07	.22	.27	.81	.35	.14	.08	.06	.13	.00	2.85

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued}

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

				SSES W	INTER 01	-06 MET	DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	ER)				
33.0) FT WIN	D DATA			STAB	BILITY CL	ASS D				c	LASS FRE	QUENC	Y (PERCE	NT) = 47	7.66		
					_		W	IND DIR	ECTION	FROM	_							
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LI.2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
(2)	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	0	3	4	8	1	0	2	2	1	1	0	0	1	1	0	0	24
(1)	.00	.00	.05	.06	.13	.02	.00	.03	.03	.02	.02	.00	.00	.02	.02	.00	.00	.39
(2)	.00	.00	.02	.03	.06	.01	.00	.02	.02	.01	.01	.00	.00	.01	.01	.00	.00	.18
.5- 1.0	10	32	34	49	67	60	45	30	33	21	9	11	2	1	10	10	0	474
(1)	.16	.52	.55	.79	1.08	.97	.73	.48	.53	.34	.15	.18	.03	.02	.16	.16	.00	6.85
(2)	.08	.25	.26	.38	.52	.46	.35	.23	.25	.16	.07	.08	.02	.01	.08	.08	.00	3.27
1.1- 1.5	26	64	[.] 61	50	35	49	73	51	63	58	44	20	15	10	11	7	0	637
(1)	.42	1.03	.99	.81	.57	.79	1.18	.82	1.02	.94	.71	.32	.24	.16	.18	.11	.00	10.29
(2)	.20	.49	.47	.39	.27	.38	.56	.39	.49	.45	.34	.15	.12	.08	.08	.05	.00	4.91
1.6- 2.0	35	53	68	37	15	23	39	41	47	74	44	26	28	20	19	22	0	591
(1)	.57	.86	1.10	.60	.24	.37	.63	.66	.76	1.20	.71	.42	.45	.32	.31	.36	ñ	955
(2)	.27	.41	.52	.28	.12	.18	.30	.32	.36	.57	.34	.20	.22	.15	.15	.17	.00	4.55
2.1- 3.0	144	111	111	21	14	18	49	49	87	148	142	73	70	54	78	104	0	1273
(1)	2.33	1.79	1.79	.34	.23	.29	.79	.79	1.41	2.39	2.29	1.18	1.13	.87	1.26	1.68	.00	20.57
(2)	1.11	.85	.85	.16	.11	.14	.38	.38	.67	1.14	1.09	.56	.54	.42	.60	.80	.00	9.80
3.1 - 4.0	139	60	43	14	6	6	15	17	26	66	264	121	96	73	147	196	0	1289
(1)	2.25	.97	.69	.23	.10	.10	.24	.27	.42	1.07	4.27	1.96	1.55	1.18	2.38	3.17	.00	20.83
(2)	1.07	.46	.33	.11	.05	.05	.12	.13	.20	.51	2.03	.93	.74	.56	1.13	1.51	.00	9.93
4.1- 5.0	59	17	4	1	2	1	2	3	8	13	201	166	105	82	152	208	0	1024
(1)	.95	.27	.06	.02	.03	.02	.03	.05	.13	.21	3.25	2.68	1.70	1.33	2.46	3.36	.00	16.55
(2)	.45	.13	.03	.01	.02	.01	.02	.02	.06	.10	1.55	1.28	.81	.63	1.17	1.60	.00	7.89
5.1- 6.0	15	0	0	0	0	1	2	0	2	4	101	124	52	44	142	109	0	596
(1)	.24	.00	.00	.00	.00	.02	.03	.00	.03	.06	1.63	2.00	.84	.71	2.29	1.76	.00	9.63
(2)	.12	.00	.00	.00	.00	.01	.02	.00	.02	.03	.78	.96	.40	.34	1.09	.84	.00	4.59
6.1- 8.0	2	0	0	0	0	2	1	0	1	0	50	94	33	18	51	51	0	303

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued} (Page 2 of 2)

				SSES W	INTER 01	-06 MET	DATA JO	DINT FRE		OISTRI	BUTION	(60-METE	RTOW	ER)			
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS D				CL	ASS FRE	QUENC	Y (PERCE	NT) = 47	.66	
							W	IND DIRE	ECTION F	ROM					-		
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	5	SSW	SW	WSW	w	WNW	NW	NNW	VRBL
(1)	.03	.00	.00	.00	.00	.03	.02	.00	.02	.00	.81	1.52	.53	.29	.82	.82	.00
(2)	.02	.00	.00	.00	.00	.02	.01	.00	.01	.00	.39	.72	.25	.14	.39	.39	.00
8 1-10 0	0	0	0	0	0	0	1	0	ъ	0	n	12	٨	1	0	1	0
0.1-10.0	0	0	0	0	0	0	1	0	2	0	2	13	4	1	0	1	0
(1)	.00	.00	.00	.00	.00	.00	.02	.00	.03	.00	.03	.21	.06	.02	.00	.02	.00
(2)	.00	.00	.00	.00	.00	.00	.01	.00	.02	.00	.02	.10	.03	.01	.00	.01	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.00	.00	.00	.00
ALL SPEEDS	430	338	324	176	147	161	227	193	271	385	858	649	406	304	611	708	0
(1)	6.95	5.46	5.24	2.84	2.38	2.60	3.67	3.12	4.38	6.22	13.87	10.49	6.56	4.91	9.87	11.44	.00

1.49

2.97

6.61

3.13

2.34

4.71

5.45

.00

5.00

2.09

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

2.50

1.36

1.13

1.24

1.75

2.60

BBNPP

(2)

3.31

TOTAL 4.90 2.33

> 24 .39 .18

> 2 .03 .02

6188

100.00

47.66

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

33.0	FT WINI	D DATA		SSES W	NTER 01 STAE	-06 MET BILITY CL	DATA JO ASS E	DINT FRE	QUENC	Y DISTRI	BUTION Cl	(60-METE LASS FRE	R TOW	ER) Y (PERCEI	NT) = 28	.55		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	3	2	2	5	4	3	1	0	1	1	0	0	0	0	0	0	22
(1)	.00	.08	.05	.05	.13	.11	.08	.03	.00	.03	.03	.00	.00	.00	.00	.00	.00	.59
(2)	.00	.02	.02	.02	.04	.03	.02	.01	.00	.01	.01	.00	.00	.00	.00	.00	.00	.17
.5- 1.0	15	48	135	191	181	141	161	103	99	47	19	8	5	5	4	5	0	1167
(1)	.40	1.29	3.64	5.15	4.88	3.80	4.34	2.78	2.67	1.27	.51	.22	.13	.13	.11	.13	.00	31.48
(2)	.12	.37	1.04	1.47	1.39	1.09	1.24	.79	.76	.36	.15	.06	.04	.04	.03	.04	.00	8.99
1.1- 1.5	28	80	115	66	29	35	54	72	121	105	53	21	18	11	5	6	0	819
(1)	.76	2.16	3.10	1.78	.78	.94	1.46	1.94	3.26	2.83	1.43	.57	.49	.30	.13	.16	.00	22.09
(2)	.22	.62	.89	.51	.22	.27	.42	.55	.93	.81	.41	.16	.14	.08	.04	.05	.00	6.31
1.6- 2.0	50	75	51	14	9	9	12	32	. 60	126	57	33	10	5	13	10	0	566
(1)	1.35	2.02	1.38	.38	.24	.24	.32	.86	1.62	3.40	1.54	.89	.27	.13	.35	.27	.00	15.27
(2)	.39	.58	.39	.11	.07	.07	.09	.25	.46	.97	.44	.25	.08	.04	.10	.08	.00	4.36
2.1- 3.0	73	75	44	7	8	11	12	23	55	144	142	31	18	11	26	38	0	718
(1)	1.97	2.02	1.19	.19	.22	.30	.32	.62	1.48	3.88	3.83	.84	.49	.30	.70	1.03	.00	19.37
(2)	.56	.58	.34	.05	.06	.08	.09	.18	.42	1.11	1.09	.24	.14	.08	.20	.29	.00	5.53
3.1- 4.0	22	24	26	2	5	4	3	6	13	20	87	18	6	8	7	22	0	273
(1)	.59	.65	.70	.05	.13	.11	.08	.16	.35	.54	2.35	.49	.16	.22	.19	.59	.00	7.36
(2)	.17	.18	.20	.02	.04	.03	.02	.05	.10	.15	.67	.14	.05	.06	.05	.17	.00	2.10
4.1- 5.0	8	2	2	0	1	2	2	4	7	7	22	10	2	0	6	8	0	83
(1)	.22	.05	.05	.00	.03	.05	.05	.11	.19	.19	.59	.27	.05	.00	.16	.22	.00	2.24
(2)	.06	.02	.02	.00	.01	.02	.02	.03	.05	.05	.17	.08	.02	.00	.05	.06	.00	.64
5.1- 6.0	3	0	0	0	1	3	4	5	5	4	3	5	2	0	2	1	0	38
(1)	.08	.00	.00	.00	.03	.08	.11	.13	.13	.11	.08	.13	.05	.00	.05	.03	.00	1.03
(2)	.02	.00	.00	.00	.01	.02	.03	.04	.04	.03	.02	.04	:02	.00	.02	.01	.00	.29
6.1- 8.0	0	0	0	0	2	0	3	2	3	1	1	5	0	0	1	1	0	19

BBNPP

Rev. 2a

Meteorology

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued} (Page 2 of 2)

				SSES WI	NTER 01	-06 MET	DATA JO	DINT FRE	QUENC	Y DISTRII	BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				CL	ASS FRE	QUENC	Y (PERCE	VT) = 28	.55		
							w	IND DIRE	CTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.05	.00	.08	.05	.08	.03	.03	.13	.00	.00	.03	.03	.00	.51
(2)	.00	.00	.00	.00	.02	.00	.02	.02	.02	.01	.01	.04	.00	.00	.01	.01	.00	.15
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.03
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.01
10.1-40.3	0	0	0.	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.03
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.01
ALL SPEEDS	199	307	375	282	241	209	254	248	363	455	385	133	61	40	64	91	0	3707
(1)	5.37	8.28	10.12	7.61	6.50	5.64	6.85	6.69	9.79	12.27	10.39	3.59	1.65	1.08	1.73	2.45	.00	100.00
(2)	1.53	2.36	2.89	2.17	1.86	1.61	1.96	1.91	2.80	3.50	2.97	1.02	.47	.31	.49	.70	.00	28.55

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

SSES WINTER 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
33.0		D DATA			STAE	ILITY CL	ASS F			DOM	C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	.91		
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	sw	wsw	w	WNW	NW	NNW	VRRI	τοται
LT.2	0	0	0	0	0	0	0	0	ō	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	1	1	2	7	0	2	0	2	0	0	0	1	0	0	0	0	16
(1)	.00	.08	.08	.16	.54	.00	.16	.00	.16	.00	.00	.00	.08	.00	.00	.00	.00	1.24
(2)	.00	.01	.01	.02	.05	.00	.02	.00	.02	.00	.00	.00	.01	.00	.00	.00	.00	.12
.5- 1.0	7	19	112	281	170	96	48	55	56	10	2	1	1	1	0	1	0	860
(1)	.54	1.48	8.70	21.83	13.21	7.46	3.73	4.27	4.35	.78	.16	.08	.08	.08	.00	.08	.00	66.82
(2)	.05	.15	.86	2.16	1.31	.74	.37	.42	.43	.08	.02	.01	.01	.01	.00	.01	.00	6.62
1.1- 1.5	5	23	59	128	19	7	11	16	40	16	4	2	1	1	0	3	0	335
(1)	.39	1.79	4.58	9.95	1.48	.54	.85	1.24	3.11	1.24	.31	.16	.08	.08	.00	.23	.00	26.03
(2)	.04	.18	.45	.99	.15	.05	.08	.12	.31	.12	.03	.02	.01	.01	.00	.02	.00	2.58
1.6- 2.0	2	7	8	3	0	0	1	5	6	16	5	1	0	0	0	1	0	55
. (1)	.16	.54	.62	.23	.00	.00	.08	.39	.47	1.24	.39	.08	.00	.00	.00	.08	.00	4.27
(2)	.02	.05	.06	.02	.00	.00	.01	.04	.05	.12	.04	.01	.00	.00	.00	.01	.00	.42
2.1- 3.0	1	0	0	0	0	0	0	1	1	4	6	1	1	0	1	3	0	19
(1)	.08	.00	.00	.00	.00	.00	.00	.08	08	.31	.47	.08	.08	.00	.08	.23	.00	1.48
(2)	.01	.00	.00	.00	.00	.00	.00	.01	.01	.03	.05	.01	.01	.00	.01	.02	.00	.15
3.1- 4.0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2
(1)	.08	.00	.00	.00	.00	.00	.00	.00	.00	.08	.00	.00	.00	.00	.00	.00	.00	.16
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.02
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Meteorology

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued}

(Page 2	? of 2)
---------	---------

				SSES W	NTER 01	-06 MET	DATA JO	DINT FRE	QUENC	/ DISTRIE	BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	91		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	16	50	180	414	196	103	62	77	105	47	17	5	4	2	1	8	0	1287
(1)	1.24	3.89	13.99	32.17	15.23	8.00	4.82	5.98	8.16	3.65	1.32	.39	.31	.16	.08	.62	.00	100.00
(2)	.12	.39	1.39	3.19	1.51	.79	.48	.59	.81	.36	.13	.04	.03	.02	.01	.06	.00	9.91

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

)

			٦	fable 2	.3-33—	{SSES	33' (10	- m) 20((Page	01-200 e 1 of 2)	6 Winte	er JFD	contin	ued}					
33.0	FT WIN	D DATA		SSES W	INTER 01 STAB	-06 MET ILITY CL	DATA JO	OINT FRE	QUENCI	Y DISTRIE	BUTION	(60-METE	ER TOW	ER) CY (PERCE	NT) = 7.	.13		
							W	IND DIR	ECTION F	ROM					,			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRRI	ΤΟΤΑΙ
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	ñ	ño	ň	00	00	00	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.22	.22	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.43
(2)	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03
.5- 1.0	1	8	95	282	103	34	22	23	8	3	1	1	0	0	0	0	0	581
(1)	.11	.86	10.26	30.45	11.12	3.67	2.38	2.48	.86	.32	.11	.11	.00	.00	.00	.00	.00	62.74
(2)	.01	.06	.73	2.17	.79	.26	.17	.18	.06	.02	.01	.01	.00	.00	.00	.00	.00	4.47
1.1- 1.5	1	5	56	203	18	7	8	6	11	2	1	0	0	0	0	0	0	318
(1)	.11	.54	6.05	21. 9 2	1.94	.76	.86	.65	1.19	.22	.11	.00	.00	.00	.00	.00	.00	34.34
(2)	.01	.04	.43	1.56	.14	.05	.06	.05	.08	.02	.01	.00	.00	.00	.00	.00	.00	2.45
1.6- 2.0	0	0	6	8	0	1	0	1	0	4	0	0	0	0	0	0	0	20
(1)	.00	.00	.65	.86	.00	.11	.00	.11	.00	.43	.00	.00	.00	.00	.00	.00	.00	2.16
(2)	.00	.00	.05	.06	.00	.01	.00	.01	.00	.03	.00	.00	.00	.00	.00	.00	.00	.15
2.1- 3.0	0	0	1	0	0	0	1	0	0	1	0	0	0	0	0	0	0	3
(1)	.00	.00	.11	.00	.00	.00	.11	.00	.00	.11	.00	.00	.00	.00	.00	.00	.00	.32
(2)	.00	.00	.01	.00	.00	.00	.01	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.02
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	· 0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Meteorology

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued} (Page 2 of 2)

				SSES W	INTER 01	-06 MET	DATA JO	DINT FRE	QUENC	/ DISTRI	BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE		Y (PERCE	NT) = 7.	13		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	2	13	158	495	123	42	31	30	19	10	2	1	0	0	0	0	0	926
(1)	.22	1.40	17.06	53.46	13.28	4.54	3.35	3.24	2.05	1.08	.22	.11	.00	.00	.00	.00	.00	100.00
(2)	.02	.10	1.22	3.81	.95	.32	.24	.23	.15	.08	.02	.01	.00	.00	.00	.00	.00	7.13

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

. .

33.0	FT WIN	D DATA		SSES W	INTER 01 STABI	I-06 MET LITY CLA	DATA J	OINT FRE	EQUENC	Y DISTRI	BUTION	(60-METE ASS FREC	R TOW	ER) / (PERCEN	IT) = 10(0.00		
							w	IND DIRI	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRRI	TOTAL
LT .2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	01
(2)	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	4	6	10	22	5	5	3	4	2	2	0	1	1	1	0	0	66
(1)	.00	.03	.05	.08	.17	.04	.04	.02	.03	.02	.02	.00	.01	.01	.01	.00	.00	.51
(2)	.00	.03	.05	.08	.17	.04	.04	.02	.03	.02	.02	.00	.01	.01	.01	.00	.00	.51
.5- 1.0	34	107	376	803	527	336	279	214	201	82	32	22	8	7	15	16	0	3059
(1)	.26	.82	2.90	6.18	4.06	2.59	2.15	1.65	1.55	.63	.25	.17	.06	.05	.12	.12	.00	23.56
(2)	.26	.82	2.90	6.18	4.06	2.59	2.15	1.65	1.55	.63	.25	.17	.06	.05	.12	.12	.00	23.56
1.1- 1.5	60	174	292	447	109	107	149	152	248	194	108	46	35	23	16	16	0	2176
(1)	.46	1.34	2.25	3.44	.84	.82	1.15	1.17	1.91	1.49	.83	.35	.27	.18	.12	.12	.00	16.76
(2)	.46	1.34	2.25	3.44	.84	.82	1.15	1.17	1.91	1.49	.83	.35	.27	.18	.12	.12	.00	16.76
1.6- 2.0	87	137	143	65	30	36	54	87	127	246	128	61	39	27	32	36	0	1335
(1)	.67	1.06	1.10	.50	.23	.28	.42	.67	.98	1.89	.99	.47	.30	.21	.25	.28	.00	10.28
(2)	.67	1.06	1.10	.50	.23	.28	.42	.67	.98	1.89	.99	.47	.30	.21	.25	.28	.00	10.28
2.1- 3.0	221	199	177	35	24	30	68	77	160	336	350	120	94	69	108	146	0	2214
(1)	1.70	1.53	1.36	.27	.18	.23	.52	.59	1.23	2.59	2.70	.92	.72	.53	.83	1.12	.00	17.05
(2)	1.70	1.53	1.36	.27	.18	.23	.52	.59	1.23	2.59	2.70	.92	.72	.53	.83	1.12	.00	17.05
3.1- 4.0	175	97	79	16	11	10	24	24	49	115	416	157	106	87	155	223	0	1744
(1)	1.35	.75	.61	.12	.08	.08	.18	.18	.38	.89	3.20	1.21	.82	.67	1.19	1.72	.00	13.43
(2)	1.35	.75	.61	.12	.08	.08	.18	.18	.38	.89	3.20	1.21	.82	.67	1.19	1.72	.00	13.43
4.1- 5.0	77	24	11	1	3	3	4	7	21	29	320	204	114	89	162	225	0	1294
(1)	.59	.18	.08	.01	.02	.02	.03	.05	.16	.22	2.46	1.57	.88	.69	1.25	1.73	.00	9.97
(2)	.59	.18	.08	.01	.02	.02	.03	.05	.16	.22	2.46	1.57	.88	.69	1.25	1.73	.00	9.97
5.1- 6.0	18	1	0	0	1	4	6	5	8	9	149	155	62	44	147	115	0	724
(1)	.14	.01	.00	.00	.01	.03	.05	.04	.06	.07	1.15	1.19	.48	.34	1.13	.89	.00	5.58
(2)	.14	.01	.00	.00	.01	.03	.05	.04	.06	.07	1.15	1.19	.48	.34	1.13	.89	.00	5.58
6.1- 8.0	2	0	0	0	2	2	4	2	4	1	61	106	37	18	52	52	0	343

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

FSAR: Section 2.3

Meteorology

BBNPP

2-160 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

								(Page	2012)									
				SSES WI	NTER 01	-06 MET	DATA JO	DINT FRE	QUENC	OISTRII	BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	QUENCY	(PERCEN	T) = 100	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.02	.00	.00	.00	.02	.02	.03	.02	.03	.01	.47	.82	.28	.14	.40	.40	.00	2.64
(2)	.02	.00	.00	.00	.02	.02	.03	.02	.03	.01	.47	.82	.28	.14	.40	.40	.00	2.64
8.1-10.0	0	0	0	0	0	0	1	0	2	0	2	14	4	1	0	1	0	25
(1)	.00	.00	.00	.00	.00	.00	.01	.00	.02	.00	.02	.11	.03	.01	.00	.01	.00	.19
(2)	.00	.00	.00	.00	.00	.00	.01	.00	.02	.00	.02	.11	.03	.01	.00	.01	.00	.19
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.01	.00	.00	.00	.00	.02
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.01	.00	.00	.00	.00	.02
ALL SPEEDS	674	744	1084	1377	729	533	594	571	824	1014	1568	887	501	366	688	830	0	12984
(1)	5.19	5.73	8.35	10.61	5.61	4.11	4.57	4.40	6.35	7.81	12.08	6.83	3.86	2.82	5.30	6.39	.00	100.00
(2)	5.19	5.73	8.35	10.61	5.61	4.11	4.57	4.40	6.35	7.81	12.08	6.83	3.86	2.82	5.30	6.39	.00	100.00

.

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-33— {SSES 33' (10-m) 2001-2006 Winter JFD - continued}

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD} (Page 1 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	/ DISTRI	BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS A				c	LASS FRE	QUENC	Y (PERCE	NT) = 7.	.09		
					-	565	W	IND DIRI	ECTION F	ROM	<u> </u>							
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	5	55W	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LI.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.11	.00	.00	.11	.11	.00	.00	.00	.00	.00	.33
(2)	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.01	.01	.00	.00	.00	.00	.00	.02
1.1- 1.5	1	1	4	6	7	2	3	1	7	7	7	2	1	0	1	0	0	50
(1)	.11	.11	.43	.65	.76	.22	.33	.11	.76	.76	.76	.22	.11	.00	.11	.00	.00	5.42
(2)	.01	.01	.03	.05	.05	.02	.02	.01	.05	.05	.05	.02	.01	.00	.01	.00	.00	.38
1.6- 2.0	1	2	9	7	7	11	6	10	14	11	22	3	3	1	2	0	0	109
(1) -	.11	.22	.98	.76	.76	1.19	.65	1.08	1.52	1.19	2.38	.33	.33	.11	.22	.00	.00	11.81
(2)	.01	.02	.07	.05	.05	.08	.05	.08	.11	.08	.17	.02	.02	.01	.02	.00	.00	.84
2.1- 3.0	5	12	12	3	7	6	12	15	26	48	66	26	3	1	1	2	0	245
(1)	.54	1.30	1.30	.33	.76	.65	1.30	1.63	2.82	5.20	7.15	2.82	.33	.11	.11	.22	.00	26.54
(2)	.04	.09	.09	.02	.05	.05	.09	.12	.20	.37	.51	.20	.02	.01	.01	.02	.00	1.88
3.1- 4.0	16	32	14	1	1	2	10	7	35	38	64	21	5	4	4	3	0	257
(1)	1.73	3.47	1.52	.11	.11	.22	1.08	.76	3.79	4.12	6.93	2.28	.54	.43	.43	.33	.00	27.84
(2)	.12	.25	.11	.01	.01	.02	.08	.05	.27	.29	.49	.16	.04	.03	.03	.02	.00	1.97
4.1- 5.0	15	13	3	0	0	0	13	7	17	24	50	22	6	5	3	5	0	183
(1)	1.63	1.41	.33	.00	.00	.00	1.41	.76	1.84	2.60	5.42	2.38	.65	.54	.33	.54	.00	19.83
(2)	.12	.10	.02	.00	.00	.00	.10	.05	.13	.18	.38	.17	.05	.04	.02	.04	.00	1.41
5.1- 6.0	7	1	0	0	0	1	2	0	0	3	23	15	2	0	1	4	0	59
(1)	.76	.11	.00	.00	.00	.11	.22	.00	.00	.33	2.49	1.63	.22	.00	.11	.43	.00	6.39
(2)	.05	.01	.00	.00	.00	.01	.02	.00	.00	.02	.18	.12	.02	.00	.01	.03	.00	.45
61-80	3	0	0	0	0	0	0	1	1	0	7	2	0	0	1	2	0	17

FSAR: Section 2.3

BBNPP

Meteorology

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD} (Page 2 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	DISTRIE	BUTION (60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS A				C	LASS FRE		Y (PERCE	NT) = 7.	09		
							w	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.33	.00	.00	.00	.00	.00	.00	.11	.11	.00	.76	.22	.00	.00	.11	.22	.00	1.84
(2)	.02	.00	.00	.00	.00	.00	.00	.01	.01	.00	.05	.02	.00	.00	.01	.02	.00	.13
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	48	61	42	17	22	22	46	42	100	131	240	92	20	11	13	16	0	923
(1)	5.20	6.61	4.55	1.84	2.38	2.38	4.98	4.55	10.83	14.19	26.00	9.97	2.17	1.19	1.41	1.73	.00	100.00
(2)	.37	.47	.32	.13	.17	.17	.35	.32	.77	1.01	1.84	.71	.15	.08	.10	.12	.00	7.09

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD - continued} (Page 1 of 2)

				SSES SF	PRING 01	-06 MET	DATA J	OINT FRE	QUENCY	OISTRI	BUTION	(60-METE	RTOW	ER)				
33.0	0 FT WIN	D DATA			STAE	BILITY CL	ASS B				C	LASS FRI	EQUENC	Y (PERCE	NT) = 3.	.59		
					_		W		ECTION	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LI .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	2	1	2	1	1	0	1	0	0	0	0	0	0	8
(1)	.00	.00	.00	.00	.43	.21	.43	.21	.21	.00	.21	.00	.00	.00	.00	.00	.00	1.71
(2)	.00	.00	.00	.00	.02	.01	.02	.01	.01	.00	.01	.00	.00	.00	.00	.00	.00	.06
1.1- 1.5	0	2	5	3	4	4	1	3	4	5	1	. 0	0	1	0	0	0	33
(1)	.00	.43	1.07	.64	.86	.86	.21	.64	.86	1.07	.21	.00	.00	.21	.00	.00	.00	7.07
(2)	.00	.02	.04	.02	.03	.03	.01	.02	.03	.04	.01	.00	.00	.01	.00	.00	.00	.25
1.6- 2.0	2	2	2	3	7	4	2	3	2	4	7	0	0	0	0	0	0	38
(1)	.43	.43	.43	.64	1.50	.86	.43	.64	.43	.86	1.50	.00	.00	.00	.00	.00	.00	8.14
(2)	.02	.02	.02	.02	.05	.03	.02	.02	.02	.03	.05	.00	.00	.00	.00	.00	.00	.29
2.1- 3.0	3	10	9	2	3	3	8	6	7	19	16	8	3 .	0	1	1	0	99
(1)	.64	2.14	1.93	.43	.64	.64	1.71	1.28	1.50	4.07	3.43	1.71	.64	.00	.21	.21	.00	21.20
(2)	.02	.08	.07	.02	.02	.02	.06	.05	.05	.15	.12	.06	.02	.00	.01	.01	.00	.76
3.1- 4.0	9	11	8	1	5	0	3	6	8	7	29	7	1	6	3	6	0	110
(1)	1.93	2.36	1.71	.21	1.07	.00	.64	1.28	1.71	1.50	6.21	1.50	.21	1.28	.64	1.28	.00	23.55
(2)	.07	.08	.06	.01	.04	.00	.02	.05	.06	.05	.22	.05	.01	.05	.02	.05	.00	.84
4.1- 5.0	12	6	1	0	2	1	3	1	0	4	28	18	5	7	7	14	0	109
(1)	2.57	1.28	.21	.00	.43	.21	.64	.21	.00	.86	6.00	3.85	1.07	1.50	1.50	3.00	.00	23.34
(2)	.09	.05	.01	.00	.02	.01	.02	.01	.00	.03	.22	.14	.04	.05	.05	.11	.00	.84
5.1- 6.0	3	3	0	0	0	0	1	0	1	1	9	15	1	1	7	7	0	49
(1)	.64	.64	.00	.00	.00	.00	.21	.00	.21	.21	1.93	3.21	.21	.21	1.50	1.50	.00	10.49
(2)	.02	.02	.00	.00	.00	.00	.01	.00	.01	.01	.07	.12	.01	.01	.05	.05	.00	.38
6.1- 8.0	3	0	0	0	0	0	0	0	0	0	6	6	0	0	3	2	0	20

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD - continued} (Page 2 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	DISTRI	BUTION (60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS B				C	LASS FRE		Y (PERCE	NT) = 3.	.59		
							W	ND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.64	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.28	1.28	.00	.00	.64	.43	.00	4.28
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.05	.00	.00	.02	.02	.00	.15
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.21	.00	.00	.00	.00	.00	.00	.21
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.01
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	32	34	25	9	23	13	20	20	23	40	98	54	10	15	21	30	0	467
(1)	6.85	7.28	5.35	1.93	4.93	2.78	4.28	4.28	4.93	8.57	20.99	11.56	2.14	3.21	4.50	6.42	.00	100.00
(2)	.25	.26	.19	.07	.18	.10	.15	.15	.18	.31	.75	.41	.08	.12	.16	.23	.00	3.59

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-34 {SSES 33' (10-m) 2001-2006 Spring JFD - continued}
(Page 1 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENC	/ DISTRI	BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS C				C	LASS FRE		Y (PERCE	NT) = 4.	.85		
							W	IND DIRI	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	3	1	5	2	3	0	0	1	0	0	1	0	0	0	16
(1)	.00	.00	.00	.47	.16	.79	.32	.47	.00	.00	.16	.00	.00	.16	.00	.00	.00	2.53
(2)	.00	.00	.00	.02	.01	.04	.02	.02	.00	.00	.01	.00	.00	.01	.00	.00	.00	.12
1.1- 1.5	1	1	3	4	5	2	4	1	7	4	4	0	1	0	0	1	0	38
(1)	.16	.16	.47	.63	.79	.32	.63	.16	1.11	.63	.63	.00	.16	.00	.00	.16	.00	6.01
(2)	.01	.01	.02	.03	.04	.02	.03	.01	.05	.03	.03	.00	.01	.00	.00	.01	.00	.29
1.6- 2.0	2	2	3	4	6	4	2	1	5	9	7	1	1	0	0	1	0	48
(1)	.32	.32	.47	.63	.95	.63	.32	.16	.79	1.42	1.11	.16	.16	.00	.00	.16	.00	7.59
(2)	.02	.02	.02	.03	.05	.03	.02	.01	.04	.07	.05	.01	.01	.00	.00	.01	.00	.37
2.1- 3.0	8	16	16	5	6	3	8	5	10	17	32	18	3	0	0	4	0	151
(1)	1.27	2.53	2.53	.79	.95	.47	1.27	.79	1.58	2.69	5.06	2.85	.47	.00	.00	.63	.00	23.89
(2)	.06	.12	.12	.04	.05	.02	.06	.04	.08	.13	.25	.14	.02	.00	.00	.03	.00	1.16
3.1- 4.0	25	19	3	3	2	4	9	5	11	7	35	18	6	6	9	7	0	169
(1)	3.96	3.01	.47	.47	.32	.63	1.42	.79	1.74	1.11	5.54	2.85	.95	.95	1.42	1.11	.00	26.74
(2)	.19	.15	.02	.02	.02	.03	.07	.04	.08	.05	.27	.14	.05	.05	.07	.05	.00	1.30
4.1- 5.0	12	6	1	0	0	2	2	3	7	2	19	22	6	6	6	12	0	106
(1)	1.90	.95	.16	.00	.00	.32	.32	.47	1.11	.32	3.01	3.48	.95	.95	.95	1.90	.00	16.77
(2)	.09	.05	.01	.00	.00	.02	.02	.02	.05	.02	.15	.17	.05	.05	.05	.09	.00	.81
5.1- 6.0	6	2	0	0	0	0	1	0	0	0	9	18	10	2	12	11	0	71
(1)	.95	.32	.00	.00	.00	.00	.16	.00	.00	.00	1.42	2.85	1.58	.32	1.90	1.74	.00	11.23
(2)	.05	.02	.00	.00	.00	.00	.01	.00	.00	.00	.07	.14	.08	.02	.09	.08	.00	.55
6.1- 8.0	2	0	0	0	0	0	1	0	0	0	6	13	3	0	2	3	0	30

.

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD - continued} (Page 2 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENC	DISTRIE	BUTION (60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS C				C	LASS FRE		Y (PERCE	NT) = 4.	.85		
							w	IND DIRI	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.32	.00	.00	.00	.00	.00	.16	.00	.00	.00	.95	2.06	.47	.00	.32	.47	.00	4.75
(2)	.02	.00	.00	.00	.00	.00	.01	.00	.00	.00	.05	.10	.02	.00	.02	.02	.00	.23
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16	.32	.00	.00	.00	.00	.00	.47
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.02	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	56	46	26	19	20	20	29	18	40	39	114	92	30	15	29	39	0	632
(1)	8.86	7.28	4.11	3.01	3.16	3.16	4.59	2.85	6.33	6.17	18.04	14.56	4.75	2.37	4.59	6.17	.00	100.00
(2)	.43	.35	.20	.15	.15	.15	.22	.14	.31	.30	.88	.71	.23	.12	.22	.30	.00	4.85

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD - continued} (Page 1 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENC		BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 42	.13		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	1	0	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	5
(1)	.02	.00	.02	.02	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
(2)	.01	.00	.01	.01	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04
.24	0	0	0	2	0	1	2	1	0	0	0	0	0	0	0	0	0	6
(1)	.00	.00	.00	.04	.00	.02	.04	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11
(2)	.00	.00	.00	.02	.00	.01	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
.5- 1.0	6	16	34	30	53	50	37	21	29	9	5	3	3	3	3	2	0	304
(1)	.11	.29	.62	.55	.97	.91	.67	.38	.53	.16	.09	.05	.05	.05	.05	.04	.00	5.54
(2)	.05	.12	.26	.23	.41	.38	.28	.16	.22	.07	.04	.02	.02	.02	.02	.02	.00	2.33
1.1- 1.5	21	63	60	42	47	26	40	37	50	53	41	19	11	8	9	13	0	540
(1)	.38	1.15	1.09	.77	.86	.47	.73	.67	.91	.97	.75	.35	.20	.15	.16	.24	.00	9.84
(2)	.16	.48	.46	.32	.36	.20	.31	.28	.38	.41	.31	.15	.08	.06	.07	.10	.00	4.15
1.6- 2.0	37	72	83	44	44	44	47	34	38	56	57	26	30	9	18	11	0	650
(1)	.67	1.31	1.51	.80	.80	.80	.86	.62	69	1.02	1.04	.47	.55	.16	.33	.20	.00	11.85
(2)	.28	.55	.64	.34	.34	.34	.36	.26	.29	.43	.44	.20	.23	.07	.14	.08	.00	4.99
2.1- 3.0	135	196	145	55	52	71	84	71	67	93	156	70	54	80	88	81	0	1498
(1)	2.46	3.57	2.64	1.00	.95	1.29	1.53	1.29	1.22	1.70	2.84	1.28	.98	1.46	1.60	1.48	.00	27.31
(2)	1.04	1.51	1.11	.42	.40	.55	.65	.55	.51	.71	1.20	.54	.41	.61	.68	.62	.00	11.50
3.1- 4.0	170	118	55	19	21	32	55	54	47	37	108	81	57	97	119	125	0	1195
(1)	3.10	2.15	1.00	.35	.38	.58	1.00	.98	.86	.67	1.97	1.48	1.04	1.77	2.17	2.28	.00	21.78
(2)	1.31	.91	.42	.15	.16	.25	.42	.41	.36	.28	.83	.62	.44	.74	.91	.96	.00	9.18
4.1- 5.0	90	36	10	4	9	16	. 10	11	22	11	69	80	68	67	132	104	0	739
(1)	1.64	.66	.18	.07	.16	.29	.18	.20	.40	.20	1.26	1.46	1.24	1.22	2.41	1.90	.00	13.47
(2)	.69	.28	.08	.03	.07	.12	.08	.08	.17	.08	.53	.61	.52	.51	1.01	.80	.00	5.68
5.1- 6.0	17	8	4	1	4	5	1	3	2	1	33	62	57	65	67	40	0	370
(1)	.31	.15	.07	.02	.07	.09	.02	.05	.04	.02	.60	1.13	1.04	1.18	1.22	.73	.00	6.74
(2)	.13	.06	.03	.01	.03	.04	.01	.02	.02	.01	.25	.48	.44	.50	.51	.31	.00	2.84
6.1- 8.0	3	1	1	0	0	1	2	0	1	2	10	42	47	26	19	13	0	168

BBNPP

Rev. 2a

Table 2.3-34— {	SSES 33' (10-m) 2001-2006	Spring JFD - continued}
	(Page 2 of 2)	

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENC	' DISTRIB	UTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STAE	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 42	.13		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.05	.02	.02	.00	.00	.02	.04	.00	.02	.04	.18	.77	.86	.47	.35	.24	.00	3.06
(2)	.02	.01	.01	.00	.00	.01	.02	.00	.01	.02	.08	.32	.36	.20	.15	.10	.00	1.29
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	5	4	0	0	1	0	11
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.09	.07	.00	.00	.02	.00	.20
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.04	.03	.00	.00	.01	.00	.08
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	480	510	393	198	232	246	278	232	256	262	480	388	331	355	455	390	0	5486
(1)	8.75	9.30	7.16	3.61	4.23	4.48	5.07	4.23	4.67	4.78	8.75	7.07	6.03	6.47	8.29	7.11	.00	100.00
(2)	3.69	3.92	3.02	1.52	1.78	1.89	2.14	1.78	1.97	2.01	3.69	2.98	2.54	2.73	3.49	3.00	.00	42.13

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

								(Page	1 of 2)									
				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCI	DISTRIE	BUTION	(60-METE	R TOW	ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 24	.88		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	3	3	2	1	0	0	0	1	0	0	0	0	0	0	0	10
(1)	.00	.00	.09	.09	.06	.03	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.31
(2)	.00	.00	.02	.02	.02	.01	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.08
.24	0	1	4	1	2	2	1	2	2	2	0	0	0	0	0	1	0	18
(1)	.00	.03	.12	.03	.06	.06	.03	.06	.06	.06	.00	.00	.00	.00	.00	.03	.00	.56
(2)	.00	.01	.03	.01	.02	.02	.01	.02	.02	.02	.00	.00	.00	.00	.00	.01	.00	.14
.5- 1.0	23	60	128	200	156	113	97	78	65	58	27	8	5	3	4	7	0	1032
(1)	.71	1.85	3.95	6.17	4.82	3.49	2.99	2.41	2.01	1.79	.83	.25	.15	.09	.12	.22	.00	31.86
(2)	.18	.46	.98	1.54	1.20	.87	.74	.60	.50	.45	.21	.06	.04	.02	.03	.05	.00	7.93
1.1- 1.5	38	106	114	73	34	26	46	45	81	89	47	20	15	4	7	15	0	760
(1)	1.17	3.27	3.52	2.25	1.05	.80	1.42	1.39	2.50	2.75	1.45	.62	.46	.12	.22	.46	.00	23.46
(2)	.29	.81	.88	.56	.26	.20	.35	.35	.62	.68	.36	.15	.12	.03	.05	.12	.00	5.84
1.6- 2.0	44	95	67	22	12	11	12	38	36	72	50	21	15	12	10	9	0	526
(1)	1.36	2.93	2.07	.68	.37	.34	.37	1.17	1.11	2.22	1.54	.65	.46	.37	.31	.28	.00	16.24
(2)	.34	.73	.51	.17	.09	.08	.09	.29	.28	.55	.38	.16	.12	.09	.08	.07	.00	4.04
2.1- 3.0	58	85	77	14	21	19	20	20	52	53	65	30	19	6	18	33	0	590
(1)	1.79	2.62	2.38	.43	.65	.59	.62	.62	1.61	1.64	2.01	.93	.59	.19	.56	1.02	.00	18.22
(2)	.45	.65	.59	.11	.16	.15	.15	.15	.40	.41	.50	.23	.15	.05	.14	.25	.00	4.53
3.1- 4.0	26	32	19	7	4	6	2	5	23	24	34	12	4	4	10	14	0	226
(1)	.80	.99	.59	.22	.12	.19	.06	.15	.71	.74	1.05	.37	.12	.12	.31	.43	.00	6.98
(2)	.20	.25	.15	.05	.03	.05	.02	.04	.18	.18	.26	.09	.03	.03	.08	.11	.00	1.74
4.1- 5.0	4	4	1	0	4	1	1	1	5	10	12	4	3	2	2	2	0	56
(1)	.12	.12	.03	.00	.12	.03	.03	.03	.15	.31	.37	.12	.09	.06	.06	.06	.00	1.73
(2)	.03	.03	.01	.00	.03	.01	.01	.01	.04	.08	.09	.03	.02	.02	.02	.02	.00	.43
5.1- 6.0	1	0	0	0	0	0	0	0	2	0	6	0	0	4	0	1	0	14
(1)	.03	.00	.00	.00	.00	.00	.00	.00	.06	.00	.19	.00	.00	.12	.00	.03	.00	.43
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.02	.00	.05	.00	.00	.03	.00	.01	.00	.11
6.1- 8.0	0	0	0	0	0	0	1	0	3	0	2	0	0	0	0	0	0	6

٠.

BBNPP

Rev. 2a

Meteorology

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD - continued} (Page 2 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	OISTRIE	UTION	(60-METE	R TOW	ER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCEI	NT) = 24	.88		
							W	IND DIRE	CTION F	ROM				1				
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.03	.00	.09	.00	.06	.00	.00	.00	.00	.00	.00	.19
(2)	.00	.00	.00	.00	.00	.00	.01	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.05
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.03
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.01
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	194	383	413	320	235	179	180	189	269	309	244	95	61	35	51	82	0	3239
(1)	5.99	11.82	12.75	9.88	7.26	5.53	5.56	5.84	8.31	9.54	7.53	2.93	1.88	1.08	1.57	2.53	.00	100.00
(2)	1.49	2.94	3.17	2.46	1.80	1.37	1.38	1.45	2.07	2.37	1.87	.73	.47	.27	.39	.63	.00	24.88

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD - continued}

(Page 1	l of 2)
---------	---------

	33.0	FT WIN	ο σάτα		SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	DISTRIE	BUTION	(60-METE		ER) 'V (DERCE	NT) - 0	16		
	55.0		DAIA			JIAU					POM		LAJJ FRE	QUENC	I (FERCE	NI) = 9.	40		
	SPEED m/s	N	NNE	NE	ENE	F	ESE	SE		s	SSW	SW	\M/S\M/	W/	14/1114/	NI\A/	NINW	VDDI	τοται
		0	0	1	1	1	0	0	0	0	0	0	0	0	0	0			2
	(1)	ň	00	08	08	08	ň	00	00	00	00	00	00	00	00	00	00	00	24
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.24
	<i>_/</i>													.00	.00		.00	.00	.02
	.24	0	2	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	5
	(1)	.00	.16	.00	.08	.08	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.41
	(2)	.00	.02	.00	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04
	5-10	4	25	115	311	166	71	49	31	30	16	10	2	2	1	2	0	0	837
	(1)	.32	2.03	9.33	25.24	13.47	5.76	3.98	2.52	2.44	1.30	.81	.16	.24	08	24	00	00	67.94
	(2)	.03	.19	.88	2.39	1.27	.55	.38	.24	.23	.12	.08	.02	.02	.01	.02	.00	.00	643
•	1.1- 1.5	6	17	77	116	11	4	5	14	16	13	15	3	1	0	1	0	0	299
	(1)	.49	1.38	6.25	9.42	.89	.32	.41	1.14	1.30	1.06	1.22	.24	.08	.00	.08	.00	.00	24.27
	(2)	.05	.13	.59	.89	.08	.03	.04	.11	.12	.10	.12	.02	.01	.00	.01	.00	.00	2.30
	1.6- 2.0	3	10	13	10	1	.1	0	3	4	8	6	3	0	0	2	0	0	64
	(1)	.24	.81	1.06	.81	.08	.08	.00	.24	.32	.65	.49	.24	.00	.00	.16	.00	.00	5.19
	(2)	.02	.08	.10	.08	.01	.01	.00	.02	.03	.06	.05	.02	.00	.00	.02	.00	.00	.49
	21-30	٦	з	1	0	٥	0	٥	٥	, .	n	8	2	1	1	0	0	0	71
	(1)	24	24	08	00	ň	00	ñ	00	16	00	65	16	08	08	00	00	00	1 70
	(2)	.02	.02	.00	.00	.00	.00	.00	.00	.02	.00	.05	.10	.00	.00	.00	.00	.00	16
	(-)														.01	.00	.00	.00	.10
	3.1- 4.0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
	(1)	.08	.08	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.24
	(2)	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
	4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD - continued} (Page 2 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	DISTRIE	UTION	(60-METE	R TOW	ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	.46		
							w	IND DIRE	ECTION F	ROM								~
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	17	58	208	439	180	77	54	48	52	37	39	10	5	2	6	0	0	1232
(1)	1.38	4.71	16.88	35.63	14.61	6.25	4.38	3.90	4.22	3.00	3.17	.81	.41	.16	.49	.00	.00	100.00
(2)	.13	.45	1.60	3.37	1.38	.59	.41	.37	.40	.28	.30	.08	.04	.02	.05	.00	.00	9.46

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-34—	{SSES 33' (10)-m) 2001-2006	Spring JFD -	continued}
	(,		

(Page 1 of 2)

33.0	FTWIN	D DATA		SSES SP	RING 01 STAE	-06 MET	DATA JO ASS G	DINT FRE	QUENC	Y DISTRIE		(60-METE		ER) 'Y (PERCE	NT) = 8	00		
22.0	•••••	0 0/11/1			5174				ECTION I	FROM					N1) = 0.			
SPEED m/s	N	NNE	NE	ENE	F	ESE	SE	SSE	s	SSW	SW	wsw	w	WNW	NW	NNW	VRRI	τοται
LT.2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.10	.00	.00	.00	.00	.00	.00	00	00	00	ň	00	00	ň	10
(2)	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.10	.10	.10	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.29
(2)	.00	.00	.00	.00	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	2	12	128	326	96	30	19	14	5	3	0	0	0	0	0	0	0	635
(1)	.19	1.15	12.28	31.29	9.21	2.88	1.82	1.34	.48	.29	.00	.00	.00	.00	.00	.00	.00	60.94
(2)	.02	.09	.98	2.50	.74	.23	.15	.11	.04	.02	.00	.00	.00	.00	.00	.00	.00	4.88
1.1- 1.5	1	4	86	245	7	5	0	1	5	2	0	0	0	0	0	1	0	357
(1)	.10	.38	8.25	23.51	.67	.48	.00	.10	.48	.19	.00	.00	.00	.00	.00	.10	.00	34.26
(2)	.01	.03	.66	1.88	.05	.04	.00	.01	.04	.02	.00	.00	.00	.00	.00	.01	.00	2.74
1.6- 2.0	0	3	11	26	0	0	0	0	0	0	1	0	0	0	0	0	0	41
(1)	.00	.29	1.06	2.50	.00	.00	.00	.00	.00	.00	.10	.00	.00	.00	.00	.00	.00	3.93
(2)	.00	.02	.08	.20	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.31
2.1- 3.0	0	2	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	5
(1)	.00	.19	.10	.10	.00	.00	.10	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.48
(2)	.00	.02	.01	.01	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Q	0	0

BBNPP

Meteorology

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD - continued} (Page 2 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	OISTRIB	UTION	(60-METE	R TOW	ER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G			CLASS FREQUENCY (PERCENT) = 8.00									
							W	IND DIRE	CTION P	ROM									
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
ALL SPEEDS	3	21	226	599	104	36	21	15	10	5	1	0	0	0	0	1	0	1042	
(1)	.29	2.02	21.69	57.49	9.98	3.45	2.02	1.44	.96	.48	.10	.00	.00	.00	.00	.10	.00	100.00	
(2)	.02	.16	1.74	4.60	.80	.28	.16	.12	.08	.04	.01	.00	.00	.00	.00	.01	.00	8.00	

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

	Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD - continued} (Page 1 of 2)																	
	:			SSES SF	RING 01	-06 MET	DATA JO	DINT FRE		OISTRIE	BUTION	(60-METE	RTOW	ER)				
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	UENCI	Y (PERCEN	IT) = 10	0.00		
							w	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	1	0	5	6	5	1	0	0	0	[·] 1	0	0	0	0	0	0	0	19
(1)	.01	00	.04	.05	.04	.01	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.15
(2)	.01	.00	.04	.05	.04	.01	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.15
.24	0	3	4	4	4	5	4	3	2	2	0	0	0	0	0	1	0	32
(1)	.00	.02	.03	.03	.03	.04	.03	.02	.02	.02	.00	.00	.00	.00	.00	.01	.00	.25
(2)	.00	.02	.03	.03	.03	.04	.03	.02	.02	.02	.00	.00	.00	.00	.00	.01	.00	.25
.5- 1.0	35	113	405	870	474	270	206	149	130	86	45	14	11	. 8	10	9	0	2835
(1)	.27	.87	3.11	6.68	3.64	2.07	1.58	1.14	1.00	.66	.35	.11	.08	.06	.08	.07	.00	21.77
(2)	.27	.87	3.11	6.68	3.64	2.07	1.58	1.14	1.00	.66	.35	.11	.08	.06	.08	.07	.00	21.77
1.1- 1.5	68	194	349	489	115	69	99	102	170	173	115	44	29	13	18	30	0	2077
(1)	.52	1.49	2.68	3.76	.88	.53	.76	.78	1.31	1.33	.88	.34	.22	.10	.14	.23	.00	15.95
(2)	.52	1.49	2.68	3.76	.88	.53	.76	.78	1.31	1.33	.88	.34	.22	.10	.14	.23	.00	15.95
1.6- 2.0	89	186	188	116	77	75	69	89	99	160	150	54	49	22	32	21	0	1476
(1)	.68	1.43	1.44	.89	.59	.58	.53	.68	.76	1.23	1.15	.41	.38	.17	.25	.16	.00	11.34
(2)	.68	1.43	1.44	.89	.59	.58	.53	.68	.76	1.23	1.15	.41	.38	.17	.25	.16	.00	11.34
2.1- 3.0	212	324	261	80.	89	102	133	117	164	230	343	154	83	88	108	121	0	2609
(1)	1.63	2.49	2.00	.61	.68	.78	1.02	.90	1.26	1.77	2.63	1.18	.64	.68	.83	.93	.00	20.04
(2)	1.63	2.49	2.00	.61	.68	.78	1.02	.90	1.26	1.77	2.63	1.18	.64	.68	.83	.93	.00	20.04
3.1- 4.0	247	213	100	31	33	44	79	77	124	113	270	139	73	117	145	1,55	0	1960
(1)	1.90	1.64	.77	.24	.25	.34	.61	.59	.95	.87	2.07	1.07	.56	.90	1.11	1.19	.00	15.05
(2)	1.90	1.64	.77	.24	.25	.34	.61	.59	.95	.87	2.07	1.07	.56	.90	1.11	1.19	.00	15.05
4.1- 5.0	133	65	16	4	15	20	29	23	51	51	178	146	88	87	150	137	0	1193
(1)	1.02	.50	.12	.03	.12	.15	.22	.18	.39	.39	1.37	1.12	.68	.67	1.15	1.05	.00	9.16
(2)	1.02	.50	.12	.03	.12	.15	.22	.18	.39	.39	1.37	1.12	.68	.67	1.15	1.05	.00	9.16
5.1- 6.0	34	14	4	1	4	. 6	5	3	5	5	80	110	70	72	87	63	0	563
(1)	.26	.11	.03	.01	.03	.05	.04	.02	.04	.04	.61	.84	.54	.55	.67	.48	.00	4.32
(2)	.26	.11	.03	.01	.03	.05	.04	.02	.04	.04	.61	.84	.54	.55	.67	.48	.00	4.32
6.1- 8.0	11	1	1	0	0	1	4	1	5	2	31	63	50	26	25	20	0	241

BBNPP

2-176 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

	SSES SPRING 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL			CLASS FREQUENCY (PERCENT) = 100.00									
							W	IND DIRE	CTION F	ROM									
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL	
(1)	.08	.01	.01	.00	.00	.01	.03	.01	.04	.02	.24	.48	.38	.20	.19	.15	.00	1.85	
(2)	.08	.01	.01	.00	.00	.01	.03	.01	.04	.02	.24	.48	.38	.20	.19	.15	.00	1.85	
8.1-10.0	0	0	0	0	0	0	0	0	0	0	4	7	4	0	0	1	0	16	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.05	.03	.00	.00	.01	.00	.12	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.05	.03	.00	.00	.01	.00	.12	
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
ALL SPEEDS	830	1113	1333	1601	816	593	628	564	750	823	1216	731	457	433	575	558	0	13021	
(1)	6.37	8.55	10.24	12.30	6.27	4.55	4.82	4.33	5.76	6.32	9.34	5.61	3.51	3.33	4.42	4.29	.00	100.00	
(2)	6.37	8.55	10.24	12.30	6.27	4.55	4.82	4.33	5.76	6.32	9.34	5.61	3.51	3.33	4.42	4.29	.00	100.00	

.

Table 2.3-34— {SSES 33' (10-m) 2001-2006 Spring JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

Table 2.3-35— {SSES 33' (10-m) 2001-2006 Summer JFD} (Page 1 of 2)

				SSES SU	MMER 0	1-06 ME1	T DATA J	OINT FRI	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	(ER)				
33.0	FT WIN	D DATA		STABILITY CLASS A CLASS FREQUENCY (PERCENT) = 10.2												.27		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	1	7	6	10	6	4	0	0	0	0	0	0	0	0	35
(1)	.00	.00	.07	.07	.51	.44	.74	.44	.29	.00	.00	.00	.00	.00	.00	.00	.00	2.57
(2)	.00	.00	.01	.01	.05	.05	.08	.05	.03	.00	.00	.00	.00	.00	.00	.00	.00	.26
1.1- 1.5	1	5	22	26	20	19	11	15	21	20	15	5	3	1	0	2	0	186
(1)	.07	.37	1.62	1.91	1.47	1.40	.81	1.10	1.54	1.47	1.10	.37	.22	.07	.00	.15	.00	13.68
(2)	.01	.04	.17	.20	.15	.14	.08	.11	.16	.15	.11	.04	.02	.01	.00	.02	.00	1.40
1.6- 2.0	3	10	9	15	15	8	13	14	14	34	31	10	1	1	1	3	0	182
(1)	.22	.74	.66	1.10	1.10	.59	.96	1.03	1.03	2.50	2.28	.74	.07	.07	.07	.22	.00	13.38
(2)	.02	.08	.07	.11	.11	.06	.10	.11	.11	.26	.23	.08	.01	.01	.01	.02	.00	1.37
2.1- 3.0	15	29	33	8	3	2	20	10	30	82	172	22	4	6	2	10	0	448
(1)	1.10	2.13	2.43	.59	.22	.15	1.47	.74	2.21	6.03	12.65	1.62	.29	.44	.15	.74	.00	32.94
(2)	.11	.22	.25	.06	.02	.02	.15	.08	.23	.62	1.30	.17	.03	.05	.02	.08	.00	3.38
3.1- 4.0	32	27	1	0	0	1	4	2	6	41	172	48	. 15	7	6	7	0	369
(1)	2.35	1.99	.07	.00	.00	.07	.29	.15	.44	3.01	12.65	3.53	1.10	.51	.44	.51	.00	27.13
(2)	.24	.20	.01	.00	.00	.01	.03	.02	.05	.31	1.30	.36	.11	.05	.05	.05	.00	2.79
4.1- 5.0	4	4	0	0	0	1	1	0	0	0	43	54	7	0	2	4	0	120
(1)	.29	.29	.00	.00	.00	.07	.07	.00	.00	.00	3.16	3.97	.51	.00	.15	.29	.00	8.82
(2)	.03	.03	.00	.00	.00	.01	.01	.00	.00	.00	.32	.41	.05	.00	.02	.03	.00	.91
5.1- 6.0	2	1	0	0	0	0	0	0	0	0	3	10	1	0	1	1	0	19
(1)	.15	.07	.00	.00	.00	.00	.00	.00	.00	.00	.22	.74	.07	.00	.07	.07	.00	1.40
(2)	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.02	.08	.01	.00	.01	.01	.00	.14
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1

Table 2.3-35— {SSES 33' (10-m) 2001-2006 Summer JFD} (Page 2 of 2)

				SSES SUI	MMER 0	1-06 MET	DATA J	OINT FRI	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	'ER)					
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS A			CLASS FREQUENCY (PERCENT) = 10.27									
							W	IND DIRE	CTION I	ROM									
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.07	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.01	
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
ALL SPEEDS	57	76	66	50	45	37	59	47	75	177	436	150	31	15	12	27	0	1360	
(1)	4.19	5.59	4.85	3.68	3.31	2.72	4.34	3.46	5.51	13.01	32.06	11.03	2.28	1.10	.88	1.99	.00	100.00	
(2)	.43	.57	.50	.38	.34	.28	.45	.35	.57	1.34	3.29	1.13	.23	.11	.09	.20	.00	10.27	

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Rev. 2a
Table 2.3-35--- {SSES 33' (10-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES SU	MMER 0 STAE	1-06 MET BILITY CL	T DATA J ASS B	OINT FR	EQUENC	Y DISTR	IBUTION C	(60-MET LASS FRI	ER TOW	'ER) Y (PERCE	NT) = 4.	.32		
							W	IND DIR	ECTION F	ROM				-	Ţ			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 .	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	0	1	2	б	8	1	2	1	0	0	0	0	0	0	0	0	22
(1)	.17	.00	.17	.35	1.05	1.40	.17	.35	.17	.00	.00	.00	.00	.00	.00	.00	.00	3.85
(2)	.01	.00	.01	.02	.05	.06	.01	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.17
1.1- 1.5	4	0	8	15	7	4	8	3	7	3	5	1	0	0	0	0	0	65
(1)	.70	.00	1.40	2.62	1.22	.70	1.40	.52	1.22	.52	.87	.17	.00	.00	.00	.00	.00	11.36
(2)	.03	.00	.06	.11	.05	.03	.06	.02	.05	.02	.04	.01	.00	.00	.00	.00	.00	.49
1.6- 2.0	б	10	6	7	3	2	5	5	3	11	8	3	0	0	0	4	0	73
(1)	1.05	1.75	1.05	1.22	.52	.35	.87	.87	.52	1.92	1.40	.52	.00	.00	.00	.70	.00	12.76
. (2)	.05	.08	.05	.05	.02	.02	.04	.04	.02	.08	.06	.02	.00	.00	.00	.03	.00	.55
2.1- 3.0	6	30	18	4	2	0	6	2	8	28	55	9	4	1	4	2	0	179
(1)	1.05	5.24	3.15	.70	.35	.00	1.05	.35	1.40	4.90	9.62	1.57	.70	.17	.70	.35	.00	31.29
(2)	.05	.23	.14	.03	.02	.00	.05	.02	.06	.21	.42	.07	.03	.01	.03	.02	.00	1.35
3.1- 4.0	16	6	2	0	0	1	1	· 0	0	10	76	23	13	6	4	10	0	168
(1)	2.80	1.05	.35	.00	.00	.17	.17	.00	.00	1.75	13.29	4.02	2.27	1.05	.70	1.75	.00	29.37
(2)	.12	.05	.02	.00	.00	.01	.01	.00	.00	.08	.57	.17	.10	.05	.03	.08	.00	1.27
4.1- 5.0	5	3	0	0	0	0	0	0	0	Ò	19	11	8	0	2	4	0	52
(1)	.87	.52	.00	.00	.00	.00	.00	.00	.00	.00	3.32	1.92	1.40	.00	.35	.70	.00	9.09
(2)	.04	.02	.00	.00	.00	.00	.00	.00	.00	.00	.14	.08	.06	.00	.02	.03	.00	.39
5.1- 6.0	3	0	0	0	0	0	0	0	0	0	2	6	0	0	0	1	0	12
(1)	.52	.00	.00	.00	.00	.00	.00	.00	.00	.00	.35	1.05	.00	.00	.00	.17	.00	2.10
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.05	.00	.00	.00	.01	.00	.09
6.1- 8:0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

BBNPP

Table 2.3-35— {SSES 33' (10-m) 2001-2006 Summer JFD - continued} (Page 2 of 2)

				SSES SU	MMER 0	1-06 ME1	DATA J	OINT FRI	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	'ER)				
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS B				С	LASS FRE	QUENC	Y (PERCE	NT) = 4.	32		
							W	ND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.17	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.17
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	42	49	35	28	18	15	21	12	19	52	165	53	25	7	10	21	0	572
(1)	7.34	8.57	6.12	4.90	3.15	2.62	3.67	2.10	3.32	9.09	28.85	9.27	4.37	1.22	1.75	3.67	.00	100.00
(2)	.32	.37	.26	.21	.14	.11	.16	.09	.14	.39	1.25	.40	.19	.05	.08	.16	.00	4.32

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-35— {SSES 33' (10-m) 2001-2006 Summer JFD - continued}
(Page 1 of 2)

				SSES SU	MMER 0	1-06 ME1	T DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	/ER)				
33.0) FT WIN	D DATA			STAE	BILITY CL	ASS C				C	LASS FRI	EQUENC	Y (PERCE	NT) = 5.	.43		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	2	4	1	8	9	7	3	5	3	0	0	0	0	0	0	0	42
(1)	.00	.28	.56	.14	1.11	1.25	.97	.42	.70	.42	.00	.00	.00	.00	.00	.00	.00	5.84
(2)	.00	.02	.03	.01	.06	.07	.05	.02	.04	.02	.00	.00	.00	.00	.00	.00	.00	.32
1.1- 1.5	5	10	6	15	13	3	5	4	10	10	б	0	3	0	1	1	0	92
(1)	.70	1.39	.83	2.09	1.81	.42	.70	.56	1.39	1.39	.83	.00	.42	.00	.14	.14	.00	12.80
(2)	.04	.08	.05	.11	.10	.02	.04	.03	.08	.08	.05	.00	.02	.00	.01	.01	.00	.69
1.6- 2.0	8	10	9	9	3	5	8	5	7	9	17	6	3	3	3	1	0	106
(1)	1.11	1.39	1.25	1.25	.42	.70	1.11	.70	.97	1.25	2.36	.83	.42	.42	.42	.14	.00	14.74
(2)	.06	.08	.07	.07	.02	.04	.06	.04	.05	.07	.13	.05	.02	.02	.02	.01	.00	.80
2.1- 3.0	24	24	11	3	1	2	2	4	8	36	68	17	4	3	8	10	0	225
(1)	3.34	3.34	1.53	.42	.14	.28	.28	.56	1.11	5.01	9.46	2.36	.56	.42	1.11	1.39	.00	31.29
(2)	.18	.18	.08	.02	.01	.02	.02	.03	.06	.27	.51	.13	.03	.02	.06	.08	.00	1.70
3.1- 4.0	19	4	0	0	0	. 0	2	0	5	8	60	26	9	2	13	13	0	161
(1)	2.64	.56	.00	.00	.00	.00	.28	.00	.70	1.11	8.34	3.62	1.25	.28	1.81	1.81	.00	22.39
(2)	.14	.03	.00	.00	.00	.00	.02	.00	.04	.06	.45	.20	.07	.02	.10	.10	.00	1.22
4.1- 5.0	3	1	0	0	0	0	0	0	0	0	21	27	5	3	4	3	0	67
(1)	.42	.14	.00	.00	.00	.00	.00	.00	.00	.00	2.92	3.76	.70	.42	.56	.42	.00	9.32
(2)	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.16	.20	.04	.02	.03	.02	.00	.51
5.1- 6.0	2	1	0	0	0	0	0	0	0	0	5	6	0	0	5	4	. 0	23
(1)	.28	.14	.00	.00	.00	.00	.00	.00	.00	.00	.70	.83	.00	.00	.70	.56	.00	3.20
(2)	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.04	.05	.00	.00	.04	.03	.00	.17
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	3

BBNPP

FSAR: Section 2.3

Table 2.3-35—	{SSES 33' (10-m)	2001-2006	Summer JFD	- continued}

(Page 2 of 2)

				SSES SU	MMER 0	1-06 ME1	ſ DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	/ER)				
33.0	FT WINI	D DATA			STAE	BILITY CL	ASS C				c	LASS FRI		Y (PERCE	NT) = 5.	43		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.42	.00	.00	.00	.00	.00	.42
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	61	52	30	28	25	19	24	16	35	66	177	85	24	11	34	32	0	719
(1)	8.48	7.23	4.17	3.89	3.48	2.64	3.34	2.23	4.87	9.18	24.62	11.82	3.34	1.53	4.73	4.45	.00	100.00
(2)	.46	.39	.23	.21	.19	.14	.18	.12	.26	.50	1.34	.64	.18	.08	.26	.24	.00	5.43

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD FSAR: Section 2.3

Table 2.3-35--- {SSES 33' (10-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

				SSES SU	MMER 0	1-06 ME1	I DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	/ER)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 29	.75		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	ŜSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	1	1	0	2	0	0	0	0	0	0	0	0	0	5
(1)	.00	.00	.03	.00	.03	.03	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.13
(2)	.00	.00	.01	.00	.01	.01	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04
.5- 1.0	6	37	76	87	107	84	78	44	49	28	23	5	4	0	3	2	0	633
(1)	.15	.94	1.93	2.21	2.72	2.13	1.98	1.12	1.24	.71	.58	.13	.10	.00	.08	.05	.00	16.06
(2)	.05	.28	.57	.66	.81	.63	.59	.33	.37	.21	.17	.04	.03	.00	.02	.02	.00	4.78
1.1- 1.5	39	82	98	76	49	41	58	47	90	108	76	29	8	7	8	8	0	824
(1)	.99	2.08	2.49	1.93	1.24	1.04	1.47	1.19	2.28	2.74	1.93	.74	.20	.18	.20	.20	.00	20.91
(2)	.29	.62	.74	.57	.37	.31	.44	.35	.68	.82	.57	.22	.06	.05	.06	.06	.00	6.22
1.6- 2.0	47	103	55	27	28	31	55	46	61	104	97	32	14	11	9	16	0	736
(1)	1.19	2.61	1.40	.69	.71	.79	1.40	1.17	1.55	2.64	2.46	.81	.36	.28	.23	.41	.00	18.68
(2)	.35	.78	.42	.20	.21	.23	.42	.35	.46	.79	.73	.24	.11	.08	.07	.12	.00	5.56
2.1- 3.0	101	106	55	14	14	34	49	55	85	143	224	72	22	25	33	69	0	1101
(1)	2.56	2.69	1.40	.36	.36	.86	1.24	1.40	2.16	3.63	5.68	1.83	.56	.63	.84	1.75	.00	27.94
(2)	.76	.80	.42	.11	.11	.26	.37	.42	.64	1.08	1.69	.54	.17	.19	.25	.52	.00	8.31
3.1- 4.0	55	34	2	0	1	4	6	1	12	15	160	59	24	13	42	50	0	478
(1)	1.40	.86	.05	.00	.03	.10	.15	.03	.30	.38	4.06	1.50	.61	.33	1.07	1.27	.00	12.13
(2)	.42	.26	.02	.00	.01	.03	.05	.01	.09	.11	1.21	.45	.18	.10	.32	.38	.00	3.61
4.1- 5.0	11	0	0	0	0	0	0	0	1	2	37	36	7	3	17	23	0	137
(1)	.28	.00	.00	.00	.00	.00	.00	.00	.03	.05	.94	.91	.18	.08	.43	.58	.00	3.48
(2)	.08	.00	.00	.00	.00	.00	.00	.00	.01	.02	.28	.27	.05	.02	.13	.17	.00	1.03
5.1- 6.0	2	0	0	0	0	0	0	0	0	0	8	14	0	0	0	1	0	25
(1)	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20	.36	.00	.00	.00	.03	.00	.63
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06	.11	.00	.00	.00	.01	.00	.19
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2

BBNPP

33.0	FT WIN			SSES SU	MMER O STAB	1-06 MET	r data J ASS D	OINT FR	EQUENC	Y DISTRI		(60-MET		'ER) Y (PFRCFI	NT) = 79	75		
							W	IND DIR	ECTION F	ROM				. (,>			
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.05
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	261	362	287	204	200	195	246	195	298	400	625	249	79	59	112	169	0	3941
(1)	6.62	9.19	7.28	5.18	5.07	4.95	6.24	4.95	7.56	10.15	15.86	6.32	2.00	1.50	2.84	4.29	.00	100.00
(2)	1.97	2.73	2.17	1.54	1.51	1.47	1.86	1.47	2.25	3.02	4.72	1.88	.60	.45	.85	1.28	.00	29.75

Table 2.3-35— {SSES 33' (10-m) 2001-2006 Summer JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

,			т	able 2.3	8-35—	{SSES 3	33' (10-	m) 200 (Page	1-2006 1 of 2)	Summ	er JFD	- contin	nued}					
				SSES SU	MMER 0	1-06 ME1	T DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	/ER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	.ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 30	.03		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	3	12	3	3	4	1	0	0	0	0	0	0	0	0	27
. (1)	.00	.00	.03	.08	.30	.08	.08	.10	.03	.00	.00	.00	.00	.00	.00	.00	.00	.68
(2)	.00	.00	.01	.02	.09	.02	.02	.03	.01	.00	.00	.00	.00	.00	.00	.00	.00	.20
.5- 1.0	24	65	228	445	376	211	184	115	111	.37	11	2	4	б	2	3	0	1824
(1)	.60	1.63	5.73	11.19	9.45	5.30	4.63	2.8 9	2.79	.93	.28	.05	.10	.15	.05	.08	.00	45.85
(2)	.18	.49	1.72	3.36	2.84	1.59	1.39	.87	.84	.28	.08	.02	.03	.05	.02	.02	.00	13.77
1.1- 1.5	38	143	243	181	40	-34	55	70	153	147	41	17	7	4	8	4	0	1185
(1)	.96	3.59	6.11	4.55	1.01	.85	1.38	1.76	3.85	3.70	1.03	.43	.18	.10	.20	.10	.00	29.79
(2)	.29	1.08	1.83	1.37	.30	.26	.42	.53	1.16	1.11	.31	.13	.05	.03	.06	.03	.00	8.95
1.6- 2.0	52	104	47	19	7	17	18	17	57	113	51	15	3	6	4	10	0	540
. (1)	1.31	2.61	1.18	.48	.18	.43	.45	.43	1.43	2.84	1.28	.38	.08	.15	.10	.25	.00	13.57
(2)	.39	.79	.35	.14	.05	.13	.14	.13	.43	.85	.39	.11	.02	.05	.03	.08	.00	4.08
2.1- 3.0	38	47	7	2	2	3	7	8	16	52	71	9	4	6	15	29	0	316
(1)	.96	1.18	.18	.05	.05	.08	.18	.20	.40	1.31	1.78	.23	.10	.15	.38	.73	.00	7.94
(2)	.29	.35	.05	.02	.02	.02	.05	.06	.12	.39	.54	.07	.03	.05	.11	.22	.00	2.39
3.1- 4.0	9	8	1	0	0	0	6	2	4	4	15	4	5	4	4	10	0	76
(1)	.23	.20	.03	.00	.00	.00	.15	.05	.10	.10	.38	.10	.13	.10	.10	.25	.00	1.91
(2)	.07	.06	.01	.00	.00	.00	.05	.02	.03	.03	.11	.03	.04	.03	.03	.08	.00	.57
4.1- 5.0	0	0	0	0	0	0	0	2	1	0	3	0	0	0	1	2	0	9
(1)	.00	.00	.00	.00	.00	.00	.00	.05	.03	.00	.08	.00	.00	.00	.03	.05	.00	.23
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.01	.00	.02	.00	.00	.00	.01	.02	.00	.07
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.03
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.01
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

2-186 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

FSAR: Section 2.3

Meteorology

Table 2.3-35— {SSES 33' (10-m) 2001-2006 Summer JFD - continued} (Page 2 of 2)

				SSES SU	MMER 01	1-06 ME1	DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-METI	ER TOW	/ER)				
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	IT) = 30	.03		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	161	367	527	650	437	268	273	218	343	353	193	47	23	26	34	58	0	3978
(1)	4.05	9.23	13.25	16.34	10.99	6.74	6.86	5.48	8.62	8.87	4.85	1.18	.58	.65	.85	1.46	.00	100.00
(2)	1.22	2.77	3.98	4.91	3.30	2.02	2.06	1.65	2.59	2.66	1.46	.35	.17	.20	.26	.44	.00	30.03

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.

Table 2.3-35— {SSES 33' (10-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

				SSES SU	MMER 01	1-06 ME1	T DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	/ER)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS F				c	LASS FRE	QUENC	Y (PERCEI	NT) = 15	5.10		
							W	IND DIRI	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTA
LT .2	0	0	0	0	0	0	0	· 0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	2	7	3	2	0	0	0	0	0	0	0	0	0	0	15
(1)	.00	.00	.05	.10	.35	.15	.10	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.75
(2)	.00	.00	.01	.02	.05	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11
.5- 1.0	1	18	105	614	335	106	62	27	26	5	4	1	0	0	2	1	0	1307
(1)	.05	.90	5.25	30.70	16.75	5.30	3.10	1.35	1.30	.25	.20	.05	.00	.00	.10	.05	.00	65.35
(2)	.01	.14	.79	4.64	2.53	.80	.47	.20	.20	.04	.03	.01	.00	.00	.02	.01	.00	9.87
1.1- 1.5	6	26	96	391	18	4	8	11	23	27	5	0	0	1	1	2	0	619
(1)	.30	1.30	4.80	19.55	.90	.20	.40	.55	1.15	1.35	.25	.00	.00	.05	.05	.10	.00	30.95
(2)	.05	.20	.72	2.95	.14	.03	.06	.08	.17	.20	.04	.00	.00	.01	.01	.02	.00	4.67
1.6- 2.0	3	12	9	23	1	0	0	0	0	3	4	0	0	0	0	1	0	56
(1)	.15	.60	.45	1.15	.05	.00	.00	.00	.00	.15	.20	.00	.00	.00	.00	.05	.00	2.80
(2)	.02	.09	.07	.17	.01	.00	.00	.00	.00	.02	.03	.00	.00	.00	.00	.01	.00	.42
2.1- 3.0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.00	.10	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.10
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.05
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.01
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	Ō	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

(Page 2 of 2)

				SSES SU	MMER 01	-06 ME1	DATA J	OINT FRI	EQUENC	Y DISTRI	BUTION	(60-METI	ER TOW	/ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 15	.10		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	10	58	211	1030	361	113	72	38	49	35	13	1	0	1	4	4	0	2000
(1)	.50	2.90	10.55	51.50	18.05	5.65	3.60	1.90	2.45	1.75	.65	.05	.00	.05	.20	.20	.00	100.00
(2)	.08	.44	1.59	7.78	2.73	.85	.54	.29	.37	.26	.10	.01	.00	.01	.03	.03	.00	15.10

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

								(,									
33.0	FT WIN	D DATA		SSES SU	MMER 01 STAB	I-06 MET	BUTION	(60-MET	ER TOW	/ER) :Y (PERCE	NT) = 5.	10						
							W	ND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	-0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00	00	00	00	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00	00	.00	00	.00	.00
(-)															100			
.24	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.15	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.15
(2)	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.,																		
.5- 1.0	0	2	61	253	70	24	8	3	3	0	0	0	0	0	1	0	0	425
(1)	.00	.30	9.02	37.43	10.36	3.55	1.18	.44	.44	.00	.00	.00	.00	.00	.15	.00	.00	62.87
(2)	.00	.02	.46	1.91	.53	.18	.06	.02	.02	.00	.00	.00	.00	.00	.01	.00	.00	3.21
1.1- 1.5	0	3	26	194	7	0	0	2	2	1	0	0	0	0	0	1	0	236
(1)	.00	.44	3.85	28.70	1.04	.00	.00	.30	.30	.15	.00	.00	.00	.00	.00	.15	.00	34.91
(2)	.00	.02	.20	1.46	.05	.00	.00	.02	.02	.01	.00	.00	.00	.00	.00	.01	.00	1.78
1.6- 2.0	1	0	0	10	0	0	0	0	0	0	2	0	0	0	0	0	0	13
(1)	.15	.00	.00	1.48	.00	.00	.00	.00	.00	.00	.30	.00	.00	.00	.00	.00	.00	1.92
(2)	.01	.00	.00	.08	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.10
2.1- 3.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.15	.00	.00	.00	.00	.00	.00	.00	.15
(2)	:00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.01
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0 .	0	0	0	0	0	0	0

Table 2.3-35— {SSES 33' (10-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

BBNPP

2-190 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-35— {SSES 33' (10-m) 2001-2006 Summer JFD - continued} (Page 2 of 2)

				SSES SU	MMER 01	-06 ME1	DATA J	OINT FRI	EQUENC	Y DISTRI	BUTION	(60-METI	ER TOW	(ER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 5.	.10		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	1	5	87	458	77	24	8	5	5	2	2	0	0	0	1	1	0	676
(1)	.15	.74	12.87	67.75	11.39	3.55	1.18	.74	.74	.30	.30	.00	.00	.00	.15	.15	.00	100.00
(2)	.01	.04	.66	3.46	.58	.18	.06	.04	.04	.02	.02	.00	.00	.00	.01	.01	.00	5.10

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-35--- {SSES 33' (10-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

				SSES SU	MMER 0	1-06 MET	T DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	ER)				
33.0	FI WINI	DDATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	(T) = 100	0.00		
(D550 /					_		W	IND DIR	ECTION	ROM	-							
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LI.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	3	6	20	7	5	6	1	0	0	0	0	0	0	0	0	48
(1)	.00	.00	.02	.05	.15	.05	.04	.05	.01	.00	.00	.00	.00	.00	.00	.00	.00	.36
(2)	.00	.00	.02	.05	.15	.05	.04	.05	.01	.00	.00	.00	.00	.00	.00	.00	.00	.36
.5- 1.0	32	124	476	1403	909	448	350	200	199	73	38	8	8	6	8	6	0	4288
(1)	.24	.94	3.59	10.59	6.86	3.38	2.64	1.51	1.50	.55	.29	.06	.06	.05	.06	.05	.00	32.37
(2)	.24	.94	3.59	10.59	6.86	3.38	2.64	1.51	1.50	.55	.29	.06	.06	.05	.06	.05	.00	32.37
1.1- 1.5	93	269	499	898	154	105	145	152	306	316	148	52	21	13	18	18	0	3207
(1)	.70	2.03	3.77	6.78	1.16	.79	1.09	1.15	2.31	2.39	1.12	.39	.16	.10	.14	.14	.00	24.21
(2)	.70	2.03	3.77	6.78	1.16	.79	1.09	1.15	2.31	2.39	1.12	.39	.16	.10	.14	.14	.00	24.21
1.6- 2.0	120	249	135	110	57	63	99	87	142	274	210	66	21	21	17	35	0	1706
(1)	.91	1.88	1.02	.83	.43	.48	.75	.66	1.07	2.07	1.59	.50	.16	.16	.13	.26	.00	12.88
(2)	.91	1.88	1.02	.83	.43	.48	.75	.66	1.07	2.07	1.59	.50	.16	.16	.13	.26	.00	12.88
2.1- 3.0	184	238	124	31	22	41	84	79	147	342	590	129	38	41	62	120	0	2272
(1)	1.39	1.80	.94	.23	.17	.31	.63	.60	1.11	2.58	4.45	.97	.29	.31	.47	.91	.00	17.15
(2)	1.39	1.80	.94	.23	.17	.31	.63	.60	1.11	2.58	4.45	.97	.29	.31	.47	.91	.00	17.15
3.1- 4.0	131	79	6	0	1	6	19	5	27	78	483	160	66	32	70	90	0	1253
(1)	.99	.60	.05	.00	.01	.05	.14	.04	.20	.59	3.65	1.21	.50	.24	.53	.68	.00	9.46
(2)	.99	.60	.05	.00	.01	.05	.14	.04	.20	.59	3.65	1.21	.50	.24	.53	.68	.00	9.46
4.1- 5.0	23	8	0	0	0	1	1	2	2	2	123	128	27	6	26	36	0	385
(1)	.17	.06	.00	.00	.00	.01	.01	.02	.02	.02	.93	.97	.20	.05	.20	.27	.00	2.91
(2)	.17	.06	.00	.00	.00	.01	.01	.02	.02	.02	.93	.97	.20	.05	.20	.27	.00	2.91
5.1- 6.0	9	2	0	0	0	0	0	0	0	0	19	36	1	0	6	7	0	80
(1)	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.14	.27	.01	.00	.05	.05	.00	.60
(2)	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.14	.27	.01	.00	.05	.05	.00	.60
6.1- 8.0	1	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	7

BBNPP

Table 2.3-35---- {SSES 33' (10-m) 2001-2006 Summer JFD - continued} (Page 2 of 2)

				SSES SUI	MMER 01	1-06 MET	DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	ER)				
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL	ر			CL	ASS FRE	QUENCY	(PERCEN	T) = 100	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.05
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.05
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	593	969	1243	2448	1163	671	703	531	824	1085	1611	585	182	119	207	312	0	13246
(1)	4.48	7.32	9.38	18.48	8.78	5.07	5.31	4.01	6.22	8.19	12.16	4.42	1.37	.90	1.56	2.36	.00	100.00
(2)	4.48	7.32	9.38	18.48	8.78	5.07	5.31	4.01	6.22	8.19	12.16	4.42	1.37	.90	1.56	2.36	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD} (Page 1 of 2)

				SSES F	ALL 01-	06 MET [OATA JO	INT FREC	UENCY	DISTRIB	UTION (6	O-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS A				с	LASS FRE	QUENC	Y (PERCE	NT) = 3.	.51		
							w	IND DIR	ECTION F	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTA
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0.	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	1	4	5	2	2	1	1	1	0	0	0	0	0	0	18
(1)	.00	.00	.22	.22	.89	1.11	.44	.44	.22	.22	.22	.00	.00	.00	.00	.00	.00	3.99
(2)	.00	.00	.01	.01	.03	.04	.02	.02	.01	.01	.01	.00	.00	.00	.00	.00	.00	· .14
1.1- 1.5	0	5	4	4	7	12	8	5	6	4	6	7	1	0	1	2	0	72
(1)	.00	1.11	.89	.89	1.55	2.66	1.77	1.11	1.33	.89	1.33	1.55	.22	.00	.22	.44	.00	15.96
(2)	.00	.04	.03	.03	.05	.09	.06	.04	.05	.03	.05	.05	.01	.00	.01	.02	.00	.56
1.6- 2.0	2	3	8	4	4	2	3	7	11	12	11	5	0	0	0	0	0	72
(1)	.44	.67	1.77	.89	.89	.44	.67	1.55	2.44	2.66	2.44	1.11	.00	.00	.00	.00	.00	15.96
(2)	.02	.02	.06	.03	.03	.02	.02	.05	.09	.09	.09	.04	.00	.00	.00	.00	.00	.56
2.1- 3.0	3	10	9	1	1	0	8	11	18	26	46	8	1	0	5	2	0	149
(1)	.67	2.22	2.00	.22	.22	.00	1.77	2.44	3.99	5.76	10.20	1.77	.22	.00	1.11	.44	.00	33.04
(2)	.02	.08	.07	.01	.01	.00	.06	.09	.14	.20	.36	.06	.01	.00	.04	.02	.00	1.16
3.1- 4.0	9	5	6	0	0	0	3	13	8	12	35	9	2	2	0	4	0	108
(1)	2.00	1.11	1.33	.00	.00	.00	.67	2.88	1.77	2.66	7.76	2.00	.44	.44	.00	.89	.00	23.95
(2)	.07	.04	.05	.00	.00	.00	.02	.10	.06	.09	.27	.07	.02	.02	.00	.03	.00	.84
4.1- 5.0	2	0	0	0	0	0	0	0	4	4	15	6	0	0	0	0	0	31
(1)	.44	.00	.00	.00	.00	.00	.00	.00	.89	.89	3.33	1.33	.00	.00	00.	.00	.00	6.87
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.03	.03	.12	.05	.00	.00	.00	.00	.00	.24
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.22	.00	.00	.00	.00	.00	.00	.22
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.01
6.1- 8.0	. 0	0	0	0	0	0	0	0	0	0	0	ò	0	0	0	0	0	0

BBNPP

.

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD} (Page 2 of 2)

33.0	FT WINI	D DATA		SSES F	ALL 01-(STAB	06 MET D	OATA JOI ASS A	NT FREC	QUENCY I	DISTRIBU	JTION (6 C	0-METER LASS FRE		R) IY (PERCE	NT) = 3.	51		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00.	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	16	23	28	10	16	19	24	38	48	59	115	35	4	2	6	8	0	451
(1)	3.55	5.10	6.21	2.22	3.55	4.21	5.32	8.43	10.64	13.08	25.50	7.76	.89	.44	1.33	1.77	.00	100.00
(2)	.12	.18	.22	.08	.12	.15	.19	.30	.37	.46	.89	.27	.03	.02	.05	.06	.00	3.51

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-36— {SSES 33'	(10-m) 2001-2	006 Autumn JFD	- continued}

(Page 1 of 2)

33.0	FT WIN	D DATA		SSES F	ALL 01-0 STAB	D6 MET (BILITY CL	DATA JO ASS B	INT FREC	UENCY	DISTRIB	UTION (6 C	O-METER	R TOWE	R) IY (PERCE	NT) = 2.	51		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
IT.2	0	0	0	0	0	0	0	Ó	0	0	0	0	0	0	0	0	0	0
(1)	00	00	00	ň	00	ň	00	ň	00	00	00	00	00	00	ň	00	00	00
(7)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(=)				.00														
.5- 1.0	0	0	2	0	4	1	2	0	1	1	0	0	0	1	0	0	0	12
(1)	.00	.00	.62	.00	1.24	.31	.62	.00	.31	.31	.00	.00	.00	.31	.00	.00	.00	3.72
(2)	.00	.00	.02	.00	.03	.01	.02	.00	.01	.01	.00	.00	.00	.01	.00	.00	.00	.09
1.1- 1.5	3	0	4	7	4	3	2	1	4	7	7	0	0	0	0	0	0	42
(1)	.93	.00	1.24	2.17	1.24	.93	.62	.31	1.24	2.17	2.17	.00	.00	.00	.00	.00	.00	13.00
(2)	.02	.00	.03	.05	.03	.02	.02	.01	.03	.05	.05	.00	.00	.00	.00	.00	.00	.33
1.6- 2.0	3	3	2	2	0	0	1	4	3	6	9	4	0	0	0	0	0	37
(1)	.93	.93	.62	.62	.00	.00	.31	1.24	.93	1.86	2.79	1.24	.00	.00	.00	.00	.00	11.46
(2)	.02	.02	.02	.02	.00	.00	.01	.03	.02	.05	.07	.03	.00	.00	.00	.00	.00	.29
2.1- 3.0	1	8	6	1	0	0	6	1	8	10	36	3	1	1	4	3	0	89
(1)	.31	2.48	1.86	.31	.00	.00	1.86	.31	2.48	3.10	11.15	.93	.31	.31	1.24	.93	.00	27.55
(2)	.01	.06	.05	.01	.00	.00	.05	.01	.06	.08	.28	.02	.01	.01	.03	.02	.00	.69
3 1- 4 0	4	10	3	0	0	0	5	2	2	3	24	13	7	c	3	6	0	94
(1)	1 7/	3 10	5	00	00	00	155	62	67	93	743	4 02	, 217	67	50	1.86	00	26.01
(1)	02	00	.55	.00	.00	.00	04	.02	.02	.25	10	10	2.17	.02	.95	05	.00	20.01
(2)	.05	.08	.02	.00	.00	.00	.04	.02	.02	.02	.17	.10	.05	.02	.02	.05	.00	.05
4.1- 5.0	0	0	0	0	0	0	0	1	4	1	15	11	4	3	0	2	0	41
(1)	.00	.00	.00	.00	.00	.00	.00	.31	1.24	.31	4.64	3.41	1.24	.93	.00	.62	.00	12.69
(2)	.00	.00	.00	.00	.00	.00	.00	.01	.03	.01	.12	.09	.03	.02	.00	.02	.00	.32
(-/																		
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	9	3	0	0	0	0	0	12
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.79	.93	.00	.00	.00	.00	.00	3.72
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.02	.00	.00	.00	.00	.00	.09
. ,																		-
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	3	1	0	0	0	1	0	5

BBNPP

Rev. 2a

Meteorology

Table 2.3-36 {SSES 33' (10-m) 2001-2006 Autumn JFD - continued}
(Page 2 of 2)

				SSES F	ALL 01-	06 MET C	DATA JOI	NT FREQ	UENCY	DISTRIB	JTION (6	0-METER	TOWER	R)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS B				c	LASS FRE		Y (PERCE	NT) = 2.	51		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.93	.31	.00	.00	.00	.31	.00	1.55
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.01	.00	.00	.00	.01	.00	.04
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.31	.00	.31
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.01
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	11	21	17	10	8	4	16	9	22	28	103	35	12	7	7	13	0	323
(1)	3.41	6.50	5.26	3.10	2.48	1.24	4.95	2.79	6.81	8.67	31.89	10.84	3.72	2.17	2.17	4.02	.00	100.00
(2)	.09	.16	.13	.08	.06	.03	.12	.07	.17	.22	.80	.27	.09	.05	.05	.10	.00	2.51

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

33.0) FT WIN	D DATA		SSES F	ALL 01- STAE	06 MET I BILITY CL	DATA JO ASS C	INT FREC	QUENCY	DISTRIB	UTION (e	50-METER LASS FRI	R TOWEI	R) IY (PERCE	NT) = 3.	84		
							W	IND DIRI	ECTION I	FROM								
SPEED m/s	Ň	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00	00	00	ň	ň	00	ň	ň
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	ñ	ñ	ň	ň	00	ň	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	1	2	3	2	. 1	2	0	0	0	0	0	0	0	0	17
(1)	.00	.00	20	20	40	61	40	20	40	00	ň	00		ň	00	ň	00	2/12
(2)	00	00	01	01	02	02	02	01	07	.00	.00	00	.00	00	.00	.00	.00	00
(-)	.00	.00		.01	.02	.02	.02	.01	.02	.00	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	1	1	4	6	4	4	3	5	3	7	7	1	3	1	0	1	0	51
(1)	.20	.20	.81	1.21	.81	.81	.61	1.01	.61	1.42	1.42	.20	.61	.20	.00	.20	.00	10.32
(2)	.01	.01	.03	.05	.03	.03	.02	.04	.02	.05	.05	.01	.02	.01	.00	.01	.00	.40
1.6- 2.0	0	9	3	6	0	4	2	5	4	8	16	6	3	1	0	0	0	67
(1)	.00	1.82	.61	1.21	.00	.81	.40	1.01	.81	1.62	3.24	1.21	.61	.20	.00	.00	.00	13.56
(2)	.00	.07	.02	.05	.00	.03	.02	.04	.03	.06	.12	.05	.02	.01	.00	.00	.00	.52
2.1- 3.0	3	20	13	1	0	1	5	5	13	12	47	13	2	4	1	2	0	142
(1)	.61	4.05	2.63	.20	.00	.20	1.01	1.01	2.63	2.43	9.51	2.63	.40	.81	.20	.40	.00	28.74
(2)	.02	.16	.10	.01	.00	.01	.04	.04	.10	.09	.37	.10	.02	.03	.01	.02	.00	1.10
3.1- 4.0	20	15	1	ò	1	0	5	6	11	2	35	12	6	6	5	6	0	131
(1)	4.05	3.04	.20	.00	.20	.00	1.01	1.21	2.23	.40	7.09	2.43	1.21	1.21	1.01	1 21	00	26.52
(2)	.16	.12	.01	.00	.01	.00	.04	.05	.09	02	27	09	05	05	04	05	00	1.02
(=)												.05	.05	.05	.04	.05	.00	1.02
4.1- 5.0	9	2	0	0	0	0	1	1	1	3	11	16	7	0	2	б	0	59
(1)	1.82	.40	.00	.00	.00	.00	.20	.20	.20	.61	2.23	3.24	1.42	.00	.40	1.21	.00	11.94
(2)	.07	.02	.00	.00	.00	.00	.01	.01	.01	.02	.09	.12	.05	.00	.02	.05	.00	.46
5.1- 6.0	2	0	0	0	0	0	0	0	0	0	7	9	1	0	0	1	0	20
(1)	.40	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.42	1.82	.20	.00	.00	.20	.00	4.05
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.07	.01	.00	.00	.01	.00	.16
6.1- 8.0	0	0	0	0	0	0	. 0	0	0	0	4	4	0	0	1	2	0	11

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD - continued} (Page 1 of 2)

BBNPP

Rev. 2a

Meteorology

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD - continued} (Page 2 of 2)

				SSES F	ALL 01-(06 MET C	OATA JOI	NT FREQ	UENCY	DISTRIB	UTION (6	O-METER	TOWER	R)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS C				C	LASS FRE	QUENC	Y (PERCE	NT) = 3.	84		
					-		W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.81	.81	.00	.00	.20	.40	.00	2.23
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.03	.00	.00	.01	.02	.00	.09
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20	.00	.00	.00	.00	.00	.20
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.01
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	35	47	22	14	7	12	18	23	34	32	127	62	22	12	9	18	0	494
· (1)	7.09	9.51	4.45	2.83	1.42	2.43	3.64	4.66	6.88	6.48	25.71	12.55	4.45	2:43	1.82	3.64	.00	100.00
(2)	.27	.37	.17	.11	.05	.09	.14	.18	.26	.25	.99	.48	.17	.09	.07	.14	.00	3.84

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

								(rage	1012)									
33.0	FT WIN	D DATA		SSES F	ALL 01-0 STAB	06 MET D BILITY CL	ATA JOI ASS D	NT FREQ	UENCY	DISTRIBU	JTION (6 Cl	O-METER	TOWE	R) Y (PERCEI	NT) = 35	.66		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE ·	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	00	00	00	02	00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	0	0	2	3	2	1	1	0	0	0	0	0	0	0	0	0	9
(1)	.00	.00	.00	.04	.07	.04	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20
(2)	.00	.00	.00	.02	.02	.02	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
5-10	10	70	55	67	71	84	60	48	25	22	10	5	0	0	6	4	٥	501
.5= 1.0	22	63	1 20	1 35	155	1 83	1 3 1	1 05	76	18	22	11	00	ň	13	00	00	10.92
(1)	.22	.05	1.20	1.55	55	65	1.51	37	.70	.+0	.22	.11	.00	.00	.15	.02	.00	3 00
(2)	.08	.25	.45	.40		.05	.47		.27	.17	.00	.04	.00	.00	.05	.05	.00	5.90
1.1- 1.5	20	82	76	48	43	33	50	44	58	66	50	28	7	10	9	5	0	629
(1)	.44	1.79	1.66	1.05	.94	.72	1.09	.96	1.26	1.44	1.09	.61	.15	.22	.20	.11	.00	13.72
(2)	.16	.64	.59	.37	.33	.26	.39	.34	.45	.51	.39	.22	.05	.08	.07	.04	.00	4.89
16.20	40	20	76	~ ~ ~	71	10	40	41	EC	60	66	40	17	15	٥	17	0	640
1.0- 2.0	40	89	/0	25	21	10	49	41	20	1.50	1 4 4	40	17	21	0 17	12	0	12.00
(1)	.8/	1.94	1.00	.50	.40	.59	1.07	.09	1.22	1.50	1.44	.07	.5/	.55	.17	.20	.00	15.90
(2)	.31	.69	.59	.18	.10	.14	.38	.32	.44	.54	.51	.51	.15	.12	.06	.09	.00	4.98
2.1- 3.0	117	185	104	23	12	41	74	57	74	74	142	70	61	47	54	77	0	1212
(1)	2.55	4.03	2.27	.50	.26	.89	1.61	1.24	1.61	1.61	3.10	1.53	1.33	1.02	1.18	1.68	.00	26.43
(2)	.91	1.44	.81	.18	.09	.32	.58	.44	.58	.58	1.10	.54	.47	.37	.42	.60	.00	9.42
21 40	06	60	11	7	1	5	30	14	22	40	05	62	12	50	100	85	0	720
(1)	200	1 50	24	15	02	11	85	31	18	87	207	1 35	رب ۵۸	1 00	218	1.85	00	16 11
(1)	2.09	F.30	.24	.15	.02	.11	.05	اد. 11	. ~1 0 17	.07 21	2.07	1.55	.54	20	70	1.05	.00	575
(2)	.75	.54	.09	.05	.01	.04	.50	.11	.17	۱ <i>د.</i>	./4	.40		.19	.70	.00	.00	5.75
4.1- 5.0	40	7	0	1	0	0	14	13	13	7	69	56	49	44	81	60	0	454
(1)	.87	.15	.00	.02	.00	.00	.31	.28	.28	.15	1.50	1.22	1.07	.96	1.77	1.31	.00	9.90
(2)	.31	.05	.00	.01	.00	.00	11	.10	.10	.05	.54	.44	.38	.34	.63	.47	.00	3.53
5 1- 6 0	6	0	1	1	0	0	7	9	5	1	28	51	19	17	42	32	0	219
(1)	12	00	02	02	ň	ñn	15	20	11	02	61	1.11	41	37	92	70	ň	4 78
(2)	.05	.00	.02	.02	.00	.00	.05	.07	.04	.01	.22	.40	.15	.13	.33	.25	.00	1.70
		•		2	<u>^</u>	0	2	0	r	0	15	5.4		22	10	0		140
6.1-8.0	I	U	U	2	U	U	2	ð	5	U	15	54	11	22	12	ð	U	140

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD - continued} (Page 1 of 2)

.

Meteorology

FSAR: Section 2.3

.

·			Т	able 2.	3-36—	{SSES 3	33' (10-	m) 200 (Page	1-2006 2 of 2)	Autun	nn JFD	- contir	nued}					
33.0	FT WINI	D DATA		SSES F	ALL 01- STAE	06 MET E BILITY CL	ATA JOI ASS D	NT FREQ		DISTRIB	JTION (6 CL	0-METER ASS FRE	TOWEF	R) Y (PERCE	NT) = 35	.66		
	NI		NC		F	ECE	SE W		CTION F	KOM	CW.	MCM	14/	34/NI34/	NINA/	NINDAZ	VDDI	TOTAL
	02				E 00	ESE	3E 04	33E 17	3 11	33W	3 W	1 10	VV 24	WINW	76	17		2.05
(1)	.02	.00	.00	.04	.00	.00	.04	.17	.11	.00	.55	1.10	.24	.40	.20	.17	.00	5.05
(2)	.01	.00	.00	.02	.00	.00	.02	.06	.04	.00	.12	.42	.09	.17	.09	.06	.00	1.09
8.1-10.0	0	0	0	0	0	0	0	0	0	0	2	26	9	3	2	0	0	42
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.57	.20	.07	.04	.00	.00	.92
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.20	.07	.02	.02	.00	.00	.33
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	330	461	323	170	151	183	296	235	268	279	477	392	216	208	314	283	0	4586
(1)	7.20	10.05	7.04	3.71	3.29	3.99	6.45	5.12	5.84	6.08	10.40	8.55	4.71	4.54	6.85	6.17	.00	100.00
(2)	2.57	3.58	2.51	1.32	1.17	1.42	2.30	1.83	2.08	2.17	3.71	3.05	1.68	1.62	2.44	2.20	.00	35.66

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD - continued}
(Page 1 of 2)

				SSES F	ALL 01-	06 MET (OL ATA	INT FREC	QUENCY	DISTRIB	UTION (é	50-METER		R)				
33.0	FT WIN	D DATA			STA	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCEI	NT) = 31	.66		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.05	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.00	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	0	6	12	15	13	14	9	2	0	0	0	1	0	0	0	0	72
(1)	.00	.00	.15	.29	.37	.32	.34	.22	.05	.00	.00	.00	.02	.00	.00	.00	.00	1.77
(2)	.00	.00	.05	.09	.12	.10	.11	.07	.02	.00	.00	.00	.01	.00	.00	.00	.00	.56
.5 - 1.0	24	73	171	285	252	159	142	103	94	57	17	5	6	1	3	3	0	1395
(1)	.59	1.79	4.20	7.00	6.19	3.90	3.49	2.53	2.31	1.40	.42	.12	.15	.02	.07	.07	.00	34.26
(2)	.19	.57	1.33	2.22	1.96	1.24	1.10	.80	.73	.44	.13	.04	.05	.01	.02	.02	.00	10.85
1.1- 1.5	39	146	176	137	42	23	41	75	123	97	64	15	7	3	5	9	0	1002
(1)	.96	3.59	4.32	3.36	1.03	.56	1.01	1.84	3.02	2.38	1.57	.37	.17	.07	.12	.22	.00	24.61
(2)	.30	1.14	1.37	1.07	.33	.18	.32	.58	.96	.75	.50	.12	.05	.02	.04	.07	.00	7.79
1.6- 2.0	42	107	75	22	10	11	12	36	74	111	51	38	13	7	11	13	0	633
(1)	1.03	2.63	1.84	.54	.25	.27	.29	.88	1.82	2.73	1.25	.93	.32	.17	.27	.32	.00	15.55
(2)	.33	.83	.58	.17	.08	.09	.09	.28	.58	.86	.40	.30	.10	.05	.09	.10	.00	4.92
2.1- 3.0	44	120	51	7	3	10	17	27	54	87	72	21	20	13	20	33	0	599
(1)	1.08	2.95	1.25	.17	.07	.25	.42	.66	1.33	2.14	1.77	.52	.49	.32	.49	.81	.00	14.71
(2)	.34	.93	.40	.05	.02	.08	.13	.21	.42	.68	.56	.16	.16	.10	.16	.26	.00	4.66
3.1- 4.0	10	32	11	5	3	7	8	18	22	25	37	24	2	1	5	13	0	223
(1)	.25	.79	.27	.12	.07	.17	.20	.44	.54	.61	.91	.59	.05	.02	.12	.32	.00	5.48
(2)	.08	.25	.09	.04	.02	.05	.06	.14	.17	.19	.29	.19	.02	.01	.04	.10	.00	1.73
4.1- 5.0	1	8	4	2	0	1	9	12	14	10	11	4	1	0	2	4	0	83
(1)	.02	.20	.10	.05	.00	.02	.22	.29	.34	.25	.27	.10	.02	.00	.05	.10	.00	2.04
(2)	.01	.06	.03	.02	.00	.01	.07	.09	.11	.08	.09	.03	.01	.00	.02	.03	.00	.65
5.1- 6.0	0	1	5	3	0	5	4	3	9	2	1	5	0	0	0	0	0	38
(1)	.00	.02	.12	.07	.00	.12	.10	.07	.22	.05	.02	.12	.00	.00	.00	.00	.00	.93
(2)	.00	.01	.04	.02	.00	.04	.03	.02	.07	.02	.01	.04	.00	.00	.00	.00	.00	.30
6.1- 8.0	0	3	0	2	0	2	4	6	1	0	2	3	0	0	0	0	0	23

BBNPP

FSAR: Section 2.3

Meteorology

							(i age	2012)									
ET WINI	ΠΠΑΤΑ		SSES F	ALL 01-		OATA JOI	NT FREQ	UENCY	DISTRIBL		O-METER			IT) _ 21	66		
				5170		W	IND DIRE	CTION F	ROM			QUENC		11) = 51	.00		
Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	sw	wsw	w	WNW	NW	NNW	VRBL	TOTAL
.00	.07	.00	.05	.00	.05	.10	.15	.02	.00	.05	.07	.00	.00	.00	.00	.00	.56
.00	.02	.00	.02	.00	.02	.03	.05	.01	.00	.02	.02	.00	.00	.00	.00	.00	.18
0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
160	491	499	477	326	231	251	289	393	389	255	115	50	25	46	75	0	4072
3.93	12.06	12.25	11.71	8.01	5.67	6.16	7.10	9.65	9.55	6.26	2.82	1.23	.61	1.13	1.84	.00	100.00
1.24	3.82	3.88	3.71	2.53	1.80	1.95	2.25	3.06	3.02	1.98	.89	.39	.19	.36	.58	.00	31.66
	FT WIN N .00 .00 .00 .00 .00 .00 .00	N NNE .00 .07 .00 .02 0 1 .00 .02 .00 .02 .00 .02 .00 .02 .00 .02 .00 .02 .00 .02 .00 .01 0 0 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .01 .00 .02 .00	N NNE NE 00<	N NNE NE ENE ENE 0.05 0.05 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 <td>N NNE NE ENE E .00 .07 .00 .05 .00 .00 .02 .00 .02 .00 .00 .02 .00 .02 .00 .00 .02 .00 .02 .00 .00 .02 .00 .00 .00 .00 .02 .00 .00 .00 .00 .01 .00 .00 .00 .00 .01 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .0</td> <td>N NNE NE ENE E ESES FALL 01-06 MET E STABILITY CE N NNE NE ENE E ESE ESE SSES FALL 01-06 MET E STABILITY CE .00 .07 .00 .05 .00 .05 .00 .05 .00 .02 .00 .05 .00 .02 .00 0 1 0 0 0 0 .00 .00 .02 .00 .00 .00 .00 .00 .00 .01 .00 .00 .00 .00 .00 .00 .01 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00</td> <td>SSES FALL 01-06 MET DATA JOI STABILITY CLASS E N NNE NE ENE E ESE SE .00 .07 .00 .05 .00 .05 .10 .00 .02 .00 .02 .00 .02 .03 0 1 0 0 0 0 0 .00 .02 .00 .02 .00 .02 .03 0 1 0 0 0 0 0 .00 .02 .00 .00 .00 .00 .00 .00 .02 .00 .00 .00 .00 .00 .00 .01 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .</td> <td>N NE ENE E ESES FALL 01-06 MET DATA JOINT FREQ STABILITY CLASS E N NNE NE ENE E ESE SE SSE .00 .07 .00 .05 .00 .05 .10 .15 .00 .02 .00 .02 .00 .02 .03 .05 0 1 0 0 0 0 0 0 .00 .02 .00 .02 .00 .02 .03 .05 0 1 0 0 0 0 0 0 .00 .02 .00 .00 .00 .00 .00 .00 .00 .01 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .</td> <td>(10g 2 01 2) SSES FALL 01-06 MET DATA JOINT FREQUENCY I FT WIND DATA SSES FALL 01-06 MET DATA JOINT FREQUENCY I NNE NE ENE E ESE SE SSE S .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .02 .00 .02 .00 .02 .03 .05 .01 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 <</td> <td>(Figure 2 of 2) SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBL FT WIND DATA N NNE NE ENE E ESE SE SSES SSW .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .00 .02 .00</td> <td>FT WIND DATA SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (6 STABILITY CLASS E WIND DIRECTION FROM N NNE NE ENE E ESE SE SSES SSW SW .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .00 .02 .00 .02 .03 .05 .01 .00 .02 0 1 0 0 0 .00 .00 .00 .00 .00 .00 .02 0 1 0 0 0 .00 .00 .00 .02 .03 .05 .01 .00 .02 0 1 0 0 0 .00 .</td> <td>SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER STABILITY CLASS E CLASS FRE NNE NE ENE E ESE SE SSES SSW SW WSW .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .07 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .02 .02 0 1 0 0 0 0 0 0 0 .02 .02 0 1 0 0 .00 .00 .00 .00 .02 .02 0 1 0 0 .00 .00 .00 .00 .00 .00 .00 .02 .02 .02 0 1 0 0 0 0 0 0 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00</td> <td>SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER STABILITY CLASS E CLASS FREQUENCY N NNE NE ENE E ESE SE SSE SSW SW WSW W .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .07 .00 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .02 .02 .00 .00 .02 .00 .02 .03 .05 .01 .00 .02 .02 .00 .00 .02 .00 .02 .03 .05 .01 .00 .02 .02 .00 .00 .02 .00</td> <td>SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) STABILITY CLASS E CLASS FREQUENCY (PERCEN CLASS FREQUENCY (PERCEN N NNE NE ENE E ESE SE SSE S SSW SW WSW W WNW .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .07 .00</td> <td>SEES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) STABILITY CLASS E CLASS FREQUENCY (PERCENT) = 31 M NNE NE ENE E ESE SE SE SSW SW WSW WNW NW 00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .00 .00 .00 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .02 .00</td> <td>SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) CLASS FREQUENCY (PERCENT) = 31.66 STABILITY CLASS E CLASS FREQUENCY (PERCENT) = 31.66 N NNE NE ENE E ESE SE SSE S SW WSW W NNW NNW .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .00<!--</td--><td>N NNE E E E SSE SSE</td></td>	N NNE NE ENE E .00 .07 .00 .05 .00 .00 .02 .00 .02 .00 .00 .02 .00 .02 .00 .00 .02 .00 .02 .00 .00 .02 .00 .00 .00 .00 .02 .00 .00 .00 .00 .01 .00 .00 .00 .00 .01 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .0	N NNE NE ENE E ESES FALL 01-06 MET E STABILITY CE N NNE NE ENE E ESE ESE SSES FALL 01-06 MET E STABILITY CE .00 .07 .00 .05 .00 .05 .00 .05 .00 .02 .00 .05 .00 .02 .00 0 1 0 0 0 0 .00 .00 .02 .00 .00 .00 .00 .00 .00 .01 .00 .00 .00 .00 .00 .00 .01 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00	SSES FALL 01-06 MET DATA JOI STABILITY CLASS E N NNE NE ENE E ESE SE .00 .07 .00 .05 .00 .05 .10 .00 .02 .00 .02 .00 .02 .03 0 1 0 0 0 0 0 .00 .02 .00 .02 .00 .02 .03 0 1 0 0 0 0 0 .00 .02 .00 .00 .00 .00 .00 .00 .02 .00 .00 .00 .00 .00 .00 .01 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .	N NE ENE E ESES FALL 01-06 MET DATA JOINT FREQ STABILITY CLASS E N NNE NE ENE E ESE SE SSE .00 .07 .00 .05 .00 .05 .10 .15 .00 .02 .00 .02 .00 .02 .03 .05 0 1 0 0 0 0 0 0 .00 .02 .00 .02 .00 .02 .03 .05 0 1 0 0 0 0 0 0 .00 .02 .00 .00 .00 .00 .00 .00 .00 .01 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .	(10g 2 01 2) SSES FALL 01-06 MET DATA JOINT FREQUENCY I FT WIND DATA SSES FALL 01-06 MET DATA JOINT FREQUENCY I NNE NE ENE E ESE SE SSE S .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .02 .00 .02 .00 .02 .03 .05 .01 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 <	(Figure 2 of 2) SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBL FT WIND DATA N NNE NE ENE E ESE SE SSES SSW .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .00 .02 .00	FT WIND DATA SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (6 STABILITY CLASS E WIND DIRECTION FROM N NNE NE ENE E ESE SE SSES SSW SW .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .00 .02 .00 .02 .03 .05 .01 .00 .02 0 1 0 0 0 .00 .00 .00 .00 .00 .00 .02 0 1 0 0 0 .00 .00 .00 .02 .03 .05 .01 .00 .02 0 1 0 0 0 .00 .	SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER STABILITY CLASS E CLASS FRE NNE NE ENE E ESE SE SSES SSW SW WSW .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .07 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .02 .02 0 1 0 0 0 0 0 0 0 .02 .02 0 1 0 0 .00 .00 .00 .00 .02 .02 0 1 0 0 .00 .00 .00 .00 .00 .00 .00 .02 .02 .02 0 1 0 0 0 0 0 0 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00	SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER STABILITY CLASS E CLASS FREQUENCY N NNE NE ENE E ESE SE SSE SSW SW WSW W .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .07 .00 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .02 .02 .00 .00 .02 .00 .02 .03 .05 .01 .00 .02 .02 .00 .00 .02 .00 .02 .03 .05 .01 .00 .02 .02 .00 .00 .02 .00	SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) STABILITY CLASS E CLASS FREQUENCY (PERCEN CLASS FREQUENCY (PERCEN N NNE NE ENE E ESE SE SSE S SSW SW WSW W WNW .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .07 .00	SEES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) STABILITY CLASS E CLASS FREQUENCY (PERCENT) = 31 M NNE NE ENE E ESE SE SE SSW SW WSW WNW NW 00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .00 .00 .00 .00 .02 .00 .02 .00 .02 .03 .05 .01 .00 .02 .00	SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) CLASS FREQUENCY (PERCENT) = 31.66 STABILITY CLASS E CLASS FREQUENCY (PERCENT) = 31.66 N NNE NE ENE E ESE SE SSE S SW WSW W NNW NNW .00 .07 .00 .05 .00 .05 .10 .15 .02 .00 .05 .00 </td <td>N NNE E E E SSE SSE</td>	N NNE E E E SSE SSE

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

| | | | |

 |

 | | | (Page | I OT 2) |

 |
 | | | | | | |
 | |
 | | | | |
|---------|---|--|--
--
--
--
--

--|--|---|---
--

--
--|----------|-------|----------|----------|-----|---
--
--|---|---|--|--|--
--|
| - | | | | SSES F

 | ALL 01-0

 | 06 MET C | IOL ATA | NT FREC | UENCY | DISTRIBU

 | ITION (e
 | 50-METER | TOWE | R) | | | |
 | |
 | | | | |
| 33.0 | FT WIN | D DATA | |

 | STAB

 | ILITY CL | ASS F | | |

 | í C
 | LASS FRE | QUENC | Y (PERCE | VT) = 13 | .29 | |
 | |
 | | | | |
| | | | |

 |

 | | w | IND DIRE | ECTION F | ROM

 |
 | | | | | | |
 | |
 | | | | |
| EED m/s | N | NNE | NE | ENE

 | E

 | ESE | SE | SSE | S | SSW

 | SW
 | WSW | W | WNW | NW | NNW | VRBL | TOTAL
 | |
 | | | | |
| LT .2 | 0 | 1 | 0 | 0

 | 0

 | 0 | 0 | . 0 | 0 | 0

 | 0
 | 0 | 0 | 0 | 0 | 0 | 0 | 1
 | |
 | | | | |
| (1) | .00 | .06 | .00 | .00

 | .00

 | .00 | .00 | .00 | .00 | .00

 | .00
 | .00 | .00 | .00 | .00 | .00 | .00 | .06
 | |
 | | | | |
| (2) | .00 | .01 | .00 | .00

 | .00

 | .00 | .00 | .00 | .00 | .00

 | .00
 | .00 | .00 | .00 | .00 | .00 | .00 | .01
 | |
 | | | | |
| .24 | 1 | 0 | 2 | 9

 | 12

 | 5 | 2 | 3 | 0 | 0

 | 2
 | 0 | 0 | 0 | 0 | 0 | 0 | 36
 | |
 | | | | |
| (1) | .06 | .00 | .12 | .53

 | .70

 | .29 | .12 | .18 | .00 | .00

 | .12
 | .00 | .00 | .00 | .00 | .00 | .00 | 2.11
 | |
 | | | | |
| (2) | .01 | .00 | .02 | .07

 | .09

 | .04 | .02 | .02 | .00 | .00

 | .02
 | .00 | .00 | .00 | .00 | .00 | .00 | .28
 | |
 | | | | |
| .5- 1.0 | 2 | 21 | 128 | 448

 | 206

 | 73 | 50 | 39 | 33 | 1 1

 | 3
 | 3 | 1 | 0 | 2 | 4 | 0 | 1024
 | |
 | | | | |
| (1) | .12 | 1.23 | 7.49 | 26.21

 | 12.05

 | 4.27 | 2.93 | 2.28 | 1.93 | .64

 | .18
 | .18 | .06 | .00 | .12 | .23 | .00 | 59.92
 | |
 | | | | |
| (2) | .02 | .16 | 1.00 | 3.48

 | 1.60

 | .57 | .39 | .30 | .26 | .09

 | .02
 | .02 | .01 | .00 | .02 | .03 | .00 | 7.96
 | |
 | | | | |
| .1- 1.5 | 7 | 28 | 92 | 292

 | 37

 | 4 | 5 | 13 | 32 | 21

 | 6
 | 1 | 0 | 1 | 1 | 0 | 0 | 540
 | |
 | | | | |
| (1) | .41 | 1.64 | 5.38 | 17.09

 | 2.17

 | .23 | .29 | .76 | 1.87 | 1.23

 | .35
 | .06 | .00 | .06 | .06 | .00 | .00 | 31.60
 | |
 | | | | |
| (2) | .05 | .22 | .72 | 2.27

 | .29

 | .03 | .04 | .10 | .25 | .16

 | .05
 | .01 | .00 | .01 | .01 | .00 | .00 | 4.20
 | |
 | | | | |
| .6- 2.0 | 1 | 17 | 17 | 39

 | 0

 | 0 | 0 | 3 | 5 | 10

 | 2
 | 1 | 0 | 0 | 0 | 1 | 0 | 96
 | |
 | | | | |
| (1) | .06 | .99 | .99 | 2.28

 | .00

 | .00 | .00 | .18 | .29 | .59

 | .12
 | .06 | .00 | .00 | .00 | .06 | .00 | 5.62
 | |
 | | | | |
| (2) | .01 | .13 | .13 | .30

 | .00

 | .00 | .00 | .02 | .04 | .08

 | .02
 | .01 | .00 | .00 | .00 | .01 | .00 | .75
 | |
 | | | | |
| .1- 3.0 | 0 | 3 | 0 | 0

 | 0

 | 0 | 0 | 0 | 0 | 1

 | 5
 | 2 | 0 | 0 | 0 | 0 | 0 | 11
 | |
 | | | | |
| (1) | .00 | .18 | .00 | .00

 | .00

 | .00 | .00 | .00 | .00 | .06

 | .29
 | .12 | .00 | .00 | .00 | .00 | .00 | .64
 | |
 | | | | |
| (2) | .00 | .02 | .00 | .00

 | .00

 | .00 | .00 | .00 | .00 | .01

 | .04
 | .02 | .00 | .00 | .00 | .00 | .00 | .09
 | |
 | | | | |
| .1- 4.0 | 0 | 0 | 0 | 0

 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0 | 0 | 0 | 1 | 0 | 1
 | |
 | | | | |
| (1) | .00 | .00 | .00 | .00

 | .00

 | .00 | .00 | .00 | .00 | .00

 | .00
 | .00 | .00 | .00 | .00 | .06 | .00 | .06
 | |
 | | | | |
| (2) | .00 | .00 | .00 | .00

 | .00

 | .00 | .00 | .00 | .00 | .00

 | .00
 | .00 | .00 | .00 | .00 | .01 | .00 | .01
 | |
 | | | | |
| .1- 5.0 | 0 | 0 | 0 | 0

 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | |
 | | | | |
| (1) | .00 | .00 | .00 | .00

 | .00

 | .00 | .00 | .00 | .00 | .00

 | .00
 | .00 | .00 | .00 | .00 | .00 | .00 | .00
 | |
 | | | | |
| (2) | .00 | .00 | .00 | .00

 | .00

 | .00 | .00 | .00 | .00 | .00

 | .00
 | .00 | .00 | .00 | .00 | .00 | .00 | .00
 | |
 | | | | |
| .1- 6.0 | 0 | 0 | 0 | 0

 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | |
 | | | | |
| (1) | .00 | .00 | .00 | .00

 | .00

 | .00 | .00 | .00 | .00 | .00

 | .00
 | .00 | .00 | .00 | .00 | .00 | .00 | .00
 | |
 | | | | |
| (2) | .00 | .00 | .00 | .00

 | .00

 | .00 | .00 | .00 | .00 | .00

 | .00
 | .00 | .00 | .00 | .00 | .00 | .00 | .00
 | |
 | | | | |
| .1- 8.0 | 0 | 0 | 0 | 0

 | 0

 | 0 | 0 | 0 | 0 · | 0

 | 0
 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | |
 | | | | |
| | 33.0
EED m/s
LT .2
(1)
(2)
.24
(1)
(2)
.5- 1.0
(1)
(2)
.1- 1.5
(1)
(2)
.1- 1.5
(1)
(2)
.1- 3.0
(1)
(2)
.1- 4.0
(1)
(2)
.1- 5.0
(1)
(2)
.1- 6.0
(1)
(2)
.1- 8.0 | 33.0 FT WIN EED m/s N LT .2 0 (1) .00 (2) .00 .24 1 (1) .06 (2) .01 .5- 1.0 2 (1) .12 (2) .02 .1- 1.5 7 (1) .41 (2) .02 .1- 1.5 7 (1) .41 (2) .01 .6- 2.0 1 (1) .06 (2) .00 .1- 3.0 0 (1) .00 (2) .00 .1- 4.0 0 (1) .00 (2) .00 .1- 5.0 0 (1) .00 (2) .00 .1- 6.0 0 (1) .00 (2) .00 .1- 8.0 0 | 33.0 FT WIND DATA EED m/s N NNE LT.2 0 1 (1) .00 .06 (2) .00 .01 .24 1 0 (1) .06 .00 (2) .01 .00 .5-1.0 2 21 (1) .12 1.23 (2) .02 .16 .1-1.5 7 28 (1) .41 1.64 (2) .01 .13 .6-2.0 1 17 (1) .06 .99 (2) .01 .13 .1-3.0 0 .38 (2) .00 .00 .1-4.0 0 0 .00 .00 .00 .1-4.0 0 0 .1-5.0 0 .00 .1-5.0 0 .00 .1-5.0 .00 .00 .1-6.0 .00 .00 .1-6.0 .00 .00 | 33.0 FT WIND DATA EED m/s N NNE NE 11 0 1 0 (1) $.00$ $.06$ $.00$ (2) $.00$ $.01$ 0 (2) $.00$ $.01$ 0 (2) $.01$ 0 $.12$ (2) $.01$ 0.00 $.12$ (2) $.01$ 0.00 $.02$ (2) $.01$ 1.00 $.12$ (2) $.02$ $.16$ 1.00 $.1-1.5$ 7 28 92 (1) $.41$ 1.64 5.38 (2) $.05$ $.22$ $.72$ $.6-2.0$ 1 17 17 (1) $.06$ $.99$ $.99$ (2) $.01$ $.18$ $.00$ (1) $.00$ $.00$ $.00$ (2) $.00$ $.00$ $.00$ (1) $.00$ $.00$ $.00$ (1) <td>SSEE F SSEE F EED m/s N NNE NE ENE ENE $1, 1, 2, 2, 0$ 0 1 0 0 (1) .00 .06 .00 .00 (2) .00 .01 .00 .00 (2) .00 .01 .00 .00 (2) .01 .00 .02 .97 (1) .06 .00 .12 .53 (2) .01 .00 .02 .07 (2) .02 .16 1.00 .448 (1) .12 1.23 7.49 26.21 (2) .02 .16 1.00 .48 (1) .41 1.64 5.38 17.09 (2) .01 .13 .13 .30 (2) .01 .13 .13 .30 (2) .01 .18 .00 .00 (1) .00 .00 .00 .00 (1) <t< td=""><td>SSES FALLOTA SSES FALLOTA EED m/s N NNE NE ENE ENE ENE ENE ENE ENE ENE ENE ENE Constrained and the second and the</td><td>BASE FUNDERA SESS Factor dependence SESS Factor dependence EED m/s N NNE NE ENE ENE E ESS LT.2 0 1 0 0 0 0 0 (1) .00 .00 .01 .00 .00 .00 .00 (2) .00 .01 .00 .02 .9 12 .5 (1) .06 .00 .12 .53 .70 .29 (2) .01 .00 .02 .07 .09 .04 .5-1.0 2 21 .128 448 .206 .73 (1) .12 1.23 .749 .26.21 .12.05 .4.27 .1-1.5 .7 .28 .92 .227 .27 .23 .1-1.5 .7 .28 .92 .228 .00 .00 .1 .06 .99 .99 .2.28 .00 .00</td><td>BASE N NNE NE ENE ENE E ESE FSE SE LT.2 0 1 0</td><td>SESS FALL 01-06 MET DATA JOINT FREC
STABILITY CLASS F WIND DATA SESS FALL 01-06 MET DATA JOINT FREC
STABILITY CLASS F WIND DIRE EED m/s N NNE NE ENE E ESE SE SSE LT.2 0 1 0 0 0 0 0 0 0 (2) .00 .01 .00<</td><td>Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Colspan="6">Wind data Wind data Colspan="6">Wind data Colspan="6">Wind data Colspan="6">Wind data Mine Me E ESE SE SS Colspan="6">Colspan="6">Colspan="6" Colspan="6" Colspan="6" Colspan= 6 <th <<="" colspan="6" td=""><td>Sign of twind data Sign of twind data Sign of twind data Sign of twind data Sign of twind data Colspan="6">Colspan="6"Colspan="6">Colspan="6"Colspa</td><td>SESE FALL 01-06 MET DATH FREQUENCY DISTRIBUTION (6 SSES FALL 01-06 MET DATA CONSTRIBUTION (6 CONSTRIBUTION (6 <t< td=""><td>Note of the transmission of the transmission of transmissing transmissing transmission of transmission of transmission of</td><td>Set Fall 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) SESE FALL 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) CLASS FREQUENC CLASS FREQUENC</td><td>Systematical and any original production of the second of the se</td><td>Sign fully bars Sign fully bars Sign fully bars Sign fully bars CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) = 13 The Direction recome CLASS frequency (percent) CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS CLASS frequency (percent)</td><td>Basici Function of the fun</td><td>Series unit of the construction of the constructio</td></t<></td></th></td></t<></td> | SSEE F SSEE F EED m/s N NNE NE ENE ENE $1, 1, 2, 2, 0$ 0 1 0 0 (1) .00 .06 .00 .00 (2) .00 .01 .00 .00 (2) .00 .01 .00 .00 (2) .01 .00 .02 .97 (1) .06 .00 .12 .53 (2) .01 .00 .02 .07 (2) .02 .16 1.00 .448 (1) .12 1.23 7.49 26.21 (2) .02 .16 1.00 .48 (1) .41 1.64 5.38 17.09 (2) .01 .13 .13 .30 (2) .01 .13 .13 .30 (2) .01 .18 .00 .00 (1) .00 .00 .00 .00 (1) <t< td=""><td>SSES FALLOTA SSES FALLOTA EED m/s N NNE NE ENE ENE ENE ENE ENE ENE ENE ENE ENE Constrained and the second and the</td><td>BASE FUNDERA SESS Factor dependence SESS Factor dependence EED m/s N NNE NE ENE ENE E ESS LT.2 0 1 0 0 0 0 0 (1) .00 .00 .01 .00 .00 .00 .00 (2) .00 .01 .00 .02 .9 12 .5 (1) .06 .00 .12 .53 .70 .29 (2) .01 .00 .02 .07 .09 .04 .5-1.0 2 21 .128 448 .206 .73 (1) .12 1.23 .749 .26.21 .12.05 .4.27 .1-1.5 .7 .28 .92 .227 .27 .23 .1-1.5 .7 .28 .92 .228 .00 .00 .1 .06 .99 .99 .2.28 .00 .00</td><td>BASE N NNE NE ENE ENE E ESE FSE SE LT.2 0 1 0</td><td>SESS FALL 01-06 MET DATA JOINT FREC
STABILITY CLASS F WIND DATA SESS FALL 01-06 MET DATA JOINT FREC
STABILITY CLASS F WIND DIRE EED m/s N NNE NE ENE E ESE SE SSE LT.2 0 1 0 0 0 0 0 0 0 (2) .00 .01 .00<</td><td>Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Colspan="6">Wind data Wind data Colspan="6">Wind data Colspan="6">Wind data Colspan="6">Wind data Mine Me E ESE SE SS Colspan="6">Colspan="6">Colspan="6" Colspan="6" Colspan="6" Colspan= 6 <th <<="" colspan="6" td=""><td>Sign of twind data Sign of twind data Sign of twind data Sign of twind data Sign of twind data Colspan="6">Colspan="6"Colspan="6">Colspan="6"Colspa</td><td>SESE FALL 01-06 MET DATH FREQUENCY DISTRIBUTION (6 SSES FALL 01-06 MET DATA CONSTRIBUTION (6 CONSTRIBUTION (6 <t< td=""><td>Note of the transmission of the transmission of transmissing transmissing transmission of transmission of transmission of</td><td>Set Fall 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) SESE FALL 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) CLASS FREQUENC CLASS FREQUENC</td><td>Systematical and any original production of the second of the se</td><td>Sign fully bars Sign fully bars Sign fully bars Sign fully bars CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) = 13 The Direction recome CLASS frequency (percent) CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS CLASS frequency (percent)</td><td>Basici Function of the fun</td><td>Series unit of the construction of the constructio</td></t<></td></th></td></t<> | SSES FALLOTA SSES FALLOTA EED m/s N NNE NE ENE ENE ENE ENE ENE ENE ENE ENE ENE Constrained and the second and the | BASE FUNDERA SESS Factor dependence SESS Factor dependence EED m/s N NNE NE ENE ENE E ESS LT.2 0 1 0 0 0 0 0 (1) .00 .00 .01 .00 .00 .00 .00 (2) .00 .01 .00 .02 .9 12 .5 (1) .06 .00 .12 .53 .70 .29 (2) .01 .00 .02 .07 .09 .04 .5-1.0 2 21 .128 448 .206 .73 (1) .12 1.23 .749 .26.21 .12.05 .4.27 .1-1.5 .7 .28 .92 .227 .27 .23 .1-1.5 .7 .28 .92 .228 .00 .00 .1 .06 .99 .99 .2.28 .00 .00 | BASE N NNE NE ENE ENE E ESE FSE SE LT.2 0 1 0 | SESS FALL 01-06 MET DATA JOINT FREC
STABILITY CLASS F WIND DATA SESS FALL 01-06 MET DATA JOINT FREC
STABILITY CLASS F WIND DIRE EED m/s N NNE NE ENE E ESE SE SSE LT.2 0 1 0 0 0 0 0 0 0 (2) .00 .01 .00< | Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Sign of the wind data Colspan="6">Wind data Wind data Colspan="6">Wind data Colspan="6">Wind data Colspan="6">Wind data Mine Me E ESE SE SS Colspan="6">Colspan="6">Colspan="6" Colspan="6" Colspan="6" Colspan= 6 <th <<="" colspan="6" td=""><td>Sign of twind data Sign of twind data Sign of twind data Sign of twind data Sign of twind data Colspan="6">Colspan="6"Colspan="6">Colspan="6"Colspa</td><td>SESE FALL 01-06 MET DATH FREQUENCY DISTRIBUTION (6 SSES FALL 01-06 MET DATA CONSTRIBUTION (6 CONSTRIBUTION (6 <t< td=""><td>Note of the transmission of the transmission of transmissing transmissing transmission of transmission of transmission of</td><td>Set Fall 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) SESE FALL 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) CLASS FREQUENC CLASS FREQUENC</td><td>Systematical and any original production of the second of the se</td><td>Sign fully bars Sign fully bars Sign fully bars Sign fully bars CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) = 13 The Direction recome CLASS frequency (percent) CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS CLASS frequency (percent)</td><td>Basici Function of the fun</td><td>Series unit of the construction of the constructio</td></t<></td></th> | <td>Sign of twind data Sign of twind data Sign of twind data Sign of twind data Sign of twind data Colspan="6">Colspan="6"Colspan="6">Colspan="6"Colspa</td> <td>SESE FALL 01-06 MET DATH FREQUENCY DISTRIBUTION (6 SSES FALL 01-06 MET DATA CONSTRIBUTION (6 CONSTRIBUTION (6 <t< td=""><td>Note of the transmission of the transmission of transmissing transmissing transmission of transmission of transmission of</td><td>Set Fall 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) SESE FALL 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) CLASS FREQUENC CLASS FREQUENC</td><td>Systematical and any original production of the second of the se</td><td>Sign fully bars Sign fully bars Sign fully bars Sign fully bars CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) = 13 The Direction recome CLASS frequency (percent) CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS CLASS frequency (percent)</td><td>Basici Function of the fun</td><td>Series unit of the construction of the constructio</td></t<></td> | | | | | | Sign of twind data Colspan="6">Colspan="6"Colspan="6">Colspan="6"Colspa | SESE FALL 01-06 MET DATH FREQUENCY DISTRIBUTION (6 SSES FALL 01-06 MET DATA CONSTRIBUTION (6 CONSTRIBUTION (6 <t< td=""><td>Note of the transmission of the transmission of transmissing transmissing transmission of transmission of transmission of</td><td>Set Fall 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) SESE FALL 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) CLASS FREQUENC CLASS FREQUENC</td><td>Systematical and any original production of the second of the se</td><td>Sign fully bars Sign fully bars Sign fully bars Sign fully bars CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) = 13 The Direction recome CLASS frequency (percent) CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS CLASS frequency (percent)</td><td>Basici Function of the fun</td><td>Series unit of the construction of the constructio</td></t<> | Note of the transmission of the transmission of transmissing transmissing transmission of transmission of transmission of | Set Fall 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) SESE FALL 01-06 MET DATA DINT FREQUENCY DISTRIBUTION (60-METER TOWE) CLASS FREQUENC CLASS FREQUENC | Systematical and any original production of the second of the se | Sign fully bars Sign fully bars Sign fully bars Sign fully bars CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) = 13 The Direction recome CLASS frequency (percent) CLASS frequency (percent) = 13 CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS frequency (percent) CLASS CLASS frequency (percent) | Basici Function of the fun | Series unit of the construction of the constructio |

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD - continued}

BBNPP

Meteorology

Table 2.3-36--- {SSES 33' (10-m) 2001-2006 Autumn JFD - continued} (Page 2 of 2)

				SSES F	ALL 01-0)6 MET C	IOL ATA	INT FREC	UENCY	DISTRIBL	ITION (6	50-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 13	.29		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	11	70	239	788	255	82	57	58	70	43	18	7	1	1	3	6	0	1709
(1)	.64	4.10	13.98	46.11	14.92	4.80	3.34	3.39	4.10	2.52	1.05	.41	.06	.06	.18	.35	.00	100.00
. (2)	.09	.54	1.86	6.13	1.98	.64	.44	.45	.54	.33	.14	.05	.01	.01	.02	.05	.00	13.29

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOPERIOD

BBNPP

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES F	ALL 01-0 STAB	D6 MET D ILITY CL	ATA JOI ASS G		UENCY	DISTRIBU	JTION (é C	50-METER LASS FRE	TOWE	R) CY (PERCE	NT) = 9.	.54		
							W	IND DIRE	CTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.08	.00	.00	.00	.00	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16
(2)	.01	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	5	10	114	420	134	41	22	8	8	2	3	0	0	0	1	2	0	770
(1)	.41	.81	9.29	34.23	10.92	3.34	1.79	.65	.65	.16	.24	.00	.00	.00	.08	.16	.00	62.75
(2)	.04	.08	.89	3.27	1.04	.32	.17	.06	.06	.02	.02	.00	.00	.00	.01	.02	.00	5.99
1.1- 1.5	0	2	57	335	14	1	1	1	3	2	1	0	0	0	0	0	0	417
(1)	.00	.16	4.65	27.30	1.14	.08	.08	.08	.24	.16	.08	.00	.00	.00	.00	.00	.00	33.99
(2)	.00	.02	.44	2.60	.11	.01	.01	.01	.02	.02	.01	.00	.00	.00	.00	.00	.00	3.24
1.6- 2.0	1	1	7	27	1	0	0	0	0	0	0	0	0	0	0	0	0	37
(1)	.08	.08	.57	2.20	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	3.02
(2)	.01	.01	.05	.21	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.29
2.1- 3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

FSAR: Section 2.3

Meteorology

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD - continued} (Page 2 of 2)

33.0	FT WIN	D DATA		SSES F	ALL 01-(STAB	06 MET (ILITY CL	OATA JOI ASS G	NT FREQ	UENCY	DISTRIBU	JTION (e	50-METER LASS FRE		R) CY (PERCE	NT) = 9.	54		
							W	IND DIRE	CTION F	ROM					,			
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8 1-10 0	٥	0	0	0	0	٥	0	٥	0	0	0	0	0	0		0	0	0
(1)	00	00	00	00	00	00	00	00	00	00	00	00	0	00	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	8	13	178	782	149	43	23	9	11	4	4	0	0	0	1	2	0	1227
(1)	.65	1.06	14.51	63.73	12.14	3.50	1.87	.73	.90	.33	33	ñ	ñ	00	08	16	ň	100.00
(2)	06	10	1 38	6.08	1 16	2.50	18	07	00			.00	.00	.00	.00	.10	.00	0.00
(2)	.50	.10	1.50	0.00	1.10		.10	.07	.09	.05	.05	.00	.00	.00	.01	.02	.00	7.54

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES F	ALL 01- STABI	06 MET I LITY CLA	OATA JO	INT FREC	QUENCY	DISTRIB	UTION (é CL	50-METER ASS FREC		R) Y (PERCEN	lT) = 10(0.00		
							w	IND DIR	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	1	1	0	3	1 .	0	0	0	0	0	0	0	0	0	0	0	0	6
(1)	.01	.01	.00	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
(2)	.01	.01	.00	.02 [.]	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
.24	2	0	8	23	30	21	17	13	2	0	2	0	1	0	0	0	0	119
(1)	.02	.00	.06	.18	.23	.16	.13	.10	.02	.00	.02	.00	.01	.00	.00	.00	.00	.93
(2)	.02	.00	.06	.18	.23	.16	.13	.10	.02	.00	.02	.00	.01	.00	.00	.00	.00	.93
.5- 1.0	41	133	472	1217	673	366	280	201	174	94	34	13	7	2	12	13	0	3732
(1)	.32	1.03	3.67	9.46	5.23	2.85	2.18	1.56	1.35	.73	.26	.10	.05	.02	.09	.10	.00	29.02
(2)	.32	1.03	3.67	9.46	5.23	2.85	2.18	1.56	1.35	.73	.26	.10	.05	.02	.09	.10	.00	29.02
1.1- 1.5	70	264	413	829	151	80	110	144	229	204	141	52	18	15	16	17	0	2753
(1)	.54	2.05	3.21	6.45	1.17	.62	.86	1.12	1.78	1.59	1.10	.40	.14	.12	.12	.13	.00	21.40
(2)	.54	2.05	3.21	6.45	1.17	.62	.86	1.12	1.78	1.59	1.10	.40	.14	.12	.12	.13	.00	21.40
1.6- 2.0	89	229	188	123	36	35	67	96	153	216	155	94	33	23	19	26	0	1582
(1)	.69	1.78	1.46	.96	.28	.27	.52	.75	1.19	1.68	1.21	.73	.26	.18	.15	.20	.00	12.30
(2)	.69	1.78	1.46	.96	.28	.27	.52	.75	1. 1 9	1.68	1.21	.73	.26	.18	.15	.20	.00	12.30
2.1- 3.0	168	346	183	33	16	52	110	101	167	210	348	117	85	65	84	117	0	2202
(1)	1.31	2.69	1.42	.26	.12	.40	.86	.79	1.30	1.63	2.71	.91	.66	.51	.65	.91	.00	17.12
(2)	1.31	2.69	1.42	.26	.12	.40	.86	.79	1.30	1.63	2.71	.91	.66	.51	.65	.91	.00	17.12
3.1- 4.0	139	131	32	12	5	12	60	53	65	82	226	120	60	61	113	115	0	1286
(1)	1.08	1.02	.25	.09	.04	.09	.47	.41	.51	.64	1.76	.93	.47	.47	.88	.89	.00	10.00
(2)	1.08	1.02	.25	.09	.04	.09	.47	.41	.51	.64	1.76	.93	.47	.47	.88	.89	.00	10.00
4.1- 5.0	52	17	4	3	0	1	24	27	36	25	121	93	61	47	85	72	0	668
(1)	.40	.13	.03	.02	.00	.01	.19	.21	.28	.19	.94	.72	.47	.37	.66	.56	.00	5.19
(2)	.40	.13	.03	.02	.00	.01	.19	.21	.28	.19	.94	.72	.47	.37	.66	.56	.00	5.19
5.1- 6.0	8	1	6	4	0	5	11	12	14	3	46	68	20	17	42	33	0	290
(1)	.06	.01	.05	.03	.00	.04	.09	.09	.11	.02	.36	.53	.16	.13	.33	.26	.00	2.25
(2)	.06	.01	.05	.03	.00	.04	.09	.09	.11	.02	.36	.53	.16	.13	.33	.26	.00	2.25
6.1- 8.0	1	3	0	4	0	2	6	14	6	0	24	62	11	22	13	11	0	179

BBNPP

Meteorology

Table 2.3-36— {SSES 33' (10-m) 2001-2006 Autumn JFD - continued} (Page 2 of 2)

				SSES F	ALL 01-	06 MET 🛛	OATA JO	NT FREC	UENCY	DISTRIBL	JTION (6	O-METER	TOWE	R)				
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	QUENCI	(PERCEN	T) = 10	0.00		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.01	.02	.00	.03	.00	.02	.05	.11	.05	.00	.19	.48	.09	.17	.10	.09	.00	1.39
(2)	.01	.02	.00	.03	.00	.02	.05	.11	.05	.00	.19	.48	.09	.17	.10	.09	.00	1.39
8.1-10.0	0	1	0	0	0	0	0	0	0	0	2	27	9	3	2	1	0	45
(1)	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.02	.21	.07	.02	.02	.01	.00	.35
(2)	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.02	.21	.07	.02	.02	.01	.00	.35
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	571	1126	1306	2251	912	574	685	661	846	834	1099	646	305	255	386	405	0	12862
(1)	4.44	8.75	10.15	17.50	7.09	4.46	5.33	5.14	6.58	6.48	8.54	5.02	2.37	1.98	3.00	3.15	.00	100.00
(2)	4.44	8.75	10.15	17.50	7.09	4.46	5.33	5.14	6.58	6.48	8.54	5.02	2.37	1.98	3.00	3.15	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-37--- {SSES 197' (60-m) 2001-2006 Winter JFD} (Page 1 of 2)

				SSES WI	NTER 01	-06 MET	DATA J	OINT FRE		Y DISTRI	BUTION	(60-METI	ERTOW	ER)				
197.0	FT WIN	ID DATA		STABILITY CLASS A CLASS FREQUENCY (PERCENT) = 2.08														
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.37	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.37
(2)	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
1.1- 1.5	0	0	1	2	1	0	1	1	2	1	1	2	0	0	0	0	0	12
(1)	.00	.00	.37	.74	.37	.00	.37	.37	.74	.37	.37	.74	.00	.00	.00	.00	.00	4.44
(2)	.00	.00	.01	.02	.01	.00	.01	.01	.02	.01	.01	.02	.00	.00	.00	.00	.00	.09
1.6 - 2.0	0	0	2	0	1	0	1	0	2	13	6	0	0	0	0	0	0	25
(1)	.00	.00	.74	.00	.37	.00	.37	.00	.74	4.81	2.22	.00	.00	.00	.00	.00	.00	9.26
(2)	.00	.00	.02	.00	.01	.00	.01	.00	.02	.10	.05	.00	.00	.00	.00	.00	.00	.19
2.1- 3.0	0	1	3	0	0	2	1	2	4	15	18	2	0	0	0	0	0	48
(1)	.00	.37	1.11	.00	.00	.74	.37	.74	1.48	5.56	6.67	.74	.00	.00	.00	.00	.00	17.78
(2)	.00	.01	.02	.00	.00	.02	.01	.02	.03	.12	.14	.02	.00	.00	.00	.00	.00	.37
3.1- 4.0	0	0	4	1	0	0	0	1	0	8	23	3	3	0	0	0	0	43
(1)	.00	.00	1.48	.37	.00	.00	.00	.37	.00	2.96	8.52	1.11	1.11	.00	.00	.00	.00	15.93
(2)	.00	.00	.03	.01	.00	.00	.00	.01	.00	.06	.18	.02	.02	.00	.00	.00	.00	.33
4.1- 5.0	0	0	1	0	0	0	3	2	0	4	15	5	0	0	0	0	0	30
(1)	.00	.00	.37	.00	.00	.00	1.11	.74	.00	1.48	5.56	1.85	.00	.00	.00	.00	.00	11.11
(2)	.00	.00	.01	.00	.00	.00	.02	.02	.00	.03	.12	.04	.00	.00	.00	.00	.00	.23
5.1- 6.0	0	1	0	0	0	0	0	1	1	3	27	9	4	1	0	0	0	47
(1)	.00	.37	.00	.00	.00	.00	.00	.37	.37	1.11	10.00	3.33	1.48	.37	.00	.00	.00	17.41
(2)	.00	.01	.00	.00	.00	.00	.00	.01	.01	.02	.21	.07	.03	.01	.00	.00	.00	.36
6.1- 8.0	0	2	0	0	0	0	0	0	3	4	19	24	2	0	0	0	0	54

Table 2.3-37 {SSES 197' (60-m) 2001-2006 Winter JFD}
(Page 2 of 2)

				SSES WI	NTER 01	-06 MET	DATA JO	DINT FRE	QUENC	/ DISTRIE	BUTION	60-METE	RTOW	ER)				
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS A				с	LASS FRE	QUENC	Y (PERCE	NT) = 2.	08		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.74	.00	.00	.00	.00	.00	.00	1.11	1.48	7.04	8.89	.74	.00	.00	.00	.00	20.00
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.02	.03	.15	.18	.02	.00	.00	.00	.00	.42
8.1-10.0	0	0	0	0	0	0	0	0	0	1	0	9	0	0	0	0	0	10
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.37	.00	3.33	.00	.00	.00	.00	.00	3.70
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.07	.00	.00	.00	.00	.00	.08
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	4	11	3	2	3	6	7	12	49	109	54	9	1	0	0	. 0	270
(1)	.00	1.48	4.07	1.11	.74	1.11	2.22	2.59	4.44	18.15	40.37	20.00	3.33	.37	.00	.00	.00	100.00
(2)	.00	.03	.08	.02	.02	.02	.05	.05	.09	.38	.84	.42	.07	.01	.00	.00	.00	2.08

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOPERIOD

BBNPP

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

197.0 FT WIND DATA STABILITY CLASS B CLASS FREQUENCY (PERCENT) = 1.82																		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTA
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	1	1	0	0	1	1	0	0	0	0	0	1	0	5
(1)	.00	.00	.00	.00	.42	.42	.00	.00	.42	.42	.00	.00	.00	.00	.00	.42	.00	2.12
(2)	.00	.00	.00	.00	.01	.01	.00	.00	.01	.01	.00	.00	.00	.00	.00	.01	.00	.04
1.1- 1.5	0	0	1	1	1	0	1	1	1	1	1	0	0	0	0	0	0	8
(1)	.00	.00	.42	.42	.42	.00	.42	.42	.42	.42	.42	.00	.00	.00	.00	.00	.00	3.39
(2)	.00	.00	.01	.01	.01	.00	.01	.01	.01	.01	.01	.00	.00	.00	.00	.00	.00	.06
1.6- 2.0	0	0	2	0	0	1	1	1	1	4	4	0	0	0	0	0	0	14
(1)	.00	.00	.85	.00	.00	.42	.42	.42	.42	1.69	1.69	.00	.00	.00	.00	.00	.00	5.93
(2)	.00	.00	.02	.00	.00	.01	.01	.01	.01	.03	.03	.00	.00	.00	.00	.00	.00	.11
2.1- 3.0	0	1	4	0	1	0	1	0	0	5	13	4	0	1	1	1	0	32
(1)	.00	.42	1.69	.00	.42	.00	.42	.00	.00	2.12	5.51	1.69	.00	.42	.42	.42	.00	13.56
(2)	.00	01	.03	.00	.01	.00	.01	.00	.00	.04	.10	.03	.00	.01	.01	.01	.00	.25
3.1- 4.0	1	2	4	0	1	0	0	1	1	1	8	2	1	0	1	0	0	23
(1)	.42	.85	1.69	.00	.42	.00	.00	.42	.42	.42	3.39	<i>.</i> 85	.42	.00	.42	.00	.00	9.75
(2)	.01	.02	.03	.00	.01	.00	.00	.01	.01	.01	.06	.02	.01	.00	.01	.00	.00	.18
4.1- 5.0	4	1	5	0	0	0	0	0	0	0	16	6	3	0	2	0	0	37
(1)	1.69	.42	2.12	.00	.00	.00	.00	.00	.00	.00	6.78	2.54	1.27	.00	.85	.00	.00	15.68
(2)	.03	.01	.04	.00	.00	.00	.00	.00	.00	.00	.12	.05	.02	.00	.02	.00	.00	.28
5.1- 6.0	2	11	3	0	0	0	0	0	1	3	15	9	5	1	0	0	0	50
(1)	.85	4.66	1.27	.00	.00	.00	.00	.00	.42	1.27	6.36	3.81	2.12	.42	.00	.00	.00	21.19
(2)	.02	.08	.02	.00	.00	.00	.00	.00	.01	.02	.12	.07	.04	.01	.00	.00	.00	.39
6.1- 8.0	0	2	1	0	0	0	0	0	0	3	18	34	1	0	0	0	0	59

BBNPP

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 2 of 2)

SSES WINTER 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS B				С	LASS FRE		Y (PERCE	NT) = 1.	82		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.85	.42	.00	.00	.00	.00	.00	.00	1.27	7.63	14.41	.42	.00	.00	.00	.00	25.00
(2)	.00	.02	.01	.00	.00	.00	.00	.00	.00	.02	.14	.26	.01	.00	.00	.00	.00	.45
8.1-10.0	0	0	. 0	0	0	0	0	0	0	2	1	4	1	0	0	0	0	8
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.85	.42	1.69	.42	.00	.00	.00	.00	3.39
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.01	.03	.01	.00	.00	.00	.00	.06
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	7	17	20	1	4	2	3	3	5	20	76	59	11	2	4	2	0	236
(1)	2.97	7.20	8.47	.42	1.69	.85	1.27	1.27	2.12	8.47	32.20	25.00	4.66	.85	1.69	.85	.00	100.00
(2)	.05	.13	.15	.01	.03	.02	.02	.02	.04	.15	.59	.45	.08	.02	.03	.02	.00	1.82

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD FSAR: Section 2.3

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

55E5 WINTER 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
197.0	D FT WIN	ID DATA			STABILITY CLASS C CLASS FREQUENCY (PERCENT) = 2.85													
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	1	3	0	1	2	3	1	1	0	0	0	0	0	0	0	0	12
(1)	.00	.27	.81	.00	.27	.54	.81	.27	.27	.00	.00	.00	.00	.00	.00	.00	.00	3.24
(2)	.00	.01	.02	.00	.01	.02	.02	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	0	0	2	1	4	2	0	1	3	6	3	0	1	0	0	0	0	23
(1)	.00	.00	.54	.27	1.08	.54	.00	.27	.81	1.62	.81	.00	.27	.00	.00	.00	.00	6.22
(2)	.00	.00	.02	.01	[′] .03	.02	.00	.01	.02	.05	.02	.00	.01	.00	.00	.00	.00	.18
1.6- 2.0	0	2	3	3	3	0	0	0	2	2	4	1	1	0	0	0	0	21
(1)	.00	.54	.81	.81	.81	.00	.00	.00	.54	.54	1.08	.27	.27	.00	.00	.00	.00	5.68
(2)	.00	.02	.02	.02	.02	.00	.00	.00	.02	.02	.03	.01	.01	.00	.00	.00	.00	.16
2.1- 3.0	1	5	3	3	1	0	2	0	4	9	18	3	0	2	0	2	0	53
(1)	.27	1.35	.81	.81	.27	.00	.54	.00	1.08	2.43	4.86	.81	.00	.54	.00	.54	.00	14.32
(2)	.01	.04	.02	.02	.01	.00	.02	.00	.03	.07	.14	.02	.00	.02	.00	.02	.00	.41
3.1- 4.0	1	11	3	2	0	0	1	0	2	0	11	7	2	0	0	0	0	40
(1)	.27	2.97	.81	.54	.00	.00	.27	.00	.54	.00	2.97	1.89	.54	.00	.00	.00	.00	10.81
(2)	.01	.08	.02	.02	.00	.00	.01	.00	.02	.00	.08	.05	.02	.00	.00	.00	.00	.31
4.1- 5.0	4	7	1	0	0	0	0	0	2	4	15	10	1	2	2	6	0	54
(1)	1.08	1.89	.27	.00	.00	.00	.00	.00	.54	1.08	4.05	2.70	.27	.54	.54	1.62	.00	14.59
(2)	.03	.05	.01	.00	.00	.00	.00	.00	.02	.03	.12	.08	.01	.02	.02	.05	.00	.42
5.1- 6.0	6	2	1	0	0	0	2	0	1	2	10	19	4	1	3	7	0	58
(1)	1.62	.54	.27	.00	.00	.00	.54	.00	.27	.54	2.70	5.14	1.08	.27	.81	1.89	.00	15.68
(2)	.05	.02	.01	.00	.00	.00	.02	.00	.01	.02	.08	.15	.03	.01	.02	.05	.00.	.45
6.1- 8.0	1	0	3	0	0	0	0	0	1	3	22	43	12	2	1	3	0	91

Rev. 2a

								(Page	2 OT 2)									
197.(SSES WINTER 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS C CLASS FREQUENCY (PERCENT) = 2.85																	
							w	IND DIRE		ROM					, - 2	00		
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.27	.00	.81	.00	.00	.00	.00	.00	.27	.81	5.95	11.62	3.24	.54	.27	.81	.00	24.59
(2)	.01	.00	.02	.00	.00	.00	.00	.00	.01	.02	.17	.33	.09	.02	.01	.02	.00	.70
8.1-10.0	0	0	0	0	0	0	0	0	0	3	0	10	4	0	0	0	0	17
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.81	.00	2.70	1.08	.00	.00	.00	.00	4.59
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.08	.03	.00	.00	.00	.00	.13
10.1-40.3	0	0	0	0	0	0	0	0	0	0.	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.27	.00	.00	.00	.00	.00	.27
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.01
ALL SPEEDS	13	28	19	9	9	4	8	2	16	29	83	94	25	7	6	18	0	370
(1)	3.51	7.57	5.14	2.43	2.43	1.08	2.16	.54	4.32	7.84	22.43	25.41	6.76	1.89	1.62	4.86	.00	100.00
(2)	.10	.22	.15	.07	.07	.03	.06	.02	.12	.22	.64	.72	.19	.05	.05	.14	.00	2.85

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued}

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP
								(i age	1012)									
197.0	FT WIN	ID DATA		SSES WI	NTER 01 STAE	I-06 MET BILITY CL	DATA JO ASS D	DINT FRE	QUENC	Y DISTRIE	BUTION C	(60-METI LASS FRE	ER TOW	ER) Y (PERCE	NT) = 47	.66		
							W	IND DIRE	CTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	0	0	1	Ő	0	1	0	1	0.	0	0	0	4
(1)	.00	.00	.00	.00	.02	.00	.00	.02	.00	.00	.02	.00	.02	.00	.00	.00	.00	.06
(2)	.00	.00	.00	.00	.01	.00	.00	.01	.00	.00	.01	.00	.01	.00	.00	.00	.00	.03
.5- 1.0	6	14 .	24	23	12	21	26	16	16	16	15	2	3.	1	3	3	0	201
(1)	.10	.23	.39	.37	.19	.34	.42	.26	.26	.26	.24	.03	.05	.02	.05	.05	.00	3.25
(2)	.05	.11	.18	.18	.09	.16	.20	.12	.12	.12	.12	.02	.02	.01	.02	.02	.00	1.55
1.1- 1.5	11	28	29	30	14	8	22	34	32	42	31	7	3	3	1	5	0	300
(1)	.18	.45	.47	.48	.23	.13	.36	.55	.52	.68	.50	.11	.05	.05	.02	.08	.00	4.85
(2)	.08	.22	.22	.23	.11	.06	.17	.26	.25	.32	.24	.05	.02	.02	.01	.04	.00	2.31
1.6- 2.0	13	29	25	16	17	12	9	13	25	38	69	24	ģ	7	3	5	0	314
(1)	.21	.47	.40	.26	.27	.19	.15	.21	.40	.61	1.12	.39	.15	.11	.05	.08	.00	5.07
(2)	.10	.22	.19	.12	.13	.09	.07	.10	.19	.29	.53	.18	.07	.05	.02	.04	.00	2.42
2.1- 3.0	57	67	71	43	25	18	48	24	. 19	55	119	63	35	26	22	20	. 0	712
(1)	.92	1.08	1.15	.69	.40	.29	.78	.39	.31	.89	1.92	1.02	.57	.42	.36	.32	.00	11.51
(2)	.44	.52	.55	.33	.19	.14	.37	.18	.15	.42	.92	.49	.27	.20	.17	.15	.00	5.48
3.1- 4.0	87	69	72	19	12	17	29	37	30	34	80	70	68	57	81	75	0	837
(1)	1.41	1.12	1.16	.31	.19	.27	.47	.60	.48	.55	1.29	1.13	1.10	.92	1.31	1.21	.00	13.53
(2)	.67	.53	.55	.15	.09	.13	.22	.28	.23	.26	.62	.54	.52	.44	.62	.58	.00	6.45
4.1- 5.0	100	66	50	8	7	8	18	26	21	42	82	110	99	71	164	172	0	1044
(1)	1.62	1.07	.81	.13	.11	.13	.29	.42	.34	.68	1.33	1.78	1.60	1.15	2.65	2.78	.00	16.87
(2)	.77	.51	.39	.06	.05	.06	.14	.20	.16	.32	.63	.85	.76	.55	1.26	1.32	.00	8.04
5.1- 6.0	51	56	23	5	6	7	9	9	8	43	99	227	133	93	151	154	0	1074
(1)	.82	.90	.37	.08	.10	.11	.15	.15	.13	.69	1.60	3.67	2.15	1.50	2.44	2.49	.00	17.36
(2)	.39	.43	.18	.04	.05	.05	.07	.07	.06	.33	.76	1.75	1.02	.72	1.16	1.19	.00	8.27
6.1- 8.0	21	29	12	0	2	1	5	8	10	32	87	511 ·	150	111	172	147	0	1298

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

BBNPP

2-216 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 2 of 2)

				SSES WI	NTER 01	-06 MET	DATA JO	DINT FRE	QUENC	OISTRIE	BUTION	(60-METE	RTOW	ER)				
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS D				· Cl	LASS FRE	QUENC	Y (PERCE	NT) = 47	.66		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.34	.47	.19	.00	.03	.02	.08	.13	.16	.52	1.41	8.26	2.42	1.79	2.78	2.38	.00	20.98
(2)	.16	.22	.09	.00	.02	.01	.04	.06	.08	.25	.67	3.94	1.16	.85	1.32	1.13	.00	10.00
8.1-10.0	2	0	1	0	0	1	1	0	0	10	11	173	65	15	22	25	0	326
(1)	.03	.00	.02	.00	.00	.02	.02	.00	.00	.16	.18	2.80	1.05	.24	.36	.40	.00	5.27
(2)	.02	.00	.01	.00	.00	.01	.01	.00	.00	.08	.08	1.33	.50	.12	.17	.19	.00	2.51
10.1-40.3	0	0	0	0	0	2	1	0	2	5	1	50	15	2	0	0	0	78
(1)	.00	.00	.00	.00	.00	.03	.02	.00	.03	.08	.02	.81	.24	.03	.00	.00	.00	1.26
(2)	.00	.00	.00	.00	.00	.02	.01	.00	.02	.04	.01	.39	.12	.02	.00	.00	.00	.60
ALL SPEEDS	348	358	307	144	96	95	168	168	163	317	595	1237	581	386	619	606	0	6188
(1)	5.62	5.79	4.96	2.33	1.55	1.54	2.71	2.71	2.63	5.12	9.62	19.99	9.39	6.24	10.00	9.79	.00	100.00
(2)	2.68	2.76	2.36	1.11	.74	.73	1.29	1.29	1.26	2.44	4.58	9.53	4.47	2. 9 7	4.77	4.67	.00	47.66

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

197.(SSES WI	NTER 01	I-06 MET	BUTION	(60-METE		ER) V (DERCEI	JT) 29	55						
127.5		DAIA			2171		735 E W			ROM			QUENC		11) = 20			
SPEED m/s	N	NNE	NE	ENE	F	ESE	SE	SSE	s	SSW	sw	wsw	w	WNW	NW	NNW	VRRI	τοται
LT.2	0	0	0	0	0	0	0	0	õ	0	0	0	0	0	0	0	0	0
(1)	.00	.00	00	.00	ŏŏ	00	ň	00	00	ň	00	ň	00	00	00	00	00	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.03	.03	.00	.03	.03	.00	.00	.00	.00	.00	.00	.00	.00	.11
(2)	.00	.00	.00	.00	.01	.01	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.03
.5- 1.0	12	22	47	33	26	40	34	36	37	24	14	8	6	1	2.	9	0	351
(1)	.32	.59	1.27	.89	.70	1.08	.92	.97	1.00	.65	.38	.22	.16	.03	.05	.24	.00	9.47
(2)	.09	.17	.36	.25	.20	.31	.26	.28	.28	.18	.11	.06	.05	.01	.02	.07	.00	2.70
1.1- 1.5	18	49	74	28	24	18	36	57	46	45	48	14	8	2	5	8	0	480
(1)	.49	1.32	2.00	.76	.65	.49	.97	1.54	1.24	1.21	1.29	.38	.22	.05	.13	.22	.00	12.95
(2)	.14	.38	.57	.22	.18	.14	.28	.44	.35	.35	.37	.11	.06	.02	.04	.06	.00	3.70
1.6- 2.0	32	63	34	22	12	10	19	10	39	61	46	18	11	4	3	9	0	393
(1)	.86	1.70	.92	.59	.32	.27	.51	.27	1.05	1.65	1.24	.49	.30	.11	.08	.24	.00	10.60
(2)	.25	.49	.26	.17	.09	.08	.15	.08	.30	.47	.35	.14	.08	.03	.02	.07	.00	3.03
2.1- 3.0	59	90	[·] 67	30	24	27	22	27	31	69	116	54	31	31	17	14	0	709
(1)	1.59	2.43	1.81	.81	.65	.73	.59	.73	.84	1.86	3.13	1.46	.84	.84	.46	.38	.00	19.13
(2)	.45	.69	.52	.23	.18	.21	.17	.21	.24	.53	.89	.42	.24	.24	.13	.11	.00	5.46
3.1- 4.0	47	57	49	12	15	15	14	26	28	53	117	74	25	14	33	24	0	603
(1)	1.27	1.54	1.32	.32	.40	.40	.38	.70	.76	1.43	3.16	2.00	.67	.38	.89	.65	.00	16.27
(2)	.36	.44	.38	.09	.12	.12	.11	.20	.22	.41	.90	.57	.19	.11	.25	.18	.00	4.64
4.1- 5.0	23	26	33	8	2	1	6	15	11	54	138	106	10	9	34	24	0	500
(1)	.62	.70	.89	.22	.05	.03	.16	.40	.30	1.46	3.72	2.86	.27	.24	.92	.65	.00	13.49
(2)	.18	.20	.25	.06	.02	.01	.05	.12	.08	.42	1.06	.82	.08	.07	.26	.18	.00	3.85
5.1- 6.0	9	23	28	4	1	4	3	8	8	33	59	137	6	0	18	9	0	350
(1)	.24	.62	.76	.11	.03	.11	.08	.22	.22	.89	1.59	3.70	.16	.00	.49	.24	.00	9.44
(2)	.07	.18	.22	.03	.01	.03	.02	.06	.06	.25	.45	1.06	.05	.00	.14	.07	.00	2.70
6.1- 8.0	1	16	7	0	3	4	3	3	6	33	22	129	11	1	10	2	0	251

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 2 of 2)

SSES WINTER 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA **CLASS FREQUENCY (PERCENT) = 28.55 STABILITY CLASS E** WIND DIRECTION FROM SPEED m/s Ν NNE NE ENE E ESE SE SSE S SSW SW WSW W **WNW** NW NNW VRBL TOTAL (1).03 .43 .19 .00 .08 .11 .08 .08 .16 .89 .59 3.48 .30 .03 .27 .05 .00 6.77 .01 (2) .12 .05 .00 .02 .03 .02 .02 .05 .25 .17 .99 .08 .01 .08 .02 .00 1.93 5 48 8.1-10.0 0 2 0 0 0 4 6 6 4 9 8 4 0 0 0 0 (1) .00 .05 .00 .00 .00 .11 .16 .16 .11 .24 .13 .22 .11 .00 .00 .00 .00 1.29 (2) .00 .02 .00 .00 .00 .03 .05 .05 .03 .07 .04 .06 .03 .00 .00 .00 .00 .37 0 0 5 0 0 0 0 18 10.1-40.3 0 0 1 1 1 1 4 0 4 1 (1) .00 .00 .00 .00 .03 .03 .03 .03 .11 .13 .00 .11 .03 .00 .00 .00 .00 .49 (2) .00 .00 .00 .01 .01 .01 .01 .03 .04 .00 .03 .01 .00 .00 .00 .00 .14 .00 ALL SPEEDS 348 137 109 125 190 215 386 565 552 113 62 122 99 0 3707 201 339 144 (1) 5.42 9.39 9.14 3.70 2.94 3.37 3.88 5.13 5.80 10.41 15.24 14.89 3.05 1.67 3.29 2.67 .00 100.00 .96 2.97 4.25 .76 .00 28.55 (2) 1.55 2.68 2.61 1.06 .84 1.11 1.46 1.66 4.35 .87 .48 .94

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOPERIOD

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

				SSES W	NTER 01	-06 MET	DATA J	DINT FRE		/ DISTRI	BUTION	(60-METE	RTOW	ER)				
197.0	D FT WIN	D DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	.91		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.08	.00	.00	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16
(2)	.00	.00	.01	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	5	18	36	33	32	24	17	11	6	11	1	1	2	0	2	1	0	200
(1)	.39	1.40	2.80	2.56	2.49	1.86	1.32	.85	.47	.85	.08	.08	.16	.00	.16	.08	.00	15.54
(2)	.04	.14	.28	.25	.25	.18	.13	.08	.05	.08	.01	.01	.02	.00	.02	.01	.00	1.54
1.1- 1.5	14	61	72	29	24	14	11	20	24	13	6	3	1	1	1	1	0	295
(1)	1.09	4.74	5.59	2.25	1.86	1.09	.85	1.55	1.86	1.01	.47	.23	.08	.08	.08	.08	.00	22.92
(2)	.11	.47	.55	.22	.18	.11	.08	.15	.18	.10	.05	.02	.01	.01	.01	.01	.00	2.27
1.6- 2.0	25	105	37	9	5	3	4	10	26	20	13	3	0	2	1	4	0	267
(1)	1.94	8.16	2.87	.70	.39	.23	.31	.78	2.02	1.55	1.01	.23	.00	.16	.08	.31	.00	20.75
(2)	.19	.81	.28	.07	.04	.02	.03	.08	.20	.15	.10	.02	.00	.02	.01	.03	.00	2.06
2.1- 3.0	43	80	31	1	3	2	4	2	23	34	49	6	1	4	4	5	0	292
(1)	3.34	6.22	2.41	.08	.23	.16	.31	.16	1.79	2.64	3.81	.47	.08	.31	.31	.39	.00	22.69
(2)	.33	.62	.24	.01	.02	.02	.03	.02	.18	.26	.38	.05	.01	.03	.03	.04	.00	2.25
3.1- 4.0	3	15	8	0	0	0	2	1	4	17	47	19	1	1	6	1	0	125
(1)	.23	1.17	.62	.00	.00	.00	.16	.08	.31	1.32	3.65	1.48	.08	.08	.47	.08	.00	9.71
(2)	.02	.12	.06	.00	.00	.00	.02	.01	.03	.13	.36	.15	.01	.01	.05	.01	.00	.96
4.1- 5.0	0	0	0	0	0	0	0	0	3	7	13	38	0	0	1	1	0	63
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.23	.54	1.01	2.95	.00	.00	.08	.08	.00	4.90
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.05	.10	.29	.00	.00	.01	.01	.00	.49
5.1- 6.0	0	0	0	0	0	0	0	0	1	1	5	23	0	0	0	1	0	31
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.08	.08	.39	1.79	.00	.00	.00	.08	.00	2.41
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.04	.18	.00	.00	.00	.01	.00	.24
6.1- 8.0	0	0	0	0	0	0	0	0	1	1	1	8	0	0	0	0	0	11

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 2 of 2)

				SSES WI	NTER 01	-06 MET	DATA JO	DINT FRE	QUENC	Y DISTRI	BUTION (60-METE	RTOW	ER)				
197.0) FT WIN	ID DATA			STAE	BILITY CL	ASS F				c	LASS FRE	QUENC	Y (PERCE	NT) = 9.	91		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.08	.08	.08	.62	.00	.00	.00	.00	.00	.85
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.01	.06	.00	.00	.00	.00	.00	.08
8.1-10.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08	.00	.00	.00	.00	.00	.00	.00	.08
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.01
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	90	279	185	72	64	44	38	44	88	105	135	101	5	8	15	14	0	1287
(1)	6.99	21.68	14.37	5.59	4.97	3.42	2.95	3.42	6.84	8.16	10.49	7.85	.39	.62	1.17	1.09	.00	100.00
(2)	.69	2.15	1.42	.55	.49	.34	.29	.34	.68	.81	1.04	.78	.04	.06	.12	.11	.00	9.91

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 1 of 2)

				SSES W	INTER 01	-06 MET	DATA J	OINT FR		Y DISTRI	BUTION	(60-METE	RTOW	ER)				
197.	0 FT WIN	D DATA			STAE	BILITY CL	ASS G				c	LASS FRE	QUENC	Y (PERCE	NT) = 7.	.13		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	5	6	21	33	18	15	9	8	5	1	0	0	0	0	0	0	0	121
(1)	.54	.65	2.27	3.56	1.94	1.62	.97	.86	.54	.11	.00	.00	.00	.00	.00	.00	.00	13.07
(2)	.04	.05	.16	.25	.14	.12	.07	.06	.04	.01	.00	.00	.00	.00	.00	.00	.00	.93
1.1- 1.5	5	50	63	28	21	24	12	15	12	6	5	1	2	1	1	2	0	248
(1)	.54	5.40	6.80	3.02	2.27	2.59	1.30	1.62	1.30	.65	.54	.11	.22	.11	.11	.22	.00	26.78
(2)	.04	.39	.49	.22	.16	.18	.09	.12	.09	.05	.04	.01	.02	.01	.01	.02	.00	1.91
1.6- 2.0	37	88	46	9	5	2	4	10	16	16	7	1	0	0	1	1	0	243
(1)	4.00	9.50	4.97	.97	.54	.22	.43	1.08	1.73	1.73	.76	.11	.00	.00	.11	.11	.00	26.24
(2)	.28	.68	.35	.07	.04	.02	.03	.08	.12	.12	.05	.01	.00	.00	.01	.01	.00	1.87
2.1- 3.0	45	69	19	3	3	3	1	2	17	26	22	6	0	0	1	2	0	219
(1)	4.86	7.45	2.05	.32	.32	.32	.11	.22	1.84	2.81	2.38	.65	.00	.00	.11	.22	.00	23.65
(2)	.35	.53	.15	.02	.02	.02	.01	.02	.13	.20	.17	.05	.00	.00	.01	.02	.00	1.69
3.1- 4.0	6	5	0	0	0	1	0	0	3	11	20	5	1	0	3	0	0	55
(1)	.65	.54	.00	.00	.00	.11	.00	.00	.32	1.19	2.16	.54	.11	.00	.32	.00	.00	5.94
(2)	.05	.04	.00	.00	.00	.01	.00	.00	.02	.08	.15	.04	.01	.00	.02	.00	.00	.42
4.1- 5.0	0	0	0	0	0	0	0	0	2	8	1	13	0	0	0	0	0	24
. (1)	.00	.00	.00	.00	.00	.00	.00	.00	.22	.86	.11	1.40	.00	.00	.00	.00	.00	2.59
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.06	.01	.10	.00	.0 <u>0</u>	.00	.00	.00	.18
5.1- 6.0	0	0	0	0	0	0	0	0	1	3	0	4	0	0	0	0	0	8
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.11	.32	.00	.43	.00	.00	.00	.00	.00	.86
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.01	.02	.00	.03	.00	.00	.00	.00	.00	.06
6.1- 8.0	0	0	0	0	0	0	0	0	0	1	1	6	0	0	0	0	0	8

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued} (Page 2 of 2)

				SSES WI	NTER 01	-06 MET	DATA JO	DINT FRE	QUENCY	/ DISTRIE	BUTION	(60-METE	R TOW	ER)				
197.	0 FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 7.	13		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	.11	.65	.00	.00	.00	.00	.00	.86
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.05	.00	.00	.00	.00	.00	.06
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	98	218	149	73	47	45	26	35	56	72	56	36	3	1	6	5	0	926
(1)	10.58	23.54	16.09	7.88	5.08	4.86	2.81	3.78	6.05	7.78	6.05	3.89	.32	.11	.65	.54	.00	100.00
(2)	.75	1.68	1.15	.56	.36	.35	.20	.27	.43	.55	.43	.28	.02	.01	.05	.04	.00	7.13

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

(Page 1 of 2)

.

		•		SSES WI	NTER 01	I-06 MET	DATA J	OINT FRE	QUENC	Y DISTRI	BUTION	(60-MET	ERTOW	ER)				
197.0	D FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	QUENCY	(PERCEN	IT) = 100	0.00		
							i w	IND DIRE	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	2	2	0	2	1	0	1	0	1	0	0	0	0	10
(1)	.00	.00	.01	.00	.02	.02	.00	.02	.01	.00	.01	.00	.01	.00	.00	.00	.00	.08
(2)	.00	.00	.01	.00	.02	.02	.00	.02	.01	.00	.01	.00	.01	.00	.00	.00	.00	.08
.5- 1.0	28	61	131	122	90	104	89	72	66	53	30	11	11	2	7	14	0	891
(1)	.22	.47	1.01	.94	.69	.80	.69	.55	.51	.41	.23	.08	.08	.02	.05	.11	.00	6.86
(2)	.22	.47	1.01	.94	.69	.80	.69	.55	.51	.41	.23	.08	.08	.02	.05	.11	.00	6.86
1.1- 1.5	48	188	242	119	89	66	83	129	120	114	95	27	15	7	8	16	0	1366
(1)	.37	1.45	1.86	.92	.69	.51	.64	.99	.92	.88	.73	.21	.12	.05	.06	.12	.00	10.52
(2)	.37	1.45	1.86	.92	.69	.51	.64	.99	.92	.88	.73	.21	.12	.05	.06	.12	.00	10.52
1.6- 2.0	107	287	149	59	43	28	38	44	111	154	149	47	21	13	8	19	0	1277
. (1)	.82	2.21	1.15	.45	.33	.22	.29	.34	.85	1.19	1.15	.36	.16	.10	.06	.15	.00	9.84
(2)	.82	2.21	1.15	.45	.33	.22	.29	.34	.85	1.19	1.15	.36	.16	.10	.06	.15	.00	9.84
2.1- 3.0	205	313	198	80	57	52	79	57	98	213	355	138	67	64	45	44	0	2065
(1)	1.58	2.41	1.52	.62	.44	.40	.61	.44	.75	1.64	2.73	1.06	.52	.49	.35	.34	.00	15.90
(2)	1.58	2.41	1.52	.62	.44	.40	.61	.44	.75	1.64	2.73	1.06	.52	.49	.35	.34	.00	15.90
3.1- 4.0	145	159	140	34	28	33	46	66	68	124	306	180	101	72	124	100	0	1726
(1)	1.12	1.22	1.08	.26	.22	.25	.35	.51	.52	.96	2.36	1.39	.78	.55	.96	.77	.00	13.29
(2)	1.12	1.22	1.08	.26	.22	.25	.35	.51	.52	.96	2.36	1.39	.78	.55	.96	.77	.00	13.29
4.1- 5.0	131	100	90	16	9	9	27	43	39	119	280	288	113	82	203	203	0	1752
(1)	1.01	.77	.69	.12	.07	.07	.21	.33	.30	.92	2.16	2.22	.87	.63	1.56	1.56	.00	13.49
(2)	1.01	.77	.69	.12	.07	.07	.21	.33	.30	.92	2.16	2.22	.87	.63	1.56	1.56	.00	13.49
5.1- 6.0	68	93	55	9	7	11	14	18	21	88	215	428	152	96	172	171	0	1618
(1)	.52	.72	.42	.07	.05	.08	.11	.14	.16	.68	1.66	3.30	1.17	.74	1.32	1.32	.00	12.46
(2)	.52	.72	.42	.07	.05	.08	.11	.14	.16	.68	1.66	3.30	1.17	.74	1.32	1.32	.00	12.46
6.1- 8.0	23	49	23	0	5	5	8	11	21	77	170	755	176	114	183	152	0	1772

FSAR: Section 2.3

Table 2.3-37— {SSES 197' (60-m) 2001-2006 Winter JFD - continued
(Page 2 of 2)

				SSES WI	NTER 01	-06 MET	DATA J	DINT FRE	QUENC	/ DISTRI	BUTION	(60-METE	ER TOW	ER)				
197.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	QUENCY	(PERCEN	T) = 10	0.00		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.18	.38	.18	.00	.04	.04	.06	.08	.16	.59	1.31	5.81	1.36	.88	1.41	1.17	.00	13.65
(2)	.18	.38	.18	.00	.04	.04	.06	.08	.16	.59	1.31	5.81	1.36	.88	1.41	1.17	.00	13.65
8.1-10.0	2	2	1	0	0	5	7	6	4	26	17	204	74	15	22	25	0	410
(1)	.02	.02	.01	.00	.00	.04	.05	.05	.03	.20	.13	1.57	.57	.12	.17	.19	.00	3.16
(2)	.02	.02	.01	.00	.00	.04	.05	.05	.03	.20	.13	1.57	.57	.12	.17	.19	.00	3.16
10.1-40.3	0	0	0	0	1	3	2	1	6	10	1	55	16	2	0	0	0	97
(1)	.00	.00	.00	.00	.01	.02	.02	.01	.05	.08	.01	.42	.12	.02	.00	.00	.00	.75
(2)	.00	.00	.00	.00	.01	.02	.02	.01	.05	.08	.01	.42	.12	.02	.00	.00	.00	.75
ALL SPEEDS	757	1252	1030	439	331	318	393	449	555	978	1619	2133	747	467	772	744	0	12984
(1)	5.83	9.64	7.93	3.38	2.55	2.45	3.03	3.46	4.27	7.53	12.47	16.43	5.75	3.60	5.95	5.73	.00	100.00
(2)	5.83	9.64	7.93	3.38	2.55	2.45	3.03	3.46	4.27	7.53	12.47	16.43	5.75	3.60	5.95	5.73	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD} (Page 1 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCI	OISTRI	BUTION	(60-METE	RTOW	ER)				
197.0		ID DATA			STAE	BILITY CL	ASS A				C	LASS FRE	EQUENC	CY (PERCE	$\mathbf{NT}) = 6$.97		
					-		W	IND DIR	ECTION	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LI.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	1	0	1	2	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.11	.00	.11	.22	.00	.00	.00	.00	.00	.00	.00	.00	.44
(2)	.00	.00	.00	.00	.00	.01	.00	.01	.02	.00	.00	.00	.00	.00	.00	.00	.00	.03
1.1- 1.5	0	0	1	6	1	4	3	0	2	4	7	2	1	0	0	0	0	31
(1)	.00	.00	.11	.67	.11	.44	.33	.00	.22	.44	.78	.22	11	00	ñ	ň	ň	3 44
(2)	.00	.00	.01	.05	.01	.03	.02	.00	.02	.03	.05	.02	.01	.00	.00	.00	.00	.24
16-20	0	2	6	6	1	4	ч	٦	6	6	5	з	1	1	1	0	0	19
(1)	ň	22	67	67	11	44	22	33	67	67	55	22	11	11	11	00	00	40 5 2 2
(2)	.00	.02	.05	.05	.01	.03	.02	.02	.05	.05	.04	.02	.01	.01	.01	.00	.00	.37
21-20	1	E	12	c	0	7	F	7	11	20	20	10	0	0	1	2	0	140
2.1- 5.0	ו 11	55	1 4 4	55	0 90	70	55	70	1 7 7	20	20	12	0	0	1	3	0	146
(1)	.11	.55	10	.55	.09	./0	.55	./0	00	2.32 72	4.22	1.55	.00	.00	.11	.23	.00	16.20
(2)	.01	.04	.10	.04	.00	.05	.04	.05	.09	.25	.29	.09	.00	.00	.01	.02	.00	1.15
3.1- 4.0	2	15	11	2	2	4	5	6	13	25	44	22	3	4	1	1	0	160
(1)	.22	1.66	1.22	.22	.22	.44	.55	.67	1.44	2.77	4.88	2.44	.33	.44	.11	.11	.00	17.76
(2)	.02	.12	.09	.02	.02	.03	.04	.05	.10	.19	.34	.17	.02	.03	.01	.01	.00	1.24
4.1- 5.0	12	24	7	1	1	1	8	5	8	19	35	20	2	4	2	3	0	152
(1)	1.33	2.66	.78	.11	.11	.11	.89	.55	.89	2.11	3.88	2.22	.22	.44	.22	.33	.00	16.87
(2)	.09	.19	.05	.01	.01	.01	.06	.04	.06	.15	.27	.15	.02	.03	.02	.02	.00	1.18
5.1- 6.0	7	22	3	2	0	1	13	5	11	24	41	23	6	2	3	3	0	166
(1)	.78	2.44	.33	.22	.00	.11	1.44	.55	1.22	2.66	4.55	2.55	.67	.22	.33	.33	.00	18.42
(2)	.05	.17	.02	.02	.00	.01	.10	.04	.09	.19	.32	.18	.05	.02	.02	.02	.00	1.28
6.1- 8.0	9	9	2	0	0	0	4	4	12	30	42	44	3	0	2	3	0	164

•

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD} (Page 2 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCI	DISTRIE	BUTION (60-METE	RTOW	ER)				
197.0	FT WIN	D DATA			STAB	BILITY CL	ASS A				С	LASS FRE		Y (PERCE	NT) = 6.	97		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	1.00	1.00	.22	.00	.00	.00	.44	.44	1.33	3.33	4.66	4.88	.33	.00	.22	.33	.00	18.20
(2)	.07	.07	.02	.00	.00	.00	.03	.03	.09	.23	.32	.34	.02	.00	.02	.02	.00	1.27
8.1-10.0	4	1	0	0	0	1	0	1	1	5	5	6	0	0	1	0	0	25
(1)	.44	.11	.00	.00	.00	.11	.00	.11	.11	.55	.55	.67	.00	.00	.11	.00	.00	2.77
(2)	.03	.01	.00	.00	.00	.01	.00	.01	.01	.04	.04	.05	.00	.00	.01	.00	.00	.19
10.1-40.3	0	0	0	0	0	0	0	0	1	0	1	3	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.11	.00	.11	.33	.00	.00	.00	.00	.00	.55
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.01	.02	.00	.00	.00	.00	.00	.04
ALL SPEEDS	35	78	43	22	13	23	41	32	67	143	218	135	16	11	11	13	0	901
(1)	3.88	8.66	4.77	2.44	1.44	2.55	4.55	3.55	7.44	15.87	24.20	14.98	1.78	1.22	1.22	1.44	.00	100.00
(2)	.27	.60	.33	.17	.10	.18	.32	.25	.52	1.11	1.69	1.04	.12	.09	.09	.10	.00	6.97

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

I

								(i uge	1012)									
197.0) FT WIN	ID DATA		SSES SP	RING 01 STAE	I-06 MET BILITY CL	DATA JO ASS B	DINT FRE	QUENC	Y DISTRIE	BUTION	(60-METE LASS FRE	R TOW	ER) CY (PERCE	NT) = 3.	.61		
							W	IND DIRE	CTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	s	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	00	00	00	ň	ň	00	ň	00	ň	00	ň	ň	00	00	00	00	00	00
(7)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	00	00	00	00	00	00	00	00	00	00	00	00	00	ň	00	ň	00
(2)	00	00	00	00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(_)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	0	2	0	1	0	0	0	0	0	0	0	0	0	0	5
(1)	.00	.00	.43	.00	.43	.00	.21	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.07
(2)	.00	.00	.02	.00	.02	.00	.01	.00	.00	00	00	00	00	00	00	00	00	04
																	.00	
1.1- 1.5	0	1	1	0	2	3	1	1	4	4	2	0	0	0	0	0	0	19
(1)	.00	.21	.21	.00	.43	.64	.21	.21	.86	.86	.43	.00	.00	.00	.00	.00	.00	4.08
(2)	.00	.01	.01	.00	.02	.02	.01	.01	.03	.03	.02	.00	.00	.00	.00	.00	.00	.15
1.6- 2.0	0	3	8	4	1	3	0	1	2	3	2	0	1	0	0	0	0	28
(1)	.00	.64	1.72	.86	.21	.64	.00	.21	.43	.64	.43	.00	.21	.00	.00	.00	.00	6.01
(2)	.00	.02	.06	.03	.01	.02	.00	.01	.02	.02	.02	.00	.01	.00	.00	.00	.00	.22
2.1- 3.0	4	2	5	0	2	2	3	5	1	10	5	3	1	1	1	0	0	45
(1)	.86	.43	1.07	.00	.43	.43	.64	1.07	.21	2.15	1.07	.64	.21	.21	.21	.00	.00	9.66
(2)	.03	.02	.04	.00	.02	.02	.02	.04	.01	.08	.04	.02	.01	.01	.01	.00	.00	.35
											•							
3.1- 4.0	2	10	6	1	4	2	3	4	3	4	10	9	1	1	2	2	0	64
(1)	.43	2.15	1.29	.21	.86	.43	.64	.86	.64	.86	2.15	1.93	.21	.21	.43	.43	.00	13.73
(2)	.02	.08	.05	.01	.03	.02	.02	.03	.02	.03	.08	.07	.01	.01	.02	.02	.00	.50
4.1- 5.0	4	10	5	1	3	2	3	3	4	8	19	11	2	7	3	5	0	90
(1)	.86	2.15	1.07	.21	.64	.43	.64	.64	.86	1.72	4.08	2.36	.43	1.50	.64	1.07	.00	19.31
(2)	.03	.08	.04	.01	.02	.02	.02	.02	.03	.06	.15	.09	.02	.05	.02	.04	.00	.70
5.1- 6.0	9	4	4	1	2	0	4	2	4	6	15	9	2	6	7	9	0	84
(1)	1.93	.86	.86	.21	.43	.00	.86	.43	.86	1.29	3.22	1.93	.43	1.29	1.50	1.93	.00	18.03
(2)	.07	.03	.03	.01	.02	.00	.03	.02	.03	.05	.12	.07	.02	.05	.05	.07	.00	.65
v -7																		.05
6.1- 8.0	9	6	1	0	2	1	3	1	4	1	21	35	8	0	7	8	0	107

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continued} (Page 1 of 2)

BBNPP

2-228 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Table 2.3-38— {SSES 197'	(60-m) 2001-2006	Spring JFD - continued}
	$(\mathbf{D}_{1}, \dots, \mathbf{D}_{n})$	

(Page 2 01 2)	
SSES SPRING 01-06 MET DATA JOINT FREQUEN	CY DISTRIBUTION (60-METER
STABILITY CLASS B	CLASS FREC

197 (ΠΠΑΤΑ		SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	DISTRIB		60-METE		R) V (DEDCE	NT) _ 2	c 1		
157.0		DUNIA			JIAD		w 222			ROM	Ľ			I (PERCE	NT) = 5.	01		
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW N	sw	wsw	w	WNW	NW	NNW	VRRI	τοται
(1)	1.93	1.29	.21	.00	.43	.21	.64	.21	.86	.21	4.51	7.51	1.72	.00	1.50	1.72	00	22.96
(2)	.07	.05	.01	.00	.02	.01	.02	.01	.03	.01	.16	.27	.06	.00	.05	.06	.00	.83
8.1-10.0	3	2	0	0	0	0	0	0	1	1	1	8	0	0.	2	0	0	18
(1)	.64	.43	.00	.00	.00	.00	.00	.00	.21	.21	.21	1.72	.00	.00	.43	.00	.00	3.86
(2)	.02	.02	.00	.00	.00	.00	.00	.00	.01	.01	.01	.06	.00	.00	.02	.00	.00	.14
10.1-40.3	0	0	0	0	0	0	0	0	0	0	5	1	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.07	.21	.00	.00	.00	.00	.00	1.29
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.01	.00	.00	.00	.00	.00	.05
ALL SPEEDS	31	. 38	32	7	18	13	18	17	23	37	80	76	15	15	22	24	0	466
(1)	6.65	8.15	6.87	1.50	3.86	2.79	3.86	3.65	4.94	7.94	17.17	16.31	3.22	3.22	4.72	5.15	.00	100.00
(2)	.24	.29	.25	.05	.14	.10	.14	.13	.18	.29	.62	.59	.12	.12	.17	.19	.00	3.61

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOPERIOD

Meteorology

Į

FSAR: Section 2.3

© 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED 2-229

BBNPP

Rev. 2a

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continue	ed}
(Page 1 of 2)	

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENC	/ DISTRIE	BUTION	60-METE	R TOWI	ER)				
197.0) FT WIN	D DATA			STAE	BILITY CL	ASS C				c	LASS FRE	EQUENC	Y (PERCE	NT) = 4	.87		
							w	IND DIR	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	1	0	4	1	0	0	· 1	2	1	0	0	1	0	0	0	0	1 1
(1)	.00	.16	.00	.64	.16	.00	.00	.16	.32	.16	.00	.00	.16	.00	.00	.00	.00	1.75
(2)	.00	.01	.00	.03	.01	.00	.00	.01	.02	.01	.00	.00	.01	.00	.00	.00	.00	.09
1.1- 1.5	0	2	1	4	2	0	1	1	1	5	1	0	0	0	0	1	0	19
(1)	.00	.32	.16	.64	.32	.00	.16	.16	.16	.79	.16	.00	.00	.00	.00	.16	.00	3.02
(2)	.00	.02	.01	.03	.02	.00	.01	.01	.01	.04	.01	.00	.00	.00	.00	.01	.00	.15
1.6- 2.0	3	3	2	2	4	1	4	0	1	6	0	0	0	0	0	0	0	26
(1)	.48	.48	.32	.32	.64	.16	.64	.00	.16	.95	.00	.00	.00	.00	.00	.00	.00	4.13
(2)	.02	.02	.02	.02	.03	.01	.03	.00	.01	.05	.00	.00	.00	.00	.00	.00	.00	.20
2.1- 3.0	2	6.	12	4	1	4	2	1	5	13	13	10	3	0	0	0	0	76
(1)	.32	.95	1.91	.64	.16	.64	.32	.16	.79	2.07	2.07	1.59	.48	.00	.00	.00	.00	12.08
(2)	.02	.05	.09	.03	.01	.03	.02	.01	.04	.10	.10	.08	.02	.00	.00	.00	.00	.59
3.1- 4.0	9	15	11	1	3	2	2	3	5	9	16	15	4	1	3	1	0	100
(1)	1.43	2.38	1.75	.16	.48	.32	.32	.48	.79	1.43	2.54	2.38	.64	.16	.48	.16	.00	15.90
(2)	.07	.12	.09	.01	.02	.02	.02	.02	.04	.07	.12	.12	.03	.01	.02	.01	.00	.77
4.1- 5.0	15	15	3	2	2	3	8	2	1	6	25	21	9	4	9	7	0	132
(1)	2.38	2.38	.48	.32	.32	.48	1.27	.32	.16	.95	3.97	3.34	1.43	.64	1.43	1.11	.00	20.99
(2)	.12	.12	.02	.02	.02	.02	.06	.02	.01	.05	.19	.16	.07	.03	.07	.05	.00	1.02
5.1- 6.0	9	10	1	4	1	1	5	3	7	7	10	20	6	4	6	12	0	106
(1)	1.43	1.59	.16	.64	.16	.16	.79	.48	1.11	1.11	1.59	3.18	.95	.64	.95	1.91	.00	16.85
(2)	.07	.08	.01	.03	.01	.01	.04	.02	.05	.05	.08	.15	.05	.03	.05	.09	.00	.82
6.1- 8.0	15	5	0	0	0	3	1	3	8	6	11	32	13	5	9	5	0	116

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continued} (Page 2 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	DISTRIE	SUTION (60-METE	R TOWE	R)				
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS C				С	LASS FRE	QUENC	Y (PERCE	NT) = 4.	87		
							W	IND DIRE	CTION F	ROM							•	
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	2.38	.79	.00	.00	.00	.48	.16	.48	1.27	.95	1.75	5.09	2.07	.79	1.43	.79	.00	18.44
(2)	.12	.04	.00	.00	.00	.02	.01	.02	.06	.05	.09	.25	.10	.04	.07	.04	.00	.90
8.1-10.0	. 1	1	0	0	0	0	1	0	0	1	5	19	4	0	0	3	0	35
(1)	.16	.16	.00	.00	.00	.00	.16	.00	.00	.16	.79	3.02	.64	.00	.00	.48	.00	5.56
(2)	.01	.01	.00	.00	.00	.00	.01	.00	.00	.01	.04	.15	.03	.00	.00	.02	.00	.27
10.1-40.3	0	0	0	0	0	0	1	0	0	0	1	6	0	0	0	0	0	8
(1)	.00	.00	.00	.00	.00	.00	.16	.00	.00	.00	.16	.95	.00	.00	.00	.00	.00	1.27
(2)	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.01	.05	.00	.00	.00	.00	.00	.06
ALL SPEEDS	54	58	30	21	14	14	25	14	30	54	82	123	40	14	27	29	0	629
(1)	8.59	9.22	4.77	3.34	2.23	2.23	3.97	2.23	4.77	8.59	13.04	19.55	6.36	2.23	4.29	4.61	.00	100.00
(2)	.42	.45	.23	.16	.11	.1 1	.19	.11	.23	.42	.63	.95	.31	.11	.21	.22	.00	4.87

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

2-231 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

			Т	able 2.	3-38—	SSES 1	197' (60	0-m) 20 (Page	01-200 1 of 2))6 Sprir	ng JFD	- contin	ued}					
				SSES SP	RING 01	I-06 MET	DATA JO	DINT FRE	QUENC) DISTRIE	BUTION	(60-METE	RTOW	ER)				
197.0	0 FT WIN	ID DATA			STAI	BILITY CL	ASS D				c	LASS FRE	QUENC	Y (PERCE	NT) = 42	.30		
							W	IND DIRE	CTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	2
(1) '	.00	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.04
(2)	.00	.00	.00	.01	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	5	14	14	16	19	17	18	13	7	4	3	3	3	4	1	2	0	143
(1)	.09	.26	.26	.29	.35	.31	.33	.24	.13	.07	.05	.05	.05	.07	.02	.04	.00	2.62
(2)	.04	.11	.11	.12	.15	.13	.14	.10	.05	.03	.02	.02	.02	.03	.01	.02	.00	1.11
1.1- 1.5	11	28	42	24	12	14	15	18	17	25	22	9	0	2	3	9	0	251
(1)	.20	.51	.77	.44	.22	.26	.27	.33	.31	.46	.40	.16	.00	.04	.05	.16	.00	4.59
(2)	.09	.22	.32	.19	.09	.11	.12	.14	.13	.19	.17	.07	.00	.02	.02	.07	.00	1.94
1.6- 2.0	10	27	37	20	15	19	20	17	13	31 `	56	15	3	3	5	4	0	295
(1)	.18	.49	.68	.37	.27	.35	.37	.31	.24	.57	1.02	.27	.05	.05	.09	.07	.00	5.40
(2)	.08	.21	.29	.15	.12	.15	.15	.13	.10	.24	.43	.12	.02	.02	.04	.03	.00	2.28
2.1- 3.0	44	82	90	53	37	41	38	36	39	54	96	64	33	31	35	28	0	801
(1)	.80	1.50	1.65	.97	.68	.75	.70	.66	.71	.99	1.76	1.17	.60	.57	.64	.51	.00	14.65
(2)	.34	.63	.70	.41	.29	.32	.29	.28	.30	.42	.74	.50	.26	.24	.27	.22	.00	6.20
3.1- 4.0	89	92	96	33	36	~ 30	44	42	29	29	83	65	51	65	69	70	0	923
(1)	1.63	1.68	1.76	.60	.66	.55	.80	.77	.53	.53	1.52	1.19	.93	1.19	1.26	1.28	.00	16.88
(2)	.69	.71	.74	.26	.28	.23	.34	.32	.22	.22	.64	.50	.39	.50	.53	.54	.00	7.14
4.1- 5.0	114	115	69	34	25	42	50	38	34	24	66	90	69	87	108	110	0	1075
(1)	2.09	2.10	1.26	.62	.46	.77	.91	.70	.62	.44	1.21	1.65	1.26	1.59	1.98	2.01	.00	19.66
(2)	.88	.89	.53	.26	.19	.32	.39	.29	.26	.19	.51	.70	.53	.67	.84	.85	.00	8.32
5.1- 6.0	95	97	45	11	10	26	38	31	31	26	56	90	67	71	104	92	0	890
(1)	1.74	1.77	.82	.20	.18	.48	.70	.57	.57	.48	1.02	1.65	1.23	1.30	1.90	1.68	.00	16.28
(2)	.74	.75	.35	.09	.08	.20	.29	.24	.24	.20	.43	.70	.52	.55	.80	.71	.00	6.89
6.1- 8.0	42	67	28	7	13	25	11	21	36	26	43	144	129	92	93	52	0	829

BBNPP

								(Page	2 of 2)									
				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCI	DISTRIE		(60-METE	R TOW	R)				
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 42	.30		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.77	1.23	.51	.13	.24	.46	.20	.38	.66	.48	.79	2.63	2.36	1.68	1.70	.95	.00	15.16
(2)	.32	.52	.22	.05	.10	.19	.09	.16	.28	.20	.33	1. 1 1	1.00	.71	.72	.40	.00	6.41
8.1-10.0	1	7	2	1	3	5	2	4	12	9	14	63	62	17	8	6	0	216
(1)	.02	.13	.04	.02	.05	.09	.04	.07	.22	.16	.26	1.15	1.13	.31	.15	11	ñ	3 95
(2)	.01	.05	.02	.01	.02	.04	.02	.03	.09	.07	.11	.49	.48	.13	.06	.05	.00	1.67
10.1-40.3	1	2	1	0	1	1	0	0	0	3	2	14	16	1	0	0	0	42
(1)	.02	.04	.02	.00	.02	.02	.00	.00	.00	.05	.04	.26	.29	.02	.00	.00	.00	.77
(2)	.01	.02	.01	.00	.01	.01	.00	.00	.00	.02	.02	.11	.12	.01	.00	.00	.00	.32
ALL SPEEDS	412	531	424	200	171	220	236	220	219	231	441	557	433	373	426	373	0	5467
(1)	7.54	9.71	7.76	3.66	3.13	4.02	4.32	4.02	4.01	4.23	8.07	10.19	7.92	6.82	7.79	6.82	.00	100.00
(2)	3.19	4.11	3.28	1.55	1.32	1.70	1.83	1.70	1.69	1.79	3.41	4.31	3.35	2.89	3.30	2.89	.00	42.30

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continued}

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIO<u>PERIOD</u>

ł

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENC	/ DISTRIB	UTION	(60-METE	R TOW	ER)		
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS E				CI	LASS FRE	QUENC	Y (PERCE	NT) = 24	.90
							w	IND DIRE	CTION F	ROM						
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.06	.03	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	21	31	60	44	38	20	27	27	24	27	19	10	6	1	3	6
(1)	.65	.96	1.86	1.37	1.18	.62	.84	.84	.75	.84	.59	.31	.19	.03	.09	.19
(2)	.16	.24	.46	.34	.29	.15	.21	.21	.19	.21	.15	.08	.05	.01	.02	.05
1.1- 1.5	21	64	73	25	20	14	23	21	28	32	38	16	8	5	5	8
(1)	.65	1.99	2.27	.78	.62	.44	.71	.65	.87	.99	1.18	.50	.25	.16	.16	.25
(2)	.16	.50	.56	.19	.15	.11	.18	.16	.22	.25	.29	.12	.06	.04	.04	.06
1.6- 2.0	35	70	37	26	12	13	14	19	19	25	32	27	11	6	7	6

.59

.15

41

1.27

.32

28

.87

.22

18

.56

.14

8

.25

.06

1

.59

.15

37

1.15

.29

35

1.09

.27

23

.71

.18

20

.62

.15

26

.44

.11

25

.78

.19

22

.68

.17

14

.44

.11

2

.06

.02

4

.78

.19

48

1.49

.37

60

1.86

.46

41

1.27

.32

34

1.06

.26

28

.99

.25

74

2.30

.57

56

1.74

.43

38

1.18

.29

27

.84

.21

14

.84

.21

44

1.37

.34

59

1.83

.46

52

1.62

.40

44

1.37

.34

29

.34

.09

32

.99

.25

25

.78

.19

11

.34

.09

5

.16

.04

5

.19

.05

27

.84

.21

7

.22

.05

6

.19

.05

4

.12

.03

4

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continued} (Page 1 of 2)

BBNPP

(1)

(2)

2.1-3.0

(1)

(2)

3.1-4.0

(1)

(2)

4.1-5.0

(1)

(2)

5.1-6.0

(1)

(2)

6.1-8.0

1.09

.27

71

2.21

.55

40

1.24

.31

23

.71

.18

6

.19

.05

4

2.18

.54

111

3.45

.86

75

2.33

.58

49

1.52

.38

39

1.21

.30

17

1.15

.29

78

2.42

.60

69

2.14

.53

41

1.27

.32

19

.59

.15

11

.81

.20

48

1.49

.37

23

.71

.18

16

.50

.12

5

.16

.04

1

.37

.09

24

.75

.19

17

.53

.13

14

.44

.11

2

.06

.02

6

.40

.10

26

.81

.20

14

.44

.11

11

.34

.09

4

.12

.03

7

VRBL TOTAL

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.19

.05

17

.53

.13

22

.68

.17

22

.68

.17

5

.16

.04

1

.22

.05

12

.37

.09

16

.50

.12

16

.50

.12

10

.31

.08

1

0

.00

.00

3

.09

.02

364

11.31

2.82

401

12.46

3.10

359

11.16

2.78

715

22.22

5.53

568

17.65

4.39

395

12.27

3.06

234

7.27

1.81

159

Table 2.3-38- {SSES 197' (60-m) 2001-2006 Spring JFD - continue	d}
(Page 2 of 2)	

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	DISTRIB	UTION	(60-METE	R TOWI	ER)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				CI	LASS FRE	QUENC	Y (PERCEN	NT) = 24	.90		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.12	.53	.34	.03	.19	.22	.12	.03	.81	.87	.44	.90	.16	.12	.03	.03	.00	4.94
(2)	.03	.13	.09	.01	.05	.05	.03	.01	.20	.22	.11	.22	.04	.03	.01	.01	.00	1.23
8.1-10.0	0	0	1	0	0	0	1	0	1	4	4	3	0	0	0	0	0	14
(1)	.00	.00	.03	.00	.00	.00	.03	.00	.03	.12	.12	.09	.00	.00	.00	.00	.00	.44
(2)	.00	.00	.01	.00	.00	.00	.01	.00	.01	.03	.03	.02	.00	.00	.00	.00	.00	.11
10.1-40.3	0	0	0	0	0	0	0	0	4	0	2	0	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.12	.00	.06	.00	.00	.00	.00	.00	.00	.19
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.02	.00	.00	.00	.00	.00	.00	.05
ALL SPEEDS	221	456	389	188	133	109	134	164	217	299	304	284	103	60	70	87	0	3218
(1)	6.87	14.17	12.09	5.84	4.13	3.39	4.16	5.10	6.74	9.29	9.45	8.83	3.20	1.86	2.18	2.70	.00	100.00
(2)	1.71	3.53	3.01	1.45	1.03	.84	1.04	1.27	1.68	2.31	2.35	2.20	.80	.46	.54	.67	.00	24.90

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continued} (Page 1 of 2)

				SSES SF	PRING 01	-06 MET	DATA JO	DINT FRE	QUENC	Y DISTRIE	BUTION	(60-METE	RTOW	ER)				
197.	0 FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	EQUENC	Y (PERCE	NT) = 9.	.32		
							w	IND DIR	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	1	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	3
(1)	.08	.00	.00	.08	.00	.00	.00	.00	.00	.08	.00	.00	.00	.00	.00	.00	.00	.25
(2)	.01	.00	.00	.01	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	9	17	40	31	27	19	28	10	14	8	4	1	4	5	1	2	0	220
(1)	.75	1.41	3.32	2.57	2.24	1.58	2.32	.83	1.16	.66	.33	.08	.33	.41	.08	.17	.00	18.26
(2)	.07	.13	.31	.24	.21	.15	.22	.08	.11	.06	.03	.01	.03	.04	.01	.02	.00	1.70
1.1- 1.5	27	77	74	18	12	11	20	12	15	11	14	3	3	0	3	0	0	300
(1)	2.24	6.39	6.14	1.49	1.00	.91	1.66	1.00	1.24	.91	1.16	.25	.25	.00	.25	.00	.00	24.90
(2)	.21	.60	.57	.14	.09	.09	.15	.09	.12	.09	.11	.02	.02	.00	.02	.00	.00	2.32
1.6- 2.0	26	85	42	9	9	6	5	3	7	14	17	3	3	3	2	1	0	235
(1)	2.16	7.05	3.49	.75	.75	.50	.41	.25	.58	1.16	1.41	.25	.25	.25	.17	.08	.00	19.50
(2)	.20	.66	.32	.07	.07	.05	.04	.02	.05	.11	.13	.02	.02	.02	.02	.01	.00	1.82
2.1- 3.0	35	113	43 ·	2	3	3	6	10	9	17	28	7	4	2	5	4	0	291
(1)	2.90	9.38	3.57	.17	.25	.25	.50	.83	.75	1.41	2.32	.58	.33	.17	.41	.33	.00	24.15
(2)	.27	.87	.33	.02	.02	.02	.05	.08	.07	.13	.22	.05	.03	.02	.04	.03	.00	2.25
3.1- 4.0	11	19	6	0	2	1	3	3	5	7	17	21	3	0	4	1	0	103
(1)	.91	1.58	.50	.00	.17	.08	.25	.25	.41	.58	1.41	1.74	.25	.00	.33	.08	.00	8.55
(2)	.09	.15	.05	.00	.02	.01	.02	.02	.04	.05	.13	.16	.02	.00	.03	.01	.00	.80
4.1- 5.0	1	3	2	0	0	0	0	0	0	5	2	15	0	0	0	1	0	29
(1)	.08	.25	.17	.00	.00	.00	.00	.00	.00	.41	.17	1.24	.00	.00	.00	.08	.00	2.41
(2)	.01	.02	.02	.00	.00	.00	.00	.00	.00	.04	.02	.12	.00	.00	.00	.01	.00	.22
5.1- 6.0	1	0	0	0	1	0	0	0	0	2	3	15	0	0	0	0	0	22
(1)	.08	.00	.00	.00	.08	.00	.00	.00	.00	.17	.25	1.24	.00	.00	.00	.00	.00	1.83
(2)	.01	.00	.00	.00	.01	.00	.00	.00	.00	.02	.02	.12	.00	.00	.00	.00	.00	.17
6.1- 8.0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continued} (Page 2 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY	' DISTRIB	UTION	(60-METE	RTOW	ER)				
197.0	FT WIN	D DATA			STAB	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	32		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08	.00	.00	.00	.00	.00	.17
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
. (1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	112	314	207	61	54	40	62	38	50	65	85	66	17	10	15	9	0	1205
(1)	9.29	26.06	17.18	5.06	4.48	3.32	5.15	3.15	4.15	5.39	7.05	5.48	1.41	.83	1.24	.75	.00	100.00
(2)	.87	2.43	1.60	.47	.42	.31	.48	.29	.39	.50	.66	.51	.13	.08	.12	.07	.00	9.32

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Rev. 2a

- -

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continued} (Page 1 of 2)

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENC	DISTRIE	BUTION	(60-METE	R TOW	ER)				
197.0	0 FT WIN	ID DATA			STAB	SILITY CL	ASS G				c	LASS FRE	QUENC	Y (PERCE	NT) = 8.	.03		
							W	IND DIRI	CTION F	ROM						,		
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	្ទ	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTA
LT .2	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.2 - .4	0 .	0	0	1	1	0	0	0	0	0	0	0	0	0	1	0	0	3
(1)	.00	.00	.00	.10	.10	.00	.00	.00	.00	.00	.00	.00	.00	.00	.10	.00	.00	.29
(2)	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.02
.5- 1.0	6	11	38	26	16	17	11	9	6	3	1	2	1	1	0	2	0	150
· (1)	.58	1.06	3.66	2.50	1.54	1.64	1.06	.87	.58	.29	.10	.19	.10	.10	.00	.19	.00	14.45
(2)	.05	.09	.29	.20	.12	.13	.09	.07	.05	.02	.01	.02	.01	.01	.00	.02	.00	1.16
1.1- 1.5	13	53	75	23	16	12	[!] 13	11	8	9	5	1	1	0	0	2	0	242
1)	1.25	5.11	7.23	2.22	1.54	1.16	1.25	1.06	.77	.87	.48	.10	.10	.00	.00	.19	.00	23.31
(2)	.10	.41	.58	.18	.12	.09	.10	.09	.06	.07	.04	.01	.01	00	.00	.02	.00	1.87
1.6- 2.0	31	116	45	17	4	2	3	3	15	8	6	1	1	0	0	1	0	253
(1)	2.99	11.18	4.34	1.64	.39	.19	.29	.29	1.45	.77	.58	.10	.10	.00	.00	.10	.00	24.37
(2)	.24	.90	.35	.13	.03	.02	.02	.02	.12	.06	.05	.01	.01	.00	.00	.01	.00	1.96
2.1- 3.0	67	129	47	4	2	5	3.	4	9	14	21	5	0	1	4	5	0	320
(1)	6.45	12.43	4.53	.39	.19	.48	.29	.39	.87	1.35	2.02	.48	.00	.10	.39	.48	.00	30.83
(2)	.52	1.00	.36	.03	.02	.04	.02	.03	.07	.11	.16	.04	.00	.01	.03	.04	.00	2.48
3.1- 4.0	11	14	5	0	0	0	3	0	2	9	6	2	0	0	0	1	0	53
(1)	1.06	1.35	.48	.00	.00	.00	.29	.00	.19	.87	.58	.19	.00	.00	.00	.10	.00	5.11
(2)	.09	.11	.04	.00	.00	.00	.02	.00	.02	.07	.05	.02	.00	.00	.00	.01	.00	.41
4.1- 5.0	3	0	0	0	0	0	0	1	1	2	0	5	0	0	0	0	0	12
:(1)	.29	.00	.00	.00	.00	.00	.00	.10	.10	.19	.00	.48	.00	.00	.00	.00	.00	1.16
(2)	.02	.00	.00	.00	.00	.00	.00	.01	.01	.02	.00	.04	.00	.00	.00	.00	.00	.09
5.1- 6.0	0	0	0	0	0	0	0	1	0	1	1	2	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.10	.00	.10	.10	.19	.00	.00	.00	.00	.00	.48
(2)	.00	.00	.00	.00	.00	.00	.00	.01	.00	.01	.01	.02	.00	.00	.00	.00	.00	.04
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

								·····	,									
				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENCY		BUTION	(60-METE	RTOW	ER)				
197.0	0 FT WIN	D DATA			STAE	ILITY CL	ASS G				c	LASS FRE	QUENC	Y (PERCE	NT) = 8.	03		
							w	IND DIRI	ECTION F	ROM				•	•			
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	131	323	210	71	39	36	33	29	41	46	40	18	3	2	5	11	0	1038
(1)	12.62	31.12	20.23	6.84	3.76	3.47	3.18	2.79	3.95	4.43	3.85	1.73	.29	.19	.48	1.06	.00	100.00
(2)	1.01	2.50	1.62	.55	.30	.28	.26	.22	.32	.36	.31	.14	.02	.02	.04	.09	.00	8.03

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

197.(D FT WIN	ID DATA		SSES SP	RING 01 STABI	-06 MET LITY CLA	DATA JO SS ALL	DINT FRE	QUENC	Y DISTRIE	BUTION CL	(60-METE ASS FREC	R TOW	ER) / (PERCEN	IT) = 100	0.00		
							W	IND DIRE	CTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	1	0	0	3	1	0	2	1	1	1	0	0	0	0	1	0	0	11
(1)	.01	.00	.00	.02	.01	.00	.02	.01	.01	.01	.00	.00	.00	.00	.01	.00	.00	.09
(2)	01	.00	.00	.02	.01	.00	.02	.01	.01	.01	.00	.00	.00	.00	.01	.00	.00	.09
.5- 1.0	41	74	154	121	103	74	85	61	55	43	27	16	15	11	5	12	0	897
(1)	.32	.57	1.19	.94	.80	.57	.66	.47	.43	.33	.21	.12	.12	.09	.04	.09	.00	6.94
(2)	.32	.57	1.19	.94	.80	.57	.66	.47	.43	.33	.21	.12	.12	.09	.04	.09	.00	6.94
1.1- 1.5	72	225	267	100	65	58	76	64	75	90	89	31	13	7	11	20	0	1263
(1)	.56	1.74	2.07	.77	.50	.45	.59	.50	.58	.70	.69	.24	.10	.05	.09	.15	.00	9.77
(2)	.56	1.74	2.07	.77	.50	.45	.59	.50	.58	.70	.69	.24	.10	.05	.09	.15	.00	9.77
1.6- 2.0	105	306	177	84	46	48	49	46	63	93	118	49	20	13	15	12	0	1244
(1)	.81	2.37	1.37	.65	.36	.37	.38	.36	.49	.72	.91	.38	.15	.10	.12	.09	.00	9.63
(2)	.81	2.37	1.37	.65	.36	.37	.38	.36	.49	.72	.91	.38	.15	.10	.12	.09	.00	9.63
2.1- 3.0	224	448	288	116	77	88	82	104	111	186	275	145	73	62	58	57	0	2394
(1)	1.73	3.47	2.23	.90	.60	.68	.63	.80	.86	1.44	2.13	1.12	.56	.48	.45	.44	.00	18.52
(2)	1.73	3.47	2.23	.90	.60	.68	.63	.80	.86	1.44	2.13	1.12	.56	.48	.45	.44	.00	18.52
3.1- 4.0	164	240	204	60	64	53	82	86	92	143	232	193	87	78	95	98	0	1971
(1)	1.27	1.86	1.58	.46	.50	.41	.63	.67	.71	1.11	1.80	1.49	.67	.60	.74	.76	.00	15.25
(2)	1.27	1.86	1.58	.46	.50	.41	.63	.67	.71	1.11	1.80	1.49	.67	.60	.74	.76	.00	15.25
4.1- 5.0	172	216	127	54	45	59	83	67	71	105	185	214	93	108	138	148	0	1885
(1)	1.33	1.67	.98	.42	.35	.46	.64	.52	.55	.81	1.43	1.66	.72	.84	1.07	1.15	.00	14.59
(2)	1.33	1.67	.98	.42	.35	.46	.64	.52	.55	.81	1.43	1.66	.72	.84	1.07	1.15	.00	14.59
5.1- 6.0	127	172	72	23	16	32	62	50	73	100	153	203	86	87	130	121	0	1507
(1)	.98	1.33	.56	.18	.12	.25	.48	.39	.56	.77	1.18	1.57	.67	.67	1.01	.94	.00	11.66
(2)	.98	1.33	.56	.18	.12	.25	.48	.39	.56	.77	1.18	1.57	.67	.67	1.01	.94	.00	11.66
6.1- 8.0	80	104	42	8	21	36	23	30	86	91	131	285	158	101	112	69	0	1377

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continued} (Page 1 of 2)

BBNPP

Table 2.3-38— {SSES 197' (60-m) 2001-2006 Spring JFD - continued
(Page 2 of 2)

(Page	2 01	t 2,
-------	------	------

				SSES SP	RING 01	-06 MET	DATA JO	DINT FRE	QUENC	DISTRIE	UTION	(60-METE	RTOW	ER)				
197.0) FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	T) = 10	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.62	.80	.32	.06	.16	.28	.18	.23	.67	.70	1.01	2.21	1.22	.78	.87	.53	.00	10.65
(2)	.62	.80	.32	.06	.16	.28	.18	.23	.67	.70	1.01	2.21	1.22	.78	.87	.53	.00	10.65
8.1-10.0	9	11	3	1	3	6	4	5	15	20	29	99	66	17	1 1	9	0	308
(1)	.07	.09	.02	.01	.02	.05	.03	.04	.12	.15	.22	.77	.51	.13	.09	.07	.00	2.38
(2)	.07	.09	.02	.01	.02	.05	.03	.04	.12	.15	.22	.77	.51	.13	.09	.07	.00	2.38
10.1-40.3	1	2	1	0	1	1	1	0	5	3	11	24	16	1	0	0	0	67
(1)	.01	.02	.01	.00	.01	.01	.01	.00	.04	.02	.09	.19	.12	.01	.00	.00	.00	.52
(2)	.01	.02	.01	.00	.01	.01	.01	.00	.04	.02	.09	.19	.12	.01	.00	.00	.00	.52
ALL SPEEDS	996	1798	1335	570	442	455	549	514	647	875	1250	1259	627	485	576	546	0	12924
(1)	7.71	13.91	10.33	4.41	3.42	3.52	4.25	3.98	5.01	6.77	9.67	9.74	4.85	3.75	4.46	4.22	.00	100.00
(2)	7.71	13.91	10.33	4.41	3.42	3.52	4.25	3.98	5.01	6.77	9.67	9.74	4.85	3.75	4.46	4.22	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-39— {SSES 197	7' (60-m) 2001-2006 Summer JFD}
	(Page 1 of 2)

				SSES SU	MMER 0	1-06 ME	T DATA J	OINT FR	EQUENC	Y DISTR	IBUTION	(60-MET	ER TOW	(ER)				
197.	D FT WIN	ID DATA			STAE	BILITY CL	ASS A				C	LASS FRI	EQUENC	Y (PERCE	NT) = 8.	.67		
							W	IND DIRE	CTION	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	2	2	4	4	5	3	0	2	0	2	0	0	0	0	0	0	24
(1)	.00	.19	.19	.39	.39	.48	.29	.00	.19	.00	.19	.00	.00	.00	.00	.00	.00	2.33
(2)	.00	.02	.02	.03	.03	.04	.03	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.20
1.1- 1.5	0	2	17	10	7	4	6	1	8	14	7	1	0	1	1	0	0	79
(1)	.00	.19	1.65	.97	.68	.39	.58	.10	.78	1.36	.68	.10	.00	.10	.10	.00	.00	7.66
(2)	.00	.02	.14	.08	.06	.03	.05	.01	.07	.12	.06	.01	.00	.01	.01	.00	.00	.66
1.6- 2.0	3	6	14	16	8	6	9	5	7	8	7	2	1	1	0	0	0	93
. (1)	.29	.58	1.36	1.55	.78	.58	.87	.48	.68	.78	.68	.19	.10	.10	.00	.00	.00	9.02
(2)	.03	.05	.12	.13	.07	.05	.08	.04	.06	.07	.06	.02	.01	.01	.00	.00	.00	.78
2.1- 3.0	5	15	24	5	2	4	11	4	7	27	43	11	1 .	0	2	0	0	161
(1)	.48	1.45	2.33	.48	.19	.39	1.07	.39	.68	2.62	4.17	1.07	.10	.00	.19	.00	.00	15.62
(2)	.04	.13	.20	.04	.02	.03	.09	.03	.06	.23	.36	.09	.01	.00	.02	.00	.00	1.35
3.1- 4.0	17	14	18	1	1	0	8	3	8	7	59	19	3	4	2	5	0	169
(1)	1.65	1.36	1.75	.10	.10	.00	.78	.29	.78	.68	5.72	1.84	.29	.39	.19	.48	.00	16.39
(2)	.14	.12	.15	.01	.01	.00	.07	.03	.07	.06	.50	.16	.03	.03	.02	.04	.00	1.42
4.1- 5.0	23	13	5	9	0	0	7	4	5	18	104	38	12	4	2	3	0	247
(1)	2.23	1.26	.48	.87	.00	.00	.68	.39	.48	1.75	10.09	3.69	1.16	.39	.19	.29	.00	23.96
(2)	.19	.11	.04	.08	.00	.00	.06	.03	.04	.15	.87	.32	.10	.03	.02	.03	.00	2.08
5.1- 6.0	6	14	1	1	0	0.	5	2	6	8	72	53	11	0	1	2	0	182
(1)	.58	1.36	.10	.10	.00	.00	.48	.19	.58	.78	6.98	5.14	1.07	.00	.10	.19	.00	17.65
(2)	.05	.12	.01	.01	.00	.00	.04	.02	.05	.07	.61	.45	.09	.00	.01	.02	.00	1.53
6.1- 8.0	2	1	0	1	0	3	0	1	5	7	20	30	1	0	2	1	0	74

BBNPP

2-242 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Moto

FSAR: Section 2.3

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD} (Page 2 of 2)

				SSES SUI	MMER 01	1-06 ME1	T DATA J	OINT FRI	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	'ER)				
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS A				С	LASS FRE		Y (PERCE	NT) = 8.	67		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.19	.10	.00	.10	.00	.29	.00	.10	.48	.68	1.94	2.91	.10	.00	.19	.10	.00	7.18
(2)	.02	.01	.00	.01	.00	.03	.00	.01	.04	.06	.17	.25	.01	.00	.02	.01	.00	.62
8.1-10.0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.19	.00	.00	.00	.00	.00	.00	.19
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	56	67	81	47	22	22	49	20	48	89	316	154	29	10	10	11	0	1031
(1)	5.43	6.50	7.86	4.56	2.13	2.13	4.75	1.94	4.66	8.63	30.65	14.94	2.81	.97	.97	1.07	.00	100.00
(2)	.47	.56	.68	.40	.18	.18	.41	.17	.40	.75	2.66	1.29	.24	.08	.08	.09	.00	8.67

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

197.0	SSES SUMMER 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS B CLASS FREQUENCY (PERCENT) = 4.40 WIND DIRECTION FROM																	
							W	IND DIR		FROM	-							
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	4	2	3	2	1	1	1	0	0	0	0	0	0	0	15
(1)	.00	.00	.19	.76	.38	.57	.38	.19	.19	.19	.00	.00	.00	.00	.00	.00	.00	2.87
(2)	.00	.00	.01	.03	.02	.03	.02	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.13
1.1- 1.5	1	3	6	6	5	2	1	1	1	2	1	1	0	0	1	0	0	31
(1)	.19	.57	1.15	1.15	.96	.38	.19	.19	.19	.38	.19	.19	.00	.00	.19	.00	.00	5.93
(2)	.01	.03	.05	.05	.04	.02	.01	.01	.01	.02	.01	.01	.00	.00	.01	.00	.00	.26
1.6- 2.0	2	8	7	4	0	4	1	0	0	2	5	0	0	0	1	2	0	36
(1)	.38	1.53	1.34	.76	.00	.76	.19	.00	.00	.38	.96	.00	.00	.00	.19	.38	.00	6.88
(2)	.02	.07	.06	.03	.00	.03	.01	.00	.00	.02	.04	.00	.00	.00	.01	.02	.00	.30
2.1- 3.0	5	16	10	7	2	1	3	2	3	6	19	1	1	1	1	1	0	79
(1)	.96	3.06	1.91	1.34	.38	.19	.57	.38	.57	1.15	3.63	.19	.19	.19	.19	.19	.00	15.11
(2)	.04	.13	.08	.06	.02	.01	.03	.02	.03	.05	.16	.01	.01	.01	.01	.01	.00	.66
3.1- 4.0	9	18	7	5	0	0	4	1	2	9	36	11	1	3	1	2	0	109
(1)	1.72	3.44	1.34	.96	.00	.00	.76	.19	.38	1.72	6.88	2.10	.19	.57	.19	.38	.00	20.84
(2)	.08	.15	.06	.04	.00	.00	.03	.01	.02	.08	.30	.09	.01	.03	.01	.02	.00	.92
4.1- 5.0	7	10	2	0	1	0	2	3	5	4	45	19	12 [`]	4	3	6	0	123
(1)	1.34	1.91	.38	.00	.19	.00	.38	.57	.96	.76	8.60	3.63	2.29	.76	.57	1.15	.00	23.52
(2)	.06	.08	.02	.00	.01	.00	.02	.03	.04	.03	.38	.16	.10	.03	.03	.05	.00	1.03
5.1- 6.0	8	4	0	0	0	0	2	0	1	9	28	19	5	0	2	6	0	84
(1)	1.53	.76	.00	.00	.00	.00	.38	.00	.19	1.72	5.35	3.63	.96	.00	.38	1.15	.00	16.06
(2)	.07	.03	.00	.00	.00	.00	.02	.00	.01	.08	.24	.16	.04	.00	.02	.05	.00	.71
6.1- 8.0	3	2	0	0	0	1	0	• 0	1	5	10	17	3	0	0	1	0	43

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 2 of 2)

	SSES SUMMER 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS B																	
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS B				c	LASS FRE	QUENC	Y (PERCE	NT) = 4.	40		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.57	.38	.00	.00	.00	.19	.00	.00	.19	.96	1.91	3.25	.57	.00	.00	.19	.00	8.22
(2)	.03	.02	.00	.00	.00	.01	.00	.00	.01	.04	.08	.14	.03	.00	.00	.01	.00	.36
8.1-10.0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	3
(1)	.19	.00	.00	.00	.00	.00	.00	.00	.00	.00	.19	.19	.00	.00	.00	.00	.00	.57
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.03
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	36	61	33	26	10	11	15	8	14	38	145	69	22	8	9	18	0	523
(1)	6.88	11.66	6.31	4.97	1.91	2.10	2.87	1.53	2.68	7.27	27.72	13.19	4.21	1.53	1.72	3.44	.00	100.00
(2)	.30	.51	.28	.22	.08	.09	.13	.07	.12	.32	1.22	.58	.18	.07	.08	.15	.00	4.40

.

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Meteorology

SSES SUMMER 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS C CLASS FREQUENCY (PERCENT) = 5.57 WIND DIRECTION FROM																			
	197.0		DUDATA			SIAE		.A35 C		CTIONI	-004	L L	LASS FRE	QUENC	.Y (PERCE	NI) = 5.	57		
					THE	-		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			-KUM	CW			14/5/114/	N/14/			TOTAL
	SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	2	55W	SW	w2w	w	WNW	NW	NNW	VKBL	IOTAL
	L1.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	.5- 1.0	0	0	3	6	4	0	0	0	6	2	2	0	0	. 0	0	0	0	23
	(1)	.00	.00	.45	.91	.60	.00	.00	.00	.91	.30	.30	.00	.00	.00	.00	.00	.00	3.47
	(2)	.00	.00	.03	.05	.03	.00	.00	.00	.05	.02	.02	.00	.00	.00	.00	.00	.00	.19
	11-15	1	5	4	6	7	4	2	٦	2	7	3	1	0	1	0	1	0	47
	(1)	15	76	60	91	1.06	60	30	45	30	1.06	45	15	ň	15	ň	15	00	710
	(2)	01	./ 0	.00	05	06	.00	02	03	02	06	03	01	.00	01	00	01	.00	40
	(2)	.01	.04	.05	.05	.00	.05	.02	.05	.02	.00	.00	.01	.00	.01	.00	.01	.00	0
	1.6- 2.0	5	12	7	6	5	1	1	1	4	8	б	1	2	0	0	2	0	61
	(1)	.76	1.81	1.06	.91	.76	.15	.15	.15	.60	1.21	.91	.15	.30	.00	.00	.30	.00	9.21
	(2)	.04	.10	.06	.05	.04	.01	.01	.01	.03	.07	.05	.01	.02	.00	.00	.02	.00	.51
	2.1- 3.0	8	17	8	8	0	2	4	3	5	11	22	8	1	4	3	5	0	109
	(1)	1.21	2.57	1.21	1.21	.00	.30	.60	.45	.76	1.66	3.32	1.21	.15	.60	.45	.76	.00	16.47
	(2)	.07	.14	.07	.07	.00	.02	.03	.03	.04	.09	.18	.07	.01	.03	.03	.04	.00	.92
	31-40	14	11	8	0	1	1	٦	1	2	11	37	20	3	3	q	7	0	131
	(1)	211	1.66	1 21	ň	15	15	45	15	30	1.66	5 59	3 02	45	45	136	1.06	ň	19.79
	(7)	17	1.00	07	.00	01	01	.+5 03	01	02	00	3.55	17	ر ب . در	ر ب . در	08	06	.00	1 10
	(2)	.12	.09	.07	.00	.01	.01	.0.5	.01	.02	.09		.17	.00	.05	.00	.00	.00	1.10
,	4.1- 5.0	13	4	2	1	0	2	1	່ 1 	8	9	50	22	6	5	9	8	0	141
	(1)	1.96	.60	.30	.15	.00	.30	.15	.15	1.21	1.36	7.55	3.32	.91	./6	1.36	1.21	.00	21.30
	(2) .	.11	.03	.02	.01	.00	.02	.01	.01	.07	.08	.42	.18	.05	.04	.08	.07	.00	1.19
	5.1- 6.0	3	3	0	0	0	0	1	2	2	5	16	23	8	1	4	6	0	74
	(1)	.45	.45	.00	.00	.00	.00	.15	.30	.30	.76	2.42	3.47	1.21	.15	.60	.91	.00	11.18
	(2)	.03	.03	.00	.00	.00	.00	.01	.02	.02	.04	.13	.19	.07	.01	.03	.05	.00	.62
	6.1- 8.0	1	4	0	0	0	0	0	0	1	6	15	32	1	3	6	2	0	71

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 1 of 2) FSAR: Section 2.3

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 2 of 2)

				SSES SU	MMER O	1-06 ME1	T DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	(ER)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS C				c	LASS FRE		Y (PERCE	NT) = 5.	57		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.15	.60	.00	.00	.00	.00	.00	.00	.15	.91	2.27	4.83	.15	.45	.91	.30	.00	10.73
(2)	.01	.03	.00	.00	.00	.00	.00	.00	.01	.05	.13	.27	.01	.03	.05	.02	.00	.60
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	4	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.15	.60	.00	.00	.00	.00	.00	.76
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.03	.00	.00	.00	.00	.00	.04
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	Ó	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	45	56	. 32	27	17	10	12	11	30	59	152	111	21	17	31	31	0	662
(1)	6.80	8.46	4.83	4.08	2.57	1.51	1.81	1.66	4.53	8.91	22.96	16.77	3.17	2.57	4.68	4.68	.00	100.00
(2)	.38	.47	.27	.23	.14	.08	.10	.09	.25	.50	1.28	.93	.18	.14	.26	.26	.00	5.57

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

				SSES SUI	MMER O	1-06 ME1	T DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	/ER)				
197.0	D FT WIN	ID DATA			STAE	BILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCEI	NT) = 31	.42		
							W	IND DIR	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	· 0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03
(2)	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	2	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	6
(1)	.00	.05	.00	.03	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16
(2)	.00	.02	.00	.01	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
.5- 1.0	6	27	50	44	31	30	28	26	31	15	15	10	1	1	2	3	0	320
(1)	.16	.72	1.34	1.18	.83	.80	.75	.70	.83	.40	.40	.27	.03	.03	.05	.08	.00	8.56
(2)	.05	.23	.42	.37	.26	.25	.24	.22	.26	.13	.13	.08	.01	.01	.02	.03	.00	2.69
1.1- 1.5	14	57	64	34	23	17	19	19	36	43	44	17	5	3	3	7	0	405
(1)	.37	1.52	1.71	.91	.62	.45	.51	.51	.96	1.15	1.18	.45	.13	.08	.08	.19	.00	10.83
(2)	.12	.48	.54	.29	.19	.14	.16	.16	.30	.36	.37	.14	.04	.03	.03	.06	.00	3.40
1.6- 2.0	25	49	43	27	22	17	17	19	24	63	70	33	4	1	3	6	0	423
(1)	.67	1.31	1.15	.72	.59	.45	.45	.51	.64	1.69	1.87	.88	.11	.03	.08	.16	.00	11.32
(2)	.21	.41	.36	.23	.18	.14	.14	.16	.20	.53	.59	.28	.03	.01	.03	.05	.00	3.56
2.1- 3.0	57	92	57	39	37	27	39	27	29	81	156	44	16	20	19	26	· 0	766
(1)	1.52	2.46	1.52	1.04	.99	.72	1.04	.72	.78	2.17	4.17	1.18	.43	.54	.51	.70	.00	20.49
(2)	.48	.77	.48	.33	.31	.23	.33	.23	.24	.68	1.31	.37	.13	.17	.16	.22	.00	6.44
3.1- 4.0	58	65	42	10	15	19	31	38	29	49	121	71	25	19	41	41	0	674
(1)	1.55	1.74	1.12	.27	.40	.51	.83	1.02	.78	1.31	3.24	1.90	.67	.51	1.10	1.10	.00	18.03
(2)	.49	.55	.35	.08	.13	.16	.26	.32	.24	.41	1.02	.60	.21	.16	.34	.34	.00	5.67
4.1- 5.0	36	60	26	1	8	19	14	23	53	39	131	94	20	19	39	45	0	627
(1)	.96	1.61	.70	.03	.21	.51	.37	.62	1.42	1.04	3.50	2.51	.54	.51	1.04	1.20	.00	16.77
(2)	.30	.50	.22	.01	.07	.16	.12	.19	.45	.33	1.10	.79	.17	.16	.33	.38	.00	5.27
5.1- 6.0	16	32	4	0	3	6	6	9	29	35	66	73	13	4	17	21	0	334
(1)	.43	.86	.11	.00	.08	.16	.16	.24	.78	.94	1.77	1.95	.35	.11	.45	.56	.00	8.94
(2)	.13	.27	.03	.00	.03	.05	.05	.08	.24	.29	.55	.61	.11	.03	.14	.18	.00	2.81
6.1- 8.0	4	7	1	0	2	3	2	1	9	20	38	63	5	1	4	5	0	165

BBNPP

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 2 of 2)

				SSES SUI	MMER 0	1-06 ME1	Γ DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	(ER)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS D				CI	ASS FRE	QUENC	Y (PERCE	IT) = 31	.42		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.11	.19	.03	.00	.05	.08	.05	.03	.24	.54	1.02	1.69	.13	.03	.11	.13	.00	4.41
(2)	.03	.06	.01	.00	.02	.03	.02	.01	.08	.17	.32	.53	.04	.01	.03	.04	.00	1.39
8.1-10.0	0	0	0	0	0	0	0	0	1	2	3	11	0	0	0	0	0	17
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.03	.05	.08	.29	.00	.00	.00	.00	.00	.45
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.01	.02	.03	.09	.00	.00	.00	.00	.00	.14
10.1-40.3	0	0	0	0	0	0	0	0	0	0	· 0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	216	391	287	156	145	138	156	162	241	347	644	416	8 9	68	128	154	0	3738
(1)	5.78	10.46	7.68	4.17	3.88	3.69	4.17	4.33	6.45	9.28	17.23	11.13	2.38	1.82	3.42	4.12	.00	100.00
(2)	1.82	3.29	2.41	1.31	1.22	1.16	1.31	1.36	2.03	2.92	5.41	3.50	.75	.57	1.08	1.29	.00	31.42

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

-

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

				SSES SU	MMER 0	1-06 MET	r data j	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	/ER)				
197.0	D FT WIN	ID DATA			STAE	BILITY CL	ASS E				c	LASS FRE	QUENC	Y (PERCEI	NT) = 30	.29		
							W	IND DIRI	ECTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑ
LT .2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03
(2)	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	0	2	3	2	3	3	2	0	1	0	0	0	0	0	0	0	16
(1)	.00	.00	.06	.08	.06	.08	.08	.06	.00	.03	.00	.00	.00	.00	.00	.00	.00	.44
(2)	.00	.00	.02	.03	.02	.03	.03	.02	.00	.01	.00	.00	.00	.00	.00	.00	.00	.13
.5- 1.0	17	57	118	69	61	56	49	37	43	22	15	7	1	1	3	6	0	562
(1)	.47	1.58	3.28	1.92	1.69	1.55	1.36	1.03	1.19	.61	.42	.19	.03	.03	.08	.17	.00	15.60
(2)	.14	.48	.99	.58	.51	.47	.41	.31	.36	.18	.13	.06	.01	.01	.03	.05	.00	4.72
1.1- 1.5	26	119	154	44	43	23	38	35	45	44	31	15	7	4	2	5	0	635
(1)	.72	3.30	4.27	1.22	1.19	.64	1.05	.97	1.25	1.22	.86	.42	.19	.11	.06	.14	.00	17.62
(2)	.22	1.00	1.29	.37	.36	.19	.32	.29	.38	.37	.26	.13	.06	.03	.02	.04	.00	5.34
1.6- 2.0	45	205	87	21	20	12	23	21	34	40	45	13	4	4	4	4	0	582
(1)	1.25	5.69	2.41	.58	.56	.33	.64	.58	.94	1.11	1.25	.36	.11	.11	.11	.11	.00	16.15
(2)	.38	1.72	.73	.18	.17	.10	.19	.18	.29	.34	.38	.11	.03	.03	.03	.03	.00	4.89
2.1- 3.0	87	227	81	37	27	20	28	38	44	57	108	40	5	9	9	13	0	830
(1)	2.41	6.30	2.25	1.03	.75	.56	.78	1.05	1.22	1.58	3.00	1.11	.14	.25	.25	.36	.00	23.04
(2)	.73	1.91	.68	.31	.23	.17	.24	.32	.37	.48	.91	.34	.04	.08	.08	.11	.00	6.98
3.1- 4.0	29	62	52	5	12	9	22	33	44	87	81	45	8	7	10	15	0	521
(1)	.80	1.72	1.44	.14	.33	.25	.61	.92	1.22	2.41	2.25	1.25	.22	.19	.28	.42	.00	14 46
(2)	.24	.52	.44	.04	.10	.08	.18	.28	.37	.73	.68	.38	.07	.06	.08	.13	.00	4.38
4.1- 5.0	13	19	10	1	2	5	8	6	33	57	53	48	2	3	13	10	0	283
(1)	.36	.53	.28	.03	.06	.14	.22	.17	.92	1.58	1.47	1.33	.06	.08	.36	.28	.00	7.85
(2)	.11	.16	.08	.01	.02	.04	.07	.05	.28	.48	.45	.40	.02	.03	.11	.08	.00	2.38
5.1- 6.0	2	11	1	0	0	0	4	3	10	16	22	38	2	2	10	5	0	126
(1)	.06	.31	.03	.00	.00	.00	.11	.08	.28	.44	.61	1.05	.06	.06	.28	.14	.00	3.50
(2)	.02	.09	.01	.00	.00	.00	.03	.03	.08	.13	.18	.32	.02	.02	.08	.04	.00	1.06
6.1- 8.0	1	3	2	0	0	0	0	4	6	7	9	4	1	0	1	2	0	40

BBNPP

2-250 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Table 2.3-39---- {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 2 of 2)

				SSES SU	MMER 0	1-06 ME1	T DATA J	OINT FRI	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	/ER)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS E				CL	ASS FRE	QUENC	Y (PERCE	NT) = 30	.29		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.03	.08	.06	.00	.00	.00	.00	.11	.17	.19	.25	.11	.03	.00	.03	.06	.00	1.11
(2)	.01	.03	.02	.00	.00	.00	.00	.03	.05	.06	.08	.03	.01	.00	.01	.02	.00	.34
8.1-10.0	0	0	0	0	0	0	0	1	5	0	0	1	0	0	0	0	0	7
(1)	.00	.00	.00	.00	.00	.00	.00	.03	.14	.00	.00	.03	.00	.00	.00	.00	.00	.19
(2)	.00	.00	.00	.00	.00	.00	.00	.01	.04	.00	.00	.01	.00	.00	.00	.00	.00	.06
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	220	703	508	180	167	128	175	180	264	331	364	211	30	30	52	60	0	3603
(1)	6.11	19.51	14.10	5.00	4.64	3.55	4.86	5.00	7.33	9.19	10.10	5.86	.83	.83	1.44	1.67	.00	100.00
(2)	1.85	5.91	4.27	1.51	1.40	1.08	1.47	1.51	2.22	2.78	3.06	1.77	.25	.25	.44	.50	.00	30.29

.

- -

. ...

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOPERIOD

L

FSAR: Section 2.3

Rev. 2a
Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

				SSES SU	MMER 0	1-06 ME ⁻	T DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	(ER)				
197.0	D FT WIN	ID DATA			STAE	BILITY CL	.ASS F				c	LASS FRE	QUENC	Y (PERCE	NT) = 14	.71		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	3	3	0	1	0	1	0	0	0	0	0	0	0	0	0	8
(1)	.00	.00	.17	.17	.00	.06	.00	.06	.00	.00	.00	.00	.00	.00	.00	.00	.00	.46
(2)	.00	.00	.03	.03	.00	.01	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	6	26	63	43	38	39	29	19	8	3	5	4	2	0	1	1	0	287
(1)	.34	1.49	3.60	2.46	2.17	2.23	1.66	1.09	.46	.17	.29	.23	.11	.00	.06	.06	.00	16.40
(2)	.05	.22	.53	.36	.32	.33	.24	.16	.07	.03	.04	.03	.02	.00	.01	.01	.00	2.41
1.1- 1.5	19	135	114	40	32	23	24	26	40	14	5	1	1	1	1	3	0	479
(1)	1.09	7.71	6.51	2.29	1.83	1.31	1.37	1.49	2.29	.80	.29	.06	.06	.06	.06	.17	.00	27.37
(2)	.16	1.13	.96	.34	.27	.19	.20	.22	.34	.12	.04	.01	.01	.01	.01	.03	.00	4.03
1.6- 2.0	30	216	68	10	6	5	6	6	13	21	8	5	1	0	0	1	0	, 396
(1)	1.71	12.34	3.89	.57	.34	.29	.34	.34	.74	1.20	.46	.29	.06	.00	.00	.06	.00	22.63
(2)	.25	1.82	.57	.08	.05	.04	.05	.05	.11	.18	.07	.04	.01	.00	.00	.01	.00	3.33
2.1- 3.0	69	260	19	0	6	3	1	2	7	24	32	5	1	3	5	2	0	439
(1)	3.94	14.86	1.09	.00	.34	.17	.06	.11	.40	1.37	1.83	.29	.06	.17	.29	.11	.00	25.09
(2)	.58	2.19	.16	.00	.05	.03	.01	.02	.06	.20	.27	.04	.01	.03	.04	.02	.00	3.69
3.1- 4.0	12	15	3	0	2	1	1	3	1	11	26	14	1	0	1	0	0	91
(1)	.69	.86	.17	.00	.11	.06	.06	.17	.06	.63	1.49	.80	.06	.00	.06	.00	.00	5.20
(2)	.10	.13	.03	.00	.02	.01	.01	.03	.01	.09	.22	.12	.01	.00	.01	.00	.00	.77
4.1- 5.0	3	1	1	0	0	0	0	0	2	2	9	23	0	0	2	0	0	43
(1)	.17	.06	.06	.00	.00	.00	.00	.00	.11	.11	.51	1.31	.00	.00	.11	.00	.00	2.46
(2)	.03	.01	.01	.00	.00	.00	.00	.00	.02	.02	.08	.19	.00	.00	.02	.00	.00	.36
5.1- 6.0	0	0	0	0	0	0	0	0	0	1	1	4	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06	.06	.23	.00	.00	.00	.00	.00	.34
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.03	.00	.00	.00	.00	.00	.05
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1

BBNPP

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 2 of 2)

				SSES SU	MMER 0	1-06 MET	T DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	/ER)				
197.0) FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCEN	NT) = 14	.71		
							W	IND DIR	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06	.00	.00	.06
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.01
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	139	653	271	96	84	72	61	57	71	76	86	56	6	4	11	7	0	1750
(1)	7.94	37.31	15.49	5.49	4.80	4.11	3.49	3.26	4.06	4.34	4.91	3.20	.34	.23	.63	.40	.00	100.00
(2)	1.17	5.49	2.28	.81	.71	.61	.51	.48	.60	.64	.72	.47	.05	.03	.09	.06	.00	14.71

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

				SSES SU	MMER 0	1-06 ME1	Γ DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-METI	ER TOW	(ER)				
197.	O FT WIN	ID DATA			STAB	ILITY CL	ASS G				c	LASS FRE	QUENC	Y (PERCE	NT) = 4.	.94		
							w	IND DIRE	CTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTA
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.17	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.17
(2)	.00	.00	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.5- 1.0	3	5	9	19	12	14	5	11	1	1	1	0	0	0	0	1	0	82
(1)	.51	.85	1.53	3.23	2.04	2.38	.85	1.87	.17	.17	.17	.00	.00	.00	.00	.17	.00	13.95
(2)	.03	.04	.08	.16	.10	.12	.04	.09	.01	.01	.01	.00	.00	.00	.00	.01	.00	.69
1.1- 1.5	4	45	54	19	10	10	13	9	11	8	5	0	0	1	1	0	0	190
(1)	.68	7.65	9.18	3.23	1.70	1.70	2.21	1.53	1.87	1.36	.85	.00	.00	.17	.17	.00	.00	32.31
(2)	.03	.38	.45	.16	.08	.08	.11	.08	.09	.07	.04	.00	.00	.01	.01	.00	.00	1.60
1.6- 2.0	9	78	31	5	1	2	2	0	4	8	6	1	0	0	1	0	0	148
(1)	1.53	13.27	5.27	.85	.17	.34	.34	.00	.68	1.36	1.02	.17	.00	.00	.17	.00	.00	25.17
(2)	.08	.66	.26	.04	.01	.02	.02	.00	.03	.07	.05	.01	.00	.00	.01	.00	.00	1.24
2.1- 3.0	24	65	13	0	0	0	0	0	3	15	11	1	0	1	2	1	0	136
(1)	4.08	11.05	2.21	.00	.00	.00	.00	.00	.51	2.55	1.87	.17	.00	.17	.34	.17	.00	23.13
(2)	.20	.55	.11	.00	.00	.00	.00	.00	.03	.13	.09	.01	.00	.01	.02	.01	.00	1.14
3.1- 4.0	9	6	0	0	0	0	0	0	0	3	5	4	0	1	1	0	0	29
(1)	1.53	1.02	.00	.00	.00	.00	.00	.00	.00	.51	.85	.68	.00	.17	.17	.00	.00	4.93
(2)	.08	.05	.00	.00	.00	.00	.00	.00	.00	.03	.04	.03	.00	.01	.01	.00	.00	.24
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.17	.00	.00	.17	.00	.00	.34
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.01	.00	.00	.02
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued}
(Page 2 of 2)

				SSES SU	MMER 0	1-06 ME1	Î DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-METI	ER TOW	/ER)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 4.	94		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	49	199	107	43	23	27	20	20	19	35	28	7	0	3	6	2	0	588
(1)	8.33	33.84	18.20	7.31	3.91	4.59	3.40	3.40	3.23	5.95	4.76	1.19	.00	.51	1.02	.34	.00	100.00
(2)	.41	1.67	.90	.36	.19	.23	.17	.17	.16	.29	.24	.06	.00	.03	.05	.02	.00	4.94

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

								(rage	1012)									
197.0	D FT WIN	ID DATA		SSES SU	MMER 0 STABI	1-06 MET LITY CLA	T DATA J SS ALL	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET ASS FREC	ER TOW	/ER) / (PERCEN	IT) = 10(0.00		
•							w	IND DIRE	ECTION I	ROM			-	•	•			
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.01	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.01	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
2- 4	0	2	5	7	5	5		2	0	1	0	0	0	0	0	0	0	21
.24	00	02	04	06	04	04	03	5	00	01	00	0	0	0	0	0	0	31
(7)	.00	.02	.04	.00	.04	.04	.05	.05	.00	.01	.00	.00	.00	.00	.00	.00	.00	.20
(2)	.00	.02	.04	.00	.04	.04	.05	.05	.00	.01	.00	.00	.00	.00	.00	.00	.00	.26
.5- 1.0	32	117	246	189	152	147	116	94	92	44	40	21	4	2	6	11	0	1313
(1)	.27	.98	2.07	1.59	1.28	1.24	.98	.79	.77	.37	.34	.18	.03	.02	.05	.09	.00	11.04
(2)	.27	.98	2.07	1.59	1.28	1.24	.98	.79	.77	.37	.34	.18	.03	.02	.05	.09	.00	11.04
1.1- 1.5	65	366	413	159	127	83	103	94	143	132	96	36	13	11	9	16	0	1866
(1)	.55	3.08	3.47	1.34	1.07	.70	.87	.79	1.20	1.11	.81	.30	.11	.09	.08	.13	.00	15.69
(2)	.55	3.08	3.47	1.34	1.07	.70	.87	.79	1.20	1.11	.81	.30	.11	.09	.08	.13	.00	15.69
16-20	119	574	257	89	67	47	50	52	86	150	147	55	17	6	0	15	0	1720
(1)	1 00	4 83	216	75	52	40	50	11	72	1.26	1.24	JJ 46	12	05	9	10	0	1/39
(7)	1.00	4.83	2.16	.75	52	40	50	44	./ 2	1.20	1.24	.40	10	.05	.00	12	.00	14.02
(=)		1.05	2.10	., 5	.52		.50		.72	1.20	1.2.7	0	.10	.00	.00		.00	14.02
2.1- 3.0	255	692	212	96	74	57	86	76	98	221	391	110	25	38	41	48	0	2520
(1)	2.14	5.82	1.78	.81	.62	.48	.72	.64	.82	1.86	3.29	.92	.21	.32	.34	.40	.00	21.19
(2)	2.14	5.82	1.78	.81	.62	.48	.72	.64	.82	1.86	3.29	.92	.21	.32	.34	.40	.00	21.19
3.1- 4.0	148	191	130	21	31	30	69	79	86	177	365	184	41	37	65	70	٥	1774
(1)	1.24	1.61	1.09	.18	.26	.25	.58	.66	72	1 4 9	3 07	1 5 5	34	31	55	59	00	1/24
(2)	1.24	1.61	1.09	.18	.26	.25	.58	.66	72	1 49	3.07	1.55	34	31	.55	59	.00	14.49
(-/						.25	.50	.00	., 2	1.15	5.07	1.55		.51			.00	14.49
4.1- 5.0	95	107	46	12	11	26	32	37	106	129	392	245	52	35	69	72	0	1466
(1)	.80	.90	.39	.10	.09	.22	.27	.31	.89	1.08	3.30	2.06	.44	.29	.58	.61	.00	12.32
(2)	.80	.90	.39	.10	.09	.22	.27	.31	.89	1.08	3.30	2.06	.44	.29	.58	.61	.00	12.32
5.1- 6.0	35	64	6	1	3	6	18	16	48	74	205	210	39	7	34	40	0	806
(1)	.29	.54	.05	.01	.03	.05	.15	.13	.40	.62	1.72	1.77	.33	.06	.29	.34	.00	6.78
(2)	.29	.54	.05	.01	.03	.05	.15	.13	.40	.62	1.72	1.77	.33	.06	.29	.34	.00	6.78
6.1- 8.0	11	17	3	1	2	7.	2	6	22	45	92	146	11	4	14	11	0	394

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued} (Page 1 of 2)

BBNPP

2-256 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

FSAR: Section 2.3

								(Page	2012)									
			:	SSES SU	MMER 0	1-06 ME1	DATA J	OINT FR	EQUENC	Y DISTRI	BUTION	(60-MET	ER TOW	ER)				
197.0	D FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	T) = 100	0.00		
•							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.09	.14	.03	.01	.02	.06	.02	.05	.18	.38	.77	1.23	.09	.03	.12	.09	.00	3.31
(2)	.09	.14	.03	.01	.02	.06	.02	.05	.18	.38	.77	1.23	.09	.03	.12	.09	.00	3.31
8.1-10.0	1	0	0	0	0	0	0	1	6	2	7	17	0	0	0	0	0	34
(1)	.01	.00	.00	.00	.00	.00	.00	.01	.05	.02	.06	.14	.00	.00	.00	.00	.00	.29
(2)	.01	.00	.00	.00	.00	.00	.00	.01	.05	.02	.06	.14	.00	.00	.00	.00	.00	.29
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	761	2130	1319	575	468	408	488	458	687	975	1735	1024	197	140	247	283	0	11895
(1)	6.40	17.91	11.09	4.83	3.93	3.43	4.10	3.85	5.78	8.20	14.59	8.61	1.66	1.18	2.08	2.38	.00	100.00
(2)	6.40	17.91	11.09	4.83	3.93	3.43	4.10	3.85	5.78	8.20	14.59	8.61	1.66	1.18	2.08	2.38	.00	100.00

Table 2.3-39— {SSES 197' (60-m) 2001-2006 Summer JFD - continued}

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD} (Page 1 of 2)

				SSES F	ALL 01-	06 MET C	OL ATA	INT FREC	UENCY	DISTRIB	JTION (6	O-METER	TOWE	R)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS A				C	LASS FRE		Y (PERCE	NT) = 3	.51		
							W	IND DIR	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	3	3	3	2	1	3	2	1	0	0	0	1	0	0	21
(1)	.00	.00	.44	.67	.67	.67	.44	.22	.67	.44	.22	.00	.00	.00	.22	.00	.00	4.67
(2)	.00	.00	.02	.02	.02	.02	.02	.01	.02	.02	.01	.00	.00	.00	.01	.00	.00	.16
1.1- 1.5	1	2	4	6	3	3	1	2	6	4	4	0	0	0	0	0	0	36
(1)	.22	.44	.89	1.33	.67	.67	.22	.44	1.33	.89	.89	.00	.00	.00	.00	.00	.00	8.00
(2)	.01	.02	.03	.05	.02	.02	.01	.02	.05	.03	.03	.00	.00	.00	.00	.00	.00	.28
1.6- 2.0	0	6	5	6	2	2	4	6	4	8	8	4	0	0	0	0	0	55
(1)	.00	1.33	1.11	1.33	.44	.44	.89	1.33	.89	1.78	1.78	.89	.00	.00	.00	.00	.00	12.22
(2)	.00	.05	.04	.05	.02	.02	.03	.05	.03	.06	.06	.03	.00	.00	.00	.00	.00	.43
2.1- 3.0	1	11	9	2	1	1	3	8	5	11 ·	21	5	0	0	2	1	0	81
(1)	.22	2.44	2.00	.44	.22	.22	.67	1.78	1.11	2.44	4.67	1.1 1	.00	.00	.44	.22	.00	18.00
(2)	.01	.09	.07	.02	.01	.01	.02	.06	.04	.09	.16	.04	.00	.00	.02	.01	.00	.63
3.1- 4.0	2	4	4	0	0	0	3	4	3	14	31	6	2	0	3	3	0	79
(1)	.44	.89	.89	.00	.00	.00	.67	.89	.67	3.11	6.89	1.33	.44	.00	.67	.67	.00	17.56
(2)	.02	.03	.03	.00	.00	.00	.02	.03	.02	.11	.24	.05	.02	.00	.02	.02	.00	.62
4.1- 5.0	6	8	2	0	0	0	0	6	11	13	28	8	1	2	0	2	0	87
(1)	1.33	1.78	.44	.00	.00	.00	.00	1.33	2.44	2.89	6.22	1.78	.22	.44	.00	.44	.00	19.33
(2)	.05	.06	.02	.00	.00	.00	.00	.05	.09	.10	.22	.06	.01	.02	.00	.02	.00	.68
5.1- 6.0	2	3	4	0	0	0	0	6	7	5	20	8	0	0	0	0	0	55
(1)	.44	.67	.89	.00	.00	.00	.00	1.33	1.56	1.11	4.44	1.78	.00	.00	.00	.00	.00	12.22
(2)	.02	.02	.03	.00	.00	.00	.00	.05	.05	.04	.16	.06	.00	.00	.00	.00	.00	.43
6.1- 8.0	0	0	0	0	0	0	0	2	7	7	9	7	0	0	0	0	0	32

BBNPP

.

197.0	FT WIN	D DATA		SSES F	ALL 01-0 STAB	D6 MET D SILITY CL	OATA JOI ASS A	NT FREC	QUENCY	DISTRIBU	JTION (6 C	0-METER LASS FRE		R) IY (PERCE	NT) = 3.	51		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.44	1.56	1.56	2.00	1.56	.00	.00	.00	.00	.00	7.11
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.05	.05	.07	.05	.00	.00	.00	.00	.00	.25
8.1-10.0	0	0	0	0	0	0	1	0	0	3	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.22	.00	.00	.67	.00	.00	.00	.00	.00	.00	.00	.89
(2)	.00	.00	.00	.00	.00	.00	.01	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.03
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	12	34	30	17	9	9	14	35	46	67	122	38	3	2	6	6	0	450
(1)	2.67	7.56	6.67	3.78	2.00	2.00	3.11	7.78	10.22	14.89	27.11	8.44	.67	.44	1.33	1.33	.00	100.00
(2)	.09	.27	.23	.13	.07	.07	.11	.27	.36	.52	.95	.30	.02	.02	.05	.05	.00	3.51

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-40--- {SSES 197' (60-m) 2001-2006 Autumn JFD - continued} (Page 1 of 2)

197.0	FT WIN	ID DATA		SSES F	ALL 01- STAE	06 MET D BILITY CL	OATA JOI ASS B	INT FREC	QUENCY	DISTRIB	JTION (6 C	0-METER	R TOWEI	R) TY (PERCE	NT) = 2.	.52		
							w	IND DIR	ECTION I	ROM					,			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	1	0	1	0	1	1	2	0	1	0	0	0	0	0	9
(1)	.00	.00	.62	.31	.00	.31	.00	.31	.31	.62	.00	.31	.00	.00	.00	.00	.00	2.79
(2)	.00	.00	.02	.01	.00	.01	.00	.01	.01	.02	.00	.01	.00	.00	.00	.00	.00	.07
1.1- 1.5	2	2	2	3	0	. 3	2	0	0	4	0	0	0	0	0	0	0	18
(1)	.62	.62	.62	.93	.00	.93	.62	.00	.00	1.24	.00	.00	.00	.00	.00	.00	.00	5.57
(2)	.02	.02	.02	.02	.00	.02	.02	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.14
1.6- 2.0	1	4	4	3	0	1	0	0	3	4	4	0	0	0	0	0	0	24
(1)	.31	1.24	1.24	.93	.00	.31	.00	.00	.93	1.24	1.24	.00	.00	.00	.00	.00	.00	7.43
(2)	.01	.03	.03	.02	.00	.01	.00	.00	.02	.03	.03	.00	.00	.00	.00	.00	.00	.19
2.1- 3.0	2	2	6	1	0	1	2	· 1	3	8	16	3	1	0	0	3	0	49
(1)	.62	.62	1.86	.31	.00	.31	.62	.31	.93	2.48	4.95	.93	.31	.00	.00	.93	.00	15.17
(2)	.02	.02	.05	.01	.00	.01	.02	.01	.02	.06	.12	.02	.01	.00	.00	.02	.00	.38
3.1- 4.0	2	5	4	0	0	0	0	3	1	5	24	4	2	1	3	0	0	54
(1)	.62	1.55	1.24	.00	.00	.00	.00	.93	.31	1.55	7.43	1.24	.62	.31	.93	.00	.00	16.72
(2)	.02	.04	.03	.00	.00	.00	.00	.02	.01	.04	.19	.03	.02	.01	.02	.00	.00	.42
4.1- 5.0	3	8	3	0	0	0	3	1	4	4	19	12	4	4	2	6	0	73
(1)	.93	2.48	.93	.00	.00	.00	.93	.31	1.24	1.24	5.88	3.72	1.24	1.24	.62	1.86	.00	22.60
(2)	.02	.06	.02	.00	.00	.00	.02	.01	.03	.03	.15	.09	.03	.03	.02	.05	.00	.57
5.1- 6.0	1	4	0	0	0	0	1	1	2	3	13	8	7	2	0	1	0	43
(1)	.31	1.24	.00	.00	.00	.00	.31	.31	.62	.93	4.02	2.48	2.17	.62	.00	.31	.00	13.31
(2)	.01	.03	.00	.00	.00	.00	.01	.01	.02	.02	.10	.06	.05	.02	.00	.01	.00	.34
6.1- 8.0	0	0	0	0	0	0	1	4	0	2	10	17	3	0	0	0	0	37

BBNPP

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD - continued} (Page 2 of 2)

				SSES F	ALL 01-(06 MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	JTION (6	0-METER	TOWER	R)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS B				c	LASS FRE	QUENC	Y (PERCE	NT) = 2.	52		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.31	1.24	.00	.62	3.10	5.26	.93	.00	.00	.00	.00	11.46
(2)	.00	.00	.00	.00	.00	.00	.01	.03	.00	.02	.08	.13	.02	.00	.00	.00	.00	.29
8.1-10.0	0	0	0	0	0	0	0	0	0	4	5	4	0	0	1	0	Ō	14
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.24	1.55	1.24	.00	.00	.31	.00	.00	4.33
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.04	.03	.00	.00	.01	.00	.00	.11
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.31	.00	.00	.00	.31	.00	.62
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.01	.00	.02
ALL SPEEDS	11	25	21	8	0	6	9	11	14	36	91	50	17	7	6	11	0	323
(1)	3.41	7.74	6.50	2.48	.00	1.86	2.79	3.41	4.33	11.15	28.17	15.48	5.26	2.17	1.86	3.41	.00	100.00
(2)	.09	.19	.16	.06	.00	.05	.07	.09	.11	.28	.71	.39	.13	.05	.05	.09	.00	2.52

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

								(Page	1 of 2)									
				SSES F	ALL 01-	06 MET D	OATA JO	INT FREC	QUENCY	DISTRIB	UTION (e	50-METER	TOWER	R)				
197.0	D FT WIN	ID DATA			STAE	BILITY CL	ASS C				· C	LASS FRE		Y (PERCE	NT) = 3.	.86		
							W	IND DIR	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	1	1	1	1	1	2	0	0	0	0	1	0	0	0	8
(1)	.00	.00	.00	.20	.20	.20	.20	.20	.40	.00	.00	.00	.00	.20	.00	.00	.00	1.62
(2)	.00	.00	.00	.01	.01	.01	.01	.01	.02	.00	.00	.00	.00	.01	.00	.00	.00	.06
1.1- 1.5	4	1	3	4	3	0	2	2	5	4	2	0	0	0	0	0	0	30
(1)	.81	.20	.61	.81	.61	.00	.40	.40	1.01	.81	.40	.00	.00	.00	.00	.00	.00	6.06
(2)	.03	.01	.02	.03	.02	.00	.02	.02	.04	.03	.02	.00	.00	.00	.00	.00	.00	.23
1.6- 2.0	1	4	4	3	1	2	1	3	3	9	5	2	0	1	0	0	0	39
(1)	.20	.81	.81	.61	.20	.40	.20	.61	.61	1.82	1.01	.40	.00	.20	.00	.00	.00	7.88
(2)	.01	.03	.03	.02	.01	.02	.01	.02	.02	.07	.04	.02	.00	.01	.00	.00	.00	.30
2.1- 3.0	2	11	7	3	0	2	1	. 2	2	9	27	7	1	0	1	0	0	75
(1)	.40	2.22	1.41	.61	.00	.40	.20	.40	.40	1.82	5.45	1.41	.20	.00	.20	.00	.00	15.15
(2)	.02	.09	.05	.02	.00	.02	.01	.02	.02	.07	.21	.05	.01	.00	.01	.00	.00	.58
3.1- 4.0	3	8	9	0	0	1	3	1	4	2	32	11	4	5	3	4	0	90
(1)	.61	1.62	1.82	.00	.00	.20	.61	.20	.81	.40	6.46	2.22	.81	1.01	.61	.81	.00	18.18
(2)	.02	.06	.07	.00	.00	.01	.02	.01	.03	.02	.25	.09	.03	.04	.02	.03	.00	.70
4.1- 5.0	11	12	1	0	0	0	1	6	8	7	22	14	4	8	2	6	0	102
(1)	2.22	2.42	.20	.00	.00	.00	.20	1.21	1.62	1.41	4.44	2.83	.81	1.62	.40	1.21	.00	20.61
(2)	.09	.09	.01	.00	.00	.00	.01	.05	.06	.05	.17	.11	.03	.06	.02	.05	.00	.80
5.1- 6.0	12	11	0	1	0	0	2	2	4	5	11	20	8	0	0	5	0	81
(1)	2.42	2.22	.00	.20	.00	.00	.40	.40	.81	1.01	2.22	4.04	1.62	.00	.00	1.01	.00	16.36
(2)	.09	.09	.00	.01	.00	.00	.02	.02	.03	.04	.09	.16	.06	.00	.00	.04	.00	.63
6.1- 8.0	2	4	0	0	0	0	1	2	4	7	6	21	4	0	1	1	0	53

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD - continued}

BBNPP

2-262 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD - continued}
(Page 2 of 2)

				SSES F	ALL 01-0	06 MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	JTION (6	O-METER	TOWER	R)				
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS C				C	LASS FRE	QUENC	Y (PERCE	NT) = 3.	86		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.40	.81	.00	.00	.00	.00	.20	.40	.81	1.41	1.21	4.24	.81	.00	.20	.20	.00	10.71
(2)	.02	.03	.00	.00	.00	.00	.01	.02	.03	.05	.05	.16	.03	.00	.01	.01	.00	.41
8.1-10.0	0	0	0	0	0	0	0	0	0	1	1	9	0	0	0	2	0	13
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20	.20	1.82	.00	.00	.00	.40	.00	2.63
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.07	.00	.00	.00	.02	.00	.10
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.81	.00	.00	.00	.00	.00	.81
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.03
ALL SPEEDS	35	51	24	12	5	6	12	19	32	44	106	88	21	15	7	18	0	495
(1)	7.07	10.30	4.85	2.42	1.01	1.21	2.42	3.84	6.46	8.89	21.41	17.78	4.24	3.03	1.41	3.64	.00	100.00
(2)	.27	.40	.19	.09	.04	.05	.09	.15	.25	.34	.83	.69	.16	.12	.05	.14	.00	3.86

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

.

FSAR: Section 2.3

Rev. 2a

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD - continued} (Page 1 of 2)

				SSES F	ALL 01-	06 MET [OL ATA	INT FREC	UENCY	DISTRIB	UTION (e	50-METER	R TOWE	R)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 35	.69		
							w	IND DIRE	ECTION	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	1	1	0	0	1	0	0	0	0	1	0	0	0	1	0	0	5
(1)	.00	.02	.02	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.02	.00	.00	.11
(2)	.00	.01	.01	.00	.00	.01	.00	.00	.00	.00	.01	.00	.00	.00	.01	.00	.00	.04
.5- 1.0	б	14	51	44	29	31	20	24	25	22	6	4	2	2	1	3	0	284
(1)	.13	.31	1.11	.96	.63	.68	.44	.52	.55	.48	.13	.09	.04	.04	.02	.07	.00	6.20
(2)	.05	.11	.40	.34	.23	.24	.16	.19	.19	.17	.05	.03	.02	.02	.01	.02	.00	2.21
1.1- 1.5	15	50	57	25	19	11	17	22	38	35	39	8	2	2	2	6	0	348
(1)	.33	1.09	1.25	.55	.42	.24	.37	.48	.83	.76	.85	.17	.04	.04	.04	.13	.00	7.60
(2)	.12	.39	.44	.19	.15	.09	.13	.17	.30	.27	.30	.06	.02	.02	.02	.05	.00	2.71
1.6- 2.0	16	42	39	7	15	12	12	16	28	44	43	16	5	2	2	4	0	303
(1)	.35	.92	.85	.15	.33	.26	.26	.35	.61	.96	.94	.35	.11	.04	.04	.09	.00	6.62
(2)	.12	.33	.30	.05	.12	.09	.09	.12	.22	.34	.34	.12	.04	.02	.02	.03	.00	2.36
2.1- 3.0	42	96	57	19	29	19	45	28	18	45	102	56	30	20	11	23	0	640
(1)	.92	2.10	1.25	.42	.63	.42	.98	.61	.39	.98	2.23	1.22	.66	.44	.24	.50	.00	13.98
(2)	.33	.75	.44	.15	.23	.15	.35	.22	.14	.35	.80	.44	.23	.16	.09	.18	.00	4.99
3.1- 4.0	81	125	75	9	16	26	37	42	31	32	79	67	44	47	42	63	0	816
(1)	1.77	2.73	1.64	.20	.35	.57	.81	.92	.68	.70	1.73	1.46	.96	1.03	.92	1.38	.00	17.82
(2)	.63	.97	.58	.07	.12	.20	.29	.33	.24	.25	.62	.52	.34	.37	.33	.49	.00	6.36
4.1- 5.0	72	107	47	11	5	13	36	33	36	34	58	100	65	48	86	82	0	833
(1)	1.57	2.34	1.03	.24	.11	.28	.79	.72	.79	.74	1.27	2.18	1.42	1.05	1.88	1.79	.00	18.20
(2)	.56	.83	.37	.09	.04	.10	.28	.26	.28	.27	.45	.78	.51	.37	.67	.64	.00	6.49
5.1- 6.0	43	65	14	5	1	3	23	19	22	35	38	87	56	50	72	53	0	586
(1)	.94	1.42	.31	.11	.02	.07	.50	.42	.48	.76	.83	1.90	1.22	1.09	1.57	1.16	.00	12.80
(2)	.34	.51	.11	.04	.01	.02	.18	.15	.17	.27	.30	.68	.44	.39	.56	.41	.00	4.57
6.1- 8.0	17	20	5	2	0	1	16	24	10	38	42	125	70	39	62	32	0	503

BBNPP

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD - continued} (Page 2 of 2)

				SSES F	ALL 01-(06 MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	ITION (6	O-METER	TOWEF	₹)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS D				CI	LASS FRE	QUENC	Y (PERCE	VT) = 35	.69		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.37	.44	.11	.04	.00	.02	.35	.52	.22	.83	.92	2.73	1.53	.85	1.35	.70	.00	10.99
(2)	.13	.16	.04	.02	.00	.01	.12	.19	.08	.30	.33	.97	.55	.30	.48	.25	.00	3.92
8.1-10.0	0	0	1	0	0	0	8	13	7	13	9	66	16	19	6	3	0	161
(1)	.00	.00	.02	.00	.00	.00	.17	.28	.15	.28	.20	1.44	.35	.42	.13	.07	.00	3.52
(2)	.00	.00	.01	.00	.00	.00	.06	.10	.05	.10	.07	.51	.12	.15	.05	.02	.00	1.26
10.1-40.3	0	0	0	3	0	0	2	6	7	3	0	58	.14	5	1	0	0	99
(1)	.00	.00	.00	.07	.00	.00	.04	.13	.15	.07	.00	1.27	.31	.11	.02	.00	.00	2.16
(2)	.00	.00	.00	.02	.00	.00	.02	.05	.05	.02	.00	.45	.11	.04	.01	.00	.00	.77
ALL SPEEDS	292	520	347	125	114	117	216	227	222	301	417	587	304	234	286	269	0	4578
(1)	6.38	11.36	7.58	2.73	2.49	2.56	4.72	4.96	4.85	6.57	9.11	12.82	6.64	5.11	6.25	5.88	.00	100.00
(2)	2.28	4.05	2.71	.97	.89	.91	1.68	1.77	1.73	2.35	3.25	4.58	2.37	1.82	2.23	2.10	.00	35.69

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-40--- {SSES 197' (60-m) 2001-2006 Autumn JFD - continued} (Page 1 of 2)

197.0) FT WIN	D DATA		JJEJ	STAE		ASS E		<i>venci</i>	oro made	C	LASS FRE	QUENC	Y (PERCEI	NT) = 31	.70		
							W	IND DIR	ECTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	0	2	4	1	1	1	1	2	1	1	0	0	0	0	0	0	14
(1)	.00	.00	.05	.10	.02	.02	.02	.02	.05	.02	.02	.00	.00	.00	.00	.00	.00	.34
(2)	.00	.00	.02	.03	.01	.01	.01	.01	.02	.01	.01	.00	.00	.00	.00	.00	.00	.11
.5- 1.0	18	55	69	68	59	62	59	41	36	35	20	6	6	0	0	4	0	538
(1)	.44	1.35	1.70	1.67	1.45	1.52	1.45	1.01	.89	.86	.49	.15	.15	.00	.00	.10	.00	13.23
(2)	.14	.43	.54	.53	.46	.48	.46	.32	.28	.27	.16	.05	.05	.00	.00	.03	.00	4.19
1.1- 1.5	40	89	92	27	31	18	24	53	43	43	34	10	5	0	1	11	0	521
(1)	.98	2.19	2.26	.66	.76	.44	.59	1.30	1.06	1.06	.84	.25	.12	.00	.02	.27	.00	12.81
(2)	.31	.69	.72	.21	.24	.14	.19	.41	.34	.34	.27	.08	.04	.00	.01	.09	.00	4.06
1.6- 2.0	45	136	72	31	18	8	14	19	28	31	53	33	8	1	2	2	0	501
(1)	1.11	3.34	1.77	.76	.44	.20	.34	.47	.69	.76	1.30	.81	.20	.02	.05	.05	.00	12.32
(2)	.35	1.06	.56	.24	.14	.06	.11	.15	.22	.24	.41	.26	.06	.01	.02	.02	.00	3.91
2.1- 3.0	73	216	92	34	28	18	14	40	48	56	75	47	21	16	15	18	0	811
(1)	1.80	5.31	2.26	.84	.69	.44	.34	.98	1.18	1.38	1.84	1.16	.52	.39	.37	.44	.00	19.95
(2)	.57	1.68	.72	.27	.22	.14	.11	.31	.37	.44	.58	.37	.16	.12	.12	.14	.00	6.32
3.1- 4.0	41	106	60	17	14	16	15	28	49	88	74	57	25	13	19	17	0	639
(1)	1.01	2.61	1.48	.42	.34	.39	.37	.69	1.21	2.16	1.82	1.40	.61	.32	.47	.42	.00	15.72
(2)	.32	.83	.47	.13	.11	.12	.12	.22	.38	.69	.58	.44	.19	.10	.15	.13	.00	4.98
4.1- 5.0	19	68	46	5	6	8	16	24	38	80	57	59	. 17	6	22	13	0	484
(1)	.47	1.67	1.13	.12	.15	.20	.39	.59	.93	1.97	1.40	1.45	.42	.15	.54	.32	.00	11.90
(2)	.15	.53	.36	.04	.05	.06	.12	.19	.30	.62	.44	.46	.13	.05	.17	.10	.00	3.77
5.1- 6.0	5	24	20	3	0	2	11	12	18	44	28	63	2	2	8	5	0	247
(1)	.12	.59	.49	.07	.00	.05	.27	.30	.44	1.08	.69	1.55	.05	.05	.20	.12	.00	6.07
(2)	.04	.19	.16	.02	.00	.02	.09	.09	.14	.34	.22	.49	.02	.02	.06	.04	.00	1.93
6.1-8.0	0	21	9	3	4	2	8	21	25	37	8	52	4	0	2	3	0	199

BBNPP

Table 2.3-40— {SSES 197'	(60-m) 2001-2006	Autumn JFD -	continued}
	(Page 2 of 2)	i.	

				SSES F	ALL 01-0)6 MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	ITION (6	50-METER	TOWE	२)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 31	.70		
							W	IND DIRE	CTION	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.52	.22	.07	.10	.05	.20	.52	.61	.91	.20	1.28	.10	.00	.05	.07	.00	4.89
(2)	.00	.16	.07	.02	.03	.02	.06	.16	.19	.29	.06	.41	.03	.00	.02	.02	.00	1.55
8.1-10.0	0	1	9	2	0	7	6	б	19	20	3	6	0	0	0	0	0	79
(1)	.00	.02	.22	.05	.00	.17	.15	.15	.47	.49	.07	.15	.00	.00	.00	.00	.00	1.94
(2)	.00	.01	.07	.02	.00	.05	.05	.05	.15	.16	.02	.05	.00	.00	.00	.00	.00	.62
10.1-40.3	0	5	3	3	1	1	4	7	5	1	1	1	0	0	0	0	0	32
(1)	.00	.12	.07	.07	.02	.02	.10	.17	.12	.02	.02	.02	.00	.00	.00	.00	.00	.79
(2)	.00	.04	.02	.02	.01	.01	.03	.05	.04	.01	.01	.01	.00	.00	.00	.00	.00	.25
ALL SPEEDS	241	721	474	198	162	143	172	252	311	436	354	334	88	38	69	73	0	4066
(1)	5.93	17.73	11.66	4.87	3.98	3.52	4.23	6.20	7.65	10.72	8.71	8.21	2.16	.93	1.70	1.80	.00	100.00
(2)	1.88	5.62	3.70	1.54	1.26	1.11	1.34	1.96	2.42	3.40	2.76	2.60	.69	.30	.54	.57	.00	31.70

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD - continued} (Page 1 of 2)

				SSES F	ALL 01-0	06 MET [IOL ATA	NT FREC	UENCY	DISTRIBL	TION (6	O-METER	TOWE	R)				
197.0	0 FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 13	.25		
							w	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.06	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06
(2)	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01
.24	0	0	1	2	3	1	0	0	0	0	0	0	0	0	0	0	0	7
(1)	.00	.00	.06	.12	.18	.06	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.41
(2)	.00	.00	.01	.02	.02	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
.5- 1.0	5	26	60	41	35	29	24	11	14	4	2	1	1	1	3	1	0	258
(1)	.29	1.53	3.53	2.41	2.06	1.71	1.41	.65	.82	.24	.12	.06	.06	.06	.18	.06	.00	15.18
(2)	.04	.20	.47	.32	.27	.23	.19	.09	.11	.03	.02	.01	.01	.01	.02	.01	.00	2.01
1.1- 1.5	13	104	95	27	16	16	22	11	18	14	9	4	1	0	0	5	0	355
(1)	.76	6.12	5.59	1.59	.94	.94	1.29	.65	1.06	.82	.53	.24	.06	.00	.00	.29	.00	20.88
(2)	.10	.81	.74	.21	.12	.12	.17	.09	.14	.11	.07	.03	.01	.00	.00	.04	.00	2.77
1.6- 2.0	48	203	45	7	6	4	3	7	17	18	8	5	3	2	3	3	0	382
(1)	2.82	11.94	2.65	.41	.35	.24	.18	.41	1.00	1.06	.47	.29	.18	.12	.18	.18	.00	22.47
(2)	.37	1.58	.35	.05	.05	.03	.02	.05	.13	.14	.06	.04	.02	.02	.02	.02	.00	2.98
2.1- 3.0	89	253	30	10	7	1	1	3	12	31	34	1	5	4	1	3	0	485
(1)	5.24	14.88	1.76	.59	.41	.06	.06	.18	.71	1.82	2.00	.06	.29	.24	.06	.18	.00	28.53
(2)	.69	1.97	.23	.08	.05	.01	.01	.02	.09	.24	.27	.01	.04	.03	.01	.02	.00	3.78
3.1- 4.0	15	35	14	1	0	1	0	3	11	25	20	12	0	0	1	1	0	139
(1)	.88	2.06	.82	.06	.00	.06	.00	.18	.65	1.47	1.18	.71	.00	.00	.06	.06	.00	8.18
(2)	.12	.27	.11	.01	.00	.01	.00	.02	.09	.19	.16	.09	.00	.00	.01	.01	.00	1.08
4.1- 5.0	1	2	0	0	0	1	0	1	4	10	9	23	0	0	1	0	0	52
(1)	.06	.12	.00	.00	.00	.06	.00	.06	.24	.59	.53	1.35	.00	.00	.06	.00	.00	3.06
(2)	.01	.02	.00	.00	.00	.01	.00	.01	.03	.08	.07	.18	.00	.00	.01	.00	.00	.41
5.1- 6.0	1	0	Ο.	0	0	0	0	0	0	2	3	8	0	0	0	0	0	14
(1)	.06	.00	.00	.00	.00	.00	.00	.00	.00	.12	.18	.47	.00	.00	.00	.00	.00	.82
(2)	.01	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.06	.00	.00	.00	.00	.00	.11
6.1- 8.0	0	0	0	0	0	0	0	1	0	0	0	6	0	0	0	0	0	7

								(Fage	2012)									
197.0	D FT WIN	D DATA		SSES F	ALL 01-0 STAE	06 MET D BILITY CL	OATA JOI ASS F	NT FREC	UENCY	DISTRIBU	JTION (6 CI	O-METER		R) Y (PERCEN	IT) = 13	.25		
							w	IND DIRI	CTION F	ROM				•	•			
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.06	.00	.00	.00	.35	.00	.00	.00	.00	.00	.41
(2)	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.05	.00	.00	.00	.00	.00	.05
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	172	623	246	88	67	53	50	37	76	104	85	60	10	7	9	13	0	1700
(1)	10.12	36.65	14.47	5.18	3.94	3.12	2.94	2.18	4.47	6.12	5.00	3.53	.59	.41	.53	.76	.00	100.00
(2)	1.34	4.86	1.92	.69	.52	.41	.39	.29	.59	.81	.66	.47	.08	.05	.07	.10	.00	13.25

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

•

Table 2.3-40--- {SSES 197' (60-m) 2001-2006 Autumn JFD - continued}

									,									
197.0	0 FT WIN	ID DATA		SSES F	ALL 01-6 STAB	06 MET (BILITY CL	DATA JOI ASS G	NT FREQ	UENCY	DISTRIBL	JTION (6 C	O-METER		R) CY (PERCE	NT) = 9.	.48		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
IT 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	00	ň	00	ň	ň	00	ň	ň	ň	00	ň	00	ň	ň	00	00	00	00
(7)	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	.00	00	.00	.00	00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	1	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	4
(1)	.00	.08	.08	.00	.16	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.33
(2)	00	.01	01	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03
(2)	.00	.01	.01	.00	.02	.00	.00	.00	.00	.00		.00	.00	.00		.00		.05
.5- 1.0	3	15	35	25	26	15	16	7	7	5	0	0	0	0	0	0	0	154
(1)	.25	1.23	2.88	2.06	2.14	1.23	1.32	.58	.58	.41	.00	.00	.00	.00	.00	.00	.00	12.66
(2)	.02	.12	.27	.19	.20	.12	.12	.05	.05	.04	.00	.00	.00	.00	.00	.00	.00	1.20
. ,																		
1.1- 1.5	15	92	87	36	29	16	19	15	18	10	3	2	0	3	1	0	0	346
(1)	1.23	7.57	7.15	2.96	2.38	1.32	1.56	1.23	1.48	.82	.25	.16	.00	.25	.08	.00	.00	28.45
(2)	.12	.72	.68	.28	.23	.12	.15	.12	.14	.08	.02	.02	.00	.02	.01	.00	.00	2.70
.,																		
1.6- 2.0	33	171	74	15	3	4	5	6	13	7	5	4	1	0	2	0	0	343
(1)	2.71	14.06	6.09	1.23	.25	.33	.41	.49	1.07	.58	.41	.33	.08	.00	.16	.00	.00	28.21
(2)	.26	1.33	.58	.12	.02	.03	.04	.05	.10	.05	.04	.03	.01	.00	.02	.00	.00	2.67
(-/												-						
2.1- 3.0	64	109	27	6	1	4	4	5	24	27	23	1	1	1	6	1	0	304
(1)	5.26	8.96	2.22	.49	.08	.33	.33	.41	1.97	2.22	1.89	.08	.08	.08	.49	.08	.00	25.00
(2)	.50	.85	.21	.05	.01	.03	.03	.04	.19	.21	.18	.01	.01	.01	.05	.01	.00	2.37
3.1- 4.0	8	14	2	0	0	1	0	0	2	8	11	4	0	0	1	0	0	51
(1)	.66	1.15	.16	.00	.00	.08	.00	.00	.16	.66	.90	.33	.00	.00	.08	.00	.00	4.19
(2)	.06	.11	.02	.00	.00	.01	.00	.00	.02	.06	.09	.03	.00	.00	.01	.00	.00	.40
4.1- 5.0	0	0	0	0	1	0	0	0	0	2	4	5	0	0	0	0	0	12
(1)	.00	.00	.00	.00	.08	.00	.00	.00	.00	.16	.33	.41	.00	.00	.00	.00	.00	.99
(2)	.00	.00	.00	.00	.01	.00	.00	.00	.00	.02	.03	.04	.00	.00	.00	.00	.00	.09
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16	.00	.00	.00	.00	.00	.16
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
6.1-8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD - continued} (Page 1 of 2)

BBNPP

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD - continued} (Page 2 of 2)

	SSES FALL 01-06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) STABILITY CLASS G CLASS FREQUENCY (PERCENT) = 9.48 UND DIRECTION FROM ED m/s N NNE NE ENE E SE SE S SSW SSW W WNW NW NNW VRBL TOTAL (1) .00																	
197.0	D FT WIN	D DATA			STAB	BILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	48		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	123	402	226	82	62	40	44	33	64	59	46	18	2	4	10	1	0	1216
(1)	10.12	33.06	18.59	6.74	5.10	3.29	3.62	2.71	5.26	4.85	3.78	1.48	.16	.33	.82	.08	.00	100.00
(2)	.96	3.13	1.76	.64	.48	.31	.34	.26	.50	.46	.36	.14	.02	.03	.08	.01	.00	9.48

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD - continued} (Page 1 of 2)

197.0) FT WIN	D DATA		SSES F	ALL 01-0 STABI	06 MET D LITY CLA	ATA JOI SS ALL	NT FREQ	UENCY	DISTRIBU	JTION (6 CL	0-METER ASS FREC	TOWEI	R) / (PERCEN	T) = 100	0.00		
							w	IND DIRE	ECTION P	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	2	5	6	6	3	1	1	2	1	2	0	0	0	1	0	0	30
(1)	.00	.02	.04	.05	.05	.02	.01	.01	.02	.01	.02	.00	.00	.00	.01	.00	.00	.23
(2)	.00	.02	.04	.05	.05	.02	.01	.01	.02	.01	.02	.00	.00	.00	.01	.00	.00	.23
.5- 1.0	32	110	219	183	153	142	122	86	88	70	29	12	9	4	5	8	0	1272
(1)	.25	.86	1.71	1.43	1.19	1.11	.95	.67	.69	.55	.23	.09	.07	.03	.04	.06	.00	9.92
(2)	.25	.86	1.71	1.43	1.19	1.11	.95	.67	.69	.55	.23	.09	.07	.03	.04	.06	.00	9.92
1.1- 1.5	90	340	340	128	101	67	87	105	128	114	91	24	8	5	4	22	0	1654
(1)	.70	2.65	2.65	1.00	.79	.52	.68	.82	1.00	.89	.71	.19	.06	.04	.03	.17	.00	12.89
(2)	.70	2.65	2.65	1.00	.79	.52	.68	.82	1.00	.89	.71	.19	.06	.04	.03	.17	.00	12.89
1.6- 2.0	144	566	243	72	45	33	39	57	96	121	126	64	17	6	9	9	0	1647
(1)	1.12	4.41	1.89	.56	.35	.26	.30	.44	.75	.94	.98	.50	.13	.05	.07	.07	.00	12.84
(2)	1.12	4.41	1.89	.56	.35	.26	.30	.44	.75	.94	.98	.50	.13	.05	.07	.07	.00	12.84
2.1- 3.0	273	698	228	75	66	46	70	87	112	187	298	120	59	41	36	49	0	2445
(1)	2.13	5.44	1.78	.58	.51	.36	.55	.68	.87	1.46	2.32	.94	.46	.32	.28	.38	.00	19.06
(2)	2.13	5.44	1.78	.58	.51	.36	.55	.68	.87	1.46	2.32	.94	.46	.32	.28	.38	.00	19.06
3.1- 4.0	152	297	168	27	30	45	58	81	101	174	271	161	77	66	72	88	0	1868
(1)	1.18	2.32	1.31	.21	.23	.35	.45	.63	.79	1.36	2.11	1.26	.60	.51	.56	.69	.00	14.56
(2)	1.18	2.32	1.31	.21	.23	.35	.45	.63	.79	1.36	2.11	1.26	.60	.51	.56	.69	.00	14.56
4.1- 5.0	112	205	99	16	12	22	56	71	101	150	197	221	91	68	113	109	0	1643
(1)	.87	1.60	.77	.12	.09	.17	.44	.55	.79	1.17	1.54	1.72	.71	.53	.88	.85	.00	12.81
(2)	.87	1.60	.77	.12	.09	.17	.44	.55	.79	1.17	1.54	1.72	.71	.53	.88	.85	.00	12.81
5.1- 6.0	64	107	38	9	1	5	37	40	53	94	113	196	73	54	80	64	0	1028
(1)	.50	.83	.30	.07	.01	.04	.29	.31	.41	.73	.88	1.53	.57	.42	.62	.50	.00	8.01
(2)	.50	.83	.30	.07	.01	.04	.29	.31	.41	.73	.88	1.53	.57	.42	.62	.50	.00	8.01
6.1- 8.0	19	45	14	5	4	3	26	54	46	91	75	228	81	39	65	36	0	831

BBNPP

Table 2.3-40— {SSES 197' (60-m) 2001-2006 Autumn JFD - continued} (Page 2 of 2)

				SSES F	ALL 01-	06 MET C	IOL ATA	NT FREC	UENCY	DISTRIBL	JTION (6	50-METER	TOWE	R)				
197.0	FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	QUENCI	(PERCEN	T) = 10	0.00		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.15	.35	.11	.04	.03	.02	.20	.42	.36	.71	.58	1.78	.63	.30	.51	.28	.00	6.48
(2)	.15	.35	.11	.04	.03	.02	.20	.42	.36	.71	.58	1.78	.63	.30	.51	.28	.00	6.48
8.1-10.0	0	1	10	2	0	7	15	19	26	41	18	85	16	19	7	5	0	271
(1)	.00	.01	.08	.02	.00	.05	.12	.15	.20	.32	.14	.66	.12	.15	.05	.04	.00	2.11
(2)	.00	.01	.08	.02	.00	.05	.12	.15	.20	.32	.14	.66	.12	.15	.05	.04	.00	2.11
10.1-40.3	0	5	3	6	1	1	6	13	12	4	1	64	14	5	1	1	0	137
(1)	.00	.04	.02	.05	.01	.01	.05	.10	.09	.03	.01	.50	.11	.04	.01	.01	.00	1.07
(2)	.00	.04	.02	.05	.01	.01	.05	.10	.09	.03	.01	.50	.11	.04	.01	.01	.00	1.07
ALL SPEEDS	886	2376	1368	530	419	374	517	614	765	1047	1221	1175	445	307	393	391	0	12828
(1)	6.91	18.52	10.66	4.13	3.27	2.92	4.03	4.79	5.96	8.16	9.52	9.16	3.47	2.39	3.06	3.05	.00	100.00
(2)	6.91	18.52	10.66	4.13	3.27	2.92	4.03	4.79	5.96	8.16	9.52	9.16	3.47	2.39	3.06	3.05	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-41—	{SSES 33	' (10-m)	2001-2006	January JFD}

(Page 1 of 2)

33.0	FT WIN	D DATA		SSES .	JANUAR STAB	Y MET D. BILITY CL	ATA JOII ASS A	NT FREQ	UENCY D	ISTRIBU	TION (60 C)-METER LASS FRI	TOWER EQUENC) CY (PERCE	NT) = 1.	.84		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	0	0	1	1	1	2	0	1	1	0	0	0	0	0	0	7
(1)	.00	.00	.00	.00	1.22	1.22	1.22	2.44	.00	1.22	1.22	.00	.00	.00	.00	.00	.00	8.54
(2)	.00	.00	.00	.00	.02	.02	.02	.04	.00	.02	.02	.00	.00	.00	.00	.00	.00	.16
1.6- 2.0	0	0	0	0	1	0	0	1	4	4	0	0	0	0	0	0	0	10
(1)	.00	.00	.00	.00	1.22	.00	.00	1.22	4.88	4.88	.00	.00	.00	.00	.00	.00	.00	12.20
(2)	.00	.00	.00	.00	.02	.00	.00	.02	.09	.09	.00	.00	.00	.00	.00	.00	.00	.22
2.1- 3.0	0	0	0	0	0	0	1	0	5	7	8	2	1	1	0	0	0	25
(1)	.00	.00	.00	.00	.00	.00	1.22	.00	6.10	8.54	9.76	2.44	1.22	1.22	.00	.00	.00	30.49
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.11	.16	.18	.04	.02	.02	.00	.00	.00	.56
3.1- 4.0	0	0	0	0	0	0	0	0	0	6	11	1	1	0	0	0	0	19
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	7.32	13.41	1.22	1.22	.00	.00	.00	.00	23.17
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.13	.25	.02	.02	.00	.00	.00	.00	.43
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	4	2	1	0	0	0	0	7
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.88	2.44	1.22	.00	.00	.00	.00	8.54
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.04	.02	.00	.00	.00	.00	.16
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	5	7	0	0	0	0	0	12
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	6.10	8.54	.00	.00	.00	.00	.00	14.63
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	.16	.00	.00	.00	.00	.00	.27
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2

BBNPP

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD} (Page 2 of 2)

				SSES.	JANUAR	Y MET D	ATA JOII	NT FREQ	UENCY D	ISTRIBU	TION (60	D-METER	TOWER)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS A				c	LASS FRE		Y (PERCE	NT) = 1.	.84		
				•			w	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.44	.00	.00	.00	.00	.00	2.44
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.00	.00	.00	.00	.00	.04
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	0	0	0	2	1	2	3	9	18	29	14	3	1	0	0	0	82
(1)	.00	.00	.00	.00	2.44	1.22	2.44	3.66	10.98	21.95	35.37	17.07	3.66	1.22	.00	.00	.00	100.00
(2)	.00	.00	.00	.00	.04	.02	.04	.07	.20	.40	.65	.31	.07	.02	.00	.00	.00	1.84

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

								(Page	1 of 2)									
				SSES	JANUAR	Y MET D	ATA JOI	NT FREQ		DISTRIBU	TION (6	0-METER	TOWER)				
33.0	D FT WIN	D DATA			STAE	BILITY CL	ASS B				C	LASS FR	EQUENC	Y (PERCE	NT) = 1.	.66		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.35	.00	.00	1.35
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.02
1.1- 1.5	0	0	0	0	1	0	0	2	0	1	0	1	0	0	0	0	0	5
(1)	.00	.00	.00	.00	1.35	.00	.00	2.70	.00	1.35	.00	1.35	.00	.00	.00	.00	.00	6.76
(2)	.00	.00	.00	.00	.02	.00	.00	.04	.00	.02	.00	.02	.00	.00	.00	.00	.00	.11
1.6- 2.0	0	1	1	0	0	1	0	2	1	2	2	0	0	1	0	0	0	11
(1)	.00	1.35	1.35	.00	.00	1.35	.00	2.70	1.35	2.70	2.70	.00	.00	1.35	.00	.00	.00	14.86
(2)	.00	.02	.02	.00	.00	.02	.00	.04	.02	.04	.04	.00	.00	.02	.00	.00	.00	.25
2.1- 3.0	0	0	0	0	0	0	0	0	1	1	2	1	2	0	1	0	0	8
(1)	.00	.00	.00	.00	.00	.00	.00	.00	1.35	1.35	2.70	1.35	2.70	.00	1.35	.00	.00	10.81
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.04	.02	.04	.00	.02	.00	.00	.18
3.1- 4.0	1	4	2	0	0	0	0	0	0	2	4	1	0	3	0	1	0	18
(1)	1.35	5.41	2.70	.00	.00	.00	.00	.00	.00	2.70	5.41	1.35	.00	4.05	.00	1.35	.00	24.32
(2)	.02	.09	.04	.00	.00	.00	.00	.00	.00	.04	.09	.02	.00	.07	.00	.02	.00	.40
4.1- 5.0	1	3	0	0	0	0	0	0	0	0	7	6	1	2	0	0	0	20
(1)	1.35	4.05	.00	.00	.00	.00	.00	.00	.00	.00	9.46	8.11	1.35	2.70	.00	.00	.00	27.03
(2)	.02	.07	.00	.00	.00	.00	.00	.00	.00	.00	.16	.13	.02	.04	.00	.00	.00	.45
5.1- 6.0	0	1	0	0	0	0	0	0	0	0	4	3	1	0	1	0	0	10
(1)	.00	1.35	.00	.00	.00	.00	.00	.00	.00	.00	5.41	4.05	1.35	.00	1.35	.00	.00	13.51
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.09	.07	.02	.00	.02	.00	.00	.22
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued}

-

Meteorology

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued} (Page 2 of 2)

				SSES J	IANUAR	Y MET D	IIOL ATA	NT FREQ	UENCY D	ISTRIBU	TION (60)-METER	TOWER)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS B				c	LASS FRE	QUENC	Y (PERCE	NT) = 1.	66		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.35	.00	.00	.00	.00	.00	1.35
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	2	9	3	0	1	1	0	4	2	6	19	13	4	6	3	1	0	74
(1)	2.70	12.16	4.05	.00	1.35	1.35	.00	5.41	2.70	8.11	25.68	17.57	5.41	8.11	4.05	1.35	.00	100.00
(2)	.04	.20	.07	.00	.02	.02	.00	.09	.04	.13	.43	.29	.09	.13	.07	.02	.00	1.66

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

33.0) FT WINI	D DATA		SSES .	JANUAR STAE	Y MET DA	ATA JOII ASS C	NT FREQ	UENCY D	DISTRIBU	TION (60	-METER) Y (PERCE	NT) = 2.	.49		
					•••••		w		ECTION F	ROM	-				,			
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	ΤΟΤΑ
IT 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	ñõ	ň	ñ	00	ň	ñ	ñ	00	ñ	00	ñ	00	ñ	ñ	ñ	00	00	ñ
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(-/																		
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5-10	0	0	٥	0	1	2	2	0	1	0	0	0	٥	0	0	0	0	6
(1)	00		ŏ	00	۹۸	1 80	1.80	ň	90	00	ñ	00	ň	ň	ň	00	ñ	541
(7)	.00	.00	.00	.00	.50	04	04	.00	02	.00	.00	.00	.00	00	.00	00	.00	13
(2)	.00	.00	.00	.00	.01	.01		.00	.02	.00		.00	.00	.00	.00	.00	.00	
1.1- 1.5	0	0	0	0	0	2	0	0	3	2	1	0	0	0	0	0	0	8
(1)	.00	.00	.00	.00	.00	1.80	.00	.00	2.70	1.80	.90	.00	.00	.00	.00	.00	.00	7.21
(2)	.00	.00	.00	.00	.00	.04	.00	.00	.07	.04	.02	.00	.00	.00	.00	.00	.00	.18
1.6- 2.0	0	0	0	0	1	0	0	2	2	1	2	0	0	1	0	1	0	10
(1)	.00	.00	.00	.00	.90	.00	.00	1.80	1.80	.90	1.80	.00	.00	.90	.00	.90	.00	9.01
(2)	.00	.00	.00	.00	.02	.00	.00	.04	.04	.02	.04	.00	.00	.02	.00	.02	.00	.22
			_	-	_			_	_			_				_		
2.1- 3.0	1	1	2	0	0	0	0	1	1	0	6	2	1	1	1	0	0	1/
(1)	.90	.90	1.80	.00	.00	.00	.00	.90	.90	.00	5.41	1.80	.90	.90	.90	.00	.00	15.32
(2)	.02	.02	.04	.00	.00	.00	.00	.02	.02	.00	.13	.04	.02	.02	.02	.00	.00	.38
3.1- 4.0	4	3	0	0	0	0	0	0	0	1	5	4	0	2	1	1	0	21
(1)	3.60	2.70	.00	.00	.00	.00	.00	.00	.00	.90	4.50	3.60	.00	1.80	.90	.90	.00	18.92
(2)	.09	.07	.00	.00	.00	.00	.00	.00	.00	.02	.11	.09	.00	.04	.02	.02	.00	.47
41-50	٦	1	0	0	0	0	0	0	0	0	16	5	0	2	3	3	0	33
(1)	2 70	.90	.00	.00	.00	.00	.00	.00	.00	.00	14.41	4.50	.00	1.80	2.70	2.70	.00	29.73
(2)	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.36	.11	.00	.04	.07	.07	.00	.74
							_	_				-			_	_	_	
5.1-6.0	0	0	0	• 0	0	0	0	0	0	0	3	5	4	0	0	2	0	14
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.70	4.50	3.60	.00	.00	1.80	.00	12.61
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.11	.09	.00	.00	.04	.00	.31
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued} (Page 1 of 2)

BBNPP

:

2-278 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued}
(Page 2 of 2)

				SSES	JANUAR	Y MET D	ATA JOII	NT FREQ	UENCY E	DISTRIBU	TION (60	D-METER	TOWER	()				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS C				c	LASS FRE		Y (PERCE	NT) = 2.	49		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.90	.90	.00	.00	.00	.00	1.80
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.04
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	8	5	2	0	2	4	2	3	7	4	33	17	6	6	5	7	0	111
(1)	7.21	4.50	1.80	.00	1.80	3.60	1.80	2.70	6.31	3.60	29.73	15.32	5.41	5.41	4.50	6.31	.00	100.00
(2)	.18	.11	.04	.00	.04	.09	.04	.07	.16	.09	.74	.38	.13	.13	.11	.16	.00	2.49

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD FSAR: Section 2.3

I

								(Page	e 1 of 2)									
				SSES	JANUAR	Y MET D	ATA JOI	NT FREQ		DISTRIBU	TION (6	0-METER	TOWER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS D				С	LASS FRE	QUENC	Y (PERCE	NT) = 50	.31		
							w	IND DIR	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W .	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	2	5	0	0	1	2	1	1	0	0	1	1	0	0	15
(1)	.00	.00	.04	.09	.22	.00	.00	.04	.09	.04	.04	.00	.00	.04	.04	.00	.00	.67
(2)	.00	.00	.02	.04	.11	.00	.00	.02	.04	.02	.02	.00	.00	.02	.02	.00	.00	.34
.5- 1.0	3	7	16	26	34	19	18	7	17	11	4	7	0	1	2	4	0	176
(1)	.13	.31	.71	1.16	1.51	.85	.80	.31	.76	.49	.18	.31	.00	.04	.09	.18	.00	7.84
(2)	.07	.16	.36	.58	.76	.43	.40	.16	.38	.25	.09	.16	.00	.02	.04	.09	.00	3.94
1.1- 1.5	10	31	29	21	9	19	33	25	28	23	19	3	5	5	5	1	0	266
(1)	.45	1.38	1.29	.93	.40	.85	1.47	1.11	1.25	1.02	.85	.13	.22	.22	.22	.04	.00	11.84
(2)	.22	.69	.65	.47	.20	.43	.74	.56	.63	.52	.43	.07	.11	.11	.11	.02	.00	5.96
1.6 - 2.0	19	22	28	7	3	4	21	14	14	29	21	13	9	11	8	7	0	230
(1)	.85	.98	1.25	.31	.13	.18	.93	.62	.62	1.29	.93	.58	.40	.49	.36	.31	.00	10.24
(2)	.43	.49	.63	.16	.07	.09	.47	.31	.31	.65	.47	.29	.20	.25	.18	.16	.00	5.15
2.1- 3.0	71	51	48	4	4	6	13	12	30	57	50	22	26	27	38	43	0	502
(1)	3.16	2.27	2.14	.18	.18	.27	.58	.53	1.34	2.54	2.23	.98	1.16	1.20	1.69	1.91	.00	22.35
(2)	1.59	1.14	1.08	.09	.09	.13	.29	.27	.67	1.28	1.12	.49	.58	.60	.85	.96	.00	11.25
3.1- 4.0	74	19	25	4	1	2	2	6	9	21	102	39	24	25	43	77	0	473
· (1)	3.29	.85	1.11	.18	.04	.09	.09	.27	.40	.93	4.54	1.74	1.07	1.11	1.91	3.43	.00	21.06
(2)	1.66	.43	.56	.09	.02	.04	.04	.13	.20	.47	2.28	.87	.54	.56	.96	1.72	.00	10.60
4.1- 5.0	27	7	1	0	0	0	1	1	0	2	70	57	32	19	34	66	0	317
(1)	1.20	.31	.04	.00	.00	.00	.04	.04	.00	.09	3.12	2.54	1.42	.85	1.51	2.94	.00	14.11
(2)	.60	.16	.02	.00	.00	.00	.02	.02	.00	04	1.57	1.28	.72	.43	.76	1.48	.00	7.10
5.1- 6.0	7	0	0	0	0	0	1	0	0	1	29	36	13	14	42	28	0	171
(1)	.31	.00	.00	.00	.00	.00	.04	.00	.00	.04	1.29	1.60	.58	.62	1.87	1.25	.00	7.61
(2)	.16	.00	.00	.00	.00	.00	.02	.00	.00	.02	.65	.81	.29	.31	.94	.63	.00	3.83
6.1- 8.0	2	0	0	0	0	2	1	0	0	0	4	31	10	4	15	24	0	93

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued}

Rev. 2a

33.0	FT WINI	D DATA		SSES.	IANUAR STAB	Y MET D	ATA JOII ASS D	NT FREQ	JENCY D	ISTRIBU	TION (60 Cl	-METER	TOWER) Y (PERCE I	NT) = 50	.31		
							W	IND DIRE	CTION F	ROM			•••••		,			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.09	.00	.00	.00	.00	.09	.04	.00	.00	.00	.18	1.38	.45	.18	.67	1.07	.00	4.14
(2)	.04	.00	.00	.00	.00	.04	.02	.00	.00	.00	.09	.69	.22	.09	.34	.54	.00	2.08
8.1-10.0	0	0	0	0	0	0	1	. 0	0	0	0	1	0	0	0	1	0	3
(1)	.00	.00	.00	.00	.00	.00	.04	.00	.00	.00	.00	.04	.00	.00	.00	.04	.00	.13
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.02	.00	.07
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	213	137	148	64	56	52	91	66	100	145	300	209	119	107	188	251	0	2246
(1)	9.48	6.10	6.59	2.85	2.49	2.32	4.05	2.94	4.45	6.46	13.36	9.31	5.30	4.76	8.37	11.18	.00	100.00
(2)	4.77	3.07	3.32	1.43	1.25	1.16	2.04	1.48	2.24	3.25	6.72	4.68	2.67	2.40	4.21	5.62	.00	50.31

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOPERIOD

BBNPP

ł

FSAR: Section 2.3

Rev. 2a

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued} (Page 1 of 2)

				SSES	JANUAR	Y MET D	ATA JOII	NT FREQ	UENCY D	DISTRIBU	TION (6	D-METER	TOWER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCEI	VT) = 28	.49		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	1	3	2	1	0	0	1	1	0	0	0	0	0	0	10
(1)	.00	.00	.08	.08	.24	.16	.08	.00	.00	.08	.08	.00	.00	.00	.00	.00	.00	.79
(2)	.00	.00	.02	.02	.07	.04	.02	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.22
.5- 1.0	7	26	50	71	48	49	54	34	39	21	3	3	2	3	4	1	0	415
(1)	.55	2.04	3.93	5.58	3.77	3.85	4.25	2.67	3.07	1.65	.24	.24	.16	.24	.31	.08	.00	32.63
(2)	.16	.58	1.12	1.59	1.08	1.10	1.21	.76	.87	.47	.07	.07	.04	.07	.09	.02	.00	9.30
1.1- 1.5	9	28	40	14	8	14	22	27	55	29	9	8	10	6	3	2	0	284
(1)	.71	2.20	3.14	1.10	.63	1.10	1.73	2.12	4.32	2.28	.71	.63	.79	.47	.24	.16	.00	22.33
(2)	.20	.63	.90	.31	.18	.31	.49	.60	1.23	.65	.20	.18	.22	.13	.07	.04	.00	6.36
1.6- 2.0	23	41	27	6	5	4	1	4	19	38	23	10	5	1	7	7	0	221
(1)	1.81	3.22	2.12	.47	.39	.31	.08	.31	1.49	2.99	1.81	.79	.39	.08	.55	.55	.00	17.37
(2)	.52	.92	.60	.13	.11	.09	.02	.09	.43	.85	.52	.22	.11	.02	.16	.16	.00	4.95
2.1- 3.0	27	30	22	0	4	6	0	4	13	37	49	7	7	3	4	12	0	225
(1)	2.12	2.36	1.73	.00	.31	.47	.00	.31	1.02	2.91	3.85	.55	.55	.24	.31	.94	.00	17.69
(2)	.60	.67	.49	.00	.09	.13	.00	.09	.29	.83	1.10	.16	.16	.07	.09	.27	.00	5.04
3.1- 4.0	8	5	10	0	0	1	0	0	3	6	23	6	1	2	2	5	0	72
(1)	.63	.39	.79	.00	.00	.08	.00	.00	.24	.47	1.81	.47	.08	.16	.16	.39	.00	5.66
(2)	.18	.11	.22	.00	.00	.02	.00	.00	.07	.13	.52	.13	.02	.04	.04	.11	.00	1.61
4.1- 5.0	3	0	2	0	0	0	0	1	1	4	7	4	1	0	1	2	0	26
(1)	.24	.00	.16	.00	.00	.00	.00	.08	.08	.31	.55	.31	.08	.00	.08	.16	.00	2.04
(2)	.07	.00	.04	.00	.00	.00	.00	<i>.</i> 02	.02	.09	.16	.09	.02	.00	.02	.04	.00	.58
5.1- 6.0	3	0	0	0	0	0	0	1	5	2	0	2	1	0	1	0	0	15
(1)	.24	.00	.00	.00	.00	.00	.00	.08	.39	.16	.00	.16	.08	.00	.08	.00	.00	1.18
(2)	.07	.00	.00	.00	.00	.00	.00	.02	.11	.04	.00	.04	.02	.00	.02	.00	.00	.34
61-8.0	0	0	0	0	0	0	1	1	1	0	0	1	0	0	0	0	0	4

BBNPP

Rev. 2a

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued}
	(Page 2 of 2)

				SSES.	JANUAR	Y MET D	ATA JOII	NT FREQ	UENCY D	ISTRIBU	TION (6	D-METER	TOWER)				
33.0		CLASS FREQUENCY (PERCENT) = 28.49																
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.08	.08	.08	.00	.00	.08	.00	.00	.00	.00	.00	.31
(2)	.00	.00	.00	.00	.00	.00	.02	.02	.02	.00	.00	.02	.00	.00	.00	.00	.00	.09
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	80	130	152	92	68	76	79	72	136	138	115	41	27	15	22	29	0	1272
(1)	6.29	10.22	11.95	7.23	5.35	5.97	6.21	5.66	10.69	10.85	9.04	3.22	2.12	1.18	1.73	2.28	.00	100.00
(2)	1.79	2.91	3.41	2.06	1.52	1.70	1.77	1.61	3.05	3.09	2.58	.92	.60	.34	.49	.65	.00	28.49

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued} (Page 1 of 2)

SSES JANUARY MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33.0 FT WIND DATA STABILITY CLASS F CLASS FREQUENCY (PERCENT) = 8.49 WIND DIRECTION FROM																		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTA
LT .2	0	0	0	0	Ö	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	1	3	0	0	0	1	0	0	0	0	0	0	0	0	5
(1)	.00	.00	.00	.26	.79	.00	.00	.00	.26	.00	.00	.00	.00	.00	.00	.00	.00	1.32
(2)	.00	.00	.00	.02	.07	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.11
.5- 1.0	2	4	33	85	55	29	18	16	19	3	1	1	0	1	0	0	0	267
(1)	.53	1.06	8.71	22.43	14.51	7.65	4.75	4.22	5.01	.79	.26	.26	.00	.26	.00	.00	.00	70.45
(2)	.04	.09	.74	1.90	1.23	.65	.40	.36	.43	.07	.02	.02	.00	.02	.00	.00	.00	5.98
1.1- 1.5	2	6	18	26	6	1	2	5	15	б	3	0	0	0	0	1	0	91
(1)	.53	1.58	4.75	6.86	1.58	.26	.53	1.32	3.96	1.58	.79	.00	.00	.00	.00	.26	.00	24.01
(2)	.04	.13	.40	.58	.13	.02	.04	.11	.34	.13	.07	.00	.00	.00	.00	.02	.00	2.04
1.6- 2.0	0	0	1	0	0	.0	0	3	2	3	2	0	0	0	0	0	0	11
(1)	.00	.00	.26	.00	.00	.00	.00	.79	.53	.79	.53	.00	.00	.00	.00	.00	.00	2.90
(2)	.00	.00	.02	.00	.00	.00	.00	.07	.04	.07	.04	.00	.00	.00	.00	.00	.00	.25
2.1- 3.0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	1	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.26	.26	.26	.00	.26	.00	.00	.26	.00	1.32
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.02	.00	.02	.00	.00	.02	.00	.11
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	, 0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Meteorology

Table 2.3-41 {SSES 33' (10-m) 2001-2006 January JFD -	continued}
(Page 2 of 2)	

				SSES .	JANUAR	Y MET D	ATA JOIN	NT FREQ	UENCY D	ISTRIBU	TION (6	0-METER '	TOWER	.)							
33.0 FT WIND DATA STABILITY CLASS F										CLASS FREQUENCY (PERCENT) = 8.49											
							W	ND DIR	ECTION F	ROM											
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL			
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00			
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00			
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00			
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00			
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00			
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00			
ALL SPEEDS	4	10	52	112	64	30	20	24	38	13	7	1	1	1	0	2	0	379			
(1)	1.06	2.64	13.72	29.55	16.89	7.92	5.28	6.33	10.03	3.43	1.85	.26	.26	.26	.00	.53	.00	100.00			
(2)	.09	.22	1.16	2.51	1.43	.67	.45	.54	.85	.29	.16	.02	.02	.02	.00	.04	.00	8.49			

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

.

								(Page	1 of 2)									
				SSES	JANUAR	Y MET D	ATA JOII	NT FREQ		ISTRIBU	TION (6	O-METER	TOWER	:)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE		Y (PERCE	NT) = 6.	.72		
							w	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	· .00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.33	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.33
(2)	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	1	2	31	82	30	11	6	8	2	0	0	1	0	0	0	0	0	174
(1)	.33	.67	10.33	27.33	10.00	3.67	2.00	2.67	.67	.00	.00	.33	.00	.00	.00	.00	.00	58.00
(2)	.02	.04	.69	1.84	.67	.25	.13	.18	.04	.00	.00	.02	.00	.00	.00	.00	.00	3.90
1.1- 1.5	0	2	14	74	6	3	4	3	6	2	0	0	0	0	0	0	0	114
(1)	.00	.67	4.67	24.67	2.00	1.00	1.33	1.00	2.00	.67	.00	.00	.00	.00	.00	.00	.00	38.00
(2)	.00	.04	.31	1.66	.13	.07	.09	.07	.13	.04	.00	.00	.00	.00	.00	.00	.00	2.55
1.6- 2.0	0	0	2	3	0	0	0	0	0	4	0	0	0	0	0	0	0	9
(1)	.00	.00	.67	1.00	.00	.00	.00	.00	.00	1.33	.00	.00	.00	.00	.00	.00	.00	3.00
(2)	.00	.00	.04	.07	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.00	.20
2.1- 3.0	0	0	1	0	0	0	0	0	0	1	0	0 .	0	0	0	0	0	2
(1)	.00	.00	.33	.00	.00	.00	.00	.00	.00	.33	.00	.00	.00	.00	.00	.00	.00	.67
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.04
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued}

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued} (Page 2 of 2)

				SSES .	JANUAR	/ MET D	ATA JOIN	NT FREQ	JENCY D	DISTRIBU	FION (6	D-METER '	TOWER)									
33.0 FT WIND DATA STABILITY CLASS G											CLASS FREQUENCY (PERCENT) = 6.72												
							W	IND DIRE	CTION F	ROM													
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL					
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00					
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00					
8.1-10.0	0	0.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00					
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00					
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00					
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00					
ALL SPEEDS	1	4	48	159	37	14	10	11	8	7	0	1	0	0	0	0	0	300					
(1)	.33	1.33	16.00	53.00	12.33	4.67	3.33	3.67	2.67	2.33	.00	.33	.00	.00	.00	.00	.00	100.00					
. (2)	.02	.09	1.08	3.56	.83	.31	.22	.25	.18	.16	.00	.02	.00	.00	.00	.00	.00	6.72					

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP
			Т	able 2.	3-41	{SSES	33' (10-	- m) 200 (Page	1-2006 1 of 2)	5 Janua	ry JFD	- contin	ued}					
33.0) FT WIN	D DATA		SSES	JANUAR STABI	Y MET D	ATA JOI	NT FREQ	UENCY [DISTRIBU	TION (6 CL	0-METER ASS FREC		R) Y (PERCEN	IT) == 10	0.00		
							w	IND DIR	ECTION I	FROM	-		•	•				
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRRI	τοται
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00	ň	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	2	4	12	2	1	1	3	2	2	0	0	1	1	0	0	31
(1)	.00	.00	.04	.09	.27	.04	.02	.02	.07	.04	.04	.00	.00	.02	.02	.00	.00	.69
(2)	.00	.00	.04	.09	.27	.04	.02	.02	.07	.04	.04	.00	.00	.02	.02	.00	.00	.69
.5- 1.0	13	39	130	264	168	110	98	65	78	35	8	12	2	5	7	5	0	1039
(1)	.29	.87	2.91	5.91	3.76	2.46	2.20	1.46	1.75	.78	.18	.27	.04	.11	.16	.11	.00	23.28
(2)	.29	.87	2.91	5.91	3.76	2.46	2.20	1.46	1.75	.78	.18	.27	.04	.11	.16	.11	.00	23.28
1.1- 1.5	21	67	101	135	31	40	62	64	107	64	33	12	15	11	8	4	0	775
(1)	.47	1.50	2.26	3.02	.69	.90	1.39	1.43	2.40	1.43	.74	.27	.34	.25	.18	.09	.00	17.36
(2)	.47	1.50	2.26	3.02	.69	.90	1.39	1.43	2.40	1.43	.74	.27	.34	.25	.18	.09	.00	17.36
1.6- 2.0	42	64	59	16	10	9	22	26	42	81	50	23	14	14	15	15	0	502
(1)	.94	1.43	1.32	.36	.22	.20	.49	.58	.94	1.81	1.12	.52	.31	.31	.34	.34	.00	11.25
(2)	.94	1.43	1.32	.36	.22	.20	.49	.58	.94	1.81	1.12	.52	.31	.31	.34	.34	.00	11.25
2.1- 3.0	99	82	73	4	8	12	14	17	51	104	116	34	38	32	44	56	0	784
(1)	2.22	1.84	1.64	.09	.18	.27	.31	.38	1.14	2.33	2.60	.76	.85	.72	.99	1.25	.00	17.56
(2)	2.22	1.84	1.64	.09	.18	.27	.31	.38	1.14	2.33	2.60	.76	.85	.72	.99	1.25	.00	17.56
3.1- 4.0	87	31	37	4	1	3	2	6	12	36	145	51	26	32	46	84	0	603
(1)	1.95	.69	.83	.09	.02	.07	.04	.13	.27	.81	3.25	1.14	.58	.72	1.03	1.88	.00	13.51
(2)	1.95	.69	.83	.09	.02	.07	.04	.13	.27	.81	3.25	1.14	.58	.72	1.03	1.88	.00	13.51
4.1- 5.0	34	11	3	0	0	0	1	2	1	6	104	74	35	23	38	71	0	403
(1)	.76	.25	.07	.00	.00	.00	.02	.04	.02	.13	2.33	1.66	.78	.52	.85	1.59	.00	9.03
(2)	.76	.25	.07	.00	.00	.00	.02	.04	.02	.13	2.33	1.66	.78	.52	.85	1.59	.00	9.03
5.1- 6.0	10	1	0	0	0	0	1	1	5	3	41	53	19	14	44	30	0	222
(1)	.22	.02	.00	.00	.00	.00	.02	.02	.11	.07	.92	1.19	.43	.31	.99	.67	.00	4.97
(2)	.22	.02	.00	.00	.00	.00	.02	.02	.11	.07	.92	1.19	.43	.31	.99	.67	.00	4.97
6.1- 8.0	2	0	0	0	0	2	2	1	1	0	4	36	11	4	15	24	0	102

FSAR: Section 2.3

Meteorology

BBNPP

2-288 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Table 2.3-41— {SSES 33' (10-m) 2001-2006 January JFD - continued} (Page 2 of 2)

				SSES	JANUAR	Y MET D	ATA JOII	NT FREQ	UENCY D	ISTRIBU	ITION (60)-METER	TOWER)				
33.0	FT WINI	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	IT) = 100	0.00		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.04	.00	.00	.00	.00	.04	.04	.02	.02	.00	.09	.81	.25	.09	.34	.54	.00	2.28
(2)	.04	.00	.00	.00	.00	.04	.04	.02	.02	.00	.09	.81	.25	.09	.34	.54	.00	2.28
8.1-10.0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	1	0	3
(1)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.02	.00	.07
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.02	.00	.07
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	308	295	405	427	230	178	204	183	300	331	503	296	160	136	218	290	0	4464
(1)	6.90	6.61	9.07	9.57	5.15	3.99	4.57	4.10	6.72	7.41	11.27	6.63	3.58	3.05	4.88	6.50	.00	100.00
(2)	6.90	6.61	9.07	9.57	5.15	3.99	4.57	4.10	6.72	7.41	11.27	6.63	3.58	3.05	4.88	6.50	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE [↑] (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOPERIOD

BBNPP

Meteorology

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD} (Page 1 of 2)

				SSES F	EBRUA	RY MET C	IOL ATA	NT FREC	UENCY	DISTRIB	UTION (6	0-METER	TOWER	R)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS A				c	LASS FRE	QUENC	CY (PERCE	NT) = 3.	77		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	.0	0	1
(1)	.00	.00	.00	.00	.65	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.65
(2)	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
1.1- 1.5	0	1	0	0	0	1	0	0	3	2	1	1	0	0	0	0	0	9
(1)	.00	.65	.00	.00	.00	.65	.00	.00	1.96	1.31	.65	.65	.00	.00	.00	.00	.00	5.88
(2)	.00	.02	.00	.00	.00	.02	.00	.00	.07	.05	.02	.02	.00	.00	.00	.00	.00	.22
1.6- 2.0	0	0	1	0	1	1	0	1	2	7	6	0	0	0	0	1	0	20
(1)	.00	.00	.65	.00	.65	.65	.00	.65	1.31	4.58	3.92	.00	.00	.00	.00	.65	.00	13.07
(2)	.00	.00	.02	.00	.02	.02	.00	.02	.05	.17	.15	.00	.00	.00	.00	.02	.00	.49
2.1- 3.0	0	1	6	3	0	1	2	0	1	11	17	1	0	2	0	0	0	45
(1)	.00	.65	3.92	1.96	.00	.65	1.31	.00	.65	7.19	11.11	.65	.00	1.31	.00	.00	.00	29.41
(2)	.00	.02	.15	.07	.00	.02	.05	.00	.02	.27	.42	.02	.00	.05	.00	.00	.00	1.11
3.1- 4.0	0	1	1	0	0	0	4	1	3	5	12	2	1	0	0	0	0	30
(1)	.00	.65	.65	.00	.00	.00	2.61	.65	1.96	3.27	7.84	1.31	.65	.00	.00	.00	.00	19.61
(2)	.00	.02	.02	.00	.00	.00	.10	.02	.07	.12	.30	.05	.02	.00	.00	.00	.00	.74
4.1- 5.0	0	0	1	0	0	0	0	0	4	2	23	4	1	0	0	0	0	35
(1)	.00	.00	.65	.00	.00	.00	.00	.00	2.61	1.31	15.03	2.61	.65	.00	.00	.00	.00	22.88
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.10	.05	.57	.10	.02	.00	.00	.00	.00	.86
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	8	0	0	0	1	0	0	9
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	5.23	.00	.00	.00	.65	.00	.00	5.88
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20	.00	.00	.00	.02	.00	.00	.22
61-80	0	0	0	0	0	0	0	0	0	0	4	٥	٥	0	0	0	0	А

Rev. 2a

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD} (Page 2 of 2)

33.0	FT WIN	D DATA		SSES F	EBRUAR STAB	Y MET D	ATA JOI ASS A	NT FREQ	UENCY	DISTRIBU	ITION (6 C	0-METER LASS FRE		R) TY (PERCE	NT) = 3.	77		
							W	IND DIRE	CTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.61	.00	.00	.00	.00	.00	.00	2.61
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.10	.00	.00	.00	.00	.00	.00	.10
8.1-10.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	3	9	3	2	3	6	2	13	27	71	8	2	2	1	1	0	153
(1)	.00	1.96	5.88	1.96	1.31	1.96	3.92	1.31	8.50	17.65	46.41	5.23	1.31	1.31	.65	.65	.00	100.00
(2)	.00	.07	.22	.07	.05	.07	.15	.05	.32	.67	1.75	.20	.05	.05	.02	.02	.00	3.77

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continued} (Page 1 of 2)

~÷

				SSES I	EBRUAF	RY MET D	OL ATA	INT FREC	UENCY	DISTRIB	UTION (6	O-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS B				c	LASS FRE	EQUENC	Y (PERCE	NT) = 3.	.16		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	0	0	0	1	1	0	0	2	0	0	1	0	0	0	0	0	6
(1)	.78	.00	.00	.00	.78	.78	.00	.00	1.56	.00	.00	.78	.00	.00	.00	.00	.00	4.69
(2)	.02	.00	.00	.00	.02	.02	.00	.00	.05	.00	.00	.02	.00	.00	.00	.00	.00	.15
1.1- 1.5	0	0	0	0	1	0	0	1	1	2	0	0	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.78	.00	.00	.78	.78	1.56	.00	.00	.00	.00	.00	.00	.00	3.91
(2)	.00	.00	.00	.00	.02	.00	.00	.02	.02	.05	.00	.00	.00	.00	.00	.00	.00	.12
1.6- 2.0	0	0	2	1	1	0	1	0	1	3	2	0	0	0	0	1	0	12
(1)	.00	.00	1.56	.78	.78	.00	.78	.00	.78	2.34	1.56	.00	.00	.00	.00	.78	.00	9.38
(2)	.00	.00	.05	.02	.02	.00	.02	.00	.02	.07	.05	.00	.00	.00	.00	.02	.00	.30
2.1- 3.0	0	2	7	0	2	0	0	2	1	3	5	2	0	0	0	1	0	25
(1)	.00	1.56	5.47	.00	1.56	.00	.00	1.56	.78	2.34	3.91	1.56	.00	.00	.00	.78	.00	19.53
(2)	.00	.05	.17	.00	.05	.00	.00	.05	.02	.07	.12	.05	.00	.00	.00	.02	.00	.62
3.1- 4.0	3	4	5	0	0	0	0	0	4	1	8	4	1	0	0	0	0	30
(1)	2.34	3.13	3.91	.00	.00	.00	.00	.00	3.13	.78	6.25	3.13	.78	.00	.00	.00	.00	23.44
(2)	.07	.10	.12	.00	.00	.00	.00	.00	.10	.02	.20	.10	.02	.00	.00	.00	.00	.74
4.1- 5.0	1	1	1	0	0	0	0	0	0	3	20	2	1	0	0	1	0	30
(1)	.78	.78	.78	.00	.00	.00	.00	.00	.00	2.34	15.63	1.56	.78	.00	.00	.78	.00	23.44
(2)	.02	.02	.02	.00	.00	.00	.00	.00	.00	.07	.49	.05	.02	.00	.00	.02	.00	.74
5.1- 6.0	0	0	0	0	0	0	0	0	0	1	13	4	0	0	0	0	0	18
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.78	10.16	3.13	.00	.00	.00	.00	.00	14.06
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.32	.10	.00	.00	.00	.00	.00	.44
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continued} (Page 2 of 2)

				SSES F	EBRUAF	NY MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	JTION (6	0-METER	TOWER	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS B				с	LASS FRE		Y (PERCE	NT) = 3.	16		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.78	.78	.00	.00	.00	.00	.00	1.56
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.05
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	5	7	15	1	5	1	1	3	9	13	49	14	2	0	0	3	0	128
(1)	3.91	5.47	11.72	.78	3.91	.78	.78	2.34	7.03	10.16	38.28	10.94	1.56	.00	.00	2.34	.00	100.00
(2)	.12	.17	.37	.02	.12	.02	.02	.07	.22	.32	1.21	.35	.05	.00	.00	.07	.00	3.16

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.

BBNPP

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continued} (Page 1 of 2)

33.0	FTWIN	D DATA		SSES F	EBRUAF STAE	RY MET D BILITY CL	OATA JOI ASS C	NT FREC	QUENCY	DISTRIBU	JTION (6 C	O-METER	TOWEF	R) CY (PERCE	NT) = 4.	.14		
							W	IND DIR	ECTION F	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	2	2	1	1	1	0	0	0	0	0	0	0	0	7
(1)	.00	.00	.00	.00	1.19	1.19	.60	.60	.60	.00	.00	.00	.00	.00	.00	.00	.00	4.17
(2)	.00	.00	.00	.00	.05	.05	.02	.02	.02	.00	.00	.00	.00	.00	· .00	.00	.00	.17
1.1- 1.5	0	1	1	0	5	3	1	1	3	2	1	0	1	0	0	0	0	19
(1)	.00	.60	.60	.00	2.98	1.79	.60	.60	1.79	1.19	.60	.00	.60	.00	.00	.00	.00	11.31
(2)	.00	.02	.02	.00	.12	.07	.02	.02	.07	.05	.02	.00	.02	.00	.00	.00	.00	.47
1.6- 2.0	0	1	3	2	1	1	1	0	0	4	4	0	1	0	0	0	0	18
(1)	.00	.60	1.79	1.19	.60	.60	.60	.00	.00	2.38	2.38	.00	.60	.00	.00	.00	.00	10.71
(2)	.00	.02	.07	.05	.02	.02	.02	.00	.00	.10	.10	.00	.02	.00	.00	.00	.00	.44
2.1- 3.0	1	7	3	4	0	0	2	0	5	6	7	4	0	0	1	0	0	40
(1)	.60	4.17	1.79	2.38	.00	.00	1.19	.00	2.98	3.57	4.17	2.38	.00	.00	.60	.00	.00	23.81
(2)	.02	.17	.07	.10	.00	.00	.05	.00	.12	.15	.17	.10	.00	.00	.02	.00	.00	.99
3.1- 4.0	4	1	1	0	0	0	1	0	2	6	4	2	1	0	0	0	0	22
(1)	2.38	.60	.60	.00	.00	.00	.60	.00	1.19	3.57	2.38	1.19	.60	.00	.00	.00	.00	13.10
(2)	.10	.02	.02	.00	.00	.00	.02	.00	.05	.15	.10	.05	.02	.00	.00	.00	.00	.54
4.1- 5.0	3	0	3	0	0	0	0	0	1	3	13	6	3	3	1	2	0	38
(1)	1.79	.00	1.79	.00	.00	.00	.00	.00	.60	1.79	7.74	3.57	1.79	1.79	.60	1.19	.00	22.62
(2)	.07	.00	.07	.00	.00	.00	.00	.00	.02	.07	.32	.15	.07	.07	.02	.05	.00	.94
5.1- 6.0	0	0	0	0	0	0	0	0	1	0	9	0	3	0	1	3	0	17
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.60	.00	5.36	.00	1.79	.00	.60	1.79	.00	10.12
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.22	.00	.07	.00	.02	.07	.00	.42
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	3	1	3	0	0	0	0	7

BBNPP

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continued} (Page 2 of 2)

				SSES F	EBRUAR	Y MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	JTION (6	O-METER	TOWER	()				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS C				С	LASS FRE		Y (PERCE	NT) = 4.	14		
							w	IND DIRE	ECTION 	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.79	.60	1.79	.00	.00	.00	.00	4.17
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.02	.07	.00	.00	.00	.00	.17
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	8	10	11	6	8	6	6	2	13	21	41	13	12	3	3	5	0	168
(1)	4.76	5.95	6.55	3.57	4.76	3.57	3.57	1.19	7.74	12.50	24.40	7.74	7.14	1.79	1.79	2.98	.00	100.00
(2)	.20	.25	.27	.15	.20	.15	.15	.05	.32	.52	1.01	.32	.30	.07	.07	.12	.00	4.14

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

÷

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continued} (Page 1 of 2)

SSES FEBRUARY MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33.0 FT WIND DATA **STABILITY CLASS D** CLASS FREQUENCY (PERCENT) = 46.57 WIND DIRECTION FROM SPEED m/s Ε ESE SE SSE NNW VRBL TOTAL Ν NNE NE ENE S SSW SW WSW W WNW NW LT.2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 1 (1).00 .05 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .05 (2) .00 .02 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .02 .00 .2-.4 0 0 2 1 0 1 0 0 0 0 0 0 0 0 0 6 1 1 (1) .00 .00 .05 .05 .11 .05 .00 .05 .00 .00 .00 .00 .00 .00 .00 .00 .00 .32 (2) .00 .00 .02 .02 .05 .02 .00 .02 .00 .00 .00 .00 .00 .00 .00 .00 .00 .15 .5- 1.0 6 10 10 9 5 5 2 0 5 5 0 131 18 16 14 13 12 1 (1) .53 6.93 .32 .95 .85 .74 .53 .69 .64 .48 .26 .26 .11 .05 .00 .26 .26 .00 (2) .15 .44 .39 .35 .25 .32 .30 .25 .22 .12 .12 .05 .02 .00 .12 .12 .00 3.23 9 9 15 12 9 2 1.1-1.5 8 16 18 13 13 16 14 1 3 2 0 160 .95 .69 .69 .85 .74 .48 .79 .64 .48 8.47 (1) .42 .85 .48 .11 .05 .16 .11 .00 (2) .20 .39 .44 .32 .32 .39 .35 .22 .22 .37 .30 .22 .05 .02 .07 .05 .00 3.94 1.6-2.0 6 14 21 15 5 13 5 14 10 15 9 5 8 5 6 9 0 160 .79 .26 .74 .53 .79 (1) .32 .74 1.11 .26 .69 .48 .26 .42 .26 .32 .48 .00 8.47 (2) .15 .35 .52 .37 .12 .32 .12 .35 .25 .37 .22 .12 .20 .12 .15 .22 .00 3.94 2.1-3.0 34 31 34 10 5 7 15 24 24 31 28 19 17 17 21 35 0 352 (1) 1.80 .53 .26 .37 .79 1.27 1.27 1.64 1.48 1.01 .90 .90 1.85 .00 18.63 1.80 1.64 1.11 (2) .84 .76 .84 .25 .12 .17 .37 .59 .59 .76 .69 .47 .42 .42 .52 .86 .00 8.68 3.1-4.0 33 27 11 3 4 2 8 8 13 20 55 47 33 25 52 62 0 403 (1) 1.75 1.43 .58 .16 .21 .11 .42 .42 .69 1.06 2.91 2.49 1.75 1.32 2.75 3.28 .00 21.33 (2) .27 .07 .10 .05 .20 .20 .32 .49 1.36 1.16 .81 .62 1.28 1.53 9.94 .81 .67 .00 2 5 7 47 43 4.1-5.0 15 5 1 1 1 0 0 39 26 66 80 0 338 .05 .00 .11 .26 .37 2.49 2.28 (1) .79 .26 .05 .05 .00 2.06 1.38 3.49 4.24 .00 17.89 (2) .37 .02 .02 .02 .00 .00 .05 .12 .17 1.06 .12 1.16 .96 .64 1.63 1.97 .00 8.33 0 0 0 0 0 2 30 5.1-6.0 5 0 0 1 29 17 20 61 32 0 197 (1) .26 .00 .00 .00 .00 .05 .00 .00 .00 .11 1.59 1.54 .90 1.06 3.23 1.69 .00 10.43 (2) .12 .00 .00 .00 .00 .02 .00 .00 .00 .05 .74 .71 .42 .49 1.50 .79 .00 4.86 0 0 0 0 0 0 0 0 0 33 26 9 22 0 6.1-8.0 0 16 21 127

Rev. 2a

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continued} (Page 2 of 2)

				SSES F	EBRUAF	RY MET D	IOL ATA	NT FREQ	UENCY I	DISTRIBL	JTION (6	0-METER	TOWEF	R)				
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS D				CL	ASS FRE	QUENC	Y (PERCEI	NT) = 46	.57		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.75	1.38	.85	.48	1.11	1.16	.00	6.72
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.81	.64	.39	.22	.52	.54	.00	3.13
8.1-10.0	0	0	0	0	0	0	0	0	0	0	2	5	4	1	0	0	0	12
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	.26	.21	.05	.00	.00	.00	.64
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.12	.10	.02	.00	.00	.00	.30
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.05	.00	.00	.00	.00	.11
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.05
ALL SPEEDS	107	112	102	57	40	53	54	68	70	95	221	186	138	104	235	247	0	1889
(1)	5.66	5.93	5.40	3.02	2.12	2.81	2.86	3.60	3.71	5.03	11.70	9.85	7.31	5.51	12.44	13.08	.00	100.00
(2)	2.64	2.76	2.51	1.41	.99	1.31	1.33	1.68	1.73	2.34	5.45	4.59	3.40	2.56	5.79	6.09	.00	46.57

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continued} (Page 1 of 2)

		DDATA		SSES I	FEBRUAR	RY MET D		NT FREQ	UENCY	DISTRIBU	JTION (6	O-METER	TOWE	R)				
33.0		DDATA			STAE		.ASS E		CTION		C	LASSERE	QUENC	Y (PERCEI	(1) = 26	.38		
	N	NINE			E	FCE	w cr		CHON I	ROM	C14/	WCM	14/	14/6114/	NI34/	NINDA/	VDDI	TOTAL
	N 0				E 0	ESE	3E	33E	3	22 W	200	VV S VV	VV O				VKBL	TOTAL
(1)	0	0	00	00	00	00	00	00	00	0	0	0	0	0	0	0	0	0
(7)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	1	0	1	1	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.09	.00	.09	.00	.09	.09	.00	.00	.00	.00	.00	.00	.00	.00	.00	.37
(2)	.00	.00	.02	.00	.02	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.10
.5- 1.0	3	11	44	47	65	41	36	24	19	11	3	0	0	1	0	2	0	307
(1)	.28	1.03	4.11	4.39	6.07	3.83	3.36	2.24	1.78	1.03	.28	.00	.00	.09	.00	.19	.00	28.69
(2)	.07	.27	1.08	1.16	1.60	1.01	.89	.59	.47	.27	.07	.00	.00	.02	.00	.05	.00	7.57
1.1- 1.5	10	22	35	22	9	7	16	19	33	36	22	10	3	2	1	2	0	249
(1)	.93	2.06	3.27	2.06	.84	.65	1.50	1.78	3.08	3.36	2.06	.93	.28	.19	.09	.19	.00	23.27
(2)	.25	.54	.86	.54	.22	.17	.39	.47	.81	.89	.54	.25	.07	.05	.02	.05	.00	6.14
1.6- 2.0	15	13	10	4	2	3	6	8	16	43	16	10	4	2	3	٦	0	158
(1)	1.40	1.21	.93	.37	.19	.28	.56	.75	1.50	4.02	1.50	.93	.37	.19	.28	.28	õõ	14 77
(2)	.37	.32	.25	.10	.05	.07	.15	.20	.39	1.06	.39	.25	.10	.05	.07	.07	.00	3.90
2.1- 3.0	26	12	8	4	4	4	8	12	21	46	45	8	2	4	12	13	0	229
(1)	2.43	1.12	.75	.37	.37	.37	.75	1.12	1.96	4.30	4.21	.75	.19	.37	1.12	1.21	.00	21.40
(2)	.64	.30	.20	.10	.10	.10	.20	.30	.52	1.13	1.11	.20	.05	.10	.30	.32	.00	5.65
31-40	8	٦	10	1	2	0	1	2	4	8	31	8	2	0	1	7	0	88
(1)	75	28	93	09	19	ñ	09	19	37	75	2 90	75	19	00	09	65	00	877
(2)	.20	.20	25	.02	.05	.00	.05	05	10	20	76	20	05	.00	.02	.05	.00	217
(_)													.05		.02	,	.00	2.17
4.1- 5.0	2	2	0	0	0	0	0	1	5	3	5	2	1	0	0	2	0	23
(1)	.19	.19	.00	.00	.00	.00	.00	.09	.47	.28	.47	.19	.09	.00	.00	.19	.00	2.15
(2)	.05	.05	.00	.00	.00	.00	.00	.02	.12	.07	.12	.05	.02	.00	.00	.05	.00	.57
51-60	0	0	0	0	0	0	7	1	0	2	1	1	0	0	0	0	٥	7
(1)	.00	00	ň	õ	.00	ň	19	09	ň	19	09	09	00	00	00	00	00	65
(2)	.00	.00	.00	.00	.00	.00	.05	.02	.00	.05	.02	.02	.00	.00	.00	.00	.00	.05
<u> </u>									<i></i>									
6.1- 8.0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	1	1	0	5

								(i age	2012)									
				SSES F	EBRUAR	NY MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	TION (6	O-METER	TOWER	R)				
33.0	FT WINI	D DATA			STAE	BILITY CL	ASSE				C	ASS FRE	QUENC	Y (PERCE	NT) = 26	.38		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.09	.09	.00	.00	.09	.09	.00	.47
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.02	.02	.00	.00	.02	.02	.00	.12
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	64	63	108	78	83	55	71	68	98	149	124	40	12	9.	18	30	0	1070
(1)	5.98	5.89	10.09	7.29	7.76	5.14	6.64	6.36	9.16	13.93	11.59	3.74	1.12	.84	1.68	2.80	.00	100.00
(2)	1.58	1.55	2.66	1.92	2.05	1.36	1.75	1.68	2.42	3.67	3.06	.99	.30	.22	.44	.74	.00	26.38

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continued}

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

FSAR: Section 2.3

								(Page	1 of 2)									
				SSES I	EBRUAR	RY MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	JTION (6	O-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE		Y (PERCE	NT) = 9.	54		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	.0	0	0	0	0	0	0	0	0	0	0	0.	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	1	0	1	0	0	1	0	1	0	0	:0	1	0	0	0	0	5
· (1)	.00	.26	.00	.26	.00	.00	.26	.00	.26	.00	.00	.00	.26	.00	.00	.00	.00	1.29
(2)	.00	.02	.00	.02	.00	.00	.02	.00	.02	.00	.00	.00	.02	.00	.00	.00	.00	.12
.5- 1.0	2	6	. 33	86	47	32	14	11	15	4	0	0	0	0	0	0	0	250
(1)	.52	1.55	8.53	22.22	12.14	8.27	3.62	2.84	3.88	1.03	.00	.00	.00	.00	.00	.00	.00	64.60
(2)	.05	.15	.81	2.12	1.16	.79	.35	.27	.37	.10	.00	.00	.00	.00	.00	.00	.00	6.16
1.1- 1.5	1	8	20	54	5	0	5	5	6	2	0	1	1	0	0	0	0	108
(1)	.26	2.07	5.17	13.95	1.29	.00	1.29	1.29	1.55	.52	.00	.26	.26	.00	.00	.00	.00	27.91
(2)	.02	.20	.49	1.33	.12	.00	.12	.12	.15	.05	.00	.02	.02	.00	.00	.00	.00	2.66
1.6- 2.0	0	5	3	2	0	0	0	0	2	3	1	1 ·	0	0	0	0	0	17
(1)	.00	1.29	.78	.52	.00	.00	.00	.00	.52	.78	.26	.26	.00	.00	.00	.00	.00	4.39
(2)	.00	.12	.07	.05	.00	.00	.00	.00	.05	.07	.02	.02	.00	.00	.00	.00	.00	.42
2.1- 3.0	1	0	0	0	0	0	0	1	0	0	0	1	0	0	0	2	0	5
(1)	.26	.00	.00	.00	.00	.00	.00	.26	.00	.00	.00	.26	.00	.00	.00	.52	.00	1.29
(2)	.02	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.02	.00	.00	.00	.05	.00	.12
3.1- 4.0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2
(1)	.26	.00	.00	.00	.00	.00	.00	.00	.00	.26	.00	.00	.00	.00	.00	.00	.00	.52
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.05
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0 ·	0	0	0	0.	0	0	0	0	0	0	0	0	0	0

Table 2.3-42---- {SSES 33' (10-m) 2001-2006 February JFD - continued}

BBNPP

2-300 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

								(raye	2 01 2)									
	,			SSES I	EBRUAR	Y MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	TION (6	O-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	54		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	5	20	56	143	52	32	20	17	24	10	1	3	2	0	0	2	0	387
(1)	1.29	5.17	14.47	36.95	13.44	8.27	5.17	4.39	6.20	2.58	.26	.78	.52	.00	.00	.52	.00	100.00
(2)	.12	.49	1.38	3.53	1.28	.79	.49	.42	.59	.25	.02	.07	.05	.00	.00	.05	.00	9.54

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

© 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED 2-301

BBNPP

Rev. 2a

Table 2.3-42--- {SSES 33' (10-m) 2001-2006 February JFD - continued}

						5525 5	5 (101	(Page	1 of 2)	- CDTUC			,aca)		· ·			
33.0	FT WIN	D DATA		SSES F	EBRUAR STAB	Y MET D	ATA JOI ASS G	NT FREQ	UENCY	DISTRIBU	TION (6 C	O-METER	TOWER QUENC	R) TY (PERCE	NT) = 6.	43		
							W	IND DIRE	CTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	1	27	88	30	6	7	3	1	1	0	0	0	0	. 0	0	0	164
(1)	.00	.38	10.34	33.72	1 1.49	2.30	2.68	1.15	.38	.38	.00	.00	.00	.00	.00	.00	.00	62.84
(2)	.00	.02	.67	2.17	.74	.15	.17	.07	.02	.02	.00	.00	.00	.00	.00	.00	.00	4.04
1.1- 1.5	0	1	16	61	5	3	3	1	2	0	0	0	0	0	0	0	0	92
(1)	.00	.38	6.13	23.37	1.92	1.15	1.15	.38	.77	.00	.00	.00	.00	.00	.00	.00	.00	35.25
(2)	.00	.02	.39	1.50	.12	.07	.07	.02	.05	.00	.00	.00	.00	.00	.00	.00	.00	2.27
1.6- 2.0	0	0	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	5
(1)	.00	.00	.77	1.15	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.92
(2)	.00	.00	.05	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.12
2.1- 3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	.0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	, 0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	.0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

2-302 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continued} (Page 2 of 2)

				SSES F	EBRUAR	RY MET D	ATA JOI	NT FREQ	UENCY	DISTRIBU	TION (6	0-METER	TOWER	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 6.	43		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ÉNE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	2	45	152	35	9	10	4	3	1	0	0	0	0	0	0	0	261
(1)	.00	.77	17.24	58.24	13.41	3.45	3.83	1.53	1.15	.38	.00	.00	.00	.00	.00	.00	.00	100.00
(2)	.00	.05	1.11	3.75	.86	.22	.25	.10	.07	.02	.00	.00	.00	.00	.00	.00	.00	6.43

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOPERIOD

BBNPP

Meteorology

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES I	EBRUAF STABI	RY MET D	ATA JOI	NT FREC	UENCY	DISTRIBU	JTION (6 CL	0-METER	R TOWE	R) ((PERCEN	IT) = 10	0.00		
							w		ECTION F	ROM					,			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	sw	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	1	0	0	0.	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	1	2	2	3	1	2	2	1	0	0	0	1	0	0	0	0	15
(1)	.00	.02	.05	.05	.07	.02	.05	.05	.02	.00	.00	.00	.02	.00	.00	.00	.00	.37
(2)	.00	.02	.05	.05	.07	.02	.05	.05	.02	.00	.00	.00	.02	.00	.00	.00	.00	.37
.5- 1.0	12	36	120	235	156	95	70	49	47	21	8	3	1	1	5	7	0	866
(1)	.30	.89	2.96	5.79	3.85	2.34	1.73	1.21	1.16	.52	.20	.07	.02	.02	.12	.17	.00	21.35
(2)	.30	.89	2.96	5.79	3.85	2.34	1.73	1.21	1.16	.52	.20	.07	.02	.02	.12	.17	.00	21.35
1.1- 1.5	19	49	90	150	38	30	39	36	57	59	36	21	7	3	4	4	0	642
(1)	.47	1.21	2.22	3.70	.94	.74	.96	.89	1.41	1.45	.89	.52	.17	.07	.10	.10	.00	15.83
(2)	.47	1.21	2.22	3.70	.94	.74	.96	.89	1.41	1.45	.89	.52	.17	.07	.10	.10	.00	15.83
1.6- 2.0	21	33	42	27	10	18	13	23	31	75	38	16	13	7	9	14	0	390
. (1)	.52	.81	1.04	.67	.25	.44	.32	.57	.76	1.85	.94	.39	.32	.17	.22	.35	.00	9.62
(2)	.52	.81	1.04	.67	.25	.44	.32	.57	.76	1.85	.94	.39	.32	.17	.22	.35	.00	9.62
2.1- 3.0	62	53	58	21	11	12	27	39	52	97	102	35	19	23	34	51	0	696
(1)	1.53	1.31	1.43	.52	.27	.30	.67	.96	1.28	2.39	2.51	.86	.47	.57	.84	1.26	.00	17.16
(2)	1.53	1.31	1.43	.52	.27	.30	.67	.96	1.28	2.39	2.51	.86	.47	.57	.84	1.26	.00	17.16
3.1- 4.0	49	36	28	4	6	2	14	11	26	41	110	63	38	25	53	69	0	575
(1)	1.21	.89	.69	.10	.15	.05	.35	.27	.64	1.01	2.71	1.55	.94	.62	1.31	1.70	.00	14.18
(2)	1.21	.89	.69	.10	.15	.05	.35	.27	.64	1.01	2.71	1.55	.94	.62	1.31	1.70	.00	14.18
4.1- 5.0	21	8	6	1	1	0	0	3	15	18	108	57	45	29	67	85	0	464
(1)	.52	.20	.15	.02	.02	.00	.00	.07	.37	.44	2.66	1.41	1.11	.71	1.65	2.10	.00	11.44
(2)	.52	.20	.15	.02	.02	.00	.00	.07	.37	.44	2.66	1.41	1.11	.71	1.65	2.10	.00	11.44
5.1- 6.0	-5	0	0	0	0	1	2	1	1	5	61	34	20	20	63	35	0	248
(1)	.12	.00	.00	.00	.00	.02	.05	.02	.02	.12	1.50	.84	.49	.49	1.55	.86	.00	6.11
(2)	.12	.00	.00	.00	.00	.02	.05	.02	.02	.12	1.50	.84	.49	.49	1.55	.86	.00	6.11
6.1- 8.0	0	0	0	0	0	0	1	0	0	0	42	29	19	9	22	23	0	145

BBNPP

;

Table 2.3-42— {SSES 33' (10-m) 2001-2006 February JFD - continu

(Page 2 of 2)

				SSES F	EBRUAF	RY MET D	IOL ATA	NT FREQ	UENCY I	DISTRIBL	JTION (6	0-METER	TOWER	R)				
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCI	(PERCEN	IT) = 10	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	1.04	.71	.47	.22	.54	.57	.00	3.57
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	1.04	.71	.47	.22	.54	.57	.00	3.57
8.1-10.0	0	0	0	0	0	0	0	0	0	0	2	5	4	1	0	0	0	12
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.12	.10	.02	.00	.00	.00	.30
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.12	.10	.02	.00	.00	.00	.30
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.05
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.05
ALL SPEEDS	189	217	346	440	225	159	168	164	230	316	507	264	168	118	257	288	0	4056
(1)	4.66	5.35	8.53	10.85	5.55	3.92	4.14	4.04	5.67	7.79	12.50	6.51	4.14	2.91	6.34	7.10	.00	100.00
(2)	4.66	5.35	8.53	10.85	5.55	3.92	4.14	4.04	5.67	7.79	12.50	6.51	4.14	2.91	6.34	7.10	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

~

Rev. 2a

.

I

Table 2.3-43--- {SSES 33' (10-m) 2001-2006 March JFD} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES	MARCH STAE	I MET DA BILITY CL	ATA JOIN	T FREQU	JENCY D	ISTRIBUT	06) NOIT C	-METER 1 LASS FR	OWER) EQUENC	Y (PERCE	NT) = 5	.69		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.39	.00	.00	.39	.00	.00	.00	.00	.00	.00	.79
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.04
1.1- 1.5	0	1	1	. 1	2	0	2	1	2	3	3	0	1	0	0	0	0	17
(1)	.00	.39	.39	.39	.79	.00	.79	.39	.79	1.18	1.18	.00	.39	.00	.00	.00	.00	6.69
(2)	.00	.02	.02	.02	.04	.00	.04	.02	.04	.07	.07	.00	.02	.00	.00	.00	.00	.38
1.6- 2.0	1	0	3	2	0	2	0	2	2	4	8	1	0	0	1	0	0	26
(1)	.39	.00	1.18	.79	.00	.79	.00	.79	.79	1.57	3.15	.39	.00	.00	.39	.00	.00	10.24
(2)	.02	.00	.07	.04	.00	.04	.00	.04	.04	.09	.18	.02	.00	.00	.02	.00	.00	.58
2.1- 3.0	1	1	1	1	1	1	2	2	6	9	17	14	3	0	1	0	0	60
(1)	.39	.39	.39	.39	.39	.39	.79	.79	2.36	3.54	6.69	5.51	1.18	.00	.39	.00	.00	23.62
(2)	.02	.02	.02	.02	.02	.02	.04	.04	.13	.20	.38	.31	.07	.00	.02	.00	.00	1.34
3.1- 4.0	0	3	2	1	0	1	9	2	8	12	10	6	4	2	1	1	0	62
(1)	.00	1.18	.79	.39	.00	.39	3.54	.79	3.15	4.72	3.94	2.36	1.57	.79	.39	.39	.00	24.41
(2)	.00	.07	.04	.02	.00	.02	.20	.04	.18	.27	.22	.13	.09	.04	.02	.02	.00	1.39
4.1- 5.0	0	0	0	0	0	0	8	1	11	12	16	3	3	0	2	0	0	56
(1)	.00	.00	.00	.00	.00	.00	3.15	.39	4.33	4.72	6.30	1.18	1.18	.00	.79	.00	.00	22.05
(2)	.00	.00	.00	.00	.00	.00	.18	.02	.25	.27	.36	.07	.07	.00	.04	.00	.00	1.25
5.1- 6.0	0	0	0	0	0	0	0	0	0	3	11	5	2	0	1	2	0	24
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.18	4.33	1.97	.79	.00	.39	.79	.00	9.45
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.25	.11	.04	.00	.02	.04	.00	.54
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	5	1	0	0	0	1	0	7

BBNPP

FSAR: Section 2.3

Meteorology

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD} (Page 2 of 2)

				SSES	MARCH	I MET DA	TA JOIN	T FREQU	IENCY DI	STRIBU1	TION (60	-METER T	OWER)					
33.0	FT WIN	D DATA			STAE	ILITY CL	ASS A				C	LASS FRI	EQUENC	Y (PERCE	NT) = 5.	.69		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.97	.39	.00	.00	.00	.39	.00	2.76
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	.02	.00	.00	.00	.02	.00	.16
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	2	5	7	5	3	4	21	9	29	43	71	30	13	2	6	4	0	254
(1)	.79	1.97	2.76	1.97	1.18	1.57	8.27	3.54	11.42	16.93	27.95	11.81	5.12	.79	2.36	1.57	.00	100.00
(2)	.04	.11	.16	.11	.07	.09	.47	.20	.65	.96	1.59	.67	.29	.04	.13	.09	.00	5.69

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES	MARCH STAE	I MET DA BILITY CL	ASS B	T FREQU	IENCY D	STRIBUT	10N (60 C	-METER T LASS FRI	OWER)	Y (PERCE	NT = 3.	23		
					• • • •		w		ECTION P	ROM	-				, .			
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	2	1	1	2	0	2	3	2	0	0	0	1	0	0	0	14
(1)	.00	.00	1.39	.69	.69	1.39	.00	1.39	2.08	1.39	.00	.00	.00	.69	.00	.00	.00	9.72
(2)	.00	.00	.04	.02	.02	.04	.00	.04	.07	.04	.00	.00	.00	.02	.00	.00	.00	.31
1.6- 2.0	2	1	0	1	0	1	0	2	0	1	0	0	0	0	0	0	0	8
(1)	1.39	.69	.00	.69	.00	.69	.00	1.39	.00	.69	.00	.00	.00	.00	.00	.00	.00	5.56
(2)	.04	.02 .	.00	.02	.00	.02	.00	.04	.00	.02	.00	.00	.00	.00	.00	.00	.00	.18
2.1- 3.0	1	1	3	0	0	1	3	3	7	7	5	3	2	0	0	1	0	37
(1)	.69	.69	2.08	.00	.00	.69	2.08	2.08	4.86	4.86	3.47	2.08	1.39	.00	.00	.69	.00	25.69
(2)	.02	.02	.07	.00	.00	.02	.07	.07	.16	.16	.11	.07	.04	.00	.00	.02	.00	.83
3.1- 4.0	2	0	0	0	2	0	1	3	2	2	5	3	0	1	2	3	0	26
(1)	1.39	.00	.00	.00	1.39	.00	.69	2.08	1.39	1.39	3.47	2.08	.00	.69	1.39	2.08	.00	18.06
(2)	.04	.00	.00	.00	.04	.00	.02	.07	.04	.04	.11	.07	.00	.02	.04	.07	.00	.58
4.1- 5.0	1	0	0	0	0	0	1	0	0	3	7	6	4	3	1	7	0	33
(1)	.69	.00	.00	.00	.00	.00	.69	.00	.00	2.08	4.86	4.17	2.78	2.08	.69	4.86	.00	22.92
(2)	.02	.00	.00	.00	.00	.00	.02	.00	.00	.07	.16	.13	.09	.07	.02	.16	.00	.74
5.1- 6.0	0	0	0	0	0	0	0	0	0	1	6	8	0	1	3	0	0	19
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.69	4.17	5.56	.00	.69	2.08	.00	.00	13.19
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.13	.18	.00	.02	.07	.00	.00	.43
6.1- 8.0	• 0	0	0	0	0	0	0	0	0	0	3	3	0	0	0	0	0	6

BBNPP

FSAR: Section 2.3

Г

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 2 of 2)

				SSES	MARCH	I MET DA	TA JOIN	T FREQU	ENCY D	STRIBUT	'ION (60-	METER T	OWER)					
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS B				С	LASS FRE		Y (PERCE	NT) = 3.	23		
							W	IND DIRI	ECTION 	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.08	2.08	.00	.00	.00	.00	.00	4.17
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.07	.00	.00	.00	.00	.00	.13
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.69	.00	.00	.00	.00	.00	.00	.69
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	6	2	5	2	3	4	5	10	12	16	27	23	6	6	6	11	0	144
(1)	4.17	1.39	3.47	1.39	2.08	2.78	3.47	6.94	8.33	11.11	18.75	15.97	4.17	4.17	4.17	7.64	.00	100.00
(2)	.13	.04	.11	.04	.07	.09	.11	.22	.27	.36	.60	.52	.13	.13	.13	.25	.00	3.23

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES	MARCH STAE	I MET DA BILITY CL	TA JOIN ASS C	T FREQU	IENCY D	ISTRIBUT	10N (60 C	-METER T	OWER) EQUENC	Y (PERCE	NT) = 3.	.92		
							w	IND DIRI	ECTION	ROM				-	-			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	2	0	1	0	1	0	0	1	0	0	1	0	0	0	6
(1)	.00	.00	.00	1.14	.00	.57	.00	.57	.00	.00	.57	.00	.00	.57	.00	.00	.00	3.43
(2)	.00	.00	.00	.04	.00	.02	.00	.02	.00	.00	.02	.00	.00	.02	.00	.00	.00	.13
1.1- 1.5	0	0	2	1	1	0	1	0	3	3	1	0	1	0	0	0	0	13
(1)	.00	.00	1.14	.57	.57	.00	.57	.00	1.71	1.71	.57	.00	.57	.00	.00	.00	.00	7.43
(2)	.00	.00	.04	.02	.02	.00	.02	.00	.07	.07	.02	.00	.02	.00	.00	.00	.00	.29
1.6 - 2.0	1	0	1	0	1	0	0	0	0	3	3	0	1	0	0	1	0	11
(1)	.57	.00	.57	.00	.57	.00	.00	.00	.00	1.71	1.71	.00	.57	.00	.00	.57	.00	6.29
(2)	.02	.00	.02	.00	.02	.00	.00	.00	.00	.07	.07	.00	.02	.00	.00	.02	.00	.25
2.1 - 3.0	1	7	5	1	1	0	2	· 1	1	2	5	9	1	0	0	0	0	36
(1)	.57	4.00	2.86	.57	.57	.00	1.14	.57	.57	1.14	2.86	5.14	.57	.00	.00	.00	.00	20.57
(2)	.02	.16	.11	.02	.02	.00	.04	.02	.02	.04	.11	.20	.02	.00	.00	.00	.00	.81
3.1- 4.0	4	1	1	0	0	0	3	1	′ 4	0	10	7	3	1	5	4	0	44
(1)	2.29	.57	.57	.00	.00	.00	1.71	.57	2.29	.00	5.71	4.00	1.71	.57	2.86	2.29	.00	25.14
(2)	.09	.02	.02	.00	.00	.00	.07	.02	.09	.00	.22	.16	.07	.02	.11	.09	.00	.99
4.1- 5.0	4	0	0	0	0	0	1	1	4	1	4	5	4	1	4	5	0	34
(1)	2.29	.00	.00	.00	.00	.00	.57	.57	2.29	.57	2.29	2.86	2.29	.57	2.29	2.86	.00	19.43
(2)	.09	.00	.00	.00	.00	.00	.02	.02	.09	.02	.09	.11	.09	.02	.09	.11	.00	.76
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	3	5	2	1	6	2	0	19
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.71	2.86	1.14	.57	3.43	1.14	.00	10.86
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.11	.04	.02	.13	.04	.00	.43
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	3	3	1	0	2	1	0	10

BBNPP

Rev. 2a

Meteorology

FSAR: Section 2.3

,

33.0	FT WIN			SSES	MARCH	I MET DA		T FREQU	ENCY DI	STRIBUT	10N (60-	METER T	OWER)	Y (PFRCF	NT) = 3.	92		
55.0		o onthe			51712			IND DIRE	CTION F	ROM		2/100111		. (, = 5.	~~		•
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.71	1.71	.57	.00	1.14	.57	.00	5.71
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.07	.02	.00	.04	.02	.00	.22
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.57	.57	.00	.00	.00	.00	.00	1.14
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.04
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	10	8	9	4	3	1	7	4	12	9	31	30	13	4	17	13	0	175
(1)	5.71	4.57	5.14	2.29	1.71	.57	4.00	2.29	6.86	5.14	17.71	17.14	7.43	2.29	9.71	7.43	.00	100.00
(2)	.22	.18	.20	.09	.07	.02	.16	.09	.27	.20	.69	.67	.29	.09	.38	.29	.00	3.92

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

33.0	FT WIN	D DATA		SSES	MARCH STAB	I MET DA	TA JOIN ASS D	T FREQU	ENCY D	ISTRIBUT	10N (60 C	-METER T	OWER)	Y (PERCE	NT) = 46	53		
							W	IND DIRE		FROM			QUEITE		, – 40			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	ñ	ñ
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.05	.00	.00	.05	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14
(2)	.00	.00	.00	.02	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	4	9	8	10	22	13	13	7	15	1	3	0	0	1	0	2	0	108
(1)	.19	.43	.39	.48	1.06	.63	.63	.34	.72	.05	.14	.00	.00	.05	.00	.10	.00	5.20
(2)	.09	.20	.18	.22	.49	.29	.29	.16	.34	.02	.07	.00	.00	.02	.00	.04	.00	2.42
1.1- 1.5	7	17	17	9	14	8	11	10	15	16	10	5	4	5	6	7	0	161
(1)	.34	.82	.82	.43	.67	.39	.53	.48	.72	.77	.48	.24	.19	.24	.29	.34	.00	7.75
(2)	.16	.38	.38	.20	.31	.18	.25	.22	.34	.36	.22	.11	.09	.11	.13	.16	.00	3.61
1.6- 2.0	18	21	20	21	14	12	8	7	9	20	23	11	17	7	12	4	0	224
(1)	.87	1.01	.96	1.01	.67	.58	.39	.34	.43	.96	1.11	.53	.82	.34	.58	.19	.00	10.78
(2)	.40	.47	.45	.47	.31	.27	.18	.16	.20	.45	.52	.25	.38	.16	.27	.09	.00	5.02
2.1- 3.0	53	61	51	17	16	17	33	22	18	17	45	25	24	43	51	55	0	548
(1)	2.55	2.94	2.46	.82	.77	.82	1.59	1.06	.87	.82	2.17	1.20	1.16	2.07	2.46	2.65	.00	26.38
(2)	1.19	1.37	1.14	.38	.36	.38	.74	.49	.40	.38	1.01	.56	.54	.96	1.14	1.23	.00	12.28
3.1- 4.0	56	26	23	8	3	4	17	21	18	15	22	38	25	54	59	52	0	441
(1)	2.70	1.25	1.11	.39	.14	.19	.82	1.01	.87	.72	1.06	1.83	1.20	2.60	2.84	2.50	.00	21.23
(2)	1.25	.58	.52	.18	.07	.09	.38	.47	.40	.34	.49	.85	.56	1.21	1.32	1.16	.00	9.88
4.1- 5.0	27	8	6	1	1	4	3	8	10	5	16	45	34	40	62	41	0	311
(1)	1.30	.39	.29	.05	.05	.19	.14	.39	.48	.24	.77	2.17	1.64	1.93	2.99	1.97	.00	14.97
(2)	.60	.18	.13	.02	.02	.09	.07	.18	.22	.11	.36	1.01	.76	.90	1.39	.92	.00	6.97
5.1- 6.0	3	0	3	0	0	2	0	1	2	1	4	27	29	41	37	22	0	172
(1)	.14	.00	.14	.00	.00	.10	.00	.05	.10	.05	.19	1.30	1.40	1.97	1.78	1.06	.00	8.28
(2)	.07	.00	.07	.00	.00	.04	.00	.02	.04	.02	.09	.60	.65	.92	.83	.49	.00	3.85
6.1- 8.0	1	0	1	0	0	0	0	0	0	2	4	27	33	15	9	8	0	100

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 1 of 2)

1

Meteorology

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 2 of 2)

				SSES	MARCH	MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	ION (60	-METER T	OWER)					
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCEI	NT) = 46	.53		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.05	.00	.05	.00	.00	.00	.00	.00	.00	.10	.19	1.30	1.59	.72	.43	.39	.00	4.81
(2)	.02	.00	.02	.00	.00	.00	.00	.00	.00	.04	.09	.60	.74	.34	.20	.18	.00	2.24
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	4	4	0	0	0	0	9
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.19	.19	.00	.00	.00	.00	.43
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.09	.09	.00	.00	.00	.00	.20
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	169	142	129	67	70	60	86	77	87	77	128	182	170	206	236	191	0	2077
(1)	8.14	6.84	6.21	3.23	3.37	2.89	4.14	3.71	4.19	3.71	6.16	8.76	8.18	9.92	11.36	9.20	.00	100.00
(2)	3.79	3.18	2.89	1.50	1.57	1.34	1.93	1.72	1.95	1.72	2.87	4.08	3.81	4.61	5.29	4.28	.00	46.53

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 1 of 2)

22.0				SSES	5 MARCH		TA JOIN	T FREQU	IENCY DI	STRIBUT	FION (60	-METER T	OWER)		NT) _ 77			
55.0	FI WIN	DUATA			STAD		.A33E W	ואום מאו		ROM	C.	LA33 LUE	QUENC	T (PERCE	NT) = 25			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.09	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	1	2	1	1	1	1	1	1	0	0	0	0	0	0	1	0	10
(1)	.00	.09	.19	.09	.09	.09	.09	.09	.09	.00	.00	.00	.00	.00	.00	.09	.00	.94
(2)	.00	.02	.04	.02	.02	.02	.02	.02	.02	.00	.00	.00	.00	.00	.00	.02	.00	.22
.5- 1.0	11	16	38	57	43	38	35	29	25	22	15	6	2	1	2	2	0	342
(1)	1.04	1.51	3.58	5.37	4.05	3.58	3.30	2.73	2.36	2.07	1.41	.57	.19	.09	.19	.19	.00	32.23
(2)	.25	.36	.85	1.28	.96	.85	.78	.65	.56	.49	.34	,13	.04	.02	.04	.04	.00	7.66
1.1- 1.5	19	27	27	16	13	6	15	15	12	29	23	9	8	3	2	4	0	228
(1)	1.79	2.54	2.54	1.51	1.23	.57	1.41	1.41	1.13	2,73	2.17	<i>.</i> 85	.75	.28	.19	.38	.00	21.49
(2)	.43	.60	.60	.36	.29	.13	.34	.34	.27	.65	.52	.20	.18	.07	.04	.09	.00	5.11
1.6- 2.0	13	31	15	3	2	5	0	9	9	17	20	13	6	7	3	4	0	157
(1)	1.23	2.92	1.41	.28	.19	.47	.00	.85	.85	1.60	1.89	1.23	.57	.66	.28	.38	.00	14.80
(2)	.29	.69	.34	.07	.04	.11	.00	.20	.20	.38	.45	.29	.13	.16	.07	.09	.00	3.52
2.1- 3.0	22	34	27	2	7	6	6	7	12	19	26	9	11	3	7	6	0	204
(1)	2.07	3.20	2.54	.19	.66	.57	.57	.66	1.13	1.79	2.45	.85	1.04	.28	.66	.57	.00	19.23
(2)	.49	.76	.60	.04	.16	.13	.13	.16	.27	.43	.58	.20	.25	.07	.16	.13	.00	4.57
3.1- 4.0	6	17	7	1	1	2	1	4	6	8	12	4	3	2	6	2	0	82
(1)	.57	1.60	.66	.09	.09	.19	.09	.38	.57	.75	1.13	.38	.28	.19	.57	.19	.00	7.73
(2)	.13	.38	.16	.02	.02	.04	.02	.09	.13	.18	´ .27	.09	.07	.04	.13	.04	.00	1.84
4. 1- 5.0	3	4	0	0	0	1	0	1	5	4	4	1	0	1	0	0	0	24
(1)	.28	.38	.00	.00	.00	.09	.00	.09	.47	.38	.38	.09	.00	.09	.00	.00	.00	2.26
(2)	.07	.09	.00	.00	.00	.02	.00	.02	.11	.09	.09	.02	.00	.02	.00	.00	.00	.54
5.1- 6.0	1	0	0	0	0	0	0	0	1	0	· 1	0	0	4	0	1	0	8
(1)	.09	.00	.00	.00	.00	.00	.00	.00	.09	.00	.09	.00	.00	.38	.00	.09	.00	.75
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.02	.00	.02	.00	.00	.09	.00	.02	.00	.18
6.1- 8.0	0	0	0	0	0	0	1	0	3	0	0	0	0	0	0	0	0	4

BBNPP

Meteorology

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 2 of 2)

				SSES	MARCH	I MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	ION (60	-METER T	OWER)					
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	VT) = 23	.77		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.09	.00	.28	.00	.00	.00	.00	.00	.00	.00	.00	.38
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.07	.00	.00	.00	.00	.00	.00	.00	.00	.09
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	75	130	117	80	67	59	59	66	74	99	102	42	30	21	20	20	0	1061
(1)	7.07	12.25	11.03	7.54	6.31	5.56	5.56	6.22	6.97	9.33	9.61	3.96	2.83	1.98	1.89	1.89	.00	100.00
(2)	1.68	2.91	2.62	1.79	1.50	1.32	1.32	1.48	1.66	2.22	2.28	.94	.67	.47	.45	.45	.00	23.77

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-43---- {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 1 of 2)

				SSES	5 MARCH	MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	ION (60	-METER T	OWER)					
33.0	0 FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	.12		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	14	53	92	51	28	14	11	13	5	2	0	0	0	2	0	0	286 -
(1)	.25	3.44	13.02	22.60	12.53	6.88	3.44	2.70	3.19	1.23	.49	.00	.00	.00	.49	.00	.00	70.27
(2)	.02	.31	1.19	2.06	1.14	.63	.31	.25	.29	.11	.04	.00	.00	.00	.04	.00	.00	6.41
1.1- 1.5	5	4	24	28	5	2	2	5	1	3	2	1	0	0	1	0	0	83
(1)	1.23	.98	5.90	6.88	1.23	.49	.49	1.23	.25	.74	.49	.25	.00	.00	.25	.00	.00	20.39
(2)	.11	.09	.54	.63	.11	.04	.04	.11	.02	.07	.04	.02	.00	.00	.02	.00	.00	1.86
1.6- 2.0	0	5	6	4	0	0	0`	2	1	3	4	1	0	0	1	0	0	27
(1)	.00	1.23	1.47	.98	.00	.00	.00	.49	.25	.74	.98	.25	.00	.00	.25	.00	.00	6.63
(2)	.00	.11	.13	.09	.00	.00	.00	.04	.02	.07	.09	.02	.00	.00	.02	.00	.00	.60
2.1- 3.0	1	1	0	0	0	0	0	0	1	0	5	2	0	1	0	0	0	11
(1)	.25	.25	.00	.00	.00	.00	.00	.00	.25	.00	1.23	.49	.00	.25	.00	.00	.00	2.70
(2)	.02	.02	.00	.00	.00	.00	.00	.00	.02	.00	.11	.04	.00	.02	.00	.00	.00	.25
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-43--- {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 2 of 2)

				SSES	MARCH	MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	ION (60	-METER T	OWER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	.12		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	7	24	83	124	56	30	16	18	16	11	13	4	0	1	4	0	0	407
(1)	1.72	5.90	20.39	30.47	13.76	7.37	3.93	4.42	3.93	2.70	3.19	.98	.00	.25	.98	.00	.00	100.00
(2)	.16	.54	1.86	2.78	1.25	.67	.36	.40	.36	.25	.29	.09	.00	.02	.09	.00	.00	9.12

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 1 of 2)

				SSES	MARCH	MET DA	TA JOIN	T FREQU	ENCY D	ISTRIBUT	ION (60	-METER T	OWER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	CY (PERCE	NT) = 7.	.75		
							w	IND DIRE	CTION P	ROM								
SPEED m/s	N -	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	2	5	51	102	24	7	12	5	3	0	0	0	0	0	0	0	0	211
(1)	.58	1.45	14.74	29.48	6.94	2.02	3.47	1.45	.87	.00	.00	.00	.00	.00	.00	.00	.00	60.98
(2)	.04	.11	1.14	2.28	.54	.16	.27	.11	.07	.00	.00	.00	.00	.00	.00	.00	.00	4.73
1.1- 1.5	1	1	29	77	2	2	0	0	2	1	0	0	0	0	0	0	0	115
(1)	.29	.29	8.38	22.25	.58	.58	.00	.00	.58	.29	.00	.00	.00	.00	.00	.00	.00	33.24
(2)	.02	.02	.65	1.72	.04	.04	.00	.00	.04	.02	.00	.00	.00	.00	.00	.00	.00	2.58
1.6- 2.0	0	1	6	9	0	0	0	0	0	0	1	0	0	0	0	0	0	17
(1)	.00	.29	1.73	2.60	.00	.00	.00	.00	.00	.00	.29	.00	.00	.00	.00	.00	.00	4.91
(2)	.00	.02	.13	.20	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	00	.00	.38
2.1- 3.0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.29	.29	.00	.00	.29	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.87
(2)	.00	.00	.02	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0 [.]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

2-318 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Table 2.3-43---- {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 2 of 2)

				SSES	MARCH	I MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	ION (60	-METER T	OWER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 7.	75		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	3	7	87	189	26	9	13	5	5	1	1	0	0	0	0	0	0	346
(1)	.87	2.02	25.14	54.62	7.51	2.60	3.76	1.45	1.45	.29	.29	.00	.00	.00	.00	.00	.00	100.00
(2)	.07	.16	1.95	4.23	.58	.20	.29	.11	.11	.02	.02	.00	.00	.00	.00	.00	.00	7.75

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

.

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 1 of 2)

33.0	FT WINI	D DATA		SSES	MARCH STABI	MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	ION (60 CL	-METER T ASS FREC	OWER)	' (PERCEN	IT) = 10(0.00		
							W	IND DIRI	ECTION F	ROM			•	•				
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0 -	1
(1)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	1	2	2	1	1	2	2	1	0	0	0	0	0	0	1	0	13
(1)	.00	.02	.04	.04	.02	.02	.04	.04	.02	.00	.00	.00	.00	.00	.00	.02	.00	.29
(2)	.00	.02	.04	.04	.02	.02	.04	.04	.02	.00	.00	.00	.00	.00	.00	.02	.00	.29
.5- 1.0	18	44	150	263	140	87	74	54	56	28	22	6	2	3	4	. 4	0	955
(1)	.40	.99	3.36	5.89	3.14	1.95	1.66	1.21	1.25	.63	.49	.13	.04	.07	.09	.09	.00	21.39
(2)	.40	.99	3.36	5.89	3.14	1.95	1.66	1.21	1.25	.63	.49	.13	.04	.07	.09	.09	.00	21.39
1.1 - 1 .5	32	50	102	133	38	20	31	33	38	57	39	15	14	9	9	11	0	631
(1)	.72	1.12	2.28	2.98	.85	.45	.69	.74	.85	1.28	.87	.34	.31	.20	.20	.25	.00	14.14
(2)	.72	1.12	2.28	2.98	.85	.45	.69	.74	.85	1.28	.87	.34	.31	.20	.20	.25	.00	14.14
1.6- 2.0	35	59	51	40	17	20	8	22	21	48	59	26	24	14	17	9	0	470
(1)	.78	1.32	1.14	.90	.38	.45	.18	.49	.47	1.08	1.32	.58	.54	.31	.38	.20	.00	10.53
· (2)	.78	1.32	1.14	.90	.38	.45	.18	.49	.47	1.08	1.32	.58	.54	.31	.38	.20	.00	10.53
2.1- 3.0	79	105	88	22	25	25	47	35	45	54	103	62	41	47	59	62	0	899
(1)	1.77	2.35	1.97	.49	.56	.56	1.05	.78	1.01	1.21	2.31	1.39	.92	1.05	1.32	1.39	.00	20.14
(2)	1.77	2.35	1.97	.49	.56	.56	1.05	.78	1.01	1.21	2.31	1.39	.92	1.05	1.32	1.39	.00	20.14
3.1- 4.0	68	47	33	10	6	7 .	31	31	38	37	59	58	35	60	73	62	0	655
(1)	1.52	1.05	.74	.22	.13	.16	.69	.69	.85	.83	1.32	1.30	.78	1.34	1.64	1.39	.00	14.67
(2)	1.52	1.05	.74	.22	.13	.16	.69	.69	.85	.83	1.32	1.30	.78	1.34	1.64	1.39	.00	14.67
4.1- 5.0	35	12	6	1	1	5	13	11	30	25	47	60	45	45	69	53	0	458
(1)	.78	.27	.13	.02	.02	.11	.29	.25	.67	.56	1.05	1.34	1.01	1.01	1.55	1.19	.00	10.26
(2)	.78	.27	.13	.02	.02	.11	.29	.25	.67	.56	1.05	1.34	1.01	1.01	1.55	1.19	.00	10.26
5.1- 6.0	4	0	3	0	0	2	0	1	3	5	25	45	33	47	47	27	0	242
(1)	.09	.00	.07	.00	.00	.04	.00	.02	.07	.11	.56	1.01	.74	1.05	1.05	.60	.00	5.42
(2)	.09	.00	.07	.00	.00	.04	.00	.02	.07	.11	.56	1.01	.74	1.05	1.05	.60	.00	5.42
6.1- 8.0	1	0	1	0	0	0	1	0	3	2	15	34	34	15	11	10	0	127

BBNPP

Rev. 2a

Meteorology

Table 2.3-43— {SSES 33' (10-m) 2001-2006 March JFD - continued} (Page 2 of 2)

				SSES	MARCH	I MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	ION (60	-METER T	OWER)					
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	UENCY	(PERCEN	T) = 100	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.02	.00	.02	.00	.00	.00	.02	.00	.07	.04	.34	.76	.76	.34	.25	.22	.00	2.84
(2)	.02	.00	.02	.00	.00	.00	.02	.00	.07	.04	.34	.76	.76	.34	.25	.22	.00	2.84
8.1-10.0	0	0	0	0	0	0	0	0	0	0	4	5	4	0	0	0	0	13
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.11	.09	.00	.00	.00	.00	.29
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.11	.09	.00	.00	.00	.00	.29
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	272	318	437	471	228	167	207	189	-235	256	373	311	232	240	289	239	0	4464
(1)	6.09	7.12	9.79	10.55	5.11	3.74	4.64	4.23	5.26	5.73	8.36	6.97	5.20	5.38	6.47	5.35	.00	100.00
(2)	6.09	7.12	9.79	10.55	5.11	3.74	4.64	4.23	5.26	5.73	8.36	6.97	5.20	5.38	6.47	5.35	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-44— {SSES 33' (10-m) 2001-2006 April JFD}
(Page 1 of 2)

				SSE	S APRIL	MET DA'	ta joint	FREQUI	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER)					
33.0	FT WIN	D DATA	÷		STAB	ILITY CL	ASS A				C	LASS FRE	QUENC	Y (PERCE	NT) = 8.	.77		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	ŴSŴ	W	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0.	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.26	.00	.00	.00	.00	.00	.26
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
1.1- 1.5	1	0	0	2	5	1	1	0	1	4	3	1	0	0	0	0	0	19
(1)	.26	.00	.00	.53	1.32	.26	.26	.00	.26	1.06	.79	.26	.00	.00	.00	.00	.00	5.03
(2)	.02	.00	.00	.05	.12	.02	.02	.00	.02	.09	.07	.02	.00	.00	.00	.00	.00	.44
1.6- 2.0	0	0	1	3	4	3	3	2	9	3	4	1	1	1	1	0	0	36
(1)	.00	.00	.26	.79	1.06	.79	.79	.53	2.38	.79	1.06	.26	.26	.26	.26	.00	.00	9.52
(2)	.00	.00	.02	.07	.09	.07	.07	.05	.21	.07	.09	.02	.02	.02	.02	.00	.00	.83
2.1- 3.0	4	5	5	1	3	3	2	3	15	21	24	8	0	0	0	0	0	94
(1)	1.06	1.32	1.32	.26	.79	.79	.53	.79	3.97	5.56	6.35	2.12	.00	.00	.00	.00	.00	24.87
(2)	.09	.12	.12	.02	.07	.07	.05	.07	.35	.49	.56	.19	.00	.00	.00	.00	.00	2.18
3.1- 4.0	10	24	11	0	0	0	1	3	8	16	27	6	1	2	2	1	0	112
(1)	2.65	6.35	2.91	.00	.00	.00	.26	.79	2.12	4.23	7.14	1.59	.26	.53	.53	.26	.00	29.63
(2)	.23		.26	.00	.00	.00	<i>.</i> 02	.07	.19	.37	.63	.14	.02	.05	.05	.02	.00	2.60
4.1- 5.0	6	9	2	0	0	0	5	5	5	10	22	11	2	3	1	4	0	85
(1)	1.59	2.38	.53	.00	.00	.00	1.32	1.32	1.32	2.65	5.82	2.91	.53	.79	.26	1.06	.00	22.49
(2)	.14	.21	.05	.00	.00	.00	.12	.12	.12	.23	.51	.26	.05	.07	.02	.09	.00	1.97
5.1- 6.0	2	1	0	0	0	1	2	0	0	0	10	8	0	0	0	2	0	26
(1)	.53	.26	.00	.00	.00	.26	.53	.00	.00	.00	2.65	2.12	.00	.00	.00	.53	.00	6.88
(2)	.05	.02	.00	.00	.00	.02	.05	.00	.00	.00	.23	.19	.00	. <u>0</u> 0	.00	.05	.00	.60
6.1- 8.0	0	0	0	0	0	0	0	1	1	0	1.	1	0	0	1	0	0	5

BBNPP

Rev. 2a

Table 2.3-44— {SSES 33' (10-m) 2001-2006 April JFD} (Page 2 of 2)

SSES APRIL MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
33.0	STABILITY CLASS A						CLASS FREQUENCY (PERCENT) = 8.77											
WIND DIRECTION FROM																		
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.26	.26	.00	.26	.26	.00	.00	.26	.00	.00	1.32
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.02	.02	.00	.00	.02	.00	.00	.12
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	23	39	19	6	12 [·]	8	14	14	39	54	91	37	4	6	5	7	0	378
- (1)	6.08	10.32	5.03	1.59	3.17	2.12	3.70	3.70	10.32	14.29	24.07	9.79	1.06	1.59	1.32	1.85	.00	100.00
(2)	.53	.90	.44	.14	.28	.19	.32	.32	.90	1.25	2.11	.86	.09	.14	.12	.16	.00	8.77

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD FSAR: Section 2.3

Rev. 2a
Table 2.3-44— {SSES 33' (10-m) 2001-2006 April JFD - continued} (Page 1 of 2)

				SSE	S APRIL	MET DAT	TA JOINT	FREQU	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER)					
33.0	FT WINI	D DATA			STAE	BILITY CL	ASS B				c	LASS FRE	QUENC	Y (PERCE	NT) = 3.	64		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	2	1	1	0	1	0	0	0	0	0	0	0	0	5
(1)	.00	.00	.00	.00	1.27	.64	.64	.00	.64	.00	.00	.00	.00	.00	.00	.00	.00	3.18
(2)	.00	.00	.00	.00	.05	.02	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.12
1.1- 1.5	0	1	0	0	0	1	0	1	1	1	0	0	0	0	0	0	0	5
(1)	.00	.64	.00	.00	.00	.64	.00	.64	.64	.64	.00	.00	.00	.00	.00	.00	.00	3.18
(2)	.00	.02	.00	.00	.00	.02	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.12
1.6- 2.0	0	0	1	2	3	1	2	0	0	0	3	0	0	0	0	0	0	12
(1)	.00	.00	.64	1.27	1.91	.64	1.27	.00	.00	.00	1.91	.00	.00	.00	.00	.00	.00	7.64
(2)	.00	.00	.02	.05	.07	.02	.05	.00	.00	.00	.07	.00	.00	.00	.00	.00	.00	.28
2.1- 3.0	2	6	2	0	0	1	1	0	0	7	7	2	0	0	0	0	0	28
(1)	1.27	3.82	1.27	.00	.00	.64	.64	.00	.00	4.46	4.46	1.27	.00	.00	.00	.00	.00	17.83
(2)	.05	.14	.05	.00	.00	.02	.02	.00	.00	.16	.16	.05	.00	.00	.00	.00	.00	.65
3.1- 4.0	3	8	5	0	1	0	1	0	5	1	7	2	0	2	0.	2	0	37
(1)	1.91	5.10	3.18	.00	.64	.00	.64	.00	3.18	.64	4.46	1.27	.00	1.27	.00	1.27	.00	23.57
(2)	.07	.19	.12	.00	.02	.00	.02	.00	.12	.02	.16	.05	.00	.05	.00	.05	.00	.86
4.1- 5.0	3	6	1	0	1	1	2	1	0	0	8	6	1	2	5	2	0	39
(1)	1.91	3.82	.64	.00	.64	.64	1.27	.64	.00	.00	5.10	3.82	.64	1.27	3.18	1.27	.00	24.84
(2)	.07	.14	.02	.00	.02	.02	.05	.02	.00	.00	.19	.14	.02	.05	.12	.05	.00	.90
5.1- 6.0	2	1	0	0	0	0	1	0	1	0	1	6	1	0	4	4	0	21
(1)	1.27	.64	.00	.00	.00	.00	.64	.00	.64	.00	.64	3.82	.64	.00	2.55	2.55	.00	13.38
(2)	.05	.02	.00	.00	.00	.00	.02	.00	.02	.00	.02	.14	.02	.00	.09	.09	.00	.49
6.1-8.0	0	0	0	0	0	0	0	0	0	0	3	2	0	0	3	2	0	10

BBNPP

				SSE	S APRIL	MET DA	FA JOINT	FREQUE	ENCY DIS	STRIBUTI	ION (60-I	METER TO	OWER)					
33.0	FT WIN	D DATA			STAE	ILITY CL	ASS B				C	LASS FRE	QUENC	Y (PERCE	NT) = 3.	.64		
							W	IND DIRE	CTION F	ROM				•				
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.91	1.27	.00	.00	1.91	1.27	.00	6.37
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.05	.00	.00	.07	.05	.00	.23
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	10	22	9	2	7	5	8	2	8	9	29	18	2	4	12	10	0	157
(1)	6.37	14.01	5.73	1.27	4.46	3.18	5.10	1.27	5.10	5.73	18.47	11.46	1.27	2.55	7.64	6.37	.00	100.00
(2)	.23	.51	.21	.05	.16	.12	.19	.05	.19	.21	.67	.42	.05	.09	.28	.23	.00	3.64

Table 2.3-44— {SSES 33' (10-m) 2001-2006 April JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

4

33.0	SSES APRIL MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33.0 FT WIND DATA STABILITY CLASS C CLASS FREQUENCY (PERCENT) = 4.96 WIND DIRECTION FROM																	
55.0	FT VVIIVI	DAIA			JIAL					ROM		LAJJIN				.90		
SPEED m/s	N	NNE	NE	ENE	F	ESE	SE	SSE	.دە د	SSW	SW	wsw	w	WNW	NW	NNW	VRRI	τοται
IT 2	0	0	0	0	0	0	0	0	õ	0	0	0	0	0	0	0	0	0
(1)	ň	ň	ň	ň	ñ	00	ň	ň	ñ	ň	ñ	00	ñ	ño	ň	ñ	ñ	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	1	3	2	0	0	0	0	0	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.47	1.40	.93	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.80
(2)	.00	.00	.00	.00	.02	.07	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14
1.1- 1.5	0	0	0	1	2	0	2	0	3	0	1	0	0	0	0	0	0	9
(1)	.00	.00	.00	.47	.93	.00	.93	.00	1.40	.00	.47	.00	.00	.00	.00	.00	.00	4.21
(2)	.00	.00	.00	.02	.05	.00	.05	.00	.07	.00	.02	.00	.00	.00	.00	.00	.00	.21
1.6- 2.0	0	2	1	2	3	2	1	0	1	1	1	0	0	0	0	0	0	14
(1)	.00	.93	.47	.93	1.40	.93	.47	.00	.47	.47	.47	.00	.00	.00	.00	.00	.00	6.54
(2)	.00	.05	.02	.05	.07	.05	.02	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.32
2.1- 3.0	4	6	6	1	1	1	2	3	6	1	6	6	1	0	0	1	0	45
(1)	1.87	2.80	2.80	.47	.47	.47	.93	1.40	2.80	.47	2.80	2.80	.47	.00	.00	.47	.00	21.03
(2)	.09	.14	.14	.02	.02	.02	.05	.07	.14	.02	.14	.14	.02	.00	.00	.02	.00	1.04
3.1- 4.0	13	14	1	1	0	1	0	1	4	5	9	6	1	1	1	2	0	60
(1)	6.07	6.54	.47	.47	.00	.47	.00	.47	1.87	2.34	4.21	2.80	.47	.47	.47	.93	.00	28.04
(2)	.30	.32	.02	.02	.00	.02	.00	.02	.09	.12	.21	.14	.02	.02	.02	.05	.00	1.39
4.1- 5.0	5	4	1	0	0	2	1	1	3	0	5	9	1	2	2	1	0	37
(1)	2.34	1.87	.47	.00	.00	.93	.47	.47	1.40	.00	2.34	4.21	.47	.93	.93	.47	.00	17.29
(2)	.12	.09	.02	.00	.00	.05	.02	.02	.07	.00	.12	.21	.02	.05	.05	.02	.00	.86
5.1- 6.0	3	1	0	0	0	0	1	0	0	0	4	7	6	1	5	4	0	32
(1)	1.40	.47	.00	.00	.00	.00	.47	.00	.00	.00	1.87	3.27	2.80	.47	2.34	1.87	.00	14.95
(2)	.07	.02	.00	.00	.00	.00	.02	.00	.00	.00	.09	.16	.14	.02	.12	.09	.00	.74
6.1- 8.0	1	0	0	0	0	0	1	0	0	0	2	3	2	0	0	1	0	10

Table 2.3-44— {SSES 33' (10-m) 2001-2006 April JFD - continued} (Page 1 of 2)

BBNPP

FSAR: Section 2.3

Meteorology

33.0		D DATA		SSE	S APRIL STAE	MET DAT	FA JOINT ASS C	FREQUE	ENCY DIS	TRIBUTI	ON (60-I C	METER TO	OWER) EQUENC	Y (PERCE	NT) = 4,	96		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.47	.00	.00	.00	.00	.00	.47	.00	.00	.00	.93	1.40	.93	.00	.00	.47	.00	4.67
(2)	.02	.00	.00	.00	.00	.00	.02	.00	.00	.00	.05	.07	.05	.00	.00	.02	.00	.23
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.47	.00	.00	.00	.00	.00	.47
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	26	27	9	5	7	9	10	5	17	7	28	32	11	4 .	8	9	0	214
(1)	12.15	12.62	4.21	2.34	3.27	4.21	4.67	2.34	7.94	3.27	13.08	14.95	5.14	1.87	3.74	4.21	.00	100.00
(2)	.60	.63	.21	.12	.16	.21	.23	.12	.39	.16	.65	.74	.26	.09	.19	.21	.00	4.96

Table 2.3-44— {SSES 33' (10-m) 2001-2006 April JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-44— {SSES 33' (10-m) 2001-2006 April JFD - continued} (Page 1 of 2)

				SSE	S APRIL	MET DA	ta joint	r Freque	NCY DIS	STRIBUTI	ON (60-	METER TO	DWER)					
33.0	FT WINI	D DATA			STAE	BILITY CL	ASS D				CI	LASS FRE	QUENC	Y (PERCEI	NT) = 40	.89		
							W	IND DIRE	CTION	ROM								
SPEED m/s	N	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	1	13	6	10	18	8	6	2	4	1	2	3	1	2	0	0	78
(1)	.06	.06	.74	.34	.57	1.02	.45	.34	.11	.23	.06	.11	.17	.06	.11	.00	.00	4.42
(2)	.02	.02	.30	.14	.23	.42	.19	.14	.05	.09	.02	.05	.07	.02	.05	.00	.00	1.81
1.1- 1.5	12	32	12	17	10	10	11	10	11	9	6	7	4	1	1	5	0	158
(1)	.68	1.82	.68	.96	.57	.57	.62	.57	.62	.51	.34	.40	.23	.06	.06	.28	.00	8.96
(2)	.28	.74	.28	.39	.23	.23	.26	.23	.26	.21	.14	.16	.09	.02	.02	.12	.00	3.66
1.6- 2.0	8	24	25	9	12	14	14	12	13	11	15	5	7	0	2	5	0	176
(1)	.45	1.36	1.42	.51	.68	.79	.79	.68	.74	.62	.85	.28	.40	.00	.11	.28	.00	9.98
(2)	.19	.56	.58	.21	.28	.32	.32	.28	.30	.26	.35	.12	.16	.00	.05	.12	.00	4.08
2.1- 3.0	43	79	59	14	16	22	28	23	29	26	51	19	16	22	22	12	0	481
(1)	2.44	4.48	3.35	.79	.91	1.25	1.59	1.30	1.64	1.47	2.89	1.08	.91	1.25	1.25	.68	.00	27.28
(2)	1.00	1.83	1.37	.32	.37	.51	.65	.53	.67	.60	1.18	.44	.37	.51	.51	.28	.00	11.15
3.1- 4.0	69	59	31	8	9	17	25	20	14	15	38	15	13	28	35	45	0	441
(1)	3.91	3.35	1.76	.45	.51	.96	1.42	1.13	.79	.85	2.16	.85	.74	1.59	1.99	2.55	.00	25.01
(2)	1.60	1.37	.72	.19	.21	.39	.58	.46	.32	.35	.88	.35	.30	.65	.81	1.04	.00	10.23
4.1- 5.0	40	17	4	2	1	7	7	1	6	5	17	18	22	20	51	41	0	259
(1)	2.27	.96	.23	.11	.06	.40	.40	.06	.34	.28	.96	1.02	1.25	1.13	2.89	2.33	.00	14.69
(2)	.93	.39	.09	.05	.02	.16	.16	.02	.14	.12	.39	.42	.51	.46	1.18	.95	.00	6.01
5.1- 6.0	12	7	1	0	0	0	1	1	0	0	17	18	14	16	27	14	0	128
(1)	.68	.40	.06	.00	.00	.00	.06	.06	.00	.00	.96	1.02	.79	.91	1.53	.79	.00	7.26
(2)	.28	.16	.02	.00	.00	.00	.02	.02	.00	.00	.39	.42	.32	.37	.63	.32	.00	2.97
6.1- 8.0	2	1	0	0	0	0	2	0	0	0	5	7	9	2	8	4	0	40

				Table 2	2.3-44-	– {SSES	5 33' (1)	0-m) 20 (Page	0 1-200 2 of 2)	06 Apri	I JFD -	continu	ed}					
				SSE	S APRIL	MET DA		FREQUE	NCY DIS	TRIBUTI	ON (60-	METER TO	OWER)					
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 40	.89		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.11	.06	.00	.00	.00	.00	.11	.00	.00	.00	.28	.40	.51	.11	.45	.23	.00	2.27
(2)	.05	.02	.00	.00	.00	.00	.05	.00	.00	.00	.12	.16	.21	.05	.19	.09	.00	.93
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06	.00	.00	.00	.06	.00	.11
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.02	.00	.05
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	187	220	145	56	58	88	96	73	75	70	150	92	88	90	148	127	0	1763
(1)	10.61	12.48	8.22	3.18	3.29	4.99	5.45	4.14	4.25	3.97	8.51	5.22	4.99	5.10	8.39	7.20	.00	100.00
(2)	4.34	5.10	3.36	1.30	1.35	2.04	2.23	1.69	1.74	1.62	3.48	2.13	2.04	2.09	3.43	2.95	.00	40.89

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.

22.0				SSE	S APRIL			r Frequi	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER)			- 70		
55.0	FINNIN	DATA			STAI		.433 E W			DOM	L	LASS FRE	QUENC	T (PERCEI	NI) = 24	./9		
SPEED m/s	N		NE		E	ECE	5 5 5				CW	MCM	147	14/6114/	61347	NININA	VODI	TOTAL
	0		0		<u>د</u>		<u>د</u>	775	.		311	0	•••				VADL	
(1)	00	00	00	00	00	00	00	00	00	0	00	00	0	00	0	· 00	0	0
(7)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.09	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.00	.00	.19
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.05
.5- 1.0	5	27	41	49	37	25	24	19	23	22	7	1	2	0	1	2	0	285
(1)	.47	2.53	3.84	4.58	3.46	2.34	2.25	1.78	2.15	2.06	.65	.09	.19	.00	.09	.19	.00	26.66
(2)	.12	.63	.95	1.14	.86	.58	.56	.44	.53	.51	.16	.02	.05	.00	.02	.05	.00	6.61
1.1- 1.5	11	46	28	17	7	9	13	17	15	27	12	7	3	0	4	7	0	223
(1)	1.03	4.30	2.62	1.59	.65	.84	1.22	1.59	1.40	2.53	1.12	.65	.28	.00	.37	.65	.00	20.86
(2)	.26	1.07	.65	.39	.16	.21	.30	.39	.35	.63	.28	.16	.07	.00	.09	.16	.00	5.17
1.6- 2.0	17	37	29	8	6	4	5	12	14	25	14	5	5	5	4	2	0	192
(1)	1.59	3.46	2.71	.75	.56	.37	.47	1.12	1.31	2.34	1.31	.47	.47	.47	.37	.19	.00	17.96
(2)	.39	.86	.67	.19	.14	.09	.12	.28	.32	.58	.32	.12	.12	.12	.09	.05	.00	4.45
2.1- 3.0	21	36	37	9	7	9	6	8	26	24	22	11	3	1	4	10	0	234
(1)	1.96	3.37	3.46	.84	.65	.84	.56	.75	2.43	2.25	2.06	1.03	.28	.09	.37	.94	.00	21.89
(2)	.49	.83	.86	.21	.16	.21	.14	.19	.60	.56	.51	.26	.07	.02	.09	.23	.00	5.43
21 40	16	10	11	6	2	2	0	1	11	12	16	6	0	1	~	4	0	101
5.1 - 4.0 (1)	150	0/	1.03	56	2 20	2 70	00	00	1.02	1 2 2	150	0	0	00	0	4	0	101
(1)	37	.34	1.05	.50	.20	.28	.00	.09	76	30	37	.50	.00	.09	.00	.57	.00	9.40
(2)		.25	.20	.14	.07	.07	.00	.02	.20	.50		.14	.00	.02	.00	.09	.00	2.54
4.1- 5.0	1	0	1	0	2	0	1	0	0	5	8	2	2	1	2	1	0	26
(1)	.09	.00	.09	.00	.19	.00	.09	.00	.00	.47	.75	.19	.19	.09	.19	.09	.00	2.43
(2)	.02	.00	.02	.00	.05	.00	.02	.00	.00	.12	.19	.05	.05	.02	.05	.02	.00	.60
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.47	.00	.00	.00	.00	.00	.00	.47
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.12	.00	.00	.00	.00	.00	.00	.12
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1

Table 2.3-44--- {SSES 33' (10-m) 2001-2006 April JFD - continued} (Page 1 of 2)

BBNPP

Rev. 2a

Meteorology

Table 2.3-44 {SSES 33' (10-m) 2001-2006 April JFD - continued}
(Page 2 of 2)

				SSE	S APRIL	MET DAT	FA JOINT	FREQUE	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER)					
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCEI	NT) = 24	.79		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	71	156	148	89	62	50	49	57	90	116	85	32	15	8	15	26	0	1069
(1)	6.64	14.59	13.84	8.33	5.80	4.68	4.58	5.33	8.42	10.85	7.95	2.99	1.40	.75	1.40	2.43	.00	100.00
(2)	1.65	3.62	3.43	2.06	1.44	1.16	1.14	1.32	2.09	2.69	1.97	.74	.35	.19	.35	.60	.00	24.79

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-44— {SSES 33' (10-m) 20)01-2006 April JFD - continued}
(Page	1 of 2)

				SSE	S APRIL I	MET DAT	TA JOINT	FREQUE	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				c	LASS FRE	QUENC	Y (PERCE	NT) = 7.	.33		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	2	4	27	97	39	1 1	16	9	3	5	7	2	0	1	0	0	0	223
(1)	.63	1.27	8.54	30.70	12.34	3.48	5.06	2.85	.95	1.58	2.22	.63	.00	.32	.00	.00	.00	70.57
(2)	.05	.09	.63	2.25	.90	.26	.37	.21	.07	.12	.16	.05	.00	.02	.00	.00	.00	5.17
1.1- 1.5	0	6	16	23	4	1	0	2	8	5	5	1	1	0	0	0	0	72
(1)	.00	1.90	5.06	7.28	1.27	.32	.00	.63	2.53	1.58	1.58	.32	.32	.00	.00	.00	.00	22.78
(2)	.00	.14	.37	.53	.09	.02	.00	.05	.19	.12	.12	.02	.02	.00	.00	.00	.00	1.67
1.6- 2.0	1	3	2	1	0	1	0	0	3	2	0	2	0	0	0	0	0	15
(1)	.32	.95	.63	.32	.00	.32	.00	.00	.95	.63	.00	.63	.00	.00	.00	.00	.00	4.75
(2)	.02	.07	.05	.02	.00	.02	.00	.00	.07	.05	.00	.05	.00	.00	.00	.00	.00	.35
2.1- 3.0	1	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	4
(1)	.32	.32	.00	.00	.00	.00	.00	.00	.32	.00	.32	.00	.00	.00	.00	.00	.00	1.27
(2)	.02	.02	.00	.00	.00	.00	.00	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.09
3.1- 4.0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.00	.32	.32	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.63
(2)	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Table 2.3-44—	{SSES 33'	(10-m)	2001-2006	April.	JFD - co	ntinued}
		(D.				

(Page 2 of 2)

				SSE	S APRIL	MET DA1	ra joint	r Freque	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	.ASS F				C	LASS FRE		Y (PERCE	NT) = 7.	.33		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1) [.]	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	4	15	46	121	43	13	16	11	15	12	13	5	1	1	0	0	0	316
(1)	1.27	4.75	14.56	38.29	13.61	4.11	5.06	3.48	4.75	3.80	4.11	1.58	.32	.32	.00	.00	.00	100.00
(2)	.09	.35	1.07	2.81	1.00	.30	.37	.26	.35	.28	.30	.12	.02	.02	.00	.00	.00	7.33

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-44---- {SSES 33' (10-m) 2001-2006 April JFD - continued} (Page 1 of 2)

				SSE	S APRIL	MET DAT	A JOINT	FREQUE	NCY DI	STRIBUTI	ON (60-	METER TO	OWER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	.62		
							w	IND DIRE	CTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	6	54	130	37	11	2	5	1	1	0	0	0	0	0	0	0	247
(1)	.00	1.45	13.01	31.33	8.92	2.65	.48	1.20	.24	.24	.00	.00	.00	.00	.00	.00	.00	59.52
(2)	.00	.14	1.25	3.01	.86	.26	.05	.12	.02	.02	.00	.00	.00	.00	.00	.00	.00	5.73
1.1- 1.5	0	3	43	94	4	3	0	1	0	0	0	0	0	0	0	0	0	148
(1)	.00	.72	10.36	22.65	.96	.72	.00	.24	.00	.00	.00	.00	.00	.00	.00	.00	.00	35.66
(2)	.00	.07	1.00	2.18	.09	.07	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	3.43
1.6- 2.0	0	2	2	16	0	0	0	0	0	0	0	0	0	0	0	0	0	20
(1)	.00	.48	.48	3.86	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.82
(2)	.00	.05	.05	.37	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.46
2.1- 3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Rev. 2a

Meteorology

,

22.0	ET WIN			SSE				FREQUE	NCY DIS	TRIBUTI	ON (60-	METER TO	OWER)			~		
55.0					JIAD		H35 G		CTION I		Ľ	LASS FRE	QUENI	T (PERCE	NT) = 9.	02		
							w	IND DIRE	CHONE	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	1 1	99	240	41	14	2	6	1	1	0	0	0	0	0	0	0	415
(1)	.00	2.65	23.86	57.83	9.88	3.37	.48	1.45	.24	.24	.00	.00	.00	.00	.00	.00	.00	100.00
(2)	.00	.26	2.30	5.57	.95	.32	.05	.14	.02	.02	.00	.00	.00	.00	.00	.00	.00	9.62

Table 2.3-44— {SSES 33' (10-m) 2001-2006 April JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-44--- {SSES 33' (10-m) 2001-2006 April JFD - continued} (Page 1 of 2)

				SSE	S APRIL	MET DAT	FA JOINT	FREQUE	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER)					
33.0	FT WINI	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	UENCI	(PERCEN	T) = 10	0.00		
/					_		W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.02	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.05
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.05
.5- 1.0	8	38	135	282	126	69	53	39	30	32	15	6	5	2	3	2	0	845
(1)	.19	.88	3.13	6.54	2.92	1.60	1.23	.90	.70	.74	.35	.14	.12	.05	.07	.05	.00	19.60
(2)	.19	.88	3.13	6.54	2.92	1.60	1.23	.90	.70	.74	.35	.14	.12	.05	.07	.05	.00	19.60
1.1- 1.5	24	88	99	154	32	25	27	31	39	46	27	16	8	1	5	12	0	634
(1)	.56	2.04	2.30	3.57	.74	.58	.63	.72	.90	1.07	.63	.37	.19	.02	.12	.28	.00	14.70
(2)	.56	2.04	2.30	3.57	.74	.58	.63	.72	.90	1.07	.63	.37	.19	.02	.12	.28	.00	14.70
1.6- 2.0	26	68	61	41	28	25	25	26	40	42	37	13	13	6	7	7	0	465
(1)	.60	1.58	1.41	.95	.65	.58	.58	.60	.93	.97	.86	.30	.30	.14	.16	.16	.00	10.78
(2)	.60	1.58	1.41	.95	.65	.58	.58	.60	.93	.97	.86	.30	.30	.14	.16	.16	.00	10.78
2.1- 3.0	75	133	109	25	27	36	39	37	77	79	111	46	20	23	26	23	0	886
(1)	1.74	3.08	2.53	.58	.63	.83	.90	.86	1.79	1.83	2.57	1.07	.46	.53	.60	.53	.00	20.55
(2)	1.74	3.08	2.53	.58	.63	.83	.90	.86	1.79	1.83	2.57	1.07	.46	.53	.60	.53	.00	20.55
3.1- 4.0	111	116	60	15	13	21	27	25	42	50	97	35	15	34	38	54	0	753
(1)	2.57	2.69	1.39	.35	.30	.49	.63	.58	.97	1.16	2.25	.81	.35	.79	.88	1.25	.00	17.46
(2)	2.57	2.69	1.39	.35	.30	.49	.63	.58	.97	1.16	2.25	.81	.35	.79	.88	1.25	.00	17.46
4.1- 5.0	55	36	9	2	4	10	16	8	14	20	60	46	28	28	61	49	0	446
(1)	1.28	.83	.21	.05	.09	.23	.37	.19	.32	.46	1.39	1.07	.65	.65	1.41	1.14	.00	10.34
(2)	1.28	.83	.21	.05	.09	.23	.37	.19	.32	.46	1.39	1.07	.65	.65	1.41	1.14	.00	10.34
5.1- 6.0	19	10	1	0	0.	1	5	1	1	0	37	39	21	17	36	24	0	212
(1)	.44	.23	.02	.00	.00	.02	.12	.02	.02	.00	.86	.90	.49	.39	.83	.56	.00	4.92
(2)	.44	.23	.02	.00	.00	.02	.12	.02	.02	.00	.86	.90	.49	.39	.83	.56	.00	4.92
6.1- 8.0	3	1	0	0	0	0	3	1	1	0	12	13	11	2	12	7	0	66

BBNPP

				Table 2	2.3-44-	– {SSES	5 33' (10	0-m) 20 (Page	01-20 2 of 2)	06 April	I JFD - (continu	ed}			,		
				SSE	S APRIL	MET DAT		FREQUE		STRIBUTI	ON (60-)	METER TO	OWER)					
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL		•		ĊL	ASS FREG	QUENCY	(PERCEN	IT) = 100	0.00		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.07	.02	.00	.00	.00	.00	.07	.02	.02	.00	.28	.30	.26	.05	.28	.16	.00	1.53
(2)	.07	.02	.00	.00	.00	.00	.07	.02	.02	.00	.28	.30	.26	.05	.28	.16	.00	1.53
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.02	.00	.07
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.02	.00	.07
10.1-40.3	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	321	490	475	519	230	187	195	168	245	269	396	216	121	113	188	179	0	4312
(1)	7.44	11.36	11.02	12.04	5.33	4.34	4.52	3.90	5.68	6.24	9.18	5.01	2.81	2.62	4.36	4.15	.00	100.00
(2)	7.44	11.36	11.02	12.04	5.33	4.34	4.52	3.90	5.68	6.24	9.18	5.01	2.81	2.62	4.36	4.15	.00	100.00

.

...

L.

١,

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD} (Page 1 of 2)

33.0 FT WIND DATA STABILITY CLASS A STABILITY CLASS A CLASS FREQUENCY (PERCENT) = 6.86																		
							w	IND DIR	ECTION I	ROM			-		-			
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑ
LT .2	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	3	3	0	1	0	0	4	0	1	1	0	0	1	0	0	14
(1)	.00	.00	1.03	1.03	.00	.34	.00	.00	1.37	.00	.34	.34	.00	.00	.34	.00	.00	4.81
(2)	.00	.00	.07	.07	.00	.02	.00	.00	.09	.00	.02	.02	.00	.00	.02	.00	.00	.33
1.6- 2.0	0	2	5	2	3	6	3	б	3	4	10	1	2	0	0	0	0	47
(1)	.00	.69	1.72	.69	1.03	2.06	1.03	2.06	1.03	1.37	3.44	.34	.69	.00	.00	.00	.00	16.15
(2)	.00	.05	.12	.05	.07	.14	.07	.14	.07	.09	.24	.02	.05	.00	.00	.00	.00	1.11
2.1- 3.0	0	6	6	1	3	2	8	10	5	18	25	4	0	1	0	2	0	91
(1)	.00	2.06	2.06	.34	1.03	.69	2.75	3.44	1.72	6.19	8.59	1.37	.00	.34	.00	.69	.00	31.27
(2)	.00	.14	.14	.02	.07	.05	.19	.24	.12	.42	.59	.09	.00	.02	.00	.05	.00	2.14
3.1- 4.0	6	5	1	0	1	1	0	2	19	10	27	9	0	0	1	1	0	83
(1)	2.06	1.72	.34	.00	.34	.34	.00	.69	6.53	3.44	9.28	3.09	.00	.00	.34	.34	.00	28.52
(2)	.14	.12	.02	.00	.02	.02	.00	.05	.45	.24	.64	.21	.00	.00	.02	.02	.00	1.96
4.1- 5.0	9	4	1	0	0	0	0	1	1	2	12	8	1	2	0	1	0	42
(1)	3.09	1.37	.34	.00	.00	.00	.00	.34	.34	.69	4.12	2.75	.34	.69	.00	.34	.00	14.43
(2)	.21	.09	.02	.00	.00	.00	.00	.02	.02	.05	.28	.19	.02	.05	.00	.02	.00	.99
5.1- 6.0	5	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	9
(1)	1.72	.00	.00	.00	.00	.00	.00	.00	.00	.00	.69	.69	.00	.00	.00	.00	.00	3.09
(2)	.12	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.05	.00	.00	.00	.00	.00	.21
6.1- 8.0	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	5

Table 2.3-4	45— {SSES	5 33' (10	0-m)	2001-2006 May JFD}
		(Page	2 of 2)

				SSE	S MAY I	MET DAT	A JOINT	FREQUE	NCY DIS	FRIBUTIC	DN (60-N	IETER TO	WER)					
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS A				C	LASS FRE	QUENC	Y (PERCE	NT) = 6.	86		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	1.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.34	.00	.00	.00	.00	.34	.00	1.72
(2)	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.02	.00	.12
8.1-10.0	0	0	0 [°]	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	23	17	16	6	7	10	11	19	32	34	78	25	3	3	2	5	0	291
(1)	7.90	5.84	5.50	2.06	2.41	3.44	3.78	6.53	11.00	11.68	26.80	8.59	1.03	1.03	.69	1.72	.00	100.00
(2)	.54	.40	.38	.14	.16	.24	.26	.45	.75	.80	1.84	.59	.07	.07	.05	.12	.00	6.86

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOPERIOD

Meteorology

Rev. 2a

© 2010 UniStar Nuclear Services, LLC, All rights reserved. COPYRIGHT PROTECTED

BBNPP

2-339

I

				Table	2.3-45	— {SSE	S 33' (1	0-m) 20 (Page	001-20 1 of 2)	06 May	JFD - d	ontinu	ed}					
			-	SS	ES MAY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	NETER TO	WER)					
33.0	FT WINI	D DATA			STAE	BILITY CL	ASS B				C	LASS FRE	QUENC	CY (PERCE	NT) = 3.	.91		
							W	IND DIR	CTION	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	1	1	. 0	0	1	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.60	.60	.00	.00	.60	.00	.00	.00	.00	.00	.00	1.81
(2)	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.07
1.1- 1.5	0	1	3	2	3	1	1	0	0	2	1	0	0	0	0	0	0	14
(1)	.00	.60	1.81	1.20	1.81	.60	.60	.00	.00	1.20	.60	.00	.00	.00	.00	.00	.00	8.43
(2)	.00	.02	.07	.05	.07	.02	.02	.00	.00	.05	.02	.00	.00	.00	.00	.00	.00	.33
1.6- 2.0	0	1	1	0	4	2	0	1	2	3	4	0	0	0	0	. 0	0	_ 18
(1)	.00	.60	.60	.00	2.41	1.20	.00	.60	1.20	1.81	2.41	.00	.00	.00	.00	.00	.00	10.84
(2)	.00	.02	.02	.00	.09	.05	.00	.02	.05	.07	.09	.00	.00	.00	.00	.00	.00	.42
2.1- 3.0	0	3	4	2	3	1	4	3	0	5	4	3	1	0	1	.0	0	34
(1)	.00	1.81	2.41	1.20	1.81	.60	2.41	1.81	.00	3.01	2.41	1.81	.60	.00	.60	.00	.00	20.48
(2)	.00	.07	.09	.05	.07	.02	.09	.07	.00	.12	.09	.07	.02	.00	.02	.00	.00	.80
3.1- 4.0	4	3	3	1	2	0	1	3	1	4	17	2	1	3	1	1	0	47
(1)	2.41	1.81	1.81	.60	1.20	.00	.60	1.81	.60	2.41	10.24	1.20	.60	1.81	.60	.60	.00	28.31
(2)	.09	.07	.07	.02	.05	.00	.02	.07	.02	.09	.40	.05	.02	.07	.02	.02	.00	1.11
4.1- 5.0	8	0	0	0	1	0	0	0	0	1	13	6	0	2	1	5	0	37
(1)	4.82	.00	.00	.00	.60	.00	.00	.00	.00	.60	7.83	3.61	.00	1.20	.60	3.01	.00	22.29
(2)	.19	.00	.00	.00	.02	.00	.00	.00	.00	.02	.31	.14	.00	.05	.02	.12	.00	.87
5.1- 6.0	1	2	0	0	0	0	0	0	0	0	2	1	0	0	0	3	0	9
(1)	.60	1.20	.00	.00	.00	.00	.00	.00	.00	.00	1.20	.60	.00	.00	.00	1.81	.00	5.42
(2)	.02	.05	.00	.00	.00	.00	.00	.00	.00	.00	.05	.02	.00	.00	.00	.07	.00	.21
6.1- 8.0	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	4

BBNPP

2-340 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD - continued} (Page 2 of 2)

33.0	FT WINI) DATA		SSE	S MAY I STAE	MET DAT	A JOINT ASS B	FREQUE	NCY DIS	TRIBUTI	ON (60-N C	IETER TO	WER)	Y (PERCE	NT) = 3.	91		
							W	IND DIRE	CTION F	ROM			• • • • • •	• • • • • • • • • • • • • • • • • • • •	,			
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	1.81	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.60	.00	.00	.00	.00	.00	2.41
(2)	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.09
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	16	10	11	5	13	4	7	8	3	15	42	13	2	5	3	9	0	166
(1)	9.64	6.02	6.63	3.01	7.83	2.41	4.22	4.82	1.81	9.04	25.30	7.83	1.20	3.01	1.81	5.42	.00	100.00
(2)	.38	.24	.26	.12	.31	.09	.16	.19	.07	.35	.99	.31	.05	.12	.07	.21	.00	3.91

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

-

BBNPP

Table 2.3-45— {SSES 33'	' (10-m) 2001-2006 M	May JFD - continued}
	(Page 1 of 2)	-

.

				SS	ES MAY	MET DAT	TA JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	WER)					
33.0	FT WIN	D DATA			STAI	BILITY CL	ASS C				Ċ	LASS FRE		CY (PERCE	NT) = 5	.72		
							W	IND DIR	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	1	0	1	0	2	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.41	.00	.41	.00	.82	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.65
(2)	.00	.00	.00	.02	.00	.02	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	1	1	1	2	2	2	1	1	1	1	2	0	0	0	0	1	0	16
(1)	.41	.41	.41	.82	.82	.82	.41	.41	.41	.41	.82	.00	.00	.00	.00	.41	.00	6.58
(2)	.02	.02	.02	.05	.05	.05	.02	.02	.02	.02	.05	.00	.00	.00	.00	.02	.00	.38
1.6- 2.0	1	0	1	2	2	2	1	1	4	5	3	1	0	0	0	0	0	23
(1)	.41	.00	.41	.82	.82	.82	.41	.41	1.65	2.06	1.23	.41	.00	.00	.00	.00	.00	9.47
(2)	.02	.00	.02	.05	.05	.05	.02	.02	.09	.12	.07	.02	.00	.00	.00	.00	.00	.54
2.1- 3.0	3	3	5	3	4	2	4	1	3	14	21	3	1	0	0	 3	0	70
(1)	1.23	1.23	2.06	1.23	1.65	.82	1.65	.41	1.23	5.76	8.64	1.23	.41	.00	.00	1.23	.00	28.81
(2)	.07	.07	.12	.07	.09	.05	.09	.02	.07	.33	.49	.07	.02	.00	.00	.07	.00	1.65
3.1- 4.0	8	4	1	2	2	3	6	3	3	2	16	5	2	4	3	1	0	65
(1)	3.29	1.65	.41	.82	.82	1.23	2.47	1.23	1.23	.82	6.58	2.06	.82	1.65	1.23	.41	.00	26.75
(2)	.19	.09	.02	.05	.05	.07	.14	.07	.07	.05	.38	.12	.05	.09	.07	.02	.00	1.53
4.1- 5.0	3	2	0	0	0	0	0	1	0	1	10	8	1	3	0	6	0	35
(1)	1.23	.82	.00	.00	.00	.00	.00	.41	.00	.41	4.12	3.29	.41	1.23	.00	2.47	.00	14.40
(2)	.07	.05	.00	.00	.00	.00	.00	.02	.00	.02	.24	.19	.02	.07	.00	.14	.00	.82
5.1- 6.0	3	1	0	. 0	0	0	0	0	0	0	2	6	2	0	1	5	0	20
(1)	1.23	.41	.00	.00	.00	.00	.00	.00	.00	.00	.82	2.47	.82	.00	.41	2.06	.00	8.23
(2)	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.05	.14	.05	.00	.02	.12	.00	.47
6.1- 8.0	1	0	0	0	0	0	0	0	0	0	1	7	0	0	0	1	0	10

Meteorology

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD - continued} (Page 2 of 2)

33.0	FT WINI	D DATA		SSE	S MAY N STAB	MET DAT	A JOINT ASS C	FREQUE	NCY DIS	TRIBUTI	ON (60-N C	NETER TO	WER)	Y (PERCE	NT) = 5.	72		
							w	IND DIRE	ECTION F	ROM				••	•			
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.41	.00	.00	.00	.00	.00	.00	.00	.00	.00	.41	2.88	.00	.00	.00	.41	.00	4.12
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.16	.00	.00	.00	.02	.00	.24
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	20	11	8	10	10	10	12	9	11	23	55	30	6	7	4	17	0	243
(1)	8.23	4.53	3.29	4.12	4.12	4.12	4.94	3.70	4.53	9.47	22.63	12.35	2.47	2.88	1.65	7.00	.00	100.00
(2)	.47	.26	.19	.24	.24	.24	.28	.21	.26	.54	1.30	.71	.14	.16	.09	.40	.00	5.72

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSE	S MAY N STAB	MET DAT BILITY CL	A JOINT ASS D	FREQUE	NCY DIS	TRIBUTI	1-06) NC C	METER TO LASS FRE	WER) QUENC	Y (PERCE	NT) = 38	8.78		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	1	0	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	5
(1)	.06	.00	.06	.06	.12	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.30
(2)	.02	.00	.02	.02	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.12
.24	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.06	.00	.06	.06	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.18
(2)	.00	.00	.00	.02	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	1	6	13	14	21	19	16	8	12	4	1	1	0	1	1	0	0	118
(1)	.06	.36	.79	.85	1.28	1.15	.97	.49	.73	.24	.06	.06	.00	.06	.06	.00	.00	7.17
(2)	.02	.14	.31	.33	.49	.45	.38	.19	.28	.09	.02	.02	.00	.02	.02	.00	.00	2.78
1.1- 1.5	2	14	31	16	23	8	18	17	24	28	25	7	3	2	2	1	0	221
(1)	.12	.85	1.88	.97	1.40	.49	1.09	1.03	1.46	1.70	1.52	.43	.18	.12	.12	.06	.00	13.43
(2)	.05	.33	.73	.38	.54	.19	.42	.40	.57	.66	.59	.16	.07	.05	.05	.02	.00	5.21
1.6- 2.0	11	27	38	14	18	18	25	15	16	25	19	10	6	2	4	2	0	250
(1)	.67	1.64	2.31	.85	1.09	1.09	1.52	.91	.97	1.52	1.15	.61	.36	.12	.24	.12	.00	15.19
(2)	.26	.64	.90	.33	.42	.42	.59	.35	.38	.59	.45	.24	.14	.05	.09	.05	.00	5.89
2.1- 3.0	39	56	35	24	20	32	23	26	20	50	60	26	14	15	15	14	0	469
(1)	2.37	3.40	2.13	1.46	1.22	1.94	1.40	1.58	1.22	3.04	3.65	1.58	.85	.91	.91	.85	.00	28.49
(2)	.92	1.32	.82	.57	.47	.75	.54	.61	.47	1.18	1.41	.61	.33	.35	.35	.33	.00	11.05
3.1- 4.0	45	33	1	3	9	11	13	13	15	7	48	28	19	15	25	28	0	313
(1)	2.73	2.00	.06	.18	.55	.67	.79	.79	.91	.43	2.92	1.70	1.15	.91	1.52	1.70	.00	19.02
(2)	1.06	.78	.02	.07	.21	.26	.31	.31	.35	.16	1.13	.66	.45	.35	.59	.66	.00	7.37
4.1- 5.0	23	11	0	1	7	5	0	2	6	1	36	17	12	7	19	22	0	169
(1)	1.40	.67	.00	.06	.43	.30	.00	.12	.36	.06	2.19	1.03	.73	.43	1.15	1.34	.00	10.27
(2)	.54	.26	.00	.02	.16	.12	.00	.05	.14	.02	.85	.40	.28	.16	.45	.52	.00	3.98
5.1- 6.0	2	1	0	1	4	3	0	1	0	0	12	17	14	8	3	4	0	70
(1)	.12	.06	.00	.06	.24	.18	.00	.06	.00	.00	.73	1.03	.85	.49	.18	.24	.00	4.25
(2)	.05	.02	.00	.02	.09	.07	.00	.02	.00	.00	.28	.40	.33	.19	.07	.09	.00	1.65
6.1- 8.0	0	0	0	0	0	1	0	0	1	0	1	8	5	9	2	1	0	28

.

.

BBNPP

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD - continued} (Page 2 of 2)

				SSE	S MAY N	NET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	1ETER TO	WER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS D				CL	ASS FRE	QUENC	Y (PERCE	NT) = 38	.78		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	,00	.00	.00	.00	.06	.00	.00	.06	.00	.06	.49	.30	.55	.12	.06	.00	1.70
(2)	.00	.00	.00	.00	.00	.02	.00	.00	.02	.00	.02	.19	.12	.21	.05	.02	.00	.66
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	124	148	119	75	104	98	96	82	94	115	202	114	73	59	71	72	0	1646
(1)	7.53	8.99	7.23	4.56	6.32	5.95	5.83	4.98	5.71	6.99	12.27	6.93	4.43	3.58	4.31	4.37	.00	100.00
(2)	2.92	3.49	2.80	1.77	2.45	2.31	2.26	1.93	2.21	2.71	4.76	2.69	1.72	1.39	1.67	1.70	.00	38.78

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

33.0	FT WIN	D DATA		SSI	ES MAY I STAE	MET DAT BILITY CL	A JOINT ASS E	FREQUE	NCY DIS	TRIBUTIO	DN (60-1 Cl	METER TO	WER) QUENC	Y (PERCEI	NT) = 26	.12		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	2	3	2	1	0	0	0	1	0	0	0	0	0	0	0	9
(1)	.00	.00	.18	.27	.18	.09	.00	.00	.00	.09	.00	.00	00	00	00	00	00	81
(2)	.00	.00	.05	.07	.05	.02	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.21
.24	0	0	1	0	1	1	0	1	0	2	0	0	0	0	0	0	0	6
(1)	.00	.00	.09	.00	.09	.09	.00	.09	.00	.18	.00	.00	.00	.00	.00	.00	.00	.54
(2)	.00	.00	.02	.00	.02	.02	.00	.02	.00	.05	.00	.00	.00	.00	.00	.00	.00	.14
.5- 1.0	7	17	49	94	76	50	38	30	17	14	5	1	1	2	1	3	0	405
(1)	.63	1.53	4.42	8.48	6.85	4.51	3.43	2.71	1.53	1.26	.45	.09	.09	.18	.09	.27	.00	36.52
(2)	.16	.40	1.15	2.21	1.79	1.18	.90	.71	.40	.33	.12	.02	.02	.05	.02	.07	.00	9.54
1.1- 1.5	8	33	59	40	14	11	18	13	54	33	12	4	4	1	1	4	0	309
(1)	.72	2.98	5.32	3.61	1.26	.99	1.62	1.17	4.87	2.98	1.08	.36	.36	.09	.09	.36	.00	27.86
(2)	.19	.78	1.39	.94	.33	.26	.42	.31	1.27	.78	.28	.09	.09	.02	.02	.09	.00	7.28
1.6- 2.0	14	27	23	11	4	2	7	17	13	30	16	3	4	0	3	3	0	177
(1)	1.26	2.43	2.07	.99	.36	.18	.63	1.53	1.17	2.71	1.44	.27	.36	.00	.27	.27	.00	15.96
(2)	.33	.64	.54	.26	.09	.05	.16	.40	.31	.71	.38	.07	.09	.00	.07	.07	.00	4.17
2.1- 3.0	15	15	13	3	7	4	8	5	14	10	17	10	5	2	7	17	0	152
(1)	1.35	1.35	1.17	.27	.63	.36	.72	.45	1.26	.90	1.53	.90	.45	.18	.63	1.53	.00	13.71
(2)	.35	.35	.31	.07	.16	.09	.19	.12	.33	.24	.40	.24	.12	.05	.16	.40	.00	3.58
3.1- 4.0	4	5	1	0	0	1	1	0	6	3	6	2	1	1	4	8	0	43
(1)	.36	.45	.09	.00	.00	.09	.09	.00	.54	.27	.54	.18	.09	.09	.36	.72	.00	3.88
(2)	.09	.12	.02	.00	.00	.02	.02	.00	.14	.07	.14	.05	.02	.02	.09	.19	.00	1.01
4.1- 5.0	0	0	0	0	2	0	0	0	0	1	0	1	1	0	0	1	0	6
(1)	.00	.00	.00	.00	.18	.00	.00	.00	.00	.09	.00	.09	.09	.00	.00	.09	.00	.54
(2)	.00	.00	.00	.00	.05	.00	.00	.00	.00	.02	.00	.02	.02	.00	.00	.02	.00	.14
5.1- 6.0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.02
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD - continued} (Page 1 of 2)

BBNPP

2-346 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

				Table 2	2.3-45-	— {SSE:	S 33' (1	0-m) 2((Page)01-20 2 of 2)	06 May	JFD - d	ontinu	ed}					
				SSE	SMAY	NET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIO	ON (60-M	AETER TO	WER)					
33.0	FT WINI	D DATA			STAE	BILITY CL	ASS E				CI	ASS FRE	QUENC	Y (PERCE	NT) = 26	.12		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
8 1-10 0	٥	0	0	0	0	٥	Λ	0	٥	٥	0	0	٥	0	n	0	0	0
(1)	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	ň	00	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	48	97	148	151	106	70	72	66	105	94	57	21	16	6	16	36	0	1109
(1)	4.33	8.75	13.35	13.62	9.56	6.31	6.49	5.95	9.47	8.48	5.14	1.89	1.44	.54	1.44	3.25	.00	100.00
(2)	1.13	2.29	3.49	3.56	2.50	1.65	1.70	1.55	2.47	2.21	1.34	.49	.38	.14	.38	.85	.00	26.12

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

n

BBNPP

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD - continued} (Page 1 of 2)

				SS	ES MAY N	IET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	NETER TO	WER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 11	.99		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.20	.20	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.59
(2)	.00	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.24	0	2	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	5
(1)	.00	.39	.00	.20	.20	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.98
(2)	.00	.05	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.12
.5- 1.0	1	7	35	122	76	32	19	11	14	6	1	0	3	0	1	0	0	328
(1)	.20	1.38	6.88	23.97	14.93	6.29	3.73	2.16	2.75	1.18	.20	.00	.59	.00	.20	.00	.00	64.44
(2)	.02	.16	.82	2.87	1.79	.75	.45	.26	.33	.14	.02	.00	.07	.00	.02	.00	.00	7.73
1.1- 1.5	1	7	37	65	2	1	3	7	7	5	8	1	0	0	0	0	0	144
(1)	.20	1.38	7.27	12.77	.39	.20	.59	1.38	1.38	.98	1.57	.20	.00	.00	.00	.00	.00	28.29
(2)	.02	.16	.87	1.53	.05	.02	.07	.16	.16	.12	.19	.02	.00	.00	.00	.00	.00	3.39
1.6- 2.0	2	2	5	5	1	0	0	1	0	3	2	0	0	0	1	0	0	22
(1)	.39	.39	.98	.98	.20	.00	.00	.20	.00	.59	.39	.00	.00	.00	.20	.00	.00	4.32
(2)	.05	.05	.12	.12	.02	.00	.00	.02	.00	.07	.05	.00	.00	.00	.02	.00	.00	.52
2.1- 3.0	1	1	1	0	0	0	0	0	0	0	2	0	1	0	0	0	0	6
(1)	.20	.20	.20	.00	.00	.00	.00	.00	.00	.00	.39	.00	.20	.00	.00	.00	.00	1.18
(2)	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.05	.00	.02	.00	.00	.00	.00	.14
3.1- 4.0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
· (2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

FSAR: Section 2.3

Meteorology

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD - continued} (Page 2 of 2)

33.0	FT WINI			SSI	ES MAY N STAB	AET DAT	A JOINT ASS F	FREQUE	NCY DIS	TRIBUTIC	DN (60-N Cl	AETER TO	WER) QUENC	Y (PERCEN	VT) = 11	.99		
							W	IND DIRE	CTION F	ROM				•				
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Ó	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	6	19	79	194	81	34	22	19	21	14	13	1	4	0	2	0	0	509
(1)	1.18	3.73	15.52	38.11	15.91	6.68	4.32	3.73	4.13	2.75	2.55	.20	.79	.00	.39	.00	.00	100.00
(2)	.14	.45	1.86	4.57	1.91	.80	.52	.45	.49	.33	.31	.02	.09	.00	.05	.00	.00	11.99

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

1

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD - continued} (Page 1 of 2)

.

33.0	FT WIN	D DATA		SSI	ES MAY N STAB	ILITY CL	A JOINT ASS G	FREQUE	NCY DIS	TRIBUTIC	DN (60-1 C	METER TO LASS FRE	OWER) EQUEN(CY (PERCE	NT) = 6.	.62		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.36	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.36
(2)	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.36	.36	.36	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.07
(2)	.00	.00	.00	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	0	1	23	94	35	12	5	4	1	2	0	0	0	0	0	0	0	177
(1)	.00	.36	8.19	33.45	12.46	4.27	1.78	1.42	.36	.71	.00	.00	.00	.00	.00	.00	.00	62.99
(2)	.00	.02	.54	2.21	.82	.28	.12	.09	.02	.05	.00	.00	.00	.00	.00	.00	.00	4.17
1.1- 1.5	0	0	14	74	1	0	0	0	3	1	0	0	0	0	0	1	0	94
(1)	.00	.00	4.98	26.33	.36	.00	.00	.00	1.07	.36	.00	.00	.00	.00	.00	.36	.00	33.45
(2)	.00	.00	.33	1.74	.02	.00	.00	.00	.07	.02	.00	.00	.00	.00	.00	.02	.00	2.21
1.6 - 2.0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	1.07	.36	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.42
(2)	.00	.00	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
2.1- 3.0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.00	.71	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.71
(2)	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Meteorology

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD - continued} (Page 2 of 2)

				SSI	ES MAY N	AET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIC)N (60-l	METER TO	WER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 6.	62		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	3	40	170	37	13	6	4	4	3	0	0	0	0	0	1	0	281
(1)	.00	1.07	14.23	60.50	13.17	4.63	2.14	1.42	1.42	1.07	.00	.00	.00	.00	.00	.36	.00	100.00
(2)	.00	.07	.94	4.00	.87	.31	.14	.09	.09	.07	.00	.00	.00	.00	.00	.02	.00	6.62

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

								(Fage	1012)									
33.0	FT WIN	D DATA		SS	ES MAY I STABI	MET DA1 LITY CLA	A JOINT	FREQUE	NCY DIS	TRIBUTI	0N (60-1 CL	METER TO ASS FREC	WER) QUENCY	(PERCEN	IT) = 10(0.00		
							w	IND DIRI	ECTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	1	0	4	6	5	1	0	0	0	1	0	0	0	0	0	0	0	18
(1)	.02	.00	.09	.14	.12	.02	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.42
(2)	.02	.00	.09	.14	.12	.02	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.42
.24	0	2	1	2	3	4	2	1	0	2	0	0	0	0	0	0	0	17
(1)	.00	.05	.02	.05	.07	.09	.05	.02	.00	.05	.00	.00	.00	.00	.00	.00	.00	.40
(2)	.00	.05	.02	.05	.07	.09	.05	.02	.00	.05	.00	.00	.00	.00	.00	.00	.00	.40
.5- 1.0	9	31	120	325	208	114	79	56	44	26	8	2	4	3	3	3	0	1035
(1)	.21	.73	2.83	7.66	4.90	2.69	1.86	1.32	1.04	.61	.19	.05	.09	.07	.07	.07	.00	24.38
(2)	.21	.73	2.83	7.66	4.90	2.69	1.86	1.32	1.04	.61	.19	.05	.09	.07	.07	.07	.00	24.38
1.1- 1.5	12	56	148	202	45	24	41	38	93	70	49	13	7	3	4	7	0	812
(1)	.28	1.32	3.49	4.76	1.06	.57	.97	.90	2.19	1.65	1.15	.31	.16	.07	.09	.16	.00	19.13
(2)	.28	1.32	3.49	4.76	1.06	.57	.97	.90	2.19	1.65	1.15	.31	.16	.07	.09	.16	.00	19.13
1.6- 2.0	28	59	76	35	32	30	36	41	38	70	54	15	12	2	8	5	0	541
(1)	.66	1.39	1.79	.82	.75	.71	.85	.97	.90	1.65	1.27	.35	.28	.05	.19	.12	.00	12.74
(2)	.66	1.39	1.79	.82	.75	.71	.85	.97	.90	1.65	1.27	.35	.28	.05	.19	.12	.00	12.74
2.1- 3.0	58	86	64	33	37	41	47	45	42	97	129	46	22	18	23	36	0	824
(1)	1.37	2.03	1.51	.78	.87	.97	1.11	1.06	.99	2.29	3.04	1.08	.52	.42	.54	.85	.00	19.41
(2)	1.37	2.03	1.51	.78	.87	.97	1.11	1.06	.99	2.29	3.04	1.08	.52	.42	.54	.85	.00	19.41
3.1- 4.0	68	50	7	6	14	16	21	21	44	26	114	46	23	23	34	39	0	552
(1)	1.60	1.18	.16	.14	.33	.38	.49	.49	1.04	.61	2.69	1.08	.54	.54	.80	.92	.00	13.00
(2)	1.60	1.18	.16	.14	.33	.38	.49	.49	1.04	.61	2.69	1.08	.54	.54	.80	.92	.00	13.00
4.1- 5.0	43	17	1	1	10	5	0	4	7	6	71	40	15	14	20	35	0	289
(1)	1.01	.40	.02	.02	.24	.12	.00	.09	.16	.14	1.67	.94	.35	.33	.47	.82	.00	6.81
(2)	1.01	.40	.02	.02	.24	.12	.00	.09	.16	.14	1.67	.94	.35	.33	.47	.82	.00	6.81
5.1- 6.0	11	4	0	1	4	3	0	1	1	0	18	26	16	8	4	12	0	109
(1)	.26	.09	.00	.02	.09	.07	.00	.02	.02	.00	.42	.61	.38	.19	.09	.28	.00	2.57
(2)	.26	.09	.00	.02	.09	.07	.00	.02	.02	.00	.42	.61	.38	.19	.09	.28	.00	2.57
6.1- 8.0	7	0	0	0	0	1	0	0	1	0	4	16	5	9	2	3	0	48

Table 2.3-45— {SSES 33' (10-m) 2001-2006 May JFD - continued} (Page 1 of 2)

Rev. 2a

Meteorology

				Table 2	2.3-45-	— {SSE:	S 33' (1	0-m) 2((Page)01-20 2 of 2)	06 May	JFD - d	ontinu	ed}					
33.0	FT WINI	D DATA		SSE	S MAY I STABI	MET DAT LITY CLA	A JOINT				ON (60-M CL	NETER TO ASS FREC	WER) QUENCY	' (PERCEN	IT) = 100	0.00		
SPEED m/s	N	NNF	NF	FNF	F	ESE	SE	SSE	S S	SSM.	SW	wsw	w	WNW	NM	NINW	VPRI	τοται
(1)	.16	.00	.00	.00	.00	.02	00	00	02	00	09	38	12	21	05	07		1 13
(2)	.16	.00	.00	.00	.00	.02	.00	.00	.02	.00	.09	.38	.12	.21	.05	.07	.00	1.13
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0.	0	0	0	0	0 ·	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	237	305	421	611	358	239	226	207	270	298	447	204	104	80	98	140	0	4245
(1)	5.58	7.18	9.92	14.39	8.43	5.63	5.32	4.88	6.36	7.02	10.53	4.81	2,45	1.88	2.31	3.30	.00	100.00
(2)	5.58	7.18	9.92	14.39	8.43	5.63	5.32	4.88	6.36	7.02	10.53	4.81	2.45	1.88	2.31	3.30	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-46—	{SSES 33	' (10-m) 200)1-2006 June JF	D }
		· (10-111) 200	-2000 Julie Ji	U 3

(Page 1 of 2)

SSES JUNE MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33.0 FT WIND DATA STABILITY CLASS A CLASS FREQUENCY (PERCENT) = 8.43														43				
							w	IND DIR	ECTION I	FROM	-				, –			
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	Ō	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	1	1	4	2	0	0	0	0	0	0	0	0	0	8
(1)	.00	.00	.00	.00	.27	.27	1.10	.55	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.20
(2)	.00	.00	.00	.00	.02	.02	.09	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.19
1.1- 1.5	0	2	2	1	2	7	3	7	5	7	3	1	2	0	0	1	0	43
(1)	.00	.55	.55	.27	.55	1.92	.82	1.92	1.37	1.92	.82	.27	.55	.00	.00	.27	.00	11.81
(2)	.00	.05	.05	.02	.05	.16	.07	.16	.12	.16	.07	.02	.05	.00	.00	.02	.00	1.00
1.6- 2.0	1	1	1	3	7	1	5	6	1	8	7	3.	1	0	0	2	0	47
(1)	.27	.27	.27	.82	1.92	.27	1.37	1.65	.27	2.20	1.92	.82	.27	.00	.00	.55	.00	12.91
(2)	.02	.02	.02	.07	.16	.02	.12	.14	.02	.19	.16	.07	.02	.00	.00	.05	.00	1.09
2.1- 3.0	2	6	11	3	2	1	5	0	4	25	53	7	3	1	0	1	0	124
(1)	.55	1.65	3.02	.82	.55	.27	1.37	.00	1.10	6.87	14.56	1.92	.82	.27	.00	.27	.00	34.07
(2)	.05	.14	.25	.07	.05	.02	.12	.00	.09	.58	1.23	.16	.07	.02	.00	.02	.00	2.87
3.1- 4.0	0	1	0	0	0	0	4	1	1	15	57	14	2	0	2	0	0	97
(1)	.00	.27	.00	.00	.00	.00	1.10	.27	.27	4.12	15.66	3.85	.55	.00	.55	.00	.00	26.65
(2)	.00	.02	.00	.00	.00	.00	.09	.02	.02	.35	1.32	.32	.05	.00	.05	.00	.00	2.25
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	16	14	3	0	1	1	0	35
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.40	3.85	.82	.00	.27	.27	.00	9.62
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.37	.32	.07	.00	.02	.02	.00	.81
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	1	5	1	0	1	1	0	9
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.27	1.37	.27	.00	.27	.27	.00	2.47
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.12	.02	.00	.02	.02	.00	.21
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1

BBNPP

Rev. 2a

Meteorology

				SSE	S JUNE I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	OWER)					
33.0	FT WIN	D DATA		*	STAB	ILITY CL	ASS A				C	LASS FRE		Y (PERCE	NT) = 8.	43		
							w	IND DIR	ECTION F	ROM				•	•			
SPEED m/s	Ν	NNE ·	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.27	.00	.00	.00	.00	.00	.27
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	• 0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	3	10	14	7	12	10	21	16	11	55	137	45	12	1	4	6	0	364
(1)	.82	2.75	3.85	1.92	3.30	2.75	5.77	4.40	3.02	15.11	37.64	12.36	3.30	.27	1.10	1.65	.00	100.00
(2)	.07	.23	.32	.16	.28	.23	.49	.37	.25	1.27	3.17	1.04	.28	.02	.09	.14	.00	8.43

Table 2.3-46--- {SSES 33' (10-m) 2001-2006 June JFD} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Table 2.3-46 {SSES 33' (10-m) 2001-2006 June JFD - continued}
(Page 1 of 2)

SSES JUNE MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS B				c	LASS FRE		Y (PERCE	NT) = 4.	54		
					_		W	IND DIRE	ECTION F	ROM			-					
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	0	1	1	2	3	1	0	1	0	0	0	0	0	0	0	0	10
(1)	.51	.00	.51	.51	1.02	1.53	.51	.00	.51	.00	.00	.00	.00	.00	.00	.00	.00	5.10
(2)	.02	.00	.02	.02	.05	.07	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.23
1.1- 1.5	1	0	1	6	2	2	4	2	4	1	3	1	0	0	0	0	0	27
(1)	.51	.00	.51	3.06	1.02	1.02	2.04	1.02	2.04	.51	1.53	.51	.00	.00	.00	.00	.00	13.78
(2)	.02	.00	.02	.14	.05	.05	.09	.05	.09	.02	.07	.02	.00	.00	.00	.00	.00	.62
1.6- 2.0	3	1	1	1	0	0	3	2	0	3	2	0	0	0	0	1	0	17
(1)	1.53	.51	.51	.51	.00	.00	1.53	1.02	.00	1.53	1.02	.00	.00	.00	.00	.51	.00	8.67
(2)	.07	.02	.02	.02	.00	.00	.07	.05	.00	.07	.05	.00	.00	.00	.00	.02	.00	.39
2.1- 3.0	2	7	10	2	1	0	2	0	2	12	18	5	2	0	0	0	0	63
(1)	1.02	3.57	5.10	1.02	.51	.00	1.02	.00	1.02	6.12	9.18	2.55	1.02	.00	.00	.00	.00	32.14
(2)	.05	.16	.23	.05	.02	.00	.05	.00	.05	.28	.42	.12	.05	.00	.00	.00	.00	1.46
3.1- 4.0	3	0	0	0	0	0	0	0	0	0	34	8	5	1	2	4	0	57
(1)	1.53	.00	.00	.00	.00	.00	.00	.00	.00	.00	17.35	4.08	2.55	.51	1.02	2.04	.00	29.08
(2)	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.79	.19	.12	.02	.05	.09	.00	1.32
41.50	0	0	0	0	0	0	0	0	0	0	0	2		0	0	1	0	16
4.1-5.0	0	0	0	0	0	0	0	0	0	0	8	3	4	0	0	۱ ۲۱	0	10
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.08	1.55	2.04	.00	.00	.51	.00	0.10 27
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.19	.07	.09	.00	.00	.02	.00	.37
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	1	4	0	0	0	1	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.51	2.04	.00	.00	.00	.51	.00	3.06
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.09	.00	.00	.00	.02	.00	.14
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued} (Page 2 of 2)

SSES JUNE MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS B				С	LASS FRE	QUENC	Y (PERCE	NT) = 4.	54		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00 ´	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	10	8	13	10	5	5	10	4	7	16	66	21	11	1	2	7	0	196
(1)	5.10	4.08	6.63	5.10	2.55	2.55	5.10	2.04	3.57	8.16	33.67	10.71	5.61	.51	1.02	3.57	.00	100.00
(2)	.23	.19	.30	.23	.12	.12	.23	.09	.16	.37	1.53	.49	.25	.02	.05	.16	.00	4.54

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued}
(Page 1 of 2)

				SSE	S JUNE	MET DA1	A JOINT	FREQUE	NCY DIS	TRIBUT	ION (60-M	METER TO	OWER)					
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS C				c	LASS FR	EQUENC	Y (PERCE	NT) = 5	.37		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	· 0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.0Ò	.00	.00	.00	.00	.00	.00
.5- 1.0	0	1	2	0	2	4	0	1	0	1	0	0	0	0	0	0	0	1 1
(1)	.00	.43	.86	.00	.86	1.72	.00	.43	.00	.43	.00	.00	.00	.00	.00	.00	.00	4.74
(2)	.00	.02	.05	.00	.05	.09	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.25
1. 1- 1.5	1	4	0	4	3	0	3	1	3	3	1	0	0	0	0	1	0	24
(1)	.43	1.72	.00	1.72	1.29	.00	1.29	.43	1.29	1.29	.43	.00	.00	.00	.00	.43	.00	10.34
(2)	.02	.09	.00	.09	.07	.00	.07	.02	.07	.07	.02	.00	.00	.00	.00	.02	.00	.56
1.6- 2.0	2	4	7	3	1	1	1	1	1	4	6	1	1	2	0	1	0	36
(1)	.86	1.72	3.02	1.29	.43	.43	.43	.43	.43	1.72	2.59	.43	.43	.86	.00	.43	.00	15.52
(2)	.05	.09	.16	.07	.02	.02	.02	.02	.02	.09	.14	.02	.02	.05	.00	.02	.00	.83
2.1- 3.0	6	4	1	3	0	2	0	1	2	7	27	6	2	0	1	6	0	68
(1)	2.59	1.72	.43	1.29	.00	.86	.00	.43	.86	3.02	11.64	2.59	.86	.00	.43	2.59	.00	29.31
(2)	.14	.09	.02	.07	.00	.05	.00	.02	.05	.16	.63	.14	.05	.00	.02	.14	.00	1.57
3.1- 4.0	2	0	0	0	0	0	0	0	1	2	30	6	2	0	1	4	0	48
(1)	.86	.00	.00	.00	.00	.00	.00	.00	.43	.86	12.93	2.59	.86	.00	.43	1.72	.00	20.69
(2)	.05	.00	.00	.00	.00	.00	.00	.00	.02	.05	.69	.14	.05	.00	.02	.09	.00	1.11
4.1- 5.0	1	0	0	0	0	0	0	0	0	0	8	12	4	1	3	2	0	31
(1)	.43	.00	.00	.00	.00	.00	.00	.00	.00	.00	3.45	5.17	1.72	.43	1.29	.86	.00	13.36
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.19	.28	.09	.02	.07	.05	.00	.72
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	3	2	0	0	5	4	0	14
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.29	.86	.00	.00	2.16	1.72	.00	6.03
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.05	.00	.00	.12	.09	.00	.32
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued} (Page 2 of 2)

SSES JUNE MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
33.0	FT WINI	D DATA			STAB	BILITY CL	ASS C				С	LASS FRE		Y (PERCE	NT) = 5.	.37		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	12	13	10	10	6	7	4	4	7	17	75	27	9	3	10	18	0	232
(1)	5.17	5.60	4.31	4.31	2.59	3.02	1.72	1.72	3.02	7.33	32.33	11.64	3.88	1.29	4.31	7.76	.00	100.00
(2)	.28	.30	.23	.23	.14	.16	.09	.09	.16	.39	1.74	.62	.21	.07	.23	.42	.00	5.37

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD
Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued} (Page 1 of 2)

				SSE	S JUNE I	MET DAT	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-I	METER TO	OWER)					
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 33	.24		
							w	IND DIR	ECTION F	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	2	4	25	31	42	27	30	11	14	14	9	0	1	0	2	0	0	212
(1)	.14	.28	1.74	2.16	2.92	1.88	2.09	.77	.97	.97	.63	.00	.07	.00	.14	.00	.00	14.76
(2)	.05	.09	.58	.72	.97	.63	.69	.25	.32	.32	.21	.00	.02	.00	.05	.00	.00	4.91
1.1- 1.5	17	31	37	28	20	12	19	17	33	44	27	8	3	3	3	2	0	304
(1)	1.18	2.16	2.58	1.95	1.39	.84	1.32	1.18	2.30	3.06	1.88	.56	.21	.21	.21	.14	.00	21.17
(2)	.39	.72	.86	.65	.46	.28	.44	.39	.76	1.02	.63	.19	.07	.07	.07	.05	.00	7.04
1.6- 2.0	26	36	21	6	7	13	20	14	17	43	42	12	9	2	2	6	0	276
(1)	1.81	2.51	1.46	.42	.49	.91	1.39	.97	1.18	2.99	2.92	.84	.63	.14	.14	.42	.00	19.22
(2)	.60	.83	.49	.14	.16	.30	.46	.32	.39	1.00	.97	.28	.21	.05	.05	.14	.00	6.39
2.1- 3.0	29	32	27	7	6	5	20	25	25	47	80	28	8	12	12	31	0	394
(1)	2.02	2.23	1.88	.49	.42	.35	1.39	1.74	1.74	3.27	5.57	1.95	.56	.84	.84	2.16	.00	27.44
(2)	.67	.74	.63	.16	.14	.12	.46	.58	.58	1.09	1.85	.65	.19	.28	.28	.72	.00	9.12
3.1- 4.0	10	12	2	0	0	1	1	0	1	4	59	27	15	5	21	16	0	174
(1)	.70	.84	.14	.00	.00	.07	.07	.00	.07	.28	4.11	1.88	1.04	.35	1.46	1.11	.00	12.12
(2)	.23	.28	.05	.00	.00	.02	.02	.00	.02	.09	1.37	.63	.35	.12	.49	.37	.00	4.03
4.1- 5.0	3	0	0	0	0	0	0	0	0	0	11	19	2	1	13	16	0	65
(1)	.21	.00	.00	.00	.00	.00	.00	.00	.00	.00	.77	1.32	.14	.07	.91	1.11	.00	4.53
(2)	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.25	.44	.05	.02	.30	.37	.00	1.50
5.1- 6.0	2	0	0	0	0	0	0	0	0	0	2	4	0	0	0	1	0	9
(1)	.14	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14	.28	.00	.00	.00	.07	.00	.63
(2)	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.09	.00	.00	.00	.02	.00	.21
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1

				Table 2	2.3-46-	— {SSES	5 33' (1)	0-m) 20 (Page	01-20 2 of 2)	06 June	JFD - d	ontinu	ed}					
				SSE	S JUNE I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	NETER TO	WER)					
33.0	FT WIN) DATA			STAB	ILITY CL	ASS D				CL	ASS FRE	QUENC	Y (PERCE	NT) = 33	.24		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	PEED m/s N NNE NE ENE E ESE SE SSW SW WSW WNW NW NNW VRBL TOT# (1) .00														TOTAL			
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0 ·	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	89	115	112	72	75	59	90	67	90	152	230	99	38	23	53	72	0	1436
(1)	6.20	8.01	7 <i>.</i> 80	5.01	5.22	4.11	6.27	4.67	6.27	10.58	16.02	6.89	2.65	1.60	3.69	5.01	.00	100.00
(2)	2.06	2.66	2.59	1.67	1.74	1.37	2.08	1.55	2.08	3.52	5.32	2.29	.88	.53	1.23	1.67	.00	33.24

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued} (Page 1 of 2)

				SSE	S JUNE	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	WER)					
33.0	FT WINI	D DATA			STAE	BILITY CL	ASS E				Ci	LASS FRE	QUENC	Y (PERCE	NT) = 28	.13		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
· (1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	4	2	0	1	0	0	0	0	0	0	0	0	0	7
(1)	.00	.00	.00	.00	.33	.16	.00	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.58
(2)	.00	.00	.00	.00	.09	.05	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16
.5- 1.0	10	24	63	105	94	62	49	31	36	10	5	2	1	4	0	1	0	497
(1)	.82	1.98	5.19	8.64	7.74	5.10	4.03	2.55	2.96	.82	.41	.16	.08	.33	.00	.08	.00	40.91
(2)	.23	.56	1.46	2.43	2.18	1.44	1.13	.72	.83	.23	.12	.05	.02	.09	.00	.02	.00	11.50
1.1- 1.5	12	45	61	44	13	10	24	24	50	55	18	9	2	1	4	1	0	373
(1)	.99	3.70	5.02	3.62	1.07	.82	1.98	1.98	4.12	4.53	1.48	.74	.16	.08	.33	.08	.00	30.70
(2)	.28	1.04	1.41	1.02	.30	.23	.56	.56	1.16	1.27	.42	.21	.05	.02	.09	.02	.00	8.63
1.6- 2.0	16	36	18	7	1	5	4	7	19	40	12	5	2	1	2	5	0	180
(1)	1.32	2.96	1.48	.58	.08	.41	.33	.58	1.56	3.29	.99	.41	.16	.08	.16	.41	.00	14.81
(2)	.37	.83	.42	.16	.02	.12	.09	.16	.44	.93	.28	.12	.05	.02	.05	.12	.00	4.17
2.1- 3.0	17	26	1	0	0	0	4	4	5	18	23	2	2	5	5	9	0	121
(1)	1.40	2.14	.08	.00	.00	.00	.33	.33	.41	1.48	1.89	.16	.16	.41	.41	.74	.00	9.96
(2)	.39	.60	.02	.00	.00	.00	.09	.09	.12	.42	.53	.05	.05	.12	.12	.21	.00	2.80
3.1- 4.0	4	4	1	0	0	0	1	0	0	1	9	2	2	2	1	5	0	32
(1)	.33	.33	.08	.00	.00	.00	.08	.00	.00	.08	.74	.16	.16	.16	.08	.41	.00	2.63
(2)	.09	.09	.02	.00	.00	.00	.02	.00	.00	.02	.21	.05	.05	.05	.02	.12	.00	.74
4.1- 5.0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	1	1	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.08	.00	.00	.16	.00	.00	.00	.08	.08	.00	.41
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.05	.00	.00	.00	.02	.02	.00	.12
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

FSAR: Section 2.3

								(i age	2012)									
				SSE	S JUNE	MET DAT	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-!	METER TO	WER)					
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 28	.13		
							W	IND DIRE	ECTION I	ROM	•							
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	.S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	59	135	144	156	112	79	82	68	110	124	69	20	9	13	13	22	0	1215
(1)	4.86	11.11	11.85	12.84	9.22	6.50	6.75	5.60	9.05	10.21	5.68	1.65	.74	1.07	1.07	1.81	.00	100.00
(2)	1.37	3.13	3.33	3.61	2.59	1.83	1.90	1.57	2.55	2.87	1.60	.46	.21	.30	.30	.51	.00	28.12

Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

								(Page	1 of 2)									
				SSI	ES JUNE I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	OWER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCEI	NT) = 14	.31		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	2	3	0	2	0	0	0	0	0	0	0	0	0	0	7
(1)	.00	.00	.00	.32	.49	.00	.32	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.13
(2)	.00	.00	.00	.05	.07	.00	.05	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.16
.5- 1.0	1	5	31	204	104	28	19	9	8	2	0	0	0	0	1	0	0	412
(1)	.16	.81	5.02	33.01	16.83	4.53	3.07	1.46	1.29	.32	.00	.00	.00	.00	.16	.00	.00	66.67
(2)	.02	.12	.72	4.72	2.41	.65	.44	.21	.19	.05	.00	.00	.00	.00	.02	.00	.00	9.54
1.1- 1.5	3	8	24	114	4	0	2	5	7	12	1	0	0	1	1	0	0	182
(1)	.49	1.29	3.88	18.45	.65	.00	.32	.81	1.13	1.94	.16	.00	.00	.16	.16	.00	.00	29.45
(2)	.07	.19	.56	2.64	.09	.00	.05	.12	.16	.28	.02	.00	.00	.02	.02	.00	.00	4.21
1.6- 2.0	3	1	2	7	0	0	0	0	0	0	2	0	0	0	0	0	0	15
(1)	.49	.16	.32	1.13	.00	.00	.00	.00	.00	.00	.32	.00	.00	.00	.00	.00	.00	2.43
(2)	.07	.02	.05	.16	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.35
2.1- 3.0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.16	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16	.00	.00	.16
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.02
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued}

BBNPP

2-364 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

FSAR: Section 2.3

Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued} (Page 2 of 2)

				SSE	S JUNE N	NET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIC	DN (60-1	METER TO	WER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCEN	NT) = 14	.31		
						•	W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	· 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	7	15	57	327	111	28	23	14	15	14	3	0	0	1	3	0	0	618
(1)	1.13	2.43	9.22	52.91	17.96	4.53	3.72 [.]	2.27	2.43	2.27	.49	.00	.00	.16	.49	.00	.00	100.00
(2)	.16	.35	1.32	7.57	2.57	.65	.53	.32	.35	.32	.07	.00	.00	.02	.07	.00	.00	14.31

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

								(Page	1 of 2)									
				SSE	S JUNE	MET DAT	TA JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	OWER)					
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 6.	00		
	· N	NINIT	NIE	ENIE	-		W.			ROM	<i>c</i>				• • • • • •			
	N O	NNE	NE	ENE	E	ESE	SE	SSE	2	22.00	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
L1.Z	0	0	0	0	0	0	0	0	0	0	0	0	-0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	1	36	101	22	8	7	1	2	0	0	0	0	0	1	0	0	179
(1)	.00	.39	13.90	39.00	8.49	3.09	2.70	.39	.77	.00	.00	.00	.00	.00	.39	.00	.00	69.11
(2)	.00	.02	.83	2.34	.51	.19	.16	.02	.05	.00	.00	.00	.00	.00	.02	.00	.00	4.14
1.1- 1.5	0	0	7	61	2	0	0	2	1	0	0	0	0	0	0	0	0	73
(1)	.00	.00	2.70	23.55	.77	.00	.00	.77	.39	.00	.00	.00	.00	.00	.00	.00	.00	28.19
(2)	.00	.00	.16	1.41	.05	.00	.00	.05	.02	.00	.00	.00	.00	.00	.00	.00	.00	1.69
1.6- 2.0	0	0	0	4	0	0	0	0	0	0	2	0	0	0	0	0	0	6
(1)	.00	.00	.00	1.54	.00	.00	.00	.00	.00	.00	.77	.00	.00	.00	.00	.00	.00	2.32
(2)	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.14
2.1- 3.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.39	.00	.00	.00	.00	ő	00	00	39
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	őő	ñ	ñ	ň	00	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
41-50	0	0	0	0	0	0	n	٥	٥	0	0	0	0	0	0	0	٥	0
(1)	.00	.00	.00	.00	.00	.00	ŏŏ	00	ñ	ñ	00	00	00	00	00	00	0	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
51-60	0	٥	٥	0	٥	0	0	0	0	0	0	٥	0	0	0	0	0	0
(1)	ň	ññ	00	00	00	00	00	00	00	00	00	00	00	00	00	0	0	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00 .00	.00	.00	.00 .00	.00 .00	.00	.00 .00	.00 .00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued}

				Table 2	2.3-46-	— {SSE:	5 33' (1)	0-m) 20 (Page	0 1-20 2 of 2)	06 June	JFD -	continu	ed}					
				SSE	S JUNE	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIO	ON (60-I	METER TO	WER)					
33.0	FT WINI	D DATA			STAE	BILITY CL	ASS G				C	LASS FRE		Y (PERCE	NT) = 6.	.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	YEED m/s N NNE NE ENE E ESE SE SSW SW WSW W NW NW VRBL TOT (1) .00														TOTAL			
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	1	43	166	24	8	7	3	3	1	2	0	0	0	1	0	0	259
(1)	.00	.39	16.60	64.09	9.27	3.09	2.70	1.16	1.16	.39	.77	.00	.00	.00	.39	.00	.00	100.00
(2)	.00	.02	1.00	3.84	.56	.19	.16	.07	.07	.02	.05	.00	.00	.00	.02	.00	.00	6.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.

SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	2	7	3	2	1	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.05	.16	.07	.05	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.05	.16	.07	.05	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	14	35	158	442	267	133	110	55	61	27	14	2	2	4	4	1	0
(1)	.32	.81	3.66	10.23	6.18	3.08	2.55	1.27	1.41	.63	.32	.05	.05	.09	.09	.02	.00
(2)	.32	.81	3.66	10.23	6.18	3.08	2.55	1.27	1.41	.63	.32	.05	.05	.09	.09	.02	.00
1.1- 1.5	34	90	132	258	46	31	55	58	103	122	53	19	7	5	8	5	0
(1)	.79	2.08	3.06	5.97	1.06	.72	1.27	1.34	2.38	2.82	1.23	.44	.16	.12	.19	.12	.00
(2)	.79	2.08	3.06	5.97	1.06	.72	1.27	1.34	2.38	2.82	1.23	.44	.16	.12	.19	.12	.00
1.6- 2.0	51	79	50	31	16	20	33	30	38	98	73	21	13	5	4	15	0
(1)	1.18	1.83	1.16	.72	.37	.46	.76	.69	.88	2.27	1.69	.49	.30	.12	.09	.35	.00
(2)	1.18	1.83	1.16	.72	.37	.46	.76	.69	.88	2.27	1.69	.49	.30	.12	.09	.35	.00
2.1- 3.0	56	76	50	15	9	8	31	30	38	110	201	48	17	18	18	47	0
(1)	1.30	1.76	1.16	.35	.21	.19	.72	.69	.88	2.55	4.65	1.11	.39	.42	.42	1.09	.00
(2)	1.30	1.76	1.16	.35	.21	.19	.72	.69	.88	2.55	4.65	1.11	.39	.42	.42	1.09	.00
3.1- 4.0	19	17	3	0	0	1	6	1	3	22	189	57	26	8	28	29	0
(1)	.44	.39	.07	.00	.00	.02	.14	.02	.07	.51	4.38	1.32	.60	.19	.65	.67	.00
(2)	.44	.39	.07	.00	.00	.02	.14	.02	.07	.51	4.38	1.32	.60	.19	.65	.67	.00
4.1- 5.0	4	0	0	0	0	0	0	1	0	0	45	48	13	2	18	21	0

Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued}

SSES JUNE MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)

WIND DIRECTION FROM

CLASS FREQUENCY (PERCENT) = 100.00

.30

.30

1

.02

.02

0

.05

.05

0

.00

.00

0

(Page 1 of 2)

STABILITY CLASS ALL

BBNPP

33.0 FT WIND DATA

(1)

(2)

5.1-6.0

(1)

(2)

6.1-8.0

.09

.09

2

.05

.05

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.02

.02

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

0

1.04

1.04

7

.16

.16

0

1.11

1.11

15

.35

.35

2

Rev. 2a

TOTAL

0

.00

.00

15

.35

.35

1329

30.76

30.76

1026

23.75

23.75

577

13.36

13.36

772

17.87

17.87

409

9.47

9.47

152

3.52

3.52

38

.88

.88

2

.00

.00

0

.00

.00

0

.49

.49

7

.16

.16

0

.42

.42

6

.14

.14

0

								(i uge	2 01 2)									
				SSE	S JUNE	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-M	AETER TO	WER)					
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	T) = 100	0.00		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.05
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.05
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	180	297	393	748	345	196	237	176	243	379	582	212	79	42	86	125	0	4320
(1)	4.17	6.88	9.10	17.31	7.99	4.54	5.49	4.07	5.63	8.77	13.47	4.91	1.83	.97	1.99	2.89	.00	100.00
(2)	4.17	6.88	9.10	17.31	7.99	4.54	5.49	4.07	5.63	8.77	13.47	4.91	1.83	.97	1.99	2.89	.00	100.00

Table 2.3-46— {SSES 33' (10-m) 2001-2006 June JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD} (Page 1 of 2)

				SSE	S JULY	MET DAT	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	AETER TO	OWER)					
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS A				Cl	ASS FRE	QUENC	Y (PERCE	NT) = 11	.16		
							W	IND DIRE	CTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTA
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	1	4	2	2	1	3	0	0	0	0	0	0	0	0	14
(1)	.00	.00	.20	.20	.80	.40	.40	.20	.60	.00	.00	.00	.00	.00	.00	.00	.00	2.81
(2)	.00	.00	.02	.02	.09	.04	.04	.02	.07	.00	.00	.00	.00 .	.00	.00	.00	.00	.31
1.1- 1.5	1	1	11	12	11	6	4	4	7	9	7	2	0	0	0	1	0	76
(1)	.20	.20	2.21	2.41	2.21	1.20	.80	.80	1.41	1.81	1.41	.40	.00	.00	.00	.20	.00	15.26
(2)	.02	.02	.25	.27	.25	.13	.09	.09	.16	.20	.16	.04	.00	.00	.00	.02	.00	1.70
1.6- 2.0	2	4	3	6	4	4	1	2	7	11	15	5	0	1	0	1	0	66
(1)	.40	.80	.60	1.20	.80	.80	.20	.40	1.41	2.21	3.01	1.00	.00	.20	.00	.20	.00	13.25
(2)	.04	.09	.07	.13	.09	.09	.02	.04	.16	.25	.34	.11	.00	.02	.00	.02	.00	1.48
2.1- 3.0	4	12	5	4	1	0	13	5	11	33	71	8	1	1	1	5	0	175
(1)	.80	2.41	1.00	.80	.20	.00	2.61	1.00	2.21	6.63	14.26	1.61	.20	.20	.20	1.00	.00	35.14
(2)	.09	.27	.11	.09	.02	.00	.29	.11	.25	.74	1.59	.18	.02	.02	.02	.11	.00	3.92
3.1- 4.0	19	12	1	0	0	0	0	0	2	6	55	18	6	1	1	1	0	122
(1)	3.82	2.41	.20	.00	.00	.00	.00	.00	.40	1.20	11.04	3.61	1.20	.20	.20	.20	.00	24.50
(2)	.43	.27	.02	.00	.00	.00	.00	.00	.04	.13	1.23	.40	.13	.02	.02	.02	.00	2.73
4.1- 5.0	4	1	0	0	0	0	0	0	0	0	14	17	1	0	1	3	0	41
(1)	.80	.20	.00	.00	.00	.00	.00	.00	.00	.00	2.81	3.41	.20	.00	.20	.60	.00	8.23
(2)	.09	.02	.00	.00	.00	.00	.00	.00	.00	.00	.31	.38	.02	.00	.02	.07	.00	.92
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.80	.00	.00	.00	.00	.00	.80
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.09
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

				SSE	S JULY I	MET DAT		FREQUE	NCY DIS	TRIBUTI	ON (60-1	NETER TC	WER)					
33.0	FT WINI	D DATA			STAE	BILITY CL	ASS A	-			Ċ	ASS FRE		Y (PERCEN	NT) = 11	.16		
							w	IND DIR	ECTION P	ROM				. (,			
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	30	30	21	23	20	12	20	12	30	59	162	54	8	3	3	11	0	498
(1)	6.02	6.02	4.22	4.62	4.02	2.41	4.02	2.41	6.02	11.85	32.53	10.84	1.61	.60	.60	2.21	.00	100.00
(2)	.67	.67	.47	.52	.45	.27	.45	.27	.67	1.32	3.63	1.21	.18	.07	.07	.25	.00	11.16

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

33.0) FT WIN	D DATA		SSE	S JULY STAE	MET DAT BILITY CL	'A JOINT ASS B	FREQUE	NCY DIS	TRIBUTI	ION (60-M C	AETER TO	OWER) EQUENC	Y (PERCE	NT) = 4.	.57		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	ñ	ñ
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	1	1	0	2	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.49	.49	.00	.98	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.96
(2)	.00	.00	.00	.00	.02	.02	.00	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	2	0	3	2	· 2	0	2	0	2	1	1	0	0	0	0	0	0	15
(1)	.98	.00	1.47	.98	.98	.00	.98	.00	.98	.49	.49	.00	.00	.00	.00	.00	.00	7.35
(2)	.04	.00	.07	.04	.04	.00	.04	.00	.04	.02	.02	.00	.00	.00	.00	.00	.00	.34
1.6- 2.0	3	7	3	2	1	0	1	2	2	2	4	3	0	0	0	1	0	31
(1)	1.47	3.43	1.47	.98	.49	.00	.49	.98	.98	.98	1.96	1.47	.00	.00	.00	.49	.00	15.20
(2)	.07	.16	.07	.04	.02	.00	.02	.04	.04	.04	.09	.07	.00	.00	.00	.02	.00	.69
2.1- 3.0	1	12	3	1	0	0	3	1	5	12	21	3	2	1	2	1	0	68
(1)	.49	5.88	1.47	.49	.00	.00	1.47	.49	2.45	5.88	10.29	1.47	.98	.49	.98	.49	.00	33.33
(2)	.02	.27	.07	.02	.00	.00	.07	.02	.11	.27	.47	.07	.04	.02	.04	.02	.00	1.52
3.1- 4.0	6	4	1	0	0	0	1	0	0	2	23	9	5	2	1	3	0	57
(1)	2.94	1.96	.49	.00	.00	.00	.49	.00	.00	.98	11.27	4.41	2.45	.98	.49	1.47	.00	27.94
(2)	.13	.09	.02	.00	.00	.00	.02	.00	.00	.04	.52	.20	.11	.04	.02	.07	.00	1.28
4.1- 5.0	5	3	0	0	0	0	0	0	0	0	8	6	3	0	1	2	0	28
(1)	2.45	1.47	.00	.00	.00	.00	.00	.00	.00	.00	3.92	2.94	1.47	.00	.49	.98	.00	13.73
(2)	.11	.07	.00	.00	.00	.00	.00	.00	.00	.00	.18	.13	.07	.00	.02	.04	.00	.63
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.49	.00	.00	.00	.00	.00	.00	.49
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 1 of 2)

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 2 of 2)

33.0	FT WINI	D DATA		SSE	S JULY N STAB	NET DAT	A JOINT ASS B	FREQUE	NCY DIS	TRIBUTI	ON (60-M C	NETER TO	WER)	Y (PERCE	NT) = 4.	57		
							W	IND DIRE	CTION F	ROM				•				
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	17	26	10	5	4	1	7	5	9	17	58	21	10	3	4	7	0	204
(1)	8.33	12.75	4.90	2.45	1.96	.49	3.43	2.45	4.41	8.33	28.43	10.29	4.90	1.47	1.96	3.43	.00	100.00
(2)	.38	.58	.22	.11	.09	.02	.16	.11	.20	.38	1.30	.47	.22	.07	.09	.16	.00	4.57

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Meteorology

								(i uge	,									
33.0	FT WINI	D DATA		SSE	S JULY I STAB	MET DAT	A JOINT ASS C	FREQUE	NCY DIS	TRIBUTIO	DN (60-1 C	NETER TO	WER)	Y (PERCE	NT) = 6.	03		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	00	00	00	00	00	00	00	00	00	00	00	00	00	ň	00	00	00	ň
(7)	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	00	.00	.00	.00	.00	.00	00	.00	00	.00	00	00	00	ñ	ñ
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(=)																		
.5- 1.0	0	1	0	1	4	4	1	1	1	0	0	0	0	0	0	0	0	13
(1)	.00	.37	.00	.37	1.49	1.49	.37	.37	.37	.00	.00	.00	.00	.00	.00	.00	.00	4.83
(2)	.00	.02	.00	.02	.09	.09	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.29
. ,						•												
1.1- 1.5	1	5	2	5	4	2	1	1	4	4	3	0	2	0	1	0	0	35
(1)	.37	1.86	.74	1.86	1.49	.74	.37	.37	1.49	1.49	1.12	.00	.74	.00	.37	.00	.00	13.01
(2)	.02	.11	.04	.11	.09	.04	.02	.02	.09	.09	.07	.00	.04	.00	.02	.00	.00	.78
1.6- 2.0	4	1	0	4	1	3	6	2	3	3	6	5	1	1	1	0	0	41
(1)	1.49	.37	.00	1.49	.37	1.12	2.23	.74	1.12	1.12	2.23	1.86	.37	.37	.37	.00	.00	15.24
(2)	.09	.02	.00	.09	.02	.07	.13	.04	.07	.07	.13	.11	.02	.02	.02	.00	.00	.92
2.1- 3.0	11	6	3	0	0	0	1	3	2	18	24	8	2	2	6	2	0	88
(1)	4.09	2.23	1.12	.00	.00	.00	.37	1.12	.74	6.69	8.92	2.97	.74	.74	2.23	.74	.00	32.71
(2)	.25	.13	.07	.00	.00	.00	.02	.07	.04	.40	.54	.18	.04	.04	.13	.04	.00	1.97
3.1- 4.0	11	1	0	0	0	0	0	0	4	1	14	11	4	2	9	6	0	63
(1)	4.09	.37	.00	.00	.00	.00	.00	.00	1.49	.37	5.20	4.09	1.49	.74	3.35	2.23	.00	23.42
(2)	.25	.02	.00	.00	.00	.00	.00	.00	.09	.02	.31	.25	.09	.04	.20	.13	.00	1.41
4.1- 5.0	2	1	0	0	0	0	0	0	0	0	6	14	1	0	0	1	0	25
(1)	.74	.37	.00	.00	.00	.00	.00	.00	.00	.00	2.23	5.20	.37	.00	.00	.37	.00	9.29
(2)	.04	.02	.00	.00	.00	.00	.00	.00	.00	.00	.13	.31	.02	.00	.00	.02	.00	.56
5.1- 6.0	0	1	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	4
(1)	.00	.37	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.12	.00	.00	.00	.00	.00	1.49
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.09
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 1 of 2)

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 2 of 2)

				SSE	S JULY N	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	AETER TO	WER)					
33.0	FT WINE	D DATA			STAB	ILITY CL	ASS C				C	LASS FRE	QUENC	Y (PERCE	NT) = 6.	03		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	O	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	29	16	5	10	9	9	9	7	14	26	53	41	10	5	17	9	0	269
(1)	10.78	5.95	1.86	3.72	3.35	3.35	3.35	2.60	5.20	9.67	19.70	15.24	3.72	1.86	6.32	3.35	.00	100.00
(2)	.65	.36	.11	.22	.20	.20	.20	.16	.31	.58	1.19	.92	.22	.11	.38	.20	.00	6.03

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 1 of 2)

				SSE	S JULY I	MET DAT	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-M	NETER TO	WER)					
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS D				CI	LASS FRE	QUENC	Y (PERCE	NT) = 28	8.88		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5~ 1.0	1	10	21	27	26	28	21	15	14	5	6	3	0	0	1	2	0	180
(1)	.08	.78	1.63	2.09	2.02	2.17	1.63	1.16	1.09	.39	.47	.23	.00	.00	.08	.16	.00	13.96
(2)	.02	.22	.47	.60	.58	.63	.47	.34	.31	.11	.13	.07	.00	.00	.02	.04	.00	4.03
1.1- 1.5	6	24	26	29	19	17	19	17	29	36	28	11	3	2	3	2	0	271
(1)	.47	1.86	2.02	2.25	1.47	1.32	1.47	1.32	2.25	2.79	2.17	.85	.23	.16	.23	.16	.00	21.02
(2)	.13	.54	.58	.65	.43	.38	.43	.38	.65	.81	.63	.25	.07	.04	.07	.04	.00	6.07
1.6- 2.0	8	34	11	12	11	10	23	20	25	33	32	6	2	3	4	7	0	241
(1)	.62	2.64	.85	.93	.85	.78	1.78	1.55	1.94	2.56	2.48	.47	.16	.23	.31	.54	.00	18.70
(2)	.18	.76	.25	.27	.25	.22	.52	.45	.56	.74	.72	.13	.04	.07	.09	.16	.00	5.40
2.1- 3.0	33	33	9	6	3	11	21	13	38	56	62	30	8	6	11	23	0	363
(1)	2.56	2.56	.70	.47	.23	.85	1.63	1.01	2.95	4.34	4.81	2.33	.62	.47	.85	1.78	.00	28.16
(2)	.74	.74	.20	.13	.07	.25	.47	.29	.85	1.25	1.39	.67	.18	.13	.25	.52	.00	8.13
3.1- 4.0	16	11	0	0	0	0	4	1	4	6	61	25	6	4	13	18	0	169
(1)	1.24	.85	.00	.00	.00	.00	.31	.08	.31	.47	4.73	1.94	.47	.31	1.01	1.40	.00	13.11
(2)	.36	.25	.00	.00	.00	.00	.09	.02	.09	.13	1.37	.56	.13	.09	.29	.40	.00	3.79
4.1- 5.0	4	0	0	0	0	0	0	0	1	2	22	14	2	1	2	0	0	48
(1)	.31	.00	.00	.00	.00	.00	.00	.00	.08	.16	1.71	1.09	.16	.08	.16	.00	.00	3.72
(2)	.09	.00	.00	.00	.00	.00	.00	.00	.02	.04	.49	.31	.04	.02	.04	.00	.00	1.08
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	6	10	0	0	0	0	0	16
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.47	.78	.00	.00	.00	.00	.00	1.24
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.13	.22	.00	.00	.00	.00	.00	.36
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1

BBNPP

Rev. 2a

						••••	• • -	(Page	2 of 2)	•			•			
				SSE	S JULY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIC	DN (60-1	METER TO	WER)			
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCEN	IT) = 28	.88
							W	ND DIRE	CTION F	FROM						
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

.00

.00

66

5.12

1.48

.00

.00

111

8.61

2.49

.00

.00

138

10.71

3.09

.00

.00

217

16.83

4.86

.00

.00

100

7.76

2.24

.00

.00

16

1.24

.36

.00

.00

21

1.63

.47

.00

.00

34

2.64

.76

.00

.00

52

4.03

1.16

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued}

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.00

.00

112

8.69

2.51

.00

.00

67

5.20

1.50

.00

.00

74

5.74

1.66

.00

.00

59

4.58

1.32

.00

.00

66

5.12

1.48

.00

.00

88

6.83

1.97

BBNPP

(1)

(2)

ALL SPEEDS

(1)

(2)

.00

.00

68

5.28

1.52

VRBL TOTAL

.08

.02

0

.00

.00

0

.00

.00

1289

100.00

28.88

.00

.00

0

.00

.00

0

.00

.00

0

.00

.00

				Table	2.3-47-	— {SSE:	S 33' (1	0-m) 2((Page	001-20 1 of 2)	06 July	JFD - d	ontinue	ed}					
				SSE	S JULY N	NET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-!	METER TO	WER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 29	.79		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	2	5	0	0	1	0	0	0	0	0	0	0	0	0	9
(1)	.00	.00	.08	.15	.38	.00	.00	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.68
(2)	.00	.00	.02	.04	.11	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20
.5- 1.0	5	19	86	162	135	75	71	37	33	10	4	0	1	2	0	0	0	640
(1)	.38	1.43	6.47	12.18	10.15	5.64	5.34	2.78	2.48	.75	.30	.00	.08	.15	.00	.00	.00	48.12
(2)	.11	.43	1.93	3.63	3.02	1.68	1.59	.83	.74	.22	.09	.00	.02	.04	.00	.00	.00	14.34
1.1- 1.5	10	50	81	57	10	14	19	19	45	53	11	5	0	0	4	0	0	378
(1)	.75	3.76	6.09	4.29	.75	1.05	1.43	1.43	3.38	3.98	.83	.38	.00	.00	.30	.00	.00	28.42
(2)	.22	1.12	1.81	1.28	.22	.31	.43	.43	1.01	1.19	.25	.11	.00	.00	.09	.00	.00	8.47
1.6- 2.0	14	33	8	5	4	9	8	3	21	37	19	5	1	0	1	3	0	171
(1)	1.05	2.48	.60	.38	.30	.68	.60	.23	1.58	2.78	1.43	.38	.08	.00	.08	.23	.00	12.86
(2)	.31	.74	.18	.11	.09	.20	.18	.07	.47	.83	.43	.11	.02	.00	.02	.07	.00	3.83
2.1- 3.0	9	7	3	2	1	3	3	1	7	17	28	5	2	0	10	13	0	111
(1)	.68	.53	.23	.15	.08	.23	.23	.08	.53	1.28	2.11	.38	.15	.00	.75	.98	.00	8.35
(2)	.20	.16	.07	.04	.02	.07	.07	.02	.16	.38	.63	.11	.04	.00	.22	.29	.00	2.49
3.1- 4.0	2	0	0	0	0	0	1	0	0	0	3	2	3	2	2	3	0	18
(1)	.15	.00	.00	.00	.00	.00	.08	.00	.00	.00	.23	.15	.23	.15	.15	.23	.00	1.35
(2)	.04	.00	.00	.00	.00	.00	.02	.00	.00	.00	.07	.04	.07	.04	.04	.07	.00	.40
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08	.00	.00	.00	.00	.08	.00	.15
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.02	.00	.04
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08	.00	.00	.00	.00	.00	.00	.08
(2)	.00	.00	.00	.00	.00	.00	00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

FSAR: Section 2.3

								· - 9-	,									
				SSI	ES JULY I	NET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-M	NETER TO	WER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS E				CI	LASS FRE	QUENC	Y (PERCE	IT) = 29	.79		
							w	IND DIRI	ECTION F	ROM			-					
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	40	109	179	228	155	101	102	61	106	117	67	17	7	4	17	20	0	1330
(1)	3.01	8.20	13.46	17.14	11.65	7.59	7.67	4.59	7.97	8.80	5.04	1.28	.53	.30	1.28	1.50	.00	100.00
(2)	.90	2.44	4.01	5.11	3.47	2.26	2.28	1.37	2.37	2.62	1.50	.38	.16	.09	.38	.45	.00	29.79

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 1 of 2)

				SSE	S JULY	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIO	ON (60-1	METER TO	WER)					
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCEI	NT) = 15	5.59		
							W	IND DIRI	ECTION	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.29	.29	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.57
(2)	.00	.00	.00	.00	.04	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
.5- 1.0	0	8	31	206	123	50	18	12	6	2	2	0	0	0	1	1	0	460
(1)	.00	1.15	4.45	29.60	17.67	7.18	2.59	1.72	.86	.29	.29	.00	.00	.00	.14	.14	.00	66.09
(2)	.00	.18	.69	4.61	2.76	1.12	.40	.27	.13	.04	.04	.00	.00	.00	.02	.02	.00	10.30
1.1- 1.5	0	9	31	136	11	2	3	2	8	9	1	0	0	0	0	1	0	213
(1)	.00	1.29	4.45	19.54	1.58	.29	.43	.29	1.15	1.29	.14	.00	.00	.00	.00	.14	.00	30.60
(2)	.00	.20	.69	3.05	.25	.04	.07	.04	.18	.20	.02	.00	.00	.00	.00	.02	.00	4.77
1.6- 2.0	0	3	2	9	1	0	0	0	0	2	0	0	0	0	0	1	0	18
(1)	.00	.43	.29	1.29	.14	.00	.00	.00	.00	.29	.00	.00	.00	.00	.00	.14	.00	2.59
(2)	.00	.07	.04	.20	.02	.00	.00	.00	.00	.04	.00	.00	.00	.00	.00	.02	.00	.40
2.1- 3.0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.14	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
3.1- 4.0	0	0	0	0	· 0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	· 0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Rev. 2a

				SSE	S JULY N	NET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIO	DN (60-1	METER TO	WER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCEN	NT) = 15	.59		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	21	64	351	137	54	21	14	14	13	3	0	0	0	1	3	0	696
(1)	.00	3.02	9.20	50.43	19.68	7.76	3.02	2.01	2.01	1.87	.43	.00	.00	.00	.14	.43	.00	100.00
(2)	.00	.47	1.43	7.86	3.07	1.21	.47	.31	.31	.29	.07	.00	.00	.00	.02	.07	.00	15.59

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 1 of 2)

				SSI	ES JULY N	IET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIO	ON (60-1	METER TO	WER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 3.	.99		
							w	IND DIRE	CTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	11	68	25	9	0	2	0	0	0	0	0	0	0	0	0	115
(1)	.00	.00	6.18	38.20	14.04	5.06	.00	1.12	.00	.00	.00	.00	.00	.00	.00	.00	.00	64.61
(2)	.00	.00	.25	1.52	.56	.20	.00	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.58
1.1- 1.5	0	1	8	46	2	0	0	0	0	0	0	0	0	0	0	1	0	58
(1)	.00	.56	4.49	25.84	1.12	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.56	.00	32.58
(2)	.00	.02	.18	1.03	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	1.30
1.6- 2.0	1	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	5
(1)	.56	.00	.00	2.25	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.81
(2)	.02	.00	.00	.09	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11
2.1- 3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	· 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 2 of 2)

				SSE	ES JULY N	NET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIC	DN (60-1	METER TO	WER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 3.	99		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 ·	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	(0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	1	1	19	118	27	9	0	2	0	0	0	0	0	0	0	1	0	178
(1)	.56	.56	10.67	66.29	15.17	5.06	.00	1.12	.00	.00	.00	.00	.00	.00	.00	.56	.00	100.00
(2)	.02	.02	.43	2.64	.60	.20	.00	.04	.00	.00	.00	.00	.00	.00	.00	.02	.00	3.99

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued}
(Page 1 of 2)

				SSE	S JULY I	MET DAT	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	WER)					
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENC	(PERCEN	IT) = 10	0.00		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	2	7	2	0	1	0	0	0	0	0	0	0	0	0	13
(1)	.00	.00	.02	.04	.16	.04	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.29
(2)	.00	.00	.02	.04	.16	.04	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.29
.5- 1.0	6	38	150	465	318	169	113	70	57	[.] 17	12	3	1	2	2	3	0	1426
(1)	.13	.85	3.36	10.42	7.12	3.79	2.53	1.57	1.28	.38	.27	.07	.02	.04	.04	.07	.00	31.94
(2)	.13	.85	3.36	10.42	7.12	3.79	2.53	1.57	1.28	.38	.27	.07	.02	.04	.04	.07	.00	31.94
1.1- 1.5	20	90	162	287	59	41	48	43	95	112	51	18	5	2	8	5	0	1046
(1)	.45	2.02	3.63	6.43	1.32	.92	1.08	.96	2.13	2.51	1.14	.40	.11	.04	.18	.11	.00	23.43
(2)	.45	2.02	3.63	6.43	1.32	.92	1.08	.96	2.13	2.51	1.14	.40	.11	.04	.18	.11	.00	23.43
1.6- 2.0	32	82	27	42	22	26	39	29	58	88	76	24	4	5	6	13	0	573
(1)	.72	1.84	.60	.94	.49	.58	.87	.65	1.30	1.97	1.70	.54	.09	.11	.13	.29	.00	12.84
(2)	.72	1.84	.60	.94	.49	.58	.87	.65	1.30	1.97	1.70	.54	.09	.11	.13	.29	.00	12.84
2.1- 3.0	58	71	23	13	5	14	41	23	63	136	206	54	15	10	30	44	0	806
(1)	1.30	1.59	.52	.29	.11	.31	.92	.52	1.41	3.05	4.61	1.21	.34	.22	.67	.99	.00	18.06
(2)	1.30	1.59	.52	.29	.11	.31	.92	.52	1.41	3.05	4.61	1.21	.34	.22	.67	.99	.00	18.06
3:1- 4.0	54	28	2	0	0	0	6	1	10	15	156	65	24	11	26	31	0	429
(1)	1.21	.63	.04	.00	.00	.00	.13	.02	.22	.34	3.49	1.46	.54	.25	.58	.69	.00	9.61
(2)	1.21	.63	.04	.00	.00	.00	.13	.02	.22	.34	3.49	1.46	.54	.25	.58	.69	.00	9.61
4.1- 5.0	15	5	0	0	0	0	0	0	1	2	51	51	7	1	4	7	0	144
(1)	.34	.11	.00	.00	.00	.00	.00	.00	.02	.04	1.14	1.14	.16	.02	.09	.16	.00	3.23
(2)	.34	.11	.00	.00	.00	.00	.00	.00	.02	.04	1.14	1.14	.16	.02	.09	.16	.00	3.23
5.1- 6.0	0	1	0	0	0	0	0	0	0	0	8	17	0	0	0	0	0	26
(1)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.18	.38	.00	.00	.00	.00	.00	.58
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.18	.38	.00	.00	.00	.00	.00	.58
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1

1

								· · J ·	- /									
				SSE	S JULY	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	NETER TO	WER)					
33.0	FT WINI	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	UENCY	(PERCEN	T) = 100	0.00		
	•						w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	1,85	315	365	809	411	252	247	167	284	370	560	233	56	31	76	103	0	4464
(1)	4.14	7.06	8.18	18.12	9.21	5.65	5.53	3.74	6.36	8.29	12.54	5.22	1.25	.69	1.70	2.31	.00	100.00
(2)	4.14	7.06	8.18	18.12	9.21	5.65	5.53	3.74	6.36	8.29	12.54	5.22	1.25	.69	1.70	2.31	.00	100.00

Table 2.3-47— {SSES 33' (10-m) 2001-2006 July JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD} (Page 1 of 2)

				SSES	AUGUS	T MET D/	ATA JOIN	NT FREQU	JENCY D	ISTRIBU	TION (60	-METER	TOWER)	1				
33	B.O FT WIN	D DATA			STAI	BILITY CL	ASS A				C	LASS FRE	QUENC	Y (PERCEI	VT) = 11	.16		
							W	IND DIR	ECTION I	ROM								
SPEED m/	s N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	2	3	4	3	1	0	0	0	0	0	0	0	0	13
(1)	.00	.00	.00	.00	.40	.60	.80	.60	.20	.00	.00	.00	.00	.00	.00	.00	.00	2.61
(2)	.00	.00	.00	.00	.04	.07	.09	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.29
1.1- 1.5	0	2	9	13	7	6	4	4	9	4	5	2	1	1	0	0	0	67
(1)	.00	.40	1.81	2.61	1.41	1.20	.80	.80	1.81	.80	1.00	.40	.20	.20	.00	.00	.00	13.45
(2)	.00	.04	.20	.29	.16	.13	.09	.09	.20	.09	.11	.04	.02	.02	.00	.00	.00	1.50
1.6- 2.0	0	5	5	6	4	3	7	6	6	15	9	2	0	0	1	0	0	69
. (1)	.00	1.00	1.00	1.20	.80	.60	1.41	1.20	1.20	3.01	1.81	.40	.00	.00	.20	.00	.00	13.86
(2)	.00	.11	.11	.13	.09	.07	.16	.13	.13	.34	.20	.04	.00	.00	.02	.00	.00	1.55
2.1- 3.0	9	11	17	1	0	1	2	5	15	24	48	7	0	4	1	4	0	149
(1)	1.81	2.21	3.41	.20	.00	.20	.40	1.00	3.01	4.82	9.64	1.41	.00	.80	.20	.80	.00	29.92
(2)	.20	.25	.38	.02	.00	.02	.04	.11	.34	.54	1.08	.16	.00	.09	.02	.09	.00	3.34
3.1- 4.0	13	14	0	0	0	1	0	1	3	20	60	16	7	6	3	6	0	150
(1)	2.61	2.81	.00	.00	.00	.20	.00	.20	.60	4.02	12.05	3.21	1.41	1.20	.60	1.20	.00	30.12
(2)	.29	.31	.00	.00	.00	.02	.00	.02	.07	.45	1.34	.36	.16	.13	.07	.13	.00	3.36
4.1- 5.0	0	3	0	0	0	1	1	0	0	0	13	23	3	0	0	0	0	44
(1)	.00	.60	.00	.00	.00	.20	.20	.00	.00	.00	2.61	4.62	.60	.00	.00	.00	.00	8.84
(2)	.00	.07	.00	.00	.00	.02	.02	.00	.00	.00	.29	.52	.07	.00	.00	.00	.00	.99
5.1- 6.0	2	1	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	6
(1)	.40	.20	.00	.00	.00	.00	.00	.00	.00	.00	.40	.20	.00	.00	.00	.00	.00	1.20
(2)	.04	.02	.00	.00	.00	.00	.00	.00	.00	.00	.04	.02	.00	.00	.00	.00	.00	.13
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

FSAR: Section 2.3

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD} (Page 2 of 2)

				SSES	AUGUST	r met da	ATA JOIN	IT FREQU	IENCY D	ISTRIBUT	FION (60	-METER 1	OWER)	1				
33.0	FT WIND	D DATA			STAB	ILITY CL	ASS A				CI	LASS FRE	QUENC	Y (PERCE	NT) = 11	.16		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	24	36	31	20	13	15	18	19	34	63	137	51	11	11	5	10	0	498
(1)	4.82	7.23	6.22	4.02	2.61	3.01	3.61	3.82	6.83	12.65	27.51	10.24	2.21	2.21	1.00	2.01	.00	100.00
(2)	.54	.81	.69	.45	.29	.34	.40	.43	.76	1.41	3.07	1.14	.25	.25	.11	.22	.00	11.16

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES	AUGUS STAE	T MET DA	ATA JOIN ASS B	IT FREQU	JENCY D	ISTRIBU	TION (60 C	-METER 1 LASS FRI	TOWER) EQUENC	Y (PERCE	NT) = 3.	.85		
							W	IND DIRI	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	1	3	4	0	0	. 0	0	0	0	0	0	0	0	0	8
(1)	.00	.00	.00	.58	1.74	2.33	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.65
(2)	.00	.00	.00	.02	.07	.09	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.18
1.1- 1.5	1	0	4	7	3	2	2	1	1	1	1	0	0	0	0	0	0	23
(1)	.58	.00	2.33	4.07	1.74	1.16	1.16	.58	.58	.58	.58	.00	.00	.00	.00	.00	.00	13.37
(2)	.02	.00	.09	.16	.07	.04	.04	.02	.02	.02	.02	.00	.00	.00	.00	.00	.00	.52
1.6- 2.0	0	2	2	4	2	2	1	1	1	6	2	0	0	0	0	2	0	25
(1)	.00	1.16	1.16	2.33	1.16	1.16	.58	.58	.58	3.49	1.16	.00	.00	.00	.00	1.16	.00	14.53
(2)	.00	.04	.04	.09	.04	.04	.02	.02	.02	.13	.04	.00	.00	.00	.00	.04	.00	.56
2.1- 3.0	3	11	5	1	1	0	1	1	1	4	16	1	0	0	2	1	0	48
(1)	1.74	6.40	2.91	.58	.58	.00	.58	.58	.58	2.33	9.30	.58	.00	.00	1.16	.58	.00	27.91
(2)	.07	.25	.11	.02	.02	.00	.02	.02	.02	.09	.36	.02	.00	.00	.04	.02	.00	1.08
3.1- 4.0	7	2	1	0	0	1	0	0	0	8	19	6	3	3	1	3	0	54
(1)	4.07	1.16	.58	.00	.00	.58	.00	.00	.00	4.65	11.05	3.49	1.74	1.74	.58	1.74	.00	31.40
(2)	.16	.04	.02	.00	.00	.02	.00	.00	.00	.18	.43	.13	.07	.07	.02	.07	.00	1.21
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	3	2	1	0	1	1	0	8
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.74	1.16	.58	.00	.58	.58	.00	4.65
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.04	.02	.00	.02	.02	.00	.18
5.1- 6.0	3	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	5
(1)	1.74	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.16	.00	.00	.00	.00	.00	2.91
(2)	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.00	.00	.00	.00	.00	.11
6.1- 8.0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

BBNPP

Rev. 2a

								(i uge	2 01 2)									
				SSES	AUGUS	MET DA	AIOL AT	IT FREQU	JENCY D	ISTRIBU	TION (60	-METER	OWER)					
33.0	FI WINI	DATA			STAB	SILITY CL	ASS B				C	LASS FRE	QUENC	Y (PERCE	NT) = 3.	.85		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.58	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.58
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	15	15	12	13	9	9	4	3	3	19	41	11	4	3	4	7	0	172
(1)	8.72	8.72	6.98	7.56	5.23	5.23	2.33	1.74	1.74	11.05	23.84	6.40	2.33	1.74	2.33	4.07	.00	100.00
(2)	.34	.34	.27	.29	.20	.20	.09	.07	.07	.43	.92	.25	.09	.07	.09	.16	.00	3.85

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD FSAR: Section 2.3

۰,

Table 2.3-48— {SSES 33'	(10-m) 2001-2006	6 August JFD - continued}
	(0 4 (0))	

(Page 1 of 2)

33.0	FT WIN	D DATA		SSES	AUGUST STAE	T MET DA BILITY CL	ATA JOIN .ASS C	IT FREQU	JENCY D	ISTRIBUT	FION (60 C	-METER	TOWER) EQUENC	Y (PERCE	NT) = 4.	89		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	0	2	1	6	1	4	2	0	0	0	0	0	0	0	18
(1)	.00	.00	.92	.00	.92	.46	2.75	.46	1.83	.92	.00	.00	.00	.00	.00	.00	.00	8.26
(2)	.00	.00	.04	.00	.04	.02	.13	.02	.09	.04	.00	.00	.00	.00	.00	.00	.00	:40
1.1- 1.5	3	1	4	6	6	1	1	2	3	3	2	0	1	0	0	0	0	33
(1)	1.38	.46	1.83	2.75	2.75	.46	.46	.92	1.38	1.38	.92	.00	.46	.00	.00	.00	.00	15.14
(2)	.07	.02	.09	.13	.13	.02	.02	.04	.07	.07	.04	.00	.02	.00	.00	.00	.00	.74
1.6- 2.0	2	5	2	2	1	1	1	2	3	2	5	0	1	0	2	0	0	29
(1)	.92	2.29	.92	.92	.46	.46	.46	.92	1.38	.92	2.29	.00	.46	.00	.92	.00	.00	13.30
(2)	.04	.11	.04	.04	.02	.02	.02	.04	.07	.04	.11	.00	.02	.00	.04	.00	.00	.65
2.1- 3.0	7	14	7	0	1	0	1	0	4	11	17	3	0	1	1	2	0	69
(1)	3.21	6.42	3.21	.00	.46	.00	.46	.00	1.83	5.05	7.80	1.38	.00	.46	.46	.92	.00	31.65
(2)	.16	.31	.16	.00	.02	.00	.02	.00	.09	.25	.38	07	.00	.02	.02	.04	.00	1.55
3.1- 4.0	6	3	0	0	0	0	2	0	0	5	16	9	3	0	3	3	0	50
(1)	2.75	1.38	.00	.00	.00	.00	.92	.00	.00	2.29	7.34	4.13	1.38	.00	1.38	1.38	.00	22.94
(2)	.13	.07	.00	.00	.00	.00	.04	.00	.00	.11	.36	.20	.07	.00	.07	.07	.00	1.12
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	7	1	0	2	1	0	0	11
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	3.21	.46	.00	.92	.46	.00	.00	5.05
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16	.02	.00	.04	.02	.00	.00	.25
5.1- 6.0	2	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	5
(1)	.92	.00	.00	.00	.00	.00	.00	.00	.00	.00	.92	.46	.00	.00	.00	.00	.00	2.29
(2)	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.02	.00	.00	.00	.00	.00	.11
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	3

								(5-	,									
				SSES	AUGUST	r met d <i>i</i>	ATA JOIN	IT FREQU	JENCY D	ISTRIBUT	TION (60	-METER 1	OWER)					
33.0	FT WINI	D DATA			STAE	BILITY CL	ASS C				С	LASS FRE	QUENC	Y (PERCE	NT) = 4.	89		
							w	IND DIRE	ECTION F	ROM					-			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.38	.00	.00	.00	.00	.00	1.38
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.07
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	20	23	15	8	10	3	11	5	14	23	49	17	5	3	7	5	0	218
(1)	9.17	10.55	6.88	3.67	4.59	1.38	5.05	2.29	6.42	10.55	22.48	7.80	2.29	1.38	3.21	2.29	.00	100.00
(2)	.45	.52	.34	.18	.22	.07	.25	.11	.31	.52	1.10	.38	.11	.07	.16	.11	.00	4.89

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD - continued} (Page 2 of 2)

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD - continued} (Page 1 of 2)

33.0	FT WINI	D DATA		SSES	AUGUST STAB	r met d <i>i</i> Bility cl	ATA JOIN ASS D	IT FREQU	IENCY D	ISTRIBUT	TION (60 Cl	-METER T	OWER) QUENC	Y (PERCEI	NT) = 27	.25		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	1	0	0	2	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.08	.00	.08	.00	.00	.16	.00	.00	.00	.00	.00	.00	.00	.00	.00	.33
(2)	.00	.00	.02	.00	.02	.00	.00	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
.5- 1.0	3	23	30	29	39	29	27	18	21	9	8	2	3	0	0	0	0	241
(1)	.25	1.89	2.47	2.38	3.21	2.38	2.22	1.48	1.73	.74	.66	.16	.25	.00	.00	.00	.00	19.82
(2)	.07	.52	.67	.65	.87	.65	.61	.40	.47	.20	.18	.04	.07	.00	.00	.00	.00	5.40
1.1- 1.5	16	27	35	19	10	12	20	13	28	28	21	10	2	2	2	4	0	249
(1)	1.32	2.22	2.88	1.56	.82	.99	1.64	1.07	2.30	2.30	1.73	.82	.16	.16	.16	.33	.00	20.48
(2)	.36	.61	.78	.43	.22	.27	.45	.29	.63	.63	.47	.22	.04	.04	.04	.09	.00	5.58
1.6- 2.0	13	33	23	9	10	8	12	12	19	28	23	14	3	6	3	3	0	219
(1)	1.07	2.71	1.89	.74	.82	.66	.99	.99	1.56	2.30	1.89	1.15	.25	.49	.25	.25	.00	18.01
(2)	.29	.74	.52	.20	.22	.18	.27	.27	.43	.63	.52	.31	.07	.13	.07	.07	.00	4.91
2.1- 3.0	39	41	19	1	5	18	8	17	22	40	82	14	6	7	10	15	0	344
(1)	3.21	3.37	1.56	.08	.41	1.48	.66	1.40	1.81	3.29	6.74	1.15	.49	.58	.82	1.23	.00	28.29
(2)	.87	.92	.43	.02	.11	.40	.18	.38	.49	.90	1.84	.31	.13	.16	.22	.34	.00	7.71
3.1- 4.0	29	11	0	0	1	3	1	0	7	5	40	7	3	4	8	16	0	135
(1)	2.38	.90	.00	.00	.08	.25	.08	.00	.58	.41	3.29	.58	.25	.33	.66	1.32	.00	11.10
(2)	.65	.25	.00	.00	.02	.07	.02	.00	.16	.11	.90	.16	.07	.09	.18	.36	.00	3.03
4.1- 5.0	4 ·	0	0	0	0	0	0	0	0	0	4	3	3.	1	2	7	0	24
(1)	.33	.00	.00	.00	.00	.00	.00	.00	.00	.00	.33	.25	.25	.08	.16	.58	.00	1.97
(2)	.09	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.07	.07	.02	.04	.16	.00	.54
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD - continued} (Page 2 of 2)

				SSES	AUGUS	r met da	NIOL ATA	IT FREQU	JENCY D	ISTRIBUT	TION (60	-METER 1	rower)					
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS D				CL	ASS FRE	QUENC	Y (PERCEN	NT) = 27	.25		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	104	135	108	58	66	70	68	62	97	110	178	50	20	20	25	45	0	1216
(1)	8.55	11.10	8.88	4.77	5.43	5.76	5.59	5.10	7.98	9.05	14.64	4.11	1.64	1.64	2.06	3.70	.00	100.00
(2)	2.33	3.03	2.42	1.30	1.48	1.57	1.52	1.39	2.17	2.47	3.99	1.12	.45	.45	.56	1.01	.00	27.25

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-48— {SSES 33'	(10-m) 2001-2006 August JFD - continued}
	(Page 1 of 2)

SSES AUGUST MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33.0 FT WIND DATA STABILITY CLASS E CLASS FREQUENCY (PERCENT) = 32.12													.12					
				WIND DIRECTION FROM														
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	1	3	1	3	2	1	0	. 0	0	0	0	0	0	0	11
(1)	.00	.00	.00	.07	.21	.07	.21	.14	.07	.00	.00	.00	.00	.00	.00	.00	.00	.77
(2)	.00	.00	.00	.02	.07	.02	.07	.04	.02	.00	.00	.00	.00	.00	.00	.00	.00	.25
.5- 1.0	9	22	79	178	147	74	64	47	42	17	2	0	2	0	2	2	0	687
(1)	.63	1.54	5.51	12.42	10.26	5.16	4.47	3.28	2.93	1.19	.14	.00	.14	.00	.14	.14	.00	47.94
(2)	.20	.49	1.77	3.99	3.29	1.66	1.43	1.05	.94	.38	.04	.00	.04	.00	.04	.04	.00	15.40
1.1- 1.5	16	48	101	80	17	10	12	27	58	39	12	3	5	3	0	3	0	434
(1)	1.12	3.35	7.05	5.58	1.19	.70	.84	1.88	4.05	2.72	.84	.21	.35	.21	.00	.21	.00	30.29
(2)	.36	1.08	2.26	1.79	.38	.22	.27	.61	1.30	.87	.27	.07	.11	.07	.00	.07	.00	9.73
1.6- 2.0	22	35	21	7	2	3	6	7	17	36	20	5	0	5	1	2	0	189
(1)	1.54	2.44	1.47	.49	.14	.21	.42	.49	1.19	2.51	1.40	.35	.00	.35	.07	.14	.00	13.19
(2)	.49	.78	.47	.16	.04	.07	.13	.16	.38	.81	.45	.11	.00	.11	.02	.04	.00	4.24
2.1- 3.0	12	14	3	0	1	0	0	3	4	17	20	2	0	1	0	7	0	84
(1)	.84	.98	.21	.00	.07	.00	.00	.21	.28	1.19	1.40	.14	.00	.07	.00	.49	.00	5.86
(2)	.27	.31	.07	.00	.02	.00	.00	.07	.09	.38	.45	.04	.00	.02	.00	.16	.00	1.88
3.1- 4.0	3	4	0	0	0	0	4	2	4	3	3	0	0	0	1	2	0	26
(1)	.21	.28	.00	.00	.00	.00	.28	.14	.28	.21	.21	.00	.00	.00	.07	.14	.00	1.81
(2)	.07	.09	.00	.00	.00	.00	.09	.04	.09	.07	.07	.00	.00	.00	.02	.04	.00	.58
4.1- 5.0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.07	.07	.00	.00	.00	.00	.00	.00	.00	.00	.14
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.04
5.1- 6.0	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	` O	0

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD - continued} (Page 2 of 2)

SSES AUGUST MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																			
33.0 FT WIND DATA STABILITY CLASS E								CLASS FREQUENCY (PERCENT) = 32.12											
							W	IND DIRE	CTION F	ROM									
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
10.1-40.3	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
ALL SPEEDS	62	123	204	266	170	88	89	89	127	112	57	10	7	9	4	16	0	1433	
(1)	4.33	8.58	14.24	18.56	11.86	6.14	6.21	6.21	8.86	7.82	3.98	.70	.49	.63	.28	1.12	.00	100.00	
(2)	1.39	2.76	4.57	5.96	3.81	1.97	1.99	1.99	2.85	2.51	1.28	.22	.16	.20	.09	.36	.00	32.12	

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

÷
								(Page	1 of 2)									
				SSES	AUGUST	MET DA	ATA JOIN	T FREQU	JENCY D	ISTRIBU	FION (60	-METER 1	(OWER)					
33.0	FT WIN	D DATA	-		STAB	ILITY CL	ASS F				c	LASS FRE	QUENC	Y (PERCEI	NT) = 15	.37		
							W	IND DIRE	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	2	1	0	0	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.15	.00	.29	.15	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.58
(2)	.00	.00	.02	.00	.04	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
.5- 1.0	0	5	43	204	108	28	25	6	12	1	2	1	0	0	0	0	0	435
(1)	.00	.73	6.27	29.74	15.74	4.08	3.64	.87	1.75	.15	.29	.15	.00	.00	.00	.00	.00	63.41
(2)	.00	.11	.96	4.57	2.42	.63	.56	.13	.27	.02	.04	.02	.00	.00	.00	.00	.00	9.75
1.1- 1.5	3	9	41	14 1	3	2	3	4	8	6	3	0	0	0	0	1	0	224
(1)	.44	1.31	5.98	20.55	.44	.29	.44	.58	1.17	.87	.44	.00	.00	.00	.00	.15	.00	32.65
(2)	.07	.20	.92	3.16	.07	.04	.07	.09	.18	.13	.07	.00	.00	.00	.00	.02	.00	5.02
1.6- 2.0	0	8	5	7	0	0	0	0	0	1	2	0	0	0	0	0	0	23
(1)	.00	1.17	.73	1.02	.00	.00	.00	.00	.00	.15	.29	.00	.00	.00	.00	.00	.00	3.35
(2)	.00	.18	.11	.16	.00	.00	.00	.00	.00	.02	.04	.00	.00	.00	.00	.00	.00	.52
2.1- 3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0 '	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-48--- {SSES 33' (10-m) 2001-2006 August JFD - continued}

BBNPP

2-396 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

£

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD - continued} (Page 2 of 2)

				SSES	AUGUST	MET DA	ATA JOIN	IT FREQU	JENCY D	ISTRIBUT	ION (60	-METER 1	OWER)					
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				CI	LASS FRE	QUENC	Y (PERCEN	NT) = 15	.37		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	3	22	90	352	113	31	28	10	20	8	7	1	0	0	0	1	0	686
(1)	.44	3.21	13.12	51.31	16.47	4.52	4.08	1.46	2.92	1.17	1.02	.15	.00	.00	.00	.15	.00	100.00
(2)	.07	.49	2.02	7.89	2.53	.69	.63	.22	.45	.18	.16	.02	.00	.00	.00	.02	.00	15.37

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD - continued} (Page 1 of 2)

				SSES	AUGUS'	T MET D/	AIOL ATA	NT FREQU	JENCY D	ISTRIBUT	FION (60)-METER	OWER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS G				Ċ	LASS FRE		CY (PERCE	NT) = 5	.36		
							w	IND DIR	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	- 0	1
(1)	.00	.00	.00	.42	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.42
(2)	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	0	1	14	84	23	7	1	0	1	0	0	0	0	0	0	0	0	131
(1)	.00	.42	5.86	35.15	9.62	2.93	.42	.00	.42	.00	.00	.00	.00	.00	.00	.00	.00	54.81
(2)	.00	.02	.31	1.88	.52	.16	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	2.94
1.1- 1.5	0	2	11	87	3	0	0	0	1	1	0	0	0	0	0	0	0	105
(1)	.00	.84	4.60	36.40	1.26	.00	.00	.00	.42	.42	.00	.00	.00	.00	.00	.00	.00	43.93
(2)	.00	.04	.25	1.95	.07	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	2.35
1.6- 2.0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.84	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.84
(2)	.00	.00	.00	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04
2.1- 3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD - continued} (Page 2 of 2)

				SSES	AUGUST	MET DA	TA JOIN	IT FREQU	ENCY D	ISTRIBUT	'ION (60)-METER T	OWER))				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 5.	36		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1 - 40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	3	25	174	26	7	1	0	2	1	0	0	0	0	0	0	0	239
(1)	.00	1.26	10.46	72.80	10.88	2.93	.42	.00	.84	.42	.00	.00	.00	.00	.00	.00	.00	100.00
(2)	.00	.07	.56	3.90	.58	.16	.02	.00	.04	.02	.00	.00	.00	.00	.00	.00	.00	5.36

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-48— {SSES 33' (10-m) 200	01-2006 August JFD - continued}
(Page	e 1 of 2)
· · · · · · · · · · · · · · · · · · ·	···,

				SSES	AUGUS	r met d/	ATA JOIN	IT FREQU	JENCY D	ISTRIBU'	FION (60	-METER 1	(OWER)	I				
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENC	(PERCEN	T) = 10	0.00		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	2	2	6	2	3	4	1	0	0	0	0	0	0	0	0	20
(1)	.00	.00	.04	.04	.13	.04	.07	.09	.02	.00	.00	.00	.00	.00	.00	.00	.00	.45
(2)	.00	.00	.04	.04	.13	.04	.07	.09	.02	.00	.00	.00	.00	.00	.00	.00	.00	.45
.5- 1.0	12	51	168	496	324	146	127	75	81	29	12	3	5	0	2	2	0	1533
(1)	.27	1.14	3.77	11.12	7.26	3.27	2.85	1.68	1.82	.65	.27	.07	.11	.00	.04	.04	.00	34.36
(2)	.27	1.14	3.77	11.12	7.26	3.27	2.85	1.68	1.82	.65	.27	.07	.11	.00	.04	.04	.00	34.36
1.1- 1.5	39	89	205	353	49	33	42	51	108	82	44	15	9	6	2	8	0	1135
(1)	.87	1.99	4.59	7.91	1.10	.74	.94	1.14	2.42	1.84	.99	.34	.20	.13	.04	.18	.00	25.44
(2)	.87	1.99	4.59	7.91	1.10	.74	.94	1.14	2.42	1.84	.99	.34	.20	.13	.04	.18	.00	25.44
1.6- 2.0	37	88	58	37	19	17	27	28	46	88	61	21	4	11	7	7	0	556
(1)	.83	1.97	1.30	.83	.43	.38	.61	.63	1.03	1.97	1.37	.47	.09	.25	.16	.16	.00	12.46
(2)	.83	1. 9 7	1.30	.83	.43	.38	.61	.63	1.03	1.97	1.37	.47	.09	.25	.16	.16	.00	12.46
2.1- 3.0	70	91	51	3	8	19	12	26	46	96	183	27	6	13	14	29	0	694
(1)	1.57	2.04	1.14	.07	.18	.43	.27	.58	1.03	2.15	4.10	.61	.13	.29	.31	.65	.00	15.55
(2)	1.57	2.04	1.14	.07	.18	.43	.27	.58	1.03	2.15	4.10	.61	.13	.29	.31	.65	.00	15.55
3.1- 4.0	58	34	1	0	1	5	7	3	14	41	138	38	16	13	16	30	0	415
(1)	1.30	.76	.02	.00	.02	.11	.16	.07	.31	.92	3.09	.85	.36	.29	.36	.67	.00	9.30
(2)	1.30	.76	.02	.00	.02	.11	.16	.07	.31	.92	3.09	.85	.36	.29	.36	.67	.00	9.30
4.1- 5.0	4	3	0	0	0	1	1	1	1	0	27	29	7	3	4	8	0	89
(1)	.09	.07	.00	.00	.00	.02	.02	.02	.02	.00	.61	.65	.16	.07	.09	.18	.00	1.99
(2)	.09	.07	.00	.00	.00	.02	.02	.02	.02	.00	.61	.65	.16	.07	.09	.18	.00	1.99
5.1- 6.0	7	1	0	0	0	0	0	0	0	0	4	4	0	0	0	0	0	16
(1)	.16	.02	.00	.00	.00	.00	.00	.00	.00	.00	.09	.09	.00	.00	.00	.00	.00	.36
(2)	.16	.02	.00	.00	.00	.00	.00	.00	.00	.00	.09	.09	.00	.00	.00	.00	.00	.36
6.1- 8.0	1	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	4

BBNPP

Meteorology

FSAR: Section 2.3

Rev. 2a

Table 2.3-48— {SSES 33' (10-m) 2001-2006 August JFD - continued}	
(Page 2 of 2)	

				SSES	AUGUS	r met d/	ATA JOIN	IT FREQU	JENCY D	ISTRIBU	TION (60	-METER 1	FOWER))				
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	T) = 100	0.00		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW.	NNW	VRBL	TOTAL
(1)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.09
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.09
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	228	357	485	891	407	223	219	188	297	336	469	140	47	46	45	84	0	4462
(1)	5.11	8.00	10.87	19.97	9.12	5.00	4.91	4.21	6.66	7.53	10.51	3.14	1.05	1.03	1.01	1.88	.00	100.00
(2)	5.11	8.00	10.87	19.97	9.12	5.00	4.91	4.21	6.66	7.53	10.51	3.14	1.05	1.03	1.01	1.88	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-49— {SSES 33' (10-m) 2001-2006 September JFD} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES S	EPTEMB STAE	ER MET I BILITY CL	DATA JO .ASS A	INT FREG	QUENCY	DISTRIB	UTION (60-METER LASS FRE	R TOWE	R) IY (PERCE	NT) = 7.	01		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ó
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	1	3	5	1	1	0	1	1	0	0	0	0	0	0	13
(1)	.00	.00	.00	.33	.99	1.65	.33	.33	.00	.33	.33	.00	.00	.00	.00	.00	.00	4.29
(2)	.00	.00	.00	.02	.07	.12	.02	.02	.00	.02	.02	.00	.00	.00	.00	.00	.00	.30
1.1- 1.5	0	4	4	4	7	9	5	4	3	4	5	3	1	0	0	1	0	54
(1)	.00	1.32	1.32	1.32	2.31	2.97	1.65	1.32	.99	1.32	1.65	.99	.33	.00	.00	.33	.00	17.82
(2)	.00	.09	.09	.09	.16	.21	.12	.09	.07	.09 ·	.12	.07	.02	.00	.00	.02	.00	1.25
1.6- 2.0	2	3	7	3	4	2	2	4	6	4	7	2	0	0	0	0	0	46
(1)	.66	.99	2.31	.99	1.32	.66	.66	1.32	1.98	1.32	2.31	.66	.00	.00	.00	.00	.00	15.18
(2)	.05	.07	.16	.07	.09	.05	.05	.09	.14	.09	.16	.05	.00	.00	.00	.00	.00	1.06
2.1- 3.0	2	9	5	1	1	0	8	8	8	20	24	6	1	0	5	2	0	100
(1)	.66	2.97	1.65	.33	.33	.00	2.64	2.64	2.64	6.60	7.92	1.98	.33	.00	1.65	.66	.00	33.00
(2)	.05	.21	.12	.02	.02	.00	.19	.19	.19	.46	.56	.14	.02	.00	.12	.05	.00	2.31
3.1- 4.0	9	2	5	0	0	0	1	12	5	11	16	6	2	2	0	2	0	73
(1)	2.97	.66	1.65	.00	.00	.00	.33	3.96	1.65	3.63	5.28	1.98	.66	.66	.00	.66	.00	24.09
(2)	.21	.05	.12	.00	.00	.00	.02	.28	.12	.25	.37	.14	.05	.05	.00	.05	.00	1.69
4.1- 5.0	2	0	0	0	0	0	0	0	2	2	7	4	0	0	0	0	0	17
(1)	.66	.00	.00	.00	.00	.00	.00	.00	.66	.66	2.31	1.32	.00	.00	.00	.00	.00	5.61
(2)	.05	.00	.00	.00	.00	.00	.00	.00	.05	.05	.16	.09	.00	.00	.00	.00	.00	.39
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-49— {SSES 33' (10-m) 2001-2006 September JFD} (Page 2 of 2)

33.0	FT WINI			SSES S	EPTEMB STAB	ER MET E	OATA JO ASS A	INT FREC	QUENCY	DISTRIB	UTION (6	50-METER		R) Y (PERCE	NT) = 7.	01		
							w	IND DIRE		ROM					, ,			
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	15	18	21	9	15	16	17	29	24	42	60	21	4	2	5	5	0	303
(1)	4.95	5.94	6.93	2.97	4.95	5.28	5.61	9.57	7.92	13.86	19.80	6.93	1.32	.66	1.65	1.65	.00	100.00
(2)	.35	.42	.49	.21	.35	.37	.39	.67	.56	.97	1.39	.49	.09	.05	.12	.12	.00	7.01

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Rev. 2a

								(Page	1 of 2)									
				SSES S	ЕРТЕМВ	ER MET I	DATA JO	INT FRE	QUENCY	DISTRIB		50-METER	RTOWE	R)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS B				C	LASS FR		Y (PERCE	NT) = 3.	73		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
· (1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	2	1	1	0	1	1	0	0	0	0	0	0	0	6
(1)	.00	.00	.00	.00	1.24	.62	.62	.00	.62	.62	.00	.00	.00	.00	.00	.00	.00	3.73
(2)	.00	.00	.00	.00	.05	.02	.02	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.14
1.1- 1.5	1	0	4	5	3	3	1	1	3	4	7	0	0	0	0	0	0	32
(1)	.62	.00	2.48	3.11	1.86	1.86	.62	.62	1.86	2.48	4.35	.00	.00	.00	.00	.00	.00	19.88
(2)	.02	.00	.09	.12	.07	.07	.02	.02	.07	.09	.16	.00	.00	.00	.00	.00	.00	.74
1.6- 2.0	2	3	2	1	0	0	1	2	2	3	7	2	0	0	0	0	0	25
(1)	1.24	1.86	1.24	.62	.00	.00	.62	1.24	1.24	1.86	4.35	1.24	.00	.00	.00	.00	.00	15.53
(2)	.05	.07	.05	.02	.00	.00	.02	.05	.05	.07	.16	.05	.00	.00	.00	.00	.00	.58
2.1- 3.0	1	5	4	0	0	0	2	0	3	5	15	1 .	1	1	4	2	0	44
(1)	.62	3.11	2.48	.00	.00	.00	1.24	.00	1.86	3.11	9.32	.62	.62	.62	2.48	1.24	.00	27.33
(2)	.02	.12	.09	.00	.00	.00	.05	.00	.07	.12	.35	.02	.02	.02	.09	.05	.00	1.02
3.1- 4.0	3	7	1	0	0	0	3	1	1	0	8	3	4	2	3	6	0	42
(1)	1.86	4.35	.62	.00	.00	.00	1.86	.62	.62	.00	4.97	1.86	2.48	1.24	1.86	3.73	.00	26.09
(2)	.07	.16	.02	.00	.00	.00	.07	.02	.02	.00	.19	.07	.09	.05	.07	.14	.00	.97
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	2	2	1	3	0	2	0	10
(1)	.00	.00	.00	.00	.00	.00	.00	.00'	.00	.00	1.24	1.24	.62	1.86	.00	1.24	.00	6.21
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.05	.02	.07	.00	.05	.00	.23
5.1-6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1

Table 2.3-49— {SSES 33' (10-m) 2001-2006 September JFD - continued}

BBNPP

Rev. 2a

t

Meteorology

(Page 2 of 2)

				SSES SI	EPTEMB	ER MET (OL ATAC	INT FREC	QUENCY	DISTRIB	UTION (6	O-METER	RTOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS B				C	LASS FRE	QUENC	Y (PERCE	NT) = 3.	73		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.62	.00	.62
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.62	.00	.62
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	7	15	11	6	5	4	8	4	10	13	39	8	6	б	7	12	0	161
(1)	4.35	9.32	6.83	3.73	3.11	2.48	4.97	2.48	6.21	8.07	24.22	4.97	3.73	3.73	4.35	7.45	.00	100.00
(2)	.16	.35	.25	.14	.12	.09	.19	.09	.23	.30	.90	.19	.14	.14	.16	.28	.00	3.73

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

33.0				SSES S	EPTEMBI STAR			INT FREG	QUENCY	DISTRIB		60-METER		R) Y (PERCE	NT) 5	00		
55.0		DUNIN			JIAU		.735 C W			ROM					NT) - J.	05	,	
SPEED m/s	N	NNF	NF	FNE	F	ESE	SE	SSE	S	SSW	sw	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	1	2	1	1	0	1	0	0	0	0	0	0	0	0	7
(1)	.00	.00	.45	.45	.91	.45	.45	.00	.45	.00	.00	.00	.00	.00	.00	.00	.00	3.18
(2)	.00	.00	.02	.02	.05	.02	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.16
1.1- 1.5	0	1	3	5	3	4	3	3	2	4	4	1	3	1	0	1	0	38
(1)	.00	.45	1.36	2.27	1.36	1.82	1.36	1.36	.91	1.82	1.82	.45	1.36	.45	.00	.45	.00	17.27
(2)	.00	.02	.07	.12	.07	.09	.07	.07	.05	.09	.09	.02	.07	.02	.00	.02	.00	.88
1.6- 2.0	0	7	2	3	0	2	1	3	2	3	10	3	2	0	0	0	0	38
(1)	.00	3.18	.91	1.36	.00	.91	.45	1.36	.91	1.36	4.55	1.36	.91	.00	.00	.00	.00	17.27
(2)	.00	.16	.05	.07	.00	.05	.02	.07	.05	.07	.23	.07	.05	.00	.00	.00	.00	.88
2.1- 3.0	1	13	6	0	0	1	2	3	7	5	18	6	1	3	1	2	0	69
(1)	.45	5.91	2.73	.00	.00	.45	.91	1.36	3.18	2.27	8.18	2.73	.45	1.36	.45	.91	.00	31.36
(2)	.02	.30	.14	.00	.00	.02	.05	.07	.16	.12	.42	.14	.02	.07	.02	.05	.00	1.60
3.1- 4.0	14	9	1	0	1	0	2	0	1	1	7	3	2	5	4	4	0	54
(1)	6.36	4.09	.45	.00	.45	.00	.91	.00	.45	.45	3.18	1.36	.91	2.27	1.82	1.82	.00	24.55
(2)	.32	.21	.02	.00	.02	.00	.05	.00	.02	.02	.16	.07	.05	.12	.09	.09	.00	1.25
4.1- 5.0	3	1	0	0	0	0	0	0	0	0	0	2	0	0	1	3	0	10
(1)	1.36	.45	.00	.00	.00	.00	.00	.00	.00	.00	.00	.91	.00	.00	.45	1.36	.00	4.55
(2)	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.02	.07	.00	.23
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.91	.00	.00	.00	.00	.00	.91
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.05
6.1- 8.0	0	· 0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2

Table 2.3-49— {SSES 33' (10-m) 2001-2006 September JFD - continued} (Page 1 of 2)

BBNPP

Rev. 2a

Table 2.3-49— {SSES 33' (10-m) 2001-2006 September JFD - continued} (Page 2 of 2)

				SSES S	EPTEMB	ER MET [OATA JO	INT FREC	QUENCY	DISTRIB	UTION (6	O-METER	R TOWE	R)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS C				C	LASS FRE	QUENC	Y (PERCE	NT) = 5.	.09		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.91	.00	.91
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.05
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 ·
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	18	31	13	9	6	8	9	9	13	13	39	17	8	9	6	12	0	220
(1)	8.18	14.09	5.91	4.09	2.73	3.64	4.09	4.09	5.91	5.91	17.73	7.73	3.64	4.09	2.73	5.45	.00	100.00
(2)	.42	.72	.30	.21	.14	.19	.21	.21	.30	.30	.90	.39	.19	.21	.14	.28	.00	5.09

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-49— {SSES 33' (10-m) 2001-2006 September JFD - continued} (Page 1 of 2)

				SSES S	ЕРТЕМВ	ER MET I	OATA JO	INT FRE	QUENCY	DISTRIB		60-METEF	RTOWE	R)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS D				c	LASS FRE	QUENC	Y (PERCE	NT) = 29	.05		
							W	IND DIR	ECTION	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.08	.16	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.24
(2)	.00	.00	.00	.00	.02	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	2	6	24	34	27	37	30	15	12	6	5	2	0	0	5	1	0	206
(1)	.16	.48	1.91	2.71	2.15	2.95	2.39	1.20	.96	.48	.40	.16	.00	.00	.40	.08	.00	16.41
(2)	.05	.14	.56	.79	.63	.86	.69	.35	.28	.14	.12	.05	.00	.00	.12	.02	.00	4.77
1.1- 1.5	10	30	36	25	17	10	9	10	23	19	19	9	4	3	5	2	0	231
(1)	.80	2.39	2.87	1.99	1.35	.80	.72	.80	1.83	1.51	1.51	.72	.32	.24	.40	.16	.00	18.41
(2)	.23	.69	.83	.58	.39	.23	.21	.23	.53	.44	.44	.21	.09	.07	.12	.05	.00	5.35
1.6- 2.0	14	42	25	11	7	7	15	14	27	30	22	11	4	1	3	5	0	238
(1)	1.12	3.35	1.99	.88	.56	.56	1.20	1.12	2.15	2.39	1.75	.88	.32	.08	.24	.40	.00	18.96
(2)	.32	.97	.58	.25	.16	.16	.35	.32	.63	.69	.51	.25	.09	.02	.07	.12	.00	5.51
2.1- 3.0	32	63	16	8	3	21	20	16	29	26	46	20	10	8	14	24	0	356
(1)	2.55	5.02	1.27	.64	.24	1.67	1.59	1.27	2.31	2.07	3.67	1.59	.80	.64	1.12	1.91	.00	28.37
(2)	.74	1.46	.37	.19	.07	.49	.46	.37	.67	.60	1.06	.46	.23	.19	.32 -	.56	.00	8.24
3.1- 4.0	24	26	2	6	0	1	2	3	8	8	23	9	4	5	15	15	0	151
(1)	1.91	2.07	.16	.48	.00	.08	.16	.24	.64	.64	1.83	.72	.32	.40	1.20	1.20	.00	12.03
(2)	.56	.60	.05	.14	.00	.02	.05	.07	.19	.19	.53	.21	.09	.12	.35	.35	.00	3.50
4.1- 5.0	3	2	0	1	0	0	0	0	5	2	10	11	4	2	3	4	0	47
(1)	.24	.16	.00	.08	.00	.00	.00	.00	.40	.16	.80	.88	.32	.16	.24	.32	.00	3.75
(2)	.07	.05	.00	.02	.00	.00	.00	.00	.12	.05	.23	.25	.09	.05	.07	.09	.00	1.09
5.1- 6.0	0	0	1	1	0	0	0	0	0	0	2	1	1	1	3	4	0	14
(1)	.00	.00	.08	.08	.00	.00	.00	.00	.00	.00	.16	.08	.08	.08	.24	.32	.00	1.12
(2)	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.05	.02	.02	.02	.07	.09	.00	.32
6.1- 8.0	0	0	0	2	0	0	1	0	2	0	0	0	1	0	2	1	0	9

BBNPP

FSAR: Section 2.3

Meteorology

Table 2.3-49--- {SSES 33' (10-m) 2001-2006 September JFD - continued} (Page 2 of 2)

				SSES S	EPTEMB	ER MET I	DATA JO	INT FREC	QUENCY	DISTRIB	UTION (6	60-METE	TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS D				CI	ASS FRE	QUENC	Y (PERCEI	NT) = 29	.05		
							W	IND DIRE	ECTION F	ROM					-			
SPEED m/s	N	NNE .	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.16	.00	.00	.08	.00	.16	.00	.00	.00	.08	.00	.16	.08	.00	.72
(2)	.00	.00	.00	.05	.00	.00	.02	.00	.05	.00	.00	.00	.02	.00	.05	.02	.00	.21
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	85	169	104	88	55	78	77	58	106	91	127	63	28	20	50	56	0	1255
(1)	6.77	13.47	8.29	7.01	4.38	6.22	6.14	4.62	8.45	7.25	10.12	5.02	2.23	1.59	3.98	4.46	.00	100.00
(2)	1.97	3.91	2.41	2.04	1.27	1.81	1.78	1.34	2.45	2.11	2.94	1.46	.65	.46	1.16	1.30	.00	29.05

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

								(Page	1 of 2)									
				SSES S	ЕРТЕМВ	ER MET I	OL ATAC	INT FREG	QUENCY	DISTRIB		60-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCEI	NT) = 31	.48		
							w	IND DIRI	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0 -	0	0	0	0	0	0.	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	3	2	3	6	1	0	0	0	0	0	0	0	0	0	15
(1)	.00	.00	.00	.22	.15	.22	.44	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.10
(2)	.00	.00	.00	.07	.05	.07	.14	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.35
.5- 1.0	7	17	66	120	104	52	41	32	28	16	6	1	1	0	0	0	0	491
(1)	.51	1.25	4.85	8.82	7.65	3.82 [.]	3.01	2.35	2.06	1.18	.44	.07	.07	.00	.00	.00	.00	36.10
(2)	.16	.39	1.53	2.78	2.41	1.20	.95	.74	.65	.37	.14	.02	.02	.00	.00	.00	.00	11.37
1.1- 1.5	9	53	69	60	18	8	6	32	39	27	15	2	2	1	3	2	0	346
(1)	.66	3.90	5.07	4.41	1.32	.59	.44	2.35	2.87	1.99	1.10	.15	.15	.07	.22	.15	.00	25.44
(2)	.21	1.23	1.60	1.39	.42	.19	.14	.74	.90	.63	.35	.05	.05	.02	.07	.05	.00	8.01
1.6- 2.0	16	40	29	8	4	8	5	20	23	36	12	11	3	0	6	6	0	227
(1)	1.18	2.94	2.13	.59	.29	.59	.37	1.47	1.69	2.65	.88	.81	.22	.00	.44	.44	.00	16.69
·(2)	.37	.93	.67	.19	.09	.19	.12	.46	.53	.83	.28	.25	.07	.00	.14	.14	.00	5.25
2.1- 3.0	16	39	20	6	1	5	6	9	14	16	16	4	7	3	4	11	0	177
(1)	1.18	2.87	1.47	.44	.07	.37	.44	.66	1.03	1.18	1.18	.29	.51	.22	.29	.81	.00	13.01
(2)	.37	.90	.46	.14	.02	.12	.14	.21	.32	.37	.37	.09	.16	.07	.09	.25	.00	4.10
3.1- 4.0	2	14	1	4	3	2	2	5	6	4	2	3	0	0	1	3	0	52
(1)	.15	1.03	.07	.29	.22	.15	.15	.37	.44	.29	.15	.22	.00	.00	.07	.22	.00	3.82
(2)	.05	.32	.02	.09	.07	.05	.05	.12	.14	.09	.05	.07	.00	.00	.02	.07	.00	1.20
4.1- 5.0	0	8	4	2	0	0	3	3	5	1	1	1	0	0	0	1	0	29
(1)	.00	.59	.29	.15	.00	.00	.22	.22	.37	.07	.07	.07	.00	.00	.00	.07	.00	2.13
(2)	.00	.19	.09	.05	.00	.00	.07	.07	.12	.02	.02	.02	.00	.00	.00	.02	.00	.67
5.1- 6.0	0	1	5	3	0	0	1	0	0	0	0	0	0	0	0	0	0	10
(1)	.00	.07	.37	.22	.00	.00	.07 ·	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.74
(2)	.00	.02	.12	.07	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.23
6.1- 8.0	0	3	0	2	0	2	4	0	0	0	1	0	0	0	0	0	0	12

Table 2.3-49— {SSES 33' (10-m) 2001-2006 September JFD - continued}

BBNPP

2-410 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-49	{SSES 33' (10-m)) 2001-2006 Se	ptember JFD -	continued}
			premocrarb	continucuj

(Page 2 of 2)

				SSES S	EPTEMB	ER MET (OL ATAC	INT FREC	QUENCY	DISTRIB	UTION (6	50-METER	R TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS E				CI	LASS FRE	QUENC	Y (PERCE	VT) = 31	.48		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.22	.00	.15	.00	.15	.29	.00	.00	.00	.07	.00	.00	.00	.00	.00	.00	.88
(2)	.00	.07	.00	.05	.00	.05	.09	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.28
8.1-10.0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	50	176	194	208	132	80	74	102	115	100	53	22	13	4	14	23	0	1360
(1)	3.68	12.94	14.26	15.29	9.71	5.88	5.44	7.50	8.46	7.35	3.90	1.62	.96	.29	1.03	1.69	.00	100.00
(2)	1.16	4.07	4.49	4.81	3.06	1.85	1.71	2.36	2.66	2.31	1.23	.51	.30	.09	.32	.53	.00	31.48

.

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

								(Page	1 of 2)									
				SSES S	EPTEMB	ER MET I	OL ATAC	INT FREC	QUENCY	DISTRIB		60-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 16	.25		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	· 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	3	0	1	1	0	0	0	0	0	0	0 [°]	0	0	0	5
(1)	.00	.00	.00	.43	.00	.14	.14	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.71
(2)	.00	.00	.00	.07	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.12
.5- 1.0	2	5	38	191	75	30	13	18	10	3	0	0	0	0	0	0	0	385
(1)	.28	.71	5.41	27.21	10.68	4.27	1.85	2.56	1.42	.43	.00	.00	.00	.00	.00	.00	.00	54.84
(2)	.05	.12	.88	4.42	1.74	.69	.30	.42	.23	.07	.00	.00	.00	.00	.00	.00	.00	8.91
1.1- 1.5	3	10	46	159	22	1	1	7	11	5	1	1	0	0	1	0	0	268
(1)	.43	1.42	6.55	22.65	3.13	.14	.14	1.00	1.57	.71	.14	.14	.00	.00	.14	.00	.00	38.18
(2)	.07	.23	1.06	3.68	.51	.02	.02	.16	.25	.12	.02	.02	.00	.00	.02	.00	.00	6.20
1.6- 2.0	1	9	3	22	0	0	0	1	2	2	1	0	0	0	0	1	0	[,] 42
(1)	.14	1.28	.43	3.13	.00	.00	.00	.14	.28	.28	.14	.00	.00	.00	.00	.14	.00	5.98
(2)	.02	.21	.07	.51	.00	.00	.00	.02	.05	.05	.02	.00	.00	.00	.00	.02	.00	.97
2.1- 3.0	0	2	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	0	2
(1)	.00	.28	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.28
(2)	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0 '	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	Ö	0	0	0	0

Table 2.3-49— {SSES 33' (10-m) 2001-2006 September JFD - continued}

2-412 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

BBNPP

Rev. 2a

•								(rage	2012)									
33.0	FT WINI	D DATA		SSES S	EPTEMBI STAB	ER MET I	DATA JO ASS F	INT FREC	QUENCY	DISTRIBU	JTION (60-METER		R) Y (PERCEN	NT) = 16	.25		
					•••••		W	IND DIRE	CTION F	ROM	-			. (,			
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	6	26	87	375	97	32	15	26	23	10	2	1	0	0	1	1	0	702
(1)	.85	3.70	12.39	53.42	13.82	4.56	2.14	3.70	3.28	1.42	.28	.14	.00	.00	.14	.14	.00	100.00
(2)	.14	.60	2.01	8.68	2.25	.74	.35	.60	.53	.23	.05	.02	.00	.00	.02	.02	.00	16.25

Table 2.3-49--- {SSES 33' (10-m) 2001-2006 September JFD - continued}

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-49---- {SSES 33' (10-m) 2001-2006 September JFD - continued} (Page 1 of 2)

				SSES S	EPTEMBI	ER MET C	OATA JO	INT FREC	UENCY	DISTRIBU	JTION (60-METEF	TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 7.	.38		
		NINIT		ENE	-		W	IND DIRE	CTION F	ROM	C 144	WCM			N1347		VODI	TOTAL
SPEED M/S	N	NNE	NE	ENE	E	ESE	25	22E	2	22.00	SW	w Sw	w	WINW			VKBL	
LI.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	2	3	22	105	40	10	3	2	2	0	0	0	0	0	0	0	0	189
(1)	.63	.94	6.90	32.92	12.54	3.13	.94	.63	.63	.00	00	.00	.00	.00	.00	.00	.00	59.25
(2)	.05	.07	.51	2.43	.93	.23	.07	.05	.05	.00	.00	.00	.00	.00	.00	.00	.00	4.38
11-15	0	0	21	103	1	0	0	0	1	0	0	0	0	0	0	0	0	126
(1)	00	ň	6 5 8	32 29	, 31	ñ	00	ñ	31	ň	ň	00	ň	00	00	00	ň	39.50
(7)	.00	.00	.49	2.38	.02	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	2.92
(2)		.00	,	2.50	.02		.00		.01						.00	.00	.00	2.72
1.6- 2.0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	1.25	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.25
(2)	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
2.1- 3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4 1- 5 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	00	00	ňň	00	ň	ñ	00	ñ	ň	ň	00	00	00	ő	ññ	ň	ň	ň
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

				SSES S	ертемві	ER MET C	OL ATA	INT FREC	UENCY	DISTRIB		60-METEF	TOWE	R)				
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 7.	38		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	2	3	43	212	41	10	3	2	3	0	0	0	0	0	0	0	0	319
(1)	.63	.94	13.48	66.46	12.85	3.13	.94	.63	.94	.00	.00	.00	.00	.00	.00	.00	.00	100.00
(2)	.05	.07	1.00	4.91	.95	.23	.07	.05	.07	.00	.00	.00	.00	.00	.00	.00	.00	7.38

Table 2.3-49— {SSES 33' (10-m) 2001-2006 September JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-49--- {SSES 33' (10-m) 2001-2006 September JFD - continued} (Page 1 of 2)

33.0	FT WINI	D DATA		SSES S	EPTEMB STABI	ER MET (LITY CLA	DATA JO	INT FREC	QUENCY	DISTRIB	UTION (6 CL	60-METER ASS FREC	R TOWE	R) ' (PERCEN	IT) = 100	0.00		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	6	3	6	7	1	0	0	0	0	0	0	0	0	0	23
(1)	.00	.00	.00	.14	.07	.14	.16	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.53
(2)	.00	.00	.00	.14	.07	.14	.16	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.53
.5- 1.0	13	31	151	452	253	136	90	68	54	27	12	3	1	0	5	1	0	1297
(1)	.30	.72	3.50	10.46	5.86	3.15	2.08	1.57	1.25	.63	.28	.07	.02	.00	.12	.02	.00	30.02
(2)	.30	.72	3.50	10.46	5.86	3.15	2.08	1.57	1.25	.63	.28	.07	.02	.00	.12	.02	.00	30.02
1.1- 1.5	23	98	183	361	71	35	25	57	82	63	51	16	10	5	9	6	0	1095
(1)	.53	2.27	4.24	8.36	1.64	.81	.58	1.32	1.90	1.46	1.18	.37	.23	.12	.21	.14	.00	25.35
(2)	.53	2.27	4.24	8.36	1.64	.81	.58	1.32	1.90	1.46	1.18	.37	.23	.12	.21	.14	.00	25.35
1.6- 2.0	35	104	68	52	15	19	24	44	62	78	59	29	9	1	9	12	0	620
(1)	.81	2.41	1.57	1.20	.35	.44	.56	1.02	1.44	1.81	1.37	.67	.21	.02	.21	.28	.00	14.35
(2)	.81	2.41	1.57	1.20	.35	.44	.56	1.02	1.44	1.81	1.37	.67	.21	.02	.21	.28	.00	14.35
2.1- 3.0	52	131	51	15	5	27	38	36	61	72	119	37	20	15	28	41	0	748
(1)	1.20	3.03	1.18	.35	.12	.63	.88	.83	1.41	1.67	2.75	.86	.46	.35	.65	.95	.00	17.31
(2)	1.20	3.03	1.18	.35	.12	.63	.88	.83	1.41	1.67	2.75	.86	.46	.35	.65	.95	.00	17.31
3.1- 4.0	52	58	10	10	4	3	10	21	21	24	56	24	12	14	23	30	0	372
(1)	1.20	1.34	.23	.23	.09	.07	.23	.49	.49	.56	1.30	.56	.28	.32	.53	.69	.00	8.61
(2)	1.20	1.34	.23	.23	.09	.07	.23	.49	.49	.56	1.30	.56	.28	.32	.53	.69	.00	8.61
4.1- 5.0	8	11	4	3	0	0	3	3	12	5	20	20	5	5	4	10	0	113
(1)	.19	.25	.09	.07	.00	.00	.07	.07	.28	.12	.46	.46	.12	.12	.09	.23	.00	2.62
(2)	.19	.25	.09	.07	.00	.00	.07	.07	.28	.12	.46	.46	.12	.12	.09	.23	.00	2.62
5.1- 6.0	0	1	6	4	0	0	1	0	0	0	2	3	1	1	3	4	0	26
(1)	.00	.02	.14	.09	.00	.00	.02	.00	.00	.00	.05	.07	.02	.02	.07	.09	.00	.60
(2)	.00	.02	.14	.09	.00	.00	.02	.00	.00	.00	.05	.07	.02	.02	.07	.09	.00	.60
6.1- 8.0	0	3	0	4	0	2	5	0	2	0	1	0	1	0	2	4	0	24

Table 2.3-49— {SSES 33' (10-m) 2001-2006 September JFD - continued} (Page 2 of 2)

				SSES SI	EPTEMB	ER MET 🕻	OATA JO	INT FREC	QUENCY	DISTRIBU	JTION (50-METER	TOWE	R)				
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	UENCY	(PERCEN	T) = 100).00		
,							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Ē	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.07	.00	.09	.00	.05	.12	.00	.05	.00	.02	.00	.02	.00	.05	.09	.00	.56
(2)	.00	.07	.00	.09	.00	.05	.12	.00	.05	.00	.02	.00	.02	.00	.05	.09	.00	.56
8.1-10.0	0	1	0	0	0	0	0	0	0	0	ò	0	0	0	0	1	0	2
· (1)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.05
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.05
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	183	438	473	907	351	228	203	230	294	269	320	132	59	41	83	109	0	4320
(1)	4.24	10.14	10.95	21.00	8.12	5.28	4.70	5.32	6.81	6.23	7.41	3.06	1.37	.95	1.92	2.52	.00	100.00
(2)	4.24	10.14	10.95	21.00	8.12	5.28	4.70	5.32	6.81	6.23	7.41	3.06	1.37	.95	1.92	2.52	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD} (Page 1 of 2)

				SSES	остове	R MET D	ATA JOII	NT FREQ	UENCY D	DISTRIBU	TION (60	D-METER	TOWER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS A				c	LASS FRE	QUENC	Y (PERCE	NT) = 2.	.55		
())))))					_		W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LI .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	0	1	0	1	1	1	0	0	0	0	0	0	0	0	5
(1)	.00	.00	.89	.00	.89	.00	.89	.89	.89	.00	.00	.00	.00	.00	.00	.00	.00	4.46
(2)	.00	.00	.02	.00	.02	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.11
1.1- 1.5	0	1	0	0	0	3	3	1	2	0	1	4	0	0	1	1	0	17
(1)	.00	.89	.00	.00	.00	2.68	2.68	.89	1.79	.00	.89	3.57	.00	.00	.89	.89	.00	15.18
(2)	.00	.02	.00	.00	.00	.07	.07	.02	.05	.00	.02	.09	.00	.00	.02	.02	.00	.39
1.6- 2.0	0	0	1	1	0	0	1	3	1	6	3	3	0	0	0	0	0	19
(1)	.00	.00	.89	.89	.00	.00	.89	2.68	.89	5.36	2.68	2.68	.00	.00	.00	.00	.00	16.96
(2)	.00	.00	.02	.02	.00	.00	.02	.07	.02	.14	.07	.07	.00	.00	.00	.00	.00	.43
2.1- 3.0	0	1	4	0	0	0	0	3	7	4	17	2	0	0	0	0	0	38
(1)	.00	.89	3.57	.00	.00	.00	.00	2.68	6.25	3.57	15.18	1.79	.00	.00	.00	.00	.00	33.93
(2)	.00	.02	.09	.00	.00	.00	.00	.07	.16	.09	.39	.05	.00	.00	.00	.00	.00	.87
3.1- 4.0	0	3	1	0	0	0	2	1	1	0	11	3	0	0	0	0	0	22
(1)	.00	2.68	.89	.00	.00	.00	1.79	.89	.89	.00	9.82	2.68	.00	.00	.00	.00	.00	19.64
(2)	.00	.07	.02	.00	.00	.00	.05	.02	.02	.00	.25	.07	.00	.00	.00	.00	.00	.50
4.1- 5.0	0	0	0	0	0	0	0	0	0	1	7	2	0	0	0	0	0	10
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.89	6.25	1.79	.00	.00	.00	.00	.00	8.93
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.16	.05	.00	.00	.00	.00	.00	.23
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.89	.00	.00	.00	.00	.00	.00	.89
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

FSAR: Section 2.3

Meteorology

2

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD} (Page 2 of 2)

				SSES C	DCTOBE	R MET D	ATA JOI	NT FREQ	UENCY D	ISTRIBU	TION (60	D-METER	TOWER	()				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS A				c	LASS FRE	QUENC	CY (PERCE	NT) = 2.	55		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	5	7	1	1	3	7	9	12	11	40	14	0	0	1	1	0	112
(1)	.00	4.46	6.25	.89	.89	2.68	6.25	8.04	10.71	9.82	35.71	12.50	.00	.00	.89	.89	.00	100.00
(2)	.00	.11	.16	.02	.02	.07	.16	.21	.27	.25	.91	.32	.00	.00	.02	.02	.00	2.55

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD - continued} (Page 1 of 2)

33.0	FT WIN	D DATA		SSES	OCTOBE STAB	R MET D	ATA JOII ASS B	NT FREQ	UENCY	DISTRIBU	TION (60 C	D-METER LASS FRI	TOWER EQUENC	:) TY (PERCE	NT) = 2.	.39		
							W	IND DIR	ECTION	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	0	2	0	1	0	0	0	0	0	0	1	0	0	0	6
(1)	.00	.00	1.90	.00	1.90	.00	.95	.00	.00	.00	.00	.00	.00	.95	.00	.00	.00	5.71
(2)	.00	.00	.05	.00	.05	.00	.02	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.14
1.1- 1.5	2	0	0	2	1	0	1	0	1	2	0	0	0	0	0	0	0	9
(1)	1.90	.00	.00	1.90	.95	.00	.95	.00	.95	1.90	.00	.00	.00	.00	.00	.00	.00	8.57
(2)	.05	.00	.00	.05	.02	.00	.02	.00	.02	.05	.00	.00	.00	.00	.00	.00	.00	.21
1.6- 2.0	1	0	0	1	0	0	0	1	1	2	2	1	0	0	0	0	0	9
(1)	.95	.00	.00	.95	.00	.00	.00	.95	.95	1.90	1.90	.95	.00	.00	.00	.00	.00	8.57
(2)	.02	.00	.00	.02	.00	.00	.00	.02	.02	.05	.05	.02	.00	.00	.00	.00	.00	.21
2.1- 3.0	0	3	1	1	0	0	4	0	2	1	13	2	0	0	0	1	0	28
(1)	.00	2.86	.95	.95	.00	.00	3.81	.00	1.90	.95	12.38	1.90	.00	.00	.00	.95	.00	26.67
(2)	.00	.07	.02	.02	.00	.00	.09	.00	.05	.02	.30	.05	.00	.00	.00	.02	.00	.64
3.1- 4.0	1	3	2	0	0	0	2	1	0	1	9	6	2	0	0	0	0	27
(1)	.95	2.86	1.90	.00	.00	.00	1.90	.95	.00	.95	8.57	5.71	1.90	.00	.00	.00	.00	25.71
(2)	.02	.07	.05	.00	.00	.00	.05	.02	.00	.02	.21	.14	.05	.00	.00	.00	.00	.62
4.1- 5.0	0	0	0	0	0	0	0	0	2	0	7	6	2	0	0	0	0	17
(1)	.00	.00	.00	.00	.00	.00	.00	.00	1.90	.00	6.67	5.71	1.90	.00	.00	.00	.00	16.19
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.16	.14	.05	.00	.00	.00	.00	.39
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	2	3	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.90	2.86	.00	.00	.00	.00	.00	4.76
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.07	.00	.00	.00	.00	.00	.11
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	3	1	0	0	0	0	0	4

BBNPP

Rev. 2a

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD - continued} (Page 2 of 2)

				SSES	OCTOBE	R MET D	ATA JOI	NT FREQL	JENCY E	DISTRIBU	TION (6	D-METER	TOWER	:)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS B				C	LASS FRE	EQUENC	Y (PERCE	NT) = 2.	39		
							w	IND DIRE	CTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
. (1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.86	.95	.00	.00	.00	.00	.00	3.81
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.02	.00	.00	.00	.00	.00	.09
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	4	6	5	4	3	0	8	2	6	6	36	19	4	1 -	0	1	0	105
(1)	3.81	5.71	4.76	3.81	2.86	.00	7.62	1.90	5.71	5.71	34.29	18.10	3.81	.95	.00	.95	.00	100.00
(2)	.09	.14	.11	.09	.07	.00	.18	.05	.14	.14	.82	.43	.09	.02	.00	.02	.00	2.39

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD - contir	nued}
(Page 1 of 2)	

				SSES	OCTOBE	R MET D	ATA JOII	NT FREQ	UENCY C	DISTRIBL	ITION (60)-METER	TOWER)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS C				c	LASS FRI	EQUENC	Y (PERCE	NT) = 3	.69		
	A.			ENC	-	ECE	w SE		ECTION F	ROM	CIM	MCM	147	14/6114/	A1147		Vool	TOTAL
SPEED M/S	N O	NNE	NE	ENE	E 0	ESE 0	SE	335	>	22.00 0	5W	W 5W	VV O				VKBL	
LF.2 (1)	00	0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	0	00
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	2	0	0	1	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	1.23	.00	.00	.62	.00	.00	.00	.00	.00	.00	.00	.00	1.85
(2)	.00	.00	.00	.00	.00	.05	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.07
1.1- 1.5	1	0	1	1	0	0	0	0	0	2	3	0	0	0	0	0	0	8
(1)	.62	.00	.62	.62	.00	.00	.00	.00	.00	1.23	1.85	.00	.00	.00	.00	.00	.00	4.94
(2)	.02	.00	.02	.02	.00	.00	.00	.00	.00	.05	.07	.00	.00	.00	.00	.00	.00	.18
1.6- 2.0	0	2	0	3	0	2	1	2	1	-1	3	3	1	1	0	0	0	20
(1)	.00	1.23	.00	1.85	.00	1.23	.62	1.23	.62	.62	1.85	1.85	.62	.62	.00	.00	.00	12.35
(2)	.00	.05	.00	.07	.00	.05	.02	.05	.02	.02	.07	.07	.02	.02	.00	.00	.00	.46
2.1- 3.0	2	5	5	1	0	0	2	2	3	3	19	5	1	0	0	0	0	48
(1)	1.23	3.09	3.09	.62	.00	.00	1.23	1.23	1.85	1.85	11.73	3.09	.62	.00	.00	.00	.00	29.63
(2)	.05	.11	.11	.02	.00	.00	.05	.05	.07	.07	.43	.11	.02	.00	.00	.00	.00	1.09
3.1- 4.0	5	6	0	0	0	0	2	1	6	1	17	5	4	1	1	2	0	51
(1)	3.09	3.70	.00	.00	.00	.00	1.23	.62	3.70	.62	10.49	3.09	2.47	.62	.62	1.23	.00	31.48
(2)	.11	.14	.00	.00	.00	.00	.05	.02	.14	.02	.39	.11	.09	.02	.02	.05	.00	1.16
4.1- 5.0	2	1	0	0	0	0	0	0	1	1	4	7	7	0	0	0	0	23
(1)	1.23	.62	.00	.00	.00	.00	.00	.00	.62	.62	2.47	4.32	4.32	.00	.00	.00	.00	14.20
(2)	.05	.02	.00	.00	.00	.00	.00	.00	.02	.02	.09	.16	.16	.00	.00	.00	.00	.52
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.62	.62	.62	.00	.00	.00	.00	1.85
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.02	.00	.00	.00	.00	.07
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	1	4	0	0	0	0	0	5

BBNPP

Rev. 2a

								· · · · · · ·	,									
				SSES (остове	R MET D	NOL ATA	NT FREQ	UENCY	DISTRIBU	TION (60)-METER	TOWER)				
33.0	FT WINI	D DATA			STAE	BILITY CL	ASS C				C	LASS FRE	EQUENC	Y (PERCE	NT) = 3.	69		
							w	IND DIRE	ECTION P	ROM				-	·			
SPEED m/s	Ν	NNE	NE	ENE.	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.62	2.47	.00	.00	.00	.00	.00	3.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.09	.00	.00	.00	.00	.00	.11
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.62	.00	.00	.00	.00	.00	.62
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	10	14	6	5	0	4	5	5	12	8	48	26	14	2	1	2	0	162
(1)	6.17	8.64	3.70	3.09	.00	2.47	3.09	3.09	7.41	4.94	29.63	16.05	8.64	1.23	.62	1.23	.00	100.00
(2)	.23	.32	.14	.11	.00	.09	.11	.11	.27	.18	1.09	.59	.32	.05	.02	.05	.00	3.69

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD - continued} (Page 1 of 2)

				SSES	OCTOBE	R MET D	IIOL ATA	NT FREQ	UENCY [DISTRIBU	TION (6	D-METER	TOWER)				
33.0	FT WIN	D DATA			STAE	SILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCEI	NT) = 37	.57		
							W	IND DIRE	CTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.06	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06
(2)	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	0	0	2	2	0	1	1	0	0	0	0	0	0	0	0	0	6
(1)	.00	.00	.00	.12	.12	.00	.06	.06	.00	.00	.00	.00	.00	.00	.00	.00	.00	.36
(2)	.00	.00	.00	.05	.05	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14
.5- 1.0	6	13	21	23	32	33	19	23	12	11	2	3	0	0	1	2	0	201
· (1)	.36	.79	1.27	1.39	1.94	2.00	1.15	1.39	.73	.67	.12	.18	.00	.00	.06	.12	.00	12.19
(2)	.14	.30	.48	.52	.73	.75	.43	.52	.27	.25	.05	.07	.00	.00	.02	.05	.00	4.58
1.1- 1.5	7	39	22	14	16	10	12	15	14	21	24	10	1	1	2	2	0	210
(1)	.42	2.37	1.33	.85	.97	.61	.73	.91	.85	1.27	1.46	.61	.06	.06	.12	.12	.00	12.73
(2)	.16	.89	.50	.32	.36	.23	.27	.34	.32	.48	.55	.23	.02	.02	.05	.05	.00	4.78
1.6- 2.0	16	29	28	9	11	6	21	14	11	18	26	13	7	10	3	4	0	226
(1)	.97	1.76	1.70	55	.67	.36	1.27	.85	.67	1.09	1.58	.79	.42	.61	.18	.24	.00	13.71
(2)	.36	.66	.64	.21	.25	.14	.48	.32	.25	.41	.59	.30	.16	.23	.07	.09	.00	5.15
2.1- 3.0	46	71	39	10	3	15	21	14	22	27	53	28	24	16	17	24	0	430
(1)	2.79	4.31	2.37	.61	.18	.91	1.27	.85	1.33	1.64	3.21	1.70	1.46	.97	1.03	1.46	.00	26.08
(2)	1.05	1.62	.89	.23	.07	.34	.48	.32	.50	.62	1.21	.64	.55	.36	.39	.55	.00	9.80
3.1- 4.0	34	26	2	1	0	1	11	3	6	12	31	31	21	18	36	29	0	262
(1)	2.06	1.58	.12	.06	.00	.06	.67	.18	.36	.73	1.88	1.88	1.27	1.09	2.18	1.76	.00	15.89
(2)	.77	.59	.05	.02	.00	.02	.25	.07	.14	.27	.71	.71	.48	.41	.82	.66	.00	5.97
4.1- 5.0	13	2	0	0	0	0	1	0	4	1	17	10	31 ·	28	47	17	0	171
(1)	.79	.12	.00	.00	.00	.00	.06	.00	.24	.06	1.03	.61	1.88	1.70	2.85	1.03	.00	10.37
(2)	.30	.05	.00	.00	.00	.00	.02	.00	.09	.02	.39	.23	.71	.64	1.07	.39	.00	3.90
5.1- 6.0	1	0	0	0	0	0	2	0	0	0	10	23	8	9	10	2	0	65
(1)	.06	.00	.00	.00	.00	.00	.12	.00	.00	.00	.61	1.39	.49	.55	.61	.12	.00	3.94
(2)	.02	.00	.00	.00	.00	.00	.05	.00	.00	.00	.23	.52	.18	.21	.23	.05	.00	1.48
61-80	0	0	0	0	0	٥	0	Ο	٥	0	10	42	٦	2	1	0	0	58

BBNPP

Rev. 2a

Meteorology

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD - continued} (Page 2 of 2)

				SSES	OCTOBE	R MET D	ATA JOII	NT FREQU	JENCY D	ISTRIBU	TION (60)-METER	TOWER)				
33.0	FT WINI	D DATA			STAB	ILITY CL	ASS D				CL	ASS FRE	QUENC	Y (PERCEI	NT) = 37	.57		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
· (1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.61	2.55	.18	.12	.06	.00	.00	3.52
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.23	.96	.07	.05	.02	.00	.00	1.32
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	13	5	0	0	0	0	19
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06	.79	.30	.00	.00	.00	.00	1.15
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.30	.11	.00	.00	.00	.00	.43
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	123	180	112	60	64	65	88	70	69	90	174	173	100	84	117	80	0	1649
(1)	7.46	10.92	6.79	3.64	3.88	3.94	5.34	4.24	4.18	5.46	10.55	10.49	6.06	5.09	7.10	4.85	.00	100.00
(2)	2.80	4.10	2.55	1.37	1.46	1.48	2.01	1.59	1.57	2.05	3.96	3.94	2.28	1.91	2.67	1.82	.00	37.57

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-50— {SSES 33' (10-m)	2001-2006 October JFD - continued}
(Page 1 of 2)

SSES OCTOBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
33.0	FT WIN	D DATA		STABILITY CLASS E CLASS FREQUENCY (PERCENT) = 32.38												.38		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.14	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.21
(2)	.00	.00	.00	.05	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.24	0	0	5	6	8	7	3	5	1	0	0	0	1	0	0	0	0	36
(1)	.00	.00	.35	.42	.56	.49	.21	.35	.07	.00	.00	.00	.07	.00	.00	.00	.00	2.53
(2)	.00	.00	.11	.14	.18	.16	.07	.11	.02	.00	.00	.00	.02	.00	.00	.00	.00	.82
.5- 1.0	10	30	48	90	70	57	50	39	33	20	7	3	1	1	2	2	0	463
(1)	.70	2.11	3.38	6.33	4.93	4.01	3.52	2.74	2.32	1.41	.49	.21	.07	.07	.14	.14	.00	32.58
(2)	.23	.68	1.09	2.05	1.59	1.30	1.14	.89	.75	.46	.16	.07	.02	.02	.05	.05	.00	10.55
1.1- 1.5	16	52	66	48	10	6	18	17	44	42	20	9	4	2	1	4	0	359
(1)	1.13	3.66	4.64	3.38	.70	.42	1.27	1.20	3.10	2.96	1.41	.63	.28	.14	.07	.28	.00	25.26
(2)	.36	1.18	1.50	1.09	.23	.14	.41	.39	1.00	.96	.46	.21	.09	.05	.02	.09	.00	8.18
1.6- 2.0	16	35	31	9	3	0	2	6	25	38	21	13	4	6	2	3	0	214
(1)	1.13	2.46	2.18	.63	.21	.00	.14	.42	1.76	2.67	1.48	.91	.28	.42	.14	.21	.00	15.06
(2)	.36	.80	.71	.21	.07	.00	.05	.14	.57	.87	.48	.30	.09	.14	.05	.07	.00	4.88
2.1- 3.0	9	62	22	1	2	4	7	8	19	32	31	10	9	5	11	9	0	241
(1)	.63	4.36	1.55	.07	.14	.28	.49	.56	1.34	2.25	2.18	.70	.63	.35	.77	.63	.00	16.96
(2)	.21	1.41	.50	.02	.05	.09	.16	.18	.43	.73	.71	.23	.21	.11	.25	.21	.00	5.49
3.1- 4.0	4	13	5	0	0	4	5	8	3	7	19	10	2	0	1	5	0	86
(1)	.28	.91	.35	.00	.00	.28	.35	.56	.21	.49	1.34	.70	.14	.00	.07	.35	.00	6.05
(2)	.09	.30	.11	.00	.00	.09	.11	.18	.07	.16	.43	.23	.05	.00	.02	.11	.00	1.96
4.1- 5.0	0	0	0	0	0	1	3	0	0	1	4	1	0	0	1	1	0	12
(1)	.00	.00	.00	.00	.00	.07	.21	.00	.00	.07	.28	.07	.00	.00	.07	.07	.00	.84
(2)	.00	.00	.00	.00	.00	.02	.07	.00	.00	.02	.09	.02	.00	.00	.02	.02	.00	.27
5.1- 6.0	0	0	0	0	0	0	1	0	1	0	1	2	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.07	.00	.07	.00	.07	.14	.00	.00	.00	.00	.00	.35
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.02	.00	.02	.05	.00	.00	.00	.00	.00	.11
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2

BBNPP

r

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD - continued} (Page 2 of 2)

				SSES (OCTOBE	R MET D	IIOL ATA	NT FREQ	UENCY D	DISTRIBU	TION (6	0-METER	TOWER	:)				
33.0 FT WIND DATA STA							ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 32	.38		
							W	IND DIRE	ECTION F	ROM				•				
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14	.00	.00	.00	.00	.00	.14
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.05
8.1-10.0	0	0	0.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	55	192	177	156	94	79	89	83	126	140	103	50	21	14	18	24	0	1421
(1)	3.87	13.51	12.46	10.98	6.62	5.56	6.26	5.84	8.87	9.85	7.25	3.52	1.48	.99	1.27	1.69	.00	100.00
(2)	1.25	4.37	4.03	3.55	2.14	1.80	2.03	1.89	2.87	3.19	2.35	1.14	.48	.32	.41	.55	.00	32.38

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD - continued} (Page 1 of 2)

33.0	FT WIN			SSES OCTOBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) STABILITY CLASS F CLASS FREQUENCY (PERCENT) = 12.28														
5510		o onin			5.7.6				ECTION P	ROM			402.112	. (
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.19	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.19
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	1	0	2	4	9	3	1	3	0	0	2	0	0	0	0	0	0	25
(1)	.19	.00	.37	.74	1.67	.56	.19	.56	.00	.00	.37	.00	.00	.00	.00	.00	.00	4.64
(2)	.02	.00	.05	.09	.21	.07	.02	.07	.00	.00	.05	.00	.00	.00	.00	.00	.00	.57
.5- 1.0	0	3	42	136	69	23	17	11	13	3	2	3	1	0	2	2	0	327
(1)	.00	.56	7.79	25.23	12.80	4.27	3.15	2.04	2.41	.56	.37	.56	.19	.00	.37	.37	.00	60.67
(2)	.00	.07	.96	3.10	1.57	.52	.39	.25	.30	.07	.05	.07	.02	.00	.05	.05	.00	7.45
1.1- 1.5	1	11	23	83	11	1	1	4	8	9	3	0	0	1	0	0	0	156
(1)	.19	2.04	4.27	15.40	2.04	.19	.19	.74	1.48	1.67	.56	.00	.00	.19	.00	.00	.00	28.94
(2)	.02	.25	.52	1.89	.25	.02	.02	.09	.18	.21	.07	.00	.00	.02	.00	.00	.00	3.55
1.6- 2.0	0	4	5	13	0	0	0	2	1	4	1	0	0	0	0	0	0	30
(1)	.00	.74	.93	2.41	.00	.00	.00	.37	.19	.74	.19	.00	.00	.00	.00	.00	.00	5.57
(2)	.00	.09	.11	.30	.00	.00	.00	.05	.02	.09	.02	.00	.00	.00	.00	.00	.00	.68
2.1- 3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1-8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD - continued} (Page 2 of 2)

				SSES	OCTOBE	R MET D	ATA JOIN	NT FREQ	UENCY D	DISTRIBU	TION (6	D-METER	TOWER)						
33.0 FT WIND DATA STABILITY CLASS F							ASS F	CLASS FREQUENCY (PERCENT) = 12.28												
							W	IND DIRE	CTION F	ROM										
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
																		2		
10.1-40.3	0	0	0	0	0	0	0	0	0	0	· 0	0	0	0	0	0	0	0		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
ALL SPEEDS	2	19	72	236	89	27	19	20	22	16	8	3	1	1	2	2	0	539		
(1)	.37	3.53	13.36	43.78	16.51	5.01	3.53	3.71	4.08	2.97	1.48	.56	.19	.19	.37	.37	.00	100.00		
(2)	.05	.43	1.64	5.38	2.03	.62	.43	.46	.50	.36	.18	.07	.02	.02	.05	.05	.00	12.28		

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-50- {SSES 33' (10-m) 2001-2006 October JFD - continued}
(Page 1 of 2)

SSES OCTOBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																		
33.0	FT WIN	D DATA		STABILITY CLASS GCLASS FREQUENCY (PERCENT) = 9.14														
				WIND DIRECTION FROM														
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.25	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.25
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.25	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.25
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	1	4	37	128	47	13	9	4	2	1	0	0	0	0	1	0	0	247
(1)	.25	1.00	9.23	31.92	11.72	3.24	2.24	1.00	.50	.25	.00	.00	.00	.00	.25	.00	.00	61.60
(2)	.02	.09	.84	2.92	1.07	.30	.21	.09	.05	.02	.00	.00	.00	.00	.02	.00	.00	5.63
1.1- 1.5	0	2	12	116	8	0	0	0	1	1	0	0	0	0	0	0	0	140
(1)	.00	.50	2.99	28.93	2.00	.00	.00	.00	.25	.25	.00	.00	.00	.00	.00	.00	.00	34.91
(2)	.00	.05	.27	2.64	.18	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	3.19
1.6- 2.0	0	0	1	10	1	0	0	0	0	0	0	0	0	0	0	0	0	12
(1)	.00	.00	.25	2.49	.25	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.99
(2)	.00	.00	.02	.23	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.27
2.1- 3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

			Т	able 2.	3-50—	{SSES 3	33' (10-	m) 200 (Page	1-2006 2 of 2)	o Octob	er JFD	- contin	ued}					
SSES OCTOBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33.0 FT WIND DATA STABILITY CLASS G CLASS FREQUENCY (PERC WIND DIRECTION FROM) Y (PERCE	NT) = 9.	14		
SPEED m/s	N	NNE	NË	ENE	E	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRRI	τοται
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	3	6	50	254	56	13	9	4	3	2	0	0	0	0	1	0	0	401
(1)	.75	1.50	12.47	63.34	13.97	3.24	2.24	1.00	.75	.50	.00	.00	.00	.00	.25	.00	.00	100.00
(2)	.07	.14	1.14	5.79	1.28	.30	.21	.09	.07	.05	.00	.00	.00	.00	.02	.00	.00	9.14

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP
								(Page	1 of 2)									
				SSES	остове	R MET D	ATA JOII	NT FREQ	UENCY D	ISTRIBU	TION (6	0-METER	TOWER)				
33.0	FT WINI	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCI	(PERCEN	IT) = 100	0.00		
60550 V					_		w	IND DIR	ECTION F	ROM	~							
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	wsw	W	WNW	NW	NNW	VRBL	TOTAL
LI.2	1	1	0	3	1	0	0	0	0	0	0	0	0	0	0	0	0	6
(1)	.02	.02	.00	.07	.02		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14
(2)	.02	.02	.00	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14
.24	2	0	7	12	19	10	5	.9	1	0	2	0	1	0	0	0	0	68
(1)	.05	.00	.16	.27	.43	.23	.11	.21	.02	.00	.05	.00	.02	.00	.00	.00	.00	1.55
(2)	.05	.00	.16	.27	.43	.23	.11	.21	.02	.00	.05	.00	.02	.00	.00	.00	.00	1.55
.5- 1.0	17	50	151	377	221	128	97	78	62	35	11	9	2	2	6	6	0	1252
(1)	.39	1.14	3.44	8.59	5.04	2.92	2.21	1.78	1.41	.80	.25	.21	.05	.05	.14	.14	.00	28.53
(2)	.39	1.14	3.44	8.59	5.04	2.92	2.21	1.78	1.41	.80	.25	.21	.05	.05	.14	.14	.00	28.53
1.1- 1.5	27	105	124	264	46	20	35	37	70	77	51	23	5	4	4	7	0	899
(1)	.62	2.39	2.83	6.02	1.05	.46	.80	.84	1.59	1.75	1.16	.52	.11	.09	.09	.16	.00	20.48
(2)	.62	2.39	2.83	6.02	1.05	.46	.80	.84	1.59	1.75	1.16	.52	.11	.09	.09	.16	.00	20.48
1.6- 2.0	33	70	66	46	15	8	25	28	40	69	56	33	12	17	5	7	0	530
(1)	.75	1.59	1.50	1.05	.34	.18	.57	.64	.91	1.57	1.28	.75	.27	.39	.11	.16	.00	12.08
(2)	.75	1.59	1.50	1.05	.34	.18	.57	.64	.91	1,57	1.28	.75	.27	.39	.11	.16	.00	12.08
2.1- 3.0	57	142	71	13	5	19 ·	34	27	53	67	133	47	34	21	28	34	0	785
(1)	1.30	3.24	1.62	.30	.11	.43	.77	.62	1.21	1.53	3.03	1.07	.77	.48	.64	.77	.00	17.89
(2)	1.30	3.24	1.62	.30	.11	.43	.77	.62	1.21	1.53	3.03	1.07	.77	.48	.64	.77	.00	17.89
3.1-4.0	44	51	10	1	0	5	22	14	16	21	87	55	29	19	38	36	0	448
(1)	1.00	1.16	.23	.02	.00	.11	.50	.32	.36	.48	1.98	1.25	.66	.43	.87	.82	.00	10.21
(2)	1.00	1.16	.23	.02	.00	.11	.50	.32	.36	.48	1.98	1.25	.66	.43	.87	.82	.00	10.21
41-50	15	3	0	0	0	1	4	0	7	4	39	26	40	28	48	18	0	233
(1)	34	07	.00	.00	.00	.02	.09	00	.16	09	89	59	91	64	1 09	41	ñ	5 31
(2)	.34	.07	.00	.00	.00	.02	.09	.00	.16	.09	.89	.59	.91	.64	1.09	.41	.00	5.31
5.1-60	1	0	Ο	0	0	0	3	0	1	0	15	29	9	Q	10	ว	0	79
(1)	.02	.00	.00	.00	.00	.00	.07	.00	.02	.00	34	66	21	21	23	05	ň	1.80
(2)	.02	.00	.00	.00	.00	.00	.07	.00	.02	.00	.34	.66	.21	.21	.23	.05	.00	1.80
6.1- 8.0	0	0	0	0	0	0	0	0	. 0	0	14	49	3	2	1	0	0	69

Table 2.3-50— {SSES 33' (10-m) 2001-2006 October JFD - continued}

2-432 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

BBNPP

Rev. 2a

Meteorology

Table 2.3-50- {SSES 33' (10-m) 2001-2006 October JFD - continued}
(Page 2 of 2)

				SSES	остове	R MET D	IIOL ATA	NT FREQ	UENCY D	DISTRIBU	TION (6	0-METER	TOWER)				
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	UENCY	(PERCEN	T) = 100	0.00		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	È	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.32	1.12	.07	.05	.02	.00	.00	1.57
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.32	1.12	.07	.05	.02	.00	.00	1.57
8.1-10.0	0	0	0	0	0	0	0	0	0	0	٦	14	5	0	0	0	0	20
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.32	.11	.00	.00	.00	.00	.46
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.32	.11	.00	.00	.00	.00	.46
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	197	422	429	716	307	191	225	193	250	273	409	285	140	102	140	110	0	4389
(1)	4.49	9.61	9.77	16.31	6.99	4.35	5.13	4.40	5.70	6.22	9.32	6.49	3.19	2.32	3.19	2.51	.00	100.00
(2)	4.49	9.61	9.77	16.31	6.99	4.35	5.13	4.40	5.70	6.22	9.32	6.49	3.19	2.32	3.19	2.51	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Rev. 2a

33.0) FT WINI	DDATA		SSES N	IOVEMB STAR		OATA JO ASS A	INT FREG	QUENCY	DISTRIB	UTION (6	O-METER		R) CV (PERCI	-NT) 1	87		
					51710		w			ROM	•		LQULIN			57		
SPEED m/s	N	NNF	NF	ENE	F	ESE	SE	SSE	s	SSW	SW	WSW	w		NIM/		VDDI	τοται
LT.2	0	0	0	0	0	0.	0	0	0	0	0	0	0	0	0	0		0
(1)	.00	.00	.00	.00	.00	00	00	ñ	ñ	. 00	00	ň	ň	nn	00	00	00	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	2.78	.00	.00	.00	.00	.00	.00	.00	.00	2.78
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.02
1.6- 2.0	0	0	0	0	0	0	0	0	4	2	1	0	0	0	0	0	0	7
(1)	.00	.00	.00	.00	.00	.00	.00	.00	11.11	5.56	2.78	.00	.00	.00	.00	.00	.00	19.44
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.10	.05	.02	.00	.00	.00	.00	.00	.00	.17
2.1- 3.0	1	0	0	0	0	0	0	0	3	2	5	0	0	0	0	0	0	11
(1)	2.78	.00	.00	.00	.00	.00	.00	.00	8.33	5.56	13.89	.00	.00	.00	.00	.00	.00	30.56
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.07	.05	.12	.00	.00	.00	.00	.00	.00	.26
3.1- 4.0	0	0	0	0	0	0	0	0	2	1	8	0	0	0	0	2	0	13
(1)	.00	.00	.00	.00	.00	.00	.00	.00	5.56	2.78	22.22	.00	.00	.00	.00	5.56	.00	36.11
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.05	.02	.19	.00	.00	.00	.00	.05	.00	.31
4.1- 5.0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	5.56	2.78	2.78	.00	.00	.00	.00	.00	.00	11.11
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.05	.02	.02	.00	.00	.00	.00	.00	.00	.10
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ò	0	0	0

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD} (Page 1 of 2)

BBNPP

Rev. 2a

Meteorology

Table 2.3-51--- {SSES 33' (10-m) 2001-2006 November JFD} (Page 2 of 2)

				SSES N	OVEMB	ER MET D	OL ATA	INT FREG	QUENCY	DISTRIB	UTION (6	O-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS A				(LASS FR	EQUEN	CY (PERCE	ENT) = .4	37		
							W	IND DIR	ECTION F	ROM		,						
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	1	0	0	0	0	0	0	0	12	6	15	0	0	0	0	2	0	36
(1)	2.78	.00	.00	.00	.00	.00	.00	.00	33.33	16.67	41.67	.00	.00	.00	.00	5.56	.00	100.00
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.29	.14	.36	.00	.00	.00	.00	.05	.00	.87

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

							•	(Page	e 1 of 2)									
				SSES N	IOVEMB	ER MET I	DATA JO	INT FRE	QUENCY	DISTRIB	UTION (e	50-METEI	R TOWE	R)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS B				C	LASS FR	EQUENC	Y (PERCE	NT) = 1.	.37		
							W	/IND DIR	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.75	.00	.00	.00	.00	.00	.00	.00	1.75
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
1.6- 2.0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	1.75	.00	1.75	.00	1.75	.00	.00	.00	.00	.00	5.26
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.00	.02	.00	.02	.00	.00	.00	.00	.00	.07
2.1- 3.0	0.	0	1	0	0	0	0	1	3	4	8	0	0	0	0	0	0	17
(1)	.00	.00	1.75	.00	.00	.00	.00	1.75	5.26	7.02	14.04	.00	.00	.00	.00	.00	.00	29.82
(2)	.00	.00	.02	.00	.00	.00	.00	.02	.07	.10	.19	.00	.00	.00	.00	.00	.00	.41
3.1- 4.0	0	0	0	0	0	0	0	0	1	2	7	4	1	0	0	0	0	15
(1)	.00	.00	.00	.00	.00	.00	.00	.00	1.75	3.51	12.28	7.02	1.75	.00	.00	.00	.00	26.32
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.05	.17	.10	.02	.00	.00	.00	.00	.36
4.1- 5.0	0	0	0	0	0	0	0	1	2	1	6	3	1	0	0	0	0	14
(1)	.00	.00	.00	.00	.00	.00	.00	1.75	3.51	1.75	10.53	5.26	1.75	.00	.00	.00	.00	24.56
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.05	.02	.14	.07	.02	.00	.00	.00	.00	.34
5.1- 6.0	0	0	0	0	0	0 ·	0	0	0	0	7	0	0	0	0	0	0	7
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	12.28	.00	.00	.00	.00	.00	.00	12.28
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.17	.00	.00	.00	.00	.00	.00	.17
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued}

BBNPP

Rev. 2a

Meteorology

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued} (Page 2 of 2)

				SSES N	OVEMB	ER MET D	OL ATA	INT FREC	QUENCY	DISTRIBL	JTION (6	0-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS B				C	LASS FRE	QUENC	Y (PERCE	NT) = 1.	37		
							w	IND DIRI	ECTION F	ROM								
SPEED m/s	. N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	0	1	0	0	0	0	3	6	9	28	8	2	0	0	0	0	57
(1)	.00	.00	1.75	.00	.00	.00	.00	5.26	10.53	15.79	49.12	14.04	3.51	.00	.00	.00	.00	100.00
(2)	.00	.00	.02	.00	.00	.00	.00	.07	.14	.22	.67	.19	.05	.00	.00	.00	.00	1.37

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued} (Page 1 of 2)

33.0	FT WINI	D DATA		SSES N	OVEMB STAE	ER MET D BILITY CL	OATA JO ASS C	INT FREC	QUENCY	DISTRIB	UTION (6 C	60-METER LASS FRE	TOWE	R) :Y (PERCE	NT) = 2.	.70		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.89	.89	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.79
(2)	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
1.1- 1.5	0	0	0	0	1	0	0	2	1	1	0	0	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.89	.00	.00	1.79	.89	.89	.00	.00	.00	.00	.00	.00	.00	4.46
(2)	.00	.00	.00	.00	.02	.00	.00	.05	.02	.02	.00	.00	.00	.00	.00	.00	.00	.12
1.6- 2.0	0	0	1	0	0	0	0	0	1	4	3	0	0	0	0	0	0	9
(1)	.00	.00	.89	.00	.00	.00	.00	.00	.89	3.57	2.68	.00	.00	.00	.00	.00	.00	8.04
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.02	.10	.07	.00	.00	.00	.00	.00	.00	.22
2.1- 3.0	0	2	2	0	0	0	1	0	3	4	10	2	0	1	0	0	0	25
(1)	.00	1.79	1.79	.00	.00	.00	.89	.00	2.68	3.57	8.93	1.79	.00	.89	.00	.00	.00	22.32
(2)	.00	.05	.05	.00	.00	.00	.02	.00	.07	.10	.24	.05	.00	.02	.00	.00	.00	.60
3.1- 4.0	1	0	0	0	0	- 0	1	5	4	0	11	4	0	0	0	0	0	26
(1)	.89	.00	.00	.00	.00	.00	.89	4.46	3.57	.00	9.82	3.57	.00	.00	.00	.00	.00	23.21
(2)	.02	.00	.00	.00	.00	.00	.02	.12	.10	.00	.26	.10	.00	.00	.00	.00	.00	.63
4.1- 5.0	4	0	0	0	0	0	1	1	0	2	7	7	0	0	1	3	0	26
(1)	3.57	.00	.00	.00	.00	.00	.89	.89	.00	1.79	6.25	6.25	.00	.00	.89	2.68	.00	23.21
(2)	.10	.00	.00	.00	.00	.00	.02	.02	.00	.05	.17	.17	.00	.00	.02	.07	.00	.63
5.1- 6.0	2	0	0	0	0	0	0	0	0	0	6	6	0	0	0	1	0	15
(1)	1.79	.00	.00	.00	.00	.00	.00	.00	.00	.00	5.36	5.36	.00	.00	.00	.89	.00	13.39
. (2)	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14	.14	.00	.00	.00	.02	.00	.36
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	1	0	. 0	4

BBNPP

Rev. 2a

Meteorology

				SSES N	OVEMB	ER MET (OL ATA	INT FREC	UENCY	DISTRIB		O-METER	TOWE	R)				
33.0	FT WINI	D DATA			STAB	SILITY CL	ASS C				C	LASS FRE	QUENC	Y (PERCE	NT) = 2.	70		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.68	.00	.00	.00	.89	.00	.00	3.57
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.02	.00	.00	.10
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	7	2	3	0	1	0	4	9	9	11	40	19	0	1	2	4	0	112
(1)	6.25	1.79	2.68	.00	.89	.00	3.57	8.04	8.04	9.82	35.71	16.96	.00	.89	1.79	3.57	.00	100.00
(2)	.17	.05	.07	.00	.02	.00	.10	.22	.22	.26	.96	.46	.00	.02	.05	.10	.00	2.70

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

			10	DIE 2.5	- 	, JJLJ J.		(Page	1 of 2)	NOVEIII	Del JLI	J - cont	inuea					
22 (SSES N				INT FREC	QUENCY	DISTRIB		50-METER		R)				
55.0	FT WIN	DATA			STAD		A22 D W			DOM	Ľ	LASS FRE	QUENC	Y (PERCE	NI) = 40	.50		
SPEED m/c	N		NE	ENE	F	ECE	SE W			-KUM	CW	14/614/			NI) 47		1000	
	0				E 0	ESE	35	33E	2	2244	200	W SW	w	WINW	NW		VKBL	
(1)	00	00	0	00	00	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	2	10	10	5	12	14	11	10	11	5	3	0	0	0	0	1	0	94
(1)	.12	.59	.59	.30	.71	.83	.65	.59	.65	.30	.18	.00	.00	.00	.00	.06	.00	5.59
(2)	.05	.24	.24	.12	.29	.34	.26	.24	.26	.12	.07	.00	.00	.00	.00	.02	.00	2.26
1.1- 1.5	3	13	18	9	10	13	29	19	21	26	7	9	2	6	2	1	0	188
(1)	.18	.77	1.07	.54	.59	.77	1.72	1.13	1.25	1 55	42	54	12	36	12	06	ň	11 18
(2)	.07	.31	.43	.22	.24	.31	.70	.46	.51	.63	.17	.22	.05	.14	.05	.02	.00	4.53
1.6- 2.0	10	18	23	3	3	5	13	13	18	21	18	16	6	4	2	٦	0	176
(1)	.59	1.07	1.37	.18	.18	.30	.77	.77	1.07	1.25	1.07	.95	.36	24	12	18	ň	10.46
(2)	.24	.43	.55	.07	.07	.12	.31	.31	.43	.51	.43	.39	.14	.10	.05	.07	.00	4.24
2.1- 3.0	39	51	49	5	6	5	33	27	23	21	43	22	27	23	23	20	0	176
(1)	2.32	3.03	2 91	30	36	30	1.96	1.61	1 37	1 25	2 56	1 31	1.61	1 37	1 37	1 7 2	00	75 32
(2)	.94	1.23	1.18	.12	.14	.12	.79	.65	.55	.51	1.04	.53	.65	.55	.55	.70	.00	10.26
31-40	38	17	7	0	1	3	26	8	8	20	<i>4</i> 1	22	19	77	10	41	0	276
(1)	2 26	1.01	47	ñ	06	18	1 55	48	48	1 10	7 1 1	1 3 1	1.07	1.61	-49 201	2 4 4	00	10.20
(2)	.92	.41	.17	.00	.02	.07	.63	.19	.19	.48	.99	.53	.43	.65	1.18	.99	.00	7.85
41 50	24	-	•	0	0	0	17	10			42	25			~ .	20	•	
4.1-5.0	1 / 2	د 10	0	0	0	0	13	13	4	4	42	35	14	14	31	39	0	236
(1)	1.45	.10	.00	.00	.00	.00	.//	.//	.24	.24	2.50	2.08	.83	.83	1.84	2.32	.00	14.03
(∠)	.50	.07	.00	.00	.00	.00	.51	.31	.10	.10	1.01	.84	.54	.34	./5	.94	.00	5.68
5.1- 6.0	5	0	0	0	0	0	5	9	5	1	16	27	10	7	29	26	0	140
(1)	.30	.00	.00	.00	.00	.00	.30	.54	.30	.06	.95	1.61	.59	.42	1.72	1.55	.00	8.32
(2)	.12	.00	.00	.00	.00	.00	.12	.22	.12	.02	.39	.65	.24	.17	.70	.63	.00	3.37
6.1- 8.0	1	0	0	0	0	0	1	8	3	0	5	12	7	20	9	7	0	73

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued}

BBNPP

2-440 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued} (Page 2 of 2)

				SSES N	OVEMB	ER MET C	OATA JO	INT FREC	UENCY	DISTRIB	UTION (6	60-METER	R TOWE	R)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS D				CL	ASS FRE	QUENC	Y (PERCEN	NT) = 40	.50		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.06	.00	.00	.00	.00	.00	.06	.48	.18	.00	.30	.71	.42	1.19	.54	.42	.00	4.34
(2)	.02	.00	.00	.00	.00	.00	.02	.19	.07	.00	.12	.29	.17	.48	.22	.17	.00	1.76
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	13	4	3	2	0	0	23
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06	.77	.24	.18	.12	.00	.00	1.37
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.31	.10	.07	.05	.00	.00	.55
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	122	112	107	22	32	40	131	107	93	98	176	156	88	104	147	147	0	1682
(1)	7.25	6.66	6.36	1.31	1.90	2.38	7.79	6.36	5.53	5.83	10.46	9.27	5.23	6.18	8.74	8.74	.00	100.00
(2)	2.94	2.70	2.58	.53	.77	.96	3.15	2.58	2.24	2.36	4.24	3.76	2.12	2.50	3.54	3.54	.00	40.50

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued} (Page 1 of 2)

33.0	FT WINI	D DATA		SSES N	IOVEMB STAE	ER MET E BILITY CL	DATA JO ASS E	INT FREC	QUENCY	DISTRIB	UTION (6 C	50-METER	TOWE	R) Y (PERCEI	NT) = 31	.09		
							w	IND DIR	ECTION F	ROM				-	-			
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	3	5	3	5	3	1	0	0	0	0	0	0	0	0	21
(1)	.00	.00	.08	.23	.39	.23	.39	.23	.08	.00	.00	.00	.00	.00	.00	.00	.00	1.63
(2)	.00	.00	.02	.07	.12	.07	.12	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.51
.5- 1.0	7	26	57	75	78	50	51	32	33	21	4	1	4	0	1	1	0	441
(1)	.54	2.01	4.42	5.81	6.04	3.87	3.95	2.48	2.56	1.63	.31	.08	.31	.00	.08	.08	.00	34.16
(2)	.17	.63	1.37	1.81	1.88	1.20	1.23	.77	.79	.51	.10	.02	.10	.00	.02	.02	.00	10.62
1.1- 1.5	14	41	41	29	14	9	17	26	40	28	29	4	1	0	1	3	0	297
(1)	1.08	3.18	3.18	2.25	1.08	.70	1.32	2.01	3.10	2.17	2.25	.31	.08	.00	.08	.23	.00	23.01
(2)	.34	.99	.99	.70	.34	.22	.41	.63	.96	.67	.70	.10	.02	.00	.02	.07	.00	7.15
1.6- 2.0	10	32	15	5	3	3	5	10	26	37	18	14	6	1	3	4	0	192
(1)	.77	2.48	1.16	.39	.23	.23	.39	.77	2.01	2.87	1.39	1.08	.46	.08	.23	.31	.00	14.87
(2)	.24	.77	.36	.12	.07	.07	.12	.24	.63	.89	.43	.34	.14	.02	.07	.10	.00	4.62
2.1- 3.0	19	19	9	0	0	1	4	10	21	39	25	7	4	5	5	13	0	181
(1)	1.47	1.47	.70	.00	.00	.08	.31	.77	1.63	3.02	1.94	.54	.31	.39	.39	1.01	.00	14.02
(2)	.46	.46	.22	.00	.00	.02	.10	.24	.51	.94	.60	.17	.10	.12	.12	.31	.00	4.36
3.1- 4.0	4	5	5	1	0	1	1	5	13	14	16	11	0	1	3	5	0	85
(1)	.31	.39	.39	.08	.00	.08	.08	.39	1.01	1.08	1.24	.85	.00	.08	.23	.39	.00	6.58
(2)	.10	.12	.12	.02	.00	.02	.02	.12	.31	.34	.39	.26	.00	.02	.07	.12	.00	2.05
4.1- 5.0	1	0	0	0	0	0	3	9	9	8	6	2	1	0	1	2	0	42
(1)	.08	.00	.00	.00	.00	.00	.23	.70	.70	.62	.46	.15	.08	.00	.08	.15	.00	3.25
(2)	.02	.00	.00	.00	.00	.00	.07	.22	.22	.19	.14	.05	.02	.00	.02	.05	.00	1.01
5.1- 6.0	0	0	0	0	0	5	2	3	8	2	0	3	0	0	0	0	0	23
(1)	.00	.00	.00	.00	.00	.39	.15	.23	.62	.15	.00	.23	.00	.00	.00	.00	.00	1.78
(2)	.00	.00	.00	.00	.00	.12	.05	.07	.19	.05	.00	.07	.00	.00	.00	.00	.00	.55
6.1- 8.0	0	0	0	0	0	0	0	6	1	0	1	1.	0	0	0	0	0	9

BBNPP

Meteorology

(Page 2 of 2)

	SSES NOVEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33.0 FT WIND DATA STARILITY CLASS F CLASS FREQUENCY (PFRCENT) = 31.09																	
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 31	.09		
							w	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.46	.08	.00	.08	.08	.00	.00	.00	.00	.00	.70
(2)	.00	.00	.00	.00	.00	.00	.00	.14	.02	.00	.02	.02	.00	.00	.00	.00	.00	.22
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	55	123	128	113	100	72	88	104	152	149	99	43	16	7	14	28	0	1291
(1)	4.26	9.53	9.91	8.75	7.75	5.58	6.82	8.06	11.77	11.54	7.67	3.33	1.24	.54	1.08	2.17	.00	100.00
(2)	1.32	2.96	3.08	2.72	2.41	1.73	2.12	2.50	3.66	3.59	2.38	1.04	.39	.17	.34	.67	.00	31.09

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

			Та	ble 2.3	-51—{	SES 33	3' (10-m	1) 2001 (Page	- 2006 1 of 2)	Novemi	ber JF[) - conti	inued}	ł				
33.0	FT WIN			SSES N	IOVEMBI STAB	ER MET (DATA JOI ASS F	NT FREC	UENCY	DISTRIBU	JTION (6	50-METER		R) Y (PERCEN	NT) = 11	27		
					0					ROM				. (. בווכבו	, –			
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBI	ΤΟΤΑΙ
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
. (2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	2	3	1	0	0	0	0	0	0	0	0	0	0	0	6
(1)	.00	.00	.00	.43	.64	.21	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.28
(2)	.00	.00	.00	.05	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14
.5- 1.0	0	13	48	121	62	20	20	10	10	5	1	0	0	0	0	2	0	312
(1)	.00	2.78	10.26	25.85	13.25	4.27	4.27	2.14	2.14	1.07	.21	.00	.00	.00	.00	.43	.00	66.67
(2)	.00	.31	1.16	2.91	1.49	.48	.48	.24	.24	.12	.02	.00	.00	.00	.00	.05	.00	7.51
1. 1- 1.5	3	7	23	50	4	2	3	2	13	7	2	0	0	0	0	0	0	116
(1)	.64	1.50	4.91	10.68	.85	.43	.64	.43	2.78	1.50	.43	.00	.00	.00	.00	.00	.00	24.79
(2)	.07	.17	.55	1.20	.10	.05	.07	.05	.31	.17	.05	.00	.00	.00	.00	.00	.00	2.79
1.6- 2.0	0	4	9	4	0	0	0	0	2	4	0	1	0	0	0	0	0	24
(1)	.00	.85	1.92	.85	.00	.00	.00	.00	.43	.85	.00	.21	.00	.00	.00	.00	.00	5.13
(2)	.00	.10	.22	.10	.00	.00	.00	.00	.05	.10	.00	.02	.00	.00	.00	.00	.00	.58
2.1- 3.0	0	1	0	0	0	0	0	0	0	1	5	2	0	0	0	0	0	9
(1)	.00	.21	.00	.00	.00	.00	.00	.00	.00	.21	1.07	.43	.00	.00	.00	.00	.00	1.92
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02	.12	.05	.00	.00	.00	.00	.00	.22
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.21	.00	.21
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.02
4.1-5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1-8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Meteorology

	SSES NOVEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33.0 FT WIND DATA STABILITY CLASS F CLASS FREQUENCY (PERCENT) = 11.27																	
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCEN	IT) = 11	.27		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	3	25	80	177	69	23	23	12	25	17	8	3	0	0	0	3	0	468
(1)	.64	5.34	17.09	37.82	14.74	4.91	4.91	2.56	5.34	3.63	1.71	.64	.00	.00	.00	.64	.00	100.00
(2)	.07	.60	1.93	4.26	1.66	.55	.55	.29	.60	.41	.19	.07	.00	.00	.00	.07	.00	11.27

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

1

Table 2.3-51—	{SSES 33	' (10-m)	2001	-2006	November	JFD -	continued}

(Page 1 of 2)

				SSES N	OVEMB	ER MET D	IOL ATAC	NT FREC	QUENCY	DISTRIB	JTION (60-METEF	TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				С	LASS FRE	QUENC	Y (PERCE	NT) = 12	2.21		
							W	IND DIRE	CTION	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE -	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20
(2)	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	2	3	55	187	47	18	10	2	4	1	3	0	0	0	. 0	2	0	334
(1)	.39	.59	10.85	36.88	9.27	3.55	1.97	.39	.79	.20	.59	.00	.00	.00	.00	.39	.00	65.88
(2)	.05	.07	1.32	4.50	1.13	.43	.24	.05	.10	.02	.07	.00	.00	.00	.00	.05	.00	8.04
1.1- 1.5	0	0	24	116	5	1	1	1	1	1	1	0	0	0	0	0	0	151
(1)	.00	.00	4.73	22.88	.99	.20	.20	.20	.20	.20	.20	.00	.00	.00	.00	.00	.00	29.78
(2)	.00	.00	.58	2.79	.12	.02	.02	.02	.02	.02	.02	.00	.00	.00	.00	.00	.00	3.64
1.6- 2.0	1	1	6	13	0	0	0	0	0	0	0	0	0	0	0	0	0	21
(1)	.20	.20	1.18	2.56	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.14
(2)	.02	.02	.14	.31	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.51
2.1- 3.0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
3.1- 4.0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	· 0	0	0	0	0	0	0	0	0	0	0

٠

Rev. 2a

.

Meteorology

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued} (Page 2 of 2)

	SSES NOVEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33.0 FT WIND DATA STABILITY CLASS G																	
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 12	.21		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	3	4	85	316	52	20	11	3	5	2	4	0	0	0	0	2	0	507
(1)	.59	.79	16.77	62.33	10.26	3.94	2.17	.59	.99	.39	.79	.00	.00	.00	.00	.39	.00	100.00
(2)	.07	.10	2.05	7.61	1.25	.48	.26	.07	.12	. 05 [·]	.10	.00	.00	.00	.00	.05	.00	12.21

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

								(Page	1 of 2)							-		
				SSES N	OVEMB	ER MET I	OL ATA	INT FREC	QUENCY	DISTRIB		60-METER	TOWE	R)				
33.0	OFT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCI	(PERCEN	IT) = 10	0.00		
60770 (_		w	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LI .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	5	8	5	5	3	1	0	0	0	0	0	0	0	0	28
(1)	.00	.00	.02	.12	.19	.12	.12	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.67
(2)	.00	.00	.02	.12	.19	.12	.12	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.67
.5- 1.0	11	52	170	388	199	102	93	55	58	32	11	1	4	0	1	6	0	1183
(1)	.26	1.25	4.09	9.34	4.79	2.46	2.24	1.32	1.40	.77	.26	.02	.10	.00	.02	.14	.00	28.49
(2)	.26	1.25	4.09	9.34	4.79	2.46	2.24	1.32	1.40	.77	.26	.02	.10	.00	.02	.14	.00	28.49
1.1- 1.5	20	61	106	204	34	25	50	50	77	· 64 `	39	13	3	6	3	4	0	759
(1)	.48	1.47	2.55	4.91	.82	.60	1.20	1.20	1.85	1.54	.94	.31	.07	14	07	10	ñ	18 78
(2)	.48	1.47	2.55	4.91	.82	.60	1.20	1.20	1.85	1.54	.94	.31	.07	.14	.07	.10	.00	18.28
1.6- 2.0	21	55	54	25	6	8	18	24	51	69	40	32	12	5	5	7	0	432
(1)	.51	1.32	1.30	.60	.14	.19	.43	.58	1.23	1.66	.96	.77	.29	.12	.12	.17	.00	10.40
(2)	.51	1.32	1.30	.60	.14	.19	.43	.58	1.23	1.66	.96	.77	.29	.12	.12	.17	.00	10.40
2.1- 3.0	59	73	61	5	6	6	38	38	53	71	96	33	31	29	28	42	0	669
(1)	1.42	1.76	1.47	.12	.14	.14	.92	.92	1.28	1.71	2.31	.79	75	70	67	1 01	ň	16 11
(2)	1.42	1.76	1.47	.12	.14	.14	.92	.92	1.28	1.71	2.31	.79	.75	.70	.67	1.01	.00	16.11
3.1- 4.0	43	22	12	1	1	4	28	18	28	37	83	41	19	28	52	49	0	466
(1)	1.04	.53	.29	.02	.02	.10	.67	.43	.67	.89	2.00	99	46	67	1 25	1 18	00	11 22
(2)	1.04	.53	.29	.02	.02	.10	.67	.43	.67	.89	2.00	.99	.46	.67	1.25	1.18	.00	11.22
4.1- 5.0	29	3	0	0	0	0	17	24	17	16	62	47	16	14	33	44	0	300
(1)	.70	.07	.00	.00	.00	.00	.41	58	41	39	1 4 9	113	39	34	79	1.06	00	7 75
(2)	.70	.07	.00	.00	.00	.00	.41	.58	.41	.39	1.49	1.13	.39	.34	.79	1.06	.00	7.75
51-60	7	0	٥	٥	٥	5	7	12	13	2	20	36	10	7	20	77	0	105
(1)	, 17	ñ	00	00	ň	12	, 17	29	31	07	29 70	87	24	, 17	27 70	21 65	00	100
(2)	.17	.00	.00	.00	.00	.12	.17	.29	.31	.07	.70	.87	.24 .24	.17	.70	.65 .65	.00	4.45 4.45
6.1- 8.0	1	0	0	0	0	0	1	⁻ 14	4	0	9	13	7	20	10	7	0	86

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued}

BBNPP

2-448 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-51— {SSES 33' (10-m) 2001-2006 November JFD - continued} (Page 2 of 2)

				SSES N	OVEMB	JTION (6	50-METER	TOWE	R)									
33.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	T = 100	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.02	.00	.00	.00	.00	.00	.02	.34	.10	.00	.22	.31	.17	.48	.24	.17	.00	2.07
(2)	.02	.00	.00	.00	.00	.00	.02	.34	.10	.00	.22	.31	.17	.48	.24	.17	.00	2.07
8.1-10.0	0	0	. 0	0	0	0	0	0	0	0	1	13	4	3	2	0	0	23
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.31	.10	.07	.05	.00	.00	.55
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.31	.10	.07	.05	.00	.00	.55
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	191	266	404	628	254	155	257	238	302	292	370	229	106	112	163	186	0	4153
(1)	4.60	6.41	9.73	15.12	6.12	3.73	6.19	5.73	7.27	7.03	8.91	5.51	2.55	2.70	3.92	4.48	.00	100.00
(2)	4.60	6.41	9.73	15.12	6.12	3.73	6.19	5.73	7.27	7.03	8.91	5.51	2.55	2.70	3.92	4.48	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD} (Page 1 of 2)

				SSES D	ECEMBI	ER MET (OL ATAC	INT FREC	UENCY	DISTRIB	UTION (6	O-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAB	BILITY CL	ASS A				C	CLASS FR	EQUEN	CY (PERCI	ENT) = .:	78		
							W	IND DIR	ECTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	0	0	0	0	1	1	0	1	2	0	0	1	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	2.86	2.86	.00	2.86	5.71	.00	.00	2.86	.00	.00	.00	17.14
(2)	.00	.00	.00	.00	.00	.00	.02	.02	.00	.02	.04	.00	.00	.02	.00	.00	.00	.13
1.6- 2.0	0	0	0	0	1	0	0	0	2	0	4	0	0	0	0	0	0	7
(1)	.00	.00	.00	.00	2.86	.00	.00	.00	5.71	.00	11.43	.00	.00	.00	.00	.00	.00	20.00
(2)	.00	.00	.00	.00	.02	.00	.00	.00	.04	.00	.09	.00	.00	.00	.00	.00	.00	.16
2.1- 3.0	0	0	0	0	0.	0	1	1	1	4	4	0	1	0	0	0	0	12
(1)	.00	.00	.00	.00	.00	.00	2.86	2.86	2.86	11.43	11.43	.00	2.86	.00	.00	.00	.00	34.29
(2)	.00	.00	.00	.00	.00	.00	.02	.02	.02	.09	.09	.00	.02	.00	.00	.00	.00	.27
3.1- 4.0	0	0	0	0	0	0	0	0	0	1	5	0	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.86	14.29	.00	.00	.00	.00	.00	.00	17.14
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.11	.00	.00	.00	.00	.00	.00	.13
4.1- 5.0	0	0	0	0	Ó	0	0	0	0	0	3	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	8.57	.00	.00	.00	.00	.00	.00	8.57
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.00	.07
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD} (Page 2 of 2)

33.0	FT WINI	D DATA		SSES D	ECEMBI STAB	ER MET D	OATA JOI ASS A	NT FREC	UENCY	DISTRIBU	JTION (6 C	0-METER		R) CY (PERCE	:NT) = .7	78		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.86	.00	.00	.00	.00	.00	.00	2.86
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
· (1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	0	0	0	1	0	2	2	3	6	19	0	1	1	0	0	0	35
(1)	.00	.00	.00	.00	2.86	.00	5.71	5.71	8.57	17.14	54.29	.00	2.86	2.86	.00	.00	.00	100.00
(2)	.00	.00	.00	.00	.02	.00	.04	.04	.07	.13	.43	.00	.02	.02	.00	.00	.00	.78

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

	SSES DECEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																	
33.0	FT WIN	D DATA		SSES D	ECEMBI STAE	ER MET D BILITY CL	ATA JOI ASS B	NT FREQ	UENCY	DISTRIB	UTION (6 C	O-METER	TOWE	R) CY (PERCE	ENT) =	76		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	00	00	00	00	00	00	ň	00	ň	00
(7)	.00	00	00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
2-4	0	0	0	0	0	0	0	0	0	0	0	0	٥	0	0	0	0	٥
(1)	ň	ň	ň	00	00	ño	ň	00	ň	00	00	ň	00	00	00	00	00	00
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	. 0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.94	.00	.00	.00	.00	.00	00	00	2 94
(2)	.00	.00	.00	.00	.00	.00	.00	.00	00	02	00	00	00	00	00	00	.00	02
~~/										.02		.00	.00	.00	.00	.00	.00	.02
1.1- 1.5	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	5.88	2.94	.00	.00	.00	.00	.00	.00	.00	8.82
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.04	.02	.00	.00	.00	.00	.00	00	00	07
<i>x</i> - <i>y</i>																		.07
1.6- 2.0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	5.88	2.94	.00	.00	.00	.00	.00	.00	8.82
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.02	.00	.00	.00	.00	.00	.00	.07
2.1- 3.0	0	0	1	0	0	0	0	0	0	5	4	2	0	0	0	0	0	12
(1)	.00	.00	2.94	.00	.00	.00	.00	.00	.00	14.71	11.76	5.88	.00	.00	.00	.00	.00	35.29
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.11	.09	.04	.00	.00	.00	.00	.00	.27
3.1- 4.0	0	0	0	0	0	0	0	0	0	3	7	1	0	0	0	1	0	12
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	8.82	20.59	2.94	.00	.00	.00	2.94	.00	35.29
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.16	.02	.00	.00	.00	.02	.00	.27
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	5.88	.00	.00	.00	.00	.00	.00	5.88
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.00	.00	.00	.00	.00	.00	.04
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.94	.00	.00	.00	.00	.00	2.94
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
/			-					-	-			. –						
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD - continued} (Page 1 of 2)

Meteorology

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD - continued} (Page 2 of 2)

				SSES D	ECEMBI	ER MET D	ATA JOI	NT FREQ	UENCY	DISTRIBU	JTION (6	0-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS B				C	LASS FR	EQUEN	CY (PERCE	NT) = .7	76		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	0	1	0	0	0	0	0	2	12	14	4	0	0	0	1	0	34
(1)	.00	.00	2.94	.00	.00	.00	.00	.00	5.88	35.29	41.18	11.76	.00	.00	.00	2.94	.00	100.00
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.04	.27	.31	.09	.00	.00	.00	.02	.00	.76

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

.

Table 2.3-52--- {SSES 33' (10-m) 2001-2006 December JFD - continued} (Page 1 of 2)

	33.0	FT WIN	D DATA		SSES D	ECEMB STAE	ER MET D BILITY CL	ATA JOI ASS C	NT FREQ	UENCY	DISTRIB	JTION (6 C	O-METER		R) IY (PERCE	NT) = 2.	.04		
								w	IND DIRE	ECTION I	ROM				-	-			
	SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTA
	LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	.5- 1.0	0	0	0	0	1	0	0	2	1	0	1	. 0	0	0	0	0	0	5
	(1)	.00	.00	.00	.00	1.10	.00	.00	2.20	1.10	.00	1.10	.00	.00	.00	.00	.00	.00	5.49
	(2)	.00	.00	.00	.00	.02	.00	.00	.04	.02	.00	.02	.00	.00	.00	.00	.00	.00	.11
	1.1- 1.5	0	0	0	0	0	2	0	0	1	1	0	1	0	0	0	0	0	5
	(1)	.00	.00	.00	.00	.00	2.20	.00	.00	1.10	1.10	.00	1.10	.00	.00	.00	.00	.00	5.49
	(2)	.00	.00	.00	.00	.00	.04	.00	.00	.02	.02	.00	.02	.00	.00	.00	.00	.00	.11
	1.6- 2.0	0	0	3	0	0	0	0	2	2	3	1	1	0	0	0	0	0	12
	(1)	.00	.00	3.30	.00	.00	.00	.00	2.20	2.20	3.30	1.10	1.10	.00	.00	.00	.00	.00	13.19
	(2)	.00	.00	.07	.00	.00	.00	.00	.04	.04	.07	.02	.02	.00	.00	.00	.00	.00	.27
	2.1- 3.0	1	2	2	0	0	0	0	0	2	2	7	1	0	0	0	0	0	17
	(1)	1.10	2.20	2.20	.00	.00	.00	.00	.00	2.20	2.20	7.69	1.10	.00	.00	.00	.00	.00	18.68
-	(2)	.02	.04	.04	.00	.00	.00	.00	.00	.04	.04	.16	.02	.00	.00	.00	.00	.00	.38
	3.1- 4.0	· 1	0	1	0	0	0	1	0	1	3	9	3	0	1	0	2	0	22
	(1)	1.10	.00	1.10	.00	.00	.00	1.10	.00	1.10	3.30	9.89	3.30	.00	1.10	.00	2.20	.00	24.18
	(2)	.02	.00	.02	.00	.00	.00	.02	.00	.02	.07	.20	.07	.00	.02	.00	.04	.00	.49
	4.1- 5.0	2	0	0	0	0	0	0	0	1	1	9	3	0	0	0	3	0	19
	(1)	2.20	.00	.00	.00	.00	.00	.00	.00	1.10	1.10	9.89	3.30	.00	.00	.00	3.30	.00	20.88
	(2)	.04	.00	.00	.00	.00	.00	.00	.00	.02	.02	.20	.07	.00	.00	.00	.07	.00	.43
	5.1- 6.0	0	0	0	0	0	0	0	0	0	0	3	6	0	0	0	0	0	9
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	3.30	6.59	.00	.00	.00	.00	.00	9.89
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.13	.00	.00	.00	.00	.00	.20
	6.1- 8.0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2

BBNPP

2-454 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

-			Та	ble 2.3	-52— {	SSES 33	3' (10-n	n) 2001 (Page	-2006 2 of 2)	Decem	ber JFC) - conti	nued}					
33.0	SSES DECEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33.0 FT WIND DATA STABILITY CLASS C VIND DIRECTION FROM SPEED m/s N NNE NE ENE E SSES DECEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) STABILITY CLASS C CLASS FREQUENCY (PERCENT) = 2.04 WIND DIRECTION FROM SPEED m/s NNE NE E E ESE SSE SSW WSW WNW NWW NWW VRBL																	
SPEED m/s	SPEED m/s N NNE NE ENE E ESE SE SSE SSW SW WSW W NNW NNW VRBL TO (1) .00															τοται		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.10	1.10	.00	.00	.00	.00	.00	2.20
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.04
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	4	2	6	0	1	2	1	4	8	10	31	16	0	1	0	5	0	91
(1)	4.40	2.20	6.59	.00	1.10	2.20	1.10	4.40	8.79	10.99	34.07	17.58	.00	1.10	.00	5.49	.00	100.00
(2)	.09	.04	.13	.00	.02	.04	.02	.09	.18	.22	.69	.36	.00	.02	.00	.11	.00	2.04

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD - continued} (Page 1 of 2)

33.0				SSES D	ECEMBI STAR	ER MET D	OATA JOI ASS D	NT FREC	QUENCY	DISTRIBL	JTION (6	O-METER		R) Y (PERCEI	NT) = 45	.99		
55.0					5170		733 U W		ECTION F	ROM	-		QULITE		() – <i>43</i>			
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00 .	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	1	1	0	0	0	0	. 0	0	0	0	0	0	0	0	3
(1)	.00	.00	.05	.05	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.15
(2)	.00	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	1	• 7	2	9	,23	28	15	13	7	5	0	2	1	0	3	1	0	117
(1)	.05	.34	.10	.44	1.12	1.36	.73	.63	.34	.24	.00	.10	.05	.00	.15	.05	.00	5.70
(2)	.02	.16	.04	.20	.52	.63	.34	.29	.16	.11	.00	.04	.02	.00	.07	.02	.00	2.62
1.1- 1.5	8	17	14	16	13	14	26	17	26	20	13	8	8	4	3	4	0	211
(1)	.39	.83	.68	.78	.63	.68	1.27	.83	1.27	.97	.63	.39	.39	.19	.15	.19	.00	10.28
(2)	.18	.38	.31	.36	.29	.31	.58	.38	.58	.45	.29	.18	.18	.09	.07	.09	.00	4.73
1.6- 2.0	10	17	19	15	7	6	13	13	23	30	14	8	11	4	5	6	0	201
(1)	.49	.83	.93	.73	.34	.29	.63	.63	1.12	1.46	.68	.39	.54	.19	.24	.29	.00	9.79
(2)	.22	.38	.43	.34	.16	.13	.29	.29	.52	.67	.31	.18	.25	.09	.11	.13	.00	4.50
2.1- 3.0	39	29	29	7	5	5	21	13	33	60	64	32	27	10	19	26	0	419
(1)	1.90	1.41	1.41	.34	.24	.24	1.02	.63	1.61	2.92	3.12	1.56	1.32	.49	.93	1.27	.00	20.41
(2)	.87	.65	.65	.16	.11	.11	.47	.29	.74	1.34	1.43	.72	.60	.22	.43	.58	.00	9.39
3.1- 4.0	32	14	7	7	1	2	5	3	4	25	107	35	39	23	52	57	0	413
(1)	1.56	.68	.34	.34	.05	.10	.24	.15	.19	1.22	5.21	1.70	1.90	1.12	2.53	2.78	.00	20.12
(2)	.72	.31	.16	.16	.02	.04	.11	.07	.09	.56	2.40	.78	.87	.52	1.16	1.28	.00	9.25
4.1- 5.0	17	5	2	0	.1	1	1	0	3	4	84	66	34	37	52	62	0	369
(1)	.83	.24	.10	.00	.05	.05	.05	.00	.15	.19	4.09	3.21	1.66	1.80	2 <i>.</i> 53	3.02	.00	17.97
(2)	.38	.11	.04	.00	.02	.02	.02	.00	.07	.09	1.88	1.48	.76	.83	1.16	1.39	.00	8.27
5.1- 6.0	. 3	. 0	0	0	0	0	1	0	2	1	42	59	22	10	39	49	0	228
(1)	.15	.00	.00	.00	.00	.00	.05	.00	.10	.05	2.05	2.87	1.07	.49	1.90	2.39	.00	11.11
(2)	.07	.00	.00	.00	.00	.00	.02	.00	.04	.02	.94	1.32	.49	.22	.87	1.10	.00	5.11
6.1- 8.0	0	0	0	0	0	0	0	0	1	0	13	37	7	5	15	5	0	83

BBNPP

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD - continued}

(Page 2 of 2)

33.0	FT WINI	D DATA		SSES C	ECEMBI STAB	ER MET D BILITY CL	ATA JOI ASS D	NT FREQ	UENCY	DISTRIBU	JTION (6 CL	0-METER .ASS FRE	TOWE	R) Y (PERCEI	NT) = 45	.99		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.63	1.80	.34	.24	.73	.24	.00	4.04
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.29	.83	.16	.11	.34	.11	.00	1.86
8.1-10.0	0	0	0	0	0	0	0	0	2	0	0	7	0	0	0	0	0	9
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.10	.00	.00	.34	.00	.00	.00	.00	.00	.44
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.04	.00	.00	.16	.00	.00	.00	.00	.00	.20
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	110	89	74	55	51	56	82	59	101	145	337	254	149	93	188	210	0	2053
(1)	5.36	4.34	3.60	2.68	2.48	2.73	3.99	2.87	4.92	7.06	16.42	12.37	7.26	4.53	9.16	10.23	.00	100.00
(2)	2.46	1.99	1.66	1.23	1.14	1.25	1.84	1.32	2.26	3.25	7.55	5.69	3.34	2.08	4.21	4.70	.00	45.99

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Meteorology

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD - continued} (Page 1 of 2)

				SSES [DECEMB	ER MET D	IOL ATA	NT FREC	UENCY	DISTRIB	JTION (6	50-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCEI	NT) = 30	.58		
							w	IND DIRI	ECTION P	ROM				-	-			
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	3	0	1	1	2	1	0	0	0	0	0	0	0	0	0	0	8
(1)	.00	.22	.00	.07	.07	.15	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.59
(2)	.00	.07	.00	.02	.02	.04	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.18
.5- 1.0	5	11	41	73	68	51	71	45	41	15	13	5	3	1	0	2	0	445
(1)	.37	.81	3.00	5.35	4.98	3.74	5.20	3.30	3.00	1.10	.95	.37	.22	.07	.00	.15	.00	32.60
(2)	.11	.25	.92	1.64	1.52	1.14	1.59	1.01	.92	.34	.29	.11	.07	.02	.00	.04	.00	9.97
1.1- 1.5	9	30	40	30	12	14	16	26	33	40	22	3	5	3	1	2	0	286
(1)	.66	2.20	2.93	2.20	.88	1.03	1.17	1.90	2.42	2.93	1.61	.22	.37	.22	.07	.15	.00	20.95
(2)	.20	.67	.90	.67	.27	.31	.36	.58	.74	.90	.49	.07	.11	.07	.02	.04	.00	6.41
1.6- 2.0	12	21	14	4	2	2	5	20	25	45	18	13	1	2	3	0	0	187
(1)	.88	1.54	1.03	.29	.15	.15	.37	1.47	1.83	3.30	1.32	.95	.07	.15	.22	.00	.00	13.70
(2)	.27	.47	.31	.09	.04	.04	.11	.45	.56	1.01	.40	.29	.02	.04	.07	.00	.00	4.19
2.1- 3.0	20	33	14	3	0	1	4	7	21	61	48	16	9	4	10	13	0	264
(1)	1.47	2.42	1.03	.22	.00	.07	.29	.51	1.54	4.47	3.52	1.17	.66	.29	.73	.95	.00	19.34
(2)	.45	.74	.31	.07	.00	.02	.09	.16	.47	1.37	1.08	.36	.20	.09	.22	.29	.00	5.91
3.1- 4.0	6	16	6	1	3	3	2	4	6	6	33	4	3	6	4	10	0	113
(1)	.44	1.17	.44	.07	.22	.22	.15	.29	.44	.44	2.42	.29	.22	.44	.29	.73	.00	8.28
(2)	.13	.36	.13	.02	.07	.07	.04	.09	.13	.13	.74	.09	.07	.13	.09	.22	.00	2.53
4.1- 5.0	3	0	0	0	1	2	2	2	1	0	10	4	0	0	5	4	0	34
(1)	.22	.00	.00	.00	.07	.15	.15	.15	.07	.00	.73	.29	.00	.00	.37	.29	.00	2.49
(2)	.07	.00	.00	.00	.02	.04	.04	.04	.02	.00	.22	.09	.00	.00	.11	.09	.00	.76
5.1- 6.0	0	0	0	0	1	3	2	3	0	0	2	2	1	0	1	1	0	16
(1)	.00	.00	.00	.00	.07	.22	.15	.22	.00	.00	.15	.15	.07	.00	.07	.07	.00	1.17
(2)	.00	.00	.00	.00	.02	.07	.04	.07	.00	.00	.04	.04	.02	.00	.02	.02	.00	.36
6.1- 8.0	0	0	0	0	2	0	1	1	2	1	0	3	0	0	0	0	0	10

BBNPP

Rev. 2a

Table 2.3-52—	{SSES 33' (10-m) 200 ⁻	1-2006	December	JFD -	continued}
			-			

(Page 2 of 2)

				SSES D	ECEMBI	ER MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	JTION (6	0-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAE	SILITY CL	ASS E				CL	ASS FRE	QUENC	Y (PERCE	NT) = 30	.58		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.15	.00	.07	.07	.15	.07	.00	.22	.00	.00	.00	.00	.00	.73
(2)	.00	.00	.00	.00	.04	.00	.02	.02	.04	.02	.00	.07	.00	.00	.00	.00	.00	.22
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
ALL SPEEDS	55	114	115	112	90	78	104	108	129	168	146	52	22	16	24	32	0	1365
(1)	4.03	8.35	8.42	8.21	6.59	5.71	7.62	7.91	9.45	12.31	10.70	3.81	1.61	1.17	1.76	2.34	.00	100.00
(2)	1.23	2.55	2.58	2.51	2.02	1.75	2.33	2.42	2.89	3.76	3.27	1.16	.49	.36	.54	.72	.00	30.58

~

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD - continued} (Page 1 of 2)

				SSES I	DECEMBI	ER MET D	OL ATA	INT FREC	QUENCY	DISTRIBL	JTION (e	50-METER	TOWE	R)		*		
33.0	FT WIN	D DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCEI	NT) = 11	.67		
							w	IND DIR	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	4	0	1	0	0	0	0	0	0	0	0	0	0	6
(1)	.00	.00	.19	.00	.77	.00	.19	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.15
(2)	.00	.00	.02	.00	.09	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.13
.5- 1.0	3	9	46	110	68	35	16	28	22	3	1	0	1	0	0	1	0	343
(1)	.58	1.73	8.83	21.11	13.05	6.72 [·]	3.07	5.37	4.22	.58	.19	.00	.19	.00	.00	.19	.00	65.83
(2)	.07	.20	1.03	2.46	1.52	.78	.36	.63	.49	.07	.02	.00	.02	.00	.00	.02	.00	7.68
1.1- 1.5	2	9	21	48	8	6	4	6	19	8	1	1	0	1	0	2	0	136
(1)	.38	1.73	4.03	9.21	1.54	1.15	.77	1.15	3.65	1.54	.19	.19	.00	.19	.00	.38	.00	26.10
(2)	.04	.20	.47	1.08	.18	.13	.09	.13	.43	.18	.02	.02	.00	.02	.00	.04	.00	3.05
1.6- 2.0	2	2	4	1	0	0	1	2	2	10	2	0	0	0	0	1	0	27
(1)	.38	.38	.77	.19	.00	.00	.19	.38	.38	1.92	.38	.00	.00	.00	.00	.19	.00	5.18
(2)	.04	.04	.09	.02	.00	.00	.02	.04	.04	.22	.04	.00	.00	.00	.00	.02	.00	.60
2.1- 3.0	0	. 0	0	0	0	0	0	0	0	3	5	0	0	0	1	0	0	9
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.58	.96	.00	.00	.00	.19	.00	.00	1.73
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.11	.00	.00	.00	.02	.00	.00	.20
3.1- 4.0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Meteorology

			Та	ble 2.3	-52— {	SSES 3	3' (10-n	n) 2001 (Page	-2006 2 of 2)	Deceml	ber JF[) - conti	nued}					•
33.0	FT WIN	D DATA		SSES (DECEMBE STAB	R MET D	ATA JOI ASS F	NT FREQ	UENCY	DISTRIBU	JTION (6 C	50-METER LASS FRE	TOWEI	R) Y (PERCE <i>l</i>	NT) = 11	.67		
605ED /					_		W	IND DIRE		ROM	~~~							
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	· 0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	7	20	72	159	80	41	22	36	43	24	9	1	1	1	1	4	0	521
(1)	1.34	3.84	13.82	30.52	15.36	7.87	4.22	6.91	8.25	4.61	1.73	.19	.19	.19	.19	.77	.00	100.00
(2)	.16	.45	1.61	3.56	1.79	.92	.49	<i>.</i> 81	.96	.54	.20	.02	.02	.02	.02	.09	.00	11.67

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

								(Page	1 of 2)									
				SSES D	DECEMBE	R MET D	IOL ATA	NT FREC		DISTRIBU	JTION (6	50-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 8.	18		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.55	.27	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.82
(2)	.00	.00	.00	.04	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	0	5	37	112	43	17	9	12	5	2	1	0	0	0	0	0	0	243
(1)	.00	1.37	10.14	30.68	11.78	4.66	2.47	3.29	1.37	.55	.27	.00	.00	.00	.00	.00	.00	66.58
(2)	.00	.11	.83	2.51	.96	.38	.20	.27	.11	.04	.02	.00	.00	.00	.00	.00	.00	5.44
1.1- 1.5	1	2	26	68	7	1	1	2	3	0	1	0	0	0	0	0	0	112
(1)	.27	.55	7.12	18.63	1.92	.27	.27	.55	.82	.00	.27	.00	.00	.00	.00	.00	.00	30.68
(2)	.02	.04	.58	1.52	.16	.02	.02	.04	.07	.00	.02	.00	.00	.00	.00	.00	.00	2.51
· 1.6- 2.0	0	0	2	2	0	1	0	1	0	0	0	0	0	0	0	0	0	6
(1)	.00	.00	.55	.55	.00	.27	.00	.27	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.64
(2)	.00	.00	.04	.04	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.13
2.1- 3.0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.27	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.27
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD - continued}

BBNPP

FSAR: Section 2.3

Meteorology

Table 2.3-52--- {SSES 33' (10-m) 2001-2006 December JFD - continued} (Page 2 of 2)

				SSES D	DECEMBE	ER MET D	DATA JOI	INT FREC	UENCY	DISTRIBL	JTION (6	50-METER	TOWE	R)				
33.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 8.	18		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	1	7	65	184	51	19	11	15	8	2	2	0	0	0	0	0	0	365
(1)	.27	1.92	17.81	50.41	13.97	5.21	3.01	4.11	2.19	.55	.55	.00	.00	.00	.00	.00	.00	100.00
(2)	.02	.16	1.46	4.12	1.14	.43	.25	.34	.18	.04	.04	.00	.00	.00	.00	.00	.00	8.18

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD - continued} (Page 1 of 2)

FSAR: Section 2.3

Meteorology

33.0				SSES [ECEMBI STARI	ER MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	JTION (6 دا	O-METER		R) / (PERCEN	T) - 100	n 00		
55.0		DAIA			JIAU		W			ROM		ADD THE		(1 EIICEI)	1, - 100			
SPEED m/s	м	NNE	NE	ENE	F	FSF	SE	SSE		SSW	SW	WSW	w	WNW	NIM	NINIM	VPRI	τοται
	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0		
(1)	00	00	00	00	00	00	00	ň	00	00	00	00	00	00	00	00	00	00
(7)	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	3	2	4	7	2	2	0	0	0	0	.0	0	0	0	0	0	20
(1)	.00	.07	.04	.09	.16	.04	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.45
(2)	.00	.07	.04	.09	.16	.04	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.45
5 10	0	22	176	204	202	121	.111	100	76	76	16	7	E	1	2		0	1154
.5- 1.0	9	22 דר	120	204 6 01	205	100	2.40	2.24	70 170	20	26	16	5 11	02	5	4	0	1154
(1)	.20	./2	2.82	0.01	4.55	2.95	2.49	2.24	1.70	.56	.50	.10	.11	.02	.07	.09	.00	23.63
(2)	.20	./ 2	2.82	0.01	4.55	2.95	2.49	2.24	1.70	.58	.50	.10	.11	.02	.07	.09	.00	23.85
1.1- 1.5	20	58	101	162	40	37	48	52	84	71	39	13	13	9	4	8	· 0	759
. (1)	.45	1.30	2.26	3.63	.90	.83	1.08	1.16	1.88	1.59	.87	.29	.29	.20	.09	.18	.00	17.00
(2)	.45	1.30	2.26	3.63	.90	.83	1.08	1.16	1.88	1.59	.87	.29	.29	.20	.09	.18	.00	17.00
16-20	24	40	42	22	10	Q	10	38	54	90	40	22	17	6	8	7	0	443
(1)	54	90	9/	49	22	20	43	85	1 21	202	90	<u>7</u> 2 <u>7</u> 0	27	13	18	16	00	002
(1)	54	90		.+2 40	.22	.20	43	.05	1.21	2.02	90	ر ب . ۸۵	.27	13	18	16	.00	0.02
(2)	.54	.50	.54		.22	.20	.45	.05	1.21	2.02	.50		.27	.1.2	.10	.10	.00	9.92
2.1- 3.0	60	64	46	10	5	6	27	21	57	135	132	51	37	14	30	39	0	734
(1)	1.34	1.43	1.03	.22	.11	.13	.60	.47	1.28	3.02	2.96	1.14	.83	.31	.67	.87	.00	16.44
(2)	1.34	1.43	1.03	.22	.11	.13	.60	.47	1.28	3.02	2.96	1.14	.83	.31	.67	.87	.00	16.44
31-40	30	30	11	8	4	5	8	7	11	38	161	43	42	30	56	70	0	566
(1)	87	67	31	18	00	11	18	, 16	25	85	3 61	96	94	67	1 25	157	00	12.68
(1)	.07	.07	31	18	.02	11	18	16	.25	.05 85	3.61	96	.54 94	.07	1.25	1.57	.00	12.00
(2)	.07	.07		.10	.05		.10	.10	.23	.05	5.01	.50	.,,	.07	1.25	1.57	.00	12.00
4.1- 5.0	22	5	2	0	2	3	3	2	5	5	108	73	34	37	57	69	0	427
(1)	.49	.11	.04	.00	.04	.07	.07	.04	.11	.11	2.42	1.64	.76	.83	1.28	1.55	.00	9.57
(2)	.49	.11	.04	.00	.04	.07	.07	.04	.11	.11	2.42	1.64	.76	.83	1.28	1.55	.00	9.57
5.1-6.0	3	0	0	0	1	. 3	3	3	2	1	47	68	23	10	40	50	0	254
(1)	.07	.00	.00	.00	.02	.07	.07	.07	.04	.02	1.05	1.52	.52	.22	.90	1.12	.00	5.69
(2)	.07	.00	.00	.00	.02	.07	.07	.07	.04	.02	1.05	1.52	.52	.22	.90	1.12	.00	5.69
6.1- 8.0	0	0	0	0	2	0	1	1	3	1	15	41	7	5	15	5	0	96

BBNPP

2-464 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Table 2.3-52— {SSES 33' (10-m) 2001-2006 December JFD - continued} (Page 2 of 2)

				SSES D	ECEMBI	ER MET D	IOL ATA	NT FREQ	UENCY	DISTRIB	JTION (6	0-METER	TOWE	२)				
33.0 FT WIND DATA					STABI	LITY CLA	SS ALL			CLASS FREQUENCY (PERCENT) = 100.00								
WIND DIRECTION FROM																		
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.04	.00	.02	.02	.07	.02	.34	.92	.16	11	.34	.11	.00	2.15
(2)	.00	.00	.00	.00	.04	.00	.02	.02	.07	.02	.34	.92	.16	.11	.34	.11	.00	2.15
8.1-10.0	0	0	0	0	0	0	0	0	2	0	0	8	0	0	0	0	0	10
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.04	.00	.00	.18	.00	.00	.00	.00	.00	.22
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.04	.00	.00	.18	.00	.00	.00	.00	.00	.22
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
ALL SPEEDS	177	232	333	510	274	196	222	224	294	367	558	327	173	112	213	252	0	4464
(1)	3.97	5.20	7.46	11.42	6.14	4.39	4.97	5.02	6.59	8.22	12.50	7.33	3.88	2.51	4.77	5.65	.00	100.00
(2)	3.97	5.20	7.46	11.42	6.14	4.39	4.97	5.02	6.59	8.22	12.50	7.33	3.88	2.51	4.77	5.65	.00	100.00

.

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD FSAR: Section 2.3

Rev. 2a

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD} (Page 1 of 2)

				SSES	JANUAR	Y MET D	ATA JOII	NT FREQ	UENCY C	ISTRIBU	TION (60)-METER	TOWER)				
197.0		STABILITY CLASS A CLASS FREQUENCY (PERCENT) = 1.84											.84					
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	1	1	1	0	1	1	1	0	0	1	0	0	0	0	0	7
(1)	.00	.00	1.22	1.22	1.22	.00	1.22	1.22	1.22	.00	.00	1.22	.00	.00	.00	.00	.00	8.54
(2)	.00	.00	.02	.02	.02	.00	.02	.02	.02	.00	.00	.02	.00	.00	.00	.00	.00	.16
1.6- 2.0	0	0	0	0	0	0	0	0	1	3	1	0	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	1.22	3.66	1.22	.00	.00	.00	.00	.00	.00	6.10
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.07	.02	.00	.00	.00	.00	.00	.00	.11
2.1- 3.0	0	0	0	0	0	0	0	1	1	4	7	1	0	0	0	0	0	14
(1)	.00	.00	.00	.00	.00	.00	.00	1.22	1.22	4.88	8.54	1.22	.00	.00	.00	.00	.00	17.07
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.02	.09	.16	.02	.00	.00	.00	.00	.00	.31
3.1- 4.0	0	0	0	0	0	0	0	0	0	5	6	1	0	0	0	0	0	12
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	6.10	7.32	1.22	.00	.00	.00	.00	.00	14.63
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	.13	.02	.00	.00	.00	.00	.00	.27
4.1- 5.0	0	0	0	0	0	0	0	0	0	2	2	1	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.44	2.44	1.22	.00	.00	.00	.00	.00	6.10
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.04	.02	.00	.00	.00	.00	.00	.11
5.1- 6.0	0	0	0	0	0	0	0	0	0	1	14	3	1	0	0	0	0	19
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.22	17.07	3.66	1.22	.00	.00	.00	.00	23.17
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.31	.07	.02	.00	.00	.00	.00	.43
61-80	0	0	0	0	0	0	0	0	0	0	4	10	2	0	0	0	0	16

Table 2.3-53— {SSES	197' (60-m) 2001-2006	5 January JFD}
	(Page 2 of 2)	

				SSES .	JANUAR	Y MET D	ATA JOII	NT FREQ	UENCY [DISTRIBU	TION (60	D-METER	TOWER)				
197.0	FT WIN	D DATA			STABILITY CLASS A CLASS FREQUENCY (PERCENT) = 1.84													
							W	IND DIRE	CTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.88	12.20	2.44	.00	.00	.00	.00	19.51
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.22	.04	.00	.00	.00	.00	.36
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.88	.00	.00	.00	.00	.00	4.88
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.09
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	0	1	1	1	0	1	2	3	15	34	21	3	0	0	0	0	82
(1)	.00	.00	1.22	1.22	1.22	.00	1.22	2.44	3.66	18.29	41.46	25.61	3.66	.00	.00	.00	.00	100.00
(2)	.00	.00	.02	.02	.02	.00	.02	.04	.07	.34	.76	.47	.07	.00	.00	.00	.00	1.84

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD FSAR: Section 2.3

Rev. 2a
197.0		ID DATA		SSES	JANUAR STAE	Y MET DA	ATA JOI ASS B	NT FREQ	UENCY [DISTRIBU	TION (6	0-METER LASS FRI		:) IY (PERCE	NT) = 1.	66		
							w		ECTION I	ROM					,	••		
SPEED m/s	N	NNE	NE	ENF	E	ESE	SE	SSF	s	SSW	sw	wsw	w	WNW	NW	NNW	VRRI	τοται
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
(1)	00	00	ň	ň	ň	00	ň	00	00	ň	00	00	00	00	00	00	00	00
(7)	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(=)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00	00	ñ	ň	ň	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	.00	.00
																	.00	
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.35	.00	1.35
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.02
1.1- 1.5	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	1.35	.00	.00	1.35	.00	1.35	.00	.00	.00	.00	.00	.00	.00	4.05
(2)	.00	.00	.00	.00	.02	.00	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.07
1.6- 2.0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	1.35	.00	1.35	1.35	.00	1.35	.00	.00	.00	.00	.00	.00	5.41
(2)	.00	.00	.00	.00	.00	.02	.00	.02	.02	.00	.02	.00	.00	.00	.00	.00	.00	.09
2.1- 3.0	0	0	2	0	0	0	0	0	0	2	4	2	0	1	0	0	0	11
(1)	.00	.00	2.70	.00	.00	.00	.00	.00	.00	2.70	5.41	2.70	.00	1.35	.00	.00	.00	14.86
(2)	.00	.00	.04	.00	.00	.00	.00	.00	.00	.04	.09	.04	.00	.02	.00	.00	.00	.25
21.40		•	•	•	•	•	•			-		-		-		_		_
3.1-4.0	0	0	0	0	0	0	0	0	0	1 25	1	1	1	0	1	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.35	1.35	1.35	1.35	.00	1.35	.00	.00	6.76
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.02	.02	.00	.02	.00	.00	.11
41-50	1	0	1	0	0	0	0	0	0	0	2	0	2	0	0	0	0	
(1)	135	ő	135	00	ň	ň	00	00	00	00	4 05	00	4 05	00	00	00	00	10.91
(7)	02	.00	02	00	.00	00	.00	.00	.00	.00	05	.00	07	.00	.00	.00	.00	10.01
(2)	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.07	.00	.07	.00	.00	.00	.00	.10
5.1- 6.0	1	6	1	0	0	0	0	0	0	0	5	2	3	1	0	0	0	19
(1)	1.35	8.11	1.35	.00	.00	.00	.00	.00	.00	.00	6.76	2.70	4.05	1.35	.00	.00	.00	25.68
(2)	.02	.13	.02	.00	.00	.00	.00	.00	.00	.00	.11	.04	.07	.02	.00	.00	.00	.43
6.1- 8.0	0	2	0	0	0	0	0	0	0	0	2	17	1	0	0	0	0	22

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 1 of 2)

BBNPP

Rev. 2a

Meteorology

(Page 2 of 2)

				SSES J	IANUAR	Y MET D	ATA JOII	NT FREQ	UENCY D	DISTRIBU	TION (60	D-METER	TOWER))				
197.0	FT WIN	D DATA			STAE	ILITY CL	ASS B				С	LASS FRI	EQUENC	Y (PERCE	NT) = 1.	66		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	2.70	.00	.00	.00	.00	.00	.00	.00	.00	2.70	22.97	1.35	.00	.00	.00	.00	29.73
· (2)	.00	.04	.00	.00	.00	.00	.00	.00	.00	.00	.04	.38	.02	.00	.00	.00	.00	.49
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.35	.00	.00	.00	.00	1.35
(2)	.00	.00	.00	.00	.00 ′	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	2	8	4	0	1	1	0	2	1	4	16	22	9	2	1	1	0	74
(1)	2.70	10.81	5.41	.00	1.35	1.35	.00	2.70	1.35	5.41	21.62	29.73	12.16	2.70	1.35	1.35	.00	100.00
(2)	.04	.18	.09	.00	.02	.02	.00	.04	.02	.09	.36	.49	.20	.04	.02	.02	.00	1.66

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

107	0 FT 14/11			SSES .		Y MET D	NIOL ATA	NT FREQ	UENCY D	ISTRIBU	TION (60	D-METER	TOWER) 'V (DEDCE		40		
197.0		DDATA			STAB		A22 C		CTION			LASSERE	QUENC	T (PERCE	NI) = 2.	49		
	N		NE		-	FCF	SE W		C HON F	KUM	C14	WOW		34/6/14/	6134/	NING4/	VDDI	TOTAL
SPEED m/s	N	INNE	NE	ENE	E	ESE	SE	22E	2	22.00	200	W SW	vv	WINW		ININW	VKBL	IUTAL
LI .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	1	0	0	1	1	1	0	0	. 0	0	0	0	0	0	0	0	4
(1)	.00	.90	.00	.00	.90	.90	.90	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	3.60
(2)	.00	.02	.00	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	0	0	0	0	0	1	0	0	2	4	1	0	0	0	0	0	0	8
(1)	.00	.00	.00	.00	.00	.90	.00	.00	1.80	3.60	.90	.00	.00	.00	.00	.00	.00	7.21
(2)	.00	.00	.00	.00	.00	.02	.00	.00	.04	.09	.02	.00	.00	.00	.00	.00	.00	.18
1.6- 2.0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.90	.00	.00	.00	.00	.00	.90	.00	.00	.00	.00	.00	.00	1.80
(2)	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.04
21-30	0	1	1	0	0	0	0	0	2	4	4	1	0	1	0	2	0	16
(1)	00	90	.90	.00	.00	.00	.00	.00	1.80	3.60	3.60	.90	.00	.90	.00	1.80	.00	14.41
(2)	.00	.02	.02	.00	.00	.00	.00	.00	.04	.09	.09	.02	.00	.02	.00	.04	.00	.36
31-40	0	3	0	0	0	0	0	0	0	0	3	2	1	0	0	0	0	9
(1)	.00	2.70	.00	.00	.00	.00	.00	.00	.00	.00	2.70	1.80	.90	.00	.00	.00	.00	8.11
(2)	.00	.07	.00	.00	.00	.00	.00	.00	.00	.00	.07	.04	.02	.00	.00	.00	.00	.20
41-50	2	3	0	0	0	0	0	0	0	0	2	5	1	2	1	2	0	18
(1)	1 80	2 70	.00	.00	.00	.00	.00	.00	.00	.00	1.80	4.50	.90	1.80	.90	1.80	.00	16.22
(2)	.04	.07	.00	.00	.00	.00	.00	.00	.00	.00	.04	.11	.02	.04	.02	.04	.00	.40
5.1-60	3	2	0	0	0	0	0	0	0	0	5	5	1	0	1	3	0	20
(1)	2,70	1.80	.00	.00	.00	.00	.00	.00	.00	.00	4,50	4.50	.90	.00	.90	2.70	.00	18.02
(2)	.07	.04	.00	.00	.00	.00	.00	.00	.00	.00	.11	.11	.02	.00	.02	.07	.00	.45
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	7	16	7	1	0	1	0	32

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 1 of 2)

BBNPP

2-470 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 2 of 2)

				SSES.	JANUAR	Y MET D	ATA JOII	NT FREQ	UENCY D	DISTRIBU	TION (60)-METER	TOWER)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS C				С	LASS FRE		Y (PERCE	NT) = 2.	49		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	6.31	14.41	6.31	.90	.00	.90	.00	28.83
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16	.36	.16	.02	.00	.02	.00	.72
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.90	.90	.00	.00	.00	.00	1.80
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.04
10.1-40.3	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	5	10	1	0	2	2	1	0	4	8	23	30	11	4	2	8	0	111
(1)	4.50	9.01	.90	.00	1.80	1.80	.90	.00	3.60	7.21	20.72	27.03	9.91	3.60	1.80	7.21	.00	100.00
(2)	.11	.22	.02	.00	.04	.04	.02	.00	.09	.18	.52	.67	.25	.09	.04	.18	.00	2.49

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 1 of 2)

197.0	D FT WIN	ID DATA		SSES .	JANUAR STAE	Y MET D	ATA JOII ASS D	NT FREQ	UENCY	DISTRIBU	TION (60 Cl	D-METER LASS FRE	TOWER QUENC) Y (PERCEI	NT) = 50	.31		
							w	IND DIRE	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	0	0	1	0	0	0	0	1	0	0	0	0	3
(1)	.00	.00	.00	.00	.04	.00	.00	.04	.00	.00	.00	.00	.04	.00	.00	.00	.00	.13
(2)	.00	.00	.00	.00	.02	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.00	.07
.5- 1.0	2	4	12	12	6	13	9	5	7	10	9	· 1	0	0	1	1	0	92
(1)	.09	.18	.53	.53	.27	.58	.40	.22	.31	.45	.40	.04	.00	.00	.04	.04	.00	4.10
(2)	.04	.09	.27	.27	.13	.29	.20	.11	.16	.22	.20	.02	.00	.00	.02	.02	.00	2.06
1.1- 1.5	2	9	11	9	7	3	6	14	16	13	12	2	0	2	1	2	0	109
(1)	.09	.40	.49	.40	.31	.13	.27	.62	.71	.58	.53	.09	.00	.09	.04	.09	.00	4.85
(2)	.04	.20	.25	.20	.16	.07	.13	.31	.36	.29	.27	.04	.00	.04	.02	.04	.00	2.44
1.6- 2.0	6	8	14	6	5	4	5	5	14	17	21	11	5	1	1	4	0	127
(1)	.27	.36	.62	.27	.22	.18	.22	.22	.62	.76	.93	.49	.22	.04	.04	.18	.00	5.65
(2)	.13	.18	.31	.13	.11	.09	.11	.11	.31	.38	.47	.25	.11	.02	.02	.09	.00	2.84
2.1- 3.0	27	32	22	8	5	5	19	7	10	24	55	21	16	14	7	11	0	283
(1)	1.20	1.42	.98	.36	.22	.22	.85	.31	.45	1.07	2.45	.93	.71	.62	.31	.49	.00	12.60
(2)	.60	.72	.49	.18	.11	.11	.43	.16	.22	.54	1.23	.47	.36	.31	.16	.25	.00	6.34
3.1- 4.0	51	29	36	6	5	5	5	12	7	16	27	25	30	27	31	36	0	348
(1)	2.27	1.29	1.60	.27	.22	.22	.22	.53	.31	.71	1.20	1.11	1.34	1.20	1.38	1.60	.00	15.49
(2)	1.14	.65	.81	.13	.11	.11	.11	.27	.16	.36	.60	.56	.67	.60	.69	.81	.00	7.80
4.1- 5.0	54	27	21	2	2	3	4	7	8	21	39	41	29	21	45	68	0	392
(1)	2.40	1.20	.93	.09	.09	.13	.18	.31	.36	.93	1.74	1.83	1.29	.93	2.00	3.03	.00	17.45
(2)	1.21	.60	.47	.04	.04	.07	.09	.16	.18	.47	.87	.92	.65	.47	1.01	1.52	.00	8.78
5.1- 6.0	21	26	14	0	0	3	1	2	2	19	32	9 1	36	35	42	52	0	376
(1)	.93	1.16	.62	.00	.00	.13	.04	.09	.09	.85	1.42	4.05	1.60	1.56	1.87	2.32	.00	16.74
(2)	.47	.58	.31	.00	.00	.07	.02	.04	.04	.43	.72	2.04	.81	.78	.94	1.16	.00	8.42
6.1- 8.0	13	9	7	0	0	0	3	3	0	9	23	176	43	24	55	41	0	406

BBNPP

.

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 2 of 2)

		•		SSES.	JANUAR	Y MET D	ATA JOII	NT FREQ	UENCY D	DISTRIBU	TION (6)	D-METER	TOWER)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 50	.31		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.58	.40	.31	.00	.00	.00	.13	.13	.00	.40	1.02	7.84	1.91	1.07	2.45	1.83	.00	18.08
(2)	.29	.20	.16	.00	.00	.00	.07	.07	.00	.20	.52	3.94	.96	.54	1.23	.92	.00	9.09
8.1-10.0	2	0	0	0	0	0	1	0	0	1	2	49	18	2	4	16	0	95
(1)	.09	.00	.00	.00	.00	.00	.04	.00	.00	.04	.09	2.18	.80	.09	.18	.71	.00	4.23
(2)	.04	.00	.00	.00	.00	.00	.02	.00	.00	.02	.04	1.10	.40	.04	.09	.36	.00	2.13
10.1-40.3	0	0	0	0	0	2	1	. 0	0	1	1	8	1	1	0	0	0	15
(1)	.00	.00	.00	.00	.00	.09	.04	.00	.00	.04	.04	.36	.04	.04	.00	.00	.00	.67
(2)	.00	.00	.00	.00	.00	.04	.02	.00	.00	.02	.02	.18	.02	.02	.00	.00	.00	.34
ALL SPEEDS	178	144	137	43	31	38	54	56	64	131	221	425	179	127	187	231	0	2246
(1)	7.93	6.41	6.10	1.91	1.38	1.69	2.40	2.49	2.85	5.83	9.84	18.92	7.97	5.65	8.33	10.28	.00	100.00
(2)	3.99	3.23	3.07	.96	.69	.85	1.21	1.25	1.43	2.93	4.95	9.52	4.01	2.84	4.19	5.17	.00	50.31

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

197.() FT WIN	D DATA		SSES	IANUAR STAF	Y MET D	ATA JOIN ASS E	NT FREQ	UENCY D	ISTRIBU	TION (60 Ci	D-METER) Y (PERCEI	NT) = 28	.49		
		0.0111			5174			ואום מאו		ROM	-		QUENC	. (
SPEED m/s	N	NNE	NE	ENE	E	ECE	SE	CCE	د	SCW	SW	MCM	w	34/NI34/		NNW	VPRI	τοται
	0				E		3E	335	.	33 W	300	0	•••				VNDL	
L1.Z	00	00	00	0	0	00	00	00	00	0	00	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08
(2)	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	1	8	15	7	7	15	15	8	17	8	4	3	4	0	2	3	0	117
(1)	.08	.63	1.18	.55	.55	1.18	1.18	.63	1.34	.63	.31	.24	.31	.00	.16	.24	.00	9.20
(2)	.02	.18	.34	.16	.16	.34	.34	.18	.38	.18	.09	.07	.09	.00	.04	.07	.00	2.62
(-)																		2.02
1.1- 1.5	8	15	19	9	7	10	16	25	20	11	13	3	4	0	3	4	0	167
(1)	.63	1.18	1.49	.71	.55	.79	1.26	1.97	1.57	.86	1.02	.24	.31	.00	.24	.31	.00	13.13
(2)	.18	.34	.43	.20	.16	.22	.36	.56	.45	.25	.29	.07	.09	.00	.07	.09	.00	3.74
1.6- 2.0	14	17	11	9	6	6	8	6	19	20	17	7	4	0	2	4	0	150
(1)	1.10	1.34	.86	.71	.47	.47	.63	.47	1.49	1.57	1.34	.55	.31	.00	.16	.31	.00	11.79
(2)	.31	.38	.25	.20	.13	.13	.18	.13	.43	.45	.38	.16	.09	.00	.04	.09	.00	3.36
21-30	23	41	25	12	8	6	8	6	14	26	40	11	16	13	٥	5	٥	263
(1)	1.01	יד	1 07	0/	63	17	63	47	1 10	204	31/	86	1.76	1.02	71	30	00	200
(1)	50	07	56	.54	10	.47	10	.+/	21	50	00	.00	26	20	./ 1	.59	.00	20.00
(2)	.52	.92	.50	.27	.10	.15	.10	.15		.00	.90	.25	.50	.29	.20	.11	.00	5.09
3.1- 4.0	15	29	19	4	8	7	3	1	9	18	33	28	11	3	12	12	0	212
(1)	1.18	2.28	1.49	.31	.63	.55	.24	.08	.71	1.42	2.59	2.20	.86	.24	.94	.94	.00	16.67
(2)	.34	.65	.43	.09	.18	.16	.07	.02	.20	.40	.74	.63	.25	.07	.27	.27	.00	4.75
4.1- 5.0	10	12	11	1	1	1	0	4	1	15	40	35	4	2	7	11	0	155
(1)	.79	94	.86	.08	.08	.08	.00	.31	.08	1.18	3.14	2.75	.31	.16	.55	86	.00	12 19
(7)		27	.25	.02	.02	.02	.00	.09	.02	.34	.90	.78	.09	04	.16	25	.00	3 47
(_)		/	120	.02		102		105	102	15 1		., 0	.05					5.17
5.1- 6.0	5	12	9	0	0	1	0	0	3	5	18	50	1	0	6	1	0	111
(1)	.39	.94	.71	.00	.00	.08	.00	.00	.24	.39	1.42	3.93	.08	.00	.47	.08	.00	8.73
(2)	.11	.27	.20	.00	.00	.02	.00	.00	.07	.11	.40	1.12	.02	.00	.13	.02	.00	2.49
61-80	1	5	5	0	0	0	0	1	3	10	13	32	4	1	0	ò	0	75

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 1 of 2)

BBNPP

Table 2.3-53---- {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 2 of 2)

				SSES.	JANUAR	Y MET D	ATA JOII	NT FREQ	UENCY D	DISTRIBU	TION (60	D-METER	TOWER)		,		
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				CI	ASS FRE	QUENC	Y (PERCEI	NT) = 28	.49		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.08	.39	.39	.00	.00	.00	.00	.08	.24	.79	1.02	2.52	.31	.08	.00	.00	.00	5.90
(2)	.02	.11	.11	.00	.00	.00	.00	.02	.07	.22	.29	.72	.09	.02	.00	.00	.00	1.68
8.1-10.0	0	2	0	0	0	0	0	1	1	3	2	2	3	0	0	0	0	14
(1)	.00	.16	.00	.00	.00	.00	.00	.08	.08	.24	.16	.16	.24	.00	.00	.00	.00	1.10
(2)	.00	.04	.00	.00	.00	.00	.00	.02	.02	.07	.04	.04	.07	.00	.00	.00	.00	.31
10.1-40.3	0	0	0	0	0	0	1	1	2	3	0	0	0	0	0	0	0	7
(1)	.00	.00	.00	.00	.00	.00	.08	.08	.16	.24	.00	.00	.00	.00	.00	.00	.00	.55
(2)	.00	.00	.00	.00	.00	.00	.02	.02	.04	.07	.00	.00	.00	.00	.00	.00	.00	.16
ALL SPEEDS	77	141	114	42	37	47	51	53	89	119	180	171	51	19	41	40	0	1272
(1)	6.05	11.08	8.96	3.30	2.91	3.69	4.01	4.17	7.00	9.36	14.15	13.44	4.01	1.49	3.22	3.14	.00	100.00
(2)	1.72	3.16	2.55	.94	.83	1.05	1.14	1.19	1.99	2.67	4.03	3.83	1.14	.43	.92	.90	.00	28.49

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 1 of 2)

FSAR: Section 2.3

Meteorology

				SSES	JANUAR	Y MET D	IIOL ATA	NT FREQ	UENCY D	DISTRIBU	TION (6	D-METER	TOWER)				
197.(D FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 8.	49		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	3	10	8	10	8	8	8	2	0	3	0	1	1	0	0	1	0	63
(1)	.79	2.64	2.11	2.64	2.11	2.11	2.11	.53	.00	.79	.00	.26	.26	.00	.00	.26	.00	16.62
(2)	[.] .07	.22	.18	.22	.18	.18	.18	.04	.00	.07	.00	.02	.02	.00	.00	.02	.00	1.41
1.1- 1.5	8	18	29	10	10	5	3	3	6	5	2	1	1	0	0	1	0	102
(1)	2.11	4.75	7.65	2.64	2.64	1.32	.79	.79	1.58	1.32	.53	.26	.26	.00	.00	.26	.00	26.91
(2)	.18	.40	.65	.22	.22	.11	.07	.07	.13	.11	.04	.02	.02	.00	.00	.02	.00	2.28
1.6- 2.0	5	24	10	5	2	1	1	1	9	6	2	1	0	0	1	2	0	70
(1)	1.32	6.33	2.64	1.32	.53	.26	.26	.26	2.37	1.58	.53	.26	.00	.00	.26	.53	.00	18.47
(2)	.11	.54	.22	.11	.04	.02	.02	.02	.20	.13	.04	.02	.00	.00	.02	.04	.00	1.57
2.1- 3.0	7	21	6	0	1	0	1	2	7	5	18	1	1	2	1	0	. 0	73
(1)	1.85	5.54	1.58	.00	.26	.00	.26	.53	1.85	1.32	4.75	.26	.26	.53	.26	.00	.00	19.26
(2)	.16	.47	.13	.00	.02	.00	.02	.04	.16	.11	.40	.02	.02	.04	.02	.00	.00	1.64
3.1- 4.0	0	1	1	0	0	0	0	0	0	5	18	6	1	1	1	0	0	34
(1)	.00	.26	.26	.00	.00	.00	.00	.00	.00	1.32	4.75	1.58	.26	.26	.26	.00	.00	8.97
(2)	.00	.02	.02	.00	.00	.00	.00	.00	.00	.11	.40	.13	.02	.02	.02	.00	.00	.76
4.1- 5.0	0	0	0	0	0	0	0	0	2	0	6	14	0	0	1	0	0	23
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.53	.00	1.58	3.69	.00	.00	.26	.00	.00	6.07
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.04	.00	.13	.31	.00	.00	.02	.00	.00	.52
5.1- 6.0	0	0	0	0	0	[~] 0	0	0	0	0	2	6	0	0	0	0	0	8
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.53	1.58	.00	.00	.00	.00	.00	2.11
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.13	.00	.00	.00	.00	.00	.18
6.1- 8.0	0	0	0	0	0	0	0	0	1	0	1	4	0	0	0	0	0	6

BBNPP

Rev. 2a

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 2 of 2)

				SSES .	JANUAR	Y MET D	ATA JOII	NT FREQ	JENCY D	ISTRIBU	TION (60)-METER	TOWER)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS F				С	LASS FRE	QUENC	Y (PERCE	NT) = 8.	49		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.26	.00	.26	1.06	.00	.00	.00	.00	.00	1.58
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.02	.09	.00	.00	.00	.00	.00	.13
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	23	74	54	25	21	14	13	8	25	24	49	34	4	3	4	4	0	379
- (1)	6.07	19.53	14.25	6.60	5.54	3.69	3.43	2.11	6.60	6.33	12.93	8.97	1.06	.79	1.06	1.06	.00	100.00
(2)	.52	1.66	1.21	.56	.47	.31	.29	.18	.56	.54	1.10	.76	.09	.07	.09	.09	.00	8.49

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 1 of 2)

197.() FT WIN	ID DATA		SSES	JANUAR STAB	Y MET D	ATA JOII ASS G	NT FREQ	UENCY [DISTRIBU	TION (6	D-METER) Y (PERCE	NT) = 6.	72		
							w	IND DIR	ECTION I	FROM	-				,	-		
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	sw	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0.	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	2	2	4	6	2	2	4	2	1	0	0	0	0	0	0	0	0	25
(1)	.67	.67	1.33	2.00	.67	.67	1.33	.67	.33	.00	.00	.00	.00	.00	.00	.00	.00	8.33
(2)	.04	.04	.09	.13	.04	.04	.09	.04	.02	.00	.00	.00	.00	.00	.00	.00	.00	.56
1.1- 1.5	0	21	26	5	6	10	4	5	4	2	0	1	0	1	0	0	0	85
(1)	.00	7.00	8.67	1.67	2.00	3.33	1.33	1.67	1.33	.67	.00	.33	.00	.33	.00	.00	.00	28.33
(2)	.00	.47	.58	.11	.13	.22	.09	.11	.09	.04	.00	.02	.00	.02	.00	.00	.00	1.90
1.6- 2.0	15	37	14	2	0	0	2	4	7	6	3	0	0	0	0	0	0	90
(1)	5.00	12.33	4.67	.67	.00	.00	.67	1.33	2.33	2.00	1.00	.00	.00	.00	.00	.00	.00	30.00
(2)	.34	.83	.31	.04	.00	.00	.04	.09	.16	.13	.07	.00	.00	.00	.00	.00	.00	2.02
2.1- 3.0	14	15	3	1	0	1	0	1	7	9	7	1	0	0	0	0	0	59
(1)	4.67	5.00	1.00	.33	.00	.33	.00	.33	2.33	3.00	2.33	.33	.00	.00	.00	.00	.00	19.67
. (2)	.31	.34	.07	.02	.00	<i>.</i> 02	.00	.02	.16	.20	.16	.02	.00	.00	.00	.00	.00	1.32
3.1- 4.0	2	0	0	0	0	0	0	0	1	6	б	3	0	0	1	0	0	19
(1)	.67	.00	.00	.00	.00	.00	.00	.00	.33	2.00	2.00	1.00	.00	.00	.33	.00	.00	6.33
(2)	.04	.00	.00	.00	.00	.00	.00	.00	.02	.13	.13	.07	.00	.00	.02	.00	.00	.43
4.1- 5.0	0	0	0	0	0	0	0	0	1	5	1	4	0	0	0	0	0	11
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.33	1.67	.33	1.33	.00	.00	.00	.00	.00	3.67
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.11	.02	.09	.00	.00	.00	.00	.00	.25
5.1- 6.0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.33	.33	.00	.67	.00	.00	.00	.00	.00	1.33
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.04	.00	.00	.00	.00	.00	.09
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	1	6	0	0	0	0	0	7

BBNPP

FSAR: Section 2.3

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 2 of 2)

				SSES .	JANUAR	Y MET D	ATA JOII	NT FREQ	JENCY D	DISTRIBU	TION (60	0-METER	TOWER)				
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 6.	.72		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.33	2.00	.00	.00	.00	.00	.00	2.33
(2)	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.02	.13	.00	.00	.00	.00	.00	.16
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	33	75	47	14	8	13	10	12	22	29	18	17	0	1	1	0	0	300
(1)	11.00	25.00	15.67	4.67	2.67	4.33	3.33	4.00	7.33	9.67	6.00	5.67	.00	.33	.33	.00	.00	100.00
(2)	.74	1.68	1.05	.31	.18	.29	.22	.27	.49	.65	.40	.38	.00	.02	.02	.00	.00	6.72

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Meteorology

Table 2.3-53— {SSES 197' (60-m) 2001-2006 January JFD - continued} (Page 1 of 2)

197.	0 FT WIN	D DATA		33531	STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	, (PERCEN	IT) = 10	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	1	0	1	0	0	0	0	· 1	0	0	0	0	4
(1)	.00	.00	.00	.00	.02	.02	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.00	.09
(2)	.00	00	.00	.00	.02	.02	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.00	.09
.5- 1.0	8	25	39	35	24	39	37	17	25	21	13	5	5	0	3	6	0	302
(1)	.18	.56	.87	.78	.54	.87	.83	.38	.56	.47	.29	.11	.11	.00	.07	.13	.00	6.77
(2)	.18	.56	.87	.78	.54	.87	.83	.38	.56	.47	.29	.11	.11	.00	.07	.13	.00	6.77
1.1- 1.5	18	63	86	34	32	29	30	49	49	36	28	8	5	3	4	7	0	481
(1)	.40	1.41	1.93	.76	.72	.65	.67	1.10	1.10	.81	.63	.18	.11	.07	.09	.16	.00	10.78
(2)	.40	1.41	1.93	.76	.72	.65	.67	1.10	1.10	.81	.63	.18	.11	.07	.09	.16	.00	10.78
1.6- 2.0	40	86	49	22	14	12	16	17	51	52	46	19	9	1	4	10	0	448
(1)	.90	1.93	1.10	.49	.31	.27	.36	.38	1.14	1.16	1.03	.43	.20	.02	.09	.22	.00	10.04
(2)	.90	1.93	1.10	.49	.31	.27	.36	.38	1.14	1.16	1.03	.43	.20	.02	.09	.22	.00	10.04
2.1- 3.0	71	110	59	21	14	12	28	17	41	74	135	38	33	31	17	18	0	719
(1)	1.59	2.46	1.32	.47	.31	.27	.63	.38	.92	1.66	3.02	.85	.74	.69	.38	.40	.00	16.11
(2)	1.59	2.46	1.32	.47	.31	.27	.63	.38	.92	1.66	3.02	.85	.74	.69	.38	.40	.00	16.11
3.1- 4.0	68	62	56	10	13	12	8	13	17	51	94	66	44	31	46	48	0	639
(1)	1.52	1.39	1.25	.22	.29	.27	.18	.29	.38	1.14	2.11	1.48	.99	.69	1.03	1.08	.00	14.31
(2)	1.52	1.39	1.25	.22	.29	.27	.18	.29	.38	1.14	2.11	1.48	.99	.69	1.03	1.08	.00	14.31
4.1- 5.0	67	42	33	3	3	4	4	11	12	43	93	100	37	25	54	81	0	612
(1)	1.50	.94	.74	.07	.07	.09	.09	.25	.27	.96	2.08	2.24	.83	.56	1.21	1.81	.00	13.71
(2)	1.50	.94	.74	.07	.07	.09	.09	.25	.27	.96	2.08	2.24	.83	.56	1.21	1.81	.00	13.7 1
5.1- 6.0	30	46	24	0	0	4	1	2	6	26	76	159	42	36	49	56	0	557
(1)	.67	1.03	.54	.00	.00	.09	.02	.04	.13	.58	1.70	3.56	.94	.81	1.10	1.25	.00	12.48
(2)	.67	1.03	.54	.00	.00	.09	.02	.04	.13	.58	1.70	3.56	.94	.81	1.10	1.25	.00	12.48
6.1- 8.0	14	16	12	0	0	0	3	4	4	19	51	261	57	26	55	42	0	564

BBNPP

			Ta	able 2.3	8-53—}	{SSES 1	97' (60	- m) 200 (Page)1-200 2 of 2)	6 Janua	ary JFD	- conti	nued}					
197.0) FT WIN	ID DATA		SSES	JANUAR STABI	Y MET D	ATA JOII SS ALL	NT FREQ	UENCY (ISTRIBU	TION (60 CL)-METER ASS FRE	TOWER) ' (PERCEN	IT) = 100	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.31	.36	.27	.00	.00	.00	.07	.09	.09	.43	1.14	5.85	1.28	.58	1.23	.94	.00	12.63
(2)	.31	.36	.27	.00	.00	.00	.07	.09	.09	.43	1.14	5.85	1.28	.58	1.23	.94	.00	12.63
8.1-10.0	2	2	0	0	0	0	1	1	1	4	4	56	23	2	4	16	0	116
(1)	.04	.04	.00	.00	.00	.00	.02	.02	.02	.09	.09	1.25	.52	.04	.09	.36	.00	2.60
(2)	.04	.04	.00	.00	.00	.00	.02	.02	.02	.09	.09	1.25	.52	.04	.09	.36	.00	2.60
10.1-40.3	0	0	0	0	0	2	2	1	2	4	1	8	1	1	0	0	0	22
(1)	.00	.00	.00	.00	.00	.04	.04	.02	.04	.09	.02	.18	.02	.02	.00	.00	.00	.49
(2)	.00	.00	.00	.00	.00	.04	.04	.02	.04	.09	.02	.18	.02	.02	.00	.00	.00	.49
ALL SPEEDS	318	452	358	125	101	115	130	133	208	330	541	720	257	156	236	284	0	4464
(1)	7.12	10.13	8.02	2.80	2.26	2.58	2.91	2.98	4.66	7.39	12.12	16.13	5.76	3.49	5.29	6.36	.00	100.00
(2)	7.12	10.13	8.02	2.80	2.26	2.58	2.91	2.98	4.66	7.39	12.12	16.13	5.76	3.49	5.29	6.36	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Meteorology

Table 2.3-54— {5565 197 (60-m) 2001-2006 February JFD}	Table 2.3-54—	- {SSES 192	7' (60-m) 20	01-2006 Feb	ruary JFD}
--	---------------	-------------	--------------	-------------	------------

(Page 1 of 2)

197.0) FT WIN	ID DATA		SSES F	EBRUAI STAE	RY MET D BILITY CL	OATA JOI ASS A	INT FREC	UENCY	DISTRIBU	JTION (6 C	O-METER	R TOWER	R) IY (PERCE	NT) = 3.	.77		
							W	IND DIR	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	5	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.2 - .4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.65	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.65
(2)	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
1.1- 1.5	0	0	0	1	0	0	0	0	1	1	0	1	0	0	0	0	0	4
(1)	.00	.00	.00	.65	.00	.00	.00	.00	.65	.65	.00	.65	.00	.00	.00	.00	.00	2.61
(2)	.00	.00	.00	.02	.00	.00	.00	.00	.02	.02	.00	.02	.00	.00	.00	.00	.00	.10
1.6- 2.0	0	0	2	0	0	0	1	0	0	5	4	0	0	0 -	0	0	0	12
(1)	.00	.00	1.31	.00	.00	.00	.65	.00	.00	3.27	2.61	.00	.00	.00	.00	.00	.00	7.84
(2)	.00	.00	.05	.00	.00	.00	.02	.00	.00	.12	.10	.00	.00	.00	.00	.00	.00	.30
2.1- 3.0	0	1	3	0	0	2	1	1	1	9	9	1	0	0	0	0	0	28
(1)	.00	.65	1.96	.00	.00	1.31	.65	.65	.65	5.88	5.88	.65	.00	.00	.00	.00	.00	18.30
(2)	.00	.02	.07	.00	.00	.05	.02	.02	.02	.22	.22	.02	.00	.00	.00	.00	.00	.69
3.1- 4.0	0	0	4	1	0	0	0	1	0	1	14	1	3	0	0	0	0	25
(1)	.00	.00	2.61	.65	.00	.00	.00	.65	.00	.65	9.15	.65	1.96	.00	.00	.00	.00	16.34
(2)	.00	.00	.10	.02	.00	.00	.00	.02	.00	.02	.35	.02	.07	.00	.00	.00	.00	.62
4.1- 5.0	0	0	1	0	0	0	2	2	0	1	9	3	0	0	0	0	0	18
(1)	.00	.00	.65	.00	.00	.00	1.31	1.31	.00	.65	5.88	1.96	.00	.00	.00	.00	.00	11.76
(2)	.00	.00	.02	.00	.00	.00	.05	.05	.00	.02	.22	.07	.00	.00	.00	.00	.00	.44
5.1- 6.0	0	1	0	0	0	0	0	1	1	2	9	5	3	1	0	0	0	23
(1)	.00	.65	.00	.00	.00	.00	.00	.65	.65	1.31	5.88	3.27	1.96	.65	.00	.00	.00	15.03
(2)	.00	.02	.00	.00	.00	.00	.00	.02	.02	.05	.22	.12	.07	.02	.00	.00	.00	.57
6.1- 8.0	0	2	0	0	0	0	0	0	3	4	14	14	0	0	0	0	0	37

FSAR: Section 2.3

BBNPP

Table 2.3-54— {SSES 197' (60-m) 2001-2006 February JFD} (Page 2 of 2)

				SSES F	EBRUAF	RY MET D	IOL ATA	NT FREQ	UENCY I	DISTRIBL	JTION (6	0-METER	TOWER	R)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS A				C	LASS FRE	QUENC	Y (PERCE	NT) = 3.	77		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	1.31	.00	.00	.00	.00	.00	.00	1.96	2.61	9.15	9.15	.00	.00	.00	.00	.00	24.18
(2)	.00	.05	.00	.00	.00	.00	.00	.00	.07	.10	.35	.35	.00	.00	.00	.00	.00	.91
8.1-10.0	0	0	0	0	0	0	0	0	0	1	0	4	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.65	.00	2.61	.00	.00	.00	.00	.00	3.27
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.10	.00	.00	.00	.00	.00	.12
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	4	10	2	0	3	4	5	6	24	59	29	6	1	0	0	0	153
(1)	.00	2.61	6.54	1.31	.00	1.96	2.61	3.27	3.92	15.69	38.56	18.95	3.92	.65	.00	.00	.00	100.00
(2)	.00	.10	.25	.05	.00	.07	.10	.12	.15	.59	1.45	.71	.15	.02	.00	.00	.00	3.77

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-54 {SSES 197' (60-m) 2001-2006 Fe	ebruary JFD - continued)
· · · · · · · · · · · · · · · · · · ·	

(Page 1 of 2)

				SSES F	EBRUAF	RY MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	JTION (6	O-METER	TOWEF	R)				
197.	O FT WIN	ID DATA			STAE	BILITY CL	ASS B				c	LASS FRE		Y (PERCE	NT) = 3.	16		
							w	IND DIRE	CTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	` O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00`	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	1	1	0	0	1	1	0	0	0	0	0	0	0	. 4
(1)	.00	.00	.00	.00	.78	.78	.00	.00	.78	.78	.00	.00	.00	.00	.00	.00	.00	3.13
(2)	.00	.00	.00	.00	.02	.02	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.10
1.1- 1.5	0	0	1	1	0	0	1	0	1	0	1	0	0	0	0	0	0	5
(1)	.00	.00	.78	.78	.00	.00	.78	.00	.78	.00	.78	.00	.00	.00	.00	.00	.00	3.91
(2)	.00	.00	.02	.02	.00	.00	.02	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.12
1.6- 2.0	0	0	2	0	0	0	1	0	0	2	1	0	0	0	0	0	0	6
(1)	.00	.00	1.56	.00	.00	.00	.78	.00	.00	1.56	.78	.00	.00	.00	.00	.00	.00	4.69
(2)	.00	.00	.05	.00	.00	.00	.02	.00	.00	.05	.02	.00	.00	.00	.00	.00	.00	.15
2.1- 3.0	0	1	2	0	1	0	1	0	0	2	5	1	0	0	1	1	0	15
(1)	.00	.78	1.56	.00	.78	.00	.78	.00	.00	1.56	3.91	.78	.00	.00	.78	.78	.00	11.72
(2)	.00	.02	.05	.00	.02	.00	.02	.00	.00	.05	.12	.02	.00	.00	.02	.02	.00	.37
3.1- 4.0	1	2	4	0	1	0	0	1	1	0	1	1	0	0	0	0	0	12
(1)	.78	1.56	3.13	.00	.78	.00	.00	.78	.78	.00	.78	.78	.00	.00	.00	.00	.00	9.38
(2)	.02	.05	.10	.00	.02	.00	.00	.02	.02	.00	.02	.02	.00	.00	.00	.00	.00	.30
4.1- 5.0	3	1	3	0	0	0	0	0	0	0	8	3	0	0	1	0	0	19
(1)	2.34	.78	2.34	.00	.00	.00	.00	.00	.00	.00	6.25	2.34	.00	.00	.78	.00	.00	14.84
(2)	.07	.02	.07	.00	.00	.00	.00	.00	.00	.00	.20	.07	.00	.00	.02	.00	.00	.47
5.1- 6.0	1	5	2	0	0	0	0	0	1	3	4	7	2	0	0	0	0	25
(1)	.78	3.91	1.56	.00	.00	.00	.00	.00	.78	2.34	3.13	5.47	1.56	.00	.00	.00	.00	19.53
(2)	.02	.12	.05	.00	.00	.00	.00	.00	.02	.07	.10	.17	.05	.00	.00	.00	.00	.62
6.1- 8.0	0	0	1	0	0	0	0	0	0	3	15	17	0	0	0	0	0	36

(Page 2 of 2)

				SSES F	EBRUAR	IY MET D	ATA JOI	NT FREQ	UENCY I	DISTRIBL	JTION (6	0-METER	TOWER	R)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS B				C	LASS FRE	QUENC	Y (PERCE	NT) = 3.	16		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.78	.00	.00	.00	.00	.00	.00	2.34	11.72	13.28	.00	.00	.00	.00	.00	28.13
(2)	.00	.00	.02	.00	.00	.00	.00	00	.00	.07	.37	.42	.00	.00	.00	.00	.00	.89
8.1-10.0	0	0	0	0	0	0	0	0	0	2	1	3	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.56	.78	2.34	.00	.00	.00	.00	.00	4.69
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.02	.07	.00	.00	.00	.00	.00	.15
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	5	9	15	1	3	1	3	1	4	13	36	32	2	0	2	1	0	128
(1)	3.91	7.03	11.72	.78	2.34	.78	2.34	.78	3.13	10.16	28.13	25.00	1.56	.00	1.56	.78	.00	100.00
(2)	.12	.22	.37	.02	.07	.02	.07	.02	.10	.32	.89	.79	.05	.00	.05	.02	.00	3.16

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-54--- {SSES 197' (60-m) 2001-2006 February JFD - continued} (Page 1 of 2)

				SSES F	EBRUAR	RY MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	JTION (6	0-METER	TOWER	2)				
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS C				c	LASS FRE		Y (PERCE	NT) = 4.	14		
							w	IND DIR	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	0	0	1	0	1	1	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.60	.00	.00	.60	.00	.60	.60	.00	.00	.00	.00	.00	.00	.00	.00	2.38
(2)	.00	.00	.02	.00	.00	.02	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.10
1.1- 1.5	0	0	1	1	4	0	0	1	1	1	1	0	1	0	0	0	0	11
(1)	.00	.00	.60	.60	2.38	.00	.00	.60	.60	.60	.60	.00	.60	.00	.00	.00	.00	6.55
(2)	.00	.00	.02	.02	.10	.00	.00	.02	.02	.02	.02	.00	.02	.00	.00	.00	.00	.27
1.6- 2.0	0	2	2	3	2	0	0	0	1	1	2	0	1	0	0	0	0	14
(1)	.00	1.19	1.19	1.79	1.19	.00	.00	.00	.60	.60	1.19	.00	.60	.00	.00	.00	.00	8.33
(2)	.00	.05	.05	.07	.05	.00	.00	.00	.02	.02	.05	.00	.02	.00	.00	.00	.00	.35
2.1- 3.0	1	3	1	3	1	0	2	0	1	3	6	1	0	1	0	0	0	23
(1)	.60	1.79	.60	1.79	.60	.00	1.19	.00	.60	1.79	3.57	.60	.00	.60	.00	.00	.00	13.69
(2)	.02	.07	.02	.07	.02	.00	.05	.00	.02	.07	.15	.02	.00	.02	.00	.00	.00	.57
3.1- 4.0	0	6	1	2	0	0	1	0	2	0	7	4	0	0	0	0	0	23
(1)	.00	3.57	.60	1.19	.00	.00	.60	.00	1.19	.00	4.17	2.38	.00	.00	.00	.00	.00	13.69
(2)	.00	.15	.02	.05	.00	.00	.02	.00	.05	.00	.17	.10	.00	.00	.00	.00	.00	.57
4.1- 5.0	2	4	1	0	0	0	0	0	1	4	5	2	0	0	1	0	0	20
(1)	1.19	2.38	.60	.00	.00	.00	.00	.00	.60	2.38	2.98	1.19	.00	.00	.60	.00	.00	11.90
(2)	.05	.10	.02	.00	.00	.00	.00	.00	.02	.10	.12	.05	.00	.00	.02	.00	.00	.49
5.1- 6.0	3	0	0	0	0	0	1	0	1	2	3	8	3	1	1	1	0	24
. (1)	1.79	.00	.00	.00	.00	.00	.60	.00	.60	1.19	1.79	4.76	1.79	.60	.60	.60	.00	14.29
(2)	.07	.00	.00	.00	.00	.00	.02	.00	.02	.05	.07	.20	.07	.02	.02	.02	.00	.59
6.1- 8.0	1	0	3	0	0	0	0	0	1	1	9	14	5	1	1	2	0	38

BBNPP

Rev. 2a

FSAR: Section 2.3

							· - 3-	,									
			SSES F	EBRUAR	NY MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	JTION (6	O-METER	TOWER	t)				
FT WIN	D DATA			STAB	ILITY CL	ASS C				С	LASS FRE		Y (PERCE	NT) = 4.	14		
						w	IND DIRE	CTION F	ROM				•	•			
Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
.60	.00	1.79	.00	.00	.00	.00	.00	.60	.60	5.36	8.33	2.98	.60	.60	1.19	.00	22.62
.02	.00	.07	.00	.00	.00	.00	.00	.02	.02	.22	.35	.12	.02	.02	.05	.00	.94
0	0	0	0	0	0	0	0	0	3	0	4	3	0	0	0	0	10
.00	.00	.00	.00	.00	.00	.00	.00	.00	1.79	.00	2.38	1.79	.00	.00	.00	.00	5.95
.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.10	.07	.00	.00	.00	.00	.25
0	0	0	0	0	0	0	0	0	0	0	1 `	0	0	0	0	0	1
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.60	.00	.00	.00	.00	.00	.60
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
7	15	10	9	7	1	4	2	9	15	33	34	13	3	3	3	0	168
4.17	8.93	5.95	5.36	4.17	.60	2.38	1.19	5.36	8.93	19.64	20.24	7.74	1.79	1.79	1.79	.00	100.00
.17	.37	.25	.22	.17	.02	.10	.05	.22	.37	.81	.84	.32	.07	.07	.07	.00	4.14
	N .60 .02 0 .00 .00 .00 .00 .00 7 4.17 .17	N NNE .60 .00 .02 .00 0 0 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .01 .02	N NNE NE .60 .00 1.79 .02 .00 .07 0 0 0 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .01 8.93 5.95 .17 .37 .25	N NNE NE NE OU OU<	N NNE NE ENE ENE ENE 0.00 <td>N NE NE ENE E ESES FEBRUARY MET D STABILITY CL N NNE NE ENE E ESE ESE .60 .00 1.79 .00 .00 .00 .00 .02 .00 .07 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00</td> <td>N NE ENE ENE ESES FEBRUARY MET DATA JOI STABILITY CLASS C W N NNE NE ENE E ESE SE SE .60 .00 1.79 .00 .00 .00 .00 .00 .02 .00 .07 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 <</td> <td>N NNE ENE E ESES SSES SSE SSE SSE</td> <td>SSES FEBRUARY MET DATA JOINT FREQUENCY IS N NNE NE ENE E ESE SE SSES <ths< td=""><td>N NE ENE E ESE SE SE<</td><td>SSES FEBRUARY MET DATA JOINT FREQUENCY DISTRIBUTION (6 STABILITY CLASS C C N NNE NE ENE E ESE SE SSES SSW SW .60 .00 1.79 .00 .00 .00 .00 .00 .60 .60 .5.36 .02 .00 .07 .00 .00 .00 .00 .00 .00 .02 .02 .22 .22 0 0 0 0 0 .00 .00 .00 .02 .22 .22 0 0 0 0 .00 .00 .00 .00 .00 .02 .02 .22 0 0 0 0 0 .00 .00 .00 .00 .00 .02 .02 .22 0 0 0 0 0 0 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 <</td><td>N NNE ENE E ESES SESE SE SSES SSE SSE</td><td>N NNE RE EN E ESE SE SE SSE SSE</td><td>N NNE N ENE E ESE SE SE SE SSE SSE</td><td>N NNE RE E ESE SEE SE SE SE</td><td>N NNE RE E ESE ESE SES SES</td><td>N NNE N ENS ESS SSS SSSS SSS SSS</td></ths<></td>	N NE NE ENE E ESES FEBRUARY MET D STABILITY CL N NNE NE ENE E ESE ESE .60 .00 1.79 .00 .00 .00 .00 .02 .00 .07 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00	N NE ENE ENE ESES FEBRUARY MET DATA JOI STABILITY CLASS C W N NNE NE ENE E ESE SE SE .60 .00 1.79 .00 .00 .00 .00 .00 .02 .00 .07 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 <	N NNE ENE E ESES SSES SSE SSE SSE	SSES FEBRUARY MET DATA JOINT FREQUENCY IS N NNE NE ENE E ESE SE SSES <ths< td=""><td>N NE ENE E ESE SE SE<</td><td>SSES FEBRUARY MET DATA JOINT FREQUENCY DISTRIBUTION (6 STABILITY CLASS C C N NNE NE ENE E ESE SE SSES SSW SW .60 .00 1.79 .00 .00 .00 .00 .00 .60 .60 .5.36 .02 .00 .07 .00 .00 .00 .00 .00 .00 .02 .02 .22 .22 0 0 0 0 0 .00 .00 .00 .02 .22 .22 0 0 0 0 .00 .00 .00 .00 .00 .02 .02 .22 0 0 0 0 0 .00 .00 .00 .00 .00 .02 .02 .22 0 0 0 0 0 0 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 <</td><td>N NNE ENE E ESES SESE SE SSES SSE SSE</td><td>N NNE RE EN E ESE SE SE SSE SSE</td><td>N NNE N ENE E ESE SE SE SE SSE SSE</td><td>N NNE RE E ESE SEE SE SE SE</td><td>N NNE RE E ESE ESE SES SES</td><td>N NNE N ENS ESS SSS SSSS SSS SSS</td></ths<>	N NE ENE E ESE SE SE<	SSES FEBRUARY MET DATA JOINT FREQUENCY DISTRIBUTION (6 STABILITY CLASS C C N NNE NE ENE E ESE SE SSES SSW SW .60 .00 1.79 .00 .00 .00 .00 .00 .60 .60 .5.36 .02 .00 .07 .00 .00 .00 .00 .00 .00 .02 .02 .22 .22 0 0 0 0 0 .00 .00 .00 .02 .22 .22 0 0 0 0 .00 .00 .00 .00 .00 .02 .02 .22 0 0 0 0 0 .00 .00 .00 .00 .00 .02 .02 .22 0 0 0 0 0 0 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 <	N NNE ENE E ESES SESE SE SSES SSE	N NNE RE EN E ESE SE SE SSE	N NNE N ENE E ESE SE SE SE SSE	N NNE RE E ESE SEE SE SE SE	N NNE RE E ESE ESE SES	N NNE N ENS ESS SSS SSSS SSS SSS

Table 2.3-54— {SSES 197' (60-m) 2001-2006 February JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

197.0	D FT WIN	ID DATA		SSES F	EBRUAR STAE	RY MET D BILITY CL	ATA JOI ASS D	NT FREQ	UENCY	DISTRIBU	JTION (6 C	0-METER LASS FRE	TOWE	R) Y (PERCEI	NT) = 46	5. 57		
			•				W	IND DIRE	CTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	. 0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.05
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	00	.00	.00	.00	.00	.02
.5- 1.0	3	9	5	8	3	1	9	5	5	3	4	0	1	1	0	0	0	57
(1)	.16	.48	.26	.42	.16	.05	.48	.26	.26	.16	.21	.00	.05	.05	.00	.00	.00	3.02
(2)	.07	.22	.12	.20	.07	.02	.22	.12	.12	.07	.10	.00	.02	.02	.00	.00	.00	1.41
1.1- 1.5	7	9	10	1 1	4	4	7	8	6	9	9	2	0	0	0	2	0	88
(1)	.37	.48	:53	.58	.21	.21	.37	.42	.32	.48	.48	.11	.00	.00	.00	.11	.00	4.66
(2)	.17	.22	.25	.27	.10	.10	.17	.20	.15	.22	.22	.05	.00	.00	.00	.05	.00	2.17
1.6 - 2.0	6	13	5	6	7	4	3	2	5	6	24	5	2	2	1	0	0	91
(1)	.32	.69	.26	.32	.37	.21	.16	.11	.26	.32	1.27	.26	.11	.11	.05	.00	.00	4.82
(2)	.15	.32	.12	.15	.17	.10	.07	.05	.12	.15	.59	.12	.05	.05	.02	.00	.00	2.24
2.1- 3.0	14	15	28	16	10	9	10	6	5	9	22	16	7	5	8	6	0	186
(1)	.74	.79	1.48	.85	.53	.48	.53	.32	.26	.48	1.16	.85	.37	.26	.42	.32	.00	9.85
(2)	.35	.37	.69	.39	.25	.22	.25	.15	.12	.22	.54	.39	.17	.12	.20	.15	.00	4.59
3.1- 4.0	19	22	21	5	4	7	9	15	11	6	16	15	19	19	31	21	0	240
(1)	1.01	1.16	1.11	.26	.21	.37	.48	.79	.58	.32	.85	.79	1.01	1.01	1.64	1.11	.00	12.71
(2)	.47	.54	.52	.12	.10	.17	.22	.37	.27	.15	.39	.37	.47	.47	.76	.52	.00	5.92
4.1- 5.0	24	22	13	1	1	2	7	13	7	10	12	25	29	26	65	55	0	312
(1)	1.27	1.16	.69	.05	.05	.11	.37	.69	.37	.53	.64	1.32	1.54	1.38	3.44	2.91	.00	16.52
(2)	.59	.54	.32	.02	.02	.05	.17	.32	.17	.25	.30	.62	.71	.64	1.60	1.36	.00	7.69
5.1- 6.0	13	21	7	3	4	2	5	5	6	13	26	62	54	22	63	49	0	355
(1)	.69	1.11	.37	.16	.21	.11	.26	.26	.32	.69	1.38	3.28	2.86	1.16	3.34	2.59	.00	18.79
(2)	.32	.52	.17	.07	.10	.05	.12	.12	.15	.32	.64	1.53	1.33	.54	1.55	1.21	.00	8.75
6.1- 8.0	5	12	2	0	1	0	1	2	10	10	34	105	51	45	72	47	0	397

Table 2.3-54— {SSES 197' (60-m) 2001-2006 February JFD - continued} (Page 1 of 2)

BBNPP

Rev. 2a

Table 2.3-54— {SSES 197' (60-m) 2001-2006 February JFD - continued}
(Page 2 of 2)

197.0	FT WIN	D DATA		SSES F	EBRUAR STAB	Y MET D	ATA JOI ASS D	NT FREQ	UENCY (DISTRIBU	TION (6) CI	0-METER .ASS FRE	TOWER) / (PERCEI	NT) = 46.	.57		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.26	.64	.11	.00	.05	.00	.05	.11	.53	.53	1.80	5.56	2.70	2.38	3.81	2.49	.00	21.02
(2)	.12	.30	.05	.00	.02	.00	.02	.05	.25	.25	.84	2.59	1.26	1.11	1.78	1.16	.00	9.79
8.1-10.0	0	0	0	0	0	1	0	0.	0	5	6	62	24	8	14	8	0	128
(1)	.00	.00	.00	.00	.00	.05	.00	.00	.00	.26	.32	3.28	1.27	.42	.74	.42	.00	6.78
(2)	.00	.00	.00	.00	.00	.02	.00	.00	.00	.12	.15	1.53	.59	.20	.35	.20	.00	3.16
10.1-40.3	0	0	0	0	0	0	0	0	0	1	0	24	8	1	0	0	0	34
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	1.27	.42	.05	.00	.00	.00	1.80
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.59	.20	.02	.00	.00	.00	.84
ALL SPEEDS	91	123	91	50	34	30	51	56	55	72	154	316	195	129	254	188	0	1889
(1)	4.82	6.51	4.82	2.65	1.80	1.59	2.70	2.96	2.91	3.81	8.15	16.73	10.32	6.83	13.45	9.95	.00	100.00
(2)	2.24	3.03	2.24	1.23	.84	.74	1.26	1.38	1.36	1.78	3.80	7.79	4.81	3.18	6.26	4.64	.00	46.57

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Meteorology

Table 2.3-54— {SSES 197' (60-m) 2001-2006 February JFD - continued} (Page 1 of 2)

				SSES F	EBRUAI	RY MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	JTION (6	0-METER	TOWER	R)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 26	.38		
							W	IND DIRE	CTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	3	5	15	8	7	7	5	6	5	8	3	4	0	1	0	2	0	79
(1)	.28	.47	1.40	.75	.65	.65	.47	.56	.47	.75	.28	.37	.00	.09	.00	.19	.00	7.38
(2)	.07	.12	.37	.20	.17	.17	.12	.15	.12	.20	.07	.10	.00	.02	.00	.05	.00	1.95
1.1- 1.5	7	13	20	11	8	б	6	8	9	15	18	6	2	1	1	2	0	133
(1)	.65	1.21	1.87	1.03	.75	.56	.56	.75	.84	1.40	1.68	.56	.19	.09	.09	.19	.00	12.43
(2)	.17	.32	.49	.27	.20	.15	.15	.20	.22	.37	.44	.15	.05	.02	.02	.05	.00	3.28
1.6- 2.0	11	25	14	9	3	2	4	2	10	21	12	3	3	0	0	1	0	120
(1)	1.03	2.34	1.31	.84	.28	.19	.37	.19	.93	1.96	1.12	.28	.28	.00	.00	.09	.00	11.21
(2)	.27	.62	.35	.22	.07	.05	.10	.05	.25	.52	.30	.07	.07	.00	.00	.02	.00	2.96
2.1- 3.0	11	25	19	8	9	9	5	10	9	19	30	16	8	9	6	4	0	197
(1)	1.03	2.34	1.78	.75	.84	.84	.47	.93	.84	1.78	2.80	1.50	.75	.84	.56	.37	.00	18.41
(2)	.27	.62	.47	.20	.22	.22	.12	.25	.22	.47	.74	.39	.20	.22	.15	.10	.00	4.86
3.1- 4.0	20	.11	13	4	5	5	9	12	7	16	47	21	5	3	15	5	0	198
(1)	1.87	1.03	1.21	.37	.47	.47	.84	1.12	.65	1.50	4.39	1.96	.47	.28	1.40	.47	.00	18.50
(2)	.49	.27	.32	.10	.12	.12	.22	.30	.17	.39	1.16	.52	.12	.07	.37	.12	.00	4.88
4.1- 5.0	8	6	4	3	0	0	5	6	5	11	47	30	2	1	11	6	0	145
(1)	.75	.56	.37	.28	.00	.00	.47	.56	.47	1.03	4.39	2.80	.19	.09	1.03	.56	.00	13.55
(2)	.20	.15	.10	.07	.00	.00	.12	.15	.12	.27	1.16	.74	.05	.02	.27	.15	.00	3.57
5.1- 6.0	2	3	6	3	0	0	1	4	4	14	19	45	2	0	6	3	0	112
(1)	.19	.28	.56	.28	.00	.00	.09	.37	.37	1.31	1.78	4.21	.19	.00	.56	.28	.00	10.47
(2)	.05	.07	.15	.07	.00	.00	.02	.10	.10	.35	.47	1.11	.05	.00	.15	.07	.00	2.76
6.1- 8.0	0	5	0	0	1	1	1	0	1	12	8	34	3	0	2	0	0	68

BBNPP

FSAR: Section 2.3

Table 2.3-54— {SSES 197' (60-m) 2001-2006 February JFD - continued} (Page 2 of 2)

				SSES F	EBRUAF	RY MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	ITION (6	0-METER	TOWER	R)				
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS E				CL	.ASS FRE	QUENC	Y (PERCEN	NT) = 26	.38		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.47	.00	.00	.09	.09	.09	.00	.09	1.12	.75	3.18	.28	.00	.19	.00	.00	6.36
(2)	.00	.12	.00	.00	.02	.02	.02	.00	.02	.30	.20	.84	.07	.00	.05	.00	.00	1.68
8.1-10.0	0	0	0	0	0	0	3	1	2	6	0	4	0	0	0	0	0	16
(1)	.00	.00	.00	.00	.00	.00	.28	.09	.19	.56	.00	.37	.00	.00	.00	.00	.00	1.50
(2)	.00	.00	.00	.00	.00	.00	.07	.02	.05	.15	.00	.10	.00	.00	.00	.00	.00	.39
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.02
ALL SPEEDS	62	93	91	46	33	30	39	50	52	122	184	163	26	15	41	23	0	1070
(1)	5.79	8.69	8.50	4.30	3.08	2.80	3.64	4.67	4.86	11.40	17.20	15.23	2.43	1.40	3.83	2.15	.00	100.00
(2)	1.53	2.29	2.24	1.13	.81	.74	.96	1.23	1.28	3.01	4.54	4.02	.64	.37	1.01	.57	.00	26.38

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-54— {SSES 197' (60-m) 2001-2006 February JFD - continued} (Page 1 of 2)

197.0) FT WIN	ID DATA		SSES F	EBRUAF STAE	RY MET D BILITY CL)ATA JOI .ASS F	INT FREC	UENCY	DISTRIBU	JTION (é	0-METER LASS FRE		R) TY (PERCE	NT) = 9	.54		
							W	IND DIR	ECTION P	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.26	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.26
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	0	2	10	6	12	9	3	6	3	1	1	0	0	0	0	0	0	53
(1)	.00	.52	2.58	1.55	3.10	2.33	.78	1.55	.78	.26	.26	.00	.00	.00	.00	.00	.00	13.70
(2)	.00	.05	.25	.15	.30	.22	.07	.15	.07	.02	.02	.00	.00	.00	.00	.00	.00	1.31
1.1- 1.5	3	20	15	7	4	3	6	7	7	3	0	0	0	1	0	0	0	76
(1)	.78	5.17	3.88	1.81	1.03	.78	1.55	1.81	1.81	.78	.00	.00	.00	.26	.00	.00	.00	19.64
(2)	.07	.49	.37	.17	.10	.07	.15	.17	.17	.07	.00	.00	.00	.02	.00	.00	.00	1.87
1.6- 2.0	10	47	11	2	2	1	3	5	11	4	3	0	0	1	0	2	0	102
(1)	2.58	12.14	2.84	.52	.52	.26	.78	1.29	2.84	1.03	.78	.00	.00	.26	.00	.52	.00	26.36
(2)	.25	1.16	.27	.05	.05	.02	.07	.12	.27	.10	.07	.00	.00	.02	.00	.05	.00	2.51
2.1- 3.0	14	28	13	0	1	1	1	0	7	11	14	2	0	1	0	1	0	94
(1)	3.62	7.24	3.36	.00	.26	.26	.26	.00	1.81	2.84	3.62	.52	.00	.26	.00	.26	.00	24.29
(2)	.35	.69	.32	.00	.02	.02	.02	.00	.17	.27	.35	.05	.00	.02	.00	.02	.00	2.32
3.1- 4.0	2	11	б	0	0	0	0	1	2	б	8	4	0	0	1	0	0	41
(1)	.52	2.84	1.55	.00	.00	.00	.00	.26	.52	1.55	2.07	1.03	.00	.00	.26	.00	.00	10.59
(2)	.05	.27	.15	.00	.00	.00	.00	.02	.05	.15	.20	.10	.00	.00	.02	.00	.00	1.01
4.1- 5.0	0	0	0	0	0	0	0	0	1	2	2	8	0	0	0	1	0	14
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.26	.52	.52	2.07	.00	.00	.00	.26	.00	3.62
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.05	.05	.20	.00	.00	.00	.02	.00	.35
5.1- 6.0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	1	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.26	.00	.52	.00	.00	.00	.26	.00	1.03
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.05	.00	.00	.00	.02	.00	.10
6.1- 8.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1

BBNPP

Table 2.3-54— {SSES 197' (60-m) 2001-2006 February JFD - continued} (Page 2 of 2)

				SSES F	EBRUA	RY MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	ITION (6	O-METER	TOWER	R)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS F				Ċ	LASS FRE	QUENC	Y (PERCE	NT) = 9.	54		
							w	IND DIRE	CTION	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
- (1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.26	.00	.00	.00	.00	.00	.00	.00	.26
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.26	.00	.00	.00	.00	.00	.00	.00	.26
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0 .	0	0	ο ΄	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	29	108	56	15	19	14	13	19	31	30 -	28	16	0	3	1	5	0	387
(1)	7.49	27.91	14.47	3.88	4.91	3.62	3.36	4.91	8.01	7.75	7.24	4.13	.00	.78	.26	1.29	.00	100.00
(2)	.71	2.66	1.38	.37	.47	.35	.32	.47	.76	.74	.69	.39	.00	.07	.02	.12	.00	9.54

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-54— {SSES 197' (60-m) 2001-2006 February JFD - continued} (Page 1 of 2)

197.0) FT WIN	ID DATA		SSES F	EBRUA STAE	RY MET D BILITY CL	ATA JOI ASS G	NT FREQ	UENCY	DISTRIBU	JTION (6 C	O-METER		R) CY (PERCE	NT) = 6.	.43		
•							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	2	4	9	4	7	2	3	2	1	0	0	0	0	0	0	0	35
(1)	.38	.77	1.53	3.45	1.53	2.68	.77	1.15	.77	.38	.00	.00	.00	.00	.00	.00	.00	13.41
(2)	.02	.05	.10	.22	.10	.17	.05	.07	.05	.02	.00	.00	.00	.00	.00	.00	.00	.86
1.1- 1.5	4	15	14	7	8	6	3	4	4	3	3	0	1	0	1	1	0	74
(1)	1.53	5.75	5.36	2.68	3.07	2.30	1.15	1.53	1.53	1.15	1.15	.00	.38	.00	.38	.38	.00	28.35
(2)	.10	.37	.35	.17	.20	.15	.07	.10	.10	.07	.07	.00	.02	.00	.02	.02	.00	1.82
1.6- 2.0	12	24	11	3	4	0	1	1	3	4	0	1	0	0	1	0	0	65
(1)	4.60	9.20	4.21	1.15	1.53	.00	.38	.38	1.15	1.53	.00	.38	.00	.00	.38	.00	.00	24.90
(2)	.30	.59	.27	.07	.10	.00	.02	.02	.07	.10	.00	.02	.00	.00	.02	.00	.00	1.60
2.1- 3.0	21	23	4	0	1	1	0	0	5	4	5	3	0	0	1	0	0	68
(1)	8.05	8.81	1.53	.00	.38	.38	.00	.00	1.92	1.53	1.92	1.15	.00	.00	.38	.00	.00	26.05
(2)	.52	.57	.10	.00	.02	.02	.00	.00	.12	.10	.12	.07	.00	.00	.02	.00	.00	1.68
3.1- 4.0	4	3	0	0	0	0	0	0	1	1	1	2	1	0	2	0	0	15
(1)	1.53	1.15	.00	.00	.00	.00	.00	.00	.38	.38	.38	.77	.38	.00	.77	.00	.00	5.75
(2)	.10	.07	.00	.00	.00	.00	.00	.00	.02	.02	.02	.05	.02	.00	.05	.00	.00	.37
4.1- 5.0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.38	.00	.77	.00	.00	.00	.00	.00	1.15
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.05	.00	.00	.00	.00	.00	.07
5.1- 6.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.38	.00	.00	.00	.00	.00	.00	.00	.38
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Table 2.3-54--- {SSES 197' (60-m) 2001-2006 February JFD - continued} (Page 2 of 2)

				SSES P	EBRUAF	RY MET D	OATA JOI	NT FREQ		DISTRIBU	ITION (6	O-METER	TOWER	R)				
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 6.	43		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	O	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	42	67	33	19	17	14	6	8	15	15	9	8	2	0	5	1	0	261
(1)	16.09	25.67	12.64	7.28	6.51	5.36	2.30	3.07	5.75	5.75	3.45	3.07	.77	.00	1.92	.38	.00	100.00
(2)	1.04	1.65	.81	.47	.42	.35	.15	.20	.37	.37	.22	.20	.05	.00	.12	.02	.00	6.43

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Rev. 2a

			Та	ble 2.3	-54— {	SSES 19	97' (60-	m) 200 (Page	1-200 1 of 2)	5 Febru	ary JFI) - conti	nued)	ł				
				SSES F	EBRUA	RY MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	JTION (e	O-METER	TOWE	R)				
197.0	D FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCI	(PERCEN	T) = 100	0.00		
							w	IND DIRE	CTION	ROM			-					
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
· (2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	0	0	0	1	0	0	1	0	0	0	0	0	0	[,] 3
(1)	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	7	18	35	31	27	27	19	21	17	14	8	4	1	2	0	2	0	233
(1)	.17	.44	.86	.76	.67	.67	.47	.52	.42	.35	.20	.10	.02	.05	.00	.05	.00	5.74
(2)	.17	.44	.86	.76	.67	.67	.47	.52	.42	.35	.20	.10	.02	.05	.00	.05	.00	5.74
1.1- 1.5	21	57	61	39	28	19	23	28	29	32	32	9	4	2	2	5	0	391
(1)	.52	1.41	1.50	.96	.69	.47	.57	.69	.71	.79	.79	.22	.10	.05	.05	.12	.00	9.64
(2)	.52	1.41	1.50	.96	.69	.47	.57	.69	.71	.79	.79	.22	.10	.05	.05	.12	.00	9.64
1.6- 2.0	39	111	47	23	18	7	13	10	30	43	46	9	6	3	2	3	0	410
(1)	.96	2.74	1.16	.57	.44	.17	.32	.25	.74	1.06	1.13	.22	.15	.07	.05	.07	.00	10.11
(2)	.96	2.74	1.16	.57	.44	.17	.32	.25	.74	1.06	1.13	.22	.15	.07	.05	.07	.00	10.11
2.1- 3.0	61	96	70	27	23	22	20	17	28	57	91	40	15	16	16	12	0	611
(1)	1.50	2.37	1.73	.67	.57	.54	.49	.42	.69	1.41	2.24	.99	.37	.39	.39	.30	.00	15.06
(2)	1.50	2.37	1.73	.67	.57	.54	.49	.42	.69	1.41	2.24	.99	.37	.39	.39	.30	.00	15.06
3.1- 4.0	46	55	49	12	10	12	19	30	24 ·	30	94	48	28	22	49	26	0	554
(1)	1.13	1.36	1.21	.30	.25	.30	.47	.74	.59	.74	2.32	1.18	.69	.54	1.21	.64	.00	13.66
(2)	1.13	1.36	1.21	.30	.25	.30	.47	.74	.59	.74	2.32	1.18	.69	.54	1.21	.64	.00	13.66
4.1- 5.0	37	33	22	4	1	2	14	21	14	29	83	73	31	27	78	62	0	531
(1)	.91	.81	.54	.10	.02	.05	.35	.52	.35	.71	2.05	1.80	.76	.67	1.92	1.53	.00	13.09
(2)	.91	.81	.54	.10	.02	.05	.35	.52	.35	.71	2.05	1.80	.76	.67	1.92	1.53	.00	13.09
5.1- 6.0	19	30	15	6	4	2	7	10	13	36	61	129	64	24	70	54	0	544
(1)	.47	.74	.37	.15	.10	.05	.17	.25	.32	.89	1.50	3.18	1.58	.59	1.73	1.33	.00	13.41
(2)	.47	.74	.37	.15	.10	.05	.17	.25	.32	.89	1.50	3.18	1.58	.59	1.73	1.33	.00	13.41
6.1- 8.0	6	19	6	0	2	1	2	2	15	31	80	184	59	46	75	49	0	577

BBNPP

			Та	ble 2.3	-54— {	SSES 19	97' (60-	m) 200 (Page	1-2006 2 of 2)	i Febru	ary JFC) - conti	nued}					
197.0) FT WIN	ID DATA		SSES F	EBRUAF STABI	RY MET D	ATA JOI	NT FREQ	UENCY	DISTRIBU	JTION (6 CL	0-METER ASS FREC) (PERCEN	T) = 100	0.00		
							w	IND DIRI	ECTION F	ROM				•				
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.15	.47	.15	.00	.05	.02	.05	.05	.37	.76	1.97	4.54	1.45	1.13	1.85	1.21	.00	14.23
(2)	.15	.47	.15	.00	.05	.02	.05	.05	.37	.76	1.97	4.54	1.45	1.13	1.85	1.21	.00	14.23
8.1-10.0	0	0	0	0	0	1	3	1	2	18	7	77	27	8 .	14	8	0	166
(1)	.00	.00	.00	.00	.00	.02	.07	.02	.05	.44	.17	1.90	.67	.20	.35	.20	.00	4.09
(2)	.00	.00	.00	.00	.00	.02	.07	.02	.05	.44	.17	1.90	.67	.20	.35	.20	.00	4.09
10.1-40.3	0	0	0	0	0	0	0	0	0	1	0	25	9	1	0	0	0	36
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.62	.22	.02	.00	.00	.00	.89
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.62	.22	.02	.00	.00	.00	.89
ALL SPEEDS	236	419	306	142	113	93	120	141	172	291	503	598	244	151	306	221	0	4056
(1)	5.82	10.33	7.54	3.50	2.79	2.29	2.96	3.48	4.24	7.17	12.40	14.74	6.02	3.72	7.54	5.45	.00	100.00

3.48

4.24

7.17

12.40

14.74

6.02

3.72

7.54

5.45

2.29

2.79

2.96

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

10.33

7.54

3.50

5.82

.

(2)

100.00

.00

.

Table 2.3-55— {SSES 197' (60-m) 2001-2006 March JFD} (Page 1 of 2)

197.0	FT WIN	ID DATA		SSES	MARCH STAE	I MET DA BILITY CL	TA JOIN ASS A	T FREQU	IENCY DI	STRIBUT	10N (60 C	-METER T LASS FRI	OWER) EQUENC	Y (PERCE	NT) = 5.	.69		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	£	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	00	00	00	00	00	00	.00	00	.00	00	00	00	00	00	00	00	00	00
(-)																		100
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	.00	.00	00	.00
(2)	.00	.00	00	.00	.00	.00	.00	.00	.00	00	.00	.00	.00	00	00	00	.00	00
(=)										.00				.00			.00	
.5- 1.0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.39	.39	.00	.00	.00	.00	.00	.00	.00	.00	.79
(7)	00	00	00	00	00	00	00	02	02	00	00	00	00	00	00	00	00	04
(/																	.00	
1.1- 1.5	0	0	1	0	0	2	2	0	1	1	6	0	1	0	0	0	0	14
(1)	.00	.00	39	.00	.00	.79	.79	.00	.39	.39	2.36	.00	39	.00	.00	.00	00	5.51
(7)	00	.00	02	.00	00	.04	.04	.00	.02	.02	.13	00	.02	00	00	00	00	31
()																		
1.6- 2.0	0	0	3	0	0	1	0	1	3	0	0	1	0	0	0	0	0	9
(1)	.00	.00	1.18	.00	.00	.39	.00	.39	1.18	.00	.00	.39	.00	.00	.00	.00	.00	3.54
(2)	.00	.00	.07	.00	.00	.02	.00	.02	.07	.00	.00	.02	.00	.00	.00	.00	.00	.20
• •																		
2.1- 3.0	0	2	2	1	1	0	1	2	1	10	16	7	0	0	1	1	0	45
(1)	.00	.79	.79	.39	.39	.00	.39	.79	.39	3.94	6.30	2.76	.00	.00	.39	.39	.00	17.72
(2)	.00	.04	.04	.02	.02	.00	.02	.04	.02	.22	.36	.16	.00	.00	.02	.02	.00	1.01
3.1- 4.0	0	2	1	1	0	0	2	1	2	6	5	13	3	2	1	0	0	39
(1)	.00	.79	.39	.39	.00	.00	.79	.39	.79	2.36	1.97	5.12	1.18	.79	.39	.00	.00	15.35
(2)	.00	.04	.02	.02	.00	.00	.04	.02	.04	.13	.11	.29	.07	.04	.02	.00	.00	.87
4.1- 5.0	0	0	2	0	0	1	6	1	1	5	5	5	1	0	0	1	0	28
(1)	.00	.00	.79	.00	.00	.39	2.36	.39	.39	1.97	1.97	1.97	.39	.00	.00	.39	.00	11.02
(2)	.00	.00	.04	.00	.00	.02	.13	.02	.02	.11	.11	.11	.02	.00	.00	.02	.00	.63
5.1- 6.0	0	2	1	0	0	0	9	2	3	8	14	9	2	1	3	0	0	54
(1)	.00	.79	.39	.00	.00	.00	3.54	.79	1.18	3.15	5.51	3.54	.79	.39	1.18	.00	.00	21.26
(2)	.00	.04	.02	.00	.00	.00	.20	.04	.07	.18	.31	.20	.04	.02	.07	.00	.00	1.21
6.1- 8.0	0	0	0	0	0	0	0	1	4	17	1 1	13	2	0	1	1	0	50

BBNPP

Table 2.3-55— {SSES 197' (60-m) 2001-2006 March JFD} (Page 2 of 2)

				SSES	MARCH	I MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	'ION (60-	METER T	OWER)					
197.0	197.0 FT WIND DATA					STABILITY CLASS A CLASS FREQUENCY (PERC												
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	∧ NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.39	1.57	6.69	4.33	5.12	.79	.00	.39	.39	.00	19.69
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.09	.38	.25	.29	.04	.00	.02	.02	.00	1.12
8.1-10.0	0	0	0	0	0	0	0	0	0	4	3	3	0	0	0	0	0	10
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.57	1.18	1.18	.00	.00	.00	.00	.00	3.94
. (2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.07	.07	.00	.00	.00	.00	.00	.22
10.1-40.3	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.39	.79	.00	.00	.00	.00	.00	1.18
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.04	.00	.00	.00	.00	.00	.07
ALL SPEEDS	0	6	10	2	1	4	20	9	16	51	61	53	9	3	6	3	0	254
(1)	.00	2.36	3.94	.79	.39	1.57	7.87	3.54	6.30	20.08	24.02	20.87	3.54	1.18	2.36	1.18	.00	100.00
(2)	.00	.13	.22	.04	.02	.09	.45	.20	.36	1.14	1.37	1.19	.20	.07	.13	.07	.00	5.69

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

Table 2.3-55--- {SSES 197' (60-m) 2001-2006 March JFD - continued} (Page 1 of 2)

				SSES	5 MARCH	I MET DA	TA JOIN	IT FREQU	ENCY D	ISTRIBUT	FION (60	-METER T	OWER)					
197.	O FT WIN	ID DATA			STAE	BILITY CL	ASS B				Ċ	LASS FRE	EQUENC	Y (PERCE	NT) = 3	.23		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	^ 0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	0	0	2	2	0	1	2	1	1	0	0	0	0	0	0	9
(1)	.00	.00	.00	.00	1.39	1.39	.00	.69	1.39	.69	.69	.00	.00	.00	.00	.00	.00	6.25
(2)	.00	.00	.00	.00	.04	.04	.00	.02	.04	.02	.02	.00	.00	.00	.00	.00	.00	.20
1.6- 2.0	0	1	2	1	1	1	0	1	0	1	0	0	1	0	0	0	0	9
(1)	.00	.69	1.39	.69	.69	.69	.00	.69	.00	.69	.00	.00	.69	.00	.00	.00	.00	6.25
(2)	.00	.02	.04	.02	.02	.02	.00	.02	.00	.02	.00	.00	.02	.00	.00	.00	.00	.20
2.1- 3.0	2	1	1	0	0	0	0	2	0	2	1	1	0	1	1	0	0	12
(1)	1.39	.69	.69	.00	.00	.00	.00	1.39	.00	1.39	.69	.69	.00	.69	.69	.00	.00	8.33
(2)	.04	.02	.02	.00	.00	.00	.00	.04	.00	.04	.02	.02	.00	.02	.02	.00	.00	.27
3.1- 4.0	2	0	3	0	0	0	2	3	2	1	5	3	1	0	0	2	0	24
(1)	1.39	.00	2.08	.00	.00	.00	1.39	2.08	1.39	.69	3.47	2.08	.69	.00	.00	1.39	.00	16.67
(2)	.04	.00	.07	.00	.00	.00	.04	.07	.04	.02	.11	.07	.02	.00	.00	.04	.00	.54
4.1- 5.0	0	0	0	0	2	1	1	2	4	3	5	2	0	3	1	2	0	26
(1)	.00	.00	.00	.00	1.39	.69	.69	1.39	2.78	2.08	3.47	1.39	.00	2.08	.69	1.39	.00	18.06
(2)	.00	.00	.00	.00	.04	.02	.02	.04	.09	.07	.11	.04	.00	.07	.02	.04	.00	.58
5.1- 6.0	1	0	0	0	0	0	1	0	1	3	2	3	2	1	4	4	0	22
(1)	.69	.00	.00	.00	.00	.00	.69	.00	.69	2.08	1.39	2.08	1.39	.69	2.78	2.78	.00	15.28
(2)	.02	.00	.00	.00	.00	.00	.02	.00	.02	.07	.04	.07	.04	.02	.09	.09	.00	.49
6.1- 8.0	0	0	0	0	0	0	0	0	1	1	9	15	5	0	2	0	0	33

BBNPP

Rev. 2a

FSAR: Section 2.3

			Т	able 2.	3-55—	{SSES	197' (60)-m) 20 (Page	01-200 2 of 2))6 Marc	ch JFD ·	contin	ued}							
	SSES MARCH MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																			
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS B			CLASS FREQUENCY (PERCENT) = 3.23										
WIND DIRECTION FROM																				
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.69	.69	6.25	10.42	3.47	.00	1.39	.00	.00	22.92		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.20	.34	.11	.00	.04	.00	.00	.74		
	_					_			-	-		_			•	•	•	-		
8.1-10.0	0	0	0	0	0	0	0	0	0	1	1	3	0	0	0	0	0	5		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.69	.69	2.08	.00	.00	.00	.00	.00	3.47		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.07	.00	.00	.00	.00	.00	.11		
10 1-40 3	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	4		
(1)	ñ	00	00	.00	.00	.00	.00	.00	.00	.00	2.78	.00	.00	.00	.00	.00	.00	2.78		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.09		
ALL SPEEDS	5	2	6	1	5	4	4	9	10	13	28	27	9	5	8	8	0	144		
(1)	3.47	1.39	4.17	.69	3.47	2.78	2.78	6.25	6.94	9.03	19.44	18.75	6.25	3.47	5.56	5.56	.00	100.00		
(2)	.11	.04	.13	.02	.11	.09	.09	.20	.22	.29	.63	.60	.20	.11	.18	.18	.00	3.23		

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-55 {SSES 197' (60-m) 2001-2006 March JFD - continued
(Page 1 of 2)

				SSES	MARCH	I MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	'ION (60	-METER T	OWER)					
197.(FT WIN	ID DATA			STAE	BILITY CL	ASS C				c	LASS FRE	EQUENC	Y (PERCE	NT) = 3.	.92		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	5	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	1	1	0	0	1	1	0	0	0	1	0	0	0	0	5
(1)	.00	.00	.00	.57	.57	.00	.00	.57	.57	.00	.00	.00	.57	.00	.00	.00	.00	2.86
(2)	.00	.00	.00	.02	.02	.00	.00	.02	.02	.00	.00	.00	.02	.00	.00	.00	.00	.1 1
1.1- 1.5	o	0	0	2	1	0	0	0	0	4	1	0	0	0	0	0	0	8
(1)	.00	.00	.00	1.14	.57	.00	.00	.00	.00	2.29	.57	.00	.00	.00	.00	.00	.00	4.57
(2)	.00	.00	.00	.04	.02	.00	.00	.00	.00	.09	.02	.00	.00	.00	.00	.00	.00	.18
1.6- 2.0	1	1	0	1	0	0	0	0	0	3	0	0	0	0	0	0	0	6
(1)	.57	.57	.00	.57	.00	.00	.00	.00	.00	1.71	.00	.00	.00	.00	.00	.00	.00	3.43
(2)	.02	.02	.00	.02	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.00	.00	.13
2.1- 3.0	0	1	4	1	0	0	0	0	0	3	3	4	0	0	0	0	0	16
(1)	.00	.57	2.29	.57	.00	.00	.00	.00	.00	1.71	1.71	2.29	.00	.00	.00	.00	.00	9.14
(2)	.00	.02	.09	.02	.00	.00	.00	.00	.00	.07	.07	.09	.00	.00	.00	.00	.00	.36
3.1- 4.0	3	6	2	0	0	0	1	1	0	1	3	12	2	0	1	0	0	32
(1)	1.71	3.43	1.14	.00	.00	.00	.57	.57	.00	.57	1.71	6.86	1.14	.00	.57	.00	.00	18.29
(2)	.07	.13	.04	.00	.00	.00	.02	.02	.00	.02	.07	.27	.04	.00	.02	.00	.00	.72
4.1-5.0	3	1	1	0	1	0	2	1	1	0	4	8	3	1	6	4	0	36
(1)	1.71	.57	.57	.00	.57	.00	1.14	.57	.57	.00	2.29	4.57	1.71	.57	3.43	2.29	.00	20.57
(2)	.07	.02	.02	.00	.02	.00	.04	.02	.02	.00	.09	.18	.07	.02	.13	.09	.00	.81
5.1- 6.0	4	1	1	0	0	0	2	0	2	1	0	7	5	1	2	5	0	31
(1)	2.29	.57	.57	.00	.00	.00	1.14	.00	1.14	.57	.00	4.00	2.86	.57	1.14	2.86	.00	17.71
(2)	.09	.02	.02	.00	.00	.00	.04	.00	.04	.02	.00	.16	.11	.02	.04	.11	.00	.69
6.1- 8.0	0	0	0	0	0	0	1	1	3	2	1	7	3	1	6	. 1	0	26

BBNPP

able 2.3-55— {SSES 19	′' (60-m) 2001-2006 March	JFD - continued}
-----------------------	---------------------------	------------------

(Page 2 of 2)

				SSES	MARCH	I MET DA	TA JOIN	T FREQU	ENCY D	STRIBUT	ION (60	-METER T	OWER)					
197.0	197.0 FT WIND DATA					BILITY CL	ASS C				C	LASS FRE		Y (PERCE	NT) = 3.	92		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.57	.57	1.71	1.14	.57	4.00	1.71	.57	3.43	.57	.00	14.86
(2)	.00	.00	.00	.00	.00	.00	.02	.02	.07	.04	.02	.16	.07	.02	.13	.02	.00	.58
8.1-10.0	0	0	0	0	0	0	0	0	0	0	2	8	1	0	0	1	0	12
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.14	4.57	.57	.00	.00	.57	.00	6.86
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.18	.02	.00	.00	.02	.00	.27
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.71	.00	.00	.00	.00	.00	1.71
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.07
ALL SPEEDS	11	10	8	5	3	0	6	4	7	14	14	49	15	3	15	11	0	175
(1)	6.29	5.71	4.57	2.86	1.71	.00	3.43	2.29	4.00	8.00	8.00	28.00	8.57	1.71	8.57	6.29	.00	100.00
(2)	.25	.22	.18	.11	.07	.00	.13	.09	.16	.31	.31	1.10	.34	.07	.34	.25	.00	3.92

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.
197.	0 FT WIN			SSES	MARCH STAF	I MET DA	TA JOIN ASS D	T FREQU	ENCY D	ISTRIBUT	ION (60	-METER T	OWER)	Y (PERCEI	NT) = 46	53		
1.27.		UNIN			5170		W			FROM			QUENC		11) - 40			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBI	τοται
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	Ó	2
(1)	.00	.00	.00	.05	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.10
(2)	.00	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.04
.5- 1.0	4	8	3	4	6	6	9	5	3	3	2	2	1	2	0	2	0	60
(1)	.19	.39	.14	.19	.29	.29	.43	.24	.14	.14	.10	.10	.05	.10	.00	.10	.00	2.89
(2)	.09	.18	.07	.09	.13	.13	.20	.11	.07	.07	.04	.04	.02	.04	.00	.04	.00	1.34
1.1-1.5	5	12	11	6	4	3	2	3	7	11	7	2	0	1	2	3	0	79
(1)	.24	.58	.53	.29	.19	.14	.10	.14	.34	.53	.34	.10	.00	.05	.10	.14	.00	3.80
(2)	.11	.27	.25	.13	.09	.07	.04	.07	.16	.25	.16	.04	.00	.02	.04	.07	.00	1.77
1.6- 2.0	5	4	8	6	7	4	3	6	4	б	21	6	0	2	3	0	0	85
(1)	.24	.19	.39	.29	.34	.19	.14	.29	.19	.29	1.01	.29	.00	.10	.14	.00	.00	4.09
(2)	.11	.09	.18	.13	.16	.09	.07	.13	.09	.13	.47	.13	.00	.04	.07	.00	.00	1.90
2.1- 3.0	22	21	22	19	10	16	11	11	6	14	29	26	14	21	16	14	0	272
(1)	1.06	1.01	1.06	.91	.48	.77	.53	.53	.29	.67	1.40	1.25	.67	1.01	.77	.67	.00	13.10
(2)	.49	.47	.49	.43	.22	.36	.25	.25	.13	.31	.65	.58	.31	.47	.36	.31	.00	6.09
3.1- 4.0	34	37	35	9	13	10	13	13	5	7	21	29	24	33	51	42	0	376
(1)	1.64	1.78	1.69	.43	.63	.48	.63	.63	.24	.34	1.01	1.40	1.16	1.59	2.46	2.02	.00	18.10
(2)	.76	.83	.78	.20	.29	.22	.29	.29	.11	.16	.47	.65	.54	.74	1.14	.94	.00	8.42
4.1- 5.0	39	34	21	6	9	7	19	9	8	5	16	35	35	52	58	54	0	407
(1)	1.88	1.64	1.01	.29	.43	.34	.91	.43	.39	.24	.77	1.69	1.69	2.50	2.79	2.60	.00	19.60
(2)	.87	.76	.47	.13	.20	.16	.43	.20	.18	.11	.36	.78	.78	1.16	1.30	1.21	.00	9.12
5.1- 6.0	27	23	18	3	1	4	9	15	11	7	8	40	26	31	49	36	0	308
(1)	1.30	1.11	.87	.14	.05	.19	.43	.72	.53	.34	.39	1.93	1.25	1.49	2.36	1.73	.00	14.83
(2)	.60	.52	.40	.07	.02	.09	.20	.34	.25	.16	.18	.90	.58	.69	1.10	.81	.00	6.90
6.1- 8.0	7	13	15	5	0	4	3	15	14	12	8	62	72	54	50	26	0	360

Table 2.3-55— {SSES 197' (60-m) 2001-2006 March JFD - continued} (Page 1 of 2)

BBNPP

Rev. 2a

Meteorology

Table 2.3-55— {SSES 197' (60-m) 2001-2006 March JFD - continued} (Page 2 of 2)

				SSES	MARCH	MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	ION (60	-METER T	OWER)					
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 46	.53		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.34	.63	.72	.24	.00	.19	.14	.72	.67	.58	.39	2.99	3.47	2.60	2.41	1.25	.00	17.33
(2)	.16	.29	.34	.11	.00	.09	.07	.34	.31	.27	.18	1.39	1.61	1.21	1.12	.58	.00	8.06
8.1-10.0	0	3	0	0	0	2	0	1	4	5	2	20	40	8	4	5	0	94
(1)	.00	.14	.00	.00	.00	.10	.00	.05	.19	.24	.10	.96	1.93	.39	.19	.24	.00	4.53
(2)	.00	.07	.00	.00	.00	.04	.00	.02	.09	.11	.04	.45	.90	.18	.09	.11	.00	2.11
10.1-40.3	0	2	1	0	0	0	0	0	0	3	2	10	15	1	0	0	0	34
(1)	.00	.10	.05	.00	.00	.00	.00	.00	.00	.14	.10	.48	.72	.05	.00	.00	.00	1.64
(2)	.00	.04	.02	.00	.00	.00	.00	.00	.00	.07	.04	.22	.34	.02	.00	.00	.00	.76
ALL SPEEDS	143	157	134	59	50	56	69	78	63	73	116	232	227	205	233	182	0	2077
(1)	6.88	7.56	6.45	2.84	2.41	2.70	3.32	3.76	3.03	3.51	5.58	11.17	10.93	9.87	11.22	8.76	.00	100.00
(2)	3.20	3.52	3.00	1.32	1.12	1.25	1.55	1.75	1.41	1.64	2.60	5.20	5.09	4.59	5.22	4.08	.00	46.53

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-55--- {SSES 197' (60-m) 2001-2006 March JFD - continued} (Page 1 of 2)

				SSES	MARCH	MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	TION (60	METER 1	OWER)					
197.	0 FT WIN	ID DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 23	1.77		•
60550 /					_		W	IND DIRE	ECTION F	ROM	611							
SPEED m/s	N	NNE	NE	ENE	E	ESE	ι SE	SSE	2	55W	SW	wsw	W	WNW	NW	NNW	VKBL	IOTAL
LI .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.09	.09	.00	.00	.00	.00	.00	.00	.00	.00	.00	.19
(2)	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04
5-10	6	10	14	11	q	4	12	10	12	5	8	6	3	0	1	2	ß	113
(1)	57	94	1 32	1.04	85	38	1 13	94	1 13	47	75	57	28	00		19	ñ	10.65
(7)	13	.,, 77	31	25	.05 20	00	27	27	27	11	18	13	.20	.00	.02	.15	.00	2 5 3
(2)	.15	.22		.23	.20	.05	.27	•22	.27		.10	.19	.07	.00	.02	.04	.00	2.33
1.1- 1.5	7	15	13	5	6	6	13	7	11	10	16	11	5	0	3	3	0	131
(1)	.66	1.41	1.23	.47	.57	.57	1.23	.66	1.04	.94	1.51	1.04	.47	.00	.28	.28	.00	12.35
(2)	.16	.34	.29	.11	.13	.13	.29	.16	.25	.22	.36	.25	.11	.00	.07	.07	.00	2.93
16-20	10	19	10	5	6	1	5	6	6	9	15	16	4	3	4	5	0	124
(1)	.94	1.79	.94	.47	.57	.09	.47	.57	.57	.85	1.41	1.51	.38	.28	.38	.47	.00	11.69
(2)	.22	.43	.22	.11	.13	.02	.11	.13	.13	.20	.34	.36	.09	.07	.09	.11	.00	2.78
24.20			13		•		-	10	1.4	10	26					-	•	226
2.1- 3.0	23	35	13	10	8	8		13	14	13	26	1/	16	12	4		0	226
(1)	2.17	3.30	1.23	.94	./5	./5	.00	1.23	1.32	1.23	2.45	1.60	1.51	1.13	.38	.00	.00	21.30
(2)	.52	.78	.29	.22	.18	.18	.16	.29	.51	.29	.58	.38	.30	.27	.09	.16	.00	5.06
3.1- 4.0	14	30	16	1	6	5	4	8	5	13	19	29	18	4	9	6	0	187
(1)	1.32	2.83	1.51	.09	.57	.47	.38	.75	.47	1.23	1.79	2.73	1.70	.38	.85	.57	.00	17.62
(2)	.31	.67	.36	.02	.13	.11	.09	.18	.11	.29	.43	.65	.40	.09	.20	.13	.00	4.19
4.1~ 5.0	8	19	13	3	1	3	· 2	6	5	11	12	21	6	2	10	4	0	126
(1)	.75	1.79	1.23	.28	.09	.28	.19	.57	.47	1.04	1.13	1.98	.57	.19	.94	.38	.00	11.88
(2)	.18	.43	.29	.07	.02	.07	.04	.13	.11	.25	.27	.47	.13	.04	.22	.09	.00	2.82
5.1- 6.0	2	18	7	2	1	1	0	4	5	7	8	18	2	2	1	1	0	79
(1)	.19	1.70	.66	.19	.09	.09	.00	.38	.47	.66	.75	1.70	.19	.19	.09	.09	.00	7.45
(2)	.04	.40	.16	.04	.02	.02	.00	.09	.11	.16	.18	.40	.04	.04	.02	.02	.00	1.77
6.1- 8.0	4	7	8	0	0	2	2	0	11	11	3	10	1	4	0	1	0	. 64

Rev. 2a

able 2.3-55— {SS الم	S 197'	(60-m)	2001-2006	March	JFD - d	continued}
----------------------	--------	--------	-----------	-------	---------	------------

(Page 2 of 2)

				SSES	MARCH	I MET DA	TA JOIN	T FREQU	ENCY D	STRIBUT	FION (60	-METER T	OWER)					
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 23	.77		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.38	.66	.75	.00	.00	.19	.19	.00	1.04	1.04	.28	.94	.09	.38	.00	.09	.00	6.03
(2)	.09	.16	.18	.00	.00	.04	.04	.00	.25	.25	.07	.22	.02	.09	.00	.02	.00	1.43
8.1-10.0	0	0	0	Ņ	0	0	1	0	0	2	1	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.09	.00	.00	.19	.09	.00	.00	.00	.00	.00	.00	.38
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.04	.02	.00	.00	.00	.00	.00	.00	.09
10.1-40.3	0	0	0	0	0	0	0	0	4	0	1	0	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.38	.00	.09	.00	.00	.00	.00	.00	.00	.47
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.02	.00	.00	.00	.00	.00	.00	.11
ALL SPEEDS	74	153	94	37	37	30	47	55	73	81	109	128	55	27	32	29	0	1061
(1)	6.97	14.42	8.86	3.49	3.49	2.83	4.43	5.18	6.88	7.63	10.27	12.06	5.18	2.54	3.02	2.73	.00	100.00
(2)	1.66	3.43	2.11	.83	.83	.67	1.05	1.23	1.64	1.81	2.44	2.87	1.23	.60	.72	.65	.00	23.77

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

197.	0 FT WIN	ID DATA		SSES	5 MARCH STAE	I MET DA BILITY CL	TA JOIN ASS F	IT FREQU	JENCY D	ISTRIBUT	TION (60 C	-METER T LASS FRE	OWER) QUENC	Y (PERCE	NT) = 9.	.12		
							W	IND DIR	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.25	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.25
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	4	7	14	11	10	5	5	4	5	4	2	0	2	1	1	1	0	76
(1)	.98	1.72	3.44	2.70	2.46	1.23	1.23	.98	1.23	.98	.49	.00	.49	.25	.25	.25	00	18.67
(2)	.09	.16	.31	.25	.22	.11	.11	.09	.11	.09	.04	.00	.04	.02	.02	.02	.00	1.70
1.1- 1.5	13	35	15	3	5	1	9	3	5	4	8	2	1	0	0	0	0	104
(1)	3.19	8.60	3.69	.74	1.23	.25	2.21	.74	1.23	.98	1.97	.49	.25	.00	.00	00	00	25 55
(2)	.29	.78	.34	.07	.11	.02	.20	.07	.11	.09	.18	.04	.02	.00	.00	.00	.00	2.33
1.6- 2.0	8	25	11	5	2	1	3	1	1	6	3	1	1	1	1	0	0	70
(1)	1.97	6.14	2.70	1.23	.49	.25	.74	.25	.25	1.47	.74	.25	.25	.25	.25	.00	.00	17.20
(2)	.18	.56	.25	.11	.04	.02	.07	.02	.02	.13	.07	.02	.02	.02	.02	.00	.00	1.57
2.1- 3.0	15	28	18	0	0	1	5	3	1	7	13	4	2	1	2	0	0	100
(1)	3.69	6.88	4.42	.00	.00	.25	1.23	.74	.25	1.72	3.19	.98	.49	.25	49	00	ñ	24 57
. (2)	.34	.63	.40	.00	.00	.02	.11	.07	.02	.16	.29	.09	.04	.02	.04	.00	.00	2.24
3.1- 4.0	3	1	4	0	1	1	2	0	0	3	7	9	2	0	3	0	0	36
(1)	.74	.25	.98	.00	.25	.25	.49	.00	.00	.74	1.72	2.21	.49	.00	74	.00	00	8.85
(2)	.07	.02	.09	.00	.02	.02	.04	.00	.00	.07	.16	.20	.04	.00	.07	.00	.00	.81
4.1- 5.0	0	1	1	0	0	0	0	0	0	1	1	6	0	0	0	0	0	10
(1)	.00	.25	.25	.00	.00	.00	.00	.00	.00	.25	.25	1.47	.00	.00	.00	.00	.00	2.46
(2)	.00	.02	.02	.00	.00	.00	.00	.00	.00	.02	.02	.13	.00	.00	.00	.00	.00	.22
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	2	7	0	0	0	0	0	9
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.49	1.72	.00	.00	.00	.00	.00	2.21
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.16	.00	.00	.00	.00	.00	.20
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1

Table 2.3-55— {SSES 197' (60-m) 2001-2006 March JFD - continued} (Page 1 of 2)

BBNPP

.

2-508 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-55— {SSES 197' (60-m) 2001-2006 March JFD - continued} (Page 2 of 2)

				SSES	MARCH	I MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	'ION (60	-METER T	OWER)					
197.0) FT WIN	D DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	12		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.25	.00	.00	.00	.00	.00	.25
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	44	97	63	19	18	9	24	11	12	25	36	30	8	3	7	1	0	407
(1)	10.81	23.83	15.48	4.67	4.42	2.21	5.90	2.70	2.95	6.14	8.85	7.37	1.97	.74	1.72	.25	.00	100.00
(2)	.99	2.17	1.41	.43	.40	.20	.54	.25	.27	.56	.81	.67	.18	.07	.16	.02	.00	9.12

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

Table 2.3-55— {SSES 197' (60-m) 2001-2006 March JFD - continued} (Page 1 of 2)

107				SSES	5 MARCH	I MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	'ION (60	-METER T	OWER)		NI T) 7	75		
197.		DUDATA			STAC		455 G W			ROM	Ľ	LASS FRE	QUEN	.T (PERCE	N(I) = I	./5		
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	sw	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	2
(1)	.00	.00	.00	.00	.29	.00	.00	.00	.00	.00	.00	.00	.00	.00	.29	.00	.00	.58
(2)	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.04
.5- 1.0	2	2	7	9	7	7	3	б	3	2	1	0	0	1	0	2	0	52
(1)	.58	.58	2.02	2.60	2.02	2.02	.87	1.73	.87	.58	.29	.00	.00	.29	.00	.58	.00	15.03
(2)	.04	.04	.16	.20	.16	.16	.07	.13	.07	.04	.02	.00	.00	.02	.00	.04	.00	1.16
1.1- 1.5	2	20	21	6	5	5	3	3	4	4	2	1	1	0	0	2	0	79
(1)	.58	5.78	6.07	1.73	1.45	1.45	.87	.87	1.16	1.16	.58	.29	.29	.00	.00	.58	.00	22.83
(2)	.04	.45	.47	.13	.11	.11	.07	.07	.09	.09	.04	.02	.02	.00	.00	.04	.00	1.77
1.6- 2.0	12	34	16	6	1	0	2	0	3	4	2	0	0	0	0	0	0	80
(1)	3.47	9.83	4.62	1.73	.29	.00	.58	.00	.87	1.16	.58	.00	.00	.00	.00	.00	.00	23.12
(2)	.27	.76	.36	.13	.02	.00	.04	.00	.07	.09	.04	.00	.00	.00	.00	.00	.00	1.79
2.1- 3.0	32	33	11	2	0	0	3	0	5	8	7	2	0	0	2	1	0	106
(1)	9.25	9.54	3.18	.58	.00	.00	.87	.00	1.45	2.31	2.02	.58	.00	.00	.58	.29	.00	30.64
(2)	.72	.74	.25	.04	.00	.00	.07	.00	.11	.18	.16	.04	.00	.00	.04	.02	.00	2.37
3.1- 4.0	8	3	0	0	0	0	2	0	1	3	1	0	0	0	0	0	0	18
(1)	2.31	.87	.00	.00	.00	.00	.58	.00	.29	.87	.29	.00	.00	.00	.00	.00	.00	5.20
(2)	.18	.07	.00	.00	.00	.00	.04	.00	.02	.07	.02	.00	.00	.00	.00	.00	.00	.40
4.1- 5.0	1	0	0	0	0	0	0	1	0	2	0	2	0	0	0	0	0	6
(1)	.29	.00	.00	.00	.00	.00	.00	.29	.00	.58	.00	.58	.00	.00	.00	.00	.00	1.73
(2)	.02	.00	.00	.00	.00	.00	.00	.02	.00	.04	.00	.04	.00	.00	.00	.00	.00	.13
5.1- 6.0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.29	.00	.00	.29	.29	.00	.00	.00	.00	.00	.87
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.02	.02	.00	.00	.00	.00	.00	.07
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Meteorology

Table 2.3-55— {SSES 197' (60-m) 2001-2006 March JFD - continued} (Page 2 of 2)

	SSES MARCH MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS G CLASS FREQUENCY (PERCENT) = 7.75																	
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 7.	75		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	57	92	55	23	14	12	13	11	16	23	14	6	1	1	3	5	0	346
(1)	16.47	26.59	15.90	6.65	4.05	3.47	3.76	3.18	4.62	6.65	4.05	1.73	.29	.29	.87	1.45	.00	100.00
(2)	1.28	2.06	1.23	.52	.31	.27	.29	.25	.36	.52	.31	.13	.02	.02	.07	.11	.00	7.75

1

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-55— {SSES 197' (60-m) 2001-2006 March JFD - continued} (Page 1 of 2)

197.0		ID DATA		SSES	MARCH STABI	I MET DA LITY CLA	TA JOIN	T FREQU	ENCY D	ISTRIBUT	ION (60 CL	-METER 1 ASS FRE	OWER) QUENCY	' (PERCEN	IT) = 10	0.00		
							W	IND DIRE	ECTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	1	0	0	1	1	0	1	1	1	0	0	0	0	0	1	0	0	7
(1)	.02	.00	.00	.02	.02	.00	.02	.02	.02	.00	.00	.00	.00	.00	.02	.00	.00	.16
(2)	.02	.00	.00	.02	.02	.00	.02	.02	.02	.00	.00	.00	.00	.00	.02	.00	.00	.16
.5- 1.0	16	27	38	36	33	22	29	27	25	14	13	. 8	7	4	2	7	0	308
(1)	.36	.60	.85	.81	.74	.49	.65	.60	.56	.31	.29	.18	.16	.09	.04	.16	.00	6.90
(2)	.36	.60	.85	.81	.74	.49	.65	.60	.56	.31	.29	.18	.16	.09	.04	.16	.00	6.90
1.1- 1.5	27	82	61	22	23	19	29	17	30	35	41	16	8	1	5	8	0	424
(1)	.60	1.84	1.37	.49	.52	.43	.65	.38	.67	.78	.92	.36	.18	.02	.11	.18	.00	9.50
(2)	.60	1.84	1.37	.49	.52	.43	.65	.38	.67	.78	.92	.36	.18	.02	.11	.18	.00	9.50
1.6- 2.0	36	84	50	24	17	8	13	15	17	29	41	24	б	6	8	5	0	383
(1)	.81	1.88	1.12	.54	.38	.18	.29	.34	.38	.65	.92	.54	.13	.13	.18	.11	.00	8.58
(2)	.81	1.88	1.12	.54	.38	.18	.29	.34	.38	.65	.92	.54	.13	.13	.18	.11	.00	8.58
2.1- 3.0	94	121	71	33	19	25	27	31	27	57	95	61	32	35	26	23	0	777
(1)	2.11	2.71	1.59	.74	.43	.56	.60	.69	.60	1.28	2.13	1.37	.72	.78	.58	.52	.00	17.41
(2)	2.11	2.71	1.59	.74	.43	.56	.60	.69	.60	1.28	2.13	1.37	.72	.78	.58	.52	.00	17.41
3.1- 4.0	64	79	61	11	20	16	26	26	15	34	61	95	50	39	65	50	0	712
(1)	1.43	1.77	1.37	.25	.45	.36	.58	.58	.34	.76	1.37	2.13	1.12	.87	1.46	1.12	.00	15.95
(2)	1.43	1.77	1.37	.25	.45	.36	.58	.58	.34	.76	1.37	2.13	1.12	.87	1.46	1.12	.00	15.95
4.1- 5.0	51	55	38	9	13	12	30	20	19	27	43	79	45	58	75	65	0	639
(1)	1.14	1.23	.85	.20	.29	.27	.67	.45	.43	.60	.96	1.77	1.01	1.30	1.68	1.46	.00	14.31
(2)	1.14	1.23	.85	.20	.29	.27	.67	.45	.43	.60	.96	1.77	1.01	1.30	1.68	1.46	.00	14.31
5.1- 6.0	34	44	27	5	2	5	21	22	22	26	35	85	37	36	59	46	0	506
(1)	.76	.99	.60	.11	.04	.11	.47	.49	.49	.58	.78	1.90	.83	.81	1.32	1.03	.00	11.34
(2)	.76	.99	.60	.11	.04	.11	.47	.49	.49	.58	.78	1.90	.83	.81	1.32	1.03	.00	11.34
6.1- 8.0	11	20	23	5	0	6	6	17	33	43	32	108	83	59	59	29	0	534

BBNPP

Meteorology

Table 2.3-55— {SSES 197' (60-m) 2001-2006 March JFD - continued}
(Page 2 of 2)

				SSES	MARCH	MET DA	TA JOIN	T FREQU	ENCY DI	STRIBUT	'ION (60	-METER T	OWER)					
197.0) FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	T) = 100	0.00		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.25	.45	.52	.11	.00	.13	.13	.38	.74	.96	.72	2.42	1.86	1.32	1.32	.65	.00	11.96
(2)	.25	.45	.52	.11	.00	.13	.13	.38	.74	.96	.72	2.42	1.86	1.32	1.32	.65	.00	11.96
8.1-10.0	0	3	0	0	0	2	1	1	4	12	9	34	41	8	4	6	0	125
(1)	.00	.07	.00	.00	.00	.04	.02	.02	.09	.27	.20	.76	.92	.18	.09	.13	.00	2.80
(2)	.00	.07	.00	.00	.00	.04	.02	.02	.09	.27	.20	.76	.92	.18	.09	.13	.00	2.80
10.1-40.3	0	2	1	0	0	0	0	0	4	3	8	15	15	1	0	0	0	49
(1)	.00	.04	.02	.00	.00	.00	.00	.00	.09	.07	.18	.34	.34	.02	.00	.00	.00	1.10
(2)	.00	.04	.02	.00	.00	.00	.00	.00	.09	.07	.18	.34	.34	.02	.00	.00	.00	1.10
ALL SPEEDS	334	517	370	146	128	115	183	177	197	280	378	525	324	247	304	239	0	4464
(1)	7.48	11.58	8.29	3.27	2.87	2.58	4.10	3.97	4.41	6.27	8.47	11.76	7.26	5.53	6.81	5.35	.00	100.00
(2)	7.48	11.58	8.29	3.27	2.87	2.58	4.10	3.97	4.41	6.27	8.47	11.76	7.26	5.53	6.81	5.35	.00	100.00

~~

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

<u>ب</u>

``

BBNPP

د...

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD} (Page 1 of 2)

7

197				SSE	S APRIL I STAR	MET DAT	TA JOINT	FREQUI	ENCY DIS	STRIBUTI	ON (60-1	METER TO	OWER)	Y (PFRCF	NT) = 8	78		
137.		DAIA			5170		w	IND DIRI	ECTION F	ROM						., 0		
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	τοται
IT 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	00	ň	ň	ñ	ň	00	00	00	ñ	00	00	00	ñ	ň	00	ň	00	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.26	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.26
(2)	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
1.1- 1.5	0	0	0	3	1	2	1	0	1	2	1	2	0	0	0	0	0	13
(1)	.00	.00	.00	.79	.26	.53	.26	.00	.26	.53	.26	.53	.00	.00	.00	.00	.00	3.44
(2)	.00	.00	.00	.07	.02	.05	.02	.00	.02	.05	.02	.05	.00	.00	.00	.00	.00	.30
1.6- 2.0	0	1	1	2	0	1	2	2	2	4	2	2	0	1	0	0	0	20
(1)	.00	.26	.26	.53	.00	.26	.53	.53	.53	1.06	.53	.53	.00	.26	.00	.00	.00	5.29
(2)	.00	.02	.02	.05	.00	.02	.05	.05	.05	.09	.05	.05	.00	.02	.00	.00	.00	.46
2.1- 3.0	1	1	3	4	4	2	1	1	5	11	13	3	0	0	0	1	0	50
(1)	.26	.26	.79	1.06	1.06	.53	.26	.26	1.32	2.91	3.44	.79	.00	.00	.00	.26	.00	13.23
(2)	.02	.02	.07	.09	.09	.05	.02	.02	.12	.26	.30	.07	.00	.00	.00	.02	.00	1.16
3.1- 4.0	2	10	4	0	1	1	1	2	8	13	22	5	0	1	0	0	0	70
(1)	.53	2.65	1.06	.00	.26	.26	.26	.53	2.12	3.44	5.82	1.32	.00	.26	.00	.00	.00	18.52
(2)	.05	.23	.09	.00	.02	.02	.02	.05	.19	.30	.51	.12	.00	.02	.00	.00	.00	1.63
4.1- 5.0	8	20	4	0	0	0	1	0	0	8	16	9	1	3	1	2	0	73
(1)	2.12	5.29	1.06	.00	.00	.00	.26	.00	.00	2.12	4.23	2.38	.26	.79	.26	.53	.00	19.31
(2)	.19	.46	.09	.00	.00	.00	.02	.00	.00	.19	.37	.21	.02	.07	.02	.05	.00	1.70
5.1- 6.0	2	16	2	0	0	0	3	2	1	6	18	8	2	1	0	3	0	64
(1)	.53	4.23	.53	.00	.00	.00	.79	.53	.26	1.59	4.76	2.12	.53	.26	.00	.79	.00	16.93
(2)	.05	.37	.05	.00	.00	.00	.07	.05	.02	.14	.42	.19	.05	.02	.00	.07	.00	1.49
6.1-8.0	1	5	1	0	0	0	4	3	4	9	21	22	1	0	1	2	0	74

BBNPP

Rev. 2a

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD} (Page 2 of 2)

				SSE	S APRIL	MET DAT	FA JOINT	FREQUE	ENCY DIS	TRIBUTI	ON (60-1	METER TO	OWER)	'				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS A				C	LASS FRE		Y (PERCE	NT) = 8.	78		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Ε	ESE	SE	SSE	5	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.26	1.32	.26	.00	.00	.00	1.06	.79	1.06	2.38	5.56	5.82	.26	.00	.26	.53	.00	19.58
(2)	.02	.12	.02	.00	.00	.00	.09	.07	.09	.21	.49	.51	.02	.00	.02	.05	.00	1.72
8.1-10.0	1	1	0	0	0	1	0	1	1	1	2	2	0	0	1	0	0	11
(1)	.26	.26	.00	.00	.00	.26	.00	.26	.26	.26	.53	.53	.00	.00	.26	.00	.00	2.91
(2)	.02	.02	.00	.00	.00	.02	.00	.02	.02	.02	.05	.05	.00	.00	.02	.00	.00	.26
10.1-40.3	0	0	0	0	0	0	0	0	1.	0	0	1	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.26	.00	.00	.26	.00	.00	.00	.00	.00	.53
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.02	.00	.00	.00	.00	.00	.05
ALL SPEEDS	15	54	15	9	6	8	13	11	23	54	95	54	4	6	3	8	0	378
(1)	3.97	14.29	3.97	2.38	1.59	2.12	3.44	2.91	6.08	14.29	25.13	14.29	1.06	1.59	.79	2.12	.00	100.00
(2)	.35	1.25	.35	.21	.14	.19	.30	.26	.53	1.25	2.21	1.25	.09	.14	.07	.19	.00	8.78

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued}

(Page 1 of 2)

				SSE	S APRIL	MET DAT	FA JOINT	FREQUI	ENCY DI	STRIBUTI	ON (60-	METER TO	OWER)					
197.	D FT WIN	D DATA			STAE	BILITY CL	ASS B				C	LASS FRE		CY (PERCE	NT) = 3.	.65		
							W	IND DIRI	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	1.27	.00	.64	.00	.64	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.55
(2)	.00	.00	.05	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	0	0	0	0	0	0	1	0	1	2	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.64	.00	.64	1.27	.00	.00	.00	.00	.00	.00	.00	2.55
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.02	.05	.00	.00	.00	.00	.00	.00	.00	.09
1.6- 2.0	0	0	2	0	0	2	0	0	1	0	1	0	0	0	0	0	0	6
(1)	.00	.00	1.27	.00	.00	1.27	.00	.00	.64	.00	.64	.00	.00	.00	.00	.00	.00	3.82
(2)	.00	.00	.05	.00	.00	.05	.00	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.14
2.1- 3.0	2	0	3	0	1	1	2	1	0	3	1	1	0	0	0	0	0	15
(1)	1.27	.00	1.91	.00	.64	.64	1.27	.64	.00	1.91	.64	.64	.00	.00	.00	.00	.00	9.55
(2)	.05	.00	.07	.00	.02	.02	.05	.02	.00	.07	.02	.02	.00	.00	.00	.00	.00	.35
3.1- 4.0	0	6	0	0	0	1	0	0	0	2	4	3	0	1	0	0	0	17
(1)	.00	3.82	.00	.00	.00	.64	.00	.00	.00	1.27	2.55	1.91	.00	.64	.00	.00	.00	10.83
(2)	.00	.14	.00	.00	.00	.02	.00	.00	.00	.05	.09	.07	.00	.02	.00	.00	.00	.39
4.1- 5.0	2	8	2	1	1	0	0	0	0	2	4	4	0	2	2	2	0	30
(1)	1.27	5.10	1.27	.64	.64	.00	.00	.00	.00	1.27	2.55	2.55	.00	1.27	1.27	1.27	.00	19.11
(2)	.05	.19	.05	.02	.02	.00	.00	.00	.00	.05	.09	.09	.00	.05	.05	.05	.00	.70
5.1- 6.0	3	3	2	0	1	0	1	0	2	2	5	1	0	3	2	2	0	27
(1)	1.91	1.91	1.27	.00	.64	:00	.64	.00	1.27	1.27	3.18	.64	.00	1.91	1.27	1.27	.00	17.20
(2)	.07	.07	.05	.00	.02	.00	.02	.00	.05	.05	.12	.02	.00	.07	.05	.05	.00	.63
6.1- 8.0	3	4	1	0	0	1	3	1	2	0	4	13	3	0	5	5	0	45

BBNPP

5

Rev. 2a

Meteorology

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 2 of 2)

				SSE	S APRIL	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	OWER)					
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS B				c	LASS FRE	QUENC	Y (PERCE	NT) = 3.	65		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	1.91	2.55	.64	.00	.00	.64	1.91	.64	1.27	.00	2.55	8.28	1.91	.00	3.18	3.18	.00	28.66
(2)	.07	.09	.02	.00	.00	.02	.07	.02	.05	.00	.09	.30	.07	.00	.12	.12	.00	1.05
8.1-10.0	0	1	0	0	0	0	0	0	1	0	0	3	0	0	2	0	0	7
(1)	.00	.64	.00	.00	.00	.00	.00	.00	.64	.00	.00	1.91	.00	.00	1.27	.00	.00	4.46
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.02	.00	.00	.07	.00	.00	.05	.00	.00	.16
10.1-40.3	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.64	.64	.00	.00	.00	.00	.00	1.27
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.05
ALL SPEEDS	10	22	12	1	4	5	8	2	7	11	20	26	3	6	11	9	0	157
(1)	6.37	14.01	7.64	.64	2.55	3.18	5.10	1.27	4.46	7.01	12.74	16.56	1.91	3.82	7.01	5.73	.00	100.00
(2)	.23	.51	.28	.02	.09	.12	.19	.05	.16	.26	.46	.60	.07	.14	.26	.21	.00	3.65

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD FSAR: Section 2.3

Rev. 2a

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 1 of 2)

197.0	D FT WIN	D DATA		SSE	S APRIL STAE	MET DA' BILITY CL	TA JOINT ASS C	FREQU	ENCY DI	STRIBUTI	-0N (60 C	METER TO	OWER) EQUENC	Y (PERCE	NT) = 4.	.97		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	1	0	2	0	0	0	0	0	1	0	0	0	0	0	0	0	4
(1)	.00	.47	.00	.93	.00	.00	.00	.00	.00	.47	.00	.00	.00	.00	.00	.00	.00	1.87
(2)	.00	.02	.00	.05	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	0	0	1	1	0	0	1	0	1	1	0	0	0	0	0	0	0	5
(1)	.00	.00	.47	.47	.00	.00	.47	.00	.47	.47	.00	.00	.00	.00	.00	.00	.00	2.34
(2)	.00	.00	.02	.02	.00	.00	.02	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.12
1.6- 2.0	1	0	0	1	4	0	3	0	0	1	0	0	.0	0	0	0	0	10
(1)	.47	.00	.00	.47	1.87	.00	1.40	.00	.00	.47	.00	.00	.00	.00	.00	.00	.00	4.67
(2)	.02	.00	.00	.02	.09	.00	.07	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.23
2.1- 3.0	0	4	3	1	1	2	1	0	4	3	4	4	1	0	0	0	0	28
(1)	.00	1.87	1.40	.47	.47	.93	.47	.00	1.87	1.40	1.87	1.87	.47	.00	.00	.00	.00	13.08
(2)	.00	.09	.07	.02	.02	.05	.02	.00	.09	.07	.09	.09	.02	.00	.00	.00	.00	.65
3.1- 4.0	3	6	5	1	0	0	1	2	3	1	2	0	1	1	0	1	0	27
(1)	1.40	2.80	2.34	.47	.00	.00	.47	.93	1.40	.47	.93	.00	.47	.47	.00	.47	.00	12.62
(2)	.07	.14	.12	.02	.00	.00	.02	.05	.07	.02	.05	.00	.02	.02	.00	.02	.00	.63
4.1- 5.0	9	12	1	0	0	0	0	0	0	2	4	8	1	1	1	2	0	41
(1)	4.21	5.61	.47	.00	.00	.00	.00	.00	.00	.93	1.87	3.74	.47	.47	.47	.93	.00	19.16
(2)	.21	.28	.02	.00	.00	.00	.00	.00	.00	.05	.09	.19	.02	.02	.02	.05	.00	.95
5.1- 6.0	2	5	0	1	0	1	0	0	3	3	4	5	0	2	4	1	0	31
(1)	.93	2.34	.00	.47	.00	.47	.00	.00	1.40	1.40	1.87	2.34	.00	.93	1.87	.47	.00	14.49
(2)	.05	.12	.00	.02	.00	.02	.00	.00	.07	.07	.09	.12	.00	.05	.09	.02	.00	.72
6.1- 8.0	9	3	0	0	0	2	0	2	1	3	3	16	7	2	2	2	0	52

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 2 of 2)

				SSE	S APRIL	MET DAT	ra joint	FREQUE	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER)					
197.0	D FT WIN	D DATA			STAE	BILITY CL	ASS C				c	LASS FRI		Y (PERCE	NT) = 4.	97		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	4.21	1.40	.00	.00	.00	.93	.00	.93	.47	1.40	1.40	7.48	3.27	.93	.93	.93	.00	24.30
(2)	.21	.07	.00	.00	.00	.05	.00	.05	.02	.07	.07	.37	.16	.05	.05	.05	.00	1.21
8.1-10.0	0	1	0	0	0	0	1	0	0 .	1	2	3	3	0	0	1	0	12
(1)	.00	.47	.00	.00	.00	.00	.47	.00	.00	.47	.93	1.40	1.40	.00	.00	.47	.00	5.61
(2)	.00	.02	.00	.00	.00	.00	.02	.00	.00	.02	.05	.07	.07	.00	.00	.02	.00	.28
10.1-40.3	0	0	0	0	0	0	1	0	0	. 0	1	2	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.47	.00	.00	.00	.47	.93	.00	.00	.00	.00	.00	1.87
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.02	.05	.00	.00	.00	.00	.00	.09
ALL SPEEDS	24	32	10	7	5	5	8	4	12	16	20	38	13	6	7	7	0	214
(1)	11.21	14.95	4.67	3.27	2.34	2.34	3.74	1.87	5.61	7.48	9.35	17.76	6.07	2.80	3.27	3.27	.00	100.00
(2)	.56	.74	.23	.16	.12	.12	.19	.09	.28	.37	.46	.88	.30	.14	.16	.16	.00	4.97

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 1 of 2)

				SSE	S APRIL	MET DAT	ra joint	FREQUE	NCY DI	STRIBUTI	ON (60-	METER TO	OWER)					
197.0	D FT WIN	ID DATA			STAE	BILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCEI	NT) = 40	.95		
							w	IND DIRE	CTION I	FROM								
SPEED m/s	N	NNE	NE	ÉNE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	4	5	7	5	4	4	0	0	1	1	1	1	0	0	0	33
(1)	.00	.00	.23	.28	.40	.28	.23	.23	.00	.00	.06	.06	.06	.06	.00	.00	.00	1.87
(2)	.00	.00	.09	.12	.16	.12	.09	.09	.00	.00	.02	.02	.02	.02	.00	.00	.00	.77
1.1- 1.5	3	7	14	7	4	5	5	6	5	6	.5	4	0	0	0	4	0	75
(1)	.17	.40	.79	.40	.23	.28	.28	.34	.28	.34	.28	.23	.00	.00	.00	.23	.00	4.25
(2)	.07	.16	.33	.16	.09	.12	.12	.14	.12	.14	.12	.09	.00	.00	.00	.09	.00	1.74
1.6- 2.0	3	13	16	8	3	7	9	5	4	10	7	2	1	0	0	4	0	92
(1)	.17	.74	.91	.45	.17	.40	.51	.28	.23	.57	.40	.11	.06	.00	.00	.23	.00	5.22
(2)	.07	.30	.37	.19	.07	.16	.21	.12	.09	.23	.16	.05	.02	.00	.00	.09	.00	2.14
2.1- 3.0	14	34	28	10	10	11	9	12	15	13	26	17	11	3	14	3	0	230
(1)	.79	1.93	1.59	.57	.57	.62	.51	.68	.85	.74	1.47	.96	.62	.17	.79	.17	.00	13.05
(2)	.33	.79	.65	.23	.23	.26	.21	.28	.35	.30	.60	.39	.26	.07	.33	.07	.00	5.34
3.1- 4.0	33	32	34	4	9	9	15	9	14	10	23	21	18	21	14	16	0	282
(1)	1.87	1.82	1.93	.23	.51	.51	.85	.51	.79	.57	1.30	1.19	1.02	1.19	.79	.91	.00	16.00
(2)	.77	.74	.79	.09	.21	.21	.35	.21	.33	.23	.53	.49	.42	.49	.33	.37	.00	6.55
4.1- 5.0	46	- 55	29	17	7	21	18	17	11	4	24	21	18	21	29	32	0	370
(1)	2.61	3.12	1.64	.96	.40	1.19	1.02	.96	.62	.23	1.36	1.19	1.02	1.19	1.64	1.82	.00	20.99
(2)	1.07	1.28	.67	.39	.16	.49	.42	.39	.26	.09	.56	.49	.42	.49	.67	.74	.00	8.59
5.1- 6.0	44	44	21	6	5	13	20	4	10	9	22	18	22	28	43	36	0	345
(1)	2.50	2.50	1.19	.34	.28	.74	1.13	.23	.57	.51	1.25	1.02	1.25	1.59	2.44	2.04	.00	19.57
(2)	1.02	1.02	.49	.14	.12	.30	.46	.09	.23	.21	.51	.42	.51	.65	1.00	.84	.00	8.01
6.1- 8.0	20	34	13	1	1	10	7	4	11	7	20	31	33	25	33	18	0	268

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 2 of 2)

				SSE	S APRIL	MET DA1	TA JOINT	FREQUE	ENCY DIS	TRIBUTI	ON (60-	METER TO	OWER)					
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCEI	NT) = 40	.95		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NĘ	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	1.13	1.93	.74	.06	.06	.57	.40	.23	.62	.40	1.13	1.76	1.87	1.42	1.87	1.02	.00	15.20
(2)	.46	.7 9	.30	.02	.02	.23	.16	.09	26	.16	.46	.72	.77	.58	.77	.42	.00	6.23
8.1-10.0	1	4	2	0	0	0	2	2	3	2	4	27	11	2	4	1	0	65
(1)	.06	.23	.11	.00	.00	.00	.11	.11	.17	.11	.23	1.53	.62	.11	.23	.06	.00	3.69
(2)	.02	.09	.05	.00	.00	.00	.05	.05	.07	.05	.09	.63	.26	.05	.09	.02	.00	1.51
10.1-40.3	1	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	3
(1)	.06	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	.00	.00	.00	.00	.00	.17
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.07
ALL SPEEDS	165	223	161	58	46	81	89	63	73	61	132	144	115	101	137	114	0	1763
(1)	9.36	12.65	9.13	3.29	2.61	4.59	5.05	3.57	4.14	3.46	7.49	8.17	6.52	5.73	7.77	6.47	.00	100.00
(2)	3.83	5.18	3.74	1.35	1.07	1.88	2.07	1.46	1.70	1.42	3.07	3.34	2.67	2.35	3.18	2.65	.00	40.95

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Rev. 2a

Table	e 2.3	-56—	{SSES	197'	(60-m)	2001	-2006	April	JFD -	 continued 	I}
-------	-------	------	-------	------	--------	------	-------	-------	-------	-------------------------------	----

(Page 1 of 2)

				SSE	S APRIL	MET DA	TA JOIN ⁻	r freque		STRIBUTI	ON (60-	METER TO	OWER)					
197.	O FT WIN	ID DATA			STAI	BILITY CL	ASS E				С	LASS FRE	QUENC	Y (PERCEI	NT) = 24	.79		
							W	IND DIRE	CTION	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	10	9	15	14	6	4	5	11	7	9	5	1	2	1	1	4	0	104
(1)	.94	.84	1.41	1.31	.56	.37	.47	1.03	.66	.84	.47	.09	.19	.09	.09	.37	.00	9.75
(2)	.23	.21	.35	.33	.14	.09	.12	.26	.16	.21	.12	.02	.05	.02	.02	.09	.00	2.42
1. 1- 1.5	8	25	29	8	4	2	2	4	9	11	13	1	3	2	2	1	0	124
(1)	.75	2.34	2.72	.75	.37	.19	.19	.37	.84	1.03	1.22	.09	.28	.19	.19	.09	.00	11.62
(2)	.19	.58	.67	.19	.09	.05	.05	.09	.21	.26	.30	.02	.07	.05	.05	.02	.00	2.88
1.6- 2.0	14	16	12	10	1	3	7	5	9	4	8	6	3	1	1	1	0	101
(1)	1.31	1.50	1.12	.94	.09	.28	.66	.47	.84	.37	.75	.56	.28	.09	.09	.09	.00	9.47
(2)	.33	.37	.28	.23	.02	.07	.16	.12	.21	.09	.19	.14	.07	.02	.02	.02	.00	2.35
2.1- 3.0	22	33	34	17	8	6	11	12	9	8	19	13	10	12	4	6	0	224
(1)	2.06	3.09	3.19	1.59	.75	.56	1.03	1.12	.84	.75	1.78	1.22	.94	1.12	.37	.56	.00	20.99
(2)	.51	.77	.79	.39	.19	.14	.26	.28	.21	.19	.44	.30	.23	.28	.09	.14	.00	5.20
3.1- 4.0	18	25	33	12	2	7	9	9	9	20	16	18	5	1	3	9	0	196
(1)	1.69	2.34	3.09	1.12	.19	.66	.84	.84	.84	1.87	1.50	1.69	.47	.09	.28	.84	.00	18.37
(2)	.42	.58	.77	.28	.05	.16	.21	.21	.21	.46	.37	.42	.12	.02	.07	.21	.00	4.55
4.1- 5.0	7	22	19	8	5	4	5	7	9	18	12	17	1	1	2	9	0	146
(1)	.66	2.06	1.78	.75	.47	.37	.47	.66	.84	1.69	1.12	1.59	.09	.09	.19	.84	.00	13.68
(2)	.16	.51	.44	.19	.12	.09	.12	.16	.21	.42	.28	.39	.02	.02	.05	.21	.00	3.39
5.1- 6.0	3	19	9	3	1	3	0	2	7	20	11	17	1	1	2	1	0	100
(1)	.28	1.78	.84	.28	.09	.28	.00	.19	.66	1.87	1.03	1.59	.09	.09	.19	.09	.00	9.37
(2)	.07	.44	.21	.07	.02	.07	.00	.05	.16	.46	.26	.39	.02	.02	.05	.02	.00	2.32
6.1- 8.0	0	7	3	1	5	1	1	1	9	11	9	13	2	0	0	0	0	63

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 2 of 2)

197.0	FT WIN	D DATA		SSE	S APRIL STAB	MET DAT	FA JOINT ASS E	FREQUE	NCY DIS	STRIBUTI	ON (60- Cl	METER TO	OWER) QUENC	Y (PERCEI	NT) = 24	.79		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1) .	.00	.66	.28	.09	.47	.09	.09	.09	.84	1.03	.84	1.22	.19	.00	.00	.00	.00	5.90
(2)	.00	.16	.07	.02	.12	.02	.02	.02	.21	.26	.21	.30	.05	.00	.00	.00	.00	1.46
8.1-10.0	0	0	1	0	0	0	0	0	0	2	3	2	0	0	0	0	0	8
(1)	.00	.00	.09	.00	.00	.00	.00	.00	.00	.19	.28	.19	.00	.00	.00	.00	.00	.75
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.05	.07	.05	.00	.00	.00	.00	.00	.19
10.1-40.3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
ALL SPEEDS	82	156	155	73	32	30	40	51	68	103	97	88	27	19	15	31	0	1067
(1)	7.69	14.62	14.53	6.84	3.00	2.81	3.75	4.78	6.37	9.65	9.09	8.25	2.53	1.78	1.41	2.91	.00	100.00
(2)	1.90	3.62	3.60	1.70	.74	.70	.93	1.18	1.58	2.39	2.25	2.04	.63	.44	.35	.72	.00	24.79

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 1 of 2)

197.0) FT WIN	ID DATA		SSE	S APRIL STAE	MET DA ⁻ BILITY CL	FA JOINT .ASS F	FREQUI	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER) QUENC	Y (PERCE	NT) = 7.	22		
							w	IND DIR	ECTION F	ROM				•				
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.32	.00	.00	.00	.00	.00	.32	.00	.00	.00	.00	.00	.00	.00	.64
(2)	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.05
.5- 1.0	3	5	13	9	6	4	8	1	7	2	0	0	1	3	0	0	0	62
(1)	.96	1.61	4.18	2.89	1.93	1.29	2.57	.32	2.25	.64	.00	.00	.32	.96	.00	.00	.00	19.94
(2)	.07	.12	.30	.21	.14	.09	.19	.02	.16	.05	.00	.00	.02	.07	.00	.00	.00	1.44
1.1- 1.5	7	20	28	5	3	4	2	4	4	6	2	1	1	0	0	0	0	87
(1)	2.25	6.43	9.00	1.61	.96	1.29	.64	1.29	1.29	1.93	.64	.32	.32	.00	.00	.00	.00	27.97
(2)	.16	.46	.65	.12	.07	.09	.05	.09	.09	.14	.05	.02	.02	.00	.00	.00	.00	2.02
1.6- 2.0	9	22	6	1	1	1	1	2	4	3	3	1	0	1	1	1	0	57
(1)	2.89	7.07	1.93	.32	.32	.32	.32	.64	1.29	.96	.96	.32	.00	.32	.32	.32	.00	18.33
(2)	.21	.51	.14	.02	.02	.02	.02	.05	.09	.07	.07	.02	.00	.02	.02	.02	.00	1.32
2.1- 3.0	6	24	9	1	1	0	0	3	3	2	8	2	1	1	2	0	0	63
(1)	1.93	7.72	2.89	.32	.32	.00	.00	.96	.96	.64	2.57	.64	.32	.32	.64	.00	.00	20.26
(2)	.14	.56	.21	.02	.02	.00	.00	.07	.07	.05	.19	.05	.02	.02	.05	.00	.00	1.46
3.1- 4.0	3	4	2	0	0	0	1	1	2	3	1	7	0	0	0	0	0	24
(1)	.96	1.29	.64	.00	.00	.00	.32	.32	.64	.96	.32	2.25	.00	.00	.00	.00	.00	7.72
(2)	.07	.09	.05	.00	.00	.00	.02	.02	.05	.07	.02	.16	.00	.00	.00	.00	.00	.56
4.1- 5.0	0	2	0	0	0	0	0	0	0	4	0	6	0	0	0	0	0	12
(1)	.00	.64	.00	.00	.00	.00	.00	.00	.00	1.29	.00	1.93	.00	.00	.00	.00	.00	3.86
(2)	.00	.05	.00	.00	.00	.00	.00	.00	.00	.09	.00	.14	.00	.00	.00	.00	.00	.28
5.1- 6.0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.64	.32	.32	.00	.00	.00	.00	.00	1.29
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.02	.02	.00	.00	.00	.00	.00	.09
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Meteorology

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 2 of 2)

				SSE	S APRIL	MET DAT	FA JOINT	FREQUE	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER)					
197.0	197.0 FT WIND DATA STABILITY CLASS F											LASS FRE	QUENC	Y (PERCE	NT) = 7	.22		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE .	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	28	77	58	17	11	9	12	. 11	20	23	15	18	3	5	3	1	0	311
(1)	9.00	24.76	18.65	5.47	3.54	2.89	3.86	3.54	6.43	7.40	4.82	5.79	.96	1.61	.96	.32	.00	100.00
(2)	.65	1.79	1.35	.39	.26	.21	.28	.26	.46	.53	.35	.42	.07	.12	.07	.02	.00	7.22

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 1 of 2)

•

				SSE	S APRIL	MET DAT	A JOINT	FREQUE	ENCY DIS	STRIBUTI	ON (60-	METER TO	OWER)					
197.0) FT WIN	ID DATA			STAB	ILITY CL	ASS G				c	LASS FRE	QUENC	Y (PERCE	NT) = 9.	64		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.24	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.24
(2)	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	4	5	23	14	6	8	4	3	3	1	0	2	1	0	0	0	0	74
(1)	.96	1.20	5.54	3.37	1.45	1.93	.96	.72	.72	.24	.00	.48	.24	.00	.00	.00	.00	17.83
(2)	.09	.12	.53	.33	.14	.19	.09	.07	.07	.02	.00	.05	.02	.00	.00	.00	.00	1.72
1.1- 1.5	8	25	29	8	7	3	5	4	3	4	3	0	0	0	0	0	0	99
(1)	1.93	6.02	6.99	1.93	1.69	.72	1.20	.96	.72	.96	.72	.00	.00	.00	.00	.00	.00	23.86
(2)	.19	.58	.67	.19	.16	.07	.12	.09	.07	.09	.07	.00	.00	.00	.00	.00	.00	2.30
1.6- 2.0	16	41	13	8	3	1	1	3	7	1	2	1	0	0	0	1	0	98
(1)	3.86	9.88	3.13	1.93	.72	.24	.24	.72	1.69	.24	.48	.24	.00	.00	.00	.24	.00	23.61
(2)	.37	.95	.30	.19	.07	.02	.02	.07	.16	.02	.05	.02	.00	.00	.00	.02	.00	2.28
2.1- 3.0	30	57	18	1	2	2	0	1	2	3	5	2	0	0	1	0	0	124
(1)	7.23	13.73	4.34	.24	.48	.48	.00	.24	.48	.72	1.20	.48	.00	.00	.24	.00	.00	29.88
(2)	.70	1.32	.42	.02	.05	.05	.00	.02	.05	.07	.12	.05	.00	.00	.02	.00	.00	2.88
3.1- 4.0	2	5	3	0	0	0	Ō	0	1	4	0	0	0	0	0	0	0	15
(1)	.48	1.20	.72	.00	.00	.00	.00	.00	.24	.96	.00	.00	.00	.00	.00	.00	.00	3.61
(2)	.05	.12	.07	.00	.00	.00	.00	.00	.02	.09	.00	.00	.00	.00	.00	.00	.00	.35
4.1- 5.0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	0	. 3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.24	.00	.00	.48	.00	.00	.00	.00	.00	.72
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.05	.00	.00	.00	.00	.00	.07
5.1- 6.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.24	.00	.00	.00	.00	.00	.00	.00	.24
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Meteorology

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 2 of 2)

				SSE	S APRIL	MET DAT	LUIOL VI	FREQUE	INCY DIS	STRIBUTI	ON (60-	METER TO	OWER)					
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 9.	64		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	60	133	86	32	18	14	10	11	17	14	10	7	1	0	1	1	0	415
(1)	14.46	32.05	20.72	7.71	4.34	3.37	2.41	2.65	4.10	3.37	2.41	1.69	.24	.00	.24	.24	.00	100.00
(2)	1.39	3.09	2.00	.74	.42	.33	.23	.26	.39	.33	.23	.16	.02	.00	.02	.02	.00	9.64

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 1 of 2)

				SSE	S APRIL	MET DAT	TA JOINT	FREQUE	NCY DI	STRIBUTI	ON (60-	METER TO	OWER)					
197.	0 FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	T) = 100	0.00		
							W	IND DIRE	CTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	2	0	0	0	0	0	1	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.05	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.00	.05	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	17	20	57	44	26	22	22	19	17	13	6	4	5	5	1	4	0	282
(1)	.39	.46	1.32	1.02	.60	.51	.51	.44	.39	.30	.14	.09	.12	.12	.02	.09	.00	6.55
(2)	.39	.46	1.32	1.02	.60	.51	.51	.44	.39	.30	.14	.09	.12	.12	.02	.09	.00	6.55
1.1- 1.5	26	77	101	32	19	16	17	18	24	32	24	8	4	2	2	5	0	407
(1)	.60	1.79	2.35	.74	.44	.37	.39	.42	.56	.74	.56	.19	.09	.05	.05	.12	.00	9.45
(2)	.60	1.79	2.35	.74	.44	.37	.39	.42	.56	.74	.56	.19	.09	.05	.05	.12	.00	9.45
1.6- 2.0	43	93	50	30	12	15	23	17	27	23	23	12	4	3	2	7	0	384
(1)	1.00	2.16	1.16	.70	.28	.35	.53	.39	.63	.53	.53	.28	.09	.07	.05	.16	.00	8.92
(2)	1.00	2.16	1.16	.70	.28	.35	.53	.39	.63	.53	.53	.28	.09	.07	.05	.16	.00	8.92
2.1- 3.0	75	153	98	34	27	24	[.] 24	30	38	43	76	42	23	16	21	10	0	734
(1)	1.74	3.55	2.28	.79	.63	.56	.56	.70	.88	1.00	1.77	.98	.53	.37	.49	.23	.00	17.05
(2)	1.74	3.55	2.28	.79	.63	.56	.56	.70	.88	1.00	1.77	.98	.53	.37	.49	.23	.00	17.05
3.1- 4.0	61	88	81	17	12	18	27	23	37	53	68	54	24	25	17	26	0	631
(1)	1.42	2.04	1.88	.39	.28	.42	.63	.53	.86	1.23	1.58	1.25	.56	.58	.39	.60	.00	14.66
(2)	1.42	2.04	1.88	.39	.28	.42	.63	.53	.86	1.23	1.58	1.25	.56	.58	.39	.60	.00	14.66
4.1- 5.0	72	119	55	26	13	25	24	24	21	38	60	67	21	28	35	47	0	675
(1)	1.67	2.76	1.28	.60	.30	.58	.56	.56	.49	.88	1.39	1.56	.49	.65	.81	1.09	.00	15.68
(2)	1.67	2.76	1.28	.60	.30	.58	.56	.56	.49	.88	1.39	1.56	.49	.65	.81	1.09	.00	15.68
5.1- 6.0	54	87	34	10	7	17	24	8	23	43	61	50	25	35	51	43	0	572
(1)	1.25	2.02	.79	.23	.16	.39	.56	.19	.53	1.00	1.42	1.16	.58	.81	1.18	1.00	.00	13.29
(2)	1.25	2.02	.79	.23	.16	.39	.56	.19	.53	1.00	1.42	1.16	.58	.81	1.18	1.00	.00	13.29
61-80	33	53	18	2	б	14	15	11	27	30	57	95	46	27	41	27	0	502

BBNPP

Meteorology

Table 2.3-56— {SSES 197' (60-m) 2001-2006 April JFD - continued} (Page 2 of 2)

				SSE	S APRIL	MET DA	la joint	FREQUE	NCY DIS	STRIBUTI	ON (60-i	METER TO	OWER)					
197.0) FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	QUENCY	(PERCEN	T = 100	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.77	1.23	.42	.05	.14	.33	.35	.26	.63	.70	1.32	2.21	1.07	.63	.95	.63	.00	11.66
(2)	.77	1.23	.42	.05	.14	.33	.35	.26	.63	.70	1.32	2.21	1.07	.63	.95	.63	.00	11.66
8.1-10.0	2	7	3	0	0	1	3	3	5	б	11	37	14	2	7	2	0	103
(1)	.05	.16	.07	.00	.00	.02	.07	.07	.12	.14	.26	.86	.33	.05	.16	.05	.00	2.39
(2)	.05	.16	.07	.00	.00	.02	.07	.07	.12	.14	.26	.86	.33	.05	.16	.05	.00	2.39
10.1-40.3	1	0	0	0	0	0	1	0	1	0	3	6	0	0	0	0	0	12
(1)	.02	.00	.00	.00	.00	.00	.02	.00	.02	.00	.07	.14	.00	.00	.00	.00	.00	.28
(2)	.02	.00	.00	.00	.00	.00	.02	.00	.02	.00	.07	.14	.00	.00	.00	.00	.00	.28
ALL SPEEDS	384	697	497	197	122	152	180	153	220	282	389	375	166	143	177	171	0	4305
(1)	8.92	16.19	11.54	4.58	2.83	3.53	4.18	3.55	5.11	6.55	9.04	8.71	3.86	3.32	4.11	3.97	.00	100.00
(2)	8.92	16.19	11.54	4.58	2.83	3.53	4.18	3.55	5.11	6.55	9.04	8.71	3.86	3.32	4.11	3.97	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Meteorology

Table 2.3-57--- {SSES 197' (60-m) 2001-2006 May JFD} (Page 1 of 2)

FSAR: Section 2.3

Meteorology

				SSI	ES MAY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	NETER TO	WER)					
197.0	0 FT WIN	ID DATA			STAE	BILITY CL	ASS A				c	LASS FRE	QUENC	Y (PERCE	NT) = 6	.47		
60550 V					-		W	IND DIRI	ECTION F	ROM	C 111						Voól	
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	2	22M	SW	wsw	w	WNW	NW	NNW	VKBL	TOTAL
LI.Z	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
5-10	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	- 1
(1)	ñ	ñ	ñ	ñ	ň	ñ	ő	ñ	37	ñ	00	00	00	00	00	00	ñ	37
(7)	.00	.00	.00	.00	.00	.00	00	.00	02	.00	.00	.00	.00	.00	00	.00	.00	.37
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.02
1.1- 1.5	0	0	0	3	0	0	0	0	0	1	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	1.12	.00	.00	.00	.00	.00	.37	.00	.00	.00	.00	.00	.00	.00	1.49
(2)	.00	.00	.00	.07	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.10
1.6- 2.0	0	1	2	4	1	2	1	0	1	2	3	0	1	0	1	0	0	19
(1)	.00	.37	.74	1.49	.37	.74	.37	.00	.37	.74	1.12	.00	.37	.00	.37	.00	.00	7.06
(2)	.00	.02	.05	.10	.02	.05	.02	.00	.02	.05	.07	.00	.02	.00	.02	.00	.00	.46
21.20	0	р	o	0	3	5	2	Л	5	٥	٥	2	0	0	0	1	٥	51
2.1- 3.0	00	Z 74	207	00	110	1 96	112	1 /0	1 86	335	2 35	Z 74	00	00	00	י 72	00	19.06
(1)	.00	.74	10	.00	07	1.00	07	10	1.00	2.22	2.22	./4	.00	.00	.00	.57	.00	1 7 2
(2)	.00	.05	.19	.00	.07	.12	.07	.10	.12	.22	.22	.00	.00	.00	.00	.02	.00	1.25
3.1- 4.0	0	3	6,	1	1	3	2	3	3	6	17	4	0	1	0	1	0	51
(1)	.00	1.12	2.23	.37	.37	1.12	.74	1.12	1.12	2.23	6.32	1.49	.00	.37	.00	.37	.00	18.96
(2)	.00	.07	.14	.02	.02	.07	.05	.07	.07	.14	.41	.10	.00	.02	.00	.02	.00	1.23
4.1- 5.0	4	4	1	1	1	0	1	4	7	6	14	6	0	1	1	0	0	51
(1)	1.49	1.49	.37	.37	.37	.00	.37	1.49	2.60	2.23	5.20	2.23	.00	.37	.37	.00	.00	18.96
(2)	.10	.10	.02	.02	.02	.00	.02	.10	.17	.14	.34	.14	.00	.02	.02	.00	.00	1.23
51-60	5	Л	0	2	٥	1	1	1	7	10	q	6	2	0	0	0	0	48
(1)	1.86	1 4 9	ň	74	őŐ	37	37	37	2 60	3 72	3 35	2 23	- 74	õõ	ñ	ň	ñ	17 84
(2)	.12	.10	.00	.05	.00	.02	.02	.02	.17	.24	.22	.14	.05	.00	.00	.00	.00	1.16
61-80	8	4	1	0	0	0	0	0	4	4	10	9	0	0	0	0	0	40

BBNPP

Rev. 2a

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD} (Page 2 of 2)

				SSE	ES MAY N	NET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIC	ON (60-N	METER TO	WER)					
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS A				C	LASS FRE		Y (PERCE	NT) = 6.	47		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	2.97	1.49	.37	.00	.00	.00	.00	.00	1.49	1.49	3.72	3.35	.00	.00	.00	.00	.00	14.87
(2)	.19	.10	.02	.00	.00	.00	.00	.00	.10	.10	.24	.22	.00	.00	.00	.00	.00	.96
8.1-10.0	3	0	0	. 0	0	0	0	0	0	0	0	1	0	0	0	0	0	4
(1)	1.12	.00	.00	.00	:00	.00	.00	.00	.00	.00	.00	.37	.00	.00	.00	.00	.00	1.49
(2)	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.10
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	20	18	18	11	6	11	8	12	28	38	62	28	3	2	2	2	0	269
(1)	7.43	6.69	6.69	4.09	2.23	4.09	2.97	4.46	10.41	14.13	23.05	10.41	1.12	.74	.74	.74	.00	100.00
(2)	.48	.43	.43	.26	.14	.26	.19	.29	.67	.91	1.49	.67	.07	.05	.05	.05	.00	6.47

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 1 of 2)

				SS	ES MAY M	NET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-ľ	METER TO	WER)					
197.	FT WIN	ID DATA			STAE	ILITY CL	ASS B				Ċ	LASS FRE		Y (PERCE	NT) = 3	.97		
							W	IND DIRE	ECTION	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.61	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.61
(2)	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
1. 1- 1.5	0	1	1	0	0	1	0	0	1	1	1	0	0	0	0	0	0	6
(1)	.00	.61	.61	.00	.00	.61	.00	.00	.61	.61	.61	.00	.00	.00	.00	.00	.00	3.64
(2)	.00	.02	.02	.00	.00	.02	.00	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.14
1.6- 2.0	0	2	4	3	0	0	0	0	1	2	1 ·	0	0	0	0	0	0	13
(1)	.00	1.21	2.42	1.82	.00	.00	.00	.00	.61	1.21	.61	.00	.00	.00	.00	.00	.00	7.88
(2)	.00	.05	.10	.07	.00	.00	.00	.00	.02	.05	.02	.00	.00	.00	.00	.00	.00	.31
2.1- 3.0	0	1	1	0	1	1	1	2	1	5	3	1	1	0	0	0	0	18
(1)	.00	.61	.61	.00	.61	.61	.61	1.21	.61	3.03	1.82	.61	.61	.00	.00	.00	.00	10.91
(2)	.00	.02	.02	.00	.02	.02	.02	.05	.02	.12	.07	.02	.02	.00	.00	.00	.00	.43
3.1- 4.0	0	4	3	1	4	1	1	1	1	1	1	3	0	0	2	0	0	23
(1)	.00	2.42	1.82	.61	2.42	.61	.61	.61	.61	.61	.61	1.82	.00	.00	1.21	.00	.00	13.94
(2)	.00	.10	.07	.02	.10	.02	.02	.02	.02	.02	.02	.07	.00	.00	.05	.00	.00	.55
4.1- 5.0	2	2	3	0	0	1	2	1	0	3	10	5	2	2	0	1	0	34
(1)	1.21	1.21	1.82	.00	.00	.61	1.21	.61	.00	1.82	6.06	3.03	1.21	1.21	.00	.61	.00	20.61
(2)	.05	.05	.07	.00	.00	.02	.05	.02	.00	.07	.24	.12	.05	.05	.00	.02	.00	.82
5.1- 6.0	5	1	2	1	1	0	2	2	1	1	8	5	0	2	1	3	0	35
(1)	3.03	.61	1.21	.61	.61	.00	1.21	1.21	.61	.61	4.85	3.03	.00	1.21	.61	1.82	.00	21.21
(2)	.12	.02	.05	.02	.02	.00	.05	.05	.02	.02	.19	.12	.00	.05	.02	.07	.00	.84
6.1- 8.0	6	2	0	0	2	0	0	0	1	0	8	7	0	0	0	3	0	29

BBNPP

Meteorology

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued	 }
(Page 2 of 2)	

				SSE	S MAY N	NET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIO	ON (60-N	AETER TO	WER)		÷			
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS B				c	LASS FRE	QUENC	Y (PERCE	NT) = 3.	97		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	3.64	1.21	.00	.00	1.21	.00	.00	.00	.61	.00	4.85	4.24	.00	.00	.00	1.82	.00	17.58
(2)	.14	.05	.00	.00	.05	.00	.00	.00	.02	.00	.19	.17	.00	.00	.00	.07	.00	.70
8.1-10.0	3	1	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	6
(1)	1.82	.61	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.21	.00	.00	.00	.00	.00	3.64
(2)	.07	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.14
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	16	14	14	5	9	4	6	6	6	13	32	23	3	4	3	7	0	165
(1)	9.70	8.48	8.48	3.03	5.45	2.42	3.64	3.64	3.64	7.88	19.39	13.94	1.82	2.42	1.82	4.24	.00	100.00
(2)	.39	.34	.34	.12	.22	.10	.14	.14	.14	.31	.77	.55	.07	.10	.07	.17	.00	3.97

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

197.0	D FT WIN	ID DATA		SS	ES MAY STAI	MET DAT BILITY CL	A JOINT ASS C	FREQUE	NCY DIS	TRIBUTI	ON (60-I (METER TO	OWER) EQUENC	Y (PERCE	NT) = 5.	.78		
							W	IND DIR	ECTION	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRRI	τοται
LT .2	0	0	0	0	0	0	0	0	0	0	0	- 0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00	00	ň	00	00	ň
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.42	.00	.00	.00	.00	.42	.00	.00	.00	.00	.00	.00	.00	.00	.83
(2)	.00	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.05
1.1- 1.5	0	2	0	1	1	0	0	1	0	0	0	0	0	0	0	1	0	6
(1)	.00	.83	.00	.42	.42	.00	.00	.42	.00	.00	.00	.00	.00	.00	.00	.42	.00	2.50
(2)	.00	.05	.00	.02	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02	.00	.14
1.6- 2.0	1	2	2	0	0	1	1	0	1	2	0	0	0	0	0	0	0	10
(1)	.42	.83	.83	.00	.00	.42	.42	.00	.42	.83	.00	.00	.00	.00	.00	.00	.00	4.17
(2)	.02	.05	.05	.00	.00	.02	.02	.00	.02	.05	.00	.00	.00	.00	.00	.00	.00	.24
2.1- 3.0	2	1	5	2	0	2	1 -	1	1	7	6	2	2	0	0	0	0	32
(1)	.83	.42	2.08	.83	.00	.83	.42	.42	.42	2.92	2.50	.83	.83	.00	.00	.00	.00	13.33
(2)	.05	.02	.12	.05	.00	.05	.02	.02	.02	.17	.14	.05	.05	.00	.00	.00	.00	.77
3.1- 4.0	3	3	4	0	3	2	0	0	2	7	11	3	1	0	2	0	0	41
(1)	1.25	1.25	1.67	.00	1.25	.83	.00	.00	.83	2.92	4.58	1.25	.42	.00	.83	.00	.00	17.08
(2)	.07	.07	.10	.00	.07	.05	.00	.00	.05	.17	.26	.07	.02	.00	.05	.00	.00	.99
4.1- 5.0	3	2	1	2	1	3	6	1	0	4	17	5	5	2	2	1	0	55
(1)	1.25	.83	.42	.83	.42	1.25	2.50	.42	.00	1.67	7.08	2.08	2.08	.83	.83	.42	.00	22.92
(2)	.07	.05	.02	.05	.02	.07	.14	.02	.00	.10	.41	.12	.12	.05	.05	.02	.00	1.32
5.1- 6.0	3	4	0	3	1	0	3	3	2	3	б	8	1	1	0	6	0	44
(1)	1.25	1.67	.00	1.25	.42	.00	1.25	1.25	.83	1.25	2.50	3.33	.42	.42	.00	2.50	.00	18.33
(2)	.07	.10	.00	.07	.02	.00	.07	.07	.05	.07	.14	.19	.02	.02	.00	.14	.00	1.06
6.1- 8.0	6	2	0	0	0	1	0	0	4	1	7	9	3	2	1	2	0	38

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 1 of 2)

FSAR: Section 2.3

Meteorology

Table 2.3-57--- {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 2 of 2)

197.0	SSES MAY MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS C CLASS FREQUENCY (PERCENT) = 5.78																	
							W	IND DIRE		ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	2.50	.83	.00	.00	.00	.42	.00	.00	1.67	.42	2.92	3.75	1.25	.83	.42	.83	.00	15.83
(2)	.14	.05	.00	.00	.00	.02	.00	.00	.10	.02	.17	.22	.07	.05	.02	.05	.00	.91
8.1-10.0	1	0	0	0	0	0	0	0	0	0	1	8	0	0	0	1	0	11
(1)	.42	.00	.00	.00	.00	.00	.00	.00	.00	.00	.42	3.33	.00	.00	.00	.42	.00	4.58
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.19	.00	.00	.00	.02	.00	.26
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.42	.00	.00	.00	.00	.00	.42
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
ALL SPEEDS	19	16	12	9	6	9	11	6	11	24	48	36	12	5	5	11	0	240
(1)	7.92	6.67	5.00	3.75	2.50	3.75	4.58	2.50	4.58	10.00	20.00	15.00	5.00	2.08	2.08	4.58	.00	100.00
(2)	.46	.39	.29	.22	.14	.22	.26	.14	.26	.58	1.16	.87	.29	.12	.12	.26	.00	5.78

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

	Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 1 of 2) SSES MAY MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS D CLASS FREQUENCY (PERCENT) = 39.16																	
107 0																		
127.0	CLA33 FREQUENCI (FERCENI) = 33.10																	
SPEED m/s	N	NNE	NE	ENE	F	ESE	SE	SSE	.c.ioi(i) c	wi22	SW	WSW	w	WNW	NIM	NNW	VPRI	τοται
	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0		0
(1)	00	ň	ň	ññ	00	ň	00	ň	00	ň	ň	00	00	ň	00	ň	00	ň
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	6	7	7	6	6	5	4	4	1	0	0	1	1	1	0	0	50
(1)	.06	.37	.43	.43	.37	.37	.31	.25	.25	.06	.00	.00	.06	.06	.06	.00	.00	3.07
(2)	.02	.14	.17	.17	.14	.14	.12	.10	.10	.02	.00	.00	.02	.02	.02	.00	.00	1.20
11-15	3	q	17	11	4	6	8	q	5	8	10	3	0	1	1	2	٥	97
· (1)	18	55	1 04	68	25	37	49	55	31	49	61	18	00	06	06	12	00	5.96
(2)	.07	.22	.41	.26	.10	.14	.19	.22	.12	.19	.24	.10	.00	.00	.00	.05	.00	2.33
1.6- 2.0	2	10	13	6	5	8	8	6	5	15	28	7	2	1	2	0	0	118
(1)	.12	.61	.80	.37	.31	.49	.49	.37	.31	.92	1.72	.43	.12	.06	.12	.00	.00	7.25
(2)	.05	.24	.31	.14	.12	.19	.19	.14	.12	.36	.67	.17	.05	.02	.05	.00	.00	2.84
2.1- 3.0	8	27	40	24	17	14	18	13	18	27	41	21	8	7	5	11	0	299
(1)	.49	1.66	2.46	1.48	1.04	.86	1.11	.80	1.11	1.66	2.52	1.29	.49	.43	.31	.68	.00	18.38
(2)	.19	.65	.96	.58	.41	.34	.43	.31	.43	.65	.99	.51	.19	.17	.12	.26	.00	7.20
31-40	22	23	27	20	14	11	16	20	10	17	39	15	q	11	Δ	12	٥	265
(1)	1 35	1 4 1	1.66	1 23	86	68	98	1 23	61	74	240	92	55	68		74	ň	16 29
(2)	.53	.55	.65	.48	.34	.26	.39	.48	.24	.29	.94	.36	.22	.26	.10	.29	.00	6.38
.,																		
4.1- 5.0	29	26	19	11	9	14	13	12	15	15	26	34	16	14	21	24	0	298
(1)	1.78	1.60	1.17	.68	.55	.86	.80	.74	.92	.92	1.60	2.09	.98	.86	1.29	1.48	.00	18.32
(2)	.70	.63	.46	.26	.22	.34	.31	.29	.36	.36	.63	.82	.39	.34	.51	.58	.00	7.17
5.1- 6.0	24	30	6	2	4	9	9	12	10	10	26	32	19	12	12	20	0	237
(1)	1.48	1.84	.37	.12	.25	.55	.55	.74	.61	.61	1.60	1.97	1.17	.74	.74	1.23	.00	14.57
(2)	.58	.72	.14	.05	.10	.22	.22	.29	.24	.24	.63	.77	.46	.29	.29	.48	.00	5.70
6.1- 8.0	15	20	0	1	12	11	1	2	11	7	15	51	24	13	10	8	0	201

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 2 of 2)

				SSE	S MAY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	IETER TO	WER)							
197.0 FT WIND DATA STABILITY CLASS								CLASS FREQUENCY (PERCENT) = 39.16												
							W	IND DIRE	CTION F	ROM										
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL		
(1)	.92	1.23	.00	.06	.74	.68	.06	.12	.68	.43	. 9 2	3.13	1.48	.80	.61	.49	.00	12.35		
(2)	.36	.48	.00	.02	.29	.26	.02	.05	.26	.17	.36	1.23	.58	.31	.24	.19	.00	4.84		
8.1-10.0	0	0	0	1	3	3	0	1	5	2	8	16	11	7	0	0	0	57		
(1)	.00	.00	.00	.06	.18	.18	.00	.06	.31	.12	.49	.98	.68	.43	.00	.00	.00	3.50		
(2)	.00	.00	.00	.02	.07	.07	.00	.02	.12	.05	.19	.39	.26	.17	.00	.00	.00	1.37		
10.1-40.3	0	0	0	0	1	1	0	0	0	0	0	2	1	0	0	0	0	5		
(1)	.00	.00	.00	.00	.06	.06	.00	.00	.00	.00	.00	.12	.06	.00	.00	.00	.00	.31		
(2)	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.05	.02	.00	.00	.00	.00	.12		
ALL SPEEDS	104	151	129	83	75	83	78	79	83	97	193	181	91	67	56	77	0	1627		
(1)	6.39	9.28	7.93	5.10	4.61	5.10	4.79	4.86	5.10	5.96	11.86	11.12	5.59	4.12	3.44	4.73	.00	100.00		
(2)	2.50	3.63	3.10	2.00	1.81	2.00	1.88	1.90	2.00	2.33	4.65	4.36	2.19	1.61	1.35	1.85	.00	39.16		

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 1 of 2)

197 () FT WIN	ΔΤΔΟ ΟΙ		SSES MAY MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) STABILITY CLASS E CLASS FREQUENCY (PERCENT) = 26.23														
127.5		DAIA			JIAL		735 E W						QUENC	I (FERCEI	11) - 20	.23		
SPEED m/s	N	NNE	NF	ENE	F	ESE	SE	SSE	s	SSW	SW/	wsw	w	WNW	NIM	NINIW	VPRI	τοται
	0	0	0	0	0	0	0	0	0	0	0	0	••• 0		0			
(1)	00	00	ň	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
(7)	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
5-10	5	12	31	10	23	12	10	6	5	13	6	3	1	0	1	0	0	147
(1)	46	1 10	2.84	1 74	2.5	1 10	97	55	46	1 19	55	28	 	00	1	00	. 00	13/0
(7)	.40	29	75	46	55	29	.52	14	0	31	14	.20	.09	.00	.05	.00	.00	3.49
(_)	.12	.25	.75	.10		.23	.2 1	•17	.12	.51		.07	.02	.00	.02	.00	.00	5.54
1.1- 1.5	6	24	31	12	10	6	8	10	8	11	9	4	0	3	0	4	0	146
(1)	.55	2.20	2.84	1.10	.92	.55	.73	.92	.73	1.01	.83	.37	.00	.28	.00	.37	.00	13.39
(2)	.14	.58	.75	.29	.24	.14	.19	.24	.19	.26	.22	.10	.00	.07	.00	.10	.00	3.51
1.6- 2.0	11	35	15	11	5	9	2	8	4	12	9	5	4	2	2	0	0	134
(1)	1.01	3.21	1.38	1.01	.46	.83	.18	.73	.37	1.10	.83	.46	.37	.18	.18	.00	.00	12.29
(2)	.26	.84	.36	.26	.12	.22	.05	.19	.10	.29	.22	.12	.10	.05	.05	.00	.00	3.23
21-30	26	43	21	21	8	17	7	16	1/1	77	20	14	6	2	4	Л	٥	265
(1)	20	3 94	2.84	1 93	73	1 10	64	147	1 78	27	29	1 28	55	20	++ 37	37	00	203
(7)	63	1.03	75	51	19	29	.04 17	39	34	65	2.00	34	14	.20	.57	.57	.00	638
(2)	.05	1.00			.12	.2.7	,			.05	.70	.54	.14	.07	.10	.10	.00	0.58
3.1- 4.0	8	20	20	10	9	2	9	11	21	27	21	12	2	2	4	7	0	185
(1)	.73	1.83	1.83	.92	.83	.18	.83	1.01	1.93	2.48	1.93	1.10	.18	.18	.37	.64	.00	16.97
(2)	.19	.48	.48	.24	.22	.05	.22	.26	.51	.65	.51	.29	.05	.05	.10	.17	.00	4.45
4.1- 5.0	8	8	9	5	8	4	7	5	9	12	14	14	4	3	4	9	0	123
(1)	.73	.73	.83	.46	.73	.37	.64	.46	.83	1.10	1.28	1.28	.37	.28	.37	.83	.00	11.28
(2)	.19	.19	.22	.12	.19	.10	.17	.12	.22	.29	.34	.34	.10	.07	.10	.22	.00	2.96
51-60	1	2	3	0	0	0	2	2	8	7	8	9	2	1	7	2	0	55
(1)	.09	.18	.28	.00	.00	.00	.18	.18	.73	.64	73	83	18	09	, 64	28	ň	5.05
(2)	.02	.05	.07	.00	.00	.00	.05	.05	.19	.17	.19	.22	.05	.02	.17	.20	.00	1.32
61-80	0	3	0	0	1	4	1	0	6	6	7	6	2	0	1	0	0	22
0.1 0.0	0	5	0	•	•	-		~			4	0	~	0		0	0	77

.

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 2 of 2)

				SSE	S MAY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIC	DN (60-M	METER TO	WER)						
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS E			CLASS FREQUENCY (PERCENT) = 26.23									
							W	IND DIRE	CTION	ROM									
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL	
(1)	.00	.28	.00	.00	.09	.37	.09	.00	.55	.55	.18	.55	.18	.00	.09	.00	.00	2.94	
(2)	.00	.07	.00	.00	.02	.10	.02	.00	.14	.14	.05	.14	.05	.00	.02	.00	.00	.77	
8.1-10.0	0	0	0	0	0	0	0	0	1	0	0	1 -	0	0	0	0	0	2	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.09	.00	.00	.00	.00	.00	.18	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.02	.00	.00	.00	.00	.00	.05	
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
ALL SPEEDS	65	147	140	78	64	49	47	58	76	115	98	68	21	14	23	27	0	1090	
(1)	5.96	13.49	12.84	7.16	5.87	4.50	4.31	5.32	6.97	10.55	8.99	6.24	1.93	1.28	2.11	2.48	.00	100.00	
(2)	1.56	3.54	3.37	1.88	1.54	1.18	1.13	1.40	1.83	2.77	2.36	1.64	.51	.34	.55	.65	.00	26.23	

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a
				Table 2	2.3-57–	– {SSES	5 197' (6	5 0-m) 2 (Page	2 001-20 1 of 2)	006 Ma	y JFD -	continu	ied}					
				SSI	ES MAY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	WER)					
197.0	D FT WIN	ND DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 11	.72		
							W	IND DIR	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0 ·	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	2	5	13	11	11	10	15	5	2	2	2	1	1	1	0	1	0	82
(1)	.41	1.03	2.67	2.26	2.26	2.05	3.08	1.03	.41	.41	.41	.21	.21	.21	.00	.21	.00	16.84
(2)	.05	.12	.31	.26	.26	.24	.36	.12	.05	.05	.05	.02	.02	.02	.00	.02	.00	1.97
1.1- 1.5	7	22	31	10	4 ·	6	9	5	6	1	4	0	1	0	3	0	0	109
(1)	1.44	4.52	6.37	2.05	.82	1.23	1.85	1.03	1.23	.21	.82	.00	.21	.00	.62	.00	.00	22.38
(2)	.17	.53	.75	.24	.10	.14	.22	.12	.14	.02	.10	.00	.02	.00	.07	.00	.00	2.62
1.6- 2.0	9	38	25	3	6	4	1	0	2	5	11	1	2	1	0	0	0	108
(1)	1.85	7.80	5.13	.62	1.23	.82	.21	.00	.41	1.03	2.26	.21	.41	.21	.00	.00	.00	22.18
(2)	.22	.91	.60	.07	.14	.10	.02	.00	.05	.12	.26	.02	.05	.02	.00	.00	.00	2.60
2.1- 3.0	14	61	16	1	2	2	1	4	5	8	7	1	1	0	1	4	0	128
(1)	2.87	12.53	3.29	.21	.41	.41	.21	.82	1.03	1.64	1.44	.21	.21	.00	.21	.82	.00	26.28
(2)	.34	1.47	.39	.02	.05	.05	.02	.10	.12	.19	.17	.02	.02	.00	.02	.10	.00	3.08
3.1- 4.0	5	14	0	0	1	0	0	2	3	1	9	5	1	0	1	1	0	43
(1)	1.03	2.87	.00	.00	.21	.00	.00	.41	.62	.21	1.85	1.03	.21	.00	.21	.21	.00	8.83
(2)	.12	.34	.00	.00	.02	.00	.00	.05	.07	.02	.22	.12	.02	.00	.02	.02	.00	1.03
4.1- 5.0	1	0	1	0	0	0	0	0	0	0	1	3	0	0	0	1	0	7
(1)	.21	.00	.21	.00	.00	.00	.00	.00	.00	.00	.21	.62	.00	.00	.00	.21	.00	1.44
(2)	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02	.07	.00	.00	.00	.02	.00	.17
5.1-6.0	1	0	0	0	1	0	0	0	0	0	0	7	0	0	0	0	0	9
(1)	.21	.00	.00	.00	.21	.00	.00	.00	.00	.00	.00	1.44	.00	.00	.00	.00	.00	1.85
(2)	.02	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.17	.00	.00	.00	.00	.00	.22
6.1- 8.0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

Rev. 2a

Meteorology

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 2 of 2)

				SSI	ES MAY M	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-M	AETER TO	WER)					
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	VT) = 11	.72		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	wsw	W	WNW	NW	NNW	VRBL	TOTAL
· (1)	.21	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.21
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	40	140	86	25	25	22	26	16	18	17	34	18	6	2	5	7	0	487
(1)	8.21	28.75	17.66	5.13	5.13	4.52	5.34	3.29	3.70	3.49	6.98	3.70	1.23	.41	1.03	1.44	.00	100.00
(2)	.96	3.37	2.07	.60	.60	.53	.63	.39	.43	.41	.82	.43	.14	.05	.12	.17	.00	11.72

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 1 of 2)

				SSI	ES MAY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-M	NETER TO	WER)					
197.0	D FT WIN	ID DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 6.	.67		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	4	8	3	3	2	4	0	0	0	0	0	0	0	0	0	0	24
(1)	.00	1.44	2.89	1.08	1.08	.72	1.44	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	8.66
(2)	.00	.10	.19	.07	.07	.05	.10	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.58
1.1- 1.5	3	8	25	9	4	4	5	4	1	1	0	. 0	0	0	0	0	0	64
(1)	1.08	2.89	9.03	3.25	1.44	1.44	1.81	1.44	.36	.36	.00	.00	.00	.00	.00	.00	.00	23.10
(2)	.07	.19	.60	.22	.10	.10	.12	.10	.02	.02	.00	.00	.00	.00	.00	.00	.00	1.54
1.6- 2.0	3	41	16	3	0	1	0	0	5	3	2	0	1	0	0	0	0	75
(1)	1.08	14.80	5.78	1.08	.00	.36	.00	.00	1.81	1.08	.72	.00	.36	.00	.00	.00	.00	27.08
(2)	.07	.99	.39	.07	.00	.02	.00	.00	.12	.07	.05	.00	.02	.00	.00	.00	.00	1.81
2.1- 3.0	5	39	18	1	0	3	0	3	2	3	9	1	0	1	1	4	0	90
(1)	1.81	14.08	6.50	.36	.00	1.08	.00	1.08	.72	1.08	3.25	.36	.00	.36	.36	1.44	.00	32.49
(2)	.12	.94	.43	.02	.00	.07	.00	.07	.05	.07	.22	.02	.00	.02	.02	.10	.00	2.17
3.1- 4.0	1	6	2	0	0	0	1	0	0	2	5	2	0	0	0	1	0	20
(1)	.36	2.17	.72	.00	.00	.00	.36	.00	.00	.72	1.81	.72	.00	.00	.00	.36	.00	7.22
(2)	.02	.14	.05	.00	.00	.00	.02	.00	.00	.05	.12	.05	.00	.00	.00	.02	.00	.48
4.1- 5.0	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3
(1)	.72	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.36	.00	.00	.00	.00	.00	1.08
(2)	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.07
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.36	.00	.00	.00	.00	.00	.36
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

.

BBNPP

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 2 of 2)

				SSE	ES MAY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIC	DN (60-M	METER TO	WER)					
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS G				C	LASS FRE		Y (PERCE	NT) = 6.	67		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	.0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	14	98	69	16	7	10	10	7	8	9	16	5	1	1	1	5	0	277
(1)	5.05	35.38	24.91	5.78	2.53	3.61	3.61	2.53	2.89	3.25	5.78	1.81	.36	.36	.36	1.81	.00	100.00
(2)	.34	2.36	1.66	.39	.17	.24	.24	.17	.19	.22	.39	.12	.02	.02	.02	.12	.00	6.67

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 1 of 2)

					SSE	ES MAY N	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-M	AETER TO	WER)					
	197.0) FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	UENCI	(PERCEN	T) = 100	0.00		
								W	IND DIR	ECTION I	FROM								
. +	SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
	LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	.24	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(1)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
	(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
	.5- 1.0	8	27	59	41	44	30	34	15	13	16	8	4	3	2	2	1	0	307
	(1)	.19	.65	1.42	.99	1.06	.72	.82	.36	.31	.39	.19	.10	.07	.05	.05	.02	.00	7.39
	(2)	.19	.65	1.42	.99	1.06	.72	.82	.36	.31	.39	.19	.10	.07	.05	.05	.02	.00	7.39
	1.1- 1.5	19	66	105	46	23	23	30	29	21	23	24	7	1	4	4	7	0	432
	(1)	.46	1.59	2.53	1.11	.55	.55	.72	.70	.51	.55	.58	.17	.02	.10	.10	.17	.00	10.40
	(2)	.46	1.59	2.53	1.11	.55	.55	.72	.70	.51	.55	.58	.17	.02	.10	.10	.17	.00	10.40
	1.6- 2.0	26	129	77	30	17	25	13	14	19	41	54	13	10	4	5	0	0	477
	(1)	.63	3.10	1.85	.72	.41	.60	.31	.34	.46	.99	1.30	.31	.24	.10	.12	.00	.00	11.48
	(2)	.63	3.10	1.85	.72	.41	.60	.31	.34	.46	.99	1.30	.31	.24	.10	.12	.00	.00	11.48
	2.1- 3.0	55	174	119	49	31	39	31	43	46	86	104	42	18	11	11	24	0	883
	(1)	1.32	4.19	2.86	1.18	.75	.94	.75	1.03	1.11	2.07	2.50	1.01	.43	.26	.26	.58	.00	21.25
	(2)	1.32	4.19	2.86	1.18	.75	.94	.75	1.03	1.11	2.07	2.50	1.01	.43	.26	.26	.58	.00	21.25
	3.1- 4.0	39	73	62	32	32	19	29	37	40	56	103	44	13	14	13	22	0	628
	(1)	.94	1.76	1.49	.77	.77	.46	.70	.89	.96	1.35	2.48	1.06	.31	.34	.31	.53	.00	15.11
	(2)	.94	1.76	1.49	.77	.77	.46	.70	.89	.96	1.35	2.48	1.06	.31	.34	.31	.53	.00	15.11
	4.1- 5.0	49	42	34	19	19	22	29	23	31	40	82	68	27	22	28	36	0	571
	(1)	1.18	1.01	.82	.46	.46	.53	.70	.55	.75	.96	1.97	1.64	.65	.53	.67	.87	.00	13.74
	(2)	1.18	1.01	.82	.46	.46	.53	.70	.55	.75	.96	1.97	1.64	.65	.53	.67	.87	.00	13.74
	5.1- 6.0	39	41	11	8	7	10	17	20	28	31	57	68	24	16	20	32	0	429
	(1)	.94	.99	.26	.19	.17	.24	.41	.48	.67	.75	1.37	1.64	.58	.39	.48	.77	.00	10.32
	(2)	.94	.99	.26	.19	.17	.24	.41	.48	.67	.75	1.37	1.64	.58	.39	.48	.77	.00	10.32
	6.1- 8.0	36	31	1	1	15	16	2	2	26	18	42	82	29	15	12	13	0	341

Table 2.3-57— {SSES 197' (60-m) 2001-2006 May JFD - continued} (Page 2 of 2)

				SSI	ES MAY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	NETER TO	OWER)					
197.0	FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FRE	QUENC	(PERCEN	IT) = 100	0.00		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.87	.75	.02	.02	.36	.39	.05	.05	.63	.43	1.01	1.97	.70	.36	.29	.31	.00	8.21
(2)	.87	.75	.02	.02	.36	.39	.05	.05	.63	.43	1.01	1.97	.70	.36	.29	.31	.00	8.21
8.1-10.0	7	1	0	1	3	3	0	1	6	2	9	28	11	· 7	0	1	0	80
(1)	.17	.02	.00	.02	.07	.07	.00	.02	.14	.05	.22	.67	.26	.17	.00	.02	.00	1.93
(2)	.17	.02	.00	.02	.07	.07	.00	.02	.14	.05	.22	.67	.26	.17	.00	.02	.00	1.93
10.1-40.3	0	0	0	0	1	1	0	0	0	0	0	3	1	0	0	0	0	6
(1)	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.07	.02	.00	.00	.00	.00	.14
(2)	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.07	.02	.00	.00	.00	.00	.14
ALL SPEEDS	278	584	468	227	192	188	186	184	230	313	483	359	137	95	95	136	0	4155
(1)	6.69	14.06	11.26	5.46	4.62	4.52	4.48	4.43	5.54	7.53	11.62	8.64	3.30	2.29	2.29	3.27	.00	100.00
(2)	6.69	14.06	11.26	5.46	4.62	4.52	4.48	4.43	5.54	7.53	11.62	8.64	3.30	2.29	2.29	3.27	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

÷.

BBNPP

Rev. 2a

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD} (Page 1 of 2)

					SSE	S JUNE	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-M	NETER TC	WER)					
	197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS A				C	LASS FRE	QUENC	Y (PERCE	NT) = 5.	.52		
						_		W	IND DIRI	ECTION F	ROM								
SPEED	m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LI	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1	.0	0	0	1	0	1	1	2	0	0	0	0	0	0	0	0	0	0	5
(1)		.00	.00	.49	.00	.49	.49	.99	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.46
(2)		.00	.00	.03	.00	.03	.03	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14
1 1- 1	5	0	0	0	1	1	1	2	٥	з	4	1	0	0	0	0	0	٥	13
(1)		ň	ň	00	49	49	49	99	ň	1 4 8	1 97	49	ň	00	ň	00	00	00	6.40
(7)		.00	.00	00	03	03	03	05	.00	08	11	 03	.00	.00	.00	.00	.00	.00	35
(2)		.00	.00	.00	.05	.05	.05	.05	.00	.00		.00	.00	.00	.00	.00	.00	.00	
1.6- 2	2.0	1	0	1	1	1	0	5	2	1	3	1	1	0	0	0	0	0	17
(1)		.49	.00	.49	.49	.49	.00	2.46	.99	.49	1.48	.49	.49	.00	.00	.00	.00	.00	8.37
(2)		.03	.00	.03	.03	.03	.00	.14	.05	.03	.08	.03	.03	.00	.00	.00	.00	.00	.46
2.1- 3	.0	1	4	5	1	1	3	3	1	0	1	5	3	1	0	0	0	0	29
(1)		.49	1.97	2.46	.49	.49	1.48	1.48	.49	.00	.49	2.46	1.48	.49	.00	.00	.00	.00	14.29
(2)		.03	.11	.14	.03	.03	.08	.08	.03	.00	.03	.14	.08	.03	.00	.00	.00	.00	.79
3.1- 4	.0	0	5	5	0	1	0	2	0	0	1	10	5	0	0	0	0	0	29
(1)		.00	2.46	2.46	.00	.49	.00	.99	.00	.00	.49	4.93	2.46	.00	.00	.00	.00	.00	14.29
(2)		.00	.14	.14	.00	.03	.00	.05	.00	.00	.03	.27	.14	.00	.00	.00	.00	.00	.79
4.1- 5	i.0	0	3	0	0	0	0	5	2	0	1	23	8	0	1	2	0	0	45
(1)		.00	1.48	.00	.00	.00	.00	2.46	.99	.00	.49	11.33	3.94	.00	.49	.99	.00	.00	22.17
(2)		.00	.08	.00	.00	.00	.00	.14	.05	.00	.03	.63	.22	.00	.03	.05	.00	.00	1.22
5 1 - 6	0	0	٥	0	0	0	Ο	2	0	0	з	27	14	0	0	1	0	0	48
(1)		ň	ñ	ñ	ñ	ŏ	ñ	1 48	00	00	1 48	13 30	6 90	ň	ň	49	ň	00	23 65
(2)		.00	.00	.00	.00	.00	.00	.08	.00	.00	.08	.73	.38	.00	.00	.03	.00	.00	1.31
6 1- ۶	0	0	0	0	0	0	0	0	0	0	2	6	6	0	0	1	1	0	16

Rev. 2a

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD} (Page 2 of 2)

				SSE	S JUNE I	MET DAT	TA JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	NETER TO)WER)					
197.0	FT WIN	ID DATA			STAB	BILITY CL	ASS A				C	LASS FRE	QUENC	Y (PERCE	NT) = 5.	52		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.99	2.96	2.96	.00	.00	.49	.49	.00	7.88
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.16	.16	.00	.00	.03	.03	.00	.44
8.1-10.0	0	0	0	0	0	0	· 0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.49	.00	.00	.00	.00	.00	.00	.49
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.03
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	2	12	12	3	5	5	22	5	4	15	74	37	1	1	4	1	0	203
(1)	.99	5.91	5.91	1.48	2.46	2.46	10.84	2.46	1.97	7.39	36.45	18.23	.49	.49	1.97	.49	.00	100.00
(2)	.05	.33	.33	.08	.14	.14	.60	.14	.11	.41	2.01	1.01	.03	.03	.11	.03	.00	5.52

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 1 of 2)

				SSE	S JUNE	MET DA1	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	NETER TO	OWER)					
197.	0 FT WIN	ID DATA			STAE	BILITY CL	ASS B				c	LASS FRE	EQUENC	Y (PERCE	NT) = 4.	71		
							w	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	2	0	0	1	0	0	1	0	0	0	0	0	0	0	5
(1)	.00	.00	.58	1.16	.00	.00	.58	.00	.00	.58	.00	.00	.00	.00	.00	.00	.00	2.89
(2)	.00	.00	.03	.05	.00	.00	.03	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.14
1.1- 1.5	0	1	1	1	1	2	0	0	· 1	1	1	1	0	0	0	0	0	10
(1)	.00	.58	.58	.58	.58	1.16	.00	.00	.58	.58	.58	.58	.00	.00	.00	.00	.00	5.78
(2)	.00	.03	.03	.03	.03	.05	.00	.00	.03	.03	.03	.03	.00	.00	.00	.00	.00	.27
1.6- 2.0	0	2	4	0	0	2	0	0	0	1	1	0	0	0	1	0	0	11
(1)	.00	1.16	2.31	.00	.00	1.16	.00	.00	.00	.58	.58	.00	.00	.00	.58	.00	.00	6.36
(2)	.00	.05	.11	.00	.00	.05	.00	.00	.00	.03	.03	.00	.00	.00	.03	.00	.00	.30
2.1- 3.0	2	7	4	1	0	0	3	1	1	0	5	1	0	0	0	0	0	25
(1)	1.16	4.05	2.31	.58	.00	.00	1.73	.58	.58	.00	2.89	.58	.00	.00	.00	.00	.00	14.45
(2)	.05	.19	.11	.03	.00	.00	.08	.03	.03	.00	.14	.03	.00	.00	.00	.00	.00	.68
3.1- 4.0	3	6	3	2	0	0	3	0	0	3	12	3	1	0	0	0	0	36
(1)	1.73	3.47	1.73	1.16	.00	.00	1.73	.00	.00	1.73	6.94	1.73	.58	.00	.00	.00	.00	20.81
(2)	.08	.16	.08	.05	.00	.00	.08	.00	.00	.08	.33	.08	.03	.00	.00	.00	.00	.98
4.1- 5.0	0	1	0	0	0	0	1	1	2	0	22	5	4	0	2	1	0	39
(1)	.00	.58	.00	.00	.00	.00	.58	.58	1.16	.00	12.72	2.89	2.31	.00	1.16	.58	.00	22.54
(2)	.00	.03	.00	.00	.00	.00	.03	.03	.05	.00	.60	.14	.11	.00	.05	.03	.00	1.06
5.1- 6.0	2	0	0	0	0	0	0	0	0	2	17	7	1	0	0	2	0	31
(1)	1.16	.00	.00	.00	.00	.00	.00	.00	.00	1.16	9.83	4.05	.58	.00	.00	1.16	.00	17.92
(2)	.05	.00	.00	.00	.00.	.00	.00	.00	.00	.05	.46	.19	.03	.00	.00	.05	.00	.84
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	5	6	2	0	0	1	0	14

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 2 of 2)

				SSE	S JUNE I	MET DAT	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	NETER TO	WER)					
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS B				С	LASS FRE	QUENC	Y (PERCE	NT) = 4.	.71		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.89	3.47	1.16	.00	.00	.58	.00	8.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14	.16	.05	.00	.00	.03	.00	.38
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.58	.58	.00	.00	.00	.00	.00	1.16
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.03	.00	.00	.00	.00	.00	.05
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	7	17	13	6	1	4	8	2	4	8	64	24	8	0	3	4	0	173
(1)	4.05	9.83	7.51	3.47	.58	2.31	4.62	1.16	2.31	4.62	36.99	13.87	4.62	.00	1.73	2.31	.00	100.00
(2)	.19	.46	.35	.16	.03	.11	.22	.05	.11	.22	1.74	.65	.22	.00	.08	.11	.00	4.71

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Rev. 2a

								(i uge	1012)									
197.0) FT WIN	ID DATA		SSE	S JUNE I STAB	MET DAT BILITY CL	A JOINT ASS C	FREQUE	NCY DIS	TRIBUTI	ON (60-I C	METER TO	OWER) EQUENC	Y (PERCE	NT) = 5.	66		
							w		CTION F	ROM				•				
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBI	ΤΟΤΑΙ
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	00	.00	.00	.00	00	00	00	00	00	00	ñ	ñ	ň	ň	ñ	ň	00
(7)	.00	00	.00	00	.00	00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(_)		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00	ñ	ñ
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00	00	.00	00
(=)						.00		.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	0	2	0	0	0	0	1	1	0	0	0	0	0	0	5
(1)	.00	.00	.48	.00	.96	.00	.00	.00	.00	.48	.48	.00	.00	.00	.00	.00	.00	2.40
(2)	.00	.00	.03	.00	.05	.00	.00	.00	.00	.03	.03	.00	.00	.00	.00	.00	.00	.14
1.1- 1.5	0	1	0	2	1	2	0	1	1	1	0	0	0	0	0	0	0	9
(1)	.00	.48	.00	.96	.48	.96	.00	.48	.48	.48	.00	.00	.00	.00	.00	.00	.00	4.33
(2)	.00	.03	.00	.05	.03	.05	.00	.03	.03	.03	.00	.00	.00	.00	.00	.00	.00	.24
1.6- 2.0	1	2	2	1	1	1	0	0	2	1	1	1	0	0	0	1	0	14
(1)	.48	.96	.96	.48	.48	.48	.00	.00	.96	.48	.48	.48 -	.00	.00	.00	.48	.00	6.73
(2)	.03	.05	.05	.03	.03	.03	.00	.00	.05	.03	.03	.03	.00	.00	.00	.03	.00	.38
2.1- 3.0	4	9	3	4	0	1	2	0	3	5	6	2	1	2	0	4	0	46
(1)	1.92	4.33	1.44	1.92	.00	.48	.96	.00	1.44	2.40	2.88	.96	.48	.96	.00	1.92	.00	22.12
(2)	.11	.24	.08	.11	.00	.03	.05	.00	.08	.14	.16	.05	.03	.05	.00	.11	.00	1.25
3.1- 4.0	2	1	2	0	0	0	0	0	0	7	12	6	1	0	3	2	0	36
(1)	.96	.48	.96	.00	.00	.00	.00	.00	.00	3.37	5.77	2.88	.48	.00	1.44	.96	.00	17.31
(2)	.05	.03	.05	.00	.00	.00	.00	.00	.00	.19	.33	.16	.03	.00	.08	.05	.00	.98
4.1- 5.0	1	0	1	0	0	2	0	0	0	0	20	5	1	0	2	3	0	35
(1)	.48	.00	.48	.00	.00	.96	.00	.00	.00	.00	9.62	2.40	.48	.00	.96	1.44	.00	16.83
(2)	.03	00	.03	.00	.00	.05	.00	.00	.00	.00	.54	.14	.03	.00	.05	.08	.00	.95
5.1- 6.0	0	0	0	0	0	0	0	1	1	1	10	10	3	0	2	3	0	31
(1)	.00	.00	.00	.00	.00	.00	.00	.48	.48	.48	4.81	4.81	1.44	.00	.96	1.44	.00	14.90
(2)	.00	.00	.00	.00	.00	.00	.00	.03	.03	.03	.27	.27	.08	.00	.05	.08	.00	.84
6.1- 8.0	0	0	0	0	0	0	0	0	0	2	5	14	1	1	6	2	0	31

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 1 of 2)

Rev. 2a

Meteorology

			·	Table 2	.3-58–	- {SSES	197' (6	i0-m) 2 (Page	001-20 2 of 2)	06 Jun	e JFD -	continu	ued}					
				SSE	S JUNE	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	OWER)					
197.0) FT WIN	D DATA		•	STAE	SILITY CL	ASS C				c	LASS FRI	QUENC	Y (PERCE	NT) = 5.	66		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	SPEED m/s N NNE NE ENE E ESE SE SSW SW WSW W NNW NNW VRBL TOTA (1) .00 .00 .00 .00 .00 .00 .96 2.40 6.73 .48 .48 2.88 .96 .00 14.9°														TOTAL			
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.96	2.40	6.73	.48	.48	2.88	.96	.00	14.90
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.14	.38	.03	.03	.16	.05	.00	.84
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.48	.00	.00	.00	.00	.00	.00	.48
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.03
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	8	13	9	7	4	6	2	2	7	18	56	38	7	3	13	15	0	208
(1)	3.85	6.25	4.33	3.37	1.92	2.88	.96	.96	3.37	8.65	26.92	18.27	3.37	1.44	6.25	7.21	.00	100.00
(2)	.22	.35	.24	.19	.11	.16	.05	.05	.19	.49	1.52	1.03	.19	.08	.35	.41	.00	5.66

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 1 of 2)

197.	0 FT WIN	D DATA		SSE	S JUNE I STAB	MET DAT	A JOINT ASS D	FREQUE	NCY DIS	TRIBUTI	ON (60-I C	METER TO	OWER) QUENC	Y (PERCEI	NT) = 36	.40		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	10	18	16	9	9	8	7	9	2	5	2	0	0	1	1	0	97
(1)	.00	.75	1.35	1.20	.67	.67	.60	.52	.67	.15	.37	.15	.00	.00	.07	.07	.00	7.25
(2)	.00	.27	.49	.44	.24	.24	.22	.19	.24	.05	.14	.05	.00	.00	.03	.03	.00	2.64
1.1- 1.5	5	12	22	18	5	5	6	6	9	16	20	6	0	0	0	2	0	132
(1)	.37	.90	1.64	1.35	.37	.37	.45	.45	.67	1.20	1.49	.45	.00	.00	.00	.15	.00	9.87
(2)	.14	.33	.60	.49	.14	.14	.16	.16	.24	.44	.54	.16	.00	.00	.00	.05	.00	3.59
1.6- 2.0	9	12	20	11	б	6	7	2	11	22	28	14	2	0	0	1	0	151
(1)	.67	.90	1.49	.82	.45	.45	.52	.15	.82	1.64	2.09	1.05	.15	.00	.00	.07	.00	11.29
(2)	.24	.33	.54	.30	.16	.16	.19	.05	.30	.60	.76	.38	.05	.00	.00	.03	.00	4.11
2.1- 3.0	26	30	21	11	21	9	15	11	9	36	70	14	4	7	9	11	0	304
(1)	1.94	2.24	1.57	.82	1.57	.67	1.12	.82	.67	2.69	5.23	1.05	.30	.52	.67	.82	.00	22.72
(2)	.71	.82	.57	.30	.57	.24	.41	.30	.24	.98	1.90	.38	.11	.19	.24	.30	.00	8.27
3.1- 4.0	12	20	18	4	3	3	14	13	3	14	40	31	7	7	19	12	0	220
(1)	.90	1.49	1.35	.30	.22	.22	1.05	.97	.22	1.05	2.99	2.32	.52	.52	1.42	.90	.00	16.44
(2)	.33	.54	.49	.11	.08	.08	.38	.35	.08	.38	1.09	.84	.19	.19	.52	.33	.00	5.98
4.1- 5.0	7	23	16	0	4	3	6	9	19	9	59	25	12	5	23	17	0	237
(1)	.52	1.72	1.20	.00	.30	.22	.45	.67	1.42	.67	4.41	1.87	.90	.37	1.72	1.27	.00	17.71
(2)	.19	.63	.44	.00	.11	.08	.16	.24	.52	.24	1.61	.68	.33	.14	.63	.46	.00	6.45
5.1- 6.0	2	13	3	0	1	2	3	5	10	11	25	28	5	1	13	9	0	131
(1)	.15	.97	.22	.00	.07	.15	.22	.37	.75	.82	1.87	2.09	.37	.07	.97	.67	.00	9.79
(2)	.05	.35	.08	.00	.03	.05	.08	.14	.27	.30	.68	.76	.14	.03	.35	.24	.00	3.56
6.1- 8.0	4	1	1	0	0	1	0	0	2	2	13	26	2	0	4	5	0	61

BBNPP

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 2 of 2)

				SSE	S JUNE I	MET DAT	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO)WER)					
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS D				CI	LASS FRE	QUENC	Y (PERCEI	NT) = 36	.40		
	•						W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.30	.07	.07	.00	.00	.07	.00	.00	.15	.15	.97	1.94	.15	.00	.30	.37	.00	4.56
(2)	.11	.03	.03	.00	.00	.03	.00	.00	.05	.05	.35	.71	.05	.00	.11	.14	.00	1.66
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.37	.00	.00	.00	.00	.00	.37
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14	.00	.00	.00	.00	.00	.14
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	65	121	119	60	49	38	59	53	72	112	260	151	32	20	69	58	0	1338
(1)	4.86	9.04	8.89	4.48	3.66	2.84	4.41	3.96	5.38	8.37	19.43	11.29	2.39	1.49	5.16	4.33	.00	100.00
(2)	1.77	3.29	3.24	1.63	1.33	1.03	1.61	1.44	1.96	3.05	7.07	4.11	.87	.54	1.88	1.58	.00	36.40

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.

BBNPP

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 1 of 2)

				SSE	S JUNE	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	WER)					
197.0	D FT WIN	ID DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 28	.75		
					_		W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00.	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.09	.19	.09	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.38
(2)	.00	.00	.00	.00	.03	.05	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11
.5- 1.0	4	10	41	11	20	15	19	7	11	3	3	3	0	0	2	0	0	149
(1)	.38	.95	3.88	1.04	1.89	1.42	1.80	.66	1.04	.28	.28	.28	.00	.00	.19	.00	.00	14.10
(2)	.11	.27	1.12	.30	.54	.41	.52	.19	.30	.08	.08	.08	.00	.00	.05	.00	.00	4.05
1.1- 1.5	10	32	35	13	5	7	9	7	13	19	13	8	1	0	0	3	0	175
(1)	.95	3.03	3.31	1.23	.47	.66	.85	.66	1.23	1.80	1.23	.76	.09	.00	.00	.28	.00	16.56
(2)	.27	.87	.95	.35	.14	.19	.24	.19	.35	.52	.35	.22	.03	.00	.00	.08	.00	4.76
1.6- 2.0	8	50	22	6	8	3	8	6	4	11	16	5	1	1	2	2	0	153
(1)	.76	4.73	2.08	.57	.76	.28	.76	.57	.38	1.04	1.51	.47	.09	.09	.19	.19	.00	14.47
(2)	.22	1.36	.60	.16	.22	.08	.22	.16	.11	.30	.44	.14	.03	.03	.05	.05	.00	4.16
2.1- 3.0	16	68	27	15	8	9	4	8	7	16	36	20	2	4	5	4	0	249
(1)	1.51	6.43	2.55	1.42	.76	.85	.38	.76	.66	1.51	3.41	1.89	.19	.38	.47	.38	.00	23.56
(2)	.44	1.85	.73	.41	.22	.24	.11	.22	.19	.44	.98	.54	.05	.11	.14	.11	.00	6.77
3.1- 4.0	9	20	23	1	1	2	7	12	16	24	17	14	4	3	6	6	0	165
(1)	.85	1.89	2.18	.09	.09	.19	.66	1.14	1.51	2.27	1.61	1.32	.38	.28	.57	.57	.00	15.61
(2)	.24	.54	.63	.03	.03	.05	.19	.33	.44	.65	.46	.38	.11	.08	.16	.16	.00	4.49
4.1- 5.0	4	7	2	0	0	3	4	2	9	13	19	18	1	1	5	3	0	91
(1)	.38	.66	.19	.00	.00	.28	.38	.19	.85	1.23	1.80	1.70	.09	.09	.47	.28	.00	8.61
(2)	.11	.19	.05	.00	.00	.08	.11	.05	.24	.35	.52	.49	.03	.03	.14	.08	.00	2.48
5.1- 6.0	0	8	0	0	0	0	0	3	4	8	7	14	1	1	4	2	0	52
(1)	.00	.76	.00	.00	.00	.00	.00	.28	.38	.76	.66	1.32	.09	.09	.38	.19	.00	4.92
(2)	.00	.22	.00	.00	.00	.00	.00	.08	.11	.22	.19	.38	.03	.03	.11	.05	.00	1.41
6.1- 8.0	0	3	2	0	0	0	0	1	1	0	6	3	0	0	1	1	0	18

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 2 of 2)

				SSE	S JUNE I	MET DAT	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TC	WER)					
197.0) FT WIN	ID DATA		-	STAE	BILITY CL	ASS E				CI	LASS FRE	QUENC	Y (PERCE	NT) = 28	.75		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.28	.19	.00	.00	.00	.00	.09	.09	.00	.57	.28	.00	.00	.09	.09	.00	1.70
(2)	.00	.08	.05	.00	.00	.00	.00	.03	.03	.00	.16	.08	.00	.00	.03	.03	.00	.49
8.1-10.0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.00	.03
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	51	198	152	46	43	41	52	46	66	94	117	85	10	10	25	21	0	1057
(1)	4.82	18.73	14.38	4.35	4.07	3.88	4.92	4.35	6.24	8.89	11.07	8.04	.95	.95	2.37	1.99	.00	100.00
(2)	1.39	5.39	4.13	1.25	1.17	1.12	1.41	1.25	1.80	2.56	3.18	2.31	.27	.27	.68	.57	.00	28.75

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued}
(Page 1 of 2)

				SSE	S JUNE	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	OWER)					
197.0	D FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 13	.68		
					-		W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	2	2	0	0	0	0	0	0	0	0	0	о	0	0	0	4
(1)	.00	.00	.40	.40	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.80
(2)	.00	.00	.05	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11
.5- 1.0	0	9	20	18	9	8	5	4	0	1	0	1	0	0	0	1	0	76
(1)	.00	1.79	3.98	3.58	1.79	1.59	.99	.80	.00	.20	.00	.20	.00	.00	.00	.20	.00	15.11
(2)	.00	.24	.54	.49	.24	.22	.14	.11	.00	.03	.00	.03	.00	.00	.00	.03	.00	2.07
1.1- 1.5	7	37	38	12	10	5	4	5	10	7	3	0	1	0	1	1	0	141
(1)	1.39	7.36	7.55	2.39	1.99	.99	.80	.99	1.99	1.39	.60	.00	.20	.00	.20	.20	.00	28.03
(2)	.19	1.01	1.03	.33	.27	.14	.11	.14	.27	.19	.08	.00	.03	.00	.03	.03	.00	3.84
1.6- 2.0	12	48	24	7	1	2	1	1	4	11	1	1	0	0	0	0	0	113
(1)	2.39	9.54	4.77	1.39	.20	.40	.20	.20	.80	2.19	.20	.20	.00	.00	.00	.00	.00	22.47
(2)	.33	1.31	.65	.19	.03	.05	.03	.03	.11	.30	.03	.03	.00	.00	.00	.00	.00	3.07
2.1- 3.0	21	62	7	0	1	1	0	0	5	8	12	2	1	3	1	1	0	125
(1)	4.17	12.33	1.39	.00	.20	.20	.00	.00	.99	1.59	2.39	.40	.20	.60	.20	.20	.00	24.85
(2)	.57	1.69	.19	.00	.03	.03	.00	.00	.14	.22	.33	.05	.03	.08	.03	.03	.00	3.40
3.1- 4.0	2	5	0	0	0	0	1	2	1	5	7	4	0	0	1	0	0	28
(1)	.40	.99	.00	.00	.00	.00	.20	.40	.20	.99	1.39	.80	.00	.00	.20	.00	.00	5.57
(2)	.05	.14	.00	.00	.00	.00	.03	.05	.03	.14	.19	.11	.00	.00	.03	.00	.00	.76
4.1- 5.0	2	0	0	0	0	0	0	0	2	2	1	4	0	0	1	0	0	12
(1)	.40	.00	.00	.00	.00	.00	.00	.00	.40	.40	.20	.80	.00	.00	.20	.00	.00	2.39
(2)	.05	.00	.00	.00	.00	.00	.00	.00	.05	.05	.03	.11	.00	.00	.03	.00	.00	.33
5.1- 6.0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20	.20	.20	.00	.00	.00	.00	.00	.60
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.03	.03	.00	.00	.00	.00	.00	.08
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1

Rev. 2a

Meteorology

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 2 of 2)

				SSE	S JUNE	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	WER)					
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 13	.68		
							w	IND DIRE	CTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20	.00	.00	.20
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.03
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	`	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	44	161	91	39	21	16	11	12	22	35	25	13	2	3	5	3	0	503
(1)	8.75	32.01	18.09	7.75	4.17	3.18	2.19	2.39	4.37	6.96	4.97	2.58	.40	.60	.99	.60	.00	100.00
(2)	1.20	4.38	2.48	1.06	.57	.44	.30	.33	.60	.95	.68	.35	.05	.08	.14	.08	.00	13.68

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Rev. 2a

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 1 of 2)

197.0	0 FT WIN	D DATA		SSE	S JUNE I STAB	MET DAT	'A JOINT ASS G	FREQUE	NCY DIS	TRIBUTI	ON (60-1 C	METER TO	ower) Equenc	Y (PERCE	NT) = 5.	28		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.52	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.52
(2)	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03
.5- 1.0	1	4	2	5	4	5	3	6	0	1	1	0	0	0	0	0	0	32
(1)	.52	2.06	1.03	2.58	2.06	2.58	1.55	3.09	.00	.52	.52	.00	.00	.00	.00	.00	.00	16.49
(2)	.03	.11	.05	.14	.11	.14	.08	.16	.00	.03	.03	.00	.00	.00	.00	.00	.00	.87
1.1- 1.5	1	16	19	7	1	2	6	5	6	4	1	0	0	1	0	0	0	69
(1)	.52	8.25	9.79	3.61	.52	1.03	3.09	2.58	3.09	2.06	.52	.00	.00	.52	.00	.00	.00	35.57
(2)	.03	.44	.52	.19	.03	.05	.16	.14	.16	.11	.03	.00	.00	.03	.00	.00	.00	1.88
1.6- 2.0	1	19	14	1	0	1	0	0	2	3	1	0	0	0	0	0	0	42
(1)	.52	9.79	7.22	.52	.00	.52	.00	.00	1.03	1.55	.52	.00	.00	.00	.00	.00	.00	21.65
(2)	.03	.52	.38	.03	.00	.03	.00	.00	.05	.08	.03	.00	.00	.00	.00	.00	.00	1.14
2.1- 3.0	10	16	5	0	0	0	0	0	1	8	2	0	0	0	0	0	0	42
(1)	5.15	8.25	2.58	.00	.00	.00	.00	.00	.52	4.12	1.03	.00	.00	.00	.00	.00	.00	21.65
(2)	.27	.44	.14	.00	.00	.00	.00	.00	.03	.22	.05	.00	.00	.00	.00	.00	.00	1.14
3.1- 4.0	2	1	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	7
(1)	1.03	.52	.00	.00	.00	.00	.00	.00	.00	.52	.00	.52	.00	.52	.52	.00	.00	3.61
(2)	.05	.03	.00	.00	.00	.00	.00	.00	.00	.03	.00	.03	.00	.03	.03	.00	.00	.19
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.52	.00	.00	.00	.00	.00	.52
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.03
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 2 of 2)

				SSE	S JUNE I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIO	ON (60-1	METER TO	WER)					
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 5.	28		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	15	56	40	13	5	9	9	11	9	17	5	2	0	2	1	0	0	194
(1)	7.73	28.87	20.62	6.70	2.58	4.64	4.64	5.67	4.64	8.76	2.58	1.03	.00	1.03	.52	.00	.00	100.00
(2)	.41	1.52	1.09	.35	.14	.24	.24	.30	.24	.46	.14	.05	.00	.05	.03	.00	.00	5.28

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-58— {SSES 197' (60-m) 2001-2006 June JFD - continued} (Page 1 of 2)

				SSE	S JUNE I	MET DAT	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	OWER)					
197.0	D FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCI	(PERCEN	T) = 10	0.00		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	2	2	1	3	1	0	0	0	0	0	0	0	0	0	0	9
(1)	.00	.00	.05	.05	.03	.08	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.24
(2)	.00	.00	.05	.05	.03	.08	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.24
.5- 1.0	5	33	84	52	45	38	38	24	20	9	10	6	0	0	3	2	0	369
(1)	.14	.90	2.29	1.41	1.22	1.03	1.03	.65	.54	.24	.27	.16	.00	.00	.08	.05	.00	10.04
(2)	.14	.90	2.29	1.41	1.22	1.03	1.03	.65	.54	.24	.27	.16	.00	.00	.08	.05	.00	10.04
1.1- 1.5	23	99	115	54	24	24	27	24	43	52	39	15	2	1	1 [.]	6	0	549
(1)	.63	2.69	3.13	1.47	.65	.65	.73	.65	1.17	1.41	1.06	.41	.05	.03	.03	.16	.00	14.93
(2)	.63	2.69	3.13	1.47	.65	.65	.73	.65	1.17	1.41	1.06	.41	.05	.03	.03	.16	.00	14.93
1.6- 2.0	32	133	87	27	17	15	21	11	24	52	49	22	3	1	3	4	0	501
(1)	.87	3.62	2.37	.73	.46	.41	.57	.30	.65	1.41	1.33	.60	.08	.03	.08	.11	.00	13.63
(2)	.87	3.62	2.37	.73	.46	.41	.57	.30	.65	1.41	1.33	.60	.08	.03	.08	.11	.00	13.63
2.1-`3.0	80	196	72	32	31	23	27	21	26	74	136	42	9	16	15	20	0	820
(1)	2.18	5.33	1.96	.87	.84	.63	.73	.57	.71	2.01	3.70	1.14	.24	.44	.41	.54	.00	22.31
(2)	2.18	5.33	1.96	.87	.84	.63	.73	.57	.71	2.01	3.70	1.14	.24	.44	.41	.54	.00	22.31
3.1- 4.0	30	58	51	7	5	5	27	27	20	55	98	64	13	11	30	20	0	521
(1)	.82	1.58	1.39	.19	.14	.14	.73	.73	.54	1.50	2.67	1.74	.35	.30	.82	.54	.00	14.17
(2)	.82	1.58	1.39	.19	.14	.14	.73	.73	.54	1.50	2.67	1.74	.35	.30	.82	.54	.00	14.17
4.1- 5.0	14	34	19	0	4	8	16	14	32	25	144	66	18	7	35	24	0	460
(1)	.38	.92	.52	.00	.11	.22	.44	.38	.87	.68	3.92	1.80	.49	.19	.95	.65	.00	12.51
(2)	.38	.92	.52	.00	.11	.22	.44	.38	.87	.68	3.92	1.80	.49	.19	. 9 5	.65	.00	12.51
5.1- 6.0	4	21	3	0	1	2	6	9	15	26	87	74	10	2	20	16	0	296
(1)	.11	.57	.08	.00	.03	.05	.16	.24	.41	.71	2.37	2.01	.27	.05	.54	.44	.00	8.05
(2)	.11	.57	.08	.00	.03	.05	.16	.24	.41	.71	2.37	2.01	.27	.05	.54	.44	.00	8.05
6.1- 8.0	4	4	3	0	0	1	0	1	3	6	35	55	5	1	13	10	0	141

BBNPP

.

Table 2.3-58—	{SSES 197'	(60-m) 2001-2	006 June JFC) - continued}
	((**, =** . =		

(Page 2 of 2)

				SSE	S JUNE	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	NETER TO	OWER)					
197.0	FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCI	(PERCEN	T) = 100	0.00		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.11	.11	.08	.00	.00	.03	.00	.03	.08	.16	.95	1.50	.14	.03	.35	.27	.00	3.84
(2)	.11	.11	.08	.00	.00	.03	.00	.03	.08	.16	.95	1.50	.14	.03	.35	.27	.00	3.84
8.1-10.0	0	0	0	0	0	0	0	0	1	0	3	6	0	0	0	0	0	10
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.08	.16	.00	.00	.00	.00	.00	.27
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.08	.16	.00	.00	.00	.00	.00	.27
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	192	578	436	174	128	119	163	131	184	299	601	350	60	39	120	102	0	3676
(1)	5.22	15.72	11.86	4.73	3.48	3.24	4.43	3.56	5.01	8.13	16.35	9.52	1.63	1.06	3.26	2.77	.00	100.00
(2)	5.22	15.72	11.86	4.73	3.48	3.24	4.43	3.56	5.01	8.13	16.35	9.52	1.63	1.06	3.26	2.77	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD}

(Page 1	of 2)
---------	-------

197.0	0 FT WIN			SSE	S JULY I STAF	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-ľ	METER TO	WER)	Y (PERCE	NT) = 9.	06		
					0		w			FROM	-				,			
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	sw	WSW	w	WNW	NW	NNW	VRBL	TOTAL
IT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	00	00	.00	00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	2	1	1	0	0	1	0	0	0	0	0	0	0	0	5
(1)	.00	.00	.00	.58	.29	.29	.00	.00	.29	.00	.00	.00	.00	.00	.00	.00	.00	1.45
(2)	.00	.00	.00	.05	.03	.03	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.00	.13
1.1- 1.5	0	1	6	2	2	2	2	0	2	3	4	0	0	0	1	0	0	25
(1)	.00	.29	1.74	.58	.58	.58	.58	.00	.58	.87	1.16	.00	.00	.00	.29	.00	.00	7.27
(2)	.00	.03	.16	.05	.05	.05	.05	.00	.05	.08	.11	.00	.00	.00	.03	.00	.00	.66
1.6- 2.0	2	3	7	10	2	3	1	0	0	3	3	1	1	1	0	0	0	37
(1)	.58	.87	2.03	2.91	.58	.87	.29	.00	.00	.87	.87	.29	.29	.29	.00	.00	.00	10.76
(2)	.05	.08	.18	.26	.05	.08	.03	.00	.00	.08	.08	.03	.03	.03	.00	.00	.00	.97
2.1- 3.0	3	6	5	2	1	0	2	1	2	10	17	3	0	0	1	0	0	53
(1)	.87	1.74	1.45	.58	.29	.00	.58	.29	.58	2.91	4.94	.87	.00	.00	.29	.00	.00	15.41
(2)	.08	.16	.13	.05	.03	.00	.05	.03	.05	.26	.45	.08	.00	.00	.03	.00	.00	1.40
3.1- 4.0	4	4	3	1	0	0	6	1	1	3	26	9	2	1	0	2	0	63
(1)	1.16	1.16	.87	.29	.00	.00	1.74	.29	.29	.87	7.56	2.62	.58	.29	.00	.58	.00	18.31
(2)	.11	.11	.08	.03	.00	.00	.16	.03	.03	.08	.69	.24	.05	.03	.00	.05	.00	1.66
4.1- 5.0	10	1	3	9	0	0	2	0	1	7	34	15	3	0	0	0	0	85
(1)	2.91	.29	.87	2.62	.00	.00	.58	.00	.29	2.03	9.88	4.36	.87	.00	.00	.00	.00	24.71
(2)	.26	.03	.08	.24	.00	.00	.05	.00	.03	.18	.90	.40	.08	.00	.00	.00	.00	2.24
5.1- 6.0	6	4	1	1	0	0	2	0	2	0	14	16	3	0	0	2	0	51
(1)	1.74	1.16	.29	.29	.00	.00	.58	.00	.58	.00	4.07	4.65	.87	.00	.00	.58	.00	14.83
(2)	.16	.11	<i>.</i> 03	.03	.00	.00	.05	.00	.05	.00	.37	.42	.08	.00	.00	.05	.00	1.34
6.1- 8.0	0	0	0	1	0	0	0	1	2	1	4	13	1	0	1	0	0	24

BBNPP

Rev. 2a

Meteorology

Table 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD} (Page 2 of 2)

				SSE	ES JULY I	MET DAT	'A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	NETER TC	WER)					
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS A				C	LASS FRE		Y (PERCE	NT) = 9.	.06		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.29	.00	.00	.00	.29	.58	.29	1.16	3.78	.29	.00	.29	.00	.00	6.98
(2)	.00	.00	.00	.03	.00	.00	.00	.03	.05	.03	.11	.34	.03	.00	.03	.00	.00	.63
8.1-10.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.29	.00	.00	.00	.00	.00	.00	.29
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.03
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	25	19	25	28	6	6	15	3	11	27	103	57	10	2	3	4	0	344
(1)	7.27	5.52	7.27	8.14	1.74	1.74	4.36	.87	3.20	7.85	29.94	16.57	2.91	.58	.87	1.16	.00	100.00
(2)	.66	.50	.66	.74	.16	.16	.40	.08	.29	.71	2.71	1.50	.26	.05	.08	.11	.00	9.06

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

FSAR: Section 2.3

Rev. 2a

				SSE	ES JULY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	NETER TO	OWER)					
197.0	D FT WIN	ID DATA			STAE	BILITY CL	ASS B				c	LASS FR	EQUENC	Y (PERCE	NT) = 4.	.69		
							W	IND DIRI	ECTION I	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.56	.00	.56	.56	.00	.00	.00	.00	.00	.00	.00	.00	1.69
(2)	.00	.00	.00	.00	.00	.03	.00	.03	.03	.00	.00	.00	.00	.00	.00	.00	.00	.08
1.1- 1.5	0	0	2	2	1	0	1	1	0	0	0	0	0	0	0	0	0	7
(1)	.00	.00	1.12	1.12	.56	.00	.56	.56	.00	.00	.00	.00	.00	.00	.00	.00	.00	3.93
(2)	.00	.00	.05	.05	.03	.00	.03	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.18
1.6- 2.0	1	3	2	1	0	0	0	0	0	1	3	0	0	0	0	2	0	13
(1)	.56	1.69	1.12	.56	.00	.00	.00	.00	.00	.56	1.69	.00	.00	.00	.00	1.12	.00	7.30
(2)	.03	.08	.05	.03	.00	.00	.00	.00	.00	.03	.08	.00	.00	.00	.00	.05	.00	.34
2.1- 3.0	1	6	2	2	2	1	0	0	0	3	7	0	1	0	0	1	0	26
(1)	.56	3.37	1.12	1.12	1.12	.56	.00	.00	.00	1.69	3.93	.00	.56	.00	.00	.56	.00	14.61
(2)	.03	.16	.05	.05	.05	.03	.00	.00	,00,	.08	.18	.00	.03	.00	.00	.03	.00	.69
3.1- 4.0	2	4	1	2	0	0	1	0	2	5	14	6	0	2	. 1	1	0	41
(1)	1.12	2.25	.56	1.12	.00	.00	.56	.00	1.12	2.81	7.87	3.37	.00	1.12	.56	.56	.00	23.03
(2)	.05	.11	.03	.05	.00	.00	.03	.00	.05	.13	.37	.16	.00	.05	.03	.03	.00	1.08
4.1- 5.0	3	4	2	0	0	0	0	1	2	2	7	9	5	1	0	2	0	38
(1)	1.69	2.25	1.12	.00	.00	.00	.00	.56	1.12	1.12	3.93	5.06	2.81	.56	.00	1.12	.00	21.35
(2)	.08	.11	.05	.00	.00	.00	.00	.03	.05	.05	.18	.24	.13	.03	.00	.05	.00	1.00
5.1- 6.0	6	3	0	0	0	0	2	0	1	3	7	7	2	0	1	3	0	35
(1)	3.37	1.69	.00	.00	.00	.00	1.12	.00	.56	1.69	3 <i>.</i> 93	3.93	1.12	.00	.56	1.69	.00	19.66
(2)	.16	.08	.00	.00	.00	.00	.05	.00	.03	.08	.18	.18	.05	.00	.03	.08	.00	.92
6.1- 8.0	0	2	0	0	0	0	0	0	0	1	3	8	1	0	0	0	0	15

Table 2.3-59---- {SSES 197' (60-m) 2001-2006 July JFD - continued} (Page 1 of 2)

BBNPP

2-564 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

				Table 2	2.3-59	- {SSES	5 197' (6	50-m) 2 (Page	001-20 2 of 2))06 July	y JFD - (continu	ied}					
197.0) FT WIN	D DATA		SSE	S JULY N STAB	MET DAT	A JOINT ASS B	FREQUE	NCY DIS	TRIBUTI	ON (60-N C	METER TO LASS FRE	OWER) EQUENC	Y (PERCE	NT) = 4.	69		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	1.12	.00	.00	.00	.00	.00	.00	.00	.56	1.69	4.49	.56	.00	.00	.00	.00	8.43
(2)	.00	.05	.00	.00	.00	.00	.00	.00	.00	.03	.08	.21	.03	.00	.00	.00	.00	.40
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	13	22	9	7	3	2	4	3	6	15	41	30	9	3	2	9	0	178
(1)	7.30	12.36	5.06	3.93	1.69	1.12	2.25	1.69	3.37	8.43	23.03	16.85	5.06	1.69	1.12	5.06	.00	100.00
(2)	.34	.58	.24	.18	.08	.05	.11	.08	.16	.40	1.08	.79	.24	.08	.05	.24	.00	4.69

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD - continued} (Page 1 of 2)

197.(SSE	S JULY I STAF		A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	OWER)		NT) - 6	25		
157.5					JIAL		735 C. W	ופוח חואו		POM		LAJJ FRI	LQUENC	I (FENCE	NT) – 0.	23		
SPEED m/s	N	NNE	NE	ENE	F	ESE	SE	SSE	c IIONI	SCM	SW	14/514/	\M/	\A/NI\A/	NIM	NININ	VODI	τοται
IT 2	0	0	0	0	0	0	0	0	0	0	0	0	••• 0	0				
(1)	00	ň	00	00	õ	ň	ň	00	00	00	00	00	00	00	00	00	00	00
(7)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(~)			.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	1	2	0	0	0	1	1	0	0	0	0	0	0	0	7
(1)	.00	.00	.84	.42	.84	.00	.00	.00	.42	.42	.00	.00	.00	.00	.00	.00	.00	2.95
(2)	.00	.00	.05	.03	.05	.00	.00	.00	.03	.03	.00	.00	.00	.00	.00	.00	.00	.18
	-	_	_	_			_											
1.1- 1.5	0	0	0	2	1	1	2	0	1	3	3	1	0	0	0	0	0	14
(1)	.00	.00	.00	.84	.42	.42	.84	.00	.42	1.27	1.27	.42	.00	.00	.00	.00	.00	5.91
(2)	.00	.00	.00	.05	.03	.03	.05	.00	.03	.08	.08	.03	.00	.00	.00	.00	.00	.37
16-20	2	5	٦	2	٦		1	0	0	1	4	0	2	0	٥	1	0	24
(1)	84	211	1 27	84	1 27	00	42	ñ	ñ	42	1 69	00	84	00	00	42	00	10 13
(2)	.05	.13	.08	.05	.08	.00	.03	.00	.00	.03	.11	.00	.05	.00	.00	.42	.00	63
(_)																.05	.00	.05
2.1- 3.0	3	3	2	3	0	1	2	1	0	3	9	5	0	1	3	1	0	37
(1)	1.27	1.27	.84	1.27	.00	.42	.84	.42	.00	1.27	3.80	2.11	.00	.42	1.27	.42	.00	15.61
(2)	.08	.08	.05	.08	.00	.03	.05	.03	.00	.08	.24	.13	.00	.03	.08	.03	.00	.97
	_	_	_	-	_		_	-				_		_				
3.1-4.0	2.05	2	1	0	0	1	3	0	1	4	14	8	2	3	4	1	0	51
(1)	2.95	.84	.42	.00	.00	.42	1.27	.00	.42	1.69	5.91	3.38	.84	1.27	1.69	.42	.00	21.52
(2)	.18	.05	.03	.00	.00	.03	.08	.00	.03	.11	.37	.21	.05	.08	.11	.03	.00	1.34
4.1-5.0	7	1	0	1	0	0 -	0	0	5	6	14	4	2	3	6	2	0	51
(1)	2.95	.42	.00	.42	.00	.00	.00	.00	2.11	2.53	5.91	1.69	.84	1.27	2.53	.84	.00	21.52
(2)	.18	.03	.00	.03	.00	.00	.00	.00	.13	.16	.37	.11	.05	.08	.16	.05	.00	1.34
5.1- 6.0	3	1	0	0	0	0	1	0	1	2	1	7	-4	1	2	3	0	26
(1)	1.27	.42	.00	.00	.00	.00	.42	.00	.42	.84	.42	2.95	1.69	.42	.84	1.27	.00	10.97
(2)	.08	.03	.00	.00	.00	.00	.03	.00	.03	.05	.03	.18	.11	.03	.05	.08	.00	.69
6.1- 8.0	0	3	0	0	0	0	0	0	1	3	5	14	0	0	0	0	0	26

BBNPP

Rev. 2a

Table 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD - continued} (Page 2 of 2)

				SSE	S JULY M	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	NETER TO	WER)					
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS C				c	LASS FRE	QUENC	Y (PERCE	NT) = 6.	25		
							W	ND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	1.27	.00	.00	.00	.00	.00	.00	.42	1.27	2.11	5.91	.00	.00	.00	.00	.00	10.97
(2)	.00	.08	.00	.00	.00	.00	.00	.00	.03	.08	.13	.37	.00	.00	.00	.00	.00	.69
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.42	.00	.00	.00	.00	.00	.42
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.03
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	22	15	8	9	6	3	9	1	10	23	50	40	10	8	15	8	0	237
(1)	9.28	6.33	3.38	3.80	2.53	1.27	3.80	.42	4.22	9.70	21.10	16.88	4.22	3.38	6.33	3.38	.00	100.00
(2)	.58	.40	.21	.24	.16	.08	.24	.03	.26	.61	1.32	1.05	.26	.21	.40	.21	.00	6.25

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD - continued} (Page 1 of 2)

197.0) FT WIN	ID DATA		SSE	S JULY I STAE	MET DAT	A JOINT ASS D	FREQUE	NCY DIS	TRIBUTI	0N (60-1 Cl	METER TO	WER) QUENC	Y (PERCEI	NT) = 31	.25		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08
(2)	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03
.24	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.08	.17	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.25
(2)	.00	.00	.00	.03	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08
.5- 1.0	1	5	12	13	10	14	11	9	9	7	2	3	0	1	1	1	0	99
(1)	.08	.42	1.01	1.10	.84	1.18	.93	.76	.76	.59	.17	.25	.00	.08	.08	.08	.00	8.35
(2)	.03	.13	.32	.34	.26	.37	.29	.24	.24	.18	.05	.08	.00	.03	.03	.03	.00	2.61
1.1 - 1.5	3	9	13	9	4	5	8	4	13	12	12	6	3	1	0	0	0	102
(1)	.25	.76	1.10	.76	.34	.42	.67	.34	1.10	1.01	1.01	.51	.25	.08	.00	.00	.00	8.60
(2)	.08	.24	.34	.24	.11	.13	.21	.11	.34	.32	.32	.16	.08	.03	.00	.00	.00	2.69
1.6- 2.0	6	16	12	8	5	6	1	10	4	22	26	7	1	1	3	2	0	130
(1)	.51	1.35	1.01	.67	.42	.51	.08	.84	.34	1.85	2.19	.59	.08	.08	.25	.17	.00	10.96
(2)	.16	.42	.32	.21	.13	.16	.03	.26	.11	.58	.69	.18	.03	.03	.08	.05	.00	3.43
2.1- 3.0	11	26	23	20	10	8	15	10	11	26	38	16	4	8	8	8	0	242
(1)	.93	2.19	1.94	1.69	.84	.67	1.26	.84	.93	2.19	3.20	1.35	.34	.67	.67	.67	.00	20.40
(2)	.29	.69	.61	.53	.26	.21	.40	.26	.29	.69	1.00	.42	.11	.21	.21	.21	.00	6.38
3.1- 4.0	18	19	8	3	6	8	12	16	11	13	39	21	9	3	13	13	0	212
(1)	1.52	1.60	.67	.25	.51	.67	1.01	1.35	.93	1.10	3.29	1.77	.76	.25	1.10	1.10	.00	17.88
(2)	.47	.50	.21	.08	.16	.21	.32	.42	.29	.34	1.03	.55	.24	.08	.34	.34	.00	5.59
4.1- 5.0	11	16	2	1	2	8	8	4	22	13	33	42	4	8	11	11	0	196
(1)	.93	1.35	.17	.08	.17	.67	.67	.34	1.85	1.10	2.78	3.54	.34	.67	.93	.93	.00	16.53
(2)	.29	.42	.05	.03	.05	.21	.21	.11	.58	.34	.87	1.11	.11	.21	.29	.29	.00	5.16
5.1- 6.0	5	8	0	0	0	0	3	2	13	16	27	27	7	3	1	5	0	1 17
(1)	.42	.67	.00	.00	.00	.00	.25	.17	1.10	1.35	2.28	2.28	.59	.25	.08	.42	.00	9.87
(2)	.13	.21	.00	.00	.00	.00	.08	.05	.34	.42	.71	.71	.18	.08	.03	.13	.00	3.08
6.1- 8.0	0	4	0	0	0	0	2	1	1	10	21	33	0	0	0	0	0	72

2-568 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

BBNPP

Rev. 2a

Meteorology

								(Page	2 Of 2)									
				SSI	ES JULY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	WER)					
197.0) FT WIN	ID DATA			STAB	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 31	.25		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.34	.00	.00	.00	.00	.17	.08	.08	.84	1.77	2.78	.00	.00	.00	.00	.00	6.07
(2)	.00	.11	.00	.00	.00	.00	.05	.03	.03	.26	.55	.87	.00	.00	.00	.00	.00	1.90
8.1-10.0	0	0	0	0	0	0	0	0	1	2	3	6	0	0	0	0	0	12
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.08	.17	.25	.51	.00	.00	.00	.00	.00	1.01
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.03	.05	.08	.16	.00	.00	.00	.00	.00	.32
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	55	103	70	55	40	49	60	56	85	121	201	161	28	25	37	40	0	1186
(1)	4.64	8.68	5.90	4.64	3.37	4.13	5.06	4.72	7.17	10.20	16.95	13.58	2.36	2.11	3.12	3.37	.00	100.00
(2)	1.45	2.71	1.84	1.45	1.05	1.29	1.58	1.48	2.24	3.19	5.30	4.24	.74	.66	.97	1.05	.00	31.25

Table 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD - continued}

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-59— {SSES 197'	(60-m) 2	2001-2006.	July JFD -	continued)

(Page 1 of 2)

				SSE	ES JULY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	WER)	-				
197.0	D FT WIN	ID DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 29	.41		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	1	0	2	2	0	1	0	0	0	0	0	0	0	7
(1)	.00	.00	.09	.00	.09	.00	.18	.18	.00	.09	.00	.00	.00	.00	.00	.00	.00	.63
(2)	.00	.00	.03	.00	.03	.00	.05	.05	.00	.03	.00	.00	.00	.00	.00	.00	.00	.18
.5- 1.0	3	17	36	28	20	18	14	18	15	11	5	1	0	0	0	1	0	187
(1)	.27	1.52	3.23	2.51	1.79	1.61	1.25	1.61	1.34	.99	.45	.09	.00	.00	.00	.09	.00	16.76
(2)	.08	.45	.95	.74	.53	.47	.37	.47	.40	.29	.13	.03	.00	.00	.00	.03	.00	4.93
1.1- 1.5	3	28	58	15	20	8	17	13	15	12	12	4	2	0	1	1	0	209
(1)	.27	2.51	5.20	1.34	1.79	.72	1.52	1.16	1.34	1.08	1.08	.36	.18	.00	.09	.09	.00	18.73
(2)	.08	.74	1.53	.40	.53	.21	.45	.34	.40	.32	.32	.11	.05	.00	.03	.03	.00	5.51
1.6- 2.0	15	49	34	6	7	4	5	6	5	13	14	4	2	0	1	1	0	166
(1)	1.34	4.39	3.05	.54	.63	.36	.45	.54	.45	1.16	1.25	.36	.18	.00	.09	.09	.00	14.87
(2)	.40	1.29	.90	.16	.18	.11	.13	.16	.13	.34	.37	.11	.05	.00	.03	.03	.00	4.37
2.1- 3.0	31	71	24	8	10	3	11	5	11	22	38	11	1	3	1	6	0	256
(1)	2.78	6.36	2.15	.72	.90	.27	.99	.45	.99	1.97	3.41	.99	.09	.27	.09	.54	.00	22.94
(2)	.82	1.87	.63	.21	.26	.08	.29	.13	.29	.58	1.00	.29	.03	.08	.03	.16	.00	6.75
3.1- 4.0	7	14	7	2	7	4	9	6	9	23	35	14	1	2	2	4	0	146
(1)	.63	1.25	.63	.18	.63	.36	.81	.54	.81	2.06	3.14	1.25	.09	.18	.18	.36	.00	13.08
(2)	.18	.37	.18	.05	.18	.11	.24	.16	.24	.61	.92	.37	.03	.05	.05	.11	.00	3.85
4.1- 5.0	1	1	3	1	2	2	4	1	9	21	16	20	1	1	7	5	0	95
(1)	.09	.09	.27	.09	.18	.18	.36	.09	.81	1.88	1.43	1.79	.09	.09	.63	.45	.00	8.51
(2)	.03	.03	.08	.03	.05	.05	.11	.03	.24	.55	.42	.53	.03	.03	.18	.13	.00	2.50
5.1- 6.0	0	0	0	0	0	0	1	0	5	5	9	13	1	1	5	1	0	41
(1)	.00	.00	.00	.00	.00	.00	.09	.00	.45	.45	.81	1.16	.09	.09	.45	.09	.00	3.67
(2)	.00	.00	.00	.00	.00	.00	.03	.00	.13	.13	.24	.34	.03	.03	.13	.03	.00	1.08
6.1- 8.0	1	0	0	0	0	0	0	0	1	1	2	1	1	0	0	1	0	8

BBNPP

				Table 2	2.3-59–	– {SSES	5 197' (6	5 0-m) 2 (Page	2 of 2))06 Jul	y JFD - (continu	ed}					
				SSE	S JULY	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	AETER TO	WER)					
197.0) FT WIN	ID DATA			STAE	BILITY CL	ASS E				CL	ASS FRE	QUENC	Y (PERCE	NT) = 29	.41		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.09	.00	.00	.00	.00	.00	.00	.00	.09	.09	.18	.09	.09	.00	.00	.09	.00	.72
(2)	.03	.00	.00	.00	.00	.00	.00	.00	.03	.03	.05	.03	.03	.00	.00	.03	.00	.21
												•						
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	· 0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.03
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
. (2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.,																		
ALL SPEEDS	61	180	163	60	67	39	63	51	70	109	/131	69	9	7	17	20	0	1116
(1)	5.47	16.13	14.61	5.38	6.00	3.49	5.65	4.57	6.27	9.77	11.74	6.18	.81	.63	1.52	1.79	.00	100.00
(2)	1.61	4.74	4.30	1.58	1.77	1.03	1.66	1.34	1.84	2.87	3.45	1.82	.24	.18	.45	.53	.00	29.41

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD - continued} (Page 1 of 2)

	SSES JULY MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																	
197.	0 FT WIN	ID DATA		STABILITY CLASS F CLASS FREQUENCY (PERCENT) = 15.23														
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTA
LT .2	0	0.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.17	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.17
(2)	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03
.5- 1.0	3	5	23	13	15	18	14	7	5	1	4	2	0	0	1	0	0	111
(1)	.52	.87	3.98	2.25	2.60	3.11	2.42	1.21	.87	.17	.69	.35	.00	.00	.17	.00	.00	19.20
(2)	.08	.13	.61	.34	.40	.47	.37	.18	.13	.03	.11	.05	.00	.00	.03	.00	.00	2.92
1.1- 1.5	5	47	29	12	8	10	9	16	19	5	1	1	0	0	0	0	0	162
(1)	.87	8.13	5.02	2.08	1.38	1.73	1.56	2.77	3.29	.87	.17	.17	.00	.00	.00	.00	.00	28.03
(2)	.13	1.24	.76	.32	.21	.26	.24	.42	.50	.13	.03	.03	.00	.00	.00	.00	.00	4.27
1.6- 2.0	5	66	26	2	2	2	4	2	6	4	2	0	0	0	0	1	0	122
(1)	.87	11.42	4.50	.35	.35	.35	.69	.35	1.04	.69	.35	.00	.00	.00	.00	.17	.00	21.11
(2)	.13	1.74	.69	.05	.05	.05	.11	.05	.16	.11	.05	.00	.00	.00	.00	.03	.00	3.21
2.1- 3.0	14	83	7	0	5	2	0	1	1	12	9	2	0	0	3	0	0	139
(1)	2.42	14.36	1.21	.00	.87	.35	.00	.17	.17	2.08	1.56	.35	.00	.00	.52	.00	.00	24.05
(2)	.37	2.19	.18	.00	.13	.05	.00	.03	.03	.32	.24	.05	.00	.00	.08	.00	.00	3.66
3.1- 4.0	2	8	2	0	2	1	0	0	0	4	7	3	1	0	0	0	0	30
(1)	.35	1.38	.35	.00	.35	.17	.00	.00	.00	.69	1.21	.52	.17	.00	.00	.00	.00	5.19
(2)	.05	.21	.05	.00	.05	.03	.00	.00	.00	.11	.18	.08	.03	.00	.00	.00	.00	.79
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	3	8	0	0	1	0	0	12
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.52	1.38	.00	.00	.17	.00	.00	2.08
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.08	.21	.00	.00	.03	.00	.00	.32
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.17	.00	.00	.00	.00	.00	.17
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.00	.00	.00	.03
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Table 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD - continued} (Page 2 of 2)

1

				SSE	S JULY N	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIC	ON (60-M	METER TO	WER)							
197.0 FT WIND DATA STABILITY CLASS F									CLASS FREQUENCY (PERCENT) = 15.23											
							w	IND DIRE	CTION F	ROM										
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	'NW	NNW	VRBL	TOTAL		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
ALL SPEEDS	29	209	88	27	32	33	27	26	31	26	26	17	1	0	5	1	0	578		
(1)	5.02	36.16	15.22	4.67	5.54	5.71	4.67	4.50	5.36	4.50	4.50	2.94	.17	.00	.87	.17	.00	100.00		
(2)	.76	5.51	2.32	.71	.84	.87	.71	.69	.82	.69	.69	.45	.03	.00	.13	.03	.00	15.23		

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-59— {SSES 197' (60-m	2001-2006 July JFD - continued}
--------------------------------	---------------------------------

(Page 1 of 2)

				SSE	S JULY	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-1	METER TO	WER)					
197.) FT WIN	ID DATA		STABILITY CLASS G CLASS FREQUENCY (PERCENT) = 4.11														
				WIND DIRECTION FROM														
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	0	3	6	4	5	1	2	0	0	0	0	0	0	0	0	0	22
(1)	.64	.00	1.92	3.85	2.56	3.21	.64	1.28	.00	.00	.00	.00	.00	.00	.00	.00	.00	14.10
(2)	.03	.00	.08	.16	.11	.13	.03	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.58
1.1- 1.5	2	6	18	2	4	4	4	1	3	0	1	0.	0	0	1	0	0	46
(1)	1.28	3.85	11.54	1.28	2.56	2.56	2.56	.64	1.92	.00	.64	.00	.00	.00	.64	.00	.00	29.49
(2)	.05	.16	.47	.05	.11	.11	.11	.03	.08	.00	.03	.00	.00	.00	.03	.00	.00	1.21
1.6- 2.0	1	23	7	2	0	0	2	0	1	2	2	1	0	0	1	0	0	42
(1)	.64	14.74	4.49	1.28	.00	.00	1.28	.00	.64	1.28	1.28	.64	.00	.00	.64	.00	.00	26.92
(2)	.03	.61	.18	.05	.00	.00	.05	.00	.03	.05	.05	.03	.00	.00	.03	.00	.00	1.11
2.1- 3.0	3	15	5	0	0	0	0	0	0	5	6	1	0	1	1	1	0	38
(1)	1.92	9.62	3.21	.00	.00	.00	.00	.00	.00	3.21	3.85	.64	.00	.64	.64	.64	.00	24.36
(2)	.08	.40	.13	.00	.00	.00	.00	.00	.00	.13	.16	.03	.00	.03	.03	.03	.00	1.00
3.1- 4.0	1	1	0	0	0	0	0	0	0	0	3	2	0	0	0	0	0	7
(1)	.64	.64	.00	.00	.00	.00	.00	.00	.00	.00	1.92	1.28	.00	.00	.00	.00	.00	4.49
(2)	.03	.03	.00	.00	.00	.00	.00	.00	.00	.00	.08	.05	.00	.00	.00	.00	.00	.18
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.64	.00	.00	.64
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00	.03
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

FSAR: Section 2.3

Meteorology

[able 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD - continued}
(Page 2 of 2)

				SSE	S JULY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTIC	DN (60-1	METER TO	WER)							
197.0	197.0 FT WIND DATA STABILITY CLASS G									CLASS FREQUENCY (PERCENT) = 4.11										
							W	IND DIRE	CTION F	ROM										
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
ALL SPEEDS	8	45	33	10	8	9	7	3	4	7	12	4	0	1	4	1	0	156		
(1)	5.13	28.85	21.15	6.41	5.13	5.77	4.49	1.92	2.56	4.49	7.69	2.56	.00	.64	2.56	.64	.00	100.00		
(2)	.21	1.19	.87	.26	.21	.24	.18	.08	.11	.18	.32	.11	.00	.03	.11	.03	.00	4.11		

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD
1								(i uge	1012)									
197.0	OFT WIN	ID DATA		SSE	S JULY I STABI	MET DAT LITY CLA	ON (60-M CL	METER TO ASS FREC	WER) QUENCI	(PERCEN	IT) = 10(0 .00						
							W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
IT 2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	00	Ň	no	00	03	00	ň	ño	00	00	00	00	00	00	ñ	ň	00	03
(7)	.00	.00	.00	.00	.05	.00	00	00	.00	00	00	.00	.00	.00	.00	.00	.00	.05
(2)	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
2-4	0	0	2	1	3	0	2	2	0	1	0	0	0	0	0	0	Ō	11
(1)	00	ñ	05	03	08	ñ	.05	.05	.00	.03	.00	.00	.00	.00	00	.00	.00	.29
(2)	00	.00	.05	.03	08	.00	05	05	.00	03	00	.00	00	00	00	.00	.00	.29
(2)	.00	.00	.05	.05	.00	.00	.05	.05	.00	.05		.00	.00	.00	.00		.00	
.5- 1.0	8	27	76	63	52	57	40	37	32	20	11	б	0	1	2	2	0	434
(1)	.21	.71	2.00	1.66	1.37	1.50	1.05	.97	.84	.53	.29	.16	.00	.03	.05	.05	.00	11.44
(2)	.21	.71	2.00	1.66	1.37	1.50	1.05	.97	.84	.53	.29	.16	.00	.03	.05	.05	.00	11.44
(-)																		
1.1- 1.5	13	91	126	44	40	30	43	35	53	35	33	12	5	1	3	1	0	565
(1)	.34	2.40	3.32	1.16	1.05	.79	1.13	.92	1.40	.92	.87	.32	.13	.03	.08	.03	.00	14.89
(2)	.34	2.40	3.32	1.16	1.05	.79	1.13	.92	1.40	.92	.87	.32	.13	.03	.08	.03	.00	14.89
1.6- 2.0	32	165	91	31	19	15	14	18	16	46	54	13	6	2	5	7	0	534
(1)	.84	4.35	2.40	.82	.50	.40	.37	.47	.42	1.21	1.42	.34	.16	.05	.13	.18	.00	14.07
(2)	.84	4.35	2.40	.82	.50	.40	.37	.47	.42	1.21	1.42	.34	.16	.05	.13	.18	.00	14.07
2.1- 3.0	66	210	68	35	28	15	30	18	25	81	124	38	6	13	17	17	0	791
(1)	1.74	5.53	1.79	.92	.74	.40	.79	.47	.66	2.13	3.27	1.00	.16	.34	.45	.45	.00	20.84
(2)	1.74	5.53	1.79	.92	.74	.40	.79	.47	.66	2.13	3.27	1.00	.16	.34	.45	.45	.00	20.84
3.1- 4.0	41	52	22	8	15	14	31	23	24	52	138	63	15	11	20	21	0	550
(1)	1.08	1.37	.58	.21	.40	.37	.82	.61	.63	1.37	3.64	1.66	.40	.29	.53	.55	.00	14.49
(2)	1.08	1.37	.58	.21	.40	.37	.82	.61	.63	1.37	3.64	1.66	.40	.29	.53	.55	.00	14.49
4.1- 5.0	32	23	10	12	4	10	14	6	39	49	107	98	15	13	26	20	0	478
(1)	.84	.61	.26	.32	.11	.26	.37	.16	1.03	1.29	2.82	2.58	.40	.34	.69	.53	.00	12.60
(2)	.84	.61	.26	.32	.11	.26	.37	.16	1.03	1.29	2.82	2.58	.40	.34	.69	.53	.00	12.60
													. –		_			
5.1-6.0	20	16	1	1	0	0	9	2	22	26	58	71	17	5	9	14	0	271
(1)	.53	.42	,03	.03	.00	.00	.24	.05	.58	.69	1.53	1.8/	.45	.13	.24	.37	.00	7.14
(2)	.53	.42	.03	.03	.00	.00	.24	.05	.58	.69	1.53	1.87	.45	.13	.24	.37	.00	7.14
								_	-		25	60	2	0			•	
6.1- 8.0	1	9	0	1	0	0	2	2	5	16	35	69	3	0	1	1	0	145

Table 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD - continued} (Page 1 of 2)

BBNPP

2-576 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-59— {SSES 197' (60-m) 2001-2006 July JFD - continued} (Page 2 of 2)

				SSE	S JULY I	MET DAT	A JOINT	FREQUE	NCY DIS	TRIBUTI	ON (60-N	1ETER TO	WER)					
197.0) FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	T) = 100	0.00		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.03	.24	.00	.03	.00	.00	.05	.05	.13	.42	.92	1.82	.08	.00	.03	.03	.00	3.82
(2)	.03	.24	.00	.03	.00	.00	.05	.05	.13	.42	.92	1.82	.08	.00	.03	.03	.00	3.82
8.1-10.0	0	0	0	0	0	0	0	0	1	2	4	8	0	0	0	0	0	15
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.03	.05	.11	.21	.00	.00	.00	.00	.00	.40
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.03	.05	.11	.21	.00	.00	.00	.00	.00	.40
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	213	593	396	196	162	141	185	143	217	328	564	378	67	46	83	83	0	3795
(1)	5.61	15.63	10.43	5.16	4.27	3.72	4.87	3.77	5.72	8.64	14.86	9.96	1.77	1.21	2.19	2.19	.00	100.00
(2)	5.61	15.63	10.43	5.16	4.27	3.72	4.87	3.77	5.72	8.64	14.86	9.96	1.77	1.21	2.19	2.19	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD} (Page 1 of 2)

197.	0 FT WIN	ID DATA		SSES	AUGUS ⁻ STAB	T MET DA	ATA JOIN ASS A	IT FREQU	JENCY D	ISTRIBU	TION (60 C	-METER 1 LASS FRE	TOWER) QUENC	Y (PERCE	NT) = 10	.94		
							w	IND DIR	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	2	1	2	2	3	1	0	1	0	2	0	0	0	0	0	0	14
(1)	.00	.41	.21	.41	.41	.62	.21	.00	.21	.00	.41	.00	.00	.00	.00	.00	.00	2.89
(2)	.00	.05	.02	.05	.05	.07	.02	.00	.02	.00	.05	.00	.00	.00	.00	.00	.00	.32
1.1- 1.5	0	1	11	7	4	1	2	1	3	7	2	1	0	1	0	0	0	41
(1)	.00	.21	2.27	1.45	.83	.21	.41	.21	.62	1.45	.41	.21	.00	.21	.00	.00	.00	8.47
(2)	.00	.02	.25	.16	.09	.02	.05	.02	.07	.16	.05	.02	.00	.02	.00	.00	.00	.93
1.6- 2.0	0	3	6	5	5	3	3	3	6	2	3	0	0	0	0	.0	0	39
(1)	.00	.62	1.24	1.03	1.03	.62	.62	.62	1.24	.41	.62	.00	.00	.00	.00	.00	.00	8.06
(2)	.00	.07	.14	.11	.11	.07	.07	.07	.14	.05	.07	.00	.00	.00	.00	.00	.00	.88
2.1- 3.0	1	5	14	2	0	1	6	2	5	16	21	5	0	0	1	. 0	0	79
(1)	.21	1.03	2.89	.41	.00	.21	1.24	.41	1.03	3.31	4.34	1.03	.00	.00	.21	.00	.00	16.32
(2)	.02	.11	.32	.05	.00	.02	.14	.05	.11	.36	.47	.11	.00	.00	.02	.00	.00	1.79
3.1- 4.0	13	5	10	0	0	0	0	2	7	3	23	5	1	3	2	3	0	77
(1)	2.69	1.03	2.07	.00	.00	.00	.00	.41	1.45	.62	4.75	1.03	.21	.62	.41	.62	.00	15.91
(2)	.29	.11	.23	.00	.00	.00	.00	.05	.16	.07	.52	.11	.02	.07	.05	.07	.00	1.74
4.1- 5.0	13	9	2	0	0	0	0	2	4	10	47	15	9	3	0	3	0	117
(1)	2.69	1.86	.41	.00	.00	.00	.00	.41	.83	2.07	9.71	3.10	1.86	.62	.00	.62	.00	24.17
(2)	.29	.20	.05	.00	.00	.00	.00	.05	.09	.23	1.06	.34	.20	.07	.00	.07	.00	2.64
5.1- 6.0	0	10	0	0	0	0	0	2	4	5	31	23	8	0	0	0	0	83
(1)	.00	2.07	.00	.00	.00	.00	.00	.41	.83	1.03	6.40	4.75	1.65	.00	.00	.00	.00	17.15
(2)	.00	.23	.00	.00	.00	.00	.00	.05	.09	.11	.70	.52	.18	.00	.00	.00	.00	1.88
6.1- 8.0	2	1	0	0	0	3	0	0	3	4	10	11	0	0	0	0	0	34

BBNPP

FSAR: Section 2.3

Meteorology

Table 2.3-60--- {SSES 197' (60-m) 2001-2006 August JFD} (Page 2 of 2)

				SSES	AUGUS	T MET D/	ATA JOIN	IT FREQU	JENCY D	ISTRIBU	TION (60	-METER	FOWER)	l .				
197.0) FT WIN	D DATA			STAE	BILITY CL	ASS A				CI	LASS FRE	QUENC	Y (PERCE	NT) = 10	.94		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.41	.21	.00	.00	.00	.62	.00	.00	.62	.83	2.07	2.27	.00	.00	.00	.00	.00	7.02
(2)	.05	.02	.00	.00	.00	.07	.00	.00	.07	.09	.23	.25	.00	.00	.00	.00	.00	.77
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	29	36	44	16	11	11	12	12	33	47	139	60	18	7	3	6	0	484
(1)	5.99	7.44	9.09	3.31	2.27	2.27	2.48	2.48	6.82	9.71	28.72	12.40	3.72	1.45	.62	1.24	.00	100.00
(2)	.66	.81	.99	.36	.25	.25	.27	.27	.75	1.06	3.14	1.36	.41	.16	.07	.14	.00	10.94

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

				SSES	AUGUST	MET DA	NIOLAT	IT FREQU	JENCY D	ISTRIBUT	TION (60	-METER 7	TOWER)	1				
197.0	0 FT WIN	D DATA			STAB	ILITY CL	ASS B				c	LASS FRE		Y (PERCE	NT) = 3.	89		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	2	2 ·	2	1	0	0	0	0	0	0	0	0	0	0	7
(1)	.00	.00	.00	1.16	1.16	1.16	.58	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.07
(2)	.00	.00	.00	.05	.05	.05	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16
1.1- 1.5	1	2	3	3	3	0	0	0	0	1	0	0	0	0	1	0	0	14
(1)	.58	1.16	1.74	1.74	1.74	.00	.00	.00	.00	.58	.00	.00	.00	.00	.58	.00	.00	8.14
(2)	.02	.05	.07	.07	.07	.00	.00	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.32
1.6- 2.0	1	3	1	3	0	2	1	0	0	0	1	0	0	0	0	0	0	12
(1)	.58	1.74	.58	1.74	.00	1.16	.58	.00	.00	.00	.58	.00	.00	.00	.00	.00	.00	6.98
(2)	.02	.07	.02	.07	.00	.05	.02	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.27
2.1- 3.0	2	3	4	4	0	0	0	1	2	3	7	0	0	1	1	0	0	28
(1)	1.16	1.74	2.33	2.33	.00	.00	.00	.58	1.16	1.74	4.07	.00	.00	.58	.58	.00	.00	16.28
(2)	.05	.07	.09	.09	.00	.00	.00	.02	.05	.07	.16	.00	.00	.02	.02	.00	.00	.63
3.1- 4.0	4	8	3	1	0	0	0	1	0	1	10	2	0	1	0	1	0	32
(1)	2.33	4.65	1.74	.58	.00	.00	.00	.58	.00	.58	5.81	1.16	.00	.58	.00	.58	.00	18.60
(2)	.09	.18	.07	.02	.00	.00	.00	.02	.00	.02	.23	.05	.00	.02	.00	.02	.00	.72
4.1- 5.0	4	5	0	0	1	0	1	1	1	2	16	5	3	3	1	3	0	46
(1)	2.33	2.91	.00	.00	.58	.00	.58	.58	.58	1.16	9.30	2.91	1.74	1.74	.58	1.74	.00	26.74
(2)	.09	.11	.00	.00	.02	.00	.02	.02	.02	.05	.36	.11	.07	.07	.02	.07	.00	1.04
5.1- 6.0	0	1	0	0	0	0	0	0	0	4	4	5	2	0	1	1	0	18
(1)	.00	.58	.00	.00	.00	.00	.00	.00	.00	2.33	2.33	2.91	1.16	.00	.58	.58	.00	10.47
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.09	.09	.11	.05	.00	.02	.02	.00	.41

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 1 of 2)

BBNPP

6.1-8.0

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 2 of 2)

				SSES	AUGUS	r met d <i>i</i>	ATA JOIN	IT FREQU	JENCY D	ISTRIBU	FION (60	-METER 1	(OWER)					
197.0) FT WIN	D DATA			STAE	ILITY CL	ASS B				С	LASS FRE	QUENC	Y (PERCE	NT) = 3.	.89		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	1.74	.00	.00	.00	.00	.58	.00	.00	.58	2.33	1.16	1.74	.00	.00	.00	.00	.00	8.14
(2)	.07	.00	.00	.00	.00	.02	.00	.00	.02	.09	.05	.07	.00	.00	.00	.00	.00	.32
8.1-10.0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.58	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.58
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	16	22	11	13	6	5	3	3	4	15	40	15	5	5	4	5	0	172
(1)	9.30	12.79	6.40	7.56	3.49	2.91	1.74	1.74	2.33	8.72	23.26	8.72	2.91	2.91	2.33	2.91	.00	100.00
(2)	.36	.50	.25	.29	.14	.11	.07	.07	.09	.34	.90	.34	.11	.11	.09	.11	.00	3.89

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-60- {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 1 of 2)

				SSES	AUGUS	I MET DA	ATA JOIN	IT FREQU	JENCY D	ISTRIBU	TION (60	-METER	OWER)					
197.0	0 FT WIN	D DATA			STAB	BILITY CL	ASS C				C	LASS FRE	QUENC	Y (PERCE	NT) = 4.	.91		
(DEED /					-		W	IND DIR	ECTION	ROM	C 144							
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	22F	5	55W	SW	wsw	w	WNW	NW	NNW	VKBL	IUTAL
LI.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	5	0	0	0	0	5	0	1	0	0	0	0	0	0	11
(1)	.00	.00	.00	2.30	.00	.00	.00	.00	2.30	.00	.46	.00	.00	.00	.00	.00	.00	5.07
(2)	.00	.00	.00	.11	.00	.00	.00	.00	.11	.00	.02	.00	.00	.00	.00	.00	.00	.25
11 15	1			7	F	1	0	2	0		0	0	0		0	-	0	24
1.1-1.5	1	4	4	2	د مد د	1	0	2	0	1 20	0	0	0	1	0	1	0	24
(1)	.46	1.84	1.84	.92	2.30	.40	.00	.92	.00	1.38	.00	.00	.00	.40	.00	.46	.00	11.06
(2)	.02	.09	.09	.05	.11	.02	.00	.05	.00	.07	.00	.00	.00	.02	.00	.02	.00	.54
1.6- 2.0	2	5	2	3	1	0	0	1	2	6	1	0	0	0	0	0	0	23
(1)	.92	2.30	.92	1.38	.46	.00	.00	.46	.92	2.76	.46	.00	.00	.00	.00	.00	.00	10.60
(2)	.05	.11	.05	.07	.02	.00	.00	.02	.05	.14	.02	.00	.00	.00	.00	.00	.00	.52
2.1- 3.0	1	5	3	1	0	0	0	2	2	3	7	1	0	1	0	0	0	26
(1)	.46	2.30	1.38	.46	.00	.00	.00	.92	.92	1.38	3.23	.46	.00	.46	.00	.00	.00	11.98
(2)	.02	.11	.07	.02	.00	.00	.00	.05	.05	.07	.16	.02	.00	.02	.00	.00	.00	.59
31-40	5	8	5	0	1	0	0	1	1	0	11	6	0	0	2	4	0	44
(1)	2.30	3.69	2.30	.00	.46	.00	.00	.46	.46	.00	5.07	2.76	.00	.00	.92	1.84	.00	20.28
(2)	.11	.18	.11	.00	.02	.00	.00	.02	.02	.00	.25	.14	.00	.00	.05	.09	.00	.99
(=)	.,.																	
4.1- 5.0	5	3	1	0	0	0	1	1	3	3	16	13	3	2	1	3	0	55
(1)	2.30	1.38	.46	.00	.00	.00	.46	.46	1.38	1.38	7.37	5.99	1.38	.92	.46	1.38	.00	25.35
(2)	.11	.07	.02	.00	.00	.00	.02	.02	.07	.07	.36	.29	.07	.05	.02	.07	.00	1.24
5.1- 6.0	0	ż	0	0	0	0	0	1	0	2	5	6	1	0	0	0	0	17
(1)	.00	.92	.00	.00	.00	.00	.00	.46	.00	.92	2.30	2.76	.46	.00	.00	.00	.00	7.83
(2)	.00	.05	.00	.00	.00	.00	.00	.02	.00	.05	.11	.14	.02	.00	.00	.00	.00	.38
6.1- 8.0	1	1	0	0	0	0	0	0	0	1	5	4	0	2	0	0	0	14

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 2 of 2)

107.0				SSES				IT FREQU	ENCY D	ISTRIBUT	FION (60	-METER 1			NT) – 4	91		
197.0	FT WIN	DUAIA			5170		NJJ C 147		CTION	DOM			QUEINC			51		
		-			_		W		CHUNE	KUM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VKBL	IOTAL
(1)	.46	.46	.00	.00	.00	.00	.00	.00	.00	.46	2.30	1.84	.00	.92	.00	.00	.00	6.45
(2)	.02	.02	.00	.00	.00	.00	.00	.00	.00	.02	.11	.09	.00	.05	.00	.00	.00	.32
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.38	.00	.00	.00	.00	.00	1.38
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.07
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	15	28	15	11	7	1	1	8	13	18	46	33	4	6	3	8	0	217
. (1)	6.91	12.90	6.91	5.07	3.23	.46	.46	3.69	5.99	8.29	21.20	15.21	1.84	2.76	1.38	3.69	.00	100.00
(2)	.34	.63	.34	.25	.16	.02	.02	.18	.29	.41	1.04	.75	.0 9	.14	.07	.18	.00	4.91

,

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 1 of 2)

<u>^</u>				SSES	AUGUST	r met da	NIOL ATA	IT FREQU	JENCY D	ISTRIBUT	FION (60)-METER 1	(OWER)					
197.	D FT WIN	ID DATA	•		STAB	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCE	NT) = 27	.44		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW.	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.16	.00	.00	.08	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.25
(2)	.00	.05	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	5	12	20	15	12	7	9	10	13	6	8	5	1	0	0	1	0	124
(1)	.41	.99	1.65	1.24	.99	.58	.74	.82	1.07	.49	.66	.41	.08	.00	.00	.08	.00	10.21
(2)	.11	.27	.45	.34	.27	.16	.20	.23	.29	.14	.18	.11	.02	.00	.00	.02	.00	2.80
1.1- 1.5	6	36	29	7	14	7	5	9	14	15	12	5	2	2	3	5	0	171
(1)	.49	2.97	2.39	.58	1.15	.58	.41	.74	1.15	1.24	.99	.41	.16	.16	.25	.41	.00	14.09
(2)	.14	.81	.66	.16	.32	.16	.11	.20	.32	.34	.27	.11	.05	.05	.07	.11	.00	3.87
1.6- 2.0	10	21	11	8	11	5	9	7	9	19	16	12	1	0	0	3	0	142
(1)	.82	1.73	.91	.66	.91	.41	.74	.58	.74	1.57	1.32	.99	.08	.00	.00	.25	.00	11.70
(2)	.23	.47	.25	.18	.25	.11	.20	.16	.20	.43	.36	.27	.02	.00	.00	.07	.00	3.21
2.1- 3.0	20	36	13	8	6	10	9	6	9	19	48	14	8	5	2	7	0	220
⁻ (1)	1.65	2.97	1.07	.66	.49	.82	.74	.49	.74	1.57	3.95	1.15	.66	.41	.16	.58	.00	18.12
(2)	.45	.81	.29	.18	.14	.23	.20	.14	.20	.43	1.08	.32	.18	.11	.05	.16	.00	4.97
3.1- 4.0	28	26	16	3	6	8	5	9	15	22	42	19	9	ģ	9	16	0	242
(1)	2.31	2.14	1.32	.25	.49	.66	.41	.74	1.24	1.81	3.46	1.57	.74	.74	.74	1.32	.00	19.93
(2)	.63	.59	.36	.07	.14	.18	.11	.20	.34	.50	.95	.43	.20	.20	.20	.36	.00	5.47
4.1- 5.0	18	21	8	0	2	8	0	10	12	17	39	27	4	6	5	17	0	194
(1)	1.48	1.73	.66	.00	.16	.66	.00	.82	.99	1.40	3.21	2.22	.33	.49	.41	1.40	.00	15.98
(2)	.41	.47	.18	.00	.05	.18	.00	.23	.27	.38	.88	.61	.09	.14	.11	.38	.00	4.39
5.1- 6.0	9	11	1	0	2	4	0	2	6	8	14	18	1	0	3	7	0	86
(1)	.74	.91	.08	.00	.16	.33	.00	.16	.49	.66	1.15	1.48	.08	.00	.25	.58	.00	7.08
(2)	.20	.25	.02	.00	.05	.09	.00	.05	.14	.18	.32	.41	.02	.00	.07	.16	.00	1.94
6.1- 8.0	0	2	0	0	2	2	0	0	6	8	4	4	3	1	0	0	0	32

Rev. 2a

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 2 of 2)

				SSES	AUGUS	r met d <i>i</i>	ATA JOIN	IT FREQL	IENCY D	ISTRIBU'	TION (60	-METER 1	(OWER)					
197.0	FT WIN	ID DATA			STAE	ILITY CL	ASS D				CL	ASS FRE	QUENC	Y (PERCEI	NT) = 27	.44		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.16	.00	.00	.16	.16	.00	.00	.49	.66	.33	.33	.25	.08	.00	.00	.00	2.64
(2)	.00	.05	.00	.00	.05	.05	.00	.00	.14	.18	.09	.09	.07	.02	.00	.00	.00	.72
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	96	167	98	41	56	51	37	53	84	114	183	104	29	23	22	56	0	1214
(1)	7.91	13.76	8.07	3.38	4.61	4.20	3.05	4.37	6.92	9.39	15.07	8.57	2.39	1.89	1.81	4.61	.00	100.00
(2)	2.17	3.77	2.22	.93	1.27	1.15	.84	1.20	1.90	2.58	4.14	2.35	.66	.52	.50	1.27	.00	27.44

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-60--- {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 1 of 2)

197.	0 FT WIN	ID DATA		SSES	AUGUS STAE	T MET DA BILITY CL	ATA JOIN ASS E	NT FREQU	JENCY D	ISTRIBU	TION (60 Ci	-METER 1	(OWER) QUENC) Y (PERCEI	NT) = 32	.32		
							w	IND DIR	ECTION	ROM					-			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	0	1	3	0	1	0	0	0	0	0	0	0	0	0	0	0	5
(1)	.00	.00	.07	.21	.00	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.35
(2)	.00	.00	.02	.07	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11
.5- 1.0	10	30	41	30	21	23	16	12	17	8	7	3	1	1	1	5	0	226
(1)	.70	2.10	2.87	2.10	1.47	1.61	1.12	.84	1.19	.56	.49	.21	.07	.07	.07	.35	.00	15.80
(2)	.23	.68	.93	.68	.47	.52	.36	.27	.38	.18	.16	.07	.02	.02	.02	.11	.00	5.11
1.1- 1.5	13	59	61	16	18	8	12	15	17	13	6	3	4	4	1	1	0	251
(1)	.91	4.13	4.27	1.12	1.26	.56	.84	1.05	1.19	.91	.42	.21	.28	.28	.07	.07	.00	17.55
(2)	.29	1.33	1.38	.36	.41	.18	.27	.34	.38	.29	.14	.07	.09	.09	.02	.02	.00	5.67
1.6- 2.0	22	106	31	9	5	5	10	9	25	16	15	4	1	3	1	1	0	263
(1)	1.54	7.41	2.17	.63	.35	.35	.70	.63	1.75	1.12	1.05	.28	.07	.21	.07	.07	.00	18.39
(2)	.50	2.40	.70	.20	.11	.11	.23	.20	.57	.36	.34	.09	.02	.07	.02	.02	.00	5.94
2.1- 3.0	40	88	30	14	9	8	13	25	26	19	34	9	2	2	3	3	0	325
(1)	2.80	6.15	2.10	.98	.63	.56	.91	1.75	1.82	1.33	2.38	.63	.14	.14	.21	.21	.00	22.73
(2)	.90	1.99	.68	.32	.20	.18	.29	.57	.59	.43	.77	.20	.05	.05	.07	.07	.00	7.35
3.1- 4.0	13	28	22	2	4	3	6	15	19	40	29	17	3	2	2	5	0	210
(1)	.91	1.96	1.54	.14	.28	.21	.42	1.05	1.33	2.80	2.03	1.19	.21	.14	.14	.35	.00	14.69
(2)	.29	.63	.50	.05	.09	.07	.14	.34	.43	.90	.66	.38	.07	.05	.05	.11	.00	4.75
4.1- 5.0	8	11	5	0	0	. 0	0	3	15	23	18	10	0	1	1	2	0	97
(1)	.56	.77	.35	.00	.00	.00	.00	.21	1.05	1.61	1.26	.70	.00	.07	.07	.14	.00	6.78
(2)	.18	.25	.11	.00	.00	.00	.00	.07	.34	.52	.41	.23	.00	.02	.02	.05	.00	2.19
5.1- 6.0	2	3	1	0	0	0	3	0	1	3	6	11	0	0	1	2	0	33
(1)	.14	.21	.07	.00	.00	.00	.21	.00	.07	.21	.42	.77	.00	.00	.07	.14	.00	2.31
(2)	.05	.07	.02	.00	.00	.00	.07	.00	.02	.07	.14	.25	.00	.00	.02	.05	.00	.75
6.1- 8.0	0	0	0	0	0	0	0	3	4	6	1	0	0	0	0	0	0	14

Meteorology

BBNPP

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 2 of 2)

				SSES	AUGUS	T MET D	ATA JOIN	T FREQU	JENCY D	ISTRIBUT	FION (60	-METER T	OWER))				
197.0) FT WIN	ID DATA			STAE	BILITY CL	ASS E	,			C	LASS FRE	QUENC	Y (PERCE	NT) = 32	.32		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.21	.28	.42	.07	.00	.00	.00	.00	.00	.00	.98
(2)	.00	.00	.00	.00	.00	.00	.00	.07	.09	.14	.02	.00	.00	.00	.00	.00	.00	.32
8.1-10.0	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.07	.28	.00	.00	.00	.00	.00	.00	.00	.00	.35
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.09	.00	.00	.00	.00	.00	.00	.00	.00	.11
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	108	325	193	74	57	48	60	83	128	128	116	57	11	13	10	19	0	1430
(1)	7.55	22.73	13.50	5.17	3.99	3.36	4.20	5.80	8.95	8.95	8.11	3.99	.77	.91	.70	1.33	.00	100.00
(2)	2.44	7.35	4.36	1.67	1.29	1.08	1.36	1.88	2.89	2.89	2.62	1.29	.25	.29	.23	.43	.00	32.32

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

			т	able 2.	3-60—	{SSES 1	197' (60	0-m) 20 (Page	01-200 1 of 2)	6 Augu	ist JFD	- contir	nued}					
				SSES	AUGUS	r met di	ATA JOIN	IT FREQU	JENCY D	ISTRIBU	TION (60	-METER 1	OWER)				
197.0	D FT WIN	ND DATA			STAE	BILITY CL	.ASS F				С	LASS FRE	QUENC	Y (PERCE	NT) = 15	5.12		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	1	0	1	0	1	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.15	.00	.15	.00	.15	.00	.00	.00	.00	.00	.00	.00	.00	.00	.45
(2)	.00	.00	.00	.02	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	3	12	20	12	14	13	10	8	3	1	1	1	2	0	0	0	0	100
(1)	.45	1.79	2.99	1.79	2.09	1.94	1.49	1.20	.45	.15	.15	.15	.30	.00	.00	.00	.00	14.95
(2)	.07	.27	.45	.27	.32	.29	.23	.18	.07	.02	.02	.02	.05	.00	.00	.00	.00	2.26
1.1- 1.5	7	51	47	16	14	8	1 1	5	11	2	1	0	0	1	0	2	0	176
(1)	1.05	7.62	7.03	2.39	2.09	1.20	1.64	.75	1.64	.30	.15	.00	.00	.15	.00	.30	.00	26.31
(2)	.16	1.15	1.06	.36	.32	.18	.25	.11	.25	.05	.02	.00	.00	.02	.00	.05	.00	3.98
1.6- 2.0	13	102	18	1	3	1	1	3	3	6	5	4	1	0	0	0	0	161
(1)	1.94	15.25	2.69	.15	.45	.15	.15	.45	.45	.90	.75	.60	.15	.00	.00	.00	.00	24.07
(2)	.29	2.31	.41	.02	.07	.02	.02	.07	.07	.14	.11	.09	.02	.00	.00	.00	.00	3.64
2.1- 3.0	34	115	5	0	0	0	1	1	1	4	11	1	0	0	1	1	0	175
(1)	5.08	17.19	.75	.00	.00	.00	.15	.15	.15	.60	1.64	.15	.00	.00	.15	.15	.00	26.16
(2)	.77	2.60	.11	.00	.00	.00	.02	.02	.02	.09	.25	.02	.00	.00	.02	.02	.00	3.96
3.1- 4.0	8	2	1	0	0	0	0	1	0	2	12	7	0	0	0	0	0	33
(1)	1.20	.30	.15	.00	.00	.00	.00	.15	.00	.30	1.79	1.05	.00	.00	.00	.00	.00	4.93
(2)	.18	.05	.02	.00	.00	.00	.00	.02	.00	.05	.27	.16	.00	.00	.00	.00	.00	.75
4.1- 5.0	1	1	1	0	0	0	0	0	0	0	5	11	0	0	0	0	0	19
(1)	.15	.15	.15	.00	.00	.00	.00	.00	.00	.00	.75	1.64	.00	.00	.00	.00	.00	2.84
(2)	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.11	.25	.00	.00	.00	.00	.00	.43
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.30	.00	.00	.00	.00	.00	.30
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.05
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

.

Table 2.3-60— {SSES 197' (60-m) 200	01-2006 August JFD - continued}
(Page	2 of 2)

				SSES	AUGUS'	I MET DA	ATA JOIN	IT FREQU	JENCY D	ISTRIBUT	FION (60	-METER 1	OWER))				
197.0) FT WIN	D DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 15	.12		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	66	283	92	30	31	23	23	19	18	15	35	26	3	1	1	3	0	669
(1)	9.87	42.30	13.75	4.48	4.63	3.44	3.44	2.84	2.69	2.24	5.23	3.89	.45	.15	.15	.45	.00	100.00
(2)	1.49	6.40	2.08	.68	.70	.52	.52	.43	.41	.34	.79	.59	.07	.02	.02	.07	.00	15.12

3

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 1 of 2)

.

107	0 ET 14/14			SSES	AUGUS		ATA JOIN	IT FREQU	JENCY D	ISTRIBU	TION (60	-METER 1			NT) - F	20		
197.0		DAIA			STAD		. D CCM. W	ימות מאוי	CTION	EDOM		.LA33 FR	QUEN	.I (PERCE	NT) = 5.	.30		
	NI	NINE	NE	ENE	r	FCF	۷۷ ۲۳		CHONI c	CCW	CIM	MCM	14/	14/6114/	B1387		VODI	TOTA
					с 0	ESE	JE O	33E	3	22.00	500	VV S VV	vv o	WIN W			VKBL	
LI.Z	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	1	4	8	4	4	1	3	1	0	0	0	0	0	0	1	. 0	28
(1)	.42	.42	1.68	3.36	1.68	1.68	.42	1.26	.42	.00	.00	.00	.00	.00	.00	.42	.00	11.76
(2)	.02	.02	.09	.18	.09	.09	.02	.07	.02	.00	.00	.00	.00	.00	.00	.02	.00	.63
11-15	1	23	17	10	5	4	3	3	2	4	٦	0	0	0	0	0	0	75
(1)	42	9.66	7 14	4 20	2 10	1.68	1 26	1 26	84	1.68	1 26	ñ	00	ň	ň	00	ň	31 51
(2)	02	52	38	23	11	09	07	07	.01	09	07	.00	00	.00	.00	.00	.00	1 70
(2)	.02	.52	.50	.25		.09	.07	.07	.05	.02	.07	.00	.00	.00	.00	.00	.00	1.70
1.6- 2.0	7	36	10	2	1	1	0	0	1	3	3	0	0	0	0	0	0	64
(1)	2.94	15.13	4.20	.84	.42	.42	.00	.00	.42	1.26	1.26	.00	.00	.00	.00	.00	.00	26.89
(2)	.16	.81	.23	.05	.02	.02	.00	.00	.02	.07	.07	.00	.00	.00	.00	.00	.00	1.45
2.1- 3.0	11	34	3	0	0	0	0	0	2	2	3	0	0	0	1	. 0	0	56
(1)	4.62	14.29	1.26	.00	.00	.00	.00	.00	.84	.84	1.26	.00	.00	.00	.42	.00	.00	23.53
(2)	.25	.77	.07	.00	.00	.00	.00	.00	.05	.05	.07	.00	.00	.00	.02	.00	.00	1.27
3.1- 4.0	6	4	0	0	0	0	0	0	0	2	.2	1	0	0	. 0	0	0	15
(1)	2.52	1.68	.00	.00	.00	.00	.00	.00	.00	.84	.84	.42	.00	.00	.00	.00	.00	6.30
(2)	.14	.09	.00	.00	.00	.00	.00	.00	.00	.05	.05	.02	.00	.00	.00	.00	.00	.34
41-50	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	٥	0
(1)	ñ	00	00	ñ	.00	őŐ	00	00	00	00	õõ	00	00	00	őŐ	ň	ň	ň
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
51-60	0	0	0	0	0	0	0	٥	0	0	0	٥	0	0	0	0	0	0
(1)	0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	0	0
() ()	.00	.00	.00 00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 2 of 2)

				SSES	AUGUS	T MET DA	TA JOIN	IT FREQU	JENCY D	ISTRIBUT	TION (60	-METER 1	(OWER)					
197.0) FT WIN	D DATA			STAB	BILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 5.	38		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE -	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	26	98	34	20	10	9	4	6	6	11	11	1	0	0	1	· 1	0	238
(1)	10.92	41.18	14.29	8.40	4.20	3.78	1.68	2.52	2.52	4.62	4.62	.42	.00	.00	.42	.42	.00	100.00
(2)	.59	2.22	.77	.45	.23	.20	.09	.14	.14	.25	.25	.02	.00	.00	.02	.02	.00	5.38

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE 2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.

BBNPP

								(i age	1012/									
197.0	FT WIN	D DATA		SSES	AUGUS STABI	r MET DA LITY CLA	TA JOIN	IT FREQU	JENCY D	ISTRIBUT	FION (60 CL	-METER T ASS FREC	OWER) QUENCY	í (PERCEN	IT) = 10(D. OO		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
<i>ν</i> = <i>ν</i>																		
.24	0	2	1	4	1	2	0	1	0	0	0	0	0	0	0	0	0	11
(1)	.00	.05	.02	.09	.02	.05	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.25
(2)	.00	.05	.02	.09	.02	.05	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.25
. ,																		
.5- 1.0	19	57	86	74	-55	52	38	33	40	15	19	9	4	1	1	7	0	510
(1)	.43	1.29	1.94	1.67	1.24	1.18	.86	.75	.90	.34	.43	.20	.09	.02	.02	.16	.00	11.53
(2)	.43	1.29	1.94	1.67	1.24	1.18	.86	.75	.90	.34	.43	.20	.09	.02	.02	.16	.00	11.53
1.1- 1.5	29	176	172	61	63	29	33	35	47	45	24 \	9	6	9	5	9	0	752
(1)	.66	3.98	3.89	1.38	1.42	.66	.75	.79	1.06	1.02	.54	.20	.14	.20	.11	.20	.00	17.00
(2)	.66	3.98	3.89	1.38	1.42	.66	.75	.79	1.06	1.02	.54	.20	.14	.20	.11	.20	.00	17.00
1.6- 2.0	55	276	79	31	26	17	24	23	46	52	44	20	3	3	1	4	0	704
(1)	1.24	6.24	1.79	.70	.59	.38	.54	.52	1.04	1.18	.99	.45	.07	.07	.02	.09	.00	15.91
(2)	1.24	6.24	1.79	.70	.59	.38	.54	.52	1.04	1.18	.99	.45	.07	.07	.02	.09	.00	15.91
									_									
2.1- 3.0	109	286	72	29	15	19	29	37	47	66	131	30	10	9	9	11	0	909
(1)	2.46	6.46	1.63	.66	.34	.43	.66	.84	1.06	1.49	2.96	.68	.23	.20	.20	.25	.00	20.55
(2)	2.46	6.46	1.63	.66	.34	.43	.66	.84	1.06	1.49	2.96	.68	.23	.20	.20	.25	.00	20.55
21 40	77	01	57	6	11	11	11	20	47	70	120	57	17	15	15	20	0	652
5.1-4.0	174	1 0 2	1.20	14	25	25	25	29	42	150	202	57 1 20	15	15	15	29	0	1476
(1)	1.74	1.00	1.29	.14	.25	.25	.25	.00	.95	1.50	2.92	1.29	.29	.54	.54	.00	.00	14.70
(2)	1.74	1.85	1.29	.14	.25	.25	.25	.00	.95	1.58	2.92	1.29	.29	.34	.34	.00	.00	14.76
41-50	49	50	17	Ο	٦	8	2	17	35	55	141	81	19	15	8	28	0	528
(1)	1 1 1	1 13	38	õ	07	18	05	38	79	1 74	3 19	1.83	43	34	18	63	00	11 93
(7)	1 1 1	1 13	38	.00	.07	.18	.05	38	79	1 24	3 19	1.83	43	34	18	63	.00	11.93
(2)		1.15	.50	.00	.07		.05	.50		1.2 1	5.15	1.05			.10	.05	.00	11.55
5.1- 6.0	11	27	2	0	2	4	3	5	11	22	60	65	12	0	5	10	0	239
(1)	.25	.61	.05	.00	.05	.09	.07	.11	.25	.50	1.36	1.47	.27	.00	.11	.23	.00	5.40
(2)	.25	.61	.05	.00	.05	.09	.07	.11	.25	.50	1.36	1.47	.27	.00	.11	.23	.00	5.40
N -2																		
6.1- 8.0	6	4	0	0	2	6	0	3	14	23	22	22	3	3	0	0	0	108

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 1 of 2)

BBNPP

2-592 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-60— {SSES 197' (60-m) 2001-2006 August JFD - continued} (Page 2 of 2)

197.0	FTWIN	ID DATA		SSES	AUGUST STABI	r MET DA LITY CLA	ATA JOIN	T FREQU	JENCY D	ISTRIBU'	TION (60 CL	-METER 1 ASS FREC	OWER) QUENCY	(PERCEN	T) = 100	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.14	.09	.00	.00	.05	.14	.00	.07	.32	.52	.50	.50	.07	.07	.00	.00	.00	2.44
(2)	.14	.09	.00	.00	.05	.14	.00	.07	.32	.52	.50	.50	.07	.07	.00	.00	.00	2.44
8.1-10.0	1	0	0	0	0	0	0	1	4	0	0	3	0	0	0	0	0	9
(1)	.02	.00	.00	.00	.00	.00	.00	.02	.09	.00	.00	.07	.00	.00	.00	.00	.00	.20
(2)	.02	.00	.00	.00	.00	.00	.00	.02	.09	.00	.00	.07	.00	.00	.00	.00	.00	.20
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
. (2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	356	959	487	205	178	148	140	184	286	348	570	296	70	55	44	98	0	4424
(1)	8.05	21.68	11.01	4.63	4.02	3.35	3.16	4.16	6.46	7.87	12.88	6.69	1.58	1.24	.99	2.22	.00	100.00
(2)	8.05	21.68	11.01	4.63	4.02	3.35	3.16	4.16	6.46	7.87	12.88	6.69	1.58	1.24	.99	2.22	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD
(Page 1 of 2)

				SSES S	ЕРТЕМВ	ER MET (OL ATA	INT FREC	QUENCY	DISTRIB	UTION (50-METEF	R TOWE	R)				
197.0) FT WIN	D DATA			STAE	BILITY CL	ASS A				c	LASS FRE		Y (PERCE	NT) = 7.	.03		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	- SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	2	1	2	1	1	2	0	1	0	0	0	0	0	0	12
(1)	.00	.00	.66	.66	.33	.66	.33	.33	.66	.00	.33	.00	.00	.00	.00	.00	.00	3.96
(2)	.00	.00	.05	.05	.02	.05	.02	.02	.05	.00	.02	.00	.00	.00	.00	.00	.00	.28
1.1- 1.5	1	2	4	6	1	3	1	2	5	4	2	0	0	0	0	0	0	31
(1)	.33	.66	1.32	1.98	.33	.99	.33	.66	1.65	1.32	.66	.00	.00	.00	.00	.00	.00	10.23
(2)	.02	.05	.09	.14	.02	.07	.02	.05	.12	.09	.05	.00	.00	.00	.00	.00	.00	.72
1.6 - 2.0	0	5	4	6	2	2	3	3	4	4	4	1	0	0	0	0	0	38
(1)	.00	1.65	1.32	1.98	.66	.66	.99	.99	1.32	1.32	1.32	.33	.00	.00	.00	.00	.00	12.54
(2)	.00	.12	.09	.14	.05	.05	.07	.07	.09	.09	.09	.02	.00	.00	.00	.00	.00	.88
2.1- 3.0	1	11	8	2	1	1	2	4	3	7	11	4	0	0	2	1	0	58
(1)	.33	3.63	2.64	.66	.33	.33	.66	1.32	.99	2.31	3.63	1.32	.00	.00	.66	.33	.00	19.14
(2)	.02	.26	.19	.05	.02	.02	.05	.09	.07	.16	.26	.09	.00	.00	.05	.02	.00	1.35
3.1- 4.0	1	4	1	0	0	0	3	4	2	6	18	4	2	0	3	2	0	50
(1)	.33	1.32	.33	.00	.00	.00	.99	1.32	.66	1.98	5.94	1.32	.66	.00	.99	.66	.00	16.50
(2)	.02	.09	.02	.00	.00	.00	.07	.09	.05	.14	.42	.09	.05	.00	.07	.05	.00	1.16
4.1- 5.0	6	5	1	0	0	0	0	5	9	8	14	4	1	2	0	1	0	56
(1)	1.98	1.65	.33	.00	.00	.00	.00	1.65	2.97	2.64	4.62	1.32	.33	.66	.00	.33	.00	18.48
(2)	.14	.12	.02	.00	.00	.00	.00	.12	.21	.19	.32	.09	.02	.05	.00	.02	.00	1.30
5.1- 6.0	2	1	4	0	0	0	0	6	6	4	10	5	0	0	0	0	0	38
(1)	.66	.33	1.32	.00	.00	.00	.00	1.98	1.98	1.32	3.30	1.65	.00	.00	.00	.00	.00	12.54
(2)	.05	.02	.09	.00	.00	.00	.00	.14	.14	.09	.23	.12	.00	.00	.00	.00	.00	.88
6.1- 8.0	0	0	0	0	0	0	0	1	5	6	3	4	0	0	0	0	0	19

BBNPP

Rev. 2a

Meteorology

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD} (Page 2 of 2)

				SSES S	EPTEMB	ER MET (OL ATAC	INT FREG	QUENCY	DISTRIB	UTION (e	60-METER	TOWE	R)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS A				С	LASS FRE	QUENC	Y (PERCE	NT) = 7.	.03		
							W	IND DIRI	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.33	1.65	1.98	.99	1.32	.00	.00	.00	.00	.00	6.27
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.12	.14	.07	.09	.00	.00	.00	.00	.00	.44
8.1-10.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.33	.00	.00	.00	.00	.00	.00	.00	.33
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	11	28	24	16	5	8	10	26	36	40	63	22	3	2	5	4	0	303
(1)	3.63	9.24	7.92	5.28	1.65	2.64	3.30	8.58	11.88	13.20	20.79	7.26	.99	.66	1.65	1.32	.00	100.00
(2)	.26	.65	.56	.37	.12	.19	.23	.60	.84	.93	1.46	.51	.07	.05	.12	.09	.00	7.03

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

ç

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 1 of 2)

197.0) FT WIN	D DATA		2252 21	STAE	BILITY CL	ASS B				C	LASS FRE	QUENC	Y (PERCE	NT) = 3.	74		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	1	0	0	0	0	0	2	0	0	0	0	0	0	0	4
(1)	.00	.00	.62	.62	.00	.00	.00	.00	.00	1.24	.00	.00	.00	.00	.00	.00	.00	2.48
(2)	.00	.00	.02	.02	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	0	2	2	2	0	2	1	0	0	2	0	0	0	0	0	0	0	11
(1)	.00	1.24	1.24	1.24	.00	1.24	.62	.00	.00	1.24	.00	.00	.00	.00	.00	.00	.00	6.83
(2)	.00	.05	.05	.05	.00	.05	.02	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.26
1.6- 2.0	1	3	3	2	0	1	0	0	3	3	4	0	0	0	0	0	0	20
(1)	.62	1.86	1.86	1.24	.00	.62	.00	.00	1.86	1.86	2.48	.00	.00	.00	.00	.00	.00	12.42
(2)	.02	.07	.07	.05	.00	.02	.00	.00	.07	.07	.09	.00	.00	.00	.00	.00	.00	.46
2.1- 3.0	1	1	5	0	0	1	1	0	2	2	9	1	1	0	0	3	0	27
(1)	.62	.62	3.11	.00	.00	.62	.62	.00	1.24	1.24	5.59	.62	.62	.00	.00	1.86	.00	16.77
(2)	.02	.02	.12	.00	.00	.02	.02	.00	.05	.05	.21	.02	.02	.00	.00	.07	.00	.63
3.1- 4.0	2	2	3	0	0	0	0	1	1	2	14	1	2	1	3	0	0	32
(1)	1.24	1.24	1.86	.00	.00	.00	.00	.62	.62	1.24	8.70	.62	1.24	.62	1.86	.00	.00	19.88
(2)	.05	.05	.07	.00	.00	.00	.00	.02	.02	.05	.32	.02	.05	.02	.07	.00	.00	.74
4.1- 5.0	3	7	1	0	0	0	2	1	2	2	7	1	2	4	2	5	0	39
(1)	1.86	4.35	.62	.00	.00	.00	1.24	.62	1.24	1.24	4.35	.62	1.24	2.48	1.24	3.11	.00	24.22
(2)	.07	.16	.02	.00	.00	.00	.05	.02	.05	.05	.16	.02	.05	.09	.05	.12	.00	.90
5.1- 6.0	1	2	0	0	0	0	1	0	1	1	2	5	3	2	0	1	0	19
(1)	.62	1.24	.00	.00	.00	.00	.62	.00	.62	.62	1.24	3.11	1.86	1.24	.00	.62	.00	11.80
(2)	.02	.05	.00	.00	.00	.00	.02	.00	.02	.02	.05	.12	.07	.05	.00	.02	.00	.44
6.1-8.0	0	0	0	0	0	0	0	2	0	1	2	1	1	0	0	0	0	7

BBNPP

Rev. 2a

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 2 of 2)

				SSES SI	EPTEMB	ER MET (OL ATAC	INT FREC	QUENCY	DISTRIB	UTION (6	50-METER	R TOWE	R)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS B				С	LASS FRE	QUENC	Y (PERCE	NT) = 3.	74		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	1.24	.00	.62	1.24	.62	.62	.00	.00	.00	.00	4.35
(2)	.00	.00	.00	.00	.00	.00	.00	.05	.00	.02	.05	.02	.02	.00	.00	.00	.00	.16
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.62	.00	.00	.62
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.02
10.1-40.3	0	0	• 0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.62	.00	.62
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.02
ALL SPEEDS	8	17	15	5	0	4	5	4	9	15	38	9	9	7	6	10	0	161
(1)	4.97	10.56	9.32	3.11	.00	2.48	3.11	2.48	5.59	9.32	23.60	5.59	5.59	4.35	3.73	6.21	.00	100.00
(2)	.19	.39	.35	.12	.00	.09	.12	.09	.21	.35	.88	.21	.21	.16	.14	.23	.00	3.74

.

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

-

Table 2.3-61— {SSES 197' (60-m)	2001	1-200	6 September	JFD - continued}

(Page 1 of 2)

				SSES S	EPTEMB	ER MET (OATA JO	INT FREG	QUENCY	DISTRIB	UTION (50-METER	TOWE	R)				
197.0	D FT WIN	D DATA			STAB		ASS C				c	LASS FRE		Y (PERCE	NT) = 5.	.10		
							W	IND DIRI	ECTION P	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.45	.45	.45	.00	.45	.00	.00	.00	.00	.00	.00	.00	.00	1.82
(2)	.00	.00	.00	.00	.02	.02	.02	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	3	1	3	4	3	0	2	2	0	4	2	0	0	0	0	0	0	24
(1)	1.36	.45	1.36	1.82	1.36	.00	.91	.91	.00	1.82	.91	.00	.00	.00	.00	.00	.00	10.91
(2)	.07	.02	.07	.09	.07	.00	.05	.05	.00	.09	.05	.00	.00	.00	.00	.00	.00	.56
1.6- 2.0	0	1	4	3	1	2	1	3	3	7	2	0	0	1	0	0	0	28
(1)	.00	.45	1.82	1.36	.45	.91	.45	1.36	1.36	3.18	.91	.00	.00	.45	.00	.00	.00	12.73
(2)	.00	.02	.09	.07	.02	.05	.02	.07	.07	.16	.05	.00	.00	.02	.00	.00	.00	.65
2.1- 3.0	2	10	3	1	0	1	0	0	2	3	14	4	0	0	1	0	0	41
(1)	.91	4.55	1.36	.45	.00	.45	.00	.00	.91	1.36	6.36	1.82	.00	.00	.45	.00	.00	18.64
(2)	.05	.23	.07	.02	.00	.02	.00	.00	.05	.07	.32	.09	.00	.00	.02	.00	.00	.95
3.1- 4.0	1	5	4	0	0	1	1	0	3	1	13	5	1	5	3	4	0	47
. (1)	.45	2.27	1.82	.00	.00	.45	.45	.00	1.36	.45	5.91	2.27	.45	2.27	1.36	1.82	.00	21.36
(2)	.02	.12	.09	.00	.00	.02	.02	.00	.07	.02	.30	.12	.02	.12	.07	.09	.00	1.09
4.1- 5.0	8	7	1	0	0	0	1	2	2	5	4	2	3	6	1	2	0	44
(1)	3.64	3.18	.45	.00	.00	.00	.45	.91	.91	2.27	1.82	.91	1.36	2.73	.45	.91	.00	20.00
(2)	.19	.16	.02	.00	.00	.00	.02	.05	.05	.12	.09	.05	.07	.14	.02	.05	.00	1.02
5.1- 6.0	5	6	0.	1	0	0	0	1	0	1	3	4	0	0	0	2	0	23
(1)	2.27	2.73	.00	.45	.00	.00	.00	.45	.00	.45	1.36	1.82	.00	.00	.00	.91	.00	10.45
(2)	.12	.14	.00	.02	.00	.00	.00	.02	.00	.02	.07	.09	.00	.00	.00	.05	.00	.53
6.1- 8.0	1	1	0	0	0	0	0	0	0	2	0	3	0	0	0	0	0	7

BBNPP

Rev. 2a

Meteorology

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 2 of 2)

				SSES S	EPTEMB	ER MET [OATA JO	INT FREC	QUENCY	DISTRIB	UTION (6	60-METER	TOWE	R)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS C				С	LASS FRE		Y (PERCE	NT) = 5.	.10		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.45	.45	.00	.00	.00	.00	.00	.00	.00	.91	.00	1.36	.00	.00	.00	.00	.00	3.18
(2)	.02	.02	.00	.00	.00	.00	.00	.00	.00	.05	.00	.07	.00	.00	.00	.00	.00	.16
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.91	.00	.91
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.05
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	20	31	15	9	5	5	б	8	11	23	38	18	4	12	5	10	0	220
(1)	9.09	14.09	6.82	4.09	2.27	2.27	2.73	3.64	5.00	10.45	17.27	8.18	1.82	5.45	2.27	4.55	.00	100.00
(2)	.46	.72	.35	.21	.12	.12	.14	.19	.26	.53	.88	.42	.09	.28	.12	.23	.00	5.10

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD FSAR: Section 2.3

Rev. 2a

								(i age	1012)									
197.	.0 FT WIN	ID DATA		SSES S	EPTEMB STAE	SER MET E	DATA JO ASS D	INT FREG	QUENCY	DISTRIB	UTION (60-METER LASS FRE	R TOWE	R) Y (PERCEI	NT) = 29	.10		
							w	IND DIR	ECTION F	FROM				•				
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRRI	τοται
IT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	00	00	, oo	00	ñ	ñ	ñ	00	00	00	ň	ň	00	00	00	00	00	00
(7)	.00	00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	٥	٥	1
(1)	.00	00	00	00	ñ	ň	00	ň	ň	00	08	ň	ň	00	00 -	00	00	08
(2)	00	.00	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(_)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	3	б	25	15	10	17	7	9	15	5	2	1	1	1	1	2	0	120
(1)	.24	.48	1.99	1.20	.80	1.36	.56	.72	1.20	.40	.16	.08	.08	.08	.08	.16	.00	9.57
(2)	.07	.14	.58	.35	.23	.39	.16	.21	.35	.12	.05	.02	.02	.02	02	05	00	2 78
												102		.02	.02	.05	.00	2.70
1.1- 1.5	3	25	32	8	11	6	5	5	11	14	15	2	2	2	0	3	• 0	144
(1)	.24	1.99	2.55	.64	.88	.48	.40	.40	.88	1.12	1.20	.16	.16	.16	.00	.24	.00	11.48
(2)	.07	.58	.74	.19	.26	.14	.12	.12	.26	.32	.35	.05	.05	.05	.00	.07	.00	3.34
												*						
1.6- 2.0	10	22	20	3	6	5	2	3	7	13	20	6	1	1	1	2	0	122
(1)	.80	1.75	1.59	.24	.48	.40	.16	.24	.56	1.04	1.59	.48	.08	.08	.08	.16	.00	9.73
(2)	.23	.51	.46	.07	.14	.12	.05	.07	.16	.30	.46	.14	.02	.02	.02	.05	.00	2.83
2.1- 3.0	15	25	25	9	12	5	9	7	7	20	29	15	8	3	2	10	0	201
(1)	1.20	1.99	1.99	.72	.96	.40	.72	.56	56	1.59	2.31	1.20	.64	.24	.16	.80	.00	16.03
(2)	.35	.58	.58	.21	.28	.12	.21	.16	.16	.46	.67	.35	.19	.07	.05	.23	.00	4.66
3.1- 4.0	18	48	15	3	6	16	12	10	18	15	28	16	6	9	9	16	0	245
(1)	1.44	3.83	1.20	.24	.48	1.28	.96	.80	1.44	1.20	2.23	1.28	.48	.72	.72	1.28	.00	19.54
(2)	.42	1.11	.35	.07	.14	.37	.28	.23	.42	.35	.65	.37	.14	.21	.21	.37	.00	5.68
4.1- 5.0	24	30	11	7	2	6	8	8	16	13	22	24	11	4	16	15	0	217
(1)	1.91	2.39	.88	.56	.16	.48	.64	.64	1.28	1.04	1.75	1.91	.88	.32	1.28	1.20	.00	17.30
(2)	.56	.70	.26	.16	.05	.14	.19	.19	.37	.30	.51	.56	.26	.09	.37	.35	.00	5.03
5.1- 6.0	8	22	2	4	1	1	2	2	9	20	11	21	3	3	2	5	0	116
(1)	.64	1.75	.16	.32	.08	.08	.16	.16	.72	1.59	.88	1.67	.24	.24	.16	.40	.00	9.25
(2)	.19	.51	.05	.09	.02	.02	.05	.05	.21	.46	.26	.49	.07	.07	.05	.12	.00	2.69
6.1- 8.0	3	6	1	2	0	0	1	4	1	13	5	19	4	2	6	2	0	69

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 1 of 2)

BBNPP

2-600 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 2 of 2)

				SSES S	EPTEMB	ER MET I	OATA JO	INT FREC	QUENCY	DISTRIB	UTION (6	50-METER	RTOWE	R)				
197.0) FT WIN	ID DATA			STAB	ILITY CL	ASS D				CI	LASS FRE	QUENC	Y (PERCE	NT) = 29	.10		
							w	IND DIRE	ECTION F	ROM					-			
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.24	.48	.08	.16	.00	.00	.08	.32	.08	1.04	.40	1.52	.32	.16	.48	.16	.00	5.50
(2)	.07	.14	.02	.05	.00	.00	.02	.09	.02	.30	.12	.44	.09	.05	.14	.05	.00	1.60
8.1-10.0	0	0	1	0	0	0	0	0	4	3	0	2	1	0	2	0	0	13
(1)	.00	.00	.08	.00	.00	.00	.00	.00	.32	.24	.00	.16	.08	.00	.16	.00	.00	1.04
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.09	.07	.00	.05	.02	.00	.05	.00	.00	.30
10.1-40.3	0	0	0	3	0	0	1	0	2	0	0	0	0	0	0	0	0	6
(1)	.00	.00	.00	.24	.00	.00	.08	.00	.16	.00	.00	.00	.00	.00	.00	.00	.00	.48
(2)	.00	.00	.00	.07	.00	.00	.02	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.14
ALL SPEEDS	84	184	132	54	48	56	47	48	90	116	133	106	37	25	39	55	0	1254
(1)	6.70	14.67	10.53	4.31	3.83	4.47	3.75	3.83	7.18	9.25	10.61	8.45	2.95	1.99	3.11	4.39	.00	100.00
(2)	1.95	4.27	3.06	1.25	1.11	1.30	1.09	1.11	2.09	2.69	3.09	2.46	.86	.58	.90	1.28	.00	29.10

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 1 of 2)

107 (SSES S	EPTEMB		DATA JO	INT FRE	QUENCY	DISTRIB		60-METER		R) V (DEDCEI	(T) _ 31	40		
197.0		DATA			SIND		.M33 E W			DOM	C.		QUENC	T (PERCEI	NI) = 51	.48		
SDEED m/c	Ν	NNE	NE	ENIE	E	ECE			c		CIM	WOW	14/	\A/NI\A/	NIM	NINISA/	VDDI	TOTAL
	0				E 0	E3E))	335	3	3344	344	VV 5 VV	~				VRDL	
(1)	00	00	00	00	00	00	00	00	00	00	00	00	0	00	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	3	0	1	0	1	1	0	0	0	0	0	0	0	0	7
(1)	.00	.00	.07	.22	.00	.07	.00	.07	.07	.00	.00	.00	.00	.00	.00	.00	.00	.52
(2)	.00	.00	.02	.07	.00	.02	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.16
5-10	7	20	32	29	22	15	16	11	9	4	8	4	2	0	0	2	0	181
(1)	.52	1.47	2.36	2.14	1.62	1.11	1.18	.81	.66	.29	.59	.29	.15	.00	.00	15	ň	13 34
(2)	.16	.46	.74	.67	.51	.35	.37	.26	.21	.09	.19	.09	05	.00	.00	05	.00	4 20
(-)												.05	.05			.05	.00	1.20
1.1- 1.5	13	30	39	8	10	8	7	9	11	11	3	3	1	0	0	2	0	155
(1)	.96	2.21	2.87	.59	.74	.59	.52	.66	.81	.81	.22	.22	.07	.00	.00	.15	.00	11.42
(2)	.30	.70	.90	.19	.23	.19	.16	.21	.26	.26	.07	.07	.02	.00	.00	.05	.00	3.60
16-20	18	64	78	13	3	2	6	2	10	10	15	12	r	0	1	0	0	100
(1)	1 3 3	472	2.06	96	22	22	44	15	74	88	1 1 1	96	15	00	07	00	00	14.00
(7)	42	1.72	65	30	.22	.22	14	.15	./ 4	.00	35	30	.15	.00	.07	.00	.00	4.00
(2)	. 12	1.10	.05	.50	.07	.07		.05	.2.5	.20			.05	.00	.02	.00	.00	7.71
2.1- 3.0	18	101	31	8	12	5	7	15	20	12	17	12	5	5	3	3	0	274
(1)	1.33	7.44	2.28	.59	.88	.37	.52	1.11	1.47	.88	1.25	.88	.37	.37	.22	.22	.00	20.19
(2)	.42	2.34	.72	.19	.28	.12	.16	.35	.46	.28	.39	.28	.12	.12	.07	.07	.00	6.36
3.1-4.0	15	44	26	7	5	6	7	12	25	32	20	16	6	5	२	4	0	233
(1)	1.11	3.24	1.92	.52	.37	.44	.52	.88	1.84	2.36	1.47	1.18	.44	37	22	29	ñ	1717
(2)	.35	1.02	.60	.16	.12	.14	.16	.28	.58	.74	.46	.37	.14	.12	.07	.09	.00	5.41
<i>x</i> - <i>y</i>																		5111
4.1- 5.0	9	25	13	5	3	4	3	12	16	20	12	12	6	2	6	6	0	154
(1)	.66	1.84	.96	.37	.22	.29	.22	.88	1.18	1.47	.88	.88	.44	.15	.44	.44	.00	11.35
(2)	.21	.58	.30	.12	.07	.09	.07	.28	.37	.46	.28	.28	.14	.05	.14	.14	.00	3.57
5.1- 6.0	2	8	7	3	0	1	4	7	8	13	5	11	0	0	0	1	0	70
(1)	.15	.59	.52	.22	.00	.07	.29	.52	.59	.96	.37	.81	.00	.00	.00	.07	.00	5.16
(2)	.05	.19	.16	.07	.00	.02	.09	.16	.19	.30	.12	.26	.00	.00	.00	.02	.00	1.62
6.1- 8.0	0	12	4	2	4	1	1	7	8	6	0	3	0	0	0	1	0	49

BBNPP

Meteorology

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 2 of 2)

				SSES S	ЕРТЕМВ	ER MET [OL ATA	INT FREC	UENCY	DISTRIB	UTION (60-METEF	TOWE	R)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCEN	IT) = 31	.48		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	5	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.88	.29	.15	.29	.07	.07	.52	.59	.44	.00	.22	.00	.00	.00	.07	.00	3.61
(2)	.00	.28	.09	.05	.09	.02	.02	.16	.19	.14	.00	.07	.00	.00	.00	.02	.00	1.14
8.1-10.0	0	1	9	2	0	1	2	1	6	2	0	0	0	0	0	0	0	24
(1)	.00	.07	.66	.15	.00	.07	.15	.07	.44	.15	.00	.00	.00	.00	.00	.00	.00	1.77
(2)	.00	.02	.21	.05	.00	.02	.05	.02	.14	.05	.00	.00	.00	.00	.00	.00	.00	.56
10.1-40.3	0	5	3	3	1	1	4	1	1	1	0	0	0	0	0	0	0	20
(1)	.00	.37	.22	.22	.07	.07	.29	.07	.07	.07	.00	.00	.00	.00	.00	.00	.00	1.47
(2)	.00	.12	.07	.07	.02	.02	.09	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.46
ALL SPEEDS	82	310	193	83	60	46	57	78	115	113	80	74	22	12	13	19	0	1357
(1)	6.04	22.84	14.22	6.12	4.42	3.39	4.20	5.75	8.47	8.33	5.90	5.45	1.62	.88	.96	1.40	.00	100.00
(2)	1.90	7.19	4.48	1.93	1.39	1.07	1.32	1.81	2.67	2.62	1.86	1.72	.51	.28	.30	.44	.00	31.48

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 1 of 2)

197 (SSES S	EPTEMB STAI		DATA JO	INT FRE	QUENCY	DISTRIB	UTION (60-METER		R) V (DERCEI	NT) - 16	. 77		
197.		DAIA			2141					POM			QUENC	I	NT) - TO			
SPEED m/s	N	NNF	NF	ENE	F	FSF	SE	SSE	S	SSW	sw	wsw	w	WNW	NW	NNW	VRRI	τοται
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	õõ	00	ñ	ñ	00	00	00	ñ	ñ	ň	ñ	ň	00	ň	00	00	ň	00
(2)	.00	.00	.00	.00	.00	:00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.14	.14	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.29
(2)	.00	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
.5- 1.0	2	10	23	15	4	11	6	2	2	1	0	0	1	0	1	1	0	79
(1)	.29	1.43	3.29	2.15	.57	1.57	.86	.29	.29	.14	.00	.00	.14	.00	.14	.14	.00	11.30
(2)	.05	.23	.53	.35	.09	.26	.14	.05	.05	.02	.00	.00	.02	.00	.02	.02	.00	1.83
1.1- 1.5	2	39	43	б	3	5	10	3	8	5	3	1	0	0	0	3	0	131
(1)	.29	5.58	6.15	.86	.43	.72	1.43	.43	1.14	.72	.43	.14	.00	.00	.00	.43	.00	18.74
(2)	.05	.90	1.00	.14	.07	.12	.23	.07	.19	.12	.07	.02	.00	.00	.00	.07	.00	3.04
1.6- 2.0	22	109	17	2	3	2	1	2	7	6	2	2	3	0	1	0	0	179
(1)	3.15	15.59	2.43	.29	.43	.29	.14	.29	1.00	.86	.29	.29	.43	.00	.14	.00	.00	25.61
(2)	.51	2.53	.39	.05	.07	.05	.02	.05	.16	.14	.05	.05	.07	.00	.02	.00	.00	4.15
2.1- 3.0	34	141	11	4	0	1	0	2	6	11	7	1	1	2	1	1	0	223
(1)	4.86	20.17	1.57	.57	.00	.14	.00	.29	.86	1.57	1.00	.14	.14	.29	.14	.14	.00	31.90
(2)	.79	3.27	.26	.09	.00	.02	.00	.05	.14	.26	.16	.02	.02	.05	.02	.02	.00	5.17
3.1- 4.0	9	23	5	0	0	0	0	2	10	10	6	3	0	0	1	1	0	70
(1)	1.29	3.29	.72	.00	.00	.00	.00	.29	1.43	1.43	.86	.43	.00	.00	.14	.14	.00	10.01
(2)	.21	.53	.12	.00	.00	.00	.00	.05	.23	.23	.14	.07	.00	.00	.02	.02	.00	1.62
4.1- 5.0	0	2	0	0	0	0	Ó	1	1	4	0	4	0	0	0	0	0	12
(1)	.00	.29	.00	.00	.00	.00	.00	.14	.14	.57	.00	.57	.00	.00	.00	.00	.00	1.72
(2)	.00	.05	.00	.00	.00	.00	.00	.02	.02	.09	.00	.09	.00	.00	.00	.00	.00	.28
5.1- 6.0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2
(1)	.14	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14	.00	.00	.00	.00	.00	.29
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.05
6.1-8.0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1

Meteorology

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 2 of 2)

				SSES S	EPTEMB	ER MET (OATA JO	INT FREC	QUENCY	DISTRIB	UTION (60-METER	TOWE	R)				
197.() FT WIN	D DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 16	.22		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.14	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	70	324	99	27	11	20	17	13	34	37	18	12	5	2	4	6	0	699
(1)	10.01	46.35	14.16	3.86	1.57	2.86	2.43	1.86	4.86	5.29	2.58	1.72	.72	.29	.57	.86	.00	100.00
(2)	1.62	7.52	2.30	.63	.26	.46	.39	.30	.79	.86	.42	.28	.12	.05	.09	.14	.00	16.22

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

-						-		•	(Page	1 of 2)	•								
					SSES S	ЕРТЕМВ	ER MET I	OATA JO	INT FREG	QUENCY	DISTRIB		60-METEF	R TOWE	R)				
	197.0	D FT WIN	ID DATA			STAB	BILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 7.	33		
	DEED m/c	N	NNE	NE	ENE	F	ECE	w cr		ECTION F	ROM	C 144	MCM	147					
-		0				E	E3E	3E 0	33E	3	33W	500	0	•••			NNW	VKBL	IUIAL
	(1)	00	00	00	00	00	00	00	00	00	00	0	0	0	0	0	0	0	0
	(7)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	(_)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	5-10	٥	2	٩	8	5	r	1	1	7	4	0	^	0	0	0	0	0	24
	(1)	00	63	285	253	158	63	32	32	63	1 27	0	0	0	00	0	0	0	54 10.76
	(2)	.00	.05	2.05	19	1.50	.05	02	.52	05	09	.00	.00	.00	.00	.00	.00	.00	70
	(-)					2	.05	.02	.02	.05	.05	.00	.00	.00	.00	.00	.00	.00	./9
	1.1- 1.5	2	23	10	9	8	8	6	5	4	1	0	0	0	- 2	0	0	0	78
	(1)	.63	7.28	3.16	2.85	2.53	2.53	1.90	1.58	1.27	.32	.00	.00	.00	.63	.00	.00	.00	24.68
	(2)	.05	.53	.23	.21	.19	.19	.14	.12	.09	.02	.00	.00	.00	.05	.00	.00	.00	1.81
	1.6- 2.0	8	47	18	7	1	2	2	3	3	2	2	1	0	. 0	2	0	0	98
	(1)	2.53	14.87	5.70	2.22	.32	.63	.63	.95	.95	.63	.63	.32	.00	.00	.63	.00	.00	31.01
	(2)	.19	1.09	.42	.16	.02	.05	.05	.07	.07	.05	.05	.02	.00	.00	.05	.00	.00	2.27
																·			
	2.1-3.0	15	44	8	1	0	2	2	1	8	8	0	0	0	0	1	1	0	91
	(1)	4.75	13.92	2.53	.32	.00	.63	.63	.32	2.53	2.53	.00	.00	.00	.00	.32	.32	.00	28.80
	(2)	.35	1.02	.19	.02	.00	.05	.05	.02	.19	.19	.00	.00	.00	.00	.02	.02	.00	2.11
	3.1- 4.0	3	5	0	0	0	0	0	0	0	2	2	0	0	0	1	0	0 .	13
	(1)	.95	1.58	.00	.00	.00	.00	.00	.00	.00	.63	.63	.00	.00	.00	.32	.00	.00	4.11
	(2)	.07	.12	.00	.00	.00	.00	.00	.00	.00	.05	.05	.00	.00	.00	.02	.00	.00	.30
	4.1-5.0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.32	.00	.32	.00	.00	.00	.00	.00	.63
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.02	.00	.00	.00	.00	.00	.05
	5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 .
		-	-	-	-	-	•	-	•	v		v .	Ū	•	U U	Ŭ	v	v	0

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 1 of 2)

BBNPP

2-606 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 2 of 2)

				SSES S	EPTEMB	ER MET I	OL ATAC	INT FREC	QUENCY	DISTRIB	JTION (50-METER	TOWE	R)				
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 7.	33		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	28	121	45	25	14	14	11	10	17	18	4	2	0	2	4	1	0	316
(1)	8.86	38.29	14.24	7.91	4.43	4.43	3.48	3.16	5.38	5.70	1.27	.63	.00	.63	1.27	.32	.00	100.00
(2)	.65	2.81	1.04	.58	.32	.32	.26	.23	.39	.42	.09	.05	.00	.05	.09	.02	.00	7.33

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

								(Page	1 of 2)									
				SSES S	ертемв	ER MET (OL ATAC	INT FRE	QUENCY	DISTRIB		50-METER	TOWE	R)				
197.	0 FT WIN	D DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCI	(PERCEN	IT) = 100	0.00		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	Ň	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	3	1	2	0	1	1	0	1	0	0	0	0	0	0	10
(1)	.00	.00	.02	.07	.02	.05	.00	.02	.02	.00	.02	.00	.00	.00	.00	.00	.00	.23
(2)	.00	.00	.02	.07	.02	.05	.00	.02	.02	.00	.02	.00	.00	.00	.00	.00	.00	.23
.5- 1.0	12	38	92	70	43	48	32	. 24	31	16	11	5	4	1	2	5	0	434
(1)	.28	.88	2.13	1.62	1.00	1.11	.74	.56	.72	.37	.26	.12	.09	.02	.05	.12	.00	10.07
(2)	.28	.88	2.13	1.62	1.00	1.11	.74	.56	.72	.37	.26	.12	.09	.02	.05	.12	.00	10.07
1.1- 1.5	24	122	133	43	36	32	32	26	39	41	25	6	3	4	0	8	0	574
(1)	.56	2.83	3.09	1.00	.84	.74	.74	.60	.90	.95	.58	.14	.07	.09	.00	.19	.00	13.32
(2)	.56	2.83	3.09	1.00	.84	.74	.74	.60	.90	.95	.58	.14	.07	.09	.00	.19	.00	13.32
1.6- 2.0	59	251	94	36	16	17	15	16	37	47	49	23	6	2	5	2	0	675
(1)	1.37	5.82	2.18	.84	.37	.39	.35	.37	.86	1.09	1.14	.53	.14	.05	.12	.05	.00	15.66
(2)	1.37	5.82	2.18	.84	.37	.39	.35	.37	.86	1.09	1.14	.53	.14	.05	.12	.05	.00	15.66
2.1- 3.0	86	333	91	· 25	25	16	21	29	48	63	87	37	15	10	10	19	0	915
(1)	2.00	7.73	2.11	.58	.58	.37	.49	.67	1.11	1.46	2.02	.86	.35	.23	.23	.44	.00	21.23
(2)	2.00	7.73	2.11	.58	.58	.37	.49	.67	1.11	1.46	2.02	.86	.35	.23	.23	.44	.00	21.23
3.1- 4.0	49	131	54	10	11	23	23	29	59	68	101	45	17	20	23	27	0	690
(1)	1.14	3.04	1.25	.23	.26	.53	.53	.67	1.37	1.58	2.34	1.04	.39	.46	.53	.63	.00	16.01
(2)	1.14	3.04	1.25	.23	.26	.53	.53	.67	1.37	1.58	2.34	1.04	.39	.46	.53	.63	.00	16.01
4.1- 5.0	50	76	27	12	5	10	14	29	46	53	59	48	23	18	25	29	0	524
(1)	1.16	1.76	.63	.28	.12	.23	.32	.67	1.07	1.23	1.37	1.11	.53	.42	.58	.67	.00	12.16
(2)	1.16	1.76	.63	.28	.12	.23	.32	.67	1.07	1.23	1.37	1.11	.53	.42	.58	.67	.00	12.16
5.1- 6.0	19	39	13	8.	1	2	7	16	24	39	31	47	6	5	2	9	0	268
(1)	.44	.90	.30	.19	.02	.05	.16	.37	.56	.90	.72	1.09	.14	.12	.05	.21	.00	6.22
(2)	.44	.90	.30	.19	.02	.05	.16	.37	.56	.90	.72	1.09	.14	.12	.05	.21	.00	6.22
6.1- 8.0	4	19	5	4	4	1	2	15	14	28	10	30	5	2	6	3	0	152

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 1 of 2)

BBNPP

2-608 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-61— {SSES 197' (60-m) 2001-2006 September JFD - continued} (Page 2 of 2)

	SSES SEPTEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																	
197.0			STABI	LITY CLA	SS ALL			CLASS FREQUENCY (PERCENT) = 100.00										
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.09	.44	.12	.09	.09	.02	.05	.35	.32	.65	.23	.70	.12	.05	.14	.07	.00	3.53
(2)	.09	.44	.12	.09	.09	.02	.05	.35	.32	.65	.23	.70	.12	.05	.14	.07	.00	3.53
8.1-10.0	0	1	10	2	0	1	2	1	10	6	0	2	1	0	3	2	0	41
(1)	.00	.02	.23	.05	.00	.02	.05	.02	.23	.14	.00	.05	.02	.00	.07	.05	.00	.95
(2)	.00	.02	.23	.05	.00	.02	.05	.02	.23	.14	.00	.05	.02	.00	.07	.05	.00	.95
10.1-40.3	0	5	3	6	1	1	5	1	3	1	0	0	0	0	0	1	0	27
(1)	.00	.12	.07	.14	.02	.02	.12	.02	.07	.02	.00	.00	.00	.00	.00	.02	.00	.63
(2)	.00	.12	.07	.14	.02	.02	.12	.02	.07	.02	.00	.00	.00	.00	.00	.02	.00	.63
ALL SPEEDS	303	1015	523	219	143	153	153	187	312	362	374	243	80	62	76	105	0	4310
(1)	7.03	23.55	12.13	5.08	3.32	3.55	3.55	4.34	7.24	8.40	8.68	5.64	1.86	1.44	1.76	2.44	.00	100.00
(2)	7.03	23.55	12.13	5.08	3.32	3.55	3.55	4.34	7.24	8.40	8.68	5.64	1.86	1.44	1.76	2.44	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-62— {SSES 197' (60-m) 2001-2006 October JFD} (Page 1 of 2)

				SSES	остове	R MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	TION (6	O-METER	TOWER	()				
197.0		STABILITY CLASS A CLASS FREQUENCY (PERCENT) = 2.54																
				WIND DIRECTION FROM														
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	1	2	1	1	0	1	2	0	0	0	0	1	0	0	9
(1)	.00	.00	.00	.90	1.80	.90	.90	.00	.90	1.80	.00	.00	.00	.00	.90	.00	.00	8.11
(2)	.00	.00	.00	.02	.05	.02	.02	.00	.02	.05	.00	.00	.00	.00	.02	.00	.00	.21
1.1- 1.5	0	0	0	0	2	0	0	0	1	0	2	0	0	0	0	0	0	5
(1)	.00	.00	.00	.00	1.80	.00	.00	.00	.90	.00	1.80	.00	.00	.00	.00	.00	.00	4.50
(2)	.00	.00	.00	.00	.05	.00	.00	.00	.02	.00	.05	.00	.00	.00	.00	.00	00	.11
1.6- 2.0	0	1	1	0	0	0	1	3	0	2	4	3	0	0	0	0	0	15
(1)	.00	.90	.90	.00	.00	.00	.90	2.70	.00	1.80	3.60	2.70	.00	.00	.00	.00	.00	13.51
(2)	.00	.02	.02	.00	.00	.00	.02	.07	.00	.05	.09	.07	.00	.00	.00	.00	.00	.34
2.1- 3.0	0	0	1	0	0	0	1	4	1	0	8	1	0	0	0	0	0	16
(1)	.00	.00	.90	.00	.00	.00	.90	3.60	.90	.00	7.21	.90	.00	.00	.00	.00	.00	14.41
(2)	.00	.00	.02	.00	.00	.00	.02	.09	.02	.00	.18	.02	.00	.00	.00	.00	.00	.37
3.1- 4.0	0	0	3	0	0	0	0	0	1	5	8	2	0	0	0	0	0	19
(1)	.00	.00	2.70	.00	.00	.00	.00	.00	.90	4.50	7.21	1.80	.00	.00	.00	.00	.00	17.12
(2)	.00	.00	.07	.00	.00	.00	.00	.00	.02	.11	.18	.05	.00	.00	.00	.00	.00	.44
4.1- 5.0	0	3	1	0	0	0	0	1	1	5	8	4	0	0	0	0	0	23
(1)	.00	2.70	.90	.00	.00	.00	.00	.90	.90	4.50	7.21	3.60	.00	.00	.00	.00	.00	20.72
(2)	.00	.07	.02	.00	.00	.00	.00	.02	.02	.11	.18	.09	.00	.00	.00	.00	.00	.53
5.1- 6.0	0	2	0	0	0	0	0	0	0	1	7	2	0	0	0	0	0	12
(1)	.00	1.80	.00	.00	.00	.00	.00	.00	.00	.90	6.31	1.80	.00	.00	.00	.00	.00	10.81
(2)	.00	.05	.00	.00	.00	.00	.00	.00	.00	.02	.16	.05	.00	.00	.00	.00	.00	.28
6.1- 8.0	0	0	0	0	0	0	0	1	1	1	6	2	0	0	0	0	0	11

BBNPP

FSAR: Section 2.3

Meteorology

								(Page	2 of 2)											
				SSES	ОСТОВЕ	R MET D	ATA JOII	NT FREQ		DISTRIBU	TION (60	-METER	TOWER)						
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS A			CLASS FREQUENCY (PERCENT) = 2.54										
							w	IND DIRE	CTION F	ROM										
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL		
(1)	.00	.00	.00	.00	.00	.00	.00	.90	.90	.90	5.41	1.80	.00	.00	.00	.00	.00	9.91		
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.02	.02	.14	.05	.00	.00	.00	.00	.00	.25		
8.1-10.0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1		
(1)	.00	.00	.00	.00	.00	.00	.90	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.90		
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02		
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
ALL SPEEDS	0	6	6	1	4	1	4	9	6	16	43	14	0	0	1	0	0	111		
(1)	.00	5.41	5.41	.90	3.60	.90	3.60	8.11	5.41	14.41	38.74	12.61	.00	.00	.90	.00	.00	100.00		
(2)	.00	.14	.14	.02	.09	.02	.09	.21	.14	.37	.99	.32	.00	.00	.02	.00	.00	2.54		

Table 2.3-62— {SSES 197' (60-m) 2001-2006 October JFD}

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP
			Ta	able 2.3	-62—	(SSES 1	97' (60	- m) 200 (Page)1-200 1 of 2)	6 Octoł	per JFC) - conti	nued}					
107/				SSES	OCTOBE		ATA JOI	NT FREQ	JENCY [DISTRIBU	TION (6	O-METER						
197.0) F T 49114	DUATA			SIAC		M33 D		CTION	-	C C	LASS FRI	QUEN	T (PERCE	NT) = 2	41		
				-	-		vv c=		CIUNI	ROM								
	N O	NNE	NE	ENE	E O	ESE	SE	22F	5	SSW	SW	wsw	W	WNW	NW	NNW	VRBL	TOTAL
LI.Z	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	1	0	0	1	0	1	1	0	0	1	0	0	0	0	0	5
(1)	.00	.00	.95	.00	.00	.95	.00	.95	.95	.00	.00	.95	.00	.00	.00	.00	őő	4 76
(2)	.00	.00	.02	.00	.00	.02	.00	.02	.02	.00	.00	.02	.00	.00	.00	.00	.00	.11
1.1-1.5	2	0	0	1	0	1	1	0	0	2	0	0	0	0	0	٥	0	7
(1)	1.90	.00	.00	.95	.00	.95	.95	.00	.00	1.90	.00	00	ň	00	00	00	00	6.67
(2)	.05	.00	.00	.02	.00	.02	.02	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.16
1.6- 2.0	0	1	1	1	0	0	0	0	0	0	n	٥	0	0	0	0	0	2
(1)	.00	.95	.95	.95	.00	.00	.00	.00	00	ñ	ñ	00	ň	00	00	00	00	286
(2)	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
21.20				_			_		-	-		-	_					
2.1-3.0	1	1	1	1	0	0	1	0	0	3	4	0	0	0	0	0	0	12
(1)	.95	.95	.95	.95	.00	.00	.95	.00	.00	2.86	3.81	.00	.00	.00	.00	.00	.00	11.43
(2)	.02	.02	.02	.02	.00	.00	.02	.00	.00	.07	.09	.00	.00	.00	.00	.00	.00	.28
3.1- 4.0	0	2	1	0	0	0	0	2	0	2	6	2	0	0	0	0	0	15
(1)	.00	1.90	.95	.00	.00	.00	.00	1.90	.00	1.90	5.71	1.90	.00	.00	.00	.00	.00	14.29
(2)	.00	.05	.02	.00	.00	.00	.00	.05	.00	.05	.14	.05	.00	.00	.00	.00	.00	.34
4.1- 5.0	0	1	2	0	0	0	1	0	0	2	8	7	1	0	0	1	0	23
(1)	.00	.95	1.90	.00	.00	.00	.95	.00	.00	1.90	7.62	6.67	.95	.00	.00	.95	.00	21.90
(2)	.00	.02	.05	.00	.00	.00	.02	.00	.00	.05	.18	.16	.02	.00	.00	.02	.00	.53
5.1- 6.0	0	2	0	0	0	0	0	1	1	0	7	1	3	0	0	0	0	15
(1)	.00	1.90	.00	.00	.00	.00	.00	.95	.95	.00	6.67	.95	2.86	.00	.00	.00	.00	14.29
(2)	.00	.05	.00	.00	.00	.00	.00	.02	.02	.00	.16	.02	.07	.00	.00	.00	.00	.34
6.1- 8.0	0	0	0	0	0	0	1	1	0	1	3	9	2	0.	0	0	0	17

Table 2.3-62— {SSES 197' (60-m) 2001-2006 October JFD - continued} (Page 2 of 2)

				SSES (OCTOBE	R MET D	ATA JOII	NT FREQ	JENCY E	DISTRIBU	TION (60)-METER	TOWER)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS B				c	LASS FRE	QUENC	Y (PERCE	NT) = 2.	41		
							W	IND DIRE	CTION	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NŴ	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.95	.95	.00	.95	2.86	8.57	1.90	.00	.00	.00	.00	16.19
(2)	.00	.00	.00	.00	.00	.00	.02	.02	.00	.02	.07	.21	.05	.00	.00	.00	.00	.39
8.1-10.0	0	0	0	0	0	0	0	0	0	1	3	3	0	0	0	0	0	7
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.95	2.86	2.86	.00	.00	.00	.00	.00	6.67
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.07	.07	.00	.00	.00	.00	.00	.16
10.1-40.3	0	· 0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.95	.00	.00	.00	.00	.00	.95
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
ALL SPEEDS	3	7	6	3	0	2	4	5	2	11	31	24	6	0	0	1	0	105
(1)	2.86	6.67	5.71	2.86	.00	1.90	3.81	4.76	1.90	10.48	29.52	22.86	5.71	.00	.00	.95	.00	100.00
(2)	.07	.16	.14	.07	.00	.05	.09	.11	.05	.25	.71	.55	.14	.00	.00	.02	.00	2.41

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD ÷

Table 2.3-62--- {SSES 197' (60-m) 2001-2006 October JFD - continued} (Page 1 of 2)

197.0) FT WIN	ID DATA		SSES	OCTOBE STAE	R MET D. BILITY CL	ATA JOII ASS C	NT FREQ	UENCY (DISTRIBU	TION (6	0-METER LASS FR	TOWER EQUENC) Y (PERCE	NT) = 3	.71		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.62	.00	.00	.00	.00	.62	.00	.00	.00	.00	.00	.00	.00	.00	1.23
(2)	.00	.00	.00	.02	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.05
1.1- 1.5	1	0	0	0	0	0	0	0	1,	0	0	0	0	0	0	- 0	0	2
(1)	.62	.00	.00	.00	.00	.00	.00	.00	.62	.00	.00	.00	.00	.00	.00	.00	.00	1.23
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.05
1.6- 2.0	1	3	0	0	0	0	0	0	0	2	3	2	0	0	0	0	0	11
(1)	.62	1.85	.00	.00	.00	.00	.00	.00	.00	1.23	1.85	1.23	.00	.00	.00	.00	.00	6.79
(2)	.02	.07	.00	.00	.00	.00	.00	.00	.00	.05	.07	.05	.00	.00	.00	.00	.00	.25
2.1- 3.0	0	0	3	2	0	1	1	2	0	3	7	3	1	0	0	0	0	23
(1)	.00	.00	1.85	1.23	.00	.62	.62	1.23	.00	1.85	4.32	1.85	.62	.00	.00	.00	.00	14.20
(2)	.00	.00	.07	.05	.00	.02	.02	.05	.00	.07	.16	.07	.02	.00	.00	.00	.00	.53
3.1- 4.0	2	2	3	0	0	0	1	1	1	0	13	3	2	0	0	0	0	28
(1)	1.23	1.23	1.85	.00	.00	.00	.62	.62	.62	.00	8.02	1.85	1.23	.00	.00	.00	.00	17.28
(2)	.05	.05	.07	.00	.00	.00	.02	.02	.02	.00	.30	.07	.05	.00	.00	.00	.00	.64
4.1- 5.0	2	5	0	0	0	0	0	1	1	2	11	б	1	2	0	3	0	34
(1)	1.23	3.09	.00	.00	.00	.00	.00	.62	.62	1.23	6.79	3.70	.62	1.23	.00	1.85	.00	20.99
(2)	.05	.11	.00	.00	.00	.00	.00	.02	.02	.05	.25	.14	.02	.05	.00	.07	.00	.78
5.1- 6.0	3	5	0	0	0	0	2	0	3	3	4	б	7	0	0	0	0	33
(1)	1.85	3.09	.00	.00	.00	.00	1.23	.00	1.85	1.85	2.47	3.70	4.32	.00	.00	.00	.00	20.37
(2)	.07	.11	.00	.00	.00	.00	.05	.00	.07	.07	.09	.14	.16	.00	.00	.00	.00	.76
6.1- 8.0	0	2	0	0	0	0	1	0	. 3	3	2	5	4	0	0	0	0	20

٠,

Table 2.3-62— {SSES 197' (60-m) 2001-2006 October JFD - continued} (Page 2 of 2)

2

				SSES (OCTOBE	R MET D	ATA JOI	NT FREQ	UENCY D	ISTRIBU	TION (60	D-METER	TOWER)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS C				c	LASS FRE		Y (PERCE	NT) = 3.	71		
							W	IND DIRI	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	1.23	.00	.00	.00	.00	.62	.00	1.85	1.85	1.23	3.09	2.47	.00	.00	.00	.00	12.35
(2)	.00	.05	.00	.00	.00	.00	.02	.00	.07	.07	.05	.11	.09	.00	.00	.00	.00	.46
8.1-10.0	0	0	0	0	0	0	0	0	0	1	1	3	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.62	.62	1.85	.00	.00	.00	.00	.00	3.09
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.02	.07	.00	.00	.00	.00	.00	.11
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.47	.00	.00	.00	.00	.00	2.47
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.00	.09
ALL SPEEDS	9	17	6	3	0	1	5	4	10	14	41	32	15	2	0	3	0	162
(1)	5.56	10.49	3.70	1.85	.00	.62	3.09	2.47	6.17	8.64	25.31	19.75	9.26	1.23	.00	1.85	.00	100.00
(2)	.21	.39	.14	.07	.00	.02	.11	.09	.23	.32	.94	.73	.34	.05	.00	.07	.00	3.71

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-62— {SSES 197' (60-m) 2001-2006 October JFD - continued} (Page 1 of 2)

٢

197.0	D FT WIN	ID DATA		SSES	OCTOBE STAF	R MET D	ATA JOII ASS D	NT FREQ	UENCY [DISTRIBU	TION (6 C	0-METER LASS FRE	TOWER) Y (PERCE	NT) = 37	.61		
		0 0/11/1			51742		w		ECTION F	ROM		_,	QULITE	. (111, - 37			
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	3
(1)	.00	.00	.06	.00	.00	.06	.00	.00	.00	.00	.00	.00	.00	.00	.06	.00	.00	.18
(2)	.00	.00	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.07
.5- 1.0	3	6	20	24	11	8	7	10	6	12	3	3	0	0	0	1	0	114
(1)	.18	.37	1.22	1.46	.67	.49	.43	.61	.37	.73	.18	.18	.00	.00	.00	.06	.00	6.95
(2)	.07	.14	.46	.55	.25	.18	.16	.23	.14	.28	.07	.07	.00	.00	.00	.02	.00	2.61
1.1- 1.5	7	16	16	12	6	3	4	8	15	11	12	5	0	0	2	3	0	120
(1)	.43	.98	.98	.73	.37	.18	.24	.49	.91	.67	.73	.30	.00	.00	.12	.18	.00	7.31
(2)	.16	.37	.37	.28	.14	.07	.09	.18	.34	.25	.28	.11	.00	.00	.05	.07	.00	2.75
1.6- 2.0	3	10	15	3	5	3	8	5	13	12	10	6	2	0	0	1	0	96
(1)	.18	.61	.91	.18	.30	.18	.49	.30	.79	.73	.61	.37	.12	.00	.00	.06	.00	5.85
(2)	.07	.23	.34	.07	.11	.07	.18	.11	.30	.28	.23	.14	.05	.00	.00	.02	.00	2.20
2.1- 3.0	1 1	44	22	9	14	9	13	7	4	9	40	23	7	7	3	9	0	231
(1)	.67	2.68	1.34	.55	.85	.55	.79	.43	.24	.55	2.44	1.40	.43	.43	.18	.55	.00	14.08
(2)	.25	1.01	.50	.21	.32	.21	.30	.16	.09	.21	.92	.53	.16	.16	.07	.21	.00	5.29
3.1- 4.0	34	46	38	4	7	· 4	10	8	5	12	22	24	15	20	13	20	0	282
(1)	2.07	2.80	2.32	.24	.43	.24	.61	.49	.30	.73	1.34	1.46	.91	1.22	.79	1.22	.00	17.18
(2)	.78	1.05	.87	.09	.16	.09	.23	.18	.11	.28	.50	.55	.34	.46	.30	.46	.00	6.46
4.1- 5.0	27	36	14	4	1	4	16	12	13	12	20	46	26	18	33	23	0	305
(1)	1.65	2.19	.85	.24	.06	.24	.98	.73	.79	.73	1.22	2.80	1.58	1.10	2.01	1.40	.00	18.59
(2)	.62	.83	.32	.09	.02	.09	.37	.28	.30	.28	.46	1.05	.60	.41	.76	.53	.00	6.99
5.1- 6.0	17	26	7	1	0	2	4	8	7	11	8	36	30	25	36	15	0	233
(1)	1.04	1.58	.43	.06	.00	.12	.24	.49	.43	.67	.49	2.19	1.83	1.52	2.19	.91	.00	14.20
(2)	.39	.60	.16	.02	.00	.05	.09	.18	.16	.25	.18	.83	.69	.57	.83	.34	.00	5.34
6.1- 8.0	3	9	2	0	0	1	4	3	4	11	11	32	29	25	16	3	0	153

BBNPP

Rev. 2a

Meteorology

Table 2.3-62— {SSES 197' (60-m) 2001-2006 October JFD - continued} (Page 2 of 2)

				SSES	OCTOBE	R MET D	ATA JOII	NT FREQ	UENCY D	DISTRIBU	TION (6	0-METER	TOWER)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS D				C	LASS FRE	QUENC	Y (PERCEN	NT) = 37	.61		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.18	.55	.12	.00	.00	.06	.24	.18	.24	.67	.67	1.95	1.77	1.52	.98	.18	.00	9.32
(2)	.07	.21	.05	.00	.00	.02	.09	.07	.09	.25	.25	.73	.66	.57	.37	.07	.00	3.51
8.1-10.0	0	0	0	0	0	0	3	0	1	5	1	41	5	0	0	0	0	56
(1)	.00	.00	.00	.00	.00	.00	.18	.00	.06	.30	.06	2.50	.30	.00	.00	.00	.00	3.41
(2)	.00	.00	.00	.00	.00	.00	.07	.00	.02	.11	.02	.94	.11	.00	.00	.00	.00	1.28
10.1-40.3	0	0	0	0	0	0	1	0	0	0	0	40	7	0	0	0	0	48
(1)	.00	.00	.00	.00	.00	.00	.06	.00	.00	.00	.00	2.44	.43	.00	.00	.00	.00	2.93
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.92	.16	.00	.00	.00	.00	1.10
ALL SPEEDS	105	193	135	57	44	35	70	61	68	95	127	256	121	95	104	75	0	1641
(1)	6.40	11.76	8.23	3.47	2.68	2.13	4.27	3.72	4.14	5.79	7.74	15.60	7.37	5.79	6.34	4.57	.00	100.00
(2)	2.41	4.42	3.09	1.31	1.01	.80	1.60	1.40	1.56	2.18	2.91	5.87	2.77	2.18	2.38	1.72	.00	37.61

÷

-

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-62--- {SSES 197' (60-m) 2001-2006 October JFD - continued} (Page 1 of 2)

				SSES	остове	R MET D	ATA JOII	NT FREQ	UENCY [DISTRIBU	TION (6	0-METER	TOWER)				
197.0	0 FT WIN	ID DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 32	.50		
					_		W	IND DIR	ECTION	FROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LI.2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.07	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.07	.00	.00	.00	.07	.00	.07	.00	.00	.00	.00	.00	.00	.21
(2)	.00	.00	.00	.00	.02	.00	.00	.00	.02	.00	.02	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	5	15	18	21	22	23	17	14	14	13	4	2	2	0	0	0	0	170
(1)	.35	1.06	1.27	1.48	1.55	1.62	1.20	.99	.99	.92	.28	.14	.14	.00	.00	.00	00	11 99
(2)	.11	.34	.41	.48	.50	.53	.39	.32	.32	.30	.09	.05	.05	.00	.00	.00	.00	3.90
11-15	16	26	70	11	0	Л	6	74	17	15	15	2	1	0	1	~	0	170
(1)	1 1 2	1 0 2	107	70	52	4 20	47	1 6 0	1.20	1.06	12	21	1	0	1	0	0	179
(1)	37	60	64	.70	.05	.20	.42	1.09	20	24	.05 00	.21	.07	.00	.07	.42	.00	12.02
(2)	.57	.00	.04	.2.5	.21	.09	.14		.59	.94	.20	.07	.02	.00	.02	.14	.00	4.10
1.6- 2.0	12	39	27	9	7	4	3	11	11	8	19	10	4	1	0	0	0	165
(1)	.85	2.75	1.90	.63	.49	.28	.21	.78	.78	.56	1.34	.71	.28	.07	.00	.00	.00	11.64
(2)	.28	.89	.62	.21	.16	.09	.07	.25	.25	.18	.44	.23	.09	.02	.00	.00	.00	3.78
2.1- 3.0	33	86	34	16	4	5	0	9	13	22	29	20	8	6	4	8	0	297
(1)	2.33	6.06	2.40	1.13	.28	.35	.00	.63	.92	1.55	2.05	1.41	.56	.42	.28	.56	.00	20.94
(2)	.76	1.97	.78	.37	.09	.11	.00	.21	.30	.50	.66	.46	.18	.14	.09	.18	.00	6.81
3.1-4.0	11	37	24	5	7	2	3	4	17	74	-34	21	11	4	8	6	0	218
(1)	.78	2.61	1.69	.35	.49	.14	21	28	1 20	1.69	2 40	1 48	78	28	56	42	00	15 37
(2)	.25	.85	.55	.11	.16	05	07	0	39	55	78	48	25	.20	18	14	.00	5.00
(-)	120	100				.05		.05			., 0	10	.25	.05	.10	.14	.00	5.00
4.1- 5.0	3	32	30	0	3	3	10	7	14	35	18	24	7	4	8	5	0	203
(1)	.21	2.26	2.12	.00	.21	.21	.71	.49	.99	2.47	1.27	1.69	.49	.28	.56	.35	.00	14.32
(2)	.07	.73	.69	.00	.07	.07	.23	.16	.32	.80	.41	.55	.16	.09	.18	.11	.00	4.65
5.1- 6.0	1	11	6	0	0	1	5	2	8	17	11	26	1	1	4	1	0	95
(1)	.07	.78	.42	.00	.00	.07	.35	.14	.56	1.20	.78	1.83	.07	.07	.28	.07	.00	6.70
(2)	02	.25	.14	.00	.00	.02	.11	.05	.18	.39	.25	.60	.02	.02	.09	.02	.00	2.18
6.1- 8.0	0	8	- 4	0	0	1	3	8	4	10	4	26	2	0	1	1	0	72
																	-	

Rev. 2a

(Page 2 of 2)

				SSES	OCTOBE	R MET D	ATA JOII	NT FREQ	JENCY D	DISTRIBU	TION (6	0-METER	TOWER)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 32	.50		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.56	.28	.00	.00	.07	.21	.56	.28	.71	.28	1.83	.14	.00	.07	.07	.00	5.08
(2)	.00	.18	.09	.00	.00	.02	.07	.18	.09	.23	.09	.60	.05	.00	.02	.02	.00	1.65
8.1-10.0	0	0	0	0	0	1	3	0	0	5	1	4	0	0	0	0	0	14
(1)	.00	.00	.00	.00	.00	.07	.21	.00	.00	.35	.07	.28	.00	.00	.00	.00	.00	.99
(2)	.00	.00	.00	.00	.00	.02	.07	.00	.00	.11	.02	.09	.00	.00	.00	.00	.00	.32
10.1-40.3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.02
ALL SPEEDS	81	254	171	63	53	44	50	79	100	149	133	136	36	16	26	27	0	1418
. (1)	5.71	17.91	12.06	4.44	3.74	3.10	3.53	5.57	7.05	10.51	9.38	9.59	2.54	1.13	1.83	1.90	.00	100.00
(2)	1.86	5.82	3.92	1.44	1.21	1.01	1.15	1.81	2.29	3.42	3.05	3.12	.83	.37	.60	.62	.00	32.50

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

			Ta	able 2.3	8-62	SSES 1	97' (60	-m) 200 (Page)1-200 1 of 2)	6 Octoł	ber JFC) - conti	nued}				÷	
197.0	0 FT WIN	ND DATA		SSES	OCTOBE STAE	R MET D	ATA JOII ASS F	NT FREQ	UENCY [DISTRIBU	TION (6	0-METER) Y (PERCEI	NT) - 17	77		
							w		ECTION I	ROM	-			. (,			
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	s	SSW	sw	wsw	w	WNW	NW	NNW/	VDBI	τοται
LT .2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.19	.00	.00	.00	.00	.00	.00	.00	00	ñ	ň	00	ň	ň	00	10
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.24	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.19	.19	.19	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.56
(2)	.00	.00	.02	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	2	11	19	13	19	9	10	4	5	1	0	0	0	0	2	0	0	95
(1)	.38	2.06	3.56	2.44	3.56	1.69	1.88	.75	.94	.19	.00	.00	.00	.00	.38	.00	.00	17.82
(2)	.05	.25	.44	.30	.44	.21	.23	.09	.11	.02	.00	.00	.00	.00	.05	.00	.00	2.18
1.1- 1.5	· 4	32	26	7	5	4	6	3	2	6	5	2	1	0	0	1	0	104
(1)	.75	6.00	4.88	1.31	.94	.75	1.13	.56	.38	1.13	.94	.38	.19	.00	.00	.19	.00	19.51
(2)	.09	.73	.60	.16	.11	.09	.14	.07	.05	.14	.11	.05	.02	.00	.00	.02	.00	2.38
1.6- 2.0	21.	52	18	2	2	0	1	4	5	7	3	2	0	0	0	2	0	119
(1)	3.94	9.76	3.38	.38	.38	.00	.19	.75	.94	1.31	.56	.38	.00	.00	.00	.38	.00	22.33
(2)	.48	1.19	.41	.05	.05	.00	.02	.09	.11	.16	.07	.05	.00	.00	.00	.05	.00	2.73
2.1- 3.0	35	77	· 7	4	1	0	1	0	2	7	11	0	4	2	0	2	0	153
(1)	6.57	14.45	1.31	.75	.19	.00	.19	.00	.38	1.31	2.06	.00	.75	.38	.00	.38	.00	28.71
(2)	.80	1.76	.16	.09	.02	.00	.02	.00	.05	.16	.25	.00	.09	.05	.00	.05	.00	3.51
3.1- 4.0	4	6	4	1	0	0	0	1	1	7	4	7	0	0	0	0	0	35
(1)	.75	1.13	.75	.19	.00	.00	.00	.19	.19	1.31	.75	1.31	.00	.00	.00	.00	.00	6.57
(2)	.09	.14	.09	.02	.00	.00	.00	.02	.02	.16	.09	.16	.00	.00	.00	.00.	.00	.80
4.1- 5.0	1	0	0	0	0	0	0	0	2	3	5	5	0	0	0	0	0	16
(1)	.19	.00	.00	.00	.00	.00	.00	.00	.38	.56	.94	.94	.00	.00	.00	.00	.00	3.00
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.05	.07	.11	.11	.00	.00	.00	.00	.00	.37
5.1- 6.0	0	0	0	0	0	0	0	0	0	2	2	3	0	0	0	0	0	7
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.38	.38	.56	.00	.00	.00	.00	.00	1.31
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.05	.07	.00	.00	.00	.00	.00	.16
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

BBNPP

2-620 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-62— {SSES 197' (60-m) 2001-2006	October JFD - continued
(Page 2 of 2)	

				SSES (OCTOBE	R MET D		NT FREQ	UENCY D	ISTRIBU	TION (60	D-METER	TOWER)				
197.0	FT WIN	D DATA			STAE	SILITY CL	ASSE				C	LASSEKE	QUENC	Y (PERCEI	(1) = 12	.22		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	:00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	67	178	76	28	28	13	18	12	17	33	30	19	5	2	2	5	0	533
(1)	12.57	33.40	14.26	5.25	5.25	2.44	3.38	2.25	3.19	6.19	5.63	3.56	.94	.38	.38	.94	.00	100.00
(2)	1.54	4.08	1.74	.64	.64	.30	.41	.28	.39	.76	.69	.44	.11	.05	.05	.11	.00	12.22

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-62--- {SSES 197' (60-m) 2001-2006 October JFD - continued} (Page 1 of 2)

				SSES	OCTOBE	R MET D	ATA JOI	NT FREQ	UENCY D	DISTRIBU	TION (6	0-METER	TOWER	:)				
197.	D FT WIN	ID DATA			STAE	BILITY CL	ASS G				Ċ	LASS FRE		Y (PERCE	NT) = 9.	.01		
							w	IND DIR	ECTION F	ROM				•	-			
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.25	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.25
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	1	3	10	6	10	5	9	5	4	1	0	0	0	0	0	0	0	54
(1)	.25	.76	2.54	1.53	2.54	1.27	2.29	1.27	1.02	.25	.00	.00	.00	.00	.00	.00	.00	13.74
(2)	.02	.07	.23	.14	.23	.11	.21	.11	.09	.02	.00	.00	.00	.00	.00	.00	.00	1.24
1.1- 1.5	4	25	30	14	12	3	1	3	4	5	2	0	0	1	0	0	0	104
(1)	1.02	6.36	7.63	3.56	3.05	.76	.25	.76	1.02	1.27	.51	.00	.00	.25	.00	.00	.00	26.46
(2)	.09	.57	.69	.32	.28	.07	.02	.07	.09	.11	.05	.00	.00	.02	.00	.00	.00	2.38
1.6- 2.0	12	66	24	2	2	0	1	3	7	2	1	0	0	0	0	0	0	120
(1)	3.05	16.79	6.11	.51	.51	.00	.25	.76	1.78	.51	.25	.00	.00	.00	.00	.00	.00	30.53
(2)	.28	1.51	.55	.05	.05	.00	.02	.07	.16	.05	.02	.00	.00	.00	.00	.00	.00	2.75
2.1- 3.0	23	26	9	4	0	2	2	1	4	10	13	1	0	0	1	0	0	96
(1)	5.85	6.62	2.29	1.02	.00	.51	.51	.25	1.02	2.54	3.31	.25	.00	.00	.25	.00	.00	24.43
(2)	.53	.60	.21	.09	.00	.05	.05	.02	.09	.23	.30	.02	.00	.00	.02	.00	.00	2.20
3.1- 4.0	3	2	0	0	0	0	0	. 0	0	2	4	1	0	0	0	0	0	12
(1)	.76	.51	.00	.00	.00	.00	.00	.00	.00	.51	1.02	.25	.00	.00	.00	.00	.00	3.05
(2)	.07	.05	.00	.00	.00	.00	.00	.00	.00	.05	.09	.02	.00	.00	.00	.00	.00	.28
4.1- 5.0	0	0	0	0	1	0	0	0	0	1	2	2	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.25	.00	.00	.00	.00	.25	.51	.51	.00	.00	.00	.00	.00	1.53
(2)	.00	.00	.00	.00	.02	.00	.00	.00	.00	.02	.05	.05	.00	.00	.00	.00	.00	.14
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2.3-62— {SSES 197' (60-m) 2001-2006 October JFD - continued} (Page 2 of 2)

								· - 9-	,									
				SSES	остове	R MET D	ATA JOII	NT FREQ		DISTRIBU	TION (6	O-METER	TOWER	;)				
197.0) FT WIN	D DATA			STAB	BILITY CL	ASS G				C	LASS FRE		Y (PERCE	NT) = 9.	01		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	43	123	73	26	25	10	13	12	19	21	22	4	0	1	1	0	0	393
(1)	10.94	31.30	18.58	6.62	6.36	2.54	3.31	3.05	4.83	5.34	5.60	1.02	.00	.25	.25	.00	.00	100.00
(2)	.99	2.82	1.67	.60	.57	.23	.30	.28	.44	.48	.50	.09	.00	.02	.02	.00	.00	9.01

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Rev. 2a

Table 2.3-62— {SSES 197' (60-m) 2001-2006 October JFD - continued} (Page 1 of 2)

197 () ET WIN			SSES	OCTOBE	R MET D		NT FREQ	JENCY C	DISTRIBU	TION (60	D-METER) / (DERCEN	IT) — 100	00		
197.0	/ F I ₩¥(IN	DUDATA			JIADI		W			ROM		ASS FRE	ZUENCI	(PERCEN	(1) = 100	5.00		
SPEED m/s	N	NNE	NE	ENE	F	FSF	SE	SSE	s non	SSW	SW	WSW	\A/	WNW	NIM/	NNW/	VPRI	τοται
	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	ň	ño	02	02	ň	ñ	őŐ	00	ñ	ň	ñ	00	ň	ň	ñ	00	00	05
(7)	00	.00	.02	.02	.00	.00	.00	.00	00	00	00	.00	00	.00	.00	.00	.00	.05
(2)	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
.24	0	1	2	1	2	1	0	0	1	0	1	0	0	0	1	0	0	10
(1)	.00	.02	.05	.02	.05	.02	.00	.00	.02	.00	.02	.00	.00	.00	.02	.00	.00	.23
(2)	.00	.02	.05	.02	.05	.02	.00	.00	.02	.00	.02	.00	.00	.00	.02	.00	.00	.23
.5- 1.0	11	35	68	66	64	47	44	34	32	29	7	6	2	0	3	1	0	449
(1)	.25	.80	1.56	1.51	1.47	1.08	1.01	.78	.73	.66	.16	.14	.05	.00	.07	.02	.00	10.29
(2)	.25	.80	1.56	1.51	1.47	1.08	1.01	.78	.73	.66	.16	.14	.05	.00	.07	.02	.00	10.29
								20		~~	~~		-		-		•	
1.1- 1.5	34	99	100	45	34	15	18	38	40	39	33	10	2	1	3	10	0	521
(1)	./8	2.27	2.29	1.03	./8	.34	.41	.87	.92	.89	./6	.23	.05	.02	.07	.23	.00	11.94
(2)	.78	2.27	2.29	1.03	.78	.34	.41	.87	.92	.89	.76	.23	.05	.02	.07	.23	.00	11.94
16-20	49	172	86	17	16	7	14	26	36	33	40	23	6	1	0	· 3	0	529
(1)	1.12	3.94	1.97	.39	.37	.16	.32	.60	.83	.76	.92	.53	.14	.02	.00	.07	.00	12.12
(2)	1.12	3.94	1.97	.39	.37	.16	.32	.60	.83	.76	.92	.53	.14	.02	.00	.07	.00	12.12
ι,																		
2.1- 3.0	103	234	77	36	19	17	19	23	24	54	112	48	20	15	8	19	0	828
(1)	2.36	5.36	1.76	.83	.44	.39	.44	.53	.55	1.24	2.57	1.10	.46	.34	.18	.44	.00	18.98
(2)	2.36	5.36	1.76	.83	.44	.39	.44	.53	.55	1.24	2.57	1.10	.46	.34	.18	.44	.00	18.98
3.1- 4.0	54	95	73	10	14	6	14	16	25	52	91	60	28	24	21	26	0	609
(1)	1.24	2.18	1.67	.23	.32	.14	.32	.37	.57	1.19	2.09	1.38	.64	.55	.48	.60	.00	13.96
(2)	1.24	2.18	1.67	.23	.32	.14	.32	.37	.57	1.19	2.09	1.38	.64	.55	.48	.60	.00	13.96
41 50	22	77	47	1	5	7	77	71	21	60	77	04	25	24	41	22	0	610
4.1- 5.0	76	1 76	1.08	-4 //a	11	16	62	<u>78</u>	71	1 3 8	165	215	80	2 4 55	-41 Q/	52 73	00	13.09
(1)	.70	1.70	1.00	.09	11	.10	.02	.40 48	.71	1.30	1.05	2.15	.00	.55	.94 Q4	.75	.00	13.90
(2)	.70	1.70	1.00	.07			.02	.+0	.7 1	1.50	1.05	2.15	.00		.74	./ 5	.00	15.50
5.1- 6.0	21	46	13	1	0	3	11	11	19	34	39	74	41	26	40	16	0	395
(1)	.48	1.05	.30	.02	.00	.07	.25	.25	.44	.78	.89	1.70	.94	.60	.92	.37	.00	9.05
(2)	.48	1.05	.30	.02	.00	.07	.25	.25	.44	.78	.89	1.70	.94	.60	.92	.37	.00	9.05
6.1- 8.0	3	19	6	0	0	2	9	13	12	26	26	74	37	25	17	4	0	273

BBNPP

Rev. 2a

Table 2.3-62— {SSES 197' (60-m) 2001-2006 October JFD - continued} (Page 2 of 2)

				SSES	остове	R MET D	IIOL ATA	NT FREQ	UENCY D	ISTRIBU	TION (6	0-METER	TOWER	:)				
197.0	FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	UENCY	(PERCEN	IT) = 10	0.00		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.07	.44	.14	.00	.00	.05	.21	.30	.28	.60	.60	1.70	.85	.57	.39	.09	.00	6.26
(2)	.07	.44	.14	.00	.00	.05	.21	.30	.28	.60	.60	1.70	.85	.57	.39	.09	.00	6.26
8. 1- 10.0	0	0	0	0	0	1	7	0	1	12	6	51	5	0	0	0	0	83
(1)	.00	.00	.00	.00	.00	.02	.16	.00	.02	.28	.14	1.17	.11	.00	.00	.00	.00	1.90
(2)	.00	.00	.00	.00	.00	.02	.16	.00	.02	.28	.14	1.17	.11	.00	.00	.00	.00	1.90
10.1-40.3	0	0	0	0	0	0	1	0	1	0	0	45	7	0	0	0	0	54
(1)	.00	.00	.00	.00	.00	.00	.02	.00	.02	.00	.00	1.03	.16	.00	.00	.00	.00	1.24
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.02	.00	.00	1.03	.16	.00	.00	.00	.00	1.24
ALL SPEEDS	308	778	473	181	154	106	164	182	222	339	427	485	183	116	134	111	0	4363
(1)	7.06	17.83	10.84	4.15	3.53	2.43	3.76	4.17	5.09	7.77	9.79	11.12	4.19	2.66	3.07	2.54	.00	100.00
(2)	7.06	17.83	10.84	4.15	3.53	2.43	3.76	4.17	5.09	7.77	9.79	11.12	4.19	2.66	3.07	2.54	.00	100.00

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

								(Page	1 of 2)						
				SSES N	OVEMB	ER MET D		INT FREQ	UENCY	DISTRIBU	JTION (e	50-METER	TOWE	R)	
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS A				(CLASS FR	EQUEN	CY (PERCE	ENT) = .87
							w	IND DIRE	CTION F	ROM					
m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
I	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.6- 2.0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	5.56	.00	.00	.00	.00	.00	.00	.00	5.56
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.05
2.1- 3.0	0	0	0	0	0	0	0	0	1	4	2	0	0	0	0	0	0	7
(1)	.00	.00	.00	.00	.00	.00	.00	.00	2.78	11.11	5.56	.00	.00	.00	.00	.00	.00	19.44
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.10	.05	.00	.00	.00	.00	.00	.00	.17
3.1- 4.0	1	0	0	0	0	0	0	0	0	3	5	0	0	0	0	1	0	10
(1)	2.78	.00	.00	.00	.00	.00	.00	.00	.00	8.33	13.89	.00	.00	.00	.00	2.78	.00	27.78
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.00	.07	.12	.00	.00	.00	.00	.02	.00	.24
4.1- 5.0	0	0	0	0	0	0	0	0	1	0	6	0	0	0	Ó	1	0	8
(1)	.00	.00	.00	.00	.00	.00	.00	.00	2.78	.00	16.67	.00	.00	.00	.00	2.78	.00	22.22
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.14	.00	.00	.00	.00	.02	.00	.19
5.1- 6.0	0	0	0	0	0	0	0	0	1	0	3	1	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	2.78	.00	8.33	2.78	.00	.00	.00	.00	.00	13.89
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.07	.02	.00	.00	.00	.00	.00	.12
6.1- 8.0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD} (Page 2 of 2)

				SSES N	OVEMB	ER MET D	OL ATA	INT FREG	QUENCY	DISTRIB	UTION (6	O-METER	TOWE	R)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS A				C	LASS FR	EQUEN	CY (PERCE	ENT) = .8	37		
							W	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	2.78	.00	.00	2.78	.00	.00	.00	.00	.00	5.56
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.02	.00	.00	.00	.00	.00	.05
8.1-10.0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	5.56	.00	.00	.00	.00	.00	.00	.00	5.56
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.05
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	1	0	0	0	0	0	0	0	4	11	16	2	0	0	0	2	0	36
(1)	2.78	.00	.00	.00	.00	.00	.00	.00	11.11	30.56	44.44	5.56	.00	.00	.00	5.56	.00	100.00
(2)	.02	.00	.00	.00	.00	.00	.00	.00	.10	.26	.39	.05	.00	.00	.00	.05	.00	.87

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

197.0) FT WIN	ID DATA		SSES NOVEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) STABILITY CLASS B CLASS FREQUENCY (PERCENT) = 1.37														
							w		ECTION I	ROM				•				
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBI	TOTA
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		.00	ñ	ň
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.6- 2.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.75	.00	.00	.00	.00	.00	.00	.00	1.75
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
2.1- 3.0	0	0	0	0	0	0	0	1	1	3	3	2	0	0	0	0	0	10
(1)	.00	.00	.00	.00	.00	.00	.00	1.75	1.75	5.26	5.26	3.51	.00	.00	.00	.00	.00	17.54
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.02	.07	.07	.05	.00	.00	.00	.00	.00	.24
3.1- 4.0	0	1	0	0	0	0	0	0	0	1	4	1	0	0	0	0	0	7
(1)	.00	1.75	.00	.00	.00	.00	.00	.00	.00	1.75	7.02	1.75	.00	.00	.00	.00	.00	12.28
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02	.10	.02	.00	.00	.00	.00	.00	.17
4.1- 5.0	0	0	0	0	0	0	0	0	2 .	0	4	4	1	0	0	0	0	11
(1)	.00	.00	.00	.00	.00	.00	.00	.00	3.51	.00	7.02	7.02	1.75	.00	.00	.00	.00	19.30
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.10	.10	.02	.00	.00	.00	.00	.26
5.1- 6.0	0	0	0	0	0	0	0	0	0	2	4	2	1	0	0	0	0	9
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	3.51	7.02	3.51	1.75	.00	.00	.00	.00	15.79
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.10	.05	.02	.00	.00	.00	.00	.22
6.1- 8.0	0	0	0	0	0	0	0	1	0	0	5	7	0	0	0	0	0	13

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD - continued} (Page 1 of 2)

107.0				SSES N	OVEMB	ER MET C	OL ATA	INT FREC	QUENCY	DISTRIB	UTION (e	O-METER		R)				
197.0		DATA			STAE		ASSB				C	LASS FRE	QUENC	Y (PERCE	NI) = 1.	.37		
							W	IND DIRE	CTION	FROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	1.75	.00	.00	8.77	12.28	.00	.00	.00	.00	.00	22.81
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.12	.17	.00	.00	.00	.00	.00	.31
8.1-10.0	0	0	0	0	0	0	0	0	0	3	2	1	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	5.26	3.51	1.75	.00	.00	.00	.00	.00	10.53
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.05	.02	.00	.00	.00	.00	.00	.14
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	1	0	0	0	0	0	2	3	10	22	17	2	0	0	0	0	57
(1)	.00	1.75	.00	.00	.00	.00	.00	3.51	5.26	17.54	38.60	29.82	3.51	.00	.00	.00	.00	100.00
(2)	.00	.02	.00	.00	.00	.00	.00	.05	.07	.24	.53	.41	.05	.00	.00	.00	.00	1.37

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-63—	- {SSES 197' (60-m)) 2001-2006 Nove	ember JFD - continued}

(Page 1 of 2)

1

			SSES NOVEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)															
197.0) FT WIN	D DATA			STAE	BILITY CL	ASS C				c	LASS FRE		Y (PERCE	NT) = 2.	.72		
							w	IND DIR	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.88	.00	.00	.00	.00	.00	.88	.00	.00	.00	1.77
(2)	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02	.00	.00	.00	.05
1.1- 1.5	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	3.54	.00	.00	.00	.00	.00	.00	.00	.00	3.54
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.10	.00	.00	.00	.00	.00	.00	.00	.00	.10
1.6- 2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
2.1- 3.0	0	1	1	0	0	0	0	0	0	3	6	0	0	0	0	0	0	11
(1)	.00	.88	.88	.00	.00	.00	.00	.00	.00	2.65	5.31	.00	.00	.00	.00	.00	.00	9.73
(2)	.00	.02	.02	.00	.00	.00	.00	.00	.00	.07	.14	.00	.00	.00	.00	.00	.00	.26
3.1- 4.0	0	1	2	0	0	0	1	0	0	1	6	3	1	0	0	0	0	15
(1)	.00	.88	1.77	.00	.00	.00	.88	.00	.00	.88	5.31	2.65	.88	.00	.00	.00	.00	13.27
(2)	.00	.02	.05	.00	.00	.00	.02	.00	.00	.02	.14	.07	.02	.00	.00	.00	.00	.36
4.1- 5.0	1	0	0	0	0	0	0	3	5	0	7	6	0	0	1	1	0	24
(1)	.88	.00	.00	.00	.00	.00	.00	2.65	4.42	.00	6.19	5.31	.00	.00	.88	.88	.00	21.24
(2)	.02	.00	.00	.00	.00	.00	.00	.07	.12	.00	.17	.14	.00	.00	.02	.02	.00	.58
5.1- 6.0	4	0	0	0	0	0	0	1	1	1	4	10	1	0	0	3	0	25
(1)	3.54	.00	.00	.00	.00	.00	.00	.88	.88	.88	3.54	8.85	.88	.00	.00	2.65	.00	22.12
(2)	.10	.00	.00	.00	.00	.00	.00	.02	.02	.02	.10	.24	.02	.00	.00	.07	.00	.60
6.1- 8.0	1	1	0	0	0	0	0	2	1	2	4	13	0	0	1	1	0	26

.

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD - continued
(Page 2 of 2)

				SSES N	OVEMB	ER MET C	OATA JO	INT FREC	UENCY	DISTRIB	UTION (6	50-METER	TOWE	R)				
197.0) FT WIN	ID DATA			STAE	BILITY CL	ASS C				C	LASS FRE		Y (PERCE	NT) = 2.	72		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.88	.88	.00	.00	.00	.00	.00	1.77	.88	1.77	3.54	11.50	.00	.00	.88	.88	.00	23.01
(2)	.02	.02	.00	.00	.00	.00	.00	.05	.02	.05	.10	.31	.00	.00	.02	.02	.00	.63
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	5.31	.00	.00	.00	.00	.00	5.31
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14	.00	.00	.00	.00	.00	.14
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	6	3	3	0	0	0	1	7	11	7	27	38	2	1	2	5	0	113
(1)	5.31	2.65	2.65	.00	.00	.00	.88	6.19	9.73	6.19	23.89	33.63	1.77	.88	1.77	4.42	.00	100.00
(2)	.14	.07	.07	.00	.00	.00	.02	.17	.26	.17	.65	.91	.05	.02	.05	.12	.00	2.72

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

,

~

								(Page	1 of 2)									
				SSES N	IOVEMB	ER MET I	OL ATAD	INT FREC	UENCY	DISTRIB	UTION (e	60-METER	TOWE	R)				
197.0) FT WIN	D DATA			STAB	BILITY CL	ASS D				C	LASS FRE	QUENC	(PERCE	NT) = 40	.51		
							w	IND DIRE	CTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.06	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06
(2)	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	0	2	6	5	8	6	6	5	4	5	1	0	1	1	0	0	0	50
(1)	.00	.12	.36	.30	.48	.36	.36	.30	.24	.30	.06	.00	.06	.06	.00	.00	.00	2.97
(2)	.00	.05	.14	.12	.19	.14	.14	.12	.10	.12	.02	.00	.02	.02	.00	.00	.00	1.20
1.1- 1.5	5	9	9	5	2	2	8	9	12	10	12	1	0	0	0	0	Ó	84
(1)	.30	.53	.53	.30	.12	.12	.48	.53	.71	.59	.71	.06	.00	.00	.00	.00	.00	4.99
(2)	.12	.22	.22	.12	.05	.05	.19	.22	.29	.24	.29	.02	.00	.00	.00	.00	.00	2.02
1.6- 2.0	3	10	4	1	4	4	2	8	8	19	13	4	2	1	1	1	0	85
(1)	.18	.59	.24	.06	.24	.24	.12	.48	.48	1.13	.77	.24	.12	.06	.06	.06	.00	5.05
(2)	.07	.24	.10	.02	.10	.10	.05	.19	.19	.46	.31	.10	.05	.02	.02	.02	.00	2.05
2.1- 3.0	16	27	10	1	3	5	23	14	7	16	33	18	15	10	6	4	0	208
(1)	.95	1.60	.59	.06	.18	.30	1.37	.83	.42	.95	1.96	1.07	.89	.59	.36	.24	.00	12.36
(2)	.39	.65	.24	.02	.07	.12	.55	.34	.17	.39	.79	.43	.36	.24	.14	.10	.00	5.01
3.1- 4.0	29	31	22	2	3	6	15	24	8	5	29	27	23	18	20	27	0	289
(1)	1.72	1.84	1.31	.12	.18	.36	.89	1.43	.48	.30	1.72	1.60	1.37	1.07	1.19	1.60	.00	17.17
(2)	.70	.75	.53	.05	.07	.14	.36	.58	.19	.12	.70	.65	.55	.43	.48	.65	.00	6.96
4.1- 5.0	21	41	22	0	2	3	12	13	7	9	16	30	28	26	37	44	0	311
(1)	1.25	2.44	1.31	.00	.12	.18	.71	.77	.42	.53	.95	1.78	1.66	1.54	2.20	2.61	.00	18.48
(2)	.51	.99	.53	.00	.05	.07	.29	.31	.17	.22	.39	.72	.67	.63	.89	1.06	.00	7.48
5.1- 6.0	18	17	5	0	0	0	17	9	6	4	19	30	23	22	34	33	0	237
(1)	1.07	1.01	.30	.00	.00	.00	1.01	.53	.36	.24	1.13	1.78	1.37	1.31	2.02	1.96	.00	14.08
(2)	.43	.41	.12	.00	.00	.00	.41	.22	.14	.10	.46	.72	.55	.53	.82	.79	.00	5.70
6.1- 8.0	11	5	2	0	0	0	11	17	5	14	26	74	37	12	40	27	0	281

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD - continued}

BBNPP

Rev. 2a

Meteorology

able 2.3-63— {SSES 19	7' (60-m) 2001-2006 Novemb	er JFD - continued}
-----------------------	----------------------------	---------------------

(Page 2 of 2)

				SSES N	OVEMB	ER MET D	OL ATA	INT FREC	UENCY	DISTRIBL	JTION (6	50-METER	R TOWEI	R)				
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS D				CI	LASS FRE	QUENC	Y (PERCE	NT) = 40	.51		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.65	.30	.12	.00	.00	.00	.65	1.01	.30	.83	1.54	4.40	2.20	.71	2.38	1.60	.00	16.70
(2)	.26	.12	.05	.00	.00	.00	.26	.41	.12	.34	.63	1.78	.89	.29	.96	.65	.00	6.76
8.1-10.0	0	0	0	0	0	0	5	13	2	5	8	23	10	19	4	3	0	92
(1)	.00	.00	.00	.00	.00	.00	.30	.77	.12	.30	.48	1.37	.59	1.13	.24	.18	.00	5.47
(2)	.00	.00	.00	.00	.00	.00	.12	.31	.05	.12	.19	.55	.24	.46	.10	.07	.00	2.21
10.1-40.3	0	0	0	0	0	0	0	6	5	3	0	18	7	5	1	0	0	45
(1)	.00	.00	.00	.00	.00	.00	.00	.36	.30	.18	.00	1.07	.42	.30	.06	.00	.00	2.67
(2)	.00	.00	.00	.00	.00	.00	.00	.14	.12	.07	.00	.43	.17	.12	.02	.00	.00	1.08
ALL SPEEDS	103	143	80	14	22	26	99	118	64	90	157	225	146	114	143	139	0	1683
(1)	6.12	8.50	4.75	.83	1.31	1.54	5.88	7.01	3.80	5.35	9.33	13.37	8.67	6.77	8.50	8.26	.00	100.00
(2)	2.48	3.44	1.93	.34	.53	.63	2.38	2.84	1.54	2.17	3.78	5.42	3.51	2.74	3.44	3.35	.00	40.51

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

			Tał	ole 2.3-0	63— {S	SES 19	7' (60-ı	m) 200 1 (Page	1-2006 1 of 2)	Novem	nber JF	D - cont	inued	}				
197.(SSES NOVEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS E CLASS FREQUENCY (PERCENT) = 31.07 WIND DIRECTION FROM																	
	WIND DIRECTION FROM																	
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	1	0	0	1	0	0	1	0	0	0	0	0	0	0	4
(1)	.00	.00	.08	.08	.00	.00	.08	.00	.00	.08	.00	.00	.00	.00	.00	.00	.00	.31
(2)	.00	.00	.02	.02	.00	.00	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.10
.5- 1.0	6	20	19	18	15	24	26	16	13	18	8	0	2	0	0	2	0	187
(1)	.46	1.55	1.47	1.39	1.16	1.86	2.01	1.24	1.01	1.39	.62	.00	.15	.00	.00	.15	.00	14.48
(2)	.14	.48	.46	.43	.36	.58	.63	.39	.31	.43	.19	.00	.05	.00	.00	.05	.00	4.50
1.1- 1.5	11	33	25	8	12	6	11	20	15	17	19	4	3	0	0	3	0	187
(1)	.85	2.56	1.94	.62	.93	.46	.85	1.55	1.16	1.32	1.47	.31	.23	.00	.00	.23	.00	14.48
(2)	.26	.79	.60	.19	.29	.14	.26	.48	.36	.41	.46	.10	.07	.00	.00	.07	.00	4.50
1.6- 2.0	15	33	17	9	8	1	5	6	7	11	19	10	2	0	1	2	0	146
(1)	1.16	2.56	1.32	.70	.62	.08	.39	.46	.54	.85	1.47	.77	.15	.00	.08	.15	.00	11.31
(2)	.36	.79	.41	.22	.19	.02	.12	.14	.17	.26	.46	.24	.05	.00	.02	.05	.00	3.51
2.1- 3.0	22	29	27	10	12	8	7	16	15	22	29	15	8	5	8	7	0	240
(1)	1.70	2.25	2.09	.77	.93	.62	.54	1.24	1.16	1.70	2.25	1.16	.62	.39	.62	.54	.00	18.59
(2)	.53	.70	.65	.24	.29	.19	.17	.39	.36	.53	.70	.36	.19	.12	.19	.17	.00	5.78
3.1- 4.0	15	25	10	5	2	8	5	12	7	32	20	20	8	4	8	7	0	188
(1)	1.16	1.94	.77	.39	.15	.62	.39	.93	.54	2.48	1.55	1.55	.62	.31	.62	.54	.00	14.56
(2)	.36	.60	.24	.12	.05	.19	.12	.29	.17	.77	.48	.48	.19	.10	.19	.17	.00	4.52
4.1- 5.0	7	11	3	0	0	1	3	5	8	25	27	23	4	0	8	2	0	127
(1)	.54	.85	.23	.00	.00	.08	.23	.39	.62	1.94	2.09	1.78	.31	.00	.62	.15	.00	9.84
(2)	.17	.26	.07	.00	.00	.02	.07	.12	.19	.60	.65	.55	.10	.00	.19	.05	.00	3.06
5.1- 6.0	2	5	7	0	0	0	2	3	2	14	12	26	1	1	4	3	0	82
(1)	.15	.39	.54	.00	.00	.00	.15	.23	.15	1.08	.93	2.01	.08	.08	.31	.23	.00	6.35
(2)	.05	.12	.17	.00	.00	.00	.05	.07	.05	.34	.29	.63	.02	.02	.10	.07	.00	1.97
6.1- 8.0	0	1	1	1	0	0	4	6	13	21	4	23	2	0	1	1	0	78

ţ,

~

Rev. 2a

FSAR: Section 2.3

Meteorology

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD - continued} (Page 2 of 2)

				SSES N	OVEMB	ER MET (OL ATAC	INT FREC	QUENCY	DISTRIB	JTION (6	50-METER	TOWE	R)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS E				CI	LASS FRE	QUENC	Y (PERCE	NT) = 31	.07		
					•		w	IND DIRE	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.08	.08	.08	.00	.00	.31	.46	1.01	1.63	.31	1.78	.15	.00	.08	.08	.00	6.04
(2)	.00	.02	.02	.02	.00	.00	.10	.14	.31	.51	.10	.55	.05	.00	.02	.02	.00	1.88
8.1-10.0	0	0	0	0	0	5	1	5	13	13	2	2	0	0	0	0	0	41
(1)	.00	.00	.00	.00	.00	.39	.08	.39	1.01	1.01	.15	.15	.00	.00	.00	.00	.00	3.18
(2)	.00	.00	.00	.00	.00	.12	.02	.12	.31	.31	.05	.05	.00	.00	.00	.00	.00	.99
10.1-40.3	0	0	0	0	0	0	0	6	3	0	1	1	0	0	0	0	0	11
(1)	.00	.00	.00	.00	.00	.00	.00	.46	.23	.00	.08	.08	.00	.00	.00	.00	.00	.85
(2)	.00	.00	.00	.00	.00	.00	.00	.14	.07	.00	.02	.02	.00	.00	.00	.00	.00	.26
ALL SPEEDS	78	157	110	52	49	53	65	95	96	174	141	124	30	10	30	27	0	1291
(1)	6.04	12.16	8.52	4.03	3.80	4.11	5.03	7.36	7.44	13.48	10.92	9.60	2.32	.77	2.32	2.09	.00	100.00
(2)	1.88	3.78	2.65	1.25	1.18	1.28	1.56	2.29	2.31	4.19	3.39	2.98	.72	.24	.72	.65	.00	31.07

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD - continued}
$(P_{-} = 1 - f_{-})$

(Page 1 of 2)

				SSES N	IOVEMB	ER MET (OL ATAC	INT FREC	QUENCY	DISTRIB	UTION (6	50-METER	R TOWE	R)				
197.0	0 FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCEI	NT) = 11	.26		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.21	.21	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.43
(2)	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
.5- 1.0	1	5	18	13	12	9	8	5	7	2	2	1	0	1	0	0	0	84
(1)	.21	1.07	3.85	2.78	2.56	1.92	1.71	1.07	1.50	.43	.43	.21	.00	.21	.00	.00	.00	17.95
(2)	.02	.12	.43	.31	.29	.22	.19	.12	.17	.05	.05	.02	.00	.02	.00	.00	.00	2.02
1.1- 1.5	7	33	26	14	8	7	6	5	8	3	1	1	0	0	0	1	0	120
(1)	1.50	7.05	5.56	2.99	1.71	1.50	1.28	1.07	1.71	.64	.21	.21	.00	.00	.00	.21	.00	25.64
(2)	.17	.79	.63	.34	.19	.17	.14	.12	.19	.07	.02	.02	.00	.00	.00	.02	.00	2.89
1.6- 2.0	5	42	10	3	1	2	1	1	5	5	3	1	0	2	2	1	0	84
(1)	1.07	8.97	2.14	.64	.21	.43	.21	.21	1.07	1.07	.64	.21	.00	.43	.43	.21	.00	17.95
(2)	.12	1.01	.24	.07	.02	.05	.02	.02	.12	.12	.07	.02	.00	.05	.05	.02	.00	2.02
2.1- 3.0	20	35	12	2	6	0	0	1	4	13	16	0	0	0	0	0	0	109
(1)	4.27	7.48	2.56	.43	1.28	.00	.00	.21	.85	2.78	3.42	.00	.00	.00	.00	.00	.00	23.29
(2)	.48	.84	.29	.05	.14	.00	.00	.02	.10	.31	.39	.00	.00	.00	.00	.00	.00	2.62
3.1- 4.0	2	6	5	0	0	1	0	0	0	8	10	2	0	0	0	0	0	34
(1)	.43	1.28	1.07	.00	.00	.21	.00	.00	.00	1.71	2.14	.43	.00	.00	.00	.00	.00	7.26
(2)	.05	.14	.12	.00	.00	.02	.00	.00	.00	.19	.24	.05	.00	.00	.00	.00	.00	.82
4.1- 5.0	0	0	0	0	0	1	0	0	1	3	4	14	0	0	1	0	0	24
(1)	.00	.00	.00	.00	.00	.21	.00	.00	.21	.64	.85	2.99	.00	.00	.21	.00	.00	5.13
(2)	.00	.00	.00	.00	.00	.02	.00	.00	.02	.07	.10	.34	.00	.00	.02	.00	.00	.58
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	1	4	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.21	.85	.00	.00	.00	.00	.00	1.07
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.10	.00	.00	.00	.00	.00	.12
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	6

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD - continued} (Page 2 of 2)

				SSES N	OVEMB	ER MET [OATA JO	INT FREC	UENCY	DISTRIB	UTION (50-METER	TOWE	R)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 11	.26		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.28	.00	.00	.00	.00	.00	1.28
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.14	.00	.00	.00	.00	.00	.14
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	35	121	71	33	28	20	15	12	25	34	37	29	0	3	3	2	0	468
(1)	7.48	25.85	15.17	7.05	5.98	4.27	3.21	2.56	5.34	7.26	7.91	6.20	.00	.64	.64	.43	.00	100.00
(2)	.84	2.91	1.71	.79	.67	.48	.36	.29	.60	.82	.89	.70	.00	.07	.07	.05	.00	11.26

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD - continued} (Page 1 of 2)

107/				SSES N		ER MET I	OL ATA	INT FREG	QUENCY	DISTRIB		50-METER		R) V (DEDCEI	NT) _ 17	20		
197.0		DUDATA			STAD		.ASS G W				C	LASS FRE	QUENC	T (PERCEI	NI) = 12	.20		
SPEED m/c	N	NNE	NE	ENE	F	ECE	5 E		c non r	CCWI	C14/	MEM	347	34/NI34/	N114/	NI NI NAZ	VODI	TOTAL
					E	ESE	SE	33E	2	35VV	200	W SW	ww o	WIN W			VKBL	
LI.Z	0	0	0	00	0	0	0	0	0	0	00	0	0	0	0	0	0.	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.20	.00	.39	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.59
(2)	.00	.00	.02	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	2	10	16	11	11	8	6	1	1	0	0	0	0	0	0	0	0	66
(1)	.39	1.97	3.16	2.17	2.17	1.58	1.18	.20	.20	.00	.00	.00	.00	.00	.00	.00	.00	13.02
(2)	.05	.24	.39	.26	.26	.19	.14	.02	.02	.00	.00	.00	.00	.00	.00	.00	.00	1.59
1.1- 1.5	9	44	47	13	9	5	12	7	10	4	1	2	0	0	1	0	0	164
(1)	1.78	8.68	9.27	2.56	1.78	.99	2.37	1.38	1.97	.79	.20	.39	.00	.00	.20	00	00	32 35
(2)	.22	1.06	1.13	.31	.22	.12	.29	.17	.24	.10	.02	.05	.00	.00	.02	.00	.00	3.95
16-20	13	58	32	6	0	2	2	0	٦	٦	2	з	1	0	0	٥	0	125
(1)	2 56	11 44	631	1 18	őn	29	20	ñ	59	59	39	59	20	00	00	ň	00	24.65
(2)	.31	1.40	.77	.14	.00	.05	.05	.00	.07	.07	.05	.07	.02	.00	.00	.00	.00	3.01
21-30	26	20	10	1	1	0	0	3	12	٩	10	0	1	1	4	0	0	117
(1)	5 13	7.69	1 97	20	20	00	00	59	237	178	197	00	20	20	79	00	00	23.08
(2)	.63	.94	.24	.02	.02	.00	.00	.07	.29	.22	.24	.00	.20	.02	.10	.00	.00	2.82
21 40	ъ	7	л	0	0	1	0	0	n	1	5	2	0	0	0	0	0	76
3.1- 4.0 (1)	20	120	20	00	00	20	00	00	20	4 70	2	50	00	0	00	00	00	20 5 1 2
(1)	.59	1.50	.39	.00	.00	.20	.00	.00	.59	./9	.55	.59	.00	.00	.00	.00	.00	5.15
(2)	.05	.17	.05	.00	.00	.02	.00	.00	.05	.10	.12	.07	.00	.00	.00	.00	.00	.05
4.1- 5.0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.39	.39	.00	.00	.00	.00	.00	.79
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.05	.00	.00	.00	.00	.00	.10
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.39	.00	.00	.00	.00	.00	.39
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.05
6.1- 8.0	0	0	0	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	0

BBNPP

Rev. 2a

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD - continued}	ł
(Page 2 of 2)	

				SSES N	OVEMB	ER MET D	IOL ATA	INT FREC	UENCY	DISTRIBL	JTION (e	50-METER	TOWE	R)		•		
197.0) FT WIN	D DATA			STAB	ILITY CL	ASS G				CI	LASS FRE	QUENC	Y (PERCE	IT) = 12	.20		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	52	158	108	31	23	16	20	11	28	20	20	12	2	1	5	0	0	507
(1)	10.26	31.16	21.30	6.11	4.54	3.16	3.94	2.17	5.52	3.94	3.94	2.37	.39	.20	.99	.00	.00	100.00
(2)	1.25	3.80	2.60	.75	.55	.39	.48	.26	.67	.48	.48	.29	.05	.02	.12	.00	.00	12.20

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

~

(Page 1 of 2)

				SSES N	IOVEMB	ER MET (OL ATAC	INT FRE	QUENCY	DISTRIB	UTION (50-METEF	TOWE	R)				
197.	0 FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREG	QUENCI	Y (PERCEN	IT) = 10	0.00		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	1	2	2	3	0	1	0	0	1	0	0	0	0	0	0	0	10
(1)	.00	.02	.05	.05	.07	.00	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.24
(2)	.00	.02	.05	.05	.07	.00	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.24
.5- 1.0	9	37	59	47	46	47	46	28	25	25	11	1	3	3	0	2	0	389
(1)	.22	.89	1.42	1.13	1.11	1.13	1.11	.67	.60	.60	.26	.02	.07	.07	.00	.05	.00	9.36
(2)	.22	.89	1.42	1.13	1.11	1.13	1.11	.67	.60	.60	.26	.02	.07	.07	.00	.05	.00	9.36
1.1- 1.5	32	119	107	40	31	20	37	41	49	34	33	8	3	0	1	4	0	559
(1)	.77	2.86	2.58	.96	.75	.48	.89	.99	1.18	.82	.79	.19	.07	.00	.02	.10	.00	13.45
(2)	.77	2.86	2.58	.96	.75	.48	.89	.99	1.18	.82	.79	.19	.07	.00	.02	.10	.00	13.45
1.6- 2.0	36	143	63	19	13	9	10	15	23	41	37	18	5	3	4	4	0	443
(1)	.87	3.44	1.52	.46	.31	.22	.24	.36	.55	.99	.89	.43	.12	.07	.10	.10	.00	10.66
(2)	.87	3.44	1.52	.46	.31	.22	.24	.36	.55	.99	.89	.43	.12	.07	.10	.10	.00	10.66
2.1- 3.0	84	131	60	14	22	13	30	35	40	70	99	35	24	16	18	11	0	702
. (1)	2.02	3.15	1.44	.34	.53	.31	.72	.84	.96	1.68	2.38	.84	.58	.39	.43	.26	.00	16.90
(2)	2.02	3.15	1.44	.34	.53	.31	.72	.84	.96	1.68	2.38	.84	.58	.39	.43	.26	.00	16.90
3.1- 4.0	49	71	41	7	5	16	21	36	17	54	79	56	32	22	28	35	0	569
(1)	1.18	1.71	.99	.17	.12	.39	.51	.87	.41	1.30	1.90	1.35	.77	.53	.67	.84	.00	13.69
(2)	1.18	1.71	.99	.17	.12	.39	.51	.87	.41	1.30	1.90	1.35	.77	.53	.67	.84	.00	13.69
4.1- 5.0	29	52	25	0	2	5	15	21	24	37	66	79	33	26	47	48	0	509
(1)	.70	1.25	.60	.00	.05	.12	.36	.51	.58	.89	1.59	1.90	.79	.63	1.13	1.16	.00	12.25
(2)	.70	1.25	.60	.00	.05	.12	.36	.51	.58	.89	1.59	1.90	.79	.63	1.13	1.16	.00	12.25
5.1- 6.0	24	22	12	0	0	0	19	13	10	21	43	75	26	23	38	39	0	365
(1)	.58	.53	.29	.00	.00	.00	.46	.31	.24	.51	1.03	1.81	.63	.55	.91	.94	.00	8.78
(2)	.58	.53	.29	.00	.00	.00	.46	.31	.24	.51	1.03	1.81	.63	.55	.91	.94	.00	8.78
6.1- 8.0	12	7	3	1	0	0	15	26	20	37	39	124	39	12	42	29	0	406

BBNPP

Rev. 2a

Meteorology

								(i uge	2012)									
107 (SSES N				INT FREC	QUENCY	DISTRIB		O-METER		R)				
197.0	JEI WHN	DUATA			STADI		33 ALL				CL	ASS FRE	JUENCY	PERCEN	1) = 100	0.00		
							W	IND DIRI	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.29	.17	.07	.02	.00	.00	.36	.63	.48	.89	.94	2.98	.94	.29	1.01	.70	.00	9.77
(2)	.29	.17	.07	.02	.00	.00	.36	.63	.48	.89	.94	2.98	.94	.29	1.01	.70	.00	9.77
8.1-10.0	0	0	0	0	0	5	6	18	15	23	12	32	10	19	4	3	0	147
(1)	.00	.00	.00	.00	.00	.12	.14	.43	.36	.55	.29	.77	.24	.46	.10	.07	.00	3.54
(2)	.00	.00	.00	.00	.00	.12	.14	.43	.36	.55	.29	.77	.24	.46	.10	.07	.00	3.54
10.1-40.3	0	0	0	0	0	0	0	12	8	3	1	19	7	5	1	0	0	56
(1)	.00	.00	.00	.00	.00	.00	.00	.29	.19	.07	.02	.46	.17	.12	.02	.00	.00	1.35
(2)	.00	.00	.00	.00	.00	.00	.00	.29	.19	.07	.02	.46	.17	.12	.02	.00	.00	1.35
ALL SPEEDS	275	583	372	130	122	115	200	245	231	346	420	447	182	129	183	175	0	4155
(1)	6.62	14.03	8.95	3.13	2.94	2.77	4.81	5.90	5.56	8.33	10.11	10.76	4.38	3.10	4.40	4.21	.00	100.00
(2)	6.62	14.03	8.95	3.13	2.94	2.77	4.81	5.90	5.56	8.33	10.11	10.76	4.38	3.10	4.40	4.21	.00	100.00

Table 2.3-63— {SSES 197' (60-m) 2001-2006 November JFD - continued} (Page 2 of 2)

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

Meteorology

Table 2.3-64— {55E5 T97" (60-m) 2001-2006 December JFL	Table 2.3-64—	{SSES 197	' (60-m) 200 [°]	1-2006 Dece	mber JFD)
--	---------------	-----------	---------------------------	-------------	-----------

(Page 1 of 2)

				SSES D	DECEMB	ER MET D	OL ATA	INT FREC	UENCY	DISTRIB	UTION (6	O-METER	TOWE	R)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS A				Ċ	LASS FR	EQUEN	CY (PERCI	ENT) =	78		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
•																		
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
11-15	٥	0	0	0	0	0	0	. 0	0	0	1	0	0	0	0	0	0	1
(1)	00	00	00	00	00	00	00	00	00	00	204	0	0	00	0	0	0	2.06
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.00	.00	.00	.00	.00	.00	.00	2.80
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
1.6- 2.0	0	0	0	0	1	0	0	0	1	5	1	0	0	0	0	0	0	8
(1)	.00	.00	.00	.00	2.86	.00	.00	.00	2.86	14.29	2.86	.00	.00	.00	.00	.00	.00	22.86
(2)	.00	.00	.00	.00	.02	.00	.00	.00	.02	.11	.02	.00	.00	.00	.00	.00	.00	.18
2.1- 3.0	0	0	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	5.71	5.71	5.71	.00	.00	.00	.00	.00	.00	17.14
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.04	.04	.04	.00	.00	.00	.00	.00	.00	.13
	-	_	_	-	_	-		_	_		_							
3.1-4.0	0	0	0	0	0	0	0	0	0	2	3	1	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	5./1	8.57	2.86	.00	.00	.00	.00	.00	17.14
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.07	.02	.00	.00	.00	.00	.00	.13
4.1- 5.0	0	0	0	0	0	0	1	0	0	1	4	1	0	0	0	0	٥	7
(1)	.00	.00	.00	.00	.00	.00	2.86	.00	.00	2 86	11 43	2.86	ñ	ñ	00	00	ň	20.00
(2)	.00	.00	.00	.00	.00	.00	.02	.00	.00	02	09	02	00	.00	.00	.00	.00	16
(=)		100					.02		.00	.02	.09	.02	.00	.00	.00	.00	.00	.10
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	4	1	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	11.43	2.86	.00	.00	.00	.00	.00	14.29
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.02	.00	.00	.00	.00	.00	.11
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
																-	-	•

BBNPP

FSAR: Section 2.3

Meteorology

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD} · (Page 2 of 2)

		-		SSES D	ECEMB	ER MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	JTION (6	0-METER	TOWE	R)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS A				(CLASS FR	EQUEN	CY (PERCE	NT) = .7	78		
							W	IND DIRE	CTION P	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.86	.00	.00	.00	.00	.00	.00	2.86
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.86	.00	.00	.00	.00	.00	2.86
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	0	0	0	1	0	1	0	3	10	16	4	0	0	0	0	0	35
(1)	.00	.00	.00	.00	2.86	.00	2.86	.00	8.57	28.57	45.71	11.43	.00	.00	.00	.00	.00	100.00
(2)	.00	.00	.00	.00	.02	.00	.02	.00	.07	.22	.36	.09	.00	.00	.00	.00	.00	.78

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued} (Page 1 of 2)

197.0) FT WIN	ID DATA		SSES C	DECEMBI STAE	ER MET D BILITY CL	ATA JO ASS B	INT FREC	UENCY	DISTRIB	UTION (6	O-METER	TOWE	R) CY (PERCI	ENT) = .:	76		
							w	IND DIRE	ECTION	FROM				-				
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.1- 1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
1.6- 2.0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	4
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	5.88	5.88	.00	.00	.00	.00	.00	.00	11.76
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.04	.00	.00	.00	.00	.00	.00	.09
2.1- 3.0	0	0	0	0	0	0	0	0	0	1	4	1	0	0	0	0	0	6
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.94	11.76	2.94	.00	.00	.00	.00	.00	17.65
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.09	.02	.00	.00	.00	.00	.00	1.13
3.1- 4.0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	6
. (1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	17.65	.00	.00	.00	.00	.00	.00	17.65
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.13	.00	.00	.00	.00	.00	.00	.13
4.1- 5.0	0	0	1	0	0	0	0	0	0	0	5	3	0	0	1	0	0	10
(1)	.00	.00	2.94	.00	.00	.00	.00	.00	.00	.00	14.71	8.82	.00	.00	2.94	.00	.00	29.41
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.11	.07	.00	.00	.02	.00	.00	.22
5.1- 6.0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	б
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	17.65	.00	.00	.00	.00	.00	.00	17.65
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.13	.00	.00	.00	.00	.00	.00	.13
6.1- 8.0	0	0	0	0	0	0	0	0	0	. 0	1	0	0	0	0	0	0	1

BBNPP

FSAR: Section 2.3

Meteorology

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued} (Page 2 of 2)

				SSES D	ECEMB	ER MET D	ATA JOI	NT FREQ	UENCY	DISTRIB	JTION (6	O-METER	TOWE	R)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS B				C	LASS FR	EQUEN	CY (PERCE	ENT) = .:	76		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.94	.00	.00	.00	.00	.00	.00	2.94
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0.	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.94	.00	.00	.00	.00	.00	2.94
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	0	0	1	0	0	0	0	0	0	3	24	5	0	0	1	0	0	34
(1)	.00	.00	2.94	.00	.00	.00	.00	.00	.00	8.82	70.59	14.71	.00	.00	2.94	.00	.00	100.00
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.07	.54	.11	.00	.00	.02	.00	.00	.76

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

			Tal	ole 2.3-	64— {\$	5SES 19	7' (60-r	n) 200 (Page	1-2006 1 of 2)	Decem	ber JF	D - cont	inued	}				
				SSES D	ECEMB	ER MET (IOL ATA	NT FREC	UENCY	DISTRIBU	JTION (e	50-METER	TOWE	R)				
197.	D FT WIN	ID DATA			STAE	BILITY CL	ASS C				C	LASS FRI	EQUENC	Y (PERCE	NT) = 2.	.04		
							W	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	0	0	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	4
(1)	.00	.00	2.20	.00	.00	.00	2.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	4.40
(2)	.00	.00	.04	.00	.00	.00	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09
1.1- 1.5	0	0	1	0	0	1	0	0	0	1	1	0	0	0	0	0	0	4
(1)	.00	.00	1.10	.00	.00	1.10	.00	.00	.00	1.10	1.10	.00	.00	.00	.00	.00	.00	4.40
(2)	.00	.00	.02	.00	.00	.02	.00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.09
1.6- 2.0	0	0	1	0	0	0	0	0	1	1	1.	1	0	0	0	0	0	5
(1)	.00	.00	1.10	.00	.00	.00	.00	.00	1.10	1.10	1.10	1.10	.00	.00	.00	.00	.00	5.49
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.02	.02	.02	.02	.00	.00	.00	.00	.00	.11
2.1- 3.0	0	1	1	0	0	0	0	0	1	2	8	1	0	0	0	0	0	14
(1)	.00	1.10	1.10	.00	.00	.00	.00	.00	1.10	2.20	8.79	1.10	.00	.00	.00	.00	.00	15.38
(2)	.00	.02	.02	.00	.00	.00	.00	.00	.02	.04	.18	.02	.00	.00	.00	.00	.00	.31
3.1- 4.0	1	2	2	0	0	0	0	0	0	0	1	1	1	0	0	0	0	8
(1)	1.10	2.20	2.20	.00	.00	.00	.00	.00	.00	.00	1.10	1.10	1.10	.00	.00	.00	.00	8.79
(2)	.02	.04	.04	.00	.00	.00	.00	.00	.00	.00	.02	.02	.02	.00	.00	.00	.00	.18
4.1- 5.0	0	0	0	0	0	0	0	0	1	0	8	3	0	0	0	4	0	16
(1)	.00	.00	.00	.00	.00	.00	.00	.00	1.10	.00	8.79	3.30	.00	.00	.00	4.40	.00	17.58
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.18	.07	.00	.00	.00	.09	.00	.36
5.1- 6.0	0	0	1	0	0	0	1	0	0	0	2	6	0	0	1	3	0	14
(1)	.00	.00	1.10	.00	.00	.00	1.10	.00	.00	.00	2.20	6.59	.00	.00	1.10	3.30	.00	15.38
(2)	.00	.00	.02	.00	.00	.00	.02	.00	.00	.00	.04	.13	.00	.00	.02	.07	.00	.31
6.1- 8.0	0	0	0	0	0	0	0	0	0	2	6	13	0	0	0	0	0	21

BBNPP

2-646 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

.

FSAR: Section 2.3

Meteorology

								(Page	2 of 2)									
				SSES D	ECEMB	ER MET C	IOL ATA	NT FREQ	UENCY	DISTRIB	JTION (6	O-METER	TOWEF	R)				
197.0	FT WIN	D DATA			STAE	BILITY CL	ASS C				C	LASS FRE		Y (PERCE	NT) = 2.	04		
							w	IND DIRI	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Ε	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	2.20	6.59	14.29	.00	.00	.00	.00	.00	23.08
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.13	.29	.00	.00	.00	.00	.00	.47
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	5
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	5.49	.00	.00	.00	.00	.00	5.49
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	.00	.00	.00	.00	.00	.11
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	1	3	8	0	0	1	3	0	3	6	27	30	1	0	1	7	0	. 91
(1)	1.10	3.30	8.79	.00	.00	1.10	3.30	.00	3.30	6.59	29.67	32.97	1.10	.00	1.10	7.69	.00	100.00
(2)	.02	.07	.18	.00	.00	.02	.07	.00	.07	.13	.60	.67	.02	.00	.02	.16	.00	2.04

Table 2.3-64--- {SSES 197' (60-m) 2001-2006 December JFD - continued}

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD
								(i uge	1012)									
197.0	FT WIN	D DATA		SSES D	ECEMBI STAB	ER MET D BILITY CL	ATA JOI ASS D	NT FREQ	UENCY	DISTRIBL	JTION (6 Cl	O-METER	TOWER	R) Y (PERCE !	NT) = 45	.99		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
IT.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	ň	00	00	00	00	ň	ň	00	00	ño	00	00	00	00	ñ	ň	00	00
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	00	.00	00	.00	.00	00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
2-4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	0
(1)	00	00	00	00	00	00	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(7)	.00	.00	00	00	.00	.00	00	00	.00	00	00	00	00	00	00	00	00	00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	1	1	7	3	3	7	8	6	4	3	2	1	2	0	2	2	0	52
(1)	.05	.05	.34	.15	.15	.34	.39	.29	.19	.15	.10	.05	.10	.00	.10	.10	.00	2.53
(2)	.02	.02	.16	.07	.07	.16	.18	.13	.09	.07	.04	.02	.04	.00	.04	.04	.00	1.16
1.1- 1.5	2	10	8	10	3	1	9	12	10	20	10	3	3	1	0	1	0	103
(1)	.10	.49	.39	.49	.15	.05	.44	.58	.49	.97	.49	.15	.15	.05	.00	.05	.00	5.02
(2)	.04	.22	.18	.22	.07	.02	.20	.27	.22	.45	.22	.07	.07	.02	.00	.02	.00	2.31
<i>_/</i>																		
1.6- 2.0	1	8	6	4	5	4	1	6	6	15	24	8	2	4	1	1	0	96
(1)	.05	.39	.29	.19	.24	.19	.05	.29	.29	.73	1.17	.39	.10	.19	.05	.05	.00	4.68
(2)	.02	.18	.13	.09	.11	.09	.02	.13	.13	.34	.54	.18	.04	.09	.02	.02	.00	2.15
2.1- 3.0	16	20	21	19	10	4	19	11	4	22	42	26	12	7	7	3	0	243
(1)	.78	.97	1.02	.93	.49	.19	.93	.54	.19	1.07	2.05	1.27	.58	.34	.34	.15	.00	11.84
(2)	.36	.45	.47	.43	.22	.09	.43	.25	.09	.49	.94	.58	.27	.16	.16	.07	.00	5.44
3.1- 4.0	17	18	15	8	3	5	15	10	12	12	37	30	19	11	19	18	0	249
(1)	.83	.88	.73	.39	.15	.24	.73	.49	.58	.58	1.80	1.46	.93	.54	.93	.88	.00	12.13
(2)	.38	.40	.34	.18	.07	.11	.34	.22	.27	.27	.83	.67	.43	.25	.43	.40	.00	5.58
4.1- 5.0	22	17	16	5	4	3	7	6	6	11	31	44	41	24	54	49	0	340
(1)	1.07	.83	.78	.24	.19	.15	.34	.29	.29	.54	1.51	2.14	2.00	1.17	2.63	2.39	.00	16.56
(2)	.49	.38	.36	.11	.09	.07	.16	.13	.13	.25	.69	.99	.92	.54	1.21	1.10	.00	7.62
5.1- 6.0	17	9	2	2	2	2	3	2	0	11	41	74	43	36	46	53	0	343
(1)	.83	.44	.10	.10	.10	.10	.15	.10	.00	.54	2.00	3.60	2.09	1.75	2.24	2.58	.00	16.71
(2)	.38	.20	.04	.04	.04	.04	.07	.04	.00	.25	.92	1.66	.96	.81	1.03	1.19	.00	7.68
6.1- 8.0	3	8	3	0	1	1	1	3	0	13	30	230	56	42	45	59	0	495

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued} (Page 1 of 2)

BBNPP

2-648 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued} (Page 2 of 2)

				SSES D	DECEMB	ER MET D	OL ATA	INT FREQ	UENCY	DISTRIB	JTION (6	0-METER	TOWER	R)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS D				CI	ASS FRE	QUENC	(PERCEI	NT) = 45	.99		
							w	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.15	.39	.15	.00	.05	.05	.05	.15	.00	.63	1.46	11.20	2.73	2.05	2.19	2.87	.00	24.11
(2)	.07	.18	.07	.00	.02	.02	.02	.07	.00	.29	.67	5.15	1.25	.94	1.01	1.32	.00	11.09
8.1-10.0	0	0	1	0	0	0	0	0	0	4	3	62	23	5	4	1	0	103
(1)	.00	.00	.05	.00	.00	.00	.00	.00	.00	.19	.15	3.02	1.12	.24	.19	.05	.00	5.02
(2)	.00	.00	.02	.00	.00	.00	.00	.00	.00	.09	.07	1.39	.52	.11	.09	.02	.00	2.31
10.1-40.3	0	0	0	0	0	0	0	0	2	3	0	18	6	0	0	0	0	29
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.10	.15	.00	.88	.29	.00	.00	.00	.00	1.41
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.04	.07	.00	.40	.13	.00	.00	.00	.00	.65
ALL SPEEDS	79	91	79	51	31	27	63	56	44	114	220	496	207	130	178	187	0	2053
(1)	3.85	4.43	3.85	2.48	1.51	1.32	3.07	2.73	2.14	5.55	10.72	24.16	10.08	6.33	8.67	9.11	.00	100.00
(2)	1.77	2.04	1.77	1.14	.69	.60	1.41	1.25	.99	2.55	4.93	11.11	4.64	2.91	3.99	4.19	.00	45.99

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued} (Page 1 of 2)

	SSES DECEMBER MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA STABILITY CLASS E CLASS FREQUENCY (PERCENT) = 30.58																	
197.0	D FT WIN	ID DATA			STAI	BILITY CL	ASS E				C	LASS FRE	QUENC	Y (PERCE	NT) = 30	.58		
							W	IND DIR	ECTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	· .00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	2
(1)	.00	.00	.00	.00	.07	.00	.00	.00	.07	.00	.00	.00	.00	.00	.00	.00	.00	.15
(2)	.00	.00	.00	.00	.02	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.04
.5- 1.0	8	9	17	18	12	18	14	22	15	8	7	1	2	0	0	4	0	155
(1)	.59	.66	1.25	1.32	.88	1.32	1.03	1.61	1.10	.59	.51	.07	.15	.00	.00	.29	.00	11.36
(2)	.18	.20	.38	.40	.27	.40	.31	.49	.34	.18	.16	.02	.04	.00	.00	.09	.00	3.47
1.1- 1.5	3	21	35	8	9	2	14	24	17	19	17	5	2	1	1	2	0	180
(1)	.22	1.54	2.56	.59	.66	.15	1.03	1.76	1.25	1.39	1.25	.37	.15	.07	.07	.15	.00	13.19
(2)	.07	.47	.78	.18	.20	.04	.31	.54	.38	.43	.38	.11	.04	.02	.02	.04	.00	4.03
1.6- 2.0	7	21	9	4	3	2	7	2	10	20	17	8	4	4	1	4	0	123
(1)	.51	1.54	.66	.29	.22	.15	.51	.15	.73	1.47	1.25	.59	.29	.29	.07	.29	.00	9.01
(2)	.16	.47	.20	.09	.07	.04	.16	.04	.22	.45	.38	.18	.09	.09	.02	.09	.00	2.76
2.1- 3.0	25	24	23	10	7	12	9	11	8	24	46	27	7	9	2	5	0	249
(1)	1.83	1.76	1.68	.73	.51	.88	.66	.81	.59	1.76	3.37	1.98	.51	.66	.15	.37	.00	18.24
(2)	.56	.54	.52	.22	.16	.27	.20	.25	.18	.54	1.03	.60	.16	.20	.04	.11	.00	5.58
3.1- 4.0	12	17	17	4	2	3	2	13	12	19	37	25	9	8	6	7	0	193
(1)	.88	1.25	1.25	.29	.15	.22	.15	.95	.88	1.39	2.71	1.83	.66	.59	.44	.51	.00	14.14
(2)	.27	.38	.38	.09	.04	.07	.04	.29	.27	.43	.83	.56	.20	.18	.13	.16	.00	4.32
4.1- 5.0	5	8	18	4	1	0	1	5	5	28	51	41	4	6	16	7	0	200
(1)	.37	.59	1.32	.29	.07	.00	.07	.37	.37	2.05	3.74	3.00	.29	.44	1.17	.51	.00	14.65
(2)	.11	.18	.40	.09	.02	.00	.02	.11	.11	.63	1.14	.92	.09	.13	.36	.16	.00	4.48
5.1- 6.0	2	8	13	1	1	3	2	4	1	14	22	42	3	0	6	5	0	127
(1)	.15	.59	.95	.07	.07	.22	.15	.29	.07	1.03	1.61	3.08	.22	.00	.44	.37	.00	9.30
(2)	.04	.18	.29	.02	.02	.07	.04	.09	.02	.31	.49	.94	.07	.00	.13	.11	.00	2.84
6.1- 8.0	0	6	2	0	2	3	2	2	2	11	1	63	4	0	8	2	0	108

BBNPP

[able 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued}
(Page 2 of 2)

				SSES D	ECEMBE	ER MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	JTION (6	0-METER	TOWER	R)			•	
197.0	FT WIN	D DATA			STAB	ILITY CL	ASS E				CL	ASS FRE	QUENC	Y (PERCEN	IT) = 30	.58		
							W	IND DIRE	ECTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.44	.15	.00	.15	.22	.15	.15	.15	.81	.07	4.62	.29	.00	.59	.15	.00	7.91
(2)	.00	.13	.04	.00	.04	.07	.04	.04	.04	.25	.02	1.41	.09	.00	.18	.04	.00	2.42
8.1-10.0	0	0	0	0	0	4	3	4	1	0	3	2	1	0	0	0	0	18
(1)	.00	.00	.00	.00	.00	.29	.22	.29	.07	.00	.22	.15	.07	.00	.00	.00	.00	1.32
(2)	.00	.00	.00	.00	.00	.09	.07	.09	.02	.00	.07	.04	.02	.00	.00	.00	.00	.40
10.1-40.3	0	0	0	0	1	1	0	0	2	2	0	4	0	0	0	0	0	10
(1)	.00	.00	.00	.00	.07	.07	.00	.00	.15	.15	.00	.29	.00	.00	.00	.00	.00	.73
(2)	.00	.00	.00	.00	.02	.02	.00	.00	.04	.04	.00	.09	.00	.00	.00	.00	.00	.22
ALL SPEEDS	62	114	134	49	39	48	54	87	74	145	201	218	36	28	40	36	0	1365
(1)	4.54	8.35	9.82	3.59	2.86	3.52	3.96	6.37	5.42	10.62	14.73	15.97	2.64	2.05	2.93	2.64	.00	100.00
(2)	1.39	2.55	3.00	1.10	.87	1.08	1.21	1.95	1.66	3.25	4.50	4.88	.81	.63	.90	.81	.00	30.58

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

.

-

BBNPP

8

Table 2.3-64— {SSES 197'	(60-m) 2001-2006	December JFD - continued
	(Page 1 of 2)	

				SSES [DECEMB	ER MET D	OATA JO	INT FREC	UENCY	DISTRIB	UTION (6	50-METER	TOWE	R)				
197.	0 FT WIN	ID DATA			STAE	BILITY CL	ASS F				C	LASS FRE	QUENC	Y (PERCE	NT) = 11	.67		
							w	IND DIRI	ECTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
(1)	.00	.00	.00	.00	.00	.19	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.19
(2)	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
.5- 1.0	2	6	18	17	12	7	6	3	3	7	0	0	1	0	2	0	0	84
(1)	.38	1.15	3.45	3.26	2.30	1.34	1.15	.58	.58	1.34	.00	.00	.19	.00	.38	.00	.00	16.12
(2)	.04	.13	.40	.38	.27	.16	.13	.07	.07	.16	.00	.00	.02	.00	.04	.00	.00	1.88
1.1- 1.5	3	23	28	12	10	6	2	10	11	5	4	2	0	0	1	0	0	117
(1)	.58	4.41	5.37	2.30	1.92	1.15	.38	1.92	2.11	.96	.77	.38	.00	.00	.19	.00	.00	22.46
(2)	.07	.52	.63	.27	.22	.13	.04	.22	.25	.11	.09	.04	.00	.00	.02	.00	.00	2.62
1.6- 2.0	10	34	16	2	1	1	0	4	6	10	8	2	0	1	0	0	0	95
(1)	1.92	6.53	3.07	.38	.19	.19	.00	.77	1.15	1.92	1.54	.38	.00	.19	.00	.00	.00	18.23
(2)	.22	.76	.36	.04	.02	.02	.00	.09	.13	.22	.18	.04	.00	.02	.00	.00	.00	2.13
2.1- 3.0	22	31	12	1	1	1	2	0	9	18	17	3	0	1	3	4	0	125
(1)	4.22	5.95	2.30	.19	.19	.19	.38	.00	1.73	3.45	3.26	.58	.00	.19	.58	.77	.00	23.99
(2)	.49	.69	.27	.02	.02	.02	.04	.00	.20	.40	.38	.07	.00	.02	.07	.09	.00	2.80
3.1- 4.0	1	3	1	0	0	0	2	0	2	6	21	9	0	0	4	1	0	50
(1)	.19	.58	.19	.00	.00	.00	.38	.00	.38	1.15	4.03	1.73	.00	.00	.77	.19	.00	9.60
(2)	.02	.07	.02	.00	.00	.00	.04	.00	.04	.13	.47	.20	.00	.00	.09	.02	.00	1.12
4.1- 5.0	0	0	0	0	0	0	0	0	0	5	5	16	0	0	0	0	0	26
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.96	.96	3.07	.00	.00	.00	.00	.00	4.99
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	.11	.36	.00	.00	.00	.00	.00	.58
5.1- 6.0	0	0	0	0	0	0	0	0	1	0	3	15	0	0	0	0	0	19
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.19	.00	.58	2.88	.00	.00	.00	.00	.00	3.65
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.07	.34	.00	.00	.00	.00	.00	.43
6.1- 8.0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	. 0.	0	4

Ł

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued} (Page 2 of 2)

				SSES D	DECEMBI	ER MET D	IOL ATA	NT FREQ	UENCY	DISTRIBL	JTION (6	0-METER	TOWE	R)				
197.0	FT WIN	ID DATA			STAE	BILITY CL	ASS F				CL	ASS FRE	QUENC	Y (PERCE	NT) = 11	.67		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.77	.00	.00	.00	.00	.00	.77
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	00	.09
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	38	97	75	32	24	16	12	17	32	51	58	51	1	2	10	5	0	521
(1)	7.29	18.62	14.40	6.14	4.61	3.07	2.30	3.26	6.14	9.79	11.13	9.79	.19	.38	1.92	.96	.00	100.00
(2)	.85	2.17	1.68	.72	.54	.36	.27	.38	.72	1.14	1.30	1.14	.02	.04	.22	.11	.00	11.67

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

BBNPP

FSAR: Section 2.3

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued} (Page 1 of 2)

197.0	D FT WIN	ID DATA		SSES [DECEMB STAE	ER MET D BILITY CL	ATA JO ASS G	INT FREQ	UENCY	DISTRIB	UTION (6 C	O-METER	TOWE	R) CY (PERCE	NT) = 8.	.18		
							w	IND DIRE	CTION I	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	wsw	w	WNW	NW	NNW	VRBL	ΤΟΤΑΙ
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	0	Ó	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00 🤨	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.5- 1.0	2	2	13	18	12	6	3	3	2	0	0	0	0	0	0	0	0	61
(1)	.55	.55	3.56	4.93	3.29	1.64	.82	.82	.55	.00	.00	.00	.00	.00	.00	.00	.00	16.71
(2)	.04	.04	.29	.40	.27	.13	.07	.07	.04	.00	.00	.00	.00	.00	.00	.00	.00	1.37
1.1- 1.5	1	14	23	16	7	8	5	б	4	1	2	0	1	0	0	1	0	89
(1)	.27	3.84	6.30	4.38	1.92	2.19	1.37	1.64	1.10	.27	.55	.00	.27	.00	.00	.27	.00	24.38
(2)	.02	.31	.52	.36	.16	.18	.11	.13	.09	.02	.04	.00	.02	.00	.00	.02	.00	1.99
1.6- 2.0	10	27	21	4	1	2	1	5	6	6	4	0	0	0	0	1	0	88
(1)	2.74	7.40	5.75	1.10	.27	.55	.27	1.37	1.64	1.64	1.10	.00	.00	.00	.00	.27	.00	24.11
(2)	.22	.60	.47	.09	.02	.04	.02	.11	.13	.13	.09	.00	.00	.00	.00	.02	.00	1.97
2.1- 3.0	10	31	12	2	2	1	1	1	5	13	10	2	0	0	0	2	0	92
(1)	2.74	8.49	3.29	.55	.55	.27	.27	.27	1.37	3.56	2.74	.55	.00	.00	.00	.55	.00	25.21
(2)	.22	.69	.27	.04	.04	.02	.02	.02	.11	.29	.22	.04	.00	.00	.00	.04	.00	2.06
3.1- 4.0	0	2	0	0	0	1	0	0	1	4	13	0	0	0	0	0	0	21
(1)	.00	.55	.00	.00	.00	.27	.00	.00	.27	1.10	3.56	.00	.00	.00	.00	.00	.00	5.75
(2)	.00	.04	.00	.00	.00	.02	.00	.00	.02	.09	.29	.00	.00	.00	.00	.00	.00	.47
4.1- 5.0	0	0	0	0	0	0	0	0	1	2	0	7	0	0	0	0	0	10
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.27	.55	.00	1.92	.00	.00	.00	.00	.00	2.74
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.02	.04	.00	.16	.00	.00	.00	.00	.00	.22
5.1- 6.0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.27	.00	.55	.00	.00	.00	.00	.00	.82
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.04	.00	.00	.00	.00	.00	.07
6.1- 8.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1

BBNPP

Meteorology

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued} (Page 2 of 2)

				SSES D	ECEMBE	ER MET D	IOL ATA	NT FREQ	UENCY	DISTRIBU	ITION (6	0-METER	TOWE	R)				
197.0	FT WIN	ID DATA			STAB	ILITY CL	ASS G				C	LASS FRE	QUENC	Y (PERCE	NT) = 8.	18		
							W	IND DIRE	CTION F	ROM								
SPEED m/s	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.27	.00	.00	.00	.00	.00	.00	.00	.27
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
8.1-10.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10.1-40.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ALL SPEEDS	23	76	69	40	22	18	10	15	19	28	29	11	1	0	0	4	0	365
(1)	6.30	20.82	18.90	10.96	6.03	4.93	2.74	4.11	5.21	7.67	7.95	3.01	.27	.00	.00	1.10	.00	100.00
(2)	.52	1.70	1.55	.90	.49	.40	.22	.34	.43	.63	.65	.25	.02	.00	.00	.09	.00	8.18

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

								(Page	1 of 2)									
				SSES D	есемв	ER MET D	OATA JO	INT FREQ	UENCY	DISTRIB	JTION (6	O-METER	TOWER	R)				
197.	0 FT WIN	ID DATA			STAB	LITY CLA	SS ALL				CL	ASS FREG	QUENCY	(PERCEN	IT) = 10	0.00		
							W	IND DIRE	CTION I	FROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	w	WNW	NW	NNW	VRBL	TOTAL
LT .2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
(2)	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
.24	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	3
(1)	.00	.00	.00	.00	.02	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.07
(2)	.00	.00	.00	.00	.02	.02	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.07
.5- 1.0	13	18	57	56	39	38	33	34	24	18	9	2	5	0	4	6	0	356
(1)	.29	.40	1.28	1.25	.87	.85	.74	.76	.54	.40	.20	.04	.11	.00	.09	.13	.00	7.97
(2)	.29	.40	1.28	1.25	.87	.85	.74	.76	.54	.40	.20	.04	.11	.00	.09	.13	.00	7.97
1.1- 1.5	9	68	95	46	29	18	30	52	42	46	35	10	6	2	2	4	0	494
(1)	.20	1.52	2.13	1.03	.65	.40	.67	1.16	.94	1.03	.78	.22	.13	.04	.04	.09	.00	11.07
(2)	.20	1.52	2.13	1.03	.65	.40	.67	1.16	.94	1.03	.78	.22	.13	.04	.04	.09	.00	11.07
1.6 - 2.0	28	90	53	14	11	9	9	17	30	59	57	19	6	9	2	6	0	419
(1)	.63	2.02	1.19	.31	.25	.20	.20	.38	.67	1.32	1.28	.43	.13	.20	.04	.13	.00	9.39
(2)	.63	2.02	1.19	.31	.25	.20	.20	.38	.67	1.32	1.28	.43	.13	.20	.04	.13	.00	9.39
2.1- 3.0	73	107	69	32	20	18	31	23	29	82	129	60	[.] 19	17	12	14	0	735
(1)	1.64	2.40	1.55	.72	.45	.40	.69	.52	.65	1.84	2.89	1.34	.43	.38	.27	.31	.00	16.47
(2)	1.64	2.40	1.55	.72	.45	.40	.69	.52	.65	1.84	2.89	1.34	.43	.38	.27	.31	.00	16.47
3.1- 4.0	31	42	35	12	5	9	19	23	27	43	118	66	29	19	29	26	0	533
(1)	.69	.94	.78 [,]	.27	.11	.20	.43	.52	.60	.96	2.64	1.48	.65	.43	.65	.58	.00	11.94
(2)	.69	.94	.78	.27	.11	.20	.43	.52	.60	.96	2.64	1.48	.65	.43	.65	.58	.00	11.94
4.1- 5.0	27	25	35	9	5	3	9	11	13	47	104	115	45	30	71	60	0	609
(1)	.60	.56	.78	.20	.11	.07	.20	.25	.29	1.05	2.33	2.58	1.01	.67	1.59	1.34	.00	13.64
(2)	.60	.56	.78	.20	.11	.07	.20	.25	.29	1.05	2.33	2.58	1.01	.67	1.59	1.34	.00	13.64
5.1- 6.0	19	17	16	3	3	5	6	6	2	26	78	140	46	36	53	61	0	517
(1)	.43	.38	.36	.07	.07	.11	.13	.13	.04	.58	1.75	3.14	1.03	.81	1.19	1.37	.00	11.58
(2)	.43	.38	.36	.07	.07	.11	.13	.13	.04	.58	1.75	3.14	1.03	.81	1.19	1.37	.00	11.58
6.1- 8.0	3	14	5	0	3	4	3	5	2	27	39	310	60	42	53	61	0	631

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued}

BBNPP

2-656 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

Table 2.3-64— {SSES 197' (60-m) 2001-2006 December JFD - continued} (Page 2 of 2)

1

				SSES D	DECEMBI	ER MET C	OL ATA	NT FREQ	UENCY	DISTRIB	JTION (6	O-METER	TOWER	R)				
197.0	FT WIN	ID DATA			STABI	LITY CLA	SS ALL				CL	ASS FREC	QUENCY	(PERCEN	T) = 100	0.00		
							w	IND DIRE	CTION F	ROM								
SPEED m/s	Ν	NNE	NE	ENE	Е	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	VRBL	TOTAL
(1)	.07	.31	.11	.00	.07	.09	.07	.11	.04	.60	.87	6.94	1.34	.94	1.19	1.37	.00	14.14
(2)	.07	.31	.11	.00	.07	.09	.07	.11	.04	.60	.87	6.94	1.34	.94	1.19	1.37	.00	14.14
8.1-10.0	0	0	1	0	0	4	3	4	1	4	6	71	24	5	4	1	0	128
(1)	.00	.00	.02	.00	.00	.09	.07	.09	.02	.09	.13	1.59	.54	.11	.09	.02	.00	2.87
(2)	.00	.00	.02	.00	.00	.09	.07	.09	.02	.09	.13	1.59	.54	.11	.09	.02	.00	2.87
10.1-40.3	0	0	0	0	1	1	0	0	4	5	0	22	6	0	0	0	0	39
(1)	.00	.00	.00	.00	.02	.02	.00	.00	.09	.11	.00	.49	.13	.00	.00	.00	.00	.87
(2)	.00	.00	.00	.00	.02	.02	.00	.00	.09	.11	.00	.49	.13	.00	.00	.00	.00	.87
ALL SPEEDS	203	381	366	172	117	110	143	175	175	357	575	815	246	160	230	239	0	4464
(1)	4.55	8.53	8.20	3.85	2.62	2.46	3.20	3.92	3.92	8.00	12.88	18.26	5.51	3.58	5.15	5.35	.00	100.00
(2)	4.55	8.53	8.20	3.85	2.62	2.46	3.20	3.92	3.92	8.00	12.88	18.26	5.51	3.58	5.15	5.35	.00	100.00

ų,

(1)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PAGE (2)=PERCENT OF ALL GOOD OBSERVATIONS FOR THIS PERIOD

Parameter	Value(s)
Anemometer starting speed	0.5 miles per hour
Temperature sensor separation	60m - 10m or 50 meters
Wind instrument heights	33' (10 m), 197' (60 m)
Meteorological channel units of measure	Wind speed miles per hour, Wind direction degrees from True North, Delta-Temperature degrees Fahrenheit per sensor separation in feet
Order of data channels in meteorological data	Wind speed (10m, 60m), wind direction (10m, 60m), temperature, dew point temperature, delta temperature (60m-10m), precipitation

Table 2.3-65— {Input Used to Determine JFD's}

Table 2.3-66— {Monthly Mean Wind Speed and Prevailing Wind Direction (tens of degrees) for Sites Around Bell Bend Nuclear Power
Plant}

SITE		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL
Wilkes-Barre/Scranton PA	mph	8.1	8.3	8.7	8.4	7.6	6.8	6.5	6.2	6.6	7.0	7.7	7.8	7.5
	deg	240	250	330	350	230	240	250	110	230	240	240	240	240
Allentown PA	mph	8.8	9.1	9.6	9.1	8.2	7.4	6.7	6.2	6.6	7.1	7.9	8.3	7.9
	deg	280	280	300	330	240	250	240	240	240	250	250	270	280
Williamsport PA	mph	8.1	8.1	8.3	8.1	7.0	6.3	5.8	5.3	5.6	6.0	7.2	7.4	6.9
Williamsport, I A	deg	280	280	280	280	280	280	280	280	280	280	280	280	280

.

FSAR: Section 2.3

.

SITE		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL
Wilkes-Barre/Scranton PA	mph	36	38	39	34	45	36	39	46	45	36	40	43	46
	deg	230	260	280	260	310	290	360	250	320	280	270	260	250
Allentown PA	mph	43	38	46	40	53	33	38	32	35	35	39	39	53
	deg	190	290	80	270	250	340	250	[·] 300	70	270	270	200	250
Williamsport PA	mph	43	45	43	39	47	45	33	37	44	40	43	39	47
	deg	240	260	240	260	250	250	220	360	250	260	250	260	250

Table 2.3-67— {Monthly Maximum Two-Minute Wind Speed and Direction (tens of degrees) for Sites Around Bell Bend Nuclear
Power Plant}

Rev. 2a

.

SITE		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL
Wilkos Parro/Scrapton PA	mph	49	47	53	45	55	45	47	55	51	48	52	55	55
wirkes-barre/ Scraitton, PA	deg	130	270	250	250	310	310	10	230	350	280	260	200	200
Allentown BA	mph	53	53	56	53	68	46	47	40	47	48	51	51	68
Allentown, PA	deg	160	340	80	260	250	300	250	290	160	290	300	200	250
Williamsport BA	mph	49	59	55	51	67	59	60	58	52	54	56	53	67
Williamsport, FA	deg	270	260	250	310	250	260	280	270	110	280	260	290	250

Table 2.3-68— {Monthly Maximum Five-Second Wind Speed and Direction (tens of degrees) for Sites Around Bell Bend Nuclear Power Plant}

١

									DIREC	TION	PERSIS	TENC	E (HO	URS)												
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
Ν	149 61	48 80	19 88	14 93	10 98	1 98	3 99	2 100	0 0	0 0	0 0	0 0	0 0	0 · 0	0 0	0 0	0 0	0 0	246							
NNE	198 65	58 84	25 92	7 94	11 98	6 100	0 100	0 100	0 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	306
NE	333 72	93 92	23 97	7 99	3 99	0 99	1 100	0 100	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	462
ENE	385 57	125 76	52 84	34 89	18 92	22 95	8 96	4 97	8 98	3 98	3 99	2 99	4 100	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	670
E	394 74	96 92	28 97	13 99	3 100	1 100	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	535						
ESE	274 83	43 96	8 98	3 99	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	330 .									
SE	253 79	39 92	12 95	8 98	3 99	1 99	1 99	0 99	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	319
SSE	216 77	32 88	17 94	9 98	4 99	3 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	281									
S	245 67	76 88	21 94	12 97	5 98	5 100	0 100	0 100	0 100	1 100	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	365
SSW	249 66	70 85	40 95	12 98	3 99	1 99	2 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	377								
SW	233 53	92 74	52 86	32 93	12 96	7 97	2 98	5 99	0 99	1 99	2 100	1 100	0 100	0 100	0 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	440
WSW	159 60	55 81	21 89	7 92	7 95	5 97	3 98	2 98	3 100	0 100	0 100	0 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	263

.

Table 2.3-69— {SSES 33' (10-m) Wind Direction Persistence Summary for 2001} (Page 1 of 2)

BBNPP

2-662 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

									DIREC	TION	PERSIS	STENC	E (HO	URS)												
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
w	99	27	8	3	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	142
	70	89	94	96	97	98	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WNW	92	18	6	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	118
	78	93	98	98	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NW	101	38	11	10	3	6	1	1	0	0	1	0	0	0	0	-0	0	0	0	0	0	0	0	0	0	172
	59	81	87	93	95	98	99	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NNW	114	31	18	9	6	3	4	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	187
	61	78	87	92	95	97	99	99	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTAL	3494	941	361	180	92	63	26	15	14	9	6	4	5.	1	1	1	0	0	0	0	0	0	0	0	0	5213

Table 2.3-69— {SSES 33' (10-m) Wind Direction Persistence Summary for 2001} (Page 2 of 2)

SSES JAN01-DEC01 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 33

BBNPP

FSAR: Section 2.3

			Та	ble 2.	.3-70	— {S	5ES 3	3' (10)-m) \	Nind (P	Diree age 1	ction of 2)	Pers	ister	ice S	ium	mar	y foi	200	2}						
SSES JAN02-I 33.0 FT WIND	DEC02 DATA	MET DA	IOL AT	INT FR	EQUEI	NCY D	STRIB	UTION	I (60-N	NETER	тож	ER)														
WIND DIRECT	FION PI	ERSISTE	NCE SU	JMMA	RY - N	UMBE	R OF C	DBSER	VATIO	NS AN	ID PEF	CENT	PROB		TY											
DIRECTION	1	2	3	4	5	6	7	8	DIREC	.110N 10	PERSI: 11	STENC 12	E (HO 13	URS) 14	15	16	17	18	19	20	21	22	73	74	GT 24	τοται
	-	-	-	•	-	•	-	•	-			•-					.,						2.5		01.24	IOIAL
N	136	33	23	13	10	4	1	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	223
	61	76	86	92	96	98	99	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NNE	193	78	31	14	5	4	3	0	2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	333
	58	81	91	95	96	98	98	98	99	99	99	99	100	100	100	100	100	100	100	100	100	100	100	100	100	
NE	366	78	28	13	6	Ω	1	0	0	0	0	2	0	٥	٥	0	0	0	٥	0	٥	٥	Δ	0	0	101
	74	90	96	98	99	99	100	100	100	100	100	100	ŏ	ŏ	0	0	0	0	õ	0	0	0	0	0	0	424
							_					_					_	_	_	_	_					
ENE	310 57	98 75	45 84	22 88	12 90	13 02	7 0/1	9 95	6 96	9 08	4 1 00	3	1	2	0	0	0	0	0	0	0	0	0	0	0	541
	57	75	04	00	90	92	74	55	90	90	""	"	100	100	U	U	0	U	U	U	U	U	0	U	U	
E	348	75	20	4	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	449
•	78	94	99	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ESE	271	36	9	1	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	320
	85	96	99	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
. SE	251	77	Q	5	1	1	1	0	0	0	0	0	0	0	0	n	0	0	0	0	0	0	0	0	0	205
50	85	27 94	97	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	295
SSE	206	52	13	8	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	282
	75	91	90	99	99	100	100	100	100	100	0	0	U	0	U	U	U	0	U	U	U	U	0	0	0	
S	259	58	27	15	4	5	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	371
	70	85	93	97	98	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SSW	304	74	30	11	10	3	4	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	441
	69	86	93	95	97	98	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	Ō	0	0	
CM	226	06	65	27	16	14	12	1	0	0	0	0		~	~	•	0	•	•	^	•	•	0	0	•	460
200	236 50	90 71	65 85	27 91	94	14 97	12	100	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	468
				- •										2	2		5		•	•	5	5	5	5	v	
WSW	193	65	16	10	6	5	7	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	305
	63	85	90	93	95	97	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

÷

Rev. 2a

										(P	age 2	of 2)														
SSES JAN02-I 33.0 FT WIND WIND DIRECT	DEC02 / DATA FION PE	MET DA	TA JOI	NT FRI JMMA	EQUEN RY - N	ICY DI UMBE	STRIB		I (60-N VATIO	IETER	TOWE	R) CENT	PROB	ABILI	ΙΤΥ											
									DIREC	TION	PERSI:	STENC	E (HO	URS)												
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
w	117	32	11	7	2	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	172
	68	87	93	97	98	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WNW	85	26	4	1	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	120
	71	93	96	97	98	98	98	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NW	95	22	10	6	3	3	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	143
	66	82	89	93	95	97	97	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NNW	88	34	14	6	8	3	3	1	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	161
	55	76	84	88	93	95	97	98	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTAL	3458	884	355	163	88	58	44	22	15	14	6	5	3	2	0	0	0	0	0	0	0	0	0	0	1	5118

Table 2.3-70— {SSES 33' (10-m) Wind Direction Persistence Summary for 2002}

			Ia	DIE 2.	3-71	— () .)E3 3	5 (10	/-111/ V	(P	age 1	of 2)	reis	istei	ice 3	um	liar	y 101	200	123						
SSES JANO3-I		MET DA	OL AT	INT FR	EQUEN		STRIB	UTION	I (60-N	AETER	тоw	ER)														
WIND DIRECT	FION PI	ERSISTE	NCE S	ЛММА	RY - N	UMBE	R OF (DBSER	VATIO	NS AN		RCENT	PROB	ABIL	TY											
									DIREC	TION	PERSI	STENC	E (HO	URS)												
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
N	114	33	18	8	5	5	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	186
	61	79	89	93	96	98	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NNE	226	85	32	13	10	1	4	4	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	376
	60	83	91	95	97	98	99	100	100	100	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0	
NE	366	110	42	17	15	5	6	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	565
	65	84	92	95	97	98	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ENE	324	95 76	44	33	15	16	10	4	3	5	4	4	1	0	0	0	0	0	0	0	0	0	0	0	0	558
	58	75	83	89	92	94	96	97	. 97	98	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	
E	372	68	19	4	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	464
	80	95	99	100	100	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ESE	261	51	10	6	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	332
	79	94	97	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SE	286	44	28	8	7	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	375
	76	88	95	98	99	100	100	100	100	100	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0	
SSE	239	36	15	8	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	302
	79	91	96	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
S	258	70	20	5	1	3	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	361
	71	91	96	98	98	99	99	100	100	100	0	0	0	0	ò	0	0	0	0	0	0	0	0	0	0	
SSW	263	85	34	13	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	396
	66	88	96	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SW	202	96	28	24	13	8	12	2	0	3	1	2	0	0	0	0	0	0	0	1	0	0	0	0	0	392
	52	76	83	89	93	95	98	98	98	99	99	100	100	100	100	100	100	100	100	100	0	0	0	0	0	
WSW	161	59	34	9	12	1	3	3	Ó	0	1	0	0	0	0	0 ,	0	0	0	0	0	0	0	0	0	283
	57	78	90	93	97	98	99	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

BBNPP

Rev. 2a

Meteorology

Table 2 3-71-- {SSES 33' (10-m) Wind Direction Persistence Summary for 2002}

SSES JAN03-I 33.0 FT WIND WIND DIRECT	DEC03 I DATA FION PE	MET DA	TA JOI	INT FRI JMMA	EQUEN RY - N	NCY DI UMBE	STRIB		I (60-M VATIC	METER	TOWI D PEF	ER) RCENT	PROB	ABIL	 ITY											
									DIREC	.HON I	'EKSI	STENC	E (HO	URS)												
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
W	109	28	12	3	б	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	160
	68	86	93	95	99	99	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WNW	80	33	4	4	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	123
	65	92	95	98	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NW	81	33	15	3	0	1	2	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0 ·	137
	59	83	94	96	96	97	99	99	99	99	99	99	99	99	99	100	0	0	0	0	0	0	0	0	0	
NNW	66	28	10	10	3	1	2	3	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	128
	52	73	81	89	91	92	94	96	98	98	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTAL	3408	954	365	168	94	43	47	21	6	13	7	7	1	0	2	1	0	0	0	1	0	0	0	0	0	5138

Table 2.3-71— {SSES 33' (10-m) Wind Direction Persistence Summary for 2003}(Page 2 of 2)

BBNPP

DIRECTION	1	2	3	4	5	6	7	8	DIREC 9	TION 10	PERSI: 11	STENC 12	E (HO 13	URS) 14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
N	154	11	20	15	5	0	ъ	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	747
	63	81	90	96	98	98	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	243
NNE	257	75	46	23	13	5	7	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	429
	60	//	88	93	97	98	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NE	416 67	126 87	42 94	14 96	12 98	6 99	1 100	1 100	0 100	0 100	0 100	0	0 100	1 100	1 100	0 0	0	0 0	0 0	620						
ENE	320	104	40	72	74	10	10	6	0	F	0	0	n	1	0	0	0	~	0	0	0	0	0	•	-	
LINE	58	76	42 84	88	24 92	96	97	99	99	99	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	555
Ε	355	65	16	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	444
	80	95	98	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ESE	251	37	6	4	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	302
	65	95	97	99	99	99	100	100	100	0	U	0	U	0	U	U	0	0	0	0	0	0	0	0	0	
SE	232 77	42 91	12 95	5 97	4 98	4 00	0	0	2 100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	301
	,,	21	22	27	20	,,,		"	100	U	Ū	Ū	Ū	U	0	Ū	Ū	0	U	U	U	U	U	0	U	
SSE	209 78	38 92	10 96	5 98	5 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	268
5	233	57	23	9	4	6	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	335
	70	87	93	96	97	99	100	100	100	100	100	100	100	0	0	0	0	0	0	0	Ō	0	0	0	0	555
SSW	277	81	13	12	4	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	388
	71	92	96	99	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SW	213	93 72	40	31	14	9	10	5	5	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	423
	50	12	02	67	92	70	91	90	77	77	100	100	100	U	U	U	U	U	U	U	U	U	U	U	U	
WSW	174 69	37 83	22 97	10 96	4 97	2 98	2 99	0 99	2 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0	0	0	0	0	0	0	254
		00	22	20	21	20		22		100	v	v	Ū	v	v	v	U	Υ.	U	v	U	U	U	v	U	

Table 2.3-72— {SSES 33' (10-m) Wind Direction Persistence Summary for 2004}

BBNPP

2-668 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

SSES JANO4 33.0 FT WIN WIND DIRE	I-DEC ID DA CTIOI	CO4 N ATA N PEF	1ET DA	TA JOI	NT FR JMMA	EQUEN RY - N	ICY DI	STRIB R OF C	UTION DBSER	I (60-№ VATIO	IETER NS AN	TOWE	R)	PROB	ABILI	ΙΤΥ											
										DIREC	TION	PERSIS	STENC	E (HOI	URS)												
DIRECTION	1 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
١	N 10	00	19	8	0	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	131
	7	6	91	97	97	98	98	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WN	N 7	'7	17	8	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106
	7	'3	89	96	96	96	96	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
N۱	N 9	2	24	14	8	2	2	1	2	4	0	0	3	1	0	0	0	0	0	0.	0	0	0	0	0	0	153
	6	0	76	85	90	92	93	93	95	97	97	97	99	100	0	0	0	0	Õ	Ō	Ō	Ö	0	õ	Ö	Ő	,55
NNV	V 9	2	32	23	9	8	1	2	2	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	172
	5	3	72	85	91	95	96	97	98	98	99	99	99	100	0	0	0	0	0	Õ	Ő	Ō	0	Õ	0	õ	172
τοτα	L 34	52	891	345	176	103	54	42	20	17	9	2	4	6	2	1	0	0	0	0	٥	٥	0	0	٥	0	5124
			•	- 15	., 0		. .		20	.,	-	-	Ŧ	5	~	•	5	5	0	0	0	U	0	5	0	0	5124

Table 2.3-72— {SSES 33' (10-m) Wind Direction Persistence Summary for 2004} (Page 2 of 2)

BBNPP

FSAR: Section 2.3

										(P	age 1	of 2)														
SSES JAN05-I 33.0 FT WIND	DEC05 DATA	MET DA	IOL AT	INT FR	EQUEN	NCY DI	ISTRIB	UTION	I (60-N	AETER	TOW	ER)														
WIND DIRECT	FION PI	ERSISTE	NCE SI	UMMA	RY - N	UMBE	R OF ()BSER	VATIO	NS AN	ID PEF	RCENT	PROB		ΙΤΥ											
	-	_	-	-	_		_	•	DIREC	HON	PERSI	SIENC	E (HU	URS)						••	••					
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
N	161	49	21	20	9	5	6	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	274
	59	77	84	92	95	97	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NNE	243	71	23	13	10	4	5	3	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	374
	65	84	90	94	96	97	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NE	388	100	30	16	6	3	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	546
	71	89	95	98	99	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ENE	313	124	47	33	24	11	12	10	3	2	5	2	1	0	0	0	0	0	0	0	0	0	0	0	0	587
	53	74	82	88	92	94	96	98	98	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	
E	380	74	20	4	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	480
	79	95	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ESE	240	38	9	4	0	0	0	0	0	0	0	0	Ō	0	0	0	0	0	0	0	0	0	0	0	0	291
	82	96	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SE	243	41	19	6	2	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	314
	77	90	96	98	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SSE	220	27	8	6	4	0	2	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	270
	81	91	94	97	98	98	99	99	99	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	
S	241	48	17	13	5	1	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	328
	73	88	93	97	99	99	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SSW	240	93	31	12	8	3	2	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	392
	61	85	93	96	98	99	99	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SW	230	71	44	33	8	7	5	3	1	1	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0	406
	57	74	85	93	95	97	98	99	99	99	99	100	100	100	100	100	0	0	0	0	0	0	0	0	0	
WSW	156	51	13	17	4	4	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	247
	63	84	89	96	98	99	100	100	100	100	100	100	U	0	0	0	0	0	U	0	0	0	0	0	U	

Table 2.3-73— {SSES 33' (10-m) Wind Direction Persistence Summary for 2005}

BBNPP

										(P	age z	012)														
SSES JAN05- 33.0 FT WINE WIND DIRECT	DEC05 D DATA TION PE	MET DA	TA JOI	INT FR	EQUEI RY - N	NCY DI	STRIB R OF C	UTION	I (60-1 VATIC	METER	TOWE	ER) RCENT	PROB	ABILI	ITY											
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
W	104 64	37 87	15 96	4 99	1 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	162
WNW	86 67	24 85	11 94	'5 98	1 98	1 99	0 99	1 100	0 0	0 0	0 0	0 0	0	0 0	0	0 0	129									
NW	90 60	25 77	9 83	10 90	5 93	5 97	1 97	0 97	2 99	1 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	149
NNW	109 61	33 79	9 84	15 92	7 96	3 98	2 99	0 99	1 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	180
TOTAL	3444	906	326	211	95	50	39	23	9	10	8	5	2	0	0	1	0	0	0	0	0	0	0	0	0	5129

.

Table 2.3-73— {SSES 33' (10-m) Wind Direction Persistence Summary for 2005}

BBNPP

SSES JANO6-I 33.0 FT WIND	DEC06 DATA	MET DA	OL AT	INT FR	EQUE	NCY DI	ISTRIB	UTIO	N (60-1	METER	TOW	ER)														
WIND DIRECT	FION PI	ERSISTE	NCE S	UMMA	RY - N	UMBE	ROF	OBSER	DIREC	DNS AN	ND PEF PERSI	RCENT STENC	PROB E (HO		ITY											
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
N	146	53	28	12	7	4	0	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	254
	57	78	89	94	97	98	98	99	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	
NNE	221	76	31	18	6	4	3	2	1	1	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	366
	60	81	90	95	96	97	98	99	99	99	100	100	100	100	100	100	0	0	0	0	0	0	0	0	0	
NE	379	93	36	17	8	3	2	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	541
	70	87	94	97	99	99	99	100	100	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	
ENE	333	103	41	24	18	11	10	10	4	5	2	0	1	1	1	0	0	0	0	0	0	0	0	0	0	564
	59	77	85	89	92	94	96	98	98	99	99	99	100	100	100	0	0	0	0	0	0	0	0	0	0	
E	354	58	14	3	1	0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	430
	82	96	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ESE	240	41	13	5	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	301
	80	93	98	99	99	99	99	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	
SE	220	35	13	6	4	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	281
	78	91	95	98	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SSE	200	44	14	2	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	263
	76	93	98	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
S	250	65	14	10	3	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	349
	72	90	94	97	98	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SSW	278	78	29	10	4	6	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	407
	68	87	95	97	98	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SW	204	71	44	35	13	11	9	7	2	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	399
	51	69	80	89	92	95	97	99	99	99	99	99	99	99	100	100	0	0	0	0	0	0	0	0	0	
WSW	154	41	26	8	7	3	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	241
	64	81	92	95	98	99	99	100	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	

Table 2.3-74— {SSES 33' (10-m) Wind Direction Persistence Summary for 2006} (Page 1 of 2)

.

						-		•		(P	age 2	of 2)														
SSES JANO6- 33.0 FT WIND WIND DIRECT	DEC06 I DATA FION PE	MET DA	TA JOI	NT FRI JMMA	EQUEN RY - N	NCY DI UMBE	STRIB R OF C	UTIOI DBSER	N (60-N VATIO DIREC	IETER NS AN TION	TOWE	R) CENT	PROB E (HO	ABILI URS)	ITY											
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
W	126 72	30 90	8 94	5 97	2 98	1 99	1 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 74
WNW	101 65	25 81	9 87	8 92	6 96	2 97	1 97	2 99	1 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	156
NW	121 64	31 80	15 88	7 92	2 93	5 96	1 96	3 98	0 98	0 98	1 98	1 99	0 99	0 99	2 100	0 0	189									
NNW	103 56	32 73	23 86	11 92	8 96	0 96	4 98	0 98	1 99	0 99	1 99	0 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 · 0	184
TOTAL	3430	876	358	181	91	57	35	29	13	7	7	3	3	3	4	2	0	0	0	0	0	0	0	0	0	5099

Table 2.3-74— {SSES 33' (10-m) Wind Direction Persistence Summary for 2006}

FSAR: Section 2.3

	Table 2.3-75— {SSES 33' (10-m) Average Wind Direction Persistence Summary for Years 2001-2006} (Page 1 of 2)																									
	(rage 1 of 2) WIND DIRECTION PERSISTENCE SUMMARY - NUMBER OF OBSERVATIONS AND PERCENT PROBABILITY																									
	1	2	WIN 2		ECTIC			NCE SU	JMMA	RY - N		EROF		RVAT		AND	PER(LENT	PRO	BABII	.ITY	~~	~~	~ 4	CT 34	TOTAL
N	172	∠ 52	3 25.8	4 16.4) 07	ס 28	78	0 1 8	9	0.6	0.2	12	13	14	0	0	0	81	0	20	21	22	23	24	G1.24	
	72.4	94.2	105.2	112	116	117.4	118.6	119.4	59.6	60	40	20	0	0	Ő	0	0	0	ñ	0	0	0	0	0	0	203.2
									5510		10		Ū	Ū	Ŭ	Ū	Ű.	Ũ	Ŭ	Ŭ	Ũ	Ũ	Ū	Ũ	Ū	Ū
NNE	267.6	88.6	37.6	17.6	11	4.8	4.4	2.2	0.6	1.2	0.4	0	0.2	0	0.2	0.2	0	0	0	0	0	0	0	0	0.2	436.8
	73.6	98	108.4	113.2	116	117.6	118.6	119.2	119.4	119.6	59.8	59.8	60	60	60	40	20	20	20	20	20	20	20	20	20	0
NE	449.6	120	40.2	16.8	10	3.4	2.4	1.2	0.6	0.4	0	0.4	0	04	02	0	0	0	0	n	0	0	0	0	0	645.6
	83.8	105.8	113.6	116.6	118.2	118.6	119.6	120	120	100	60	60	40	40	20	õ	õ	õ	õ	õ	ŏ	õ	õ	õ	0	0
ENE	397	129.8	54.2	33.8	22.2	18.2	11.4	8.6	4.8	5.8	3.6	2.2	2	1	0.4	0	0	0	0	0	0	0	0	0	0	695
	68.4	90.6	100.4	106.2	110	113	115	116.8	117.2	118.2	118.8	119.2	120	80	40	0	0	0	0	0	0	0	0	0	0	0
E	440.6	87.2	23.4	7.2	1	0.6	0.2	0	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	560.4
	94.6	113.4	118.2	119.8	100	80	40	20	20	20	0	0	0	0	0	0	0	0	0	0	Ō	Ō	0	0	Ō	0
ESE	307.4	49.2	11	4.6	1.6	0.2	0.6	0.2	0.2	0	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	375.2
	98.4	114	117.6	119	99.6	99.6	79.8	40	40	20	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SE	297	45.6	18.6	7.6	4.2	1.8	1.2	0	0.6	0.2	0	0	0	0	0.2	0	0	0	0	0	0	0	0	0	0	377
	94.4	109.2	114.6	117.6	118.6	119.2	119.6	59.6	60	. 40	20	20	20	20	20	0	0	0	0	0	0	0	0	0	0	0
	250	45.0	15 4	76	2.0	1	0.0	0	0	0.4	0.2	•	0.0	~	•	•	•	•	•	~	•	•	•			
22E	258	45.8	15.4	7.0 119	3.8 110.7	1106	0.8 70.9	20.9	20.9	20.9	0.2	20	0.2	0	0	0	0	0	0	0	0	0	0	0	0	333.2
	52.0	109.2	114.0	110	119.2	119.0	19.0	J9.0	59.0	59.0	20	20	20	U	U	0	0	0	0	U	0	U	0	U	0	U
S	297.2	74.8	24.4	12.8	4.4	5.2	1.2	0.6	0.4	0.6	0	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	421.8
	84.6	105.8	112.6	116.4	117.6	119.2	119.4	99.8	100	80	20	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0
5514/	222.2	06.2	25.4	14	5.0	26	10	1	00	0.2	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	~	400.7
2246	80.2	104.6	113.6	117	118.4	2.0	119.6	79.8	79.8	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	480.2
	00.2			• • •				, ,,,	, ,,,	20	20	Ŭ	U	Ū	Ŭ	Ŭ	v	Ū	Ū	Ŭ	U	Ŭ	Ŭ	Ŭ	Ū	U
SW	263.6	103.8	54.6	36.4	15.2	11.2	10	4.6	1.6	1	0.8	1.2	0.6	0	0.2	0.6	0	0	0	0.2	0	0	0	0	0	505.6
	62.6	87.2	100.2	108.8	112.4	115.2	117.6	118.6	118.8	119	119.4	119.8	119.8	79.8	80	80	20	20	20	20	0	0	0	0	0	0
\\/<\\/	1994	61.6	264	122	8	Δ	30	14	12	04	0.2	0.2	04	0	0	Δ	٥	0	0	0	٥	0	0	0	0	2196
2	75.2	98.4	108.4	113	116	117.6	118.8	119.2	120	120	80	60	40	0	õ	0	0	0 0	0	õ	0	0	0	0	0	0.01
									•	•				Ũ		2	5	2	2	~	5	-	5	5	5	Ŭ
W	131	34.6	12.4	4.4	2.8	1	1	0.2	0.6	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	188.2
	83.6	106	113.4	116.2	117.8	118.6	99.2	79.2	79.8	20	• 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

2

	(Page 2 of 2)																									
	WIND DIRECTION PERSISTENCE SUMMARY - NUMBER OF OBSERVATIONS AND PERCENT PROBABILITY																									
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
WNW	104.2	28.6	8.4	3.6	2.4	0.6	1	1	0.4	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	150.4
	83.8	106.6	113.2	115.8	117.4	97.8	98.6	79.6	39.8	19.8	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NW	116	34.6	14.8	8.8	3	4.4	1.2	2	1.4	0.2	0.6	0.8	0.2	0	0.4	0.2	0	0	0	0	0	0	0	0	0	188.6
	73.6	95.8	105.2	110.8	112.8	115.6	116.2	117.6	98.4	98.4	98.8	59.4	59.6	39.6	39.8	20	0	0	0	0	0	0	0	0	0	0
NNW	114.4	38	19.4	12	8	2.2	3.4	1.2	1.2	1	0.8	0.4	0.2	0.2	0	0	0	0	0	0	0	0	0	0	0	202.4
	67.6	90.2	101.4	108.8	113.2	114.8	116.8	117.6	118.4	118.8	99.2	79.6	39.8	20	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	4137.2	1090.4	422	215.8	112.6	65	46.6	26	14.8	12.4	7.2	5.6	4	1.6	1.6	1	0	0	0	0.2	0	0	0	0	0.2	6164.2

Table 2.3-75— {SSES 33' (10-m) Average Wind Direction Persistence Summary for Years 2001-2006}

BBNPP

FSAR: Section 2.3

										•	(rag	je i u	<u>,</u> 2)													
SSES JAN01- 197.0 FT WIN WIND DIREC	DEC01 ND DA TION F	I MET D FA PERSIST	ATA J	OINT I SUMN	FREQU		DISTI BER O	RIBUT F OBS	ION (6 ERVA		TER TO	OWER PERC) ENT P	ROBA	BILITY	(
									DI	RECTI	ON PE	RSIST	ENCE	(HOU	RS)											
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
Ν	165 54	67 76	32 86	17 92	8 94	8 97	3 98	3 99	0 99	1 99	0 99	0 99	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	306
NNF	271	104	48	35	33	13	6	10	8	0	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	532
11112	51	70	80	86	92	95	96	98	99	99	100	100	100	0	0	0	Ő	0	Ő	Ő	0	Õ	0	Ő	0	552
NE	303 62	116 86	43 94	13 97	6 98	4 99	3 100	0 100	0 100	0 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	489
ENE	245 82	35 94	14 99	2 99	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	298
E	174 78	35 94	7 97	6 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	223
ESE	183 83	27 95	5 98	3 99	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	220
SE	175 74	42 91	11 96	4 97	3 99	2 100	0. 100	0 100	0 100	0 100	1 100	0 0	0 0	0 0	0 0	0	0 0	238								
SSE	192 75	29 86	16 93	10 96	4 98	2 99	2 100	0 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	256
S	233 70	59 88	21 94	7 96	7 98	1 98	2 99	3 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0. 0	0 0	0 0	333
SSW	251 64	79 84	24 90	18 94	5 95	8 97	2 98	1 98	3 99	3 100	0 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	395
SW	266 55	103 76	54 87	29 93	16 96	8 98	2 98	3 99	4 99	2 100	0 100	0 100	0 100	0 100	0 100	1 100	0 0	488								
WSW	191 55	66 73	26 81	23 87	16 92	10 95	4 96	3 97	3 98	1 98	0 98	1 98	0 98	1 99	0 99	1 99	0 99	0 99	0 99	1 99	0 99	1 99	0 99	0 99	2 100	350

Table 2.3-76— {SSES 60m Wind Direction Persistence Summary for 2001} (Page 1 of 2)

Rev. 2a

Meteorology

											(Pag	je 2 of	2)													
SSES JAN01-DEC01 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																										
197.0 FT WII	ND DA1	ΓA																								
WIND DIREC	TION F	PERSIS	TENCE	SUMN	IARY ·	NUM	BER O	FOBS	ERVA	TIONS	5 AND	PERC	ENT P	ROBA	BILIT	Y										
									DI	RECTI	ON PE	RSIST	ENCE	(HOU	RS)											
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	4 TOTAL
W	116	36	9	8	3	1	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	176
	66	86	91	96	98	98	98	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WNW	94	27	8	8	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	141
	67	86	91	97	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NW	85	44	19	5	6	4	2	0	0	0	1	0	1	0	1	1	0	0	0	0	0	0	0	0	0	169
	50	76	88	91	94	96	98	98	98	98	98	98	99	99	99	100	0	0	0	0	0	0	0	0	0	
NNW	95	28	18	9	5	4	5	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	165
	58	75	85	91	94	96	99	99	99	99	99	99	99	99	99	100	0	0	0	0	0	0	0	0	0	
TOTAL	3039	897	355	197	118	68	31	24	20	8	6	2	3	2	1	4	0	0	0	1	0	1	0	0	2	4779
												PEF	RSISTE	NCE G	REAT	ER THA	N 24 F	IOURS								
	DI	RECTIC	N	HO	URS	NUN	1BER			DI	RECTIO	NC	HO	URS	NUM	MBER										
		WSW		2	5	()				WSW		3	1		0										
		WSW		2	6	()				WSW		3	2		0										
		WSW		2	7	()				WSW		3	3		1										
		WSW		2	8	()				WSW		3	4		0										
		WSW		2	9	()				WSW		3	5		0										
		WSW		3	0	()				WSW		3	6		1										

,

Table 2.3-76— {SSES 60m Wind Direction Persistence Summary for 2001}

FSAR: Section 2.3

											(Pag	eror	Z)													
SSES JANO2- 197.0 FT WIN WIND DIREC	DECO ND DA TION F	2 MET D TA PERSIST	OATA J	OINT I SUMM	FREQU MARY -		DISTF BER O	RIBUT	ION (6 ERVA	0-ME	FER TO	OWER) ENT PI	ROBA	BILITY	,										
									DI	RECTI	ON PE	RSIST	ENCE	(HOU	RS)											
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
N	153	39	25	17	15	4	5	3	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	263
	58	73	83	89	95	96	98	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NNE	244	94	54	29	15	14	11	5	5	1	3	3	1	0	2	0	0	0	0	0	0	0	0	0	1	482
	51	70	81	87	90	93	96	97	98	98	99	99	99	99	100	100	100	100	100	100	100	100	100	100	100	
NE	284	103	38	15	15	4	3	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	465
	61	83	91	95	98	99	99	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	
ENE	208	43	8	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	262
	79	96	99	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								·																		
E	151	29	10	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	194
	78	93	98	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ESE	149	26	8	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	186
	80	94	98	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SE	149	34	9	4	2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	200
	75	92	96	98	99	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SSE	142	43	13	6	4	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	210
	68	88	94	97	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
S	229	58	31	10	7	4	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	341
	67	84	93	96	98	99	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SSW	273	69	32	18	6	6	2	3	1	1	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	414
	66	83	90	95	96	98	98	99	99	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	
SW	286	125	52	32	21	13	3	5	2	1	0	0	1	1	0	0	0	0	0 ·	0	0	0	0	0	0	542
	53	76	85	91	95	98	98	99	99	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	
WSW	210	95	59	26	16	16	7	5	1	2	2	2	1	0	0	1	0	0	0	0	0	0	0	0	1	444
	47	69	82	88	91	95	97	98	98	98	99	99	100	100	100	100	100	100	100	100	100	100	100	100	100	

Table 2.3-77— {SSES 60m Wind Direction Persistence Summary for 2002} (Page 1 of 2)

/

BBNPP

2-678 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

FSAR: Section 2.3

Meteorology

				Ta	ble 2.	3-77	— {S	SES 6	50m V	Vind	Dire (Pag	ction ge 2 of 3	Pers	ister	nce S	umm	ary f	or 20	02}							
SSES JANO2 197.0 FT Wil	-DECO: ND DA	2 MET E TA	L ATAC	OINT	FREQL	JENCY	DIST	RIBUT	ION (6	0-ME	TER T	OWER)														
WIND DIREC	TION F	PERSIS	TENCE	SUMN	/IARY -	NUM	BER C	OF OBS	SERVA	TION!	S AND	PERCE		ROBA	BILIT) BS1	(
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
w	118	39	15	12	4	1	4	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	197
	60	80	87	93	95	96	98	99	99	99	99	100	0	0	0	0	0	0	Ō	0	0	Ő	Ő	0	0	157
WNW	96	29	7	3	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	137
	70	91	96	99	99	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NW	84	24	14	12	3	3	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	145
	58	74	84	92	94	97	98	100	, 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NNW	88	46	10	11	7	0	5	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	170
	52	79	85	91	95	95	98	98	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTAL	2864	896	385	199	119	67	46	28	12	9	8	8	5	1	2	1	0	0	0	0	0	0	0	0	2	4652
												PER	SISTEI	NCE G	REATE	R THA	N 24 H	IOURS								
	DI	RECTIO	N	HO	URS	NUN	ABER			DI	RECTIO	NC	HO	JRS	NUN	ABER										
		NNE		2	5	(0				WSW		2	5	()										
		NNE		2	6		1				WSW		2	б	(C										
											WSW		2	7	()										
											WSW		2	8		1										

BBNPP

SSES JAN03- 197.0 FT WI	DECO:	B MET C TA	L ATAC	OINT	FREQI	JENCY	DIST	RIBUT	ION (6	50-ME	TER T	OWER)		SSES JAN03-DEC03 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA WIND DIRECTION PERSISTENCE SUMMARY - NUMBER OF OBSERVATIONS AND PERCENT PROBABILITY														
WIND DIREC	TION	PERSIST	TENCE	SUMN	ARY	- NUM	BER C	F OBS	SERVA DI	TIONS RECTI	5 AND	PERC	ENT P ENCE	ROBA (HOU	BILITY RS)	1													
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL			
N	113	59	18	15	6	6	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	221			
	51	78	86	93	95	98	99	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
NNE	222	106	60	34	27	18	13	7	4	5	0	2	0	0	0	0	1	0	0	0	0	0	0	0	0	499			
	44	66	78	85	90	94	96	98	98	99	99	100	100	100	100	100	100	0	0	0	0	0	0	0	0				
NE	289	117	49	27	13	4	5	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	508			
	57	80	90	95	97	98	99	100	100	100	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0				
ENE	199	42	12	12	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	272			
	73	89	93	97	99	100	100	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
E	193	34	7	1	1	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	239			
	81	95	98	98	99	99	99	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
ESE	156	39	9	1	5	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	212			
	74	92	96	97	99	99	100	100	0	U	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
SE	212	41	9	7	4	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	275			
	77	92	95	98	99	99	100	100	100	100	100	100	100	100	100	0	0	0	0	0	0	0	0	0	0				
SSE	207	41	10	7	4	1	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	274			
	76	91	94	97	98	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
S	237	45	17	15	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	319			
	74	88	94	98	99	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
SSW	249	83	24	15	6	3	4	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	386			
	65	86	92	96	98	98	99	99	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	0				
SW	244	127	49	32	19	9	6	0	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	490			
	50	76	86	92	96	98	99	99	99	100	100	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0				
WSW 11	184	70	50	26	19	8	6	1	3	3	1	0	2	0	1	1	0	0	1	1	0	1	0	0	2	380			
	48	67	80	87	92	94	96	96	97	97.	98	98	98	98	98	99	99	99	99	99	99	99	99	99	100				

Table 2.3-78— {SSES 60m Wind Direction Persistence Summary for 2003} (Page 1 of 2)

BBNPP

FSAR: Section 2.3

	Table 2.3-78— {SSES 60m Wind Direction Persistence Summary for 2003} (Page 2 of 2)																									
SSES JAN03- 197.0 FT WIN	DECO3	S MET C FA	DATA J	OINTI	FREQU	JENCY	DIST	RIBUT	ION (6	50-ME1	TER TO	OWER)													
WIND DIREC	TION F	PERSIST	TENCE	SUMN	1ARY -	NUM	BER O	FOBS	ERVA			PERC		ROBA	BILIT) RS)	(
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
W	111 60	35 78	17 88	11 94	8 98	1 98	0 98	2 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	186
WNW	97 69	21 84	15 94	6 99	1 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	141
NW	76 58	26 78	8 85	8 91	5 95	4 98	1 98	1 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	1 100	0 0	130						
NNW	66 54	23 72	13 83	5 87	7 93	2 94	0 94	4 98	0 98	2 99	0 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	123
TOTAL	2855	909	367	222	131	61	42	21	12	14	3	3	4	0	3.	1	1	1	1	1	0	1	0	0	2	4655
												PEI	RSISTE	NCE G	REATE	RTHA	N 24 F	IOURS								
	DI	RECTIO	N	НО	URS	NUN	ЛBER			DI	RECTIO	N	HOU	JRS	NUN	ABER										
		WSW		2	!5	(0				WSW		3	0	(0										
	WSW			26			0				10/510/		31		0											
		WSW		27 0		1				WSW		3	3		1											
	WSW			29 0		0																				

SSES JAN04-DEC04 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA WIND DIRECTION PERSISTENCE SUMMARY - NUMBER OF OBSERVATIONS AND PERCENT PROBABILITY DIRECTION PERSISTENCE (HOURS)																										
	_	_	_						DI	RECTI	ON PE	RSIST	ENCE	(HOU	RS)											
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
N	190 63	48 79	26 88	20 94	5 96	6 98	2 99	1 99	0 99	3 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	301
NNE	259 46	118 67	66 79	43 86	30 92	21 96	6 97	4 97	5 98	2 99	2 99	4 100	1 100	0 100	1 100	0 0	0 0	562								
NE	315 59	128 82	42 90	22 94	10 96	9 98	3 98	4 99	2 99	1 100	0 100	0 100	0 100	1 100	0 100	0 100	0 100	0 100	0 100	0 100	1 100	0 0	0 0	0 0	0 0	538
ENE	249 85	31 95	10 99	2 99	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	294
E	180 79	34 93	12 99	2 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	229						
ESE	158 83	25 96	2 97	1 98	1 98	1 99	1 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	190
SE	163 77	26 89	9 93	5 96	5 98	1 99	2 100	0 100	1 100	0 0	0	0 0	0 0	0 0	0	0 0	212									
SSE	178 77	35 92	9 96	5 98	2 99	0 99	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	231
S	216 74	40 88	17 93	10 97	6 99	0 99	1 99	0 99	0 99	0 99	1 100	0 100	1 100	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0	292
SSW	260 68	65 85	28 93	11 96	4 97	5 98	4 99	2 99	1 100	0 100	0 100	.1 100	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0 -	0 0	0 0	0 0	381
SW	305 58	107 79	47 88	21 92	17 95	12 98	4 98	5 99	1 99	1 100	1 100	1 100	0 0	522												
WSW	186 52	69 71	36 81	18 86	15 90	9 92	8 94	2 95	3 96	6 98	2 98	2 99	1 99	1 99	2 100	0 100	1 100	361								

Table 2.3-79— {SSES 60m Wind Direction Persistence Summary for 2004} (Page 1 of 2)

Rev. 2a

Meteorology

											\r ag	e 2 01	2)													
SSES JAN04-DEC04 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER) 197.0 FT WIND DATA																										
WIND DIREC	TION	PERSIS	TENCE	SUMN	ARY -	NUM	BER O	FOBS	ERVA	TIONS	AND	PERC	ENT P	ROBA	BILITY	(
									DI	RECTI	ON PE	RSIST	ENCE	(HOU	RS)											
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
w	115	21	11	7	3	1	1	3	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	164
	70	83	90	94	96	96	97	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WNW	84	23	7	5	3	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	125
	67	86	91	95	98	99	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NW	75	27	17	5	8	2	3	2	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	144
	52	71	83	86	92	93	95	97	98	98	99	99	99	99	99	99	99	99	99	99	99	99	99	100	0	
NNW	83	32	14	6	7	2	3	0	2	2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	153
	54	75	84	88	93	94	96	96	97	99	99	99	99	99	99	99	99	99	99	99	99	100	0	0	0	
TOTAL	3016	829	353	183	118	72	39	24	18	17	9	9	3	2	2	0	0	0	0	0	1	1	1	1	1	4699
				PE	RSISTE	NCE G	REATE	R THA	N 24 I	HOURS																
	DI	N	HO	URS	NUN	/ BER																				
	WSW			2	5		0																			
	WSW			2	6		1																			

Table 2.3-79— {SSES 60m Wind Direction Persistence Summary for 2004} (Page 2 of 2)

FSAR: Section 2.3
SSES JAN05- 197.0 FT WI	DEC05	S MET C	DATA J	OINT	FREQU	ENCŶ	DISTI	RIBUT	ION (6	0-ME	TER T	OWER)													
WIND DIREC	TION P	ERSIS	FENCE	SUMN	ARY -	NUM	BER O	FOBS	ERVA	TIONS	5 AND	PERC	ENT P	ROBA	BILIT	(
									DI	RECTI	ON PE	RSIST	ENCE	(HOU	RS)											
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
N	137 52	57 74	28 84	15 90	9 94	7 96	5 98	4 100	0 ⁷ 100	1 100	0 0	0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	263						
NNE	234 50	93 69	55 81	21 .85	13 88	17 92	11 94	9 96	2 96	6 98	3 98	2 99	1 99	2 99	0 99	1 100	0 100	0 100	0 100	- 1 100	0 100	0 100	0 100	0 100	1 100	472
NE	267 65	88 86	24 92	14 96	6 97	5 98	3 99	2 100	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	411						
ENE	180 78	39 94	6 97	4 99	0 99	2 100	0 100	0 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	232
E	147 81	26 96	3 97	3 99	2 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0 0	181
ESE	141 [.] 79	26 93	9 98	1 99	0 99	1 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	179
SE	129 68	30 84	8 88	12 95	5 97	2 98	1 99	0 99	0 99	. 0 99	0 99	2 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	189
SSE	128 68	23 81	24 94	7 97	0 97	3 99	0 99	1 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	1 100	0 0	0 0	0 0	0 0	. 0 0	0 0	0 0	0 0	0 0	187
S	164 74	37 91	15 97	2 98	2 99	2 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0 0	222
SSW	181 63	60 84	23 92	7 94	5 96	3 97	4 99	0 99	2 99	0 99	0 99	0 99	1 100	0 100	0 100	0 100	<u>1</u> 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	287
SW	182 55	76 78	37 89	14 93	6 95	6 97	5 98	2 99	0 99	1 99	1 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	331
WSW	142 50	62 71	26 80	18 87	15 92	4 93	5 95	2 96	2 97	2 97	1 98	0 98	2 98	0 98	2 99	0 99	1 99	1 100	0 100	1 100	0 0	0 0	0 0	0 0	0 0	286

Table 2.3-80— {SSES 60m Wind Direction Persistence Summary for 2005} (Page 1 of 2)

BBNPP

2-684 © 2010 UniStar Nuclear Services, LLC. All rights reserved. COPYRIGHT PROTECTED

Rev. 2a

Meteorology

FSAR: Section 2.3

											(Pag	je 2 of	2)													
SSES JAN05- 197.0 FT WI	DEC05	MET D			REQU				ION (6	O-ME	TER TO	OWER) ENT D			,										
WIND DIREC	TION P	EKSISI	ENCE	2014/14	IART -		DERU					PERC	ENTP													
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15 15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
W	104 58	45 83	11 89	8 94	6 97	1 98	2 99	2 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	179
WNW	77 62	30 86	7 91	5 95	2 97	3 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0 ·	125
NW	94 62	26 79	12 87	5 90	2 91	4 94	3 96	2 97	0 97	1 98	1 99	1 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	152
NNW	77 56	31 78	10 86	6 90	6 94	1 95	4 98	2 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	138
TOTAL	2384	749	298	142	79	61	43	28	9	12	6	6	5	2	2	2	2	1	0	2	0	0	0	0	1	3834
	DI	RECTIO WSW WSW WSW	N	PEI HO 2 2 2	RSISTE URS 5 6 7	NCE G NUN	REATE //BER 0 0 1	ER THA	N 24 H	IOURS	i															

Table 2.3-80— {SSES 60m Wind Direction Persistence Summary for 2005}

					SSES	JANO	6-DEC	.06 M	ET DA	TA JO	INT FF	EQUE	INCY I	DISTR	BUTIC	ON (60)-MET	ER TO	WER)							
197.0 FT WIN WIND DIREC	ND DA1 TION F	FA PERSIST	ENCE	SUMN	IARY -	NUM	BER O	F OBS	ERVA	TIONS	AND	PERC	ENT P	ROBA	BILITY	(
									DI	RECTI	ON PE	RSIST	ENCE	(HOU	RS)											
DIRECTION	1	2	3	4	5	6	7	8	9,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
N	188	69	25	18	10	9	5	1	3	1	0	0	1	0	0	0	0	0	0	0	0	0	. 0	0	0	330
	57	. 78	85	91	94	97	98	98	99	100	100	100	100	0	0	0	0	0	0	0	0	0	0	0	0	
NNE	265	95	67	36	21	14	13	6	5	3	1	2	0	0	3	0	0	0	0	0	0	0	0	0	0	531
	50	68	80	87	91	94	96	97	98	99	99	99	99	99	100	0	0	0	0	0	0	0	0	0	0	
NE	295	102	42	15	11	4	4	3	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	477
	62	83	92	95	97	98	99	100	100	100	100	0	0	0	0	0	0	0.	0	0	. 0	0	0	0	0	
ENE	209	37	8	3	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	259
	81	95	98	99	100	100	100	100	100	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	
E	157	30	12	3	2	0 .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	204
	. 77	92	98	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ESE	137	28	6	3	1	0	0	2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	179
	//	92	96	97	98	98	98	99	99	99	99	100	0	0	0	0	0	0	0	0	0	0	0	0	0	
SE	150	28	12	5	3	1	1	0	0	0	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	0	200
	75	89	95	98	99	100	100	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	
SSE	163	31	7	5	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	208
	78	93	97	99	99	100	100	0	0	U	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
S	182 72	52 02	12	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	254
	12	92	97	100	100	U	U	U	U	U	U	0	U	0	0	0	U		U	U	0	U	U	U	U	
SSW	251 68	61 84	27 02	12	11 98	2	1	0	0	1 00	1 00	0	2 100	1	0	0	0	0	0	0	0	0	0	0	0	370
	00	04	92	55	90	50	"	22	"		"	22	100	100	. 0	U	U	U	U	U	U	0	U	U	U	
SW	263 52	107 73	69 87	27 92	17 95	10 97	2 98	6 99	1 99	0 99	1 00	1	0 100	1 100	0 100	0 100	0 100	0	1 100	0	0	0	0	0	0	506
	52		07	52	22		20	,,	,,	,,		100	100	100	100	100	100	100	100	U	v	U	U	U	U	
WSW	227 54	84 74	40 83	24 89	16 92	14 96	5 97	4 98	4 99	1 99	0 99	1 99	0 99	1 100	0 100	0 100	0 100	0	0 100	0 100	0	0	0	0	2 100	423
	54	7 7	05	0,	12	20		20	,,		,,			100	100	100	100	100	100	100	100	100	100	100	100	

Table 2.3-81— {SSES 60m Wind Direction Persistence Summary for 2006} (Page 1 of 3)

BBNPP

Meteorology

FSAR: Section 2.3

Rev. 2a

	SSES JAN06-DEC06 MET DATA JOINT FREQUENCY DISTRIBUTION (60-METER TOWER)																									
197.0 FT WIN WIND DIREC	ND DAT TION P	'A ERSIST	ENCE	SUMN	IARY -	NUM	BER O	FOBS	ERVA	TIONS		PERCI	ENT P	ROBAI (HOUI	BILITY RS)	ŗ										
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
W	133 63	39 82	17 90	6 93	7 96	3 98	2 99	2 100	0 100	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	210
WNW	97 57	38 79	15 88	10 94	5 97	1 98	2 99	1 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	170
NW	94 53	36 74	22 86	10 92	3 94	5 97	1 97	2 98	1 99	0 99	0 99	0 99	0 99	0 99	1 99	0 99	0 99	0 99	0 99	0 99	0 99	0 99	1 100	0 0	0 0	176
NNW	105 58	36 78	15 86	13 93	6 97	1 97	1 98	0 98	0 98	3 99	0 99	0 99	0 99	1 100	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	181
TOTAL	2916	873	396	197	115	65	38	27	16	10	4	5	3	4	4	0	0	0	1	1	0	0	1	0	2	4678

Table 2.3-81— {SSES 60m Wind Direction Persistence Summary for 2006} (Page 2 of 3)

	PERSISTE	NCE GREATER THAN 24 HOURS
DIRECTION	HOURS	NUMBER
WSW	25	1
	26	0
	27	0
	28	0
	29	0
	30	0
	31	0
	32	0
	33	0
	34	0
	35	0
	36	0
	37	0

BBNPP

				Tabl	le 2.3	3-81	{S	SES 6	0m \	Vind	Dire (Pag	ctior ge 3 of	Pers 3)	ister	nce S	umm	ary f	or 20	06}						
197.0 FT WIN	D DA	TA			SSES	JANG	06-DE0	206 MI	ET DA	OL AT	INT FI	REQUI	ENCYI	DISTR	BUTI	ON (60	-MET	ER TO	WER)						
WIND DIRECT	ION	PERSIST	TENCE	SUMMA	ARY -	NUM	IBER O)F OBS	ERVA Di	TIONS	5 AND ON PE	PERC RSIST	ENT P	ROBA (HOU	BILIT\ RS)										
DIRECTION	1	2	3	4 38 39 40 41 42 43 44 45 46 47	5	6	7 0 0 0 0 0 0 0 0 0 0 0 0 1	8	9	10	11	12		14	15	16	17	18	19	20	21	22	23	24 GT.24 TO	TAL

.

BBNPP

FSAR: Section 2.3

WIND DIRECTION PERSISTENCE SUMMARY - NUMBER OF OBSERVATIONS AND PERCENT PROBABILITY																										
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	TOTAL
N	189.2	67.8	30.8	20.4	10.6	8	4.4	2.6	0.6	1.6	0.2	0	0.4	0.2	0	0	0	0	0	0	0	0	0	0	0	336.8
	67	91.6	102.4	109.8	113.6	116.4	118	119	119.2	119.8	59.8	39.8	40	20	0	0	0	0	0	0	0	0	0	0	0	0
NNE	299	122	70	39.6	27.8	19.4	12	8.2	5.8	3.4	2.4	2.6	0.8	0.4	1	0.2	0.2	0	0	0.2	0	0	0.2	0	0.4	615.6
	58.4	82	95.8	103.2	108.6	112.8	115	116.6	117.4	118.4	118.8	119.4	119.4	99.4	99.8	80	80	60	60	60	60	60	60	40	40	0
NF	350.6	130.8	47.6	21.2	12.2	6	4.2	2.8	0.6	0.4	0.4	0.2	0	0.2	0.2	0	0	0	0	0	0.2	0	0	0	0	577.6
	73.2	100	109.8	114.4	116.6	118	118.8	119.8	119.8	120	100	60	40	40	40	20	20	20	20	20	20	0	0	0	0	0
ENE	258	45.4	11.6	4.8	1.6	1.2	0.4	0	0.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	323.4
	95.6	112.6	117	118.4	119.6	120	80	40	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E	200.4	37.6	10.2	3.4	1.6	0.4	0	0	0.2	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	254
	94.8	112.6	117.4	119	119.6	39.8	19.8	19.8	20	20	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0
ESE	184.8	34.2	7.8	2	1.8	0.6	0.6	0.8	0.4	0	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	233.2
	95.2	112.4	116.6	117.8	118.6	118.8	99.2	79.6	39.8	19.8	19.8	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SE	195.6	40.2	11.6	7.4	4.4	1.4	1	0	0.4	0	0.2	0.4	0	0	0.2	0	0	0	0	0	0	0	0	0	0	262.8
	89.2	107.4	112.6	116.4	118.2	119.2	119.8	99.8	99.8	59.8	59.8	40	20	20	20	0	0	0	0	0	0	0	0	0	0	0
SSE	202	40.4	15.8	8	2.8	1.4	1.4	0.6	0.6	0	0	0	0	0	0	0.2	0	0	0	0	0	0	0	0	0	273.2
	88.4	106.2	113.6	116.8	118	119	119.6	79.6	59:8	19.8	19.8	19.8	19.8	19.8	19.8	20	0	0	0	0	0	0	0	0	0	0
S	252.2	58.2	22.6	10.2	5	1.8	0.8	0.6	0	0.4	0.2	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	352.2
	86.2	106.2	113.6	117	118.6	99.2	79.4	59.6	39.6	39.8	20	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0
SSW	293	83.4	31.6	16.2	7.4	5.4	3.4	1.2	1.6	1	0.4	0.6	1	0.2	0	0	0.2	0	0	0	0	0	0	0	0	446.6
	78.8	101.2	109.8	114	116	117.2	118.4	118.6	119.2	119.4	119.6	119.6	60	40	20	20	20	0	0	0	0	0	0	0	0	0
SW	309.2	129	61.6	31	19.2	11.6	4.4	4.2	1.8	1.2	1	0.6	0.2	0.4	0	0.2	0	0	0.2	0	0	0	0	0	0	575.8
	64.6	91.6	104.4	110.6	114.4	117.2	117.8	118.8	118.8	119.6	119.8	100	60	60	40	40	20	20	20	0	0	0	0	0	0	0
WSW	228	89.2	47.4	27	19.4	12.2	7	3.4	3.2	3	1.2	1.2	1.2	0.6	1	0.6	0.2	0.2	0.2	0.6	0	0.4	0	0	1.6	448.8
	61.2	85	97.4	104.8	109.8	113	115	116	117	117.4	118	118.2	118.4	118.8	119.2	119.4	119.4	119.6	119.6	119.6	99.6	99.6	99.6	99.6	100	0
W	139.4	43	16	10.4	6.2	1.6	1.8	2.4	0.2	1	0.2	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	222.4
	75.4	98.4	107	112.8	116	116.8	117.8	119.2	99.2	99.6	39.8	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0

,

Table 2.3-82— {SSES 197' (60-m) Average Wind Direction Persistence Summary for Years 2001-2006} (Page 1 of 2)

BBNPP

	(Page 2 of 2)																									
			W		DIRECT	ION P	ERSIS	TENCE	SUM	MARY	' - NUI	MBER	OF OE	BSERV	ATIO	NS AN	D PER	CENT	PROB	ABILI	ΓY					
DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	GT.24	I TOTAL
WNW	109	33.6	11.8	7.4	3	1.4	0.4	0.4	0.2	0.2	0	0	0.2	0	0	0	0	0	0	0.2	0	0	0	0	0	167.8
	78.4	102.4	110.2	115.8	117.8	118.8	99	99.2	79.4	59.6	39.6	39.6	39.8	19.8	19.8	19.8	19.8	19.8	19.8	20	0	0	0	0	0	0
NW	101.6	36.6	18.4	9	5.4	4.4	2.4	2	0.6	0.2	0.6	0.4	0.4	0	0.4	0.2	0	0.2	0	0	0	0	0.2	0.2	0	183.2
	66.6	90.4	102.6	108.4	112	115	116.4	117.8	98.2	98.4	98.8	98.8	99.2	79.2	79.2	79.4	59.4	59.6	39.6	39.6	39.6	39.6	39.8	20	0	0
NNW	102.8	39.2	16	10	7.6	2	3.6	1.2	0.8	1.4	0.4	0.2	0.2	0.2	0	0.2	0	0	0	0	0	0.2	0	0	0	186
	66.4	91.4	101.8	108	113.2	114.2	116.6	117.6	118.2	99	99	99.2	79.4	59.6	39.6	39.8	19.8	19.8	19.8	19.8	19.8	20	0	0	0	0
TOTAL	3414.8	1030.6	430.8	228	136	78.8	47.8	30.4	17.4	14	7.2	6.6	4.6	2.2	2.8	1.6	0.6	0.4	0.4	1	0.2	0.6	0.4	0.2	2	5459.4

Table 2.3-82— {SSES 197' (60-m) Average Wind Direction Persistence Summary for Years 2001-2006}

Rev. 2a