

**RADIATION MONITORING REPORT  
FOR LICENSE SUB-1435  
JEFFERSON PROVING GROUND**

**Summary of Results for  
April 2010 Sampling Event**

**FINAL**

**Submitted to:**

**U.S. Department of Army  
Installation Support Management Agency  
Aberdeen Proving Ground, Maryland**

**Prepared by:**

**Science Applications International Corporation  
Reston, Virginia**

**August 2010**

## TABLE OF CONTENTS

|   | Page |
|---|------|
| 1. INTRODUCTION.....                                  | 1-1  |
| 2. SAMPLING REQUIREMENTS AND APPROACH.....            | 2-1  |
| 3. RESULTS.....                                       | 3-1  |
| 3.1 GROUNDWATER.....                                  | 3-1  |
| 3.2 SURFACE WATER.....                                | 3-1  |
| 3.3 SEDIMENT.....                                     | 3-1  |
| 3.4 SOIL.....   | 3-2  |
| 4. HISTORICAL DATA ASSESSMENT AND TREND ANALYSIS..... | 4-1  |
| 4.1 GROUNDWATER.....                                  | 4-1  |
| 4.2 SURFACE WATER.....                                | 4-2  |
| 4.3 SEDIMENT.....                                     | 4-3  |
| 4.4 SOILS.....  | 4-3  |
| 5. CONCLUSIONS AND RECOMMENDATIONS.....               | 5-1  |
| 6. REFERENCES.....                                    | 6-1  |

## APPENDICES

Appendix A. Standard Operating Procedure

Appendix B. Field Logbook

Appendix C. Data Validation Summary



## LIST OF FIGURES

|   | Page |
|---|------|
| Figure 3-1. Sampling Locations for the JPG ERM Program.....                         | 3-3  |
| Figure 4-1. Total Uranium in MW-DU-001 (1998-2010).....                             | 4-5  |
| Figure 4-2. Total Uranium in MW-DU-002 (1998-2010).....                             | 4-6  |
| Figure 4-3. Total Uranium in MW-DU-003 (1998-2010).....                             | 4-7  |
| Figure 4-4. Total Uranium in MW-DU-004 (1998-2010).....                             | 4-8  |
| Figure 4-5. Total Uranium in MW-DU-005 (1998-2010).....                             | 4-9  |
| Figure 4-6. Total Uranium in MW-DU-006 (1998-2010).....                             | 4-10 |
| Figure 4-7. Total Uranium in MW-DU-007 (1998-2010).....                             | 4-11 |
| Figure 4-8. Total Uranium in MW-DU-008 (1998-2010).....                             | 4-12 |
| Figure 4-9. Total Uranium in MW-DU-009 (1998-2010).....                             | 4-13 |
| Figure 4-10. Total Uranium in MW-DU-010 (1998-2010).....                            | 4-14 |
| Figure 4-11. Total Uranium in MW-DU-011 (1998-2010).....                            | 4-15 |
| Figure 4-12. Variable Control Chart for Total Uranium in MW-DU-001 (2004-2010)..... | 4-16 |
| Figure 4-13. Control Chart for All Monitoring Well Data (2004-2010).....            | 4-17 |
| Figure 4-14. Total Uranium in SW-DU-001 (1998-2010).....                            | 4-18 |
| Figure 4-15. Total Uranium in SW-DU-002 (1998-2010).....                            | 4-19 |
| Figure 4-16. Total Uranium in SW-DU-003 (1998-2010).....                            | 4-20 |
| Figure 4-17. Total Uranium in SW-DU-004 (1998-2010).....                            | 4-21 |
| Figure 4-18. Total Uranium in SW-DU-005 (1998-2010).....                            | 4-22 |
| Figure 4-19. Total Uranium in SW-DU-006 (1998-2010).....                            | 4-23 |
| Figure 4-20. Total Uranium in SW-DU-007 (1998-2010).....                            | 4-24 |
| Figure 4-21. Total Uranium in SW-DU-008 (1998-2010).....                            | 4-25 |
| Figure 4-22. Control Chart for All Surface Water Data (2004-2010).....              | 4-26 |
| Figure 4-23. Total Uranium in SD-DU-001 (1998-2010).....                            | 4-27 |
| Figure 4-24. Total Uranium in SD-DU-002 (1998-2010).....                            | 4-28 |
| Figure 4-25. Total Uranium in SD-DU-003 (1998-2010).....                            | 4-29 |
| Figure 4-26. Total Uranium in SD-DU-004 (1998-2010).....                            | 4-30 |
| Figure 4-27. Total Uranium in SD-DU-005 (1998-2010).....                            | 4-31 |
| Figure 4-28. Total Uranium in SD-DU-006 (1998-2010).....                            | 4-32 |
| Figure 4-29. Total Uranium in SD-DU-007 (1998-2010).....                            | 4-33 |
| Figure 4-30. Total Uranium in SD-DU-008 (1998-2010).....                            | 4-34 |
| Figure 4-31. Control Chart for All Sediment Data (2004-2010).....                   | 4-35 |
| Figure 4-32. Total Uranium in SS-DU-001 (1998-2010).....                            | 4-36 |
| Figure 4-33. Total Uranium in SS-DU-002 (1998-2010).....                            | 4-37 |
| Figure 4-34. Total Uranium in SS-DU-003 (1998-2010).....                            | 4-38 |
| Figure 4-35. Total Uranium in SS-DU-004 (1998-2010).....                            | 4-39 |
| Figure 4-36. Control Chart for All Surface Soil Data (2004-2010).....               | 4-40 |

## LIST OF TABLES

|   | Page |
|---|------|
| Table 3-1. Uranium in Groundwater.....  | 3-4  |
| Table 3-2. Groundwater Water Quality Parameters and Exposure Readings.....                    | 3-5  |
| Table 3-3. Uranium in Surface Water.....  | 3-6  |
| Table 3-4. Surface Water Quality Parameters and Exposure Readings.....                        | 3-7  |
| Table 3-5. Uranium in Sediment.....   | 3-7  |
| Table 3-6. Uranium in Surface Soil.....   | 3-9  |
| Table 4-1. Action Levels and Corrective Actions for Total Uranium in Environmental Media..... | 4-1  |

## LIST OF ACRONYMS AND ABBREVIATIONS

|       |   |
|-------|---|
| ASTM  | American Society for Testing and Materials                    |
| CFR   | Code of Federal Regulations                                   |
| CHPPM | U.S. Army Center for Health Promotion and Preventive Medicine |
| DQO   | Data Quality Objective  |
| DU    | Depleted Uranium  |
| ERM   | Environmental Radiation Monitoring                            |
| ERMP  | Environmental Radiation Monitoring Program                    |
| I.D.  | Identification  |
| JPG   | Jefferson Proving Ground                                      |
| LCL   | Lower Control Limit   |
| mS/cm | MilliSiemens per Centimeter                                   |
| NRC   | Nuclear Regulatory Commission                                 |
| pCi/g | Picocuries per Gram   |
| pCi/L | Picocuries per Liter  |
| QA    | Quality Assurance   |
| QAPP  | Quality Assurance Project Plan                                |
| QC    | Quality Control   |
| SAIC  | Science Applications International Corporation                |
| SOP   | Standard Operating Procedure                                  |
| UCL   | Upper Control Limit   |

**THIS PAGE WAS INTENTIONALLY LEFT BLANK**

## 1. INTRODUCTION

Environmental monitoring activities are being conducted at Jefferson Proving Ground (JPG), Madison, Indiana, to ensure that depleted uranium (DU), present within the DU Impact Area as a result of the Army's past DU testing program, does not pose a threat to human health and the environment through inadvertent or unanticipated release or migration. The Environmental Radiation Monitoring Program (ERMP), described in the standard operating procedure (SOP) in Appendix A (CHPPM 2000), is designed to meet the requirements of applicable Federal and state regulations, including Nuclear Regulatory Commission (NRC) regulations and requirements under Radioactive Materials License SUB-1435 (NRC 1988).

The overall goals of JPG's ERMP are to provide:

- A historical and current perspective of DU levels in various media
- A timely indication of the magnitude and extent of any DU release or migration from past operations.

This report summarizes the methodology, results, and conclusions of the April 2010 sampling event, which is the first of two planned sampling events in 2010 for this biannual program. The sampling requirements and approach are presented in Section 2. The results of the multimedia sampling event are presented and discussed in Section 3. Historical data from the ERMP are discussed in Section 4. Conclusions and recommendations are summarized in Section 5. References cited are identified in Section 6. The appendices of this report include the SOP (Appendix A), field logbook (Appendix B), and data validation summary (Appendix C). All tables and figures are presented at the end of their respective sections.

**THIS PAGE WAS INTENTIONALLY LEFT BLANK**

## **2. SAMPLING REQUIREMENTS AND APPROACH**

The ERMP (U.S. Army 2000) specifies the U.S. Army Public Health Command's (Provisional) (formerly the U.S. Army Center for Health Promotion and Preventive Medicine's [CHPPM's]) protocol for the collection and analysis of 11 groundwater, 8 surface water, 8 sediment, and 4 soil samples (with appropriate duplicates) in the DU Impact Area. The plan has been approved by the NRC and is described in an SOP, which is provided in Appendix A. Science Applications International Corporation (SAIC) executes the plan and reports the findings in an effort to fulfill the Army's responsibilities for monitoring under NRC Radioactive Material License SUB-1435.

**THIS PAGE WAS INTENTIONALLY LEFT BLANK**

### 3. RESULTS

An SAIC field crew prepared for and conducted sampling at JPG in April 2010. Appendix B contains a copy of the field logbook, which documents environmental monitoring report field activities during the sampling effort.

No unusual or abnormal conditions (e.g., soil or water discoloration, odd odors, or elevated radiation levels) were observed during the sampling effort.

The sample locations for the groundwater, surface water, sediment, and soil samples are depicted in Figure 3-1. Sections 3.1 through 3.4 summarize the sampling results for each medium, respectively. The results of the data validation are presented in Appendix C. All data were determined to meet data quality objectives (DQOs) and criteria presented in the SOP (as provided in Appendix A). Environmental data with a negative value for the total uranium concentrations are conservatively carried forward as being zero (0).

#### 3.1 GROUNDWATER

The concentrations of total dissolved uranium in groundwater at the 11 monitoring wells plus 1 duplicate sample are presented in Table 3-1. Water quality parameter measurements are presented in Table 3-2. Total uranium concentrations of the April 2010 groundwater samples ranged from 0.19 picocuries per liter (pCi/L) to 3.26 pCi/L with an average concentration of 1.30 pCi/L.

In addition to the individual isotopic concentrations, Table 3-1 presents the U-238/U-234 ratios for each sample, which ranged from  $0.18 \pm 0.2$  to  $1.31 \pm 0.11$ . A U-238/U-234 ratio of 3 or less is representative of natural uranium, whereas higher ratios are potentially indicative of DU (U.S. Army 2002). For the purposes of this report, samples with U-238/U-234 ratios in excess of 3 are investigated further to validate if the sample is representative of DU or natural uranium. No sample exceeded this criterion.

#### 3.2 SURFACE WATER

The concentrations of total dissolved uranium in surface water at eight sampling locations plus one duplicate sample are presented in Table 3-3. Water quality parameter measurements are presented in Table 3-4. Total uranium concentrations ranged from non-detect to 0.52 pCi/L, with an average concentration of 0.40 pCi/L excluding non-detects. Total uranium was not detected above the reported sample quantitation limit in samples from locations SW-DU-003, SW-DU-006, and SW-DU-007. In addition, the activity of both U-234 and U-238 also was non-detect in each of these samples; thus, the U-238/U-234 ratio could not be reported for these sample locations. The U-238/U-234 ratios for samples with detectable U-238 and U-234 ranged from  $0.06 \pm 0.14$  to  $1.90 \pm 0.08$ . As no result had a U-238/U-234 ratio exceeding 3, no additional investigations were required and it is concluded that no sample exhibited evidence of the presence of DU.

#### 3.3 SEDIMENT

The concentrations of total uranium in sediment at eight sampling locations plus one duplicate sample are presented in Table 3-5. Sediment samples were collected at the same locations as surface water samples, as shown in Figure 3-1. Total uranium concentrations ranged from 0.28 to 1.76 picocuries per gram (pCi/g), with an average concentration of 0.80 pCi/g. The U-238/U-234 ratio for the samples ranged from  $0.91 \pm 0.11$  to  $2.25 \pm 0.09$ .

As indicated by the relatively low total uranium results and the U-238/U-234 ratios, there is no evidence of the presence of DU in the sediment samples.



### 3.4 SOIL

The concentrations of total uranium in surface soil at four surface soil sample locations plus one duplicate sample are presented in Table 3-6. Total uranium concentrations ranged from 1.13 to 1.76 with an average concentration of 1.54 pCi/g. The U-238/U-234 ratios ranged from  $0.96 \pm 0.17$  to  $1.19 \pm 0.20$ .

As indicated by the relatively low total uranium results and the U-238/U-234 ratios, there is no evidence of the presence of DU in the surface soil samples.




Figure 3-1. Sampling Locations for the JPG ERM Program

**Table 3-1. Uranium in Groundwater  
Jefferson Proving Ground, Madison, Indiana**

| JPG Sample Designation <sup>a</sup> | Sample I.D. | Analyte | Result (pCi/L) |
|-------------------------------------|-------------|---------|----------------|
| MW01                                | MW-DU-001   | U-234   | 0.158          |
| MW01                                | MW-DU-001   | U-235   | 0.026 U        |
| MW01                                | MW-DU-001   | U-238   | 0.162          |
| <b>Total Uranium</b>                |             |         | <b>0.346</b>   |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.03           |
| MW02                                | MW-DU-002   | U-234   | 1.20           |
| MW02                                | MW-DU-002   | U-235   | 0.01 U         |
| MW02                                | MW-DU-002   | U-238   | 0.57           |
| <b>Total Uranium</b>                |             |         | <b>1.78</b>    |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.475          |
| MW03                                | MW-DU-003   | U-234   | 0.70           |
| MW03                                | MW-DU-003   | U-235   | 0.008 U        |
| MW03                                | MW-DU-003   | U-238   | 0.41           |
| <b>Total Uranium</b>                |             |         | <b>1.12</b>    |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.59           |
| MW04                                | MW-DU-004   | U-234   | 0.302          |
| MW04                                | MW-DU-004   | U-235   | 0.016 U        |
| MW04                                | MW-DU-004   | U-238   | 0.233          |
| <b>Total Uranium</b>                |             |         | <b>0.55</b>    |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.77           |
| MW05                                | MW-DU-005   | U-234   | 0.136 J        |
| MW05                                | MW-DU-005   | U-235   | 0 U            |
| MW05                                | MW-DU-005   | U-238   | 0.086 J        |
| <b>Total Uranium</b>                |             |         | <b>0.22</b>    |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.63           |
| MW06                                | MW-DU-006   | U-234   | 1.84           |
| MW06                                | MW-DU-006   | U-235   | 0.104 J        |
| MW06                                | MW-DU-006   | U-238   | 1.32           |
| <b>Total Uranium</b>                |             |         | <b>3.26</b>    |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.72           |
| MW07                                | MW-DU-007   | U-234   | 1.28           |
| MW07                                | MW-DU-007   | U-235   | 0.038 J        |
| MW07                                | MW-DU-007   | U-238   | 0.76           |
| <b>Total Uranium</b>                |             |         | <b>2.08</b>    |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.59           |
| MW07D                               | MW-DU-007D  | U-234   | 1.25           |
| MW07D                               | MW-DU-007D  | U-235   | 0.054 U        |
| MW07D                               | MW-DU-007D  | U-238   | 0.66           |
| <b>Total Uranium</b>                |             |         | <b>1.96</b>    |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.53           |
| MW08                                | MW-DU-008   | U-234   | 0.165          |
| MW08                                | MW-DU-008   | U-235   | 0.02 U         |
| MW08                                | MW-DU-008   | U-238   | 0.216          |
| <b>Total Uranium</b>                |             |         | <b>0.40</b>    |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.31           |

**Table 3-1. Uranium in Groundwater  
Jefferson Proving Ground, Madison, Indiana (Continued)**

| JPG Sample Designation <sup>a</sup> | Sample I.D. | Analyte | Result (pCi/L) |
|-------------------------------------|-------------|---------|----------------|
| MW09                                | MW-DU-009   | U-234   | 0.97           |
| MW09                                | MW-DU-009   | U-235   | -0.0058 U      |
| MW09                                | MW-DU-009   | U-238   | 0.177          |
| Total Uranium                       |             |         | 1.15           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.18           |
| MW010                               | MW-DU-010   | U-234   | 1.72           |
| MW010                               | MW-DU-010   | U-235   | 0.051 J        |
| MW010                               | MW-DU-010   | U-238   | 0.74           |
| Total Uranium                       |             |         | 2.51           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.43           |
| MW011                               | MW-DU-011   | U-234   | 0.136 J        |
| MW011                               | MW-DU-011   | U-235   | 0.002 U        |
| MW011                               | MW-DU-011   | U-238   | 0.048 U        |
| Total Uranium                       |             |         | 0.19           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | ND             |

<sup>a</sup> Represents sample designation developed in previous sampling programs.

<sup>b</sup> Unitless.

J – Indicates that the radionuclide was positively identified; the associated numerical value is the approximate concentration of the radionuclide in the sample.

ND – Indicates that one or more isotopes were not detected; therefore, the calculation was not performed.

U – Indicates that the data met all QA/QC requirements and the radionuclide was analyzed for but was not detected above the reported sample quantification limit.

**Table 3-2. Groundwater Water Quality Parameters and Exposure Readings  
Jefferson Proving Ground, Madison, Indiana**

| JPG Sample Designation <sup>a</sup> | Sample I.D. | pH   | Temp (°C) | Conductivity (Siemens/cm) | Dissolved Oxygen (mg/L) | Rad (μR/hr) |
|-------------------------------------|-------------|------|-----------|---------------------------|-------------------------|-------------|
| MW01                                | MW-DU-001   | 7.36 | 13.1      | 0.501                     | -- <sup>b</sup>         | 10          |
| MW02                                | MW-DU-002   | 6.30 | 10.1      | 0.736                     | -- <sup>b</sup>         | 7           |
| MW03                                | MW-DU-003   | 7.11 | 11.2      | 0.623                     | -- <sup>b</sup>         | 7           |
| MW04                                | MW-DU-004   | 6.18 | 14.1      | 0.639                     | -- <sup>b</sup>         | 7           |
| MW05                                | MW-DU-005   | 7.17 | 13.3      | 4.17                      | -- <sup>b</sup>         | 7           |
| MW06                                | MW-DU-006   | 7.54 | 15.6      | 0.702                     | -- <sup>b</sup>         | 7           |
| MW07                                | MW-DU-007   | 7.02 | 12.0      | 0.726                     | -- <sup>b</sup>         | 6           |
| MW08                                | MW-DU-008   | 6.79 | 14.2      | 0.457                     | -- <sup>b</sup>         | 6           |
| MW09 <sup>c</sup>                   | MW-DU-009   | NA   | NA        | NA                        | -- <sup>b</sup>         | NA          |
| MW10                                | MW-DU-0010  | 7.23 | 12.4      | 0.671                     | -- <sup>b</sup>         | 6           |
| MW11                                | MW-DU-0011  | 6.98 | 12.5      | 0.958                     | -- <sup>b</sup>         | 8           |

<sup>a</sup> Represents sample designation developed in previous sampling programs.

<sup>b</sup> Dissolved oxygen not measured.

<sup>c</sup> The quantity of water in MW-DU-009 was not sufficient to enable the collection of water quality parameters.

**Table 3-3. Uranium in Surface Water  
Jefferson Proving Ground, Madison, Indiana**

| JPG Sample Designation <sup>a</sup> | Sample I.D. | Analyte | Result (pCi/L) |
|-------------------------------------|-------------|---------|----------------|
| SWS01                               | SW-DU-001   | U-234   | 0.07 J         |
| SWS01                               | SW-DU-001   | U-235   | -0.0025 U      |
| SWS01                               | SW-DU-001   | U-238   | 0.133          |
| Total Uranium                       |             |         | 0.20           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.90           |
| SWS02                               | SW-DU-002   | U-234   | 0.164          |
| SWS02                               | SW-DU-002   | U-235   | -0.0025 U      |
| SWS02                               | SW-DU-002   | U-238   | -0.276         |
| Total Uranium                       |             |         | 0.44           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.68           |
| SWS03                               | SW-DU-003   | U-234   | 0.036          |
| SWS03                               | SW-DU-003   | U-235   | -0.0085 U      |
| SWS03                               | SW-DU-003   | U-238   | -0.11 U        |
| Total Uranium                       |             |         | ND             |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | ND             |
| SWS04                               | SW-DU-004   | U-234   | 0.148          |
| SWS04                               | SW-DU-004   | U-235   | 0 U            |
| SWS04                               | SW-DU-004   | U-238   | 0.125 J        |
| Total Uranium                       |             |         | 0.27           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.84           |
| SWS05                               | SW-DU-005   | U-234   | 0.166          |
| SWS05                               | SW-DU-005   | U-235   | 0.02 U         |
| SWS05                               | SW-DU-005   | U-238   | 0.249          |
| Total Uranium                       |             |         | 0.44           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.50           |
| SWS06                               | SW-DU-006   | U-234   | 0.03 U         |
| SWS06                               | SW-DU-006   | U-235   | 0 U            |
| SWS06                               | SW-DU-006   | U-238   | 0.03 U         |
| Total Uranium                       |             |         | ND             |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | ND             |
| SWS06D                              | SW-DU-006D  | U-234   | 0.46           |
| SWS06D                              | SW-DU-006D  | U-235   | 0.034 J        |
| SWS06D                              | SW-DU-006D  | U-238   | 0.027 J        |
| Total Uranium                       |             |         | 0.52           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.06           |
| SWS07                               | SW-DU-007   | U-234   | 0.046 U        |
| SWS07                               | SW-DU-007   | U-235   | 0.019 U        |
| SWS07                               | SW-DU-007   | U-238   | 0.046 U        |
| Total Uranium                       |             |         | ND             |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | ND             |

**Table 3-3. Uranium in Surface Water  
Jefferson Proving Ground, Madison, Indiana (Continued)**

| JPG Sample Designation <sup>a</sup> | Sample I.D. | Analyte | Result (pCi/L) |
|-------------------------------------|-------------|---------|----------------|
| SWS08                               | SWS-DU-008  | U-234   | 0.188          |
| SWS08                               | SWS-DU-008  | U-235   | 0.035 J        |
| SWS08                               | SWS-DU-008  | U-238   | 0.3            |
| Total Uranium                       |             |         | 0.52           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.60           |

<sup>a</sup> Represents sample designation developed in previous sampling programs.

<sup>b</sup> Unitless.

J – Indicates that the radionuclide was positively identified; the associated numerical value is the approximate concentration of the radionuclide in the sample.

ND – Indicates that one or more isotopes were not detected; therefore, the calculation was not performed.

U – Indicates that the data met all QA/QC requirements and the radionuclide was analyzed for but was not detected above the reported sample quantitation limit.

**Table 3-4. Surface Water Quality Parameters and Exposure Readings  
Jefferson Proving Ground, Madison, Indiana**

| JPG Sample Designation* | Sample I.D. | pH   | Temp (°C) | Conductivity (mS/cm) | Dissolved Oxygen (mg/L) | Rad (μR/hr) |
|-------------------------|-------------|------|-----------|----------------------|-------------------------|-------------|
| SWS01                   | SW-DU-001   | 7.41 | 17.7      | 0.230                | 10.92                   | 7           |
| SWS02                   | SW-DU-002   | 7.01 | 18.5      | 0.253                | 9.53                    | 5           |
| SWS03                   | SW-DU-003   | 7.86 | 20.1      | 0.123                | 11.02                   | 10          |
| SWS04                   | SW-DU-004   | 7.84 | 19.2      | 0.244                | 11.26                   | 8           |
| SWS05                   | SW-DU-005   | 6.15 | 18.4      | 0.299                | 9.70                    | 7           |
| SWS06                   | SW-DU-006   | 7.75 | 16.0      | 0.178                | 11.08                   | 8           |
| SWS07                   | SW-DU-007   | 7.75 | 18.1      | 0.196                | 11.52                   | 5           |
| SWS08                   | SW-DU-008   | 6.53 | 18.3      | 0.275                | 8.92                    | 9           |

\* Represents sample designation developed in previous sampling programs.

**Table 3-5. Uranium in Sediment  
Jefferson Proving Ground, Madison, Indiana**

| JPG Sample Designation <sup>a</sup> | Sample I.D. | Analyte | Result (pCi/g) |
|-------------------------------------|-------------|---------|----------------|
| SES01                               | SD-DU-001   | U-234   | 0.58           |
| SES01                               | SD-DU-001   | U-235   | 0.024 J        |
| SES01                               | SD-DU-001   | U-238   | 0.6            |
| Total Uranium                       |             |         | 1.20           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.03           |
| SES02                               | SD-DU-002   | U-234   | 0.60           |
| SES02                               | SD-DU-002   | U-235   | 0.013 U        |
| SES02                               | SD-DU-002   | U-238   | 0.56           |
| Total Uranium                       |             |         | 1.17           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.93           |

**Table 3-5. Uranium in Sediment  
Jefferson Proving Ground, Madison, Indiana (Continued)**

| JPG Sample Designation <sup>a</sup> | Sample I.D. | Analyte | Result (pCi/g) |
|-------------------------------------|-------------|---------|----------------|
| SES03                               | SD-DU-003   | U-234   | 0.85           |
| SES03                               | SD-DU-003   | U-235   | 0.076 J        |
| SES03                               | SD-DU-003   | U-238   | 0.80           |
| Total Uranium                       |             |         | 1.73           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.94           |
| SES04                               | SD-DU-004   | U-234   | 0.112          |
| SES04                               | SD-DU-004   | U-235   | 0.013 J        |
| SES04                               | SD-DU-004   | U-238   | 0.159          |
| Total Uranium                       |             |         | 0.28           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.42           |
| SES05                               | SD-DU-005   | U-234   | 0.13           |
| SES05                               | SD-DU-005   | U-235   | 0.013 U        |
| SES05                               | SD-DU-005   | U-238   | 0.292          |
| Total Uranium                       |             |         | 0.44           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 2.25           |
| SES06                               | SD-DU-006   | U-234   | 0.335          |
| SES06                               | SD-DU-006   | U-235   | 0.006 U        |
| SES06                               | SD-DU-006   | U-238   | 0.305          |
| Total Uranium                       |             |         | 0.65           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.91           |
| SES06D                              | SD-DU-006D  | U-234   | 0.288          |
| SES06D                              | SD-DU-006D  | U-235   | 0.01 U         |
| SES06D                              | SD-DU-006D  | U-238   | 0.289          |
| Total Uranium                       |             |         | 0.59           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.00           |
| SES07                               | SD-DU-007   | U-234   | 0.213          |
| SES07                               | SD-DU-007   | U-235   | 0 U            |
| SES07                               | SD-DU-007   | U-238   | 0.195          |
| Total Uranium                       |             |         | 0.41           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.92           |
| SES08                               | SD-DU-008   | U-234   | 0.269          |
| SES08                               | SD-DU-008   | U-235   | 0.01 U         |
| SES08                               | SD-DU-008   | U-238   | 0.478          |
| Total Uranium                       |             |         | 0.76           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.78           |

<sup>a</sup> Represents sample designation developed in previous sampling programs.

<sup>b</sup> Unitless.

J – Indicates that the radionuclide was positively identified; the associated numerical value is the approximate concentration of the radionuclide in the sample.

ND – Indicates that one or more isotopes were not detected; therefore, the calculation was not performed.

U – Indicates that the data met all QA/QC requirements and the radionuclide was analyzed for but was not detected above the reported sample quantitation limit.

**Table 3-6. Uranium in Surface Soil  
Jefferson Proving Ground, Madison, Indiana**

| JPG Sample Designation <sup>a</sup> | Sample I.D. | Analyte | Result (pCi/g) |
|-------------------------------------|-------------|---------|----------------|
| SOS01                               | SS-DU-001   | U-234   | 0.83           |
| SOS01                               | SS-DU-001   | U-235   | 0.053 J        |
| SOS01                               | SS-DU-001   | U-238   | 0.87           |
| Total Uranium                       |             |         | 1.75           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.05           |
| SOS02                               | SS-DU-002   | U-234   | 0.76           |
| SOS02                               | SS-DU-002   | U-235   | 0.038 J        |
| SOS02                               | SS-DU-002   | U-238   | 0.83           |
| Total Uranium                       |             |         | 1.63           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.09           |
| SOS02D                              | SS-DU-002D  | U-234   | 0.79           |
| SOS02D                              | SS-DU-002D  | U-235   | 0.033 J        |
| SOS02D                              | SS-DU-002D  | U-238   | 0.94           |
| Total Uranium                       |             |         | 1.76           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.19           |
| SOS03                               | SS-DU-003   | U-234   | 0.70           |
| SOS03                               | SS-DU-003   | U-235   | 0.035 J        |
| SOS03                               | SS-DU-003   | U-238   | 0.67           |
| Total Uranium                       |             |         | 1.41           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 0.96           |
| SOS04                               | SS-DU-004   | U-234   | 0.53           |
| SOS04                               | SS-DU-004   | U-235   | 0.029 J        |
| SOS04                               | SS-DU-004   | U-238   | 0.57           |
| Total Uranium                       |             |         | 1.13           |
| U-238/U-234 Ratio <sup>b</sup>      |             |         | 1.08           |

<sup>a</sup> Represents sample designation developed in previous sampling programs.

<sup>b</sup> Unitless.

J – Indicates that the radionuclide was positively identified; the associated numerical value is the approximate concentration of the radionuclide in the sample.

ND – Indicates that one or more isotopes were not detected; therefore, the calculation was not performed.

U – Indicates that the data met all QA/QC requirements and the radionuclide was analyzed for but was not detected above the reported sample quantification limit.



**THIS PAGE WAS INTENTIONALLY LEFT BLANK**

#### 4. HISTORICAL DATA ASSESSMENT AND TREND ANALYSIS

Historical data from the ERMP are reviewed and discussed in this section in the context of existing action levels and corrective actions for environmental media documented in the SOP for the Environmental Radiation Monitoring (ERM). The SOP action levels and associated corrective actions are provided in Table 4-1.

Table 4-1. Action Levels and Corrective Actions for Total Uranium in Environmental Media  
Jefferson Proving Ground, Madison, Indiana

| Medium  | Total Uranium<br>Action Level | Corrective Action  |
|---|-------------------------------|--|
| Groundwater and Surface<br>Water                          | $\geq 150$ pCi/L*             | Resample. If activity verified, notify NRC and assess results. The findings and recommended corrective actions will be documented for the Army's Radiation Control Committee. The Committee will provide recommendations to the Commander based on its evaluation. |
|   | Less than 150 pCi/L           | No action.   |
| Soil and Sediment:<br>Perimeter and<br>Background Samples | $\geq 35$ pCi/g               | Collect five additional samples in a 1-meter grid. If average activity exceeds 35 pCi/g, decontaminate to 35 pCi/g.  |
|   | Less than 35 pCi/g            | No corrective action.  |

\* Effluent concentration limit for uranium is 300 pCi/L in Title 10, Code of Federal Regulations, Part 20 (10 CFR 20), Appendix B, Table 2, Column 2.

Source: U.S. Army 1999 and CHPPM 2000 (see Appendix A, pages A-6 and A-7).

An assessment of historical trends for ERMP data was first provided in the April 2006 Radiation Monitoring Report (SAIC 2006). That assessment focused on available sampling data for groundwater, surface water, sediment, and soil since 1998. Quality assurance/quality control (QA/QC) records for data collected prior to 1998 were not available to support the trend analyses. In addition, there were changes to analytical methods that were implemented beginning in December 2004.<sup>1</sup> Therefore, while historical data are reported since 1998, trend analyses included in this ERM report address the time period from December 2004 to the present. Surface water and groundwater results for the April 2004 sampling event also were not trended, given that the results were provided in units of micrograms per liter rather than pCi/L.

As noted above, the April 2006 Radiation Monitoring Report (SAIC 2006) provided detailed information about the trending methods employed and why certain data were or were not included in the initial trend analysis. To avoid confusion, that information is not repeated in this report. This report section re-examines the ERMP data for historical trends following the addition of the ERMP data collected during the April 2010 sampling event. Stated numbers of samples and summary statistics are based on data generated since December 2004 (when laboratory analytical methods were revised and standardized).

##### 4.1 GROUNDWATER

For 130 discrete samples available from 11 monitoring wells (MW01 to MW11) during the period from 2004 through April 2010, the average total uranium activity-concentration is 1.39 pCi/L, the standard deviation is 1.10 pCi/L, and the maximum detected activity-concentration is 5.27 pCi/L. The activity-concentrations at each well are well below the 150 pCi/L action level for groundwater.

<sup>1</sup> Total uranium is now analyzed by alpha spectroscopy using American Society for Testing and Materials (ASTM) Method D3972-90M rather than the fluorometry and gamma spectroscopy methods applied previously.

Data for each monitoring well are summarized in run charts, as shown in Figures 4-1 through 4-11. Total uranium results are displayed along with each measurement's associated error bars. The error bars are expressed at 1.96 standard deviations and represent a 95 percent confidence interval. Where trend lines are provided, the associated coefficient of correlation also is provided (the  $R^2$  value listed on each figure). An  $R^2$  value that approaches 1.0 suggests a strong relationship between the sample results and the sampling dates. The figures for all 11 individual monitoring wells indicate no significant trends. In addition, no monitoring wells exhibited trend lines with  $R^2$  values greater than 0.5 (i.e., somewhat significant).

In addition to the aforementioned run charts (Figures 4-1 through 4-11), individual variable control charts were created in April 2006 for each monitoring well, with the upper control limit (UCL) and the lower control limit (LCL) defined at 3 standard deviations above or below the mean. The control charts were created to determine if any single sample result warranted further examination. These control charts were re-examined in this report. All total uranium results at each sampling location for the April 2010 sampling effort were within 2 standard deviations of the mean concentration. An example individual control chart is provided in Figure 4-12.

The 11 monitoring wells also were examined in aggregate to determine if some wells or particular sampling events were distinctive. A simple individual control chart was created using the pooled data for all monitoring wells and all data collected after December 2004 (Figure 4-13).

Figure 4-13 indicates four points that lie above the UCL applicable to the full data set. Each of the four points is for MW-DU-006. Clearly, this well has exhibited (and continues to exhibit) total uranium results exceeding that of the other wells but, based on the slope of the trend line, generally exhibits decreasing activity. The U-238/U-234 ratio for each of these samples continues to suggest that DU is not a likely cause. This well will continue to be monitored closely.

## 4.2 SURFACE WATER

For 105 discrete samples available from 8 surface water sampling locations (SW01 to SW08) during the period from 2004 through April 2010, the average total uranium activity-concentration is 0.53 pCi/L, the standard deviation is 0.93 pCi/L, and the maximum detected activity-concentration is 6.91 pCi/L. The activity-concentrations at each sample location are well below the 150 pCi/L action level for surface water.

Data for each surface water sampling location are summarized in run charts, as shown in Figures 4-14 through 4-21. Total uranium results are displayed along with each measurement's associated error bars. The error bars are expressed at 1.96 standard deviations and represent a 95 percent confidence interval. Where trend lines are provided, the associated coefficient of correlation also is provided (the  $R^2$  value listed on each figure). As noted in Section 4.1, an  $R^2$  value that approaches 1.0 suggests a strong relationship between the sample results and the sampling dates. The figures for all eight individual surface water sampling locations indicate no significant trends. In addition, none of the samples exhibited trend lines with  $R^2$  values greater than 0.5 (i.e., somewhat significant).

The eight surface water sampling locations also were examined in aggregate to determine if some locations or particular sampling events were distinctive. A simple individual control chart was created using the pooled data for all surface water sampling locations and all data collected after December 2004 (Figure 4-22). Figure 4-22 indicates that only data points from SW-DU-005 exceeded the UCL or were below the LCL. SW-DU-005 exhibited total uranium concentrations of 2.95, 6.26, and 6.91 in October 2005, October 2007, and October 2008, respectively, with each of these concentrations exceeding the UCL. The result for April 2010 sampling (0.44 pCi/L) fell below the UCL. SW-DU-005 will continue to be monitored closely. No other surface water location exceeded the UCL and, in fact, all of the surface water concentrations for the April 2010 sampling event were below the mean.

Although the U-238/U-234 isotopic ratio was 7.02 for this location for the October 2008 sampling, the ratio for the April 2010 sampling is 1.50. In addition, the total uranium concentration of this sample location (0.44 pCi/L) continued to be relatively low for this sampling event. Nonetheless, given that the results of this sampling location are historically higher than would be expected, they will continue to be closely monitored.

### 4.3 SEDIMENT

For 116 discrete samples available from 8 sediment sampling locations (SD01 to SD08) during the period from 2004 through April 2010, the average total uranium activity-concentration is 0.98 pCi/g, the standard deviation is 0.53 pCi/g, and the maximum detected activity-concentration is 2.80 pCi/g. The activity-concentrations at each location are well below the 35 pCi/g action level.

Data for each sediment sampling location are summarized in run charts, as shown in Figures 4-23 through 4-30. Total uranium results are displayed along with each measurement's associated error bars. The error bars are expressed at 1.96 standard deviations and represent a 95 percent confidence interval. Where trend lines are provided, the associated coefficient of correlation also is provided (the  $R^2$  value listed on each figure). As noted in Section 4.1, an  $R^2$  value that approaches 1.0 suggests a strong relationship between the sample results and the sampling dates. The figures for all eight individual sediment sampling locations indicate no significant trends.

The eight sediment sampling locations also were examined in aggregate to determine if some locations or particular sampling events were distinctive. None of the samples exhibited trend lines with  $R^2$  values greater than 0.5 (i.e., somewhat significant).

A simple individual control chart was created using the pooled data for all sediment sampling locations and all data collected after December 2004 (Figure 4-31). Figure 4-31 indicates no new points above the UCL or below the LCL. The April 2010 sediment sampling results vary around the mean, as expected.

### 4.4 SOILS

For 66 discrete samples available from 4 surface soil sampling locations (SS01 to SS04) during the period from 2004 through April 2010, the average total uranium activity-concentration is 1.60 pCi/g, the standard deviation is 0.28 pCi/g, and the maximum detected activity-concentration is 2.25 pCi/g. The activity-concentrations at each location are well below the action level of 35 pCi/g. The April 2010 surface soil sampling results vary around the mean, as expected.

Data for each surface soil sampling location are summarized in run charts, as shown in Figures 4-32 through 4-35. Total uranium results are displayed along with each measurement's associated error bars. The error bars are expressed at 1.96 standard deviations and represent a 95 percent confidence interval. Where trend lines are provided, the associated coefficient of correlation also is provided (the  $R^2$  value listed on each figure). As noted in Section 4.1, an  $R^2$  value that approaches 1.0 suggests a strong relationship between the sample results and the sampling dates. The figures for three individual surface soil sampling locations indicate no significant trends. Surface soil sampling location SS-DU-002 exhibited trend lines with an  $R^2$  value of 0.59.  $R^2$  values greater than 0.5 indicate that the correlation is somewhat significant. The slope of the trend line for SS-DU-002 suggests a possible increase in the total uranium concentration at this location; thus, results from this location will continue to be monitored closely.

The four surface soil sampling locations also were examined in aggregate to determine if some locations or particular sampling events were distinctive. A simple individual control chart was created using the pooled data for all surface soil sampling locations and all data collected after December 2004 (Figure 4-36). As data are added to the control chart, the UCL, mean, and LCL are automatically

recalculated. Figure 4-36 reflects that one point, the result for SS-DU-002 (i.e., 0.36 pCi/g), previously fell below the LCL for a prior sampling event (October 2008). A single low result has no immediate significance to the project. In addition, no sampling points for the April 2010 sampling event exceeded the UCL or were below the LCL.




Figure 4-1. Total Uranium in MW-DU-001 (1998-2010)






Figure 4-2. Total Uranium in MW-DU-002 (1998-2010)






Figure 4-3. Total Uranium in MW-DU-003 (1998-2010)






Figure 4-4. Total Uranium in MW-DU-004 (1998-2010)







Figure 4-5. Total Uranium in MW-DU-005 (1998-2010)





NOTE: No sample was collected in October 2006 because the well was dry.

Figure 4-6. Total Uranium in MW-DU-006 (1998-2010)






Figure 4-7. Total Uranium in MW-DU-007 (1998-2010)






Figure 4-8. Total Uranium in MW-DU-008 (1998-2010)






Figure 4-9. Total Uranium in MW-DU-009 (1998-2010)







Figure 4-10. Total Uranium in MW-DU-010 (1998-2010)





NOTE: Uranium was not detected in the October 2007 sample.

Figure 4-11. Total Uranium in MW-DU-011 (1998-2010)






Figure 4-12. Variable Control Chart for Total Uranium in MW-DU-001 (2004-2010)




Figure 4-13. Control Chart for All Monitoring Well Data (2004-2010)






Figure 4-14. Total Uranium in SW-DU-001 (1998-2010)







Figure 4-15. Total Uranium in SW-DU-002 (1998-2010)





NOTE: No sample collected in October 2007 or October 2008 as the creek was dry.

Figure 4-16. Total Uranium in SW-DU-003 (1998-2010)







Figure 4-17. Total Uranium in SW-DU-004 (1998-2010)






NOTE: A large value of 29 pCi/g in October 1999 was removed because it was causing a compression of the Y axis scale.

Figure 4-18. Total Uranium in SW-DU-005 (1998-2010)





NOTE: No sample collected in October 2007 as the creek was dry.

Figure 4-19. Total Uranium in SW-DU-006 (1998-2010)






Figure 4-20. Total Uranium in SW-DU-007 (1998-2010)






Figure 4-21. Total Uranium in SW-DU-008 (1998-2010)




Figure 4-22. Control Chart for All Surface Water Data (2004-2010)






Figure 4-23. Total Uranium in SD-DU-001 (1998-2010)






Figure 4-24. Total Uranium in SD-DU-002 (1998-2010)






Figure 4-25. Total Uranium in SD-DU-003 (1998-2010)






Figure 4-26. Total Uranium in SD-DU-004 (1998-2010)






Figure 4-27. Total Uranium in SD-DU-005 (1998-2010)






Figure 4-28. Total Uranium in SD-DU-006 (1998-2010)






Figure 4-29. Total Uranium in SD-DU-007 (1998-2010)






Figure 4-30. Total Uranium in SD-DU-008 (1998-2010)




Figure 4-31. Control Chart for All Sediment Data (2004-2010)






Figure 4-32. Total Uranium in SS-DU-001 (1998-2010)






Figure 4-33. Total Uranium in SS-DU-002 (1998-2010)






Figure 4-34. Total Uranium in SS-DU-003 (1998-2010)






Figure 4-35. Total Uranium in SS-DU-004 (1998-2010)




Figure 4-36. Control Chart for All Surface Soil Data (2004-2010)

## 5. CONCLUSIONS AND RECOMMENDATIONS

The April 2010 sampling event was conducted in accordance with the SOP (CHPPM 2000), and all data were determined to comply with the requirements of the Quality Assurance Project Plan (QAPP) (see Appendix A). The environmental media sample results are generally a small fraction of the action levels (see Table 4-1) established in the SOP. For the purposes of this report, samples with U-238/U-234 ratios in excess of 3 are investigated further to validate whether a sample result is representative of DU or natural uranium. No ratios exceeding 3 were encountered for any sample collected as part of the April 2010 sampling event. Trend analysis completed reflected that surface soil location SS-DU-002 exhibited an  $R^2$  value of 0.59, indicating that the upward trend at this location was somewhat significant, and will, therefore, continue to be monitored closely. No action levels defined in the Army's license were exceeded. Future environmental monitoring will continue to be completed in accordance with the SOP.



**THIS PAGE WAS INTENTIONALLY LEFT BLANK**

## 6. REFERENCES

- CHPPM (U.S. Army Center for Health Promotion and Preventative Medicine). 2000. Standard Operating Procedure, Depleted Uranium Sampling Program, Environmental Radiation Monitoring Program. SOP No. OHP 40-2. 10 March.
- CFR (Code of Federal Regulations). 2008. 10 CFR 20. Energy. Nuclear Regulatory Commission. Standards for Protection Against Radiation.
- NRC (Nuclear Regulatory Commission). 1988. License Number SUB-1435 and Subsequent Amendments, Jefferson Proving Ground, Madison, Indiana. U.S. Army, TECOM, Aberdeen Proving Ground, Maryland. 8 May.
- SAIC (Science Applications International Corporation). 2006. Radiation Monitoring Report for License SUB-1435 Jefferson Proving Ground, Summary of Results for 10-13 April 2006 Sampling Event. Final. October.
- U.S. Army. 1999. U.S. Army Test and Evaluation Command, Environmental Radiation Monitoring (ERM) Plan for Jefferson Proving Ground. Memorandum to Mr. Larry W. Camper, Chief, Decommissioning Branch, Division of Waste Management, Office of Nuclear Material Safety and Safeguards, United States Nuclear Regulatory Commission, Washington, DC 20555-001 from Dal M. Nett, Chief, Safety Division, Directorate for Mission Support.
- U.S. Army. 2000. Standing Operating Procedure, Depleted Uranium Sampling Program, Environmental Radiation Monitoring Program, Jefferson Proving Ground, Madison, Indiana. MCHB-TS-OH. SOP No. OHP 40-2. Effective date, 10 March 2000.
- U.S. Army. 2002. Decommissioning Plan for License SUB-1435. Jefferson Proving Ground, Madison, Indiana. Prepared for the U.S. Army SBCCOM by SAIC. June.

**THIS PAGE WAS INTENTIONALLY LEFT BLANK**



**APPENDIX A**  
**STANDARD OPERATING PROCEDURE**

**THIS PAGE WAS INTENTIONALLY LEFT BLANK**



Effective Date 10 Mar 00  
Date Removed from Service \_\_\_\_\_

## STANDING OPERATING PROCEDURE

### Depleted Uranium Sampling Program Environmental Radiation Monitoring Program Jefferson Proving Ground, Madison, IN

This SOP supersedes, in its entirety, the SOP of the same name dated April 1998.

1. **Purpose.** This Standing Operating Procedure (SOP) prescribes policies, responsibilities, and procedures for administration and execution of the Health Physics Program (HPP), USACHPPM support of the Soldier and Biological Chemical Command (SBCCOM) biannual Environmental Radiation Monitoring (ERM) Program conducted at the Jefferson Proving Ground, Madison, Indiana.

2. **Authority.**

a. US Nuclear Regulatory Commission License No. SUB-1435.

b. Program Services Meeting, 14 September 1999, between SBCCOM and HPP, USACHPPM.

3. **Scope.** This SOP applies to Health Physics Program personnel performing the collection of environmental samples in support of the ERM.

4. **Definitions, Abbreviations.** A list of terms and abbreviations used in this SOP can be found in Annex A.

5. **Forms, Labels, and Worksheets.** A sample of all forms, sample labels, and sample collection worksheets can be found in Annex B.

6. **Point(s) of Contact for Program Coordination:**

a. **Soldier and Biological Chemical Command**

Ms. Joyce Kuykendall, SBCCOM Health Physicist

Comm: 410-436-7118

DSN : 584-7118

email: joyce.kuykendall@sbccom.apgea.army.mil

Effective Date 10 Mar 00  
Date Removed from Service \_\_\_\_\_

**b. US Army Center for Health Promotion and Preventive  
Medicine**

Health Physics Program (Pgm 26)

Comm: 410-436-3502

DSN : 584-3502

fax : 410-436-8261/8263

Radiologic, Classic and Clinical Chemistry Division  
(RCCCD)

Comm: 410-436-3983/8235

DSN: 584-8235

**c. Jefferson Proving Ground**

Mr. Ken Knouf, Site Manager

Mr. Phil Mann

Ms. Yvette Hayes

Comm: 812-273-2551/2522/6075

**7. Survey Coordination.**

a. Pre-Survey Coordination: 60 days prior to scheduled sample date.

1) Initial Coordination: - made through the SBCCOM Health Physicist. Close coordination with the site management team at JPG will be required to ensure support will be onsite at the time of sampling.

2) USACHPPM HPP Program Assistant, (410) 436-1303, (if call from the Edgewood Arsenal: 5-1303) will be contacted to initiate travel orders. Due to the nature of the sampling program, a four-wheel drive vehicle is required to perform this project. The project and associated report number will be 26-MA-8260-R#-YY. The R# will be a "1" for the October and "2" for the April survey, and the YY will be the current fiscal year.

3) Prepare CHPPM Form 330-R-E (Request for Laboratory Services. (See Annex B) This form can be found on the USACHPPM Web Site or through intranet FormFlow program. Current DLS Test Codes being used are as follows:

Evaluations for Uranium in Soils for the soil and sediment samples, DLS Test Code: 803; STD Method: G-002.



Effective Date 10 Mar 00  
Date Removed from Service \_\_\_\_\_

Evaluations for Uranium in Water for the ground and surface water samples, DLS Test Code: 586; STD Method: U-002.

**Note:** Sample containers for all medium except soils, are provided by SBCCOM and will be onsite however sample labels should be requested from the lab.

Ensure that sample bags, labels and coolers are shipped to the following address:

US Army Jefferson Proving Ground  
1661 West J.P.G. Niblo Road (Bldg. 125)  
Madison, IN 47250  
(812) 273-2551

4) Request for instrumentation to support the sampling program should be made no later than 30 days prior to the scheduled departure date.

Radiation detection instrumentation and soil sampling tools will be coordinated through the HPP Instrumentation Coordinator, ext. 8228. Electronic message will be used for coordination.

Water Quality Instrumentation (pH meter, temperature, and conductivity) will be coordinated through the Surface Water and Waste Water Program (Pgm 32) at extension 3310/4211.

5) Final coordination for project should be completed no later than 14 days prior to departure date.

Contact the site management personnel at JPG and schedule dates for purging of wells prior to arrival. Purging should be accomplished no later than the Friday preceding and no earlier than 14 days prior to the scheduled start date of the sampling visit.

b. Field instrument quality control. Upon receipt of field instruments from the HPP Instrument Coordinator and the Surface Water and Waste Water Program, appropriate instrument quality control checks will be conducted to ensure proper operation prior to departure.

1) Radiation detection instrumentation will be checked for response against a radiation check source. This check source should also be shipped to the survey site for instrument verification on

Effective Date 10 Mar 00  
Date Removed from Service \_\_\_\_\_

site. The radiation check source used need not be a calibrated source as instrument response is the parameter being evaluated.

2) Water quality instruments should also be verified using guidance provided by water program personnel. At a minimum, verify the accuracy of the pH meter using the certified pH solution packets.

**8. Sample Collection.** Four separate sample matrixes will be collected in support of the ERM. Methodologies for sampling can be found in US Army Environmental Hygiene Agency (the predecessor to USACHPPM) Technical Guide 155, Environmental Sampling Guide, February 1993.

a. Ground Water Samples. A total of 11 monitoring wells have been established to be used for the Environmental Monitoring Program. Wells are indicated on the ground water sample map (figure 1, Annex C) using an alphanumeric code containing the letters MW and a two digit sample number (01-11).

1) Sample will be collected using a new hand bailer for each sample. Care will be taken when lowering the bailer into the well to prevent unnecessary aeration or contamination of the sample.

2) A total quantity to be collected will be 1 US gallon.

3) A portion of the first bailer full of water will be placed into a clean beaker, or other suitable container, and an evaluation of radiation level, temperature, pH and conductivity will be conducted and recorded.

4) Sample information will be recorded on the Ground Water Sample Collection Worksheet. (Annex B)

5) Samples will not be filtered or persevered in the field.

b. Soil Samples. A total of 4 soil samples will be collected, one from each corner of the trapezoidal impact area. Sample locations are indicated on the soil sample map (figure 2, Annex C).

1) Sample will be collected using a new or properly cleaned scoop, trowel, or other suitable tool. Sample will be placed in a self sealing (Ziploc®) bag.

2) A sample quantity of approximately 1000 grams will be collected.



Effective Date 10 Mar 00

Date Removed from Service \_\_\_\_\_

3) Radiation dose rate measurements will be taken at 1 meter above the sample location and recorded on the Soil Sample Collection Worksheet (Annex B).

c. Surface Water Samples. A total of 8 sample locations have been identified for the collection of water sample from the two creeks that run through the DU impact area (figure 3, Annex C).

1) Sample will be collected using the grab method. Sample container will be positioned pointing upstream and below the surface of the water.

2) A sample quantity of 1 US gallon will be collected.

3) Radiation dose rate measurements will be taken at 1 meter above the sample location and recorded on the Surface Water Sample Worksheet (Annex B).

4) Water sample will not be filtered or preserved in the field.

d. Sediment Sample. A total of 8 sample locations have been identified for the collection of sediment samples from the two creeks that run through the DU impact area. Sediment samples will be collected at the sites selected for surface water collection (figure 3, Annex C).

1) Sample will be collected using a new or properly cleaned scoop, trowel, or other suitable tool. Sample will be placed in a glass sample jar.

2) Sediment sample will be collected only after the water sample has been collected.

3) While a sediment sample is usually considered a solid sample matrix, a certain amount of water is expected in the sample. The sample should not be drained of water that is collected as part of the sample.

4) Radiation dose rate measurements will be taken at 1 meter above the sample location and recorded on the Sediment Sample Worksheet (Annex B).

Effective Date 10 Mar 00  
Date Removed from Service \_\_\_\_\_

9. **Sample Management.** Since sample collected are in support of NRC License commitments, chain-of-custody procedures will be followed.

a. Samples will be secured from unauthorized access during the period of sampling.

b. Prior to shipment of samples to USACHPPM, a properly completed CHPPM Form 235-R-E, Chain of Custody Record (Annex B), will be placed in each shipping container. Survey personnel will maintain a copy of the Chain of Custody Record for verification of sample transport.

c. Water samples must reach RCCCD no later than 4 days from the time of sampling. To ensure this time frame is met and that the laboratory has time to filter and preserve the sample if necessary, water samples should be collected on the first day of the sampling trip and shipped the following day. It is not necessary to ship the water, sediments, and soils together.

10. **Sample Analysis.** Sample analysis of all environmental samples will be performed through the USACHPPM RCCCD.

a. Samples will be analyzed in accordance with RCCCD established protocols and procedures. All environmental samples will be coordinated with the SBCCOM RPO for disposal instructions.

1) Water samples will be analyzed fluorometrically for dissolved total uranium.

2) Soil and sediment samples will be analyzed using gamma spectroscopy, keying on the isotopic peaks of the Thorium-234. The thorium is the daughter of U-238 and is considered to be in equilibrium therefore the activity would be equal.

b. The QC for laboratory instruments will be performed by RCCCD.

c. Reports of analysis will be forwarded to the USACHPPM project officer responsible for requesting the sampling. Electronic as well as hard copy reports will be requested.

11. **Action Levels.** Every effort will be made to maintain radiation exposures and releases of radioactive and non-radioactive toxic metals to unrestricted areas as low as is reasonable achievable (ALARA).

a. The following criteria for the restricted area will be used to limit DU exposure. (Limits were established in the NRC Approved ERM)



Effective Date 10 Mar 00  
Date Removed from Service \_\_\_\_\_

SOIL:

- Perimeter and background samples:
  - $\leq 35$  pCi/g - no corrective action.
  - $> 35$  pCi/g - collect 5 additional samples in a 1 meter square grid. If average  $> 35$  pCi/g is confirmed, recommendation to decontaminate soil to  $\leq 35$  pCi/g will be made to the SBCCOM RPO.
- Sample locations along the lines of fire:
  - $< 100$  pCi/g - no corrective action
  - 100-300 pCi/g - collect 5 additional samples in a 1 meter square grid. If average  $> 100$  pCi/g is confirmed, investigate to determine reason for the high level.
  - $> 300$  pCi/g - collect 5 additional samples in a 1 meter square grid. If average  $> 300$  pCi/g is confirmed, investigate to determine reason for the high level and immediately notify the SBCCOM RPO to initiate notification to the NRC.

WATER:

- Uranium limit established in 10 CFR 2, Annex B is  $3.0 \times 10^{-1}$  pCi/ml
  - $< 1.5 \times 10^{-1}$  pCi/ml - no corrective action.
  - $> 1.5 \times 10^{-1}$  pCi/ml - resample; if results above  $1.5 \times 10^{-1}$  pCi/ml is confirmed, investigate to determine reason for the high level and immediately notify the SBCCOM RPO to initiate notification to the NRC.

Effective Date 10 Mar 00  
Date Removed from Service \_\_\_\_\_

b. Basis for Action. If any of the action levels are exceeded, an evaluation of cause will be performed by the SBCCOM RPO. The RPO will provide a report of findings to the RCC. Based on their determination, recommendations to the commander on corrective action will be made.

GARY J. MATCEK  
MAJ, MS  
Program Manager, Health Physics Program



Effective Date 10 Mar 00  
Date Removed from Service \_\_\_\_\_

ANNEX A

DEFINITIONS AND ABBREVIATION

1. **Definitions:**

a. **Action Level:** The numerical value that will cause the decision maker to choose one of the alternative actions. The action level may be a regulatory standard or may be a level set to ensure that corrective action is initiated before regulatory standards are met.

b. **Area:** A general term referring to any portion of a site, up to and including the entire site.

c. **Background Sample:** A sample collected from an area similar to the one being studied, but in an area thought to be free of contaminant of concern.

d. **Calibration:** Comparison of a measurement standard, instrument, or item with a standard or instrument of higher accuracy to detect and quantify inaccuracies and to report or eliminate those inaccuracies by adjustments.

e. **Chain-of-Custody:** Documentation of the possession and handling of a sample from the time it is collected to the final disposition.

f. **Detection Limit:** The lowest concentration at which given analytical procedures can identify.

e. **Duplicate Samples:** Samples collected simultaneously from the same source, under identical conditions, into separate containers.

g. **Ground Water Sample:** A sample of water taken from an established monitoring well.

h. **Preservation:** Techniques which retard physical and/or chemical changes in a sample after it has been collected.

Effective Date 10 Mar 00  
Date Removed from Service

i. **Quality Assurance:** A monitoring program which ensures the production of quality data and identifies and quantifies all sources of error associated with each step of the sampling and analytical effort.

j. **Sample:** A part or selection from a medium located in a survey area that represents the quality or quantity of a given parameter or nature of the whole area.

k. **Sediment:** A sample of the mineral and/or organic matter deposited by surface waters.

l. **Soil Sample:** A sample of the soil taken from the first 15 centimeters (6 inches) of surface soil.

m. **Split Sample:** A sample, which has been portioned into two or more containers from a single sample container.

n. **Surface Water:** Water found above the surface of the soil, particularly water contained in creeks and streams.

## 2. **Abbreviations:**

- |        |  |
|--------|--|
| a. DU  | Depleted Uranium                           |
| b. ERM | Environmental Radiation Monitoring Program |
| c. g   | gram                                       |
| d. HPP | Health Physics Program                     |
| e. JPG | Jefferson Proving Ground                   |
| f. ml  | milliliter                                 |
| g. NRC | Nuclear Regulatory Commission              |
| h. pCi | pico-Curie                                 |



SOP No. OHP 40-2

Effective Date 10 Mar 00  
Date Removed from Service

---

- i. QC Quality Control
- j. RCCCD<sub>r</sub> Radiologic, Classic and Clinical Chemistry  
Division
- k. RPO Radiation Protection Officer
- l. SBCCOM Soldier and Biological, Chemical Command
- m. SOP Standing Operating Procedure
- n. USACHPPM U.S. Army Center for Health Promotion and  
Preventive Medicine

SOP No. OHP 40-2

Effective Date 10 Mar 00  
Date Removed from Service  
                    

ANNEX B

FORMS, LABELS AND WORKSHEETS



Effective Date 10 Mar 00  
Date Removed from Service

## Request for Laboratory Services

Page 1 of 2

Directorate of Laboratory Sciences  
REQUEST FOR LABORATORY SERVICES

PLEASE PRINT OR TYPE ALL REQUESTED INFORMATION

For DLS Use Only  
LIMS JOB#  
Date Received

## PART 1: PROJECT INFORMATION

1. DATE OF REQUEST: 08/03/2000
2. PROJECT #: (CHPPM only) 26 MA 8260 XO#
3. FUND SOURCE: ☐ P84 ☐ DERA ☐ OTHER Supplemental (Specify)
4. DIVISION/PROGRAM: Health Physics Program
5. INSTALLATION: Jefferson Proving Ground
6. STATE WHERE SAMPLES TO BE COLLECTED: Indiana
7. NAME OF PROJECT OFFICER(s): Mr. David Collins  
TELEPHONE: (410) 436-3502 FAX# (410) 436-8261  
E-MAIL: david.collins@apg.amedd.army.mil
8. NAME OF SAMPLE COLLECTOR: Mr David Collins
9. PROJECT DESCRIPTION/OBJECTIVE (Screen, Monitoring, Regulatory or Health Concern, Etc.):  
Sampling required as part of the Environmental Radiation Monitoring Plan
10. SAMPLE OR SITE HISTORY (High Toxicity, Etc):  
DU Firing Range
11. PROJECT COORDINATOR/DLS TECHNICAL CONSULTANT - Was project coordinated with DLS? ☒ YES ☐ NO  
Name of Person in DLS: Mr. Gary Wright ext. 8235

## PART 2: TURNAROUND TIME REQUESTED

1. DATE RESULTS REQUIRED:
2. INDICATE THE APPROPRIATE SAMPLE OR PROJECT DESIGNATION:  
☒ STANDARD  
(Note: All samples are routinely processed as Standard Analyses Unless Arrangements Have Been Made with DLS for High-Priority or Top-Priority Analyses.)  
☐ HIGH-PRIORITY ☐ TOP-PRIORITY  
(Note: High-Priority and Top-Priority Requests should be Coordinated with DLS and are Subject to Cost Surcharges.)

## PART 3: REPORT DISTRIBUTION OPTIONS

1. REPORT RESULTS BY: (Indicate Preference)  
☒ cc:MAIL/E-MAIL TO ADDRESS: david.collins@apg.amedd.army.mil  
☐ FAX TO (Write Fax#):  
☒ MAIL:

REQUESTED BY: Mr. David Collins

PRINT NAME:

SIGNATURE:

(Note: Signature Required if Submitted by Hard Copy)

CHPPM Form 330-R-E, 1 May 96, (MCHB-DC-LLI)

Replaces AEHA Form 330-R, Jul 93, which is obsolete.

Figure B-1a

Effective Date 10 Mar 00

Date Removed from Service

Page 2 of 2

#### PART 4: PROJECT COORDINATION INFORMATION

- |   |  |  |
|---|--|--|
| 1. DATE SAMPLES TO ARRIVE AT DLS:   |  | 12/04/2000   |
| (Note: Prior Arrangements Must Be Made with SML for Samples That Will Arrive Outside of Routine Duty Hours which are M-F 0730 - 1700) |  |  |
| Special Comments:   |  | Samples will arrive from the field without preservation or filtration. |
| 2. SPECIAL HANDLING REQUIREMENTS:   |  |  |
| <input checked="" type="checkbox"/>   | CHAIN-OF-CUSTODY (COC)   |  |
| <input type="checkbox"/>  | SAFETY CONSIDERATION/HAZARDOUS MATERIALS (Specify):                                  |  |
| <input checked="" type="checkbox"/>   | ANALYSES WITH SHORT-HOLDING TIMES (List Specific Analyses):                          |  |
|   | Filter water samokes and test for dissolved U-238, No preservative add in the field. |  |
| <input type="checkbox"/>  | OTHER (Specify):   |  |
| 3. SAMPLE COLLECTION KIT:   |  |  |
| DATE REQUIRED:  |  | 07/04/2000   |
| CHECK PREFERENCE:   |  |  |
| <input type="checkbox"/>  | 1. TO BE PICKED UP AT DLS BY PROJECT OFFICER   |  |
| <input checked="" type="checkbox"/>   | 2. SHIP TO:  |  |
|   | (Please include Bldg # and Phone #)  |  |
|   | 3 large coolers and bags for soil samples need to be shipped to site                 |  |
|   | U.S. Army Hefferson Proving Ground   |  |
|   | 1661 West J.P.G. Nible Road (Bldg 125)   |  |
|   | Madison, IN 47250  |  |
|   | (812) 273-2551   |  |

## **PART 5: SAMPLE ANALYSIS INFORMATION**

[illegible]

Table May Be Continued on Next Page if Additional Space is Required.

Figure B-1b



Effective Date 10 Mar 00  
Date Removed from Service  
                    

### Sample Labels

Below is an example of a label to placed on each sample container.

|                    |
|--------------------|
| PROJECT #:         |
| INSTALLATION:      |
| POC:               |
| SAMPLE #:          |
| DATE COLLECTED:    |
| TIME COLLECTED:    |
| SAMPLE PRESERVED:  |
| ANALYSIS REQUIRED: |

Figure B-2

SOP No. OHP 40-2

Effective Date \_\_\_\_\_  
Date Removed from Service \_\_\_\_\_

**JEFFERSON PROVING GROUND**  
DU SAMPLING PROGRAM  
PROJECT NUMBER: 26-MA-R\_-8260-\_\_

| GROUND WATER SAMPLES |             |                          |   |          |           |                      |
|----------------------|-------------|--------------------------|---|----------|-----------|----------------------|
| Sample ID            | Sample Date | Exposure Reading (µR/hr) | Sample Locations  | Comments |           |                      |
|                      |             |                          |   | pH       | Temp (°C) | Conductivity (µMHOS) |
| MW01                 |             |                          | Well @ D-Road and Wonju Road (perimeter DU impact area)                     |          |           |                      |
| MW02                 |             |                          | Well between C-Road & Wonju Road (perimeter DU impact area)                 |          |           |                      |
| MW03                 |             |                          | Well between A-Road & gate on Wonju Road (perimeter DU impact area)         |          |           |                      |
| MW04                 |             |                          | Well on South Perimeter Rd. (Along south border of JPG)                     |          |           |                      |
| MW05                 |             |                          | Well @ D-Road & Morgan Road (across Bridge No. 13) perimeter DU impact area |          |           |                      |
| MW06                 |             |                          | Well @ C-Road & Morgan Road (perimeter DU impact area)                      |          |           |                      |

SOP No. OHP 40-2

Effective Date \_\_\_\_\_  
Date Removed from Service \_\_\_\_\_

**JEFFERSON PROVING GROUND**  
DU SAMPLING PROGRAM  
PROJECT NUMBER: 26-MA-R\_-8260-\_\_

| GROUND WATER SAMPLES |             |                          |  |          |           |                      |
|----------------------|-------------|--------------------------|--|----------|-----------|----------------------|
| Sample ID            | Sample Date | Exposure Reading (μR/hr) | Sample Locations   | Comments |           |                      |
|                      |             |                          |  | pH       | Temp (°C) | Conductivity (μMHOS) |
| MW07                 |             |                          | Well @ Oakdale School House on Morgan Road (perimeter DU impact area)  |          |           |                      |
| MW08                 |             |                          | Well @ Southwest Corner of JPG (Along south border of JPG)             |          |           |                      |
| MW09                 |             |                          | Well @ D-Road and Bridge No. 22 (inside DU impact area)                |          |           |                      |
| MW10                 |             |                          | Well on Center Recovery Road (inside DU impact area)                   |          |           |                      |
| MW11                 |             |                          | Well on D-Road between Morgan and C Recovery Road (inside impact area) |          |           |                      |
| MW12                 |             |                          | Duplicate or Split Sample _____  |          |           |                      |



Effective Date \_\_\_\_\_  
 Date Removed from Service \_\_\_\_\_

**JEFFERSON PROVING GROUND**

## DU SAMPLING PROGRAM

PROJECT NUMBER: 26-MA-R\_-8260-\_\_

| SOIL SAMPLES |             |                                |   |             |
|--------------|-------------|--------------------------------|---|-------------|
| Sample ID    | Sample Date | Exposure Reading ( $\mu$ R/hr) | Sample Locations  | JPG ID Code |
| SOS1         |             |                                | Vicinity at intersection of C-Road and Wonju Road)            | (S44)       |
| SOS2         |             |                                | Vicinity at intersection of E-Road and Morgan Road            | (S48)       |
| SOS3         |             |                                | 0.5 miles east of intersection at C-Road & East Recovery Road | (S43)       |
| SOS4         |             |                                | Corner of Morgan Road and C-Road                              | (S47)       |
| SOS5         |             |                                | Duplicate or Split of   |             |
| SOS6         |             |                                | Well on south perimeter road along south border of JPG        | B-1         |
| SOS7         |             |                                | West Perimeter Road at Fork Creek                             | B-3         |
| SOS8         |             |                                | South Perimeter Road of JPG                                   | B-5         |
| SOS9         |             |                                | Well on SW Corner of JPG                                      | B-6         |

NOTE: Per letter from the NRC dated 7 Sep 99, soil sample locations S6 and S8 that were previously sampled will no longer require sampling. No other changes to the ERM Plan have been approved.

Effective Date \_\_\_\_\_  
 Date Removed from Service \_\_\_\_\_

**JEFFERSON PROVING GROUND**  
 DU SAMPLING PROGRAM  
 PROJECT NUMBER: 26-MA-R\_-8260-\_\_

| <b>SURFACE WATER SAMPLES</b> |                    |                                 |  |                    |
|------------------------------|--------------------|---------------------------------|--|--------------------|
| <b>Sample ID</b>             | <b>Sample Date</b> | <b>Exposure Reading (μR/hr)</b> | <b>Sample Locations</b>  | <b>JPG ID Code</b> |
| SWS1                         |                    |                                 | West Perimeter Road<br>Middle Fork Creek<br>(exits JPG property) | SWBS (M1)          |
| SWS2                         |                    |                                 | Big Creek<br>(exits JPG property)                                | SWBN (M2)          |
| SWS3                         |                    |                                 | Wonju Road<br>Middle Fork Creek<br>(enters DU impact area)       | SWSE (M3)          |
| SWS4                         |                    |                                 | Big Creek<br>(enters DU impact area)                             | SWNE (M4)          |
| SWS5                         |                    |                                 | Bridge No. 22<br>Big Creek                                       | SWM (M5)           |
| SWS6                         |                    |                                 | Line of Fire<br>Middle Fork Creek                                | SWS (M6)           |
| SWS7                         |                    |                                 | Bridge No. 12 @<br>Morgan Road<br>Middle Fork Creek              | SWSW (M7)          |
| SWS8                         |                    |                                 | Bridge No. 13 @<br>Morgan Road<br>Big Creek                      | SWNW (M8)          |
| SWS9                         |                    |                                 | Duplicate or Split<br>of SWS_                                    | SWNE (M4)          |

Effective Date \_\_\_\_\_  
Date Removed from Service \_\_\_\_\_

**JEFFERSON PROVING GROUND**  
DU SAMPLING PROGRAM  
PROJECT NUMBER: 26-MA-R\_-8260-\_\_

| SEDIMENT SAMPLES |             |                                |  |             |
|------------------|-------------|--------------------------------|--|-------------|
| Sample ID        | Sample Date | Exposure Reading ( $\mu$ R/hr) | Sample Locations   | JPG ID Code |
| SES1             |             |                                | West Perimeter Road<br>Middle Fork Creek<br>(exits JPG property) | (M1)        |
| SES2             |             |                                | Big Creek<br>(exits JPG property)                                | (M2)        |
| SES3             |             |                                | Wonju Road<br>Middle Fork Creek<br>(enters DU impact area)       | (M3)        |
| SES4             |             |                                | Big Creek<br>(enters DU impact area)                             | (M4)        |
| SES5             |             |                                | Bridge No. 22<br>Big Creek                                       | (M5)        |
| SES6             |             |                                | Line of Fire<br>Middle Fork Creek                                | (M6)        |
| SES7             |             |                                | Bridge No. 12 @<br>Morgan Road<br>Middle Fork Creek              | (M7)        |
| SES8             |             |                                | Bridge No. 13 @<br>Morgan Road<br>Big Creek                      | (M8)        |
| SES9             |             |                                | Duplicate or Split<br>of SES_                                    | (M4)        |



Effective Date \_\_\_\_\_  
Date Removed from Service \_\_\_\_\_

ANNEX C  
SAMPLE LOCATION MAPS

Effective Date \_\_\_\_\_  
Date Removed from Service \_\_\_\_\_

**Jefferson Proving Ground: DU Sampling**  
**GROUNDWATER MONITORING WELLS**



Figure 1: Groundwater samples (Sept. 1997)

Effective Date \_\_\_\_\_  
Date Removed from Service \_\_\_\_\_

**Jefferson Proving Ground: DU Sampling  
SOIL SAMPLES**



Figure 2: Soil Samples (Sept. 1997)



Effective Date \_\_\_\_\_  
Date Removed from Service \_\_\_\_\_

**Jefferson Proving Ground: DU Sampling  
SURFACEWATER & SEDIMENT SAMPLES**



Figure 3: Surfacewater & Sediment Samples (Sept. 1997)

**APPENDIX B**  
**FIELD LOGBOOK**

**THIS PAGE WAS INTENTIONALLY LEFT BLANK.**



Jefferson Proving Ground 10/29/09  
ERM Sampling  
Sample Management / Demobilization

- 1520 Leave MW-9 area for field office.  
1600 Arrived at field office. Unloading equipment and sample management. Also, organizing field office.  
1700 Leave field office with 3 sample coolers for Test America - St. Louis. Simon is going to ship coolers tomorrow enroute to airport. Simon is also demobilizing from Jefferson Proving Ground on 10/30/09. The lab has been contacted about the ERM samples and it should be expecting them.

SF 10/29/09

J-R 10/29/09

Jefferson Proving Ground 4/5/10  
ERM Sampling  
Mobilization

- 1700 Simon Fong (SAIC) flew out of Dulles Int'l Airport for Cincinnati Int'l Airport.  
1920 Arrived at Cincinnati. Getting rental vehicle and driving to Madison, Indiana.  
2130 Arrived at Madison, Indiana. Getting sample management supplies at Walmart. Heading to motel. Meet next day at motel lobby at 0615.

SF 4/5/10

J-R 4/5/10

Jefferson Proving Ground  
ERM Sampling  
MW-DU-004

4/6/10

0615 Simon Fong (SAIC) arrived at motel lobby.  
Met up with Dana Winslow (SAIC UXO technician),  
David Lawson (SAIC RADCON), and Matt Logan  
(LAIC field Manager).

0640 Simon and Dana left the motel for Walmart  
to get additional supplies.

0705 Arrived at Jefferson Proving Ground Bldg. 125.  
Dave is getting RAD equipment calibrated.  
Simon, Matt, and Dana are doing the RAD  
worker refresher.

0740 Gathering items for ERM sampling.

0815 Everyone left Bldg. 125 to start ERM sampling.  
Weather today is dry and hot; highs in 80s.

0835 Arrived at MW-DU-004. Initial water level at  
MW-DU-004 is 3.71 feet BPVC. Water quality parameters  
are:

pH = 6.18

Conductivity = 0.639 mS/cm

Turbidity = 20.3 NTU

Temperature = 14.1°C

0840 Collect sample MW-DU-004 (at MW-4) (SAIC ISE)  
for Total / Isotopic Uranium (2, 1L plastic - unpreserved  
and unfiltered in field) using a disposable bottle.  
Background dose = 7 mR/hr. RAD screen background = 46 cpm.  
RAD screen sample bottles = 30 cpm. Matt dumped blue drum. 4/6/10

Jefferson Proving Ground  
ERM Sampling

4/6/10

MW-DU-008, MW-DU-003

0902 Arrived at MW-DU-008. Initial water level  
at MW-DU-008 is 23.56 feet BPVC. Water  
quality parameters are:

pH = 6.79

Conductivity = 0.457 mS/cm

Turbidity = 9.8 NTU

Temperature = 14.2°C

0910 Collect sample MW-DU-008 (at MW-8) (SAIC  
ISE) for Total / Isotopic Uranium (2, 1L plastic  
unpreserved and unfiltered in field) using a disposable  
bottle. Background dose = 6 mR/hr. RAD screen  
background = 38 cpm. RAD screen sample  
bottles = 37 cpm. Matt dumped blue drum.

0928 Arrived at MW-DU-003. Initial water level at  
MW-DU-003 is 6.06 feet BPVC. Water quality  
parameters are:

pH = 7.11

Conductivity = 0.623 mS/cm

Turbidity = 17.9 NTU

Temperature = 11.2°C

0935 Collect sample MW-DU-003 (at MW-3) (SAIC ISE) for  
Total / Isotopic Uranium (2, 1L plastic unpreserved and unfiltered in  
field) using a disposable bottle. Background dose = 7 mR/hr.  
RAD screen background = 30 cpm. RAD screen sample  
bottles = 34 cpm. Matt dumped blue drum. 4/6/10

Jefferson Proving Ground

4/6/10

ERM Sampling

SW/SD-DU-006, SS-DU-001, MW-2

- 0945 Arrived at entrance to SW-DU-006/SD-DU-006. Gathering items.
- 1000 Arrived at SW-DU-006/SD-DU-006. Matt is collecting surface water and sediment samples.
- 1005 Collect surface water sample SW-DU-006 (SAIC13E) and duplicate (SAIC13DE).
- 1010 Collect sediment sample SD-DU-006 (SAIC13E) and duplicate (SAIC13DE).
- 1018 Arrived back at truck. Sample management.
- 1040 Arrived at data logger location. Matt is collecting data on his computer.
- 1055 Arrived back at truck location. Continuing with ERM Sampling.
- 1100 Arrived at MW-2. Matt is downloading data logger. Ken Kraft (Army) has not bailed the well yet, thus no sampling.
- 1120 Going to SS-DU-001. Matt is going to collect sample.
- 1125 Collect Sample SS-DU-001 (SAIC13E) for Total/Isotopic Uranium.
- 1140 Lunch break.
- 1200 Arrived at MW-DU-001. Getting sample equipment.

4/6/10

Jefferson Proving Ground

4/6/10

ERM Sampling

MW-DU-001, SW/SD-DU-004, SW/SD-DU-003, MW-11

- 1205 The initial water level at MW-DU-001 is 10.40 feet BSL. Water quality parameters are:  
pH = 7.36  
Conductivity = 0.501 mS/cm  
Turbidity = 24.7 NTU  
Temperature = 13.1°C
- 1212 Collect sample MW-DU-001 (at MW-1) (SAIC13E) for total/Isotopic Uranium (2.1L plastic - unpreserved and unfiltered in field) using a disposable bailer.  
Background dose = 10  $\mu$ R/hr. RAD screen background = 35 cpm. RAD screen sample bottles = 29 cpm. Matt dumped blue drum.
- 1220 Arrived at SW-DU-004/SD-DU-004.
- 1225 Collect surface water sample SW-DU-004 (SAIC13E) for Total/Isotopic Uranium.
- 1235 Collect sediment sample SD-DU-004 (SAIC13E) for Total/Isotopic Uranium.
- 1310 Collect sample SW-DU-003 (SAIC12E) for Total/Isotopic Uranium.
- 1315 Collect sample SD-DU-003 (SAIC13E) for Total/Isotopic Uranium.
- 1350 Arrived at MW-11. Matt is downloading troll.

4/6/10



Jefferson Proving Ground

4/6/10

# ERM Sampling

MW-9, MW-DU-010, MW-DU-005

1400 Arrived at MW-9. Matt is downloading the tool.

1412 Arrived at MW-DU-010. Initial water level at MW-DU-010 is 1.62 feet BVC. Water quality parameters are:

pH = 7.23

Conductivity = 0.671 mS/cm

Turbidity = 25.9 NTU

Temperature = 12.4 °C

1420 Collected sample MW-DU-010 (SAX 13E) (at MW-10) for Total / Isotope Uranium (2, 1L plastic unpreserved and unfiltered in field) using a disposable bailer. Background dose = 6 mR/hr. RAD screen background = 29 cpm. RAD screen sample bottles = 33 cpm.

1448 Arrived at MW-DU-005. Initial water level at MW-DU-005 is 19.33 feet BVC. Dana noticed a flat tire on the rental vehicle. Everyone is helping with putting the spare on. Water quality parameters are:

pH = 7.17

Conductivity = 0.17 mS/cm

Turbidity = 24.7 NTU

Temperature = 13.3 °C

4/6/10

Jefferson Proving Ground

4/6/10

# ERM Sampling

MW-DU-005, MW-DU-006

1510 Collect sample MW-DU-005 (at MW-5) (SAX 13E) for Total / Isotope Uranium (2, 1L plastic unpreserved and unfiltered in field) using a disposable bailer. Background dose = 7 mR/hr. RAD screen background = 36 cpm. RAD screen

Sample bottles = 41 cpm. Matt dumped blue drum. Arrived at MW-DU-006. Initial water level at MW-DU-006 is 23.96 feet BVC. Water quality parameters are:

pH = 7.54

Conductivity = 0.702 mS/cm

Turbidity = 19.9 NTU

Temperature = 15.6 °C

1534 Collect sample MW-DU-006 (at MW-6) (SAX 13E) for Total / Isotope Uranium (2, 1L plastic unpreserved and unfiltered in field) using a disposable bailer. Background dose = 7 mR/hr. RAD screen background = 40 cpm. RAD screen sample bottles = 21 cpm. Matt dumped blue drum.

1545 Arrived back at JPG Bldg. 125. Unload equipment.

1600 Simon left JPG for Motion, and the store to get flat fixed. Met near dry at 0700.

4/6/10

Jefferson Proving Ground 4/7/10  
ERM Sampling

Bldg. 125, MW-2, MW-11, MW-9, SS-DU-003

- 0645 Simon Fong (SAIC) left Madison, IN motel for Jefferson Proving Ground Bldg. 125. Getting 5 bags of ice along the way. Weather is dry until afternoon.
- 0700 Arrived at Bldg. 125 gathering items for sampling. Matt Logan (SAIC), field manager, told Simon that Ken Knott (US Army) will not have time to bail purge 3 monitoring wells; therefore, SAIC will go do that task first.
- 0725 Everyone left the field office for MW-2.
- 0735 Arrived at MW-2. Matt is going to bail the well dry.
- 0742 Matt bailed the well dry. It took 9 bails.
- 0805 Arrived at MW-11. Matt is going to bail the well dry.
- 0822 Matt bailed the well dry. It took 23 bails.
- 0830 Arrived at MW-9. Matt is going to bail the well dry.
- 0840 Matt bailed the well dry. It took 13 bails.
- 0908 Arrived at entrance to SS-DU-003.
- 0935 Arrived at SS-DU-003. Collect sample SS-DU-003 (SAIC ISE) for Total/Isotopic Uranium. RAD background screen = 30 cpm. Dose rate = 748  $\mu$ R/hr. RAD screen sample = 50 cpm.
- 0950 Arrived back at truck location. Sample manager.
- 4/7/10

Jefferson Proving Ground 4/7/10  
ERM Sampling

SW/SD-DU-005, SW/SD-DU-008, SS-DU-002, SW/SD-DU-002, SW/SD-DU-001, MW-DU-007

- 1035 Collect surface water sample SW-DU-005 (SAIC ISE) for Total/Isotopic Uranium.
- 1040 Collect sediment sample SD-DU-005 (SAIC ISE) for Total/Isotopic Uranium.
- 1100 Arrived at entrance to SW/SD-DU-008.
- 1105 Collect surface water sample SW-DU-008 (SAIC ISE) for Total/Isotopic Uranium.
- 1110 Collect sediment sample SD-DU-008 (SAIC ISE) for Total/Isotopic Uranium.
- 1120 Lunch break.
- 1145 Collect sample SS-DU-002 (SAIC ISE) and duplicate (SAIC ISE) for Total/Isotopic Uranium.
- 1210 Collect surface water sample SW-DU-002 (SAIC ISE) for Total/Isotopic Uranium.
- 1215 Collect sediment sample SD-DU-002 (SAIC ISE) for Total/Isotopic Uranium.
- 1240 Collect surface water sample SW-DU-001 (SAIC ISE) for Total/Isotopic Uranium.
- 1245 Collect sediment sample SD-DU-001 (SAIC ISE) for Total/Isotopic Uranium.
- 1312 Arrived at MW-DU-007. Initial water level at MW-DU-007 is 8.29 feet BPLC.

4/7/10

Jefferson Proving Ground

4/7/10

ERM Sampling

MW-DU-007, SW-DU-007, SS-DU-004

- 1315 Water quality parameters at MW-DU-007 are.  
pH = 7.02  
Conductivity = 0.726 ns/cm  
Turbidity = 30.4 NTU  
Temperature = 12.0°C
- 1320 Collect sample MW-DU-007 (at MW-7) (SA2L13E) and duplicate (SA2L13DE) for Total / Isotopic Uranium (2 u plastic unpretreated and unfiltered in field) using a disposable bottle. Background dose = 6 <sup>μSv</sup>/hr. RAD screen background = 29 cpm. RAD screen sample bottles = 32 cpm. Matt doped the blue drum.
- 1330 Collect surface water sample SW-DU-007 (SA2L13E) for Total / Isotopic Uranium
- 1335 Collect sediment sample SD-DU-007 (SA2L13E) for Total / Isotopic Uranium. Very windy conditions.
- 1355 Collect sample SS-DU-004 (SA2L13E) for Total / Isotopic Uranium.
- 1410 Arrived at rainwater setup. There are a little bit of water in both drums. Hopefully additional rain from tonight's storm will collect more in drums. Going back to field office.
- 4/7/10.

Jefferson Proving Ground

4/7/10

ERM Sampling

Bldg. 125, Rainwater Collection Area

- 1435 Arrived back at field office Bldg. 125. Unloading items.
- 1500 Simon talked with Joe Skibinski (SAIC project manager). Joe decided to have a tarp installed to better collect rain water.
- 1530 Simon and Matt went to Lowe's to get tarps and supplies.
- 1600 Arrived back at JPB. Going to rainwater contraption area.
- 1700 Simon and Matt completed putting two tarps at rainwater contraption area. Returning items of Bldg. 125 and leaving the base. Meet next day at 0700.

SF 4/7/10

J-SF 4/7/10



# Jefferson Paving Ground

4/8/10

ERM Sampling, Stream Gauge/Datalogger Downloads  
Btg. 125, MW-DU-002, Rainwater Collection Area

0655 Simon Fong (SAIC) arrived at JFG Btg. 125.  
Dawn Winslow (SAIC USA) left this morning  
for Norfolk. Simon is doing sample management.

0730 Simon, David Lawson (SAIC), and Matt Logan  
(SAIC) left field office for downloading stream  
gauges, dataloggers, and check on 3 monitoring  
wells. Weather today is cool with rain. Highs in 50s.

0740 Arrived at MW-DU-002. The initial water  
level at MW-DU-002 is 9.74 feet BPLC.

Water quality parameters are:  
pH: 6.30

Conductivity: 0.736 mS/cm

Turbidity: 16.5 NTU

Temperature: 10.1 °C

0750 Collect sample MW-DU-002 (at MW-2) (SAIC/SE)  
for Total/Isotopic Uranium (2, 1L plastic unpreserved  
and unfiltered) using a disposable barrier. Background  
dose = 7 mR/hr. RAD screen background = 41 cpm.  
RAD screen sample bottles = 41 cpm. Matt dumped  
the blue drum.

0845 Heavy rain storm at JFG.

0945 Arrived at rainwater collection area. Both  
drums have about 1/3 capacity. Simon called  
Joe Skibinski (SAIC) to let him know of information.  
Joe told Simon to leave setup here after sample collection.

# Jefferson Paving Ground

4/8/10

ERM Sampling, Stream Gauge/Datalogger Downloads  
MW-DU-011, MW-DU-009,

1030 Arrived at MW-DU-011. The initial water  
level at MW-DU-011 is 28.35 feet BPLC.

Water quality parameters are:

pH = 6.98

conductivity = 0.958 mS/cm

Turbidity = 4.8 NTU

Temperature = 12.5 °C

1035 Collect sample MW-DU-011 (at MW-11) (SAIC/SE)  
for Total/Isotopic Uranium (2, 1L plastic unpreserved  
and unfiltered) using a disposable barrier.  
Background dose = 8 mR/hr. RAD screen background =  
36 cpm. RAD screen sample bottles = 51 cpm.  
Matt dumped the blue drum.

1120 lunch break

1145 Arrived at MW-DU-009. The initial water  
level at MW-DU-009 is 37.1 feet BPLC.  
Matt checked the bottom of the well and  
there is only 1 foot of water in  
well. Therefore, there is not enough  
water to collect sample and to run water  
quality parameters.

1150 Collect sample MW-DU-009 (at MW-9) (SAIC/SE)  
for Total/Isotopic Uranium (2, 1L plastic unpreserved  
and unfiltered) using a disposable barrier. Background dose = 8 mR/hr.  
RAD screen background = 39 cpm. RAD screen sample bottles = 41 cpm.  
Matt dumped the blue drum.

Jefferson Parag Ground 4/8/10  
Rainwater Collection / Sample Management

- 1330 Arrived back at field office. Simon is decaning pump for use to collect rainwater. Weather is now dry but very windy.
- 1400 Matt and Simon leave field office for one more stream gauge and to collect rainwater.
- 1420 Arrived at rainwater collection area.
- 1425 Collect rainwater analytical JP-WL-002 (SAICOI) for Uranium (Total/Isotopes) to Test Area, Anions, Metals, Alkalinity, and TOC to Empirical.
- 1430 Collect rainwater leachant for Penetrators JP-WL-002 (SAICOI) to MCL lab.
- 1500 Simon and Matt are fixing the tarps for reinforcement.
- 1515 Left rainwater collection area for field office.
- 1530 Arrived at field office. Sample management.
- 1600 Simon left field office for FedEx Indianapolis.
- 2045 Arrived at Indianapolis FedEx. Dropping off 8 orders:
  - 4 to Test Area: 7985-5214-6242/-7044/-7169
  - 7985-5208-5178
  - 1 to Empirical: 7985-5209-7274
  - 3 to MCL: 7934-2983-7532/-7646/-7793
- 2300 Arrived back at Madison, IN motel.

4/8/10

Jefferson Parag Ground 4/9/10  
Demobilization from ERM Study

- 0730 Simon Fong (SAIC) arrived at JPB Bldg. 125. Organizing the field office and taking an inventory.
- 0930 Simon left JPB for Cincinnati Airport. Simon talked with Ken Knopf (US Army) before departing.
- 1200 Arrived at Cincinnati Airport. Simon is flying back to O'Hare Int'l Airport.

SF 4/9/10

4/9/10

# SAMPLE LOG SHEET

PROJECT NAME: VPG

PROJECT NO: \_\_\_\_\_

SAMPLE ID NUMBER: SD/SW-DU-001

DATE COLLECTED (MM/DD/YY): 4/7/10

TIME: 1240/1245  
02150

SAMPLING LOCATION CODE: \_\_\_\_\_

DESCRIPTION: Surface water / sediment

SAMPLING POINT CODE: \_\_\_\_\_

DESCRIPTION: \_\_\_\_\_

NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

ELEVATION: \_\_\_\_\_

SAMPLE DEPTH CODE: \_\_\_\_\_ TO \_\_\_\_\_

BLS

SAMPLE MEDIA CODE: \_\_\_\_\_

DESCRIPTION: \_\_\_\_\_

WEATHER: Cloudy 70°F

ACTIVITIES IN AREA: \_\_\_\_\_

FIELD OBSERVATIONS: Water sample dipped directly from stream. Edge of bridge. Sediment, silty clay, collected ~ 20' upstream of bridge on N bank.

background: 34 cpm

| FIELD MEASUREMENTS  | READING      | UNITS          | SERIAL NO. | LAST CALIB. |
|---------------------|--------------|----------------|------------|-------------|
| RADIOACTIVITY:      | <u>52</u>    | <u>cpm</u>     |            |             |
| TEMPERATURE:        | <u>17.7</u>  | <u>°C</u>      |            |             |
| pH:                 | <u>7.41</u>  | <u>SD unit</u> |            |             |
| CONDUCTIVITY:       | <u>0.230</u> | <u>µS/cm</u>   |            |             |
| REDOX:              | <u>231</u>   | <u>mV</u>      |            |             |
| DO:                 | <u>10.92</u> | <u>mg/L</u>    |            |             |
| ORGANIC VAPORS:     | <u>—</u>     | <u>—</u>       |            |             |
| TURBIDITY:          | <u>10</u>    | <u>NTU</u>     |            |             |
| OTHER <u>dose</u> : | <u>7</u>     | <u>µS/L</u>    |            |             |

SAMPLE TYPE:

☒ GRAB

☐ SPATIAL COMPOSITE

☐ TIME COMPOSITE

☐ QC TRIP BLANK

☐ QC RINSATE

☐ QC FIELD BLANK

☐ OTHER (SPECIFY) \_\_\_\_\_

SAMPLE COLLECTED: ☒ YES ☐ NO. SAMP SAMPLING PROCEDURE WAS FOLLOWED: ☒ YES ☐ NO

IF SAMP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY: \_\_\_\_\_

Recorded By: [Signature]

(Signature)

QC Checked By: \_\_\_\_\_

(Signature)



# SAMPLE LOG SHEET

PROJECT NAME: JPG

PROJECT NO: \_\_\_\_\_

SAMPLE ID NUMBER: SD/SW-00000 DATE COLLECTED (MM/DD/YY): 4/7/10  
TIME: 1210/1215  
SW/SD

SAMPLING LOCATION CODE: \_\_\_\_\_

DESCRIPTION: Surface water / sed. near

SAMPLING POINT CODE: \_\_\_\_\_

DESCRIPTION: \_\_\_\_\_

NORTHING: \_\_\_\_\_ EASTING: \_\_\_\_\_ ELEVATION: \_\_\_\_\_

SAMPLE DEPTH CODE: \_\_\_\_\_ TO \_\_\_\_\_ BLS

SAMPLE MEDIA CODE: \_\_\_\_\_ DESCRIPTION: \_\_\_\_\_

WEATHER: Cloudy 70°F

ACTIVITIES IN AREA: \_\_\_\_\_

FIELD OBSERVATIONS: Water sample dipped directly from stream W side of bridge. Clay collected ~ 30' upstream of bridge N bank

background: 32 cpm

| FIELD MEASUREMENTS  | READING      | UNITS           | SERIAL NO. | LAST CALIB. |
|---------------------|--------------|-----------------|------------|-------------|
| RADIOACTIVITY:      | <u>50</u>    | <u>cpm</u>      |            |             |
| TEMPERATURE:        | <u>18.5</u>  | <u>°C</u>       |            |             |
| pH:                 | <u>7.01</u>  | <u>unitless</u> |            |             |
| CONDUCTIVITY:       | <u>0.253</u> | <u>ms/cm</u>    |            |             |
| REDOX:              | <u>243</u>   | <u>mV</u>       |            |             |
| DO:                 | <u>9.53</u>  | <u>mg/L</u>     |            |             |
| ORGANIC VAPORS:     | <u>—</u>     | <u>—</u>        |            |             |
| TURBIDITY:          | <u>11.2</u>  | <u>NTU</u>      |            |             |
| OTHER <u>dose</u> : | <u>5</u>     | <u>uR/hr</u>    |            |             |

SAMPLE TYPE: ☒ GRAB ☐ SPATIAL COMPOSITE ☐ TIME COMPOSITE  
☐ QC TRIP BLANK ☐ QC RINSATE ☐ QC FIELD BLANK  
☐ OTHER (SPECIFY) \_\_\_\_\_

SAMPLE COLLECTED: ☒ YES ☐ NO SAP SAMPLING PROCEDURE WAS FOLLOWED: ☒ YES ☐ NO  
IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By: [Signature]  
(Signature)

QC Checked By: \_\_\_\_\_  
(Signature)

# SAMPLE LOG SHEET

PROJECT NAME: JRG

PROJECT NO:

SAMPLE ID NUMBER: SD/SW 00003 DATE COLLECTED (MM/DD/YY): 4-6-10  
TIME: 1310/1315  
SW/SD

SAMPLING LOCATION CODE: Surface water / Sediment sample  
DESCRIPTION:

SAMPLING POINT CODE:  
DESCRIPTION:

NORTHING: EASTING: ELEVATION:

SAMPLE DEPTH CODE: TO BLS  
SAMPLE MEDIA CODE: DESCRIPTION:

WEATHER: Sunny 80°F

ACTIVITIES IN AREA:

FIELD OBSERVATIONS: Water dipped directly from stream. Collected silt w/ gravel and some organics w/ plastic scoop compressed in ziplock bag and transferred to sample jar. Collected E of bridge on left bank N bank

background 28 cpm

| FIELD MEASUREMENTS  | READING      | UNITS      | SERIAL NO. | LAST CALIB. |
|---------------------|--------------|------------|------------|-------------|
| RADIOACTIVITY:      | <u>45</u>    | <u>cpm</u> |            |             |
| TEMPERATURE:        | <u>20.1</u>  |            |            |             |
| pH:                 | <u>7.86</u>  |            |            |             |
| CONDUCTIVITY:       | <u>0.123</u> |            |            |             |
| REDOX:              | <u>215</u>   |            |            |             |
| DO:                 | <u>11.02</u> |            |            |             |
| ORGANIC VAPORS:     |              |            |            |             |
| TURBIDITY:          | <u>25.5</u>  |            |            |             |
| OTHER <u>Dose</u> : | <u>10</u>    |            |            |             |

SAMPLE TYPE: ☒ GRAB ☐ SPATIAL COMPOSITE ☐ TIME COMPOSITE  
☐ QC TRIP BLANK ☐ QC RINSATE ☐ QC FIELD BLANK  
☐ OTHER (SPECIFY):

SAMPLE COLLECTED: ☒ YES ☐ NO SAP SAMPLING PROCEDURE WAS FOLLOWED: ☒ YES ☐ NO  
IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By: Matt [Signature]  
(Signature)

QC Checked By: [Signature]  
(Signature)

# SAMPLE LOG SHEET

PROJECT NAME: JRG

PROJECT NO:

SAMPLE ID NUMBER: SD/SW-DU-004 DATE COLLECTED (MM/DD/YY): 4-6-10

TIME: 8:25/1235  
SW/SD

SAMPLING LOCATION CODE: Surface water / sediment  
DESCRIPTION:

SAMPLING POINT CODE:  
DESCRIPTION:

NORTHING: EASTING: ELEVATION:

SAMPLE DEPTH CODE: TO BLS  
SAMPLE MEDIA CODE: DESCRIPTION:

WEATHER: Sunny 70°F ACTIVITIES IN AREA:

FIELD OBSERVATIONS: Water piped directly from stream, sed. collected w/  
plastic scoop and can placed in ziplock bag and transferred to sample  
jar. Collected on S side of creek across from drilling well. Sed is  
v. fine sand

background: 35 cpm

| FIELD MEASUREMENTS | READING | UNITS    | SERIAL NO. | LAST CALIB. |
|--------------------|---------|----------|------------|-------------|
| RADIOACTIVITY:     | 40      | cpm      |            |             |
| TEMPERATURE:       | 19.2    | °C       |            |             |
| pH:                | 7.84    | sl. alk. |            |             |
| CONDUCTIVITY:      | 0.254   | mS/cm    |            |             |
| REDOX:             | 226     | mV       |            |             |
| DO:                | 11.26   | mg/L     |            |             |
| ORGANIC VAPORS:    | -       |          |            |             |
| TURBIDITY:         | 19.8    | NTU      |            |             |
| OTHER dose:        | 8       | uS/hr    |            |             |

SAMPLE TYPE: ☒ GRAB ☐ SPATIAL COMPOSITE ☐ TIME COMPOSITE  
☐ QC TRIP BLANK ☐ QC RINSATE ☐ QC FIELD BLANK  
☐ OTHER (SPECIFY):

SAMPLE COLLECTED: ☒ YES ☐ NO SAP SAMPLING PROCEDURE WAS FOLLOWED: ☒ YES ☐ NO  
IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By: M. J. Jorg  
(Signature)

QC Checked By:  
(Signature)



# SAMPLE LOG SHEET

PROJECT NAME: JPG

PROJECT NO:

SAMPLE ID NUMBER: SD/SW 00-005

DATE COLLECTED (MM/DD/YY): 4-7-10

TIME: 1035 / 1049  
SW / SD

SAMPLING LOCATION CODE:

DESCRIPTION: Surface water / sediment

SAMPLING POINT CODE:

DESCRIPTION:

NORTHING:

EASTING:

ELEVATION:

SAMPLE DEPTH CODE: \_\_\_\_\_ TO \_\_\_\_\_

BLS

SAMPLE MEDIA CODE:

DESCRIPTION:

WEATHER: Cloudy 70° breeze

ACTIVITIES IN AREA:

FIELD OBSERVATIONS: Samples collected E side of concrete bridge at D road. Water dropped directly from stream. Collected in med hand w/ gravel

background = 32 cpm

| FIELD MEASUREMENTS  | READING      | UNITS           | SERIAL NO. | LAST CALIB. |
|---------------------|--------------|-----------------|------------|-------------|
| RADIOACTIVITY:      | <u>39</u>    | <u>cpm</u>      |            |             |
| TEMPERATURE:        | <u>18.4</u>  | <u>°C</u>       |            |             |
| pH:                 | <u>6.15</u>  | <u>SH units</u> |            |             |
| CONDUCTIVITY:       | <u>0.219</u> | <u>ms/cm</u>    |            |             |
| REDOX:              | <u>293</u>   | <u>mV</u>       |            |             |
| DO:                 | <u>9.70</u>  | <u>mg/L</u>     |            |             |
| ORGANIC VAPORS:     | <u>—</u>     | <u>—</u>        |            |             |
| TURBIDITY:          | <u>13.7</u>  | <u>NTU</u>      |            |             |
| OTHER <u>data</u> : | <u>7</u>     | <u>ml/hr</u>    |            |             |

SAMPLE TYPE: ☒ GRAB

☐ SPATIAL COMPOSITE

☐ TIME COMPOSITE

☐ QC TRIP BLANK

☐ QC RINSATE

☐ QC FIELD BLANK

☐ OTHER (SPECIFY) \_\_\_\_\_

SAMPLE COLLECTED: ☒ YES ☐ NO SAP SAMPLING PROCEDURE WAS FOLLOWED: ☒ YES ☐ NO

IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By:

M. Kelly  
(Signature)

QC Checked By:

(Signature)

# SAMPLE LOG SHEET

PROJECT NAME: JRG

PROJECT NO: \_\_\_\_\_

SAMPLE ID NUMBER: SW/SD 001-006

DATE COLLECTED (MM/DD/YY): 4-6-10  
TIME: 1005/1010

SAMPLING LOCATION CODE: Surface water / Sediment  
DESCRIPTION: \_\_\_\_\_

SW / Sed  
Collected out of water and sediment

SAMPLING POINT CODE: \_\_\_\_\_  
DESCRIPTION: \_\_\_\_\_

NORTHING: \_\_\_\_\_ EASTING: \_\_\_\_\_ ELEVATION: \_\_\_\_\_

SAMPLE DEPTH CODE: \_\_\_\_\_ TO \_\_\_\_\_ BLS  
SAMPLE MEDIA CODE: \_\_\_\_\_ DESCRIPTION: \_\_\_\_\_

WEATHER: Sunny 60°F ACTIVITIES IN AREA: \_\_\_\_\_  
FIELD OBSERVATIONS: Collected water and sed - 30' downstream of confluence of 2 trips. Water dipped directly from stream. Sed collected w/ plastic scoop and composited in 24 bet bag. Sed are 1/4 in. med sand w/ silt. Collected at S bank.

background = 35 cpm

| FIELD MEASUREMENTS | READING      | UNITS         | SERIAL NO. | LAST CALIB. |
|--------------------|--------------|---------------|------------|-------------|
| RADIOACTIVITY:     | <u>33</u>    | <u>cpm</u>    |            |             |
| TEMPERATURE:       | <u>16.0</u>  |               |            |             |
| pH:                | <u>7.75</u>  |               |            |             |
| CONDUCTIVITY:      | <u>0.178</u> |               |            |             |
| REDOX:             | <u>205</u>   |               |            |             |
| DO:                | <u>11.08</u> |               |            |             |
| ORGANIC VAPORS:    |              |               |            |             |
| TURBIDITY:         | <u>17.2</u>  |               |            |             |
| OTHER: <u>dose</u> | <u>338</u>   | <u>cpm/hr</u> |            |             |

SAMPLE TYPE: ☒ GRAB ☐ SPATIAL COMPOSITE ☐ TIME COMPOSITE  
☐ QC TRIP BLANK ☐ QC RINSATE ☐ QC FIELD BLANK  
☐ OTHER (SPECIFY) \_\_\_\_\_

SAMPLE COLLECTED: ☒ YES ☐ NO SAP SAMPLING PROCEDURE WAS FOLLOWED: ☒ YES ☐ NO  
IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By: M. J. Jorgensen  
(Signature)

QC Checked By: \_\_\_\_\_  
(Signature)

# SAMPLE LOG SHEET

PROJECT NAME: JRG

PROJECT NO: \_\_\_\_\_

SAMPLE ID NUMBER: JR  
SDISW 00-007

DATE COLLECTED (MM/DD/YY): 4.7.10  
TIME: 1330/1335  
SW 1SD

SAMPLING LOCATION CODE: \_\_\_\_\_  
DESCRIPTION: Surface water / sediment

SAMPLING POINT CODE: \_\_\_\_\_  
DESCRIPTION: \_\_\_\_\_

NORTHING: \_\_\_\_\_ EASTING: \_\_\_\_\_ ELEVATION: \_\_\_\_\_

SAMPLE DEPTH CODE: \_\_\_\_\_ TO \_\_\_\_\_ BLS  
SAMPLE MEDIA CODE: \_\_\_\_\_ DESCRIPTION: \_\_\_\_\_

WEATHER: Cloudy, breeze, 70°F ACTIVITIES IN AREA: \_\_\_\_\_  
FIELD OBSERVATIONS: Water doped from stream (W side of bridge) for  
red sand collected on W side of bridge N bank

background: 38 cpm

| FIELD MEASUREMENTS  | READING      | UNITS           | SERIAL NO. | LAST CALIB. |
|---------------------|--------------|-----------------|------------|-------------|
| RADIOACTIVITY:      | <u>53</u>    | <u>cpm</u>      |            |             |
| TEMPERATURE:        | <u>18.1</u>  | <u>°C</u>       |            |             |
| pH:                 | <u>7.75</u>  | <u>std unit</u> |            |             |
| CONDUCTIVITY:       | <u>0.196</u> | <u>ms/cm</u>    |            |             |
| REDOX:              | <u>200</u>   | <u>mV</u>       |            |             |
| DO:                 | <u>11.52</u> | <u>mg/L</u>     |            |             |
| ORGANIC VAPORS:     | <u>—</u>     | <u>mg/L</u>     |            |             |
| TURBIDITY:          | <u>18.7</u>  | <u>NTU</u>      |            |             |
| OTHER <u>dose</u> : | <u>5</u>     | <u>μS/hr</u>    |            |             |

SAMPLE TYPE: ☒ GRAB ☐ SPATIAL COMPOSITE ☐ TIME COMPOSITE  
☐ QC TRIP BLANK ☐ QC RINSATE ☐ QC FIELD BLANK  
☐ OTHER (SPECIFY): \_\_\_\_\_

SAMPLE COLLECTED: ☒ YES ☐ NO SAP SAMPLING PROCEDURE WAS FOLLOWED ☒ YES ☐ NO  
IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By: Matt [Signature]  
(Signature)

QC Checked By: \_\_\_\_\_  
(Signature)



# SAMPLE LOG SHEET

PROJECT NAME: JRG

PROJECT NO:

SAMPLE ID NUMBER: SDISW 0008

DATE COLLECTED (MM/DD/YY): 4-7-10

TIME: 1105/1110  
SW/SB

SAMPLING LOCATION CODE:

DESCRIPTION: Subaqueous Sediment

SAMPLING POINT CODE:

DESCRIPTION:

NORTHING:

EASTING:

ELEVATION:

SAMPLE DEPTH CODE: TO

BLS

SAMPLE MEDIA CODE: DESCRIPTION:

WEATHER: Cloudy, breezy 70°F

ACTIVITIES IN AREA:

FIELD OBSERVATIONS: Flow at bridge obstructed by debris. Samples collected E of bridge Morgan and D Road, W bank. Water d. ppd from stream. V to 10' in sand w/ silt.

background - 35 cpm

| FIELD MEASUREMENTS | READING | UNITS | SERIAL NO. | LAST CALIB. |
|--------------------|---------|-------|------------|-------------|
| RADIOACTIVITY:     | 35      | cpm   |            |             |
| TEMPERATURE:       | 18.3    | °C    |            |             |
| pH:                | 6.53    | sturb |            |             |
| CONDUCTIVITY:      | 0.275   | mS/cm |            |             |
| REDOX:             | 260     | mV    |            |             |
| DO:                | 8.92    | mg/L  |            |             |
| ORGANIC VAPORS:    | —       | —     |            |             |
| TURBIDITY:         | 13.2    | NTU   |            |             |
| OTHER dose:        | 9       | µR/hr |            |             |

SAMPLE TYPE: ☒ GRAB ☐ SPATIAL COMPOSITE ☐ TIME COMPOSITE  
☐ QC TRIP BLANK ☐ QC RINSATE ☐ QC FIELD BLANK  
☐ OTHER (SPECIFY):

SAMPLE COLLECTED: ☒ YES ☐ NO SAP SAMPLING PROCEDURE WAS FOLLOWED ☒ YES ☐ NO  
 IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By: [Signature]  
 (Signature)

QC Checked By: [Signature]  
 (Signature)

# SAMPLE LOG SHEET

PROJECT NAME: JPG

PROJECT NO: \_\_\_\_\_

SAMPLE ID NUMBER: SS-00-001

DATE COLLECTED (MM/DD/YY): 4-6-10

TIME: 1125

SAMPLING LOCATION CODE: Surface Soil

DESCRIPTION: \_\_\_\_\_

SAMPLING POINT CODE: \_\_\_\_\_

DESCRIPTION: \_\_\_\_\_

NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

ELEVATION: \_\_\_\_\_

SAMPLE DEPTH CODE: \_\_\_\_\_ TO \_\_\_\_\_

BLS

SAMPLE MEDIA CODE: \_\_\_\_\_

DESCRIPTION: \_\_\_\_\_

WEATHER: Sunny 65°F breeze

ACTIVITIES IN AREA: \_\_\_\_\_

FIELD OBSERVATIONS: Collected silty surface w/ sand and coal material w/ plastic scoop composited in 2 plastic bags and transferred to sample jar. Location just N of SE corner of 00' area along Highway Rd. Soil is moist

background 34 cpm

| FIELD MEASUREMENTS  | READING   | UNITS        | SERIAL NO. | LAST CALIB. |
|---------------------|-----------|--------------|------------|-------------|
| RADIOACTIVITY:      | <u>51</u> | <u>cpm</u>   |            |             |
| TEMPERATURE:        |           |              |            |             |
| pH:                 |           |              |            |             |
| CONDUCTIVITY:       |           |              |            |             |
| REDOX:              |           |              |            |             |
| DO:                 |           |              |            |             |
| ORGANIC VAPORS:     |           |              |            |             |
| TURBIDITY:          |           |              |            |             |
| OTHER <u>data</u> : | <u>12</u> | <u>uS/cm</u> |            |             |

SAMPLE TYPE: ☒ GRAB

☐ SPATIAL COMPOSITE

☐ TIME COMPOSITE

☐ QC TRIP BLANK

☐ QC RINSATE

☐ QC FIELD BLANK

☐ OTHER (SPECIFY) \_\_\_\_\_

SAMPLE COLLECTED: ☒ YES ☐ NO SAP SAMPLING PROCEDURE WAS FOLLOWED: ☒ YES ☐ NO

IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By: Matt [Signature]

(Signature)

QC-Checked By: \_\_\_\_\_

(Signature)

# SAMPLE LOG SHEET

PROJECT NAME: JRC

PROJECT NO:

SAMPLE ID NUMBER: SS-DU 002

DATE COLLECTED (MM/DD/YY): 4-7-10

TIME: 1145

Alpha location

SAMPLING LOCATION CODE: \_\_\_\_\_

DESCRIPTION: Surface Soil

SAMPLING POINT CODE: \_\_\_\_\_

DESCRIPTION: \_\_\_\_\_

NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

ELEVATION: \_\_\_\_\_

SAMPLE DEPTH CODE: \_\_\_\_\_ TO \_\_\_\_\_

BLS

SAMPLE MEDIA CODE: \_\_\_\_\_ DESCRIPTION: \_\_\_\_\_

WEATHER: Cloudy 70°F

ACTIVITIES IN AREA: \_\_\_\_\_

FIELD OBSERVATIONS: Silty clay w/ fine sand, moist. Collected E of sign for intersection of Morgan & E Road

background: 44 cpm

| FIELD MEASUREMENTS | READING   | UNITS         | SERIAL NO. | LAST CALIB. |
|--------------------|-----------|---------------|------------|-------------|
| RADIOACTIVITY:     | <u>48</u> | <u>cpm</u>    |            |             |
| TEMPERATURE:       |           |               |            |             |
| pH:                |           |               |            |             |
| CONDUCTIVITY:      |           |               |            |             |
| REDOX:             |           |               |            |             |
| DO:                |           |               |            |             |
| ORGANIC VAPORS:    |           |               |            |             |
| TURBIDITY:         |           |               |            |             |
| OTHER <u>etc</u> : | <u>7</u>  | <u>ml/min</u> |            |             |

SAMPLE TYPE: ☒ GRAB ☐ SPATIAL COMPOSITE ☐ TIME COMPOSITE  
☐ QC TRIP BLANK ☐ QC RINSATE ☐ QC FIELD BLANK  
☐ OTHER (SPECIFY) \_\_\_\_\_

SAMPLE COLLECTED: ☒ YES ☐ NO SAP SAMPLING PROCEDURE WAS FOLLOWED: ☒ YES ☐ NO  
 IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By: Matt [Signature]  
 (Signature)

QC Checked By: \_\_\_\_\_  
 (Signature)



# SAMPLE LOG SHEET

PROJECT NAME:

JPG

PROJECT NO:

SAMPLE ID NUMBER:

SS 00 003

DATE COLLECTED (MM/DD/YY):

4-7-00

TIME:

0935

SAMPLING LOCATION CODE:

DESCRIPTION:

Surface Soil

SAMPLING POINT CODE:

DESCRIPTION:

NORTHING:

EASTING:

ELEVATION:

SAMPLE DEPTH CODE:

TO

BLS

SAMPLE MEDIA CODE:

DESCRIPTION:

WEATHER:

Sunny 65°F

ACTIVITIES IN AREA:

FIELD OBSERVATIONS:

Organic silt/clay and mud, some root material  
West of Eastern limit of D area on old E. Road

background 30 cpm

| FIELD MEASUREMENTS      | READING | UNITS | SERIAL NO. | LAST CALIB. |
|-------------------------|---------|-------|------------|-------------|
| RADIOACTIVITY:          | 51      | cpm   |            |             |
| TEMPERATURE:            |         |       |            |             |
| pH:                     |         |       |            |             |
| CONDUCTIVITY:           |         |       |            |             |
| REDOX:                  |         |       |            |             |
| DO:                     |         |       |            |             |
| ORGANIC VAPORS:         |         |       |            |             |
| TURBIDITY:              |         |       |            |             |
| OTHER <del>base</del> : | 7       | μR/hr |            |             |

SAMPLE TYPE:

☒

GRAB

☐

SPATIAL COMPOSITE

☐

TIME COMPOSITE

☐

QC TRIP BLANK

☐

QC RINSATE

☐

QC FIELD BLANK

☐

OTHER (SPECIFY)

SAMPLE COLLECTED:

☒

YES

☐

NO

SAP SAMPLING PROCEDURE WAS FOLLOWED:

☒

YES

☐

NO

IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By:

Matt P. Fog  
(Signature)

QC Checked By:

(Signature)

# SAMPLE LOG SHEET

PROJECT NAME: JPG

PROJECT NO: \_\_\_\_\_

SAMPLE ID NUMBER: SS-DU-004

DATE COLLECTED (MM/DD/YY): 4/8/10

TIME: 1355

SAMPLING LOCATION CODE: \_\_\_\_\_

DESCRIPTION: Surface soil

SAMPLING POINT CODE: \_\_\_\_\_

DESCRIPTION: \_\_\_\_\_

NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

ELEVATION: \_\_\_\_\_

SAMPLE DEPTH CODE: \_\_\_\_\_ TO \_\_\_\_\_

BLS

SAMPLE MEDIA CODE: \_\_\_\_\_

DESCRIPTION: \_\_\_\_\_

WEATHER: Cloudy breezy 70°F

ACTIVITIES IN AREA: \_\_\_\_\_

FIELD OBSERVATIONS: Collected silty organic soil, west N of southern DU land E of Wagon W

background: 39 cpm

| FIELD MEASUREMENTS  | READING   | UNITS        | SERIAL NO. | LAST CALIB. |
|---------------------|-----------|--------------|------------|-------------|
| RADIOACTIVITY:      | <u>52</u> | <u>cpm</u>   |            |             |
| TEMPERATURE:        |           |              |            |             |
| pH:                 |           |              |            |             |
| CONDUCTIVITY:       |           |              |            |             |
| REDOX:              |           |              |            |             |
| DO:                 |           |              |            |             |
| ORGANIC VAPORS:     |           |              |            |             |
| TURBIDITY:          |           |              |            |             |
| OTHER <u>dose</u> : | <u>10</u> | <u>uR/hr</u> |            |             |

SAMPLE TYPE:

☒

GRAB

☐

SPATIAL COMPOSITE

☐

TIME COMPOSITE

☐

QC TRIP BLANK

☐

QC RINSATE

☐

QC FIELD BLANK

☐

OTHER (SPECIFY): \_\_\_\_\_

SAMPLE COLLECTED: ☒ YES

☐ NO

SAP SAMPLING PROCEDURE WAS FOLLOWED: ☒ YES

☐ NO

IF SAP WAS NOT FOLLOWED, SPECIFY WHAT DEVIATIONS WERE NECESSARY AND WHY:

Recorded By: Mary [Signature]

(Signature)

QC Checked By: \_\_\_\_\_

(Signature)

**APPENDIX C**  
**DATA VALIDATION SUMMARY**



**THIS PAGE WAS INTENTIONALLY LEFT BLANK**

## C. DATA VALIDATION SUMMARY

### C.1 TESTAMERICA SDG F0D090538

This report contains the results from the data validation technical review for the Jefferson Proving Ground (JPG) Environmental Radiation Monitoring (ERM) April 2010 samples and analyses that are associated with the above-referenced laboratory and sample delivery group (SDG) number. These data points have been selected for data validation, and the sample data summary sheets on the following pages specifically identify the samples and analyses associated with this validation review.

The JPG validation technical review was conducted in accordance with the U.S. Environmental Protection Agency (USEPA) *Contract Laboratory Program (CLP) National Functional Guidelines for Inorganic Data Review* (July 2002) and Science Applications International Corporation (SAIC) *Quality Assurance Technical Procedure (QATP) No. TP-DM-300-7, Data Validation* (Revision 0, 2/2004). The validation technical review was based on the information and documentation supplied by the associated laboratory. The analyses were evaluated against criteria established in the related analytical procedures and the JPG data quality requirements.

The attachment to this report provides the sample data summary sheets for the samples associated with the above-referenced SDG. These summary sheets identify the analytical values and the qualifiers for each sample and parameter. The attachment also outlines the validation qualifiers and reason codes used in the validation of the data.

| Report Summary                                     |      |
|--|------|
| Total Number of Samples                            | 35   |
| Total Number of Data Points                        | 140  |
| Total Number of Rejected Data Points               | 0    |
| Percent Completeness (approval to rejection ratio) | 100% |

#### C.1.1 Analytical Category: Radiochemical

- Uranium-234 (U-234), Uranium-235 (U-235), and Uranium-238 (U-238) were determined by alpha spectrometry (U.S. Department of Energy [DOE] HASL-300 Methods Compendium A-01-R). Total uranium was calculated using a published specific activity value for U-238 and assuming all the mass originates from U-238
- All samples were analyzed with SDG F0D090538.
- 1. The following items (as applicable) have been addressed during the validation review:
  - Sample custody, integrity, and preservation
  - Sample handling and preparation
  - Holding times
  - Instrument calibration and performance
  - Dilution factors
  - Detection limits
  - Laboratory background and carry-over
  - Overall assessment of the data
  - Quality control (QC)
    - Calibration checks and background
    - Preparation blanks
    - Laboratory control samples
    - Field blanks (if available)
    - Field duplicates (if available)
    - Chemical yield (tracer recovery)
    - Laboratory duplicates

2. The above items were found to be acceptable, except as follows:

- ***Overall Assessment of Data***—U-234, U-235, and U-238 sample data with results greater than the minimum detectable concentration (MDC) were qualified as estimated, *J*, reason code 37 in instances where the associated error was greater than 50 percent of the sample result.

The attached sample data summary for soil and water samples provides the qualifiers and the appropriate validation code for all samples.



# SAMPLE INDEX

Laboratory:

Test America Laboratories, Inc.

SDG #:

F0D090538

| Client Sample I.D. | Laboratory Sample I.D. | Date Collected | Analyses Performed         |
|--------------------|------------------------|----------------|----------------------------|
| MW-DU-001 SAIC13E  | F0D090538-009          | 04/06/10       | Total and Isotopic Uranium |
| MW-DU-002 SAIC13E  | F0D090538-032          | 04/08/10       | Total and Isotopic Uranium |
| MW-DU-003 SAIC13E  | F0D090538-003          | 04/06/10       | Total and Isotopic Uranium |
| MW-DU-004 SAIC13E  | F0D090538-001          | 04/06/10       | Total and Isotopic Uranium |
| MW-DU-005 SAIC13E  | F0D090538-015          | 04/06/10       | Total and Isotopic Uranium |
| MW-DU-006 SAIC13E  | F0D090538-016          | 04/06/10       | Total and Isotopic Uranium |
| MW-DU-007 SAIC13E  | F0D090538-027          | 04/07/10       | Total and Isotopic Uranium |
| MW-DU-007 SAIC13DE | F0D090538-028          | 04/07/10       | Total and Isotopic Uranium |
| MW-DU-008 SAIC13E  | F0D090538-002          | 04/06/10       | Total and Isotopic Uranium |
| MW-DU-009 SAIC13E  | F0D090538-034          | 04/08/10       | Total and Isotopic Uranium |
| MW-DU-010 SAIC13E  | F0D090538-014          | 04/06/10       | Total and Isotopic Uranium |
| MW-DU-011 SAIC13E  | F0D090538-033          | 04/08/10       | Total and Isotopic Uranium |
| SW-DU-001 SAIC13E  | F0D090538-026          | 04/07/10       | Total and Isotopic Uranium |
| SW-DU-002 SAIC13E  | F0D090538-024          | 04/07/10       | Total and Isotopic Uranium |
| SW-DU-003 SAIC12E  | F0D090538-012          | 04/06/10       | Total and Isotopic Uranium |
| SW-DU-004 SAIC13E  | F0D090538-010          | 04/06/10       | Total and Isotopic Uranium |
| SW-DU-005 SAIC13E  | F0D090538-018          | 04/07/10       | Total and Isotopic Uranium |
| SW-DU-006 SAIC13E  | F0D090538-004          | 04/06/10       | Total and Isotopic Uranium |
| SW-DU-006 SAIC13DE | F0D090538-005          | 04/06/10       | Total and Isotopic Uranium |
| SW-DU-007 SAIC13E  | F0D090538-029          | 04/07/10       | Total and Isotopic Uranium |
| SW-DU-008 SAIC13E  | F0D090538-020          | 04/07/10       | Total and Isotopic Uranium |
| SS-DU-001 SAIC13E  | F0D090538-008          | 04/06/10       | Total and Isotopic Uranium |
| SS-DU-002 SAIC13E  | F0D090538-022          | 04/07/10       | Total and Isotopic Uranium |
| SS-DU-002 SAIC13DE | F0D090538-023          | 04/07/10       | Total and Isotopic Uranium |
| SS-DU-003 SAIC13E  | F0D090538-017          | 04/07/10       | Total and Isotopic Uranium |
| SS-DU-004 SAIC13E  | F0D090538-031          | 04/07/10       | Total and Isotopic Uranium |
| SD-DU-001 SAIC13E  | F0D090538-035          | 04/07/10       | Total and Isotopic Uranium |
| SD-DU-002 SAIC13E  | F0D090538-025          | 04/07/10       | Total and Isotopic Uranium |
| SD-DU-003 SAIC13E  | F0D090538-013          | 04/06/10       | Total and Isotopic Uranium |
| SD-DU-004 SAIC13E  | F0D090538-011          | 04/06/10       | Total and Isotopic Uranium |
| SD-DU-005 SAIC13E  | F0D090538-019          | 04/07/10       | Total and Isotopic Uranium |
| SD-DU-006 SAIC13DE | F0D090538-007          | 04/06/10       | Total and Isotopic Uranium |
| SD-DU-006 SAIC13E  | F0D090538-006          | 04/06/10       | Total and Isotopic Uranium |
| SD-DU-007 SAIC13E  | F0D090538-030          | 04/07/10       | Total and Isotopic Uranium |
| SD-DU-008 SAIC13E  | F0D090538-021          | 04/07/10       | Total and Isotopic Uranium |

**THIS PAGE WAS INTENTIONALLY LEFT BLANK**

**ATTACHMENT**  
**JEFFERSON PROVING GROUND**  
**SAMPLE DATA SUMMARY SHEETS**



**THIS PAGE WAS INTENTIONALLY LEFT BLANK**

| SAMPLE DATA SUMMARY – WATER<br>Isotopic Uranium A-01-R MOD |         |        |         |       |       |           |             |
|--|---------|--------|---------|-------|-------|-----------|-------------|
| Sample I.D.  | Analyte | Result | Error   | MDC   | Units | Qualifier | Reason Code |
| MW-DU-001 SAIC13E  | U       | 0.49   | 0.22    | 0.17  | ug/l  | J         |             |
| MW-DU-001 SAIC13E  | U-234   | 0.158  | 0.075   | 0.063 | pci/L |           |             |
| MW-DU-001 SAIC13E  | U-235   | 0.026  | 0.033   | 0.043 | pci/L | U         |             |
| MW-DU-001 SAIC13E  | U-238   | 0.162  | 0.075   | 0.058 | pci/L |           |             |
|  |         |        |         |       |       |           |             |
| MW-DU-002 SAIC13E  | U       | 1.71   | 0.44    | 0.15  | ug/l  | J         |             |
| MW-DU-002 SAIC13E  | U-234   | 1.2    | 0.22    | 0.05  | pci/L |           |             |
| MW-DU-002 SAIC13E  | U-235   | 0.01   | 0.031   | 0.066 | pci/L | U         |             |
| MW-DU-002 SAIC13E  | U-238   | 0.57   | 0.15    | 0.05  | pci/L |           |             |
|  |         |        |         |       |       |           |             |
| MW-DU-003 SAIC13E  | U       | 1.22   | 0.359   | 0.07  | ug/l  | J         |             |
| MW-DU-003 SAIC13E  | U-234   | 0.7    | 0.16    | 0.05  | pci/L |           |             |
| MW-DU-003 SAIC13E  | U-235   | 0.008  | 0.021   | 0.046 | pci/L | U         |             |
| MW-DU-003 SAIC13E  | U-238   | 0.41   | 0.12    | 0.02  | pci/L |           |             |
|  |         |        |         |       |       |           |             |
| MW-DU-004 SAIC13E  | U       | 0.7    | 0.25    | 0.06  | ug/l  | J         |             |
| MW-DU-004 SAIC13E  | U-234   | 0.302  | 0.098   | 0.039 | pci/L |           |             |
| MW-DU-004 SAIC13E  | U-235   | 0.016  | 0.026   | 0.041 | pci/L | U         |             |
| MW-DU-004 SAIC13E  | U-238   | 0.233  | 0.085   | 0.02  | pci/L |           |             |
|  |         |        |         |       |       |           |             |
| MW-DU-005 SAIC13E  | U       | 0.26   | 0.16    | 0.16  | ug/l  | J         |             |
| MW-DU-005 SAIC13E  | U-234   | 0.136  | 0.069   | 0.057 | pci/L | J         | 37          |
| MW-DU-005 SAIC13E  | U-235   | 0      | 0.00929 | 0.025 | pci/L | U         |             |
| MW-DU-005 SAIC13E  | U-238   | 0.086  | 0.055   | 0.054 | pci/L | J         | 37          |
|  |         |        |         |       |       |           |             |
| MW-DU-006 SAIC13E  | U       | 3.98   | 0.689   | 0.07  | ug/l  |           |             |
| MW-DU-006 SAIC13E  | U-234   | 1.84   | 0.289   | 0.05  | pci/L |           |             |
| MW-DU-006 SAIC13E  | U-235   | 0.104  | 0.065   | 0.044 | pci/L | J         | 37          |
| MW-DU-006 SAIC13E  | U-238   | 1.32   | 0.23    | 0.02  | pci/L |           |             |
|  |         |        |         |       |       |           |             |
| MW-DU-007 SAIC13DE   | U       | 1.99   | 0.45    | 0.13  | ug/l  | J         |             |
| MW-DU-007 SAIC13DE   | U-234   | 1.25   | 0.22    | 0.05  | pci/L |           |             |
| MW-DU-007 SAIC13DE   | U-235   | 0.054  | 0.049   | 0.058 | pci/L | U         |             |
| MW-DU-007 SAIC13DE   | U-238   | 0.66   | 0.15    | 0.04  | pci/L |           |             |
|  |         |        |         |       |       |           |             |
| MW-DU-007 SAIC13E  | U       | 2.28   | 0.49    | 0.14  | ug/l  | J         |             |
| MW-DU-007 SAIC13E  | U-234   | 1.28   | 0.22    | 0.05  | pci/L |           |             |
| MW-DU-007 SAIC13E  | U-235   | 0.038  | 0.0379  | 0.025 | pci/L | J         | 37          |
| MW-DU-007 SAIC13E  | U-238   | 0.76   | 0.17    | 0.05  | pci/L |           |             |
|  |         |        |         |       |       |           |             |
| MW-DU-008 SAIC13E  | U       | 0.65   | 0.25    | 0.12  | ug/l  | J         |             |
| MW-DU-008 SAIC13E  | U-234   | 0.165  | 0.074   | 0.021 | pci/L |           |             |
| MW-DU-008 SAIC13E  | U-235   | 0.02   | 0.028   | 0.027 | pci/L | U         |             |
| MW-DU-008 SAIC13E  | U-238   | 0.216  | 0.085   | 0.042 | pci/L |           |             |
|  |         |        |         |       |       |           |             |

| SAMPLE DATA SUMMARY – WATER<br>Isotopic Uranium A-01-R MOD |         |         |         |       |       |           |             |
|--|---------|---------|---------|-------|-------|-----------|-------------|
| Sample I.D.  | Analyte | Result  | Error   | MDC   | Units | Qualifier | Reason Code |
| MW-DU-009 SAIC13E  | U       | 0.53    | 0.25    | 0.08  | ug/l  | J         |             |
| MW-DU-009 SAIC13E  | U-234   | 0.97    | 0.21    | 0.06  | pci/L |           |             |
| MW-DU-009 SAIC13E  | U-235   | -0.0058 | 0.0083  | 0.062 | pci/L | U         |             |
| MW-DU-009 SAIC13E  | U-238   | 0.177   | 0.083   | 0.025 | pci/L |           |             |
|  |         |         |         |       |       |           |             |
| MW-DU-010 SAIC13E  | U       | 2.23    | 0.5     | 0.16  | ug/l  | J         |             |
| MW-DU-010 SAIC13E  | U-234   | 1.72    | 0.28    | 0.06  | pci/L |           |             |
| MW-DU-010 SAIC13E  | U-235   | 0.051   | 0.0459  | 0.028 | pci/L | J         | 37          |
| MW-DU-010 SAIC13E  | U-238   | 0.74    | 0.17    | 0.05  | pci/L |           |             |
|  |         |         |         |       |       |           |             |
| MW-DU-011 SAIC13E  | U       | 0.14    | 0.13    | 0.15  | ug/l  | U         |             |
| MW-DU-011 SAIC13E  | U-234   | 0.136   | 0.0709  | 0.063 | pci/L | J         | 37          |
| MW-DU-011 SAIC13E  | U-235   | 0.002   | 0.0219  | 0.058 | pci/L | U         |             |
| MW-DU-011 SAIC13E  | U-238   | 0.048   | 0.0429  | 0.051 | pci/L | U         |             |
|  |         |         |         |       |       |           |             |
| SW-DU-001 SAIC13E  | U       | 0.39    | 0.2     | 0.11  | ug/l  | J         |             |
| SW-DU-001 SAIC13E  | U-234   | 0.07    | 0.0479  | 0.036 | pci/L | J         | 37          |
| SW-DU-001 SAIC13E  | U-235   | -0.0025 | 0.005   | 0.045 | pci/L | U         |             |
| SW-DU-001 SAIC13E  | U-238   | 0.133   | 0.066   | 0.036 | pci/L |           |             |
|  |         |         |         |       |       |           |             |
| SW-DU-002 SAIC13E  | U       | -0.038  | 0.068   | 0.22  | ug/l  | U         |             |
| SW-DU-002 SAIC13E  | U-234   | 0.036   | 0.042   | 0.058 | pci/L | U         |             |
| SW-DU-002 SAIC13E  | U-235   | -0.0085 | 0.0098  | 0.067 | pci/L | U         |             |
| SW-DU-002 SAIC13E  | U-238   | -0.011  | 0.023   | 0.075 | pci/L | U         |             |
|  |         |         |         |       |       |           |             |
| SW-DU-003 SAIC13E  | U       | 0.82    | 0.289   | 0.07  | ug/l  | J         |             |
| SW-DU-003 SAIC13E  | U-234   | 0.164   | 0.074   | 0.036 | pci/L |           |             |
| SW-DU-003 SAIC13E  | U-235   | -0.0025 | 0.0049  | 0.045 | pci/L | U         |             |
| SW-DU-003 SAIC13E  | U-238   | 0.276   | 0.0959  | 0.021 | pci/L |           |             |
|  |         |         |         |       |       |           |             |
| SW-DU-004 SAIC13E  | U       | 0.37    | 0.189   | 0.06  | ug/l  | J         |             |
| SW-DU-004 SAIC13E  | U-234   | 0.148   | 0.0709  | 0.05  | pci/L |           |             |
| SW-DU-004 SAIC13E  | U-235   | 0       | 0.00969 | 0.026 | pci/L | U         |             |
| SW-DU-004 SAIC13E  | U-238   | 0.125   | 0.0629  | 0.021 | pci/L | J         | 37          |
|  |         |         |         |       |       |           |             |
| SW-DU-005 SAIC13E  | U       | 0.75    | 0.28    | 0.11  | ug/l  | J         |             |
| SW-DU-005 SAIC13E  | U-234   | 0.166   | 0.0759  | 0.043 | pci/L |           |             |
| SW-DU-005 SAIC13E  | U-235   | 0.02    | 0.029   | 0.027 | pci/L | U         |             |
| SW-DU-005 SAIC13E  | U-238   | 0.249   | 0.0929  | 0.037 | pci/L |           |             |
|  |         |         |         |       |       |           |             |
| SW-DU-006 SAIC13DE   | U       | 0.096   | 0.0939  | 0.073 | ug/l  | J         |             |
| SW-DU-006 SAIC13DE   | U-234   | 0.46    | 0.14    | 0.06  | pci/L |           |             |
| SW-DU-006 SAIC13DE   | U-235   | 0.034   | 0.039   | 0.03  | pci/L | J         | 37          |
| SW-DU-006 SAIC13DE   | U-238   | 0.027   | 0.031   | 0.024 | pci/L | J         | 37          |
|  |         |         |         |       |       |           |             |

| SAMPLE DATA SUMMARY – WATER<br>Isotopic Uranium A-01-R MOD |         |        |        |       |       |           |             |
|--|---------|--------|--------|-------|-------|-----------|-------------|
| Sample I.D.  | Analyte | Result | Error  | MDC   | Units | Qualifier | Reason Code |
| SW-DU-006 SAIC13E  | U       | 0.09   | 0.13   | 0.21  | ug/l  | U         |             |
| SW-DU-006 SAIC13E  | U-234   | 0.03   | 0.0429 | 0.07  | pci/L | U         |             |
| SW-DU-006 SAIC13E  | U-235   | 0      | 0.0109 | 0.031 | pci/L | U         |             |
| SW-DU-006 SAIC13E  | U-238   | 0.03   | 0.0429 | 0.069 | pci/L | U         |             |
|  |         |        |        |       |       |           |             |
| SW-DU-007 SAIC13E  | U       | 0.15   | 0.12   | 0.15  | ug/l  | U         |             |
| SW-DU-007 SAIC13E  | U-234   | 0.046  | 0.042  | 0.049 | pci/L | U         |             |
| SW-DU-007 SAIC13E  | U-235   | 0.019  | 0.027  | 0.026 | pci/L | U         |             |
| SW-DU-007 SAIC13E  | U-238   | 0.046  | 0.041  | 0.049 | pci/L | U         |             |
|  |         |        |        |       |       |           |             |
| SW-DU-008 SAIC13E  | U       | 0.92   | 0.33   | 0.13  | ug/l  | J         |             |
| SW-DU-008 SAIC13E  | U-234   | 0.188  | 0.0889 | 0.07  | pci/L |           |             |
| SW-DU-008 SAIC13E  | U-235   | 0.035  | 0.04   | 0.031 | pci/L | J         | 37          |
| SW-DU-008 SAIC13E  | U-238   | 0.3    | 0.11   | 0.04  | pci/L |           |             |

| SAMPLE DATA SUMMARY – SOILS<br>Isotopic Uranium A-01-R MOD |         |        |        |       |       |           |             |
|--|---------|--------|--------|-------|-------|-----------|-------------|
| Sample I.D.  | Analyte | Result | Error  | MDC   | Units | Qualifier | Reason Code |
| SD-DU-001 SAIC13E  | U       | 1.8    | 0.32   | 0.05  | mg/kg |           |             |
| SD-DU-001 SAIC13E  | U-234   | 0.58   | 0.11   | 0.02  | pci/g |           |             |
| SD-DU-001 SAIC13E  | U-235   | 0.024  | 0.021  | 0.013 | pci/g | J         | 37          |
| SD-DU-001 SAIC13E  | U-238   | 0.6    | 0.11   | 0.02  | pci/g |           |             |
|  |         |        |        |       |       |           |             |
| SD-DU-002 SAIC13E  | U       | 1.69   | 0.33   | 0.04  | mg/kg |           |             |
| SD-DU-002 SAIC13E  | U-234   | 0.6    | 0.11   | 0.03  | pci/g |           |             |
| SD-DU-002 SAIC13E  | U-235   | 0.013  | 0.0189 | 0.029 | pci/g | U         |             |
| SD-DU-002 SAIC13E  | U-238   | 0.56   | 0.11   | 0.01  | pci/g |           |             |
|  |         |        |        |       |       |           |             |
| SD-DU-003 SAIC13E  | U       | 2.4    | 0.39   | 0.06  | mg/kg |           |             |
| SD-DU-003 SAIC13E  | U-234   | 0.85   | 0.14   | 0.03  | pci/g |           |             |
| SD-DU-003 SAIC13E  | U-235   | 0.076  | 0.04   | 0.014 | pci/g | J         | 37          |
| SD-DU-003 SAIC13E  | U-238   | 0.8    | 0.13   | 0.02  | pci/g |           |             |
|  |         |        |        |       |       |           |             |
| SD-DU-004 SAIC13E  | U       | 0.48   | 0.15   | 0.05  | mg/kg |           |             |
| SD-DU-004 SAIC13E  | U-234   | 0.112  | 0.041  | 0.019 | pci/g |           |             |
| SD-DU-004 SAIC13E  | U-235   | 0.013  | 0.015  | 0.012 | pci/g | J         | 37          |
| SD-DU-004 SAIC13E  | U-238   | 0.159  | 0.049  | 0.016 | pci/g |           |             |
|  |         |        |        |       |       |           |             |
| SD-DU-005 SAIC13E  | U       | 0.88   | 0.21   | 0.05  | mg/kg |           |             |
| SD-DU-005 SAIC13E  | U-234   | 0.13   | 0.0459 | 0.018 | pci/g |           |             |
| SD-DU-005 SAIC13E  | U-235   | 0.013  | 0.017  | 0.022 | pci/g | U         |             |
| SD-DU-005 SAIC13E  | U-238   | 0.292  | 0.0719 | 0.018 | pci/g |           |             |



| SAMPLE DATA SUMMARY – SOILS<br>Isotopic Uranium A-01-R MOD |         |        |        |       |       |           |             |
|--|---------|--------|--------|-------|-------|-----------|-------------|
| Sample I.D.  | Analyte | Result | Error  | MDC   | Units | Qualifier | Reason Code |
| SD-DU-006 SAIC13DE   | U       | 0.86   | 0.22   | 0.09  | mg/kg |           |             |
| SD-DU-006 SAIC13DE   | U-234   | 0.288  | 0.0729 | 0.031 | pci/g |           |             |
| SD-DU-006 SAIC13DE   | U-235   | 0.01   | 0.014  | 0.014 | pci/g | U         |             |
| SD-DU-006 SAIC13DE   | U-238   | 0.289  | 0.0729 | 0.029 | pci/g |           |             |
| SD-DU-006 SAIC13E  | U       | 0.91   | 0.22   | 0.1   | mg/kg |           |             |
| SD-DU-006 SAIC13E  | U-234   | 0.335  | 0.079  | 0.025 | pci/g |           |             |
| SD-DU-006 SAIC13E  | U-235   | 0.006  | 0.015  | 0.029 | pci/g | U         |             |
| SD-DU-006 SAIC13E  | U-238   | 0.305  | 0.075  | 0.033 | pci/g |           |             |
| SD-DU-007 SAIC13E  | U       | 0.58   | 0.17   | 0.07  | mg/kg |           |             |
| SD-DU-007 SAIC13E  | U-234   | 0.213  | 0.0609 | 0.021 | pci/g |           |             |
| SD-DU-007 SAIC13E  | U-235   | 0      | 0.0049 | 0.013 | pci/g | U         |             |
| SD-DU-007 SAIC13E  | U-238   | 0.195  | 0.0589 | 0.023 | pci/g |           |             |
| SD-DU-008 SAIC13E  | U       | 1.43   | 0.289  | 0.08  | mg/kg |           |             |
| SD-DU-008 SAIC13E  | U-234   | 0.269  | 0.0719 | 0.027 | pci/g |           |             |
| SD-DU-008 SAIC13E  | U-235   | 0.01   | 0.015  | 0.014 | pci/g | U         |             |
| SD-DU-008 SAIC13E  | U-238   | 0.478  | 0.099  | 0.027 | pci/g |           |             |
| SS-DU-001 SAIC13E  | U       | 2.62   | 0.429  | 0.04  | mg/kg |           |             |
| SS-DU-001 SAIC13E  | U-234   | 0.83   | 0.14   | 0.03  | pci/g |           |             |
| SS-DU-001 SAIC13E  | U-235   | 0.053  | 0.035  | 0.025 | pci/g | J         | 37          |
| SS-DU-001 SAIC13E  | U-238   | 0.87   | 0.14   | 0.01  | pci/g |           |             |
| SS-DU-002 SAIC13DE   | U       | 2.81   | 0.44   | 0.08  | mg/kg |           |             |
| SS-DU-002 SAIC13DE   | U-234   | 0.79   | 0.13   | 0.03  | pci/g |           |             |
| SS-DU-002 SAIC13DE   | U-235   | 0.033  | 0.028  | 0.031 | pci/g | J         | 37          |
| SS-DU-002 SAIC13DE   | U-238   | 0.94   | 0.15   | 0.03  | pci/g |           |             |
| SS-DU-002 SAIC13E  | U       | 2.48   | 0.39   | 0.07  | mg/kg |           |             |
| SS-DU-002 SAIC13E  | U-234   | 0.76   | 0.13   | 0.02  | pci/g |           |             |
| SS-DU-002 SAIC13E  | U-235   | 0.038  | 0.029  | 0.03  | pci/g | J         | 37          |
| SS-DU-002 SAIC13E  | U-238   | 0.83   | 0.13   | 0.02  | pci/g |           |             |
| SS-DU-003 SAIC13E  | U       | 2.02   | 0.359  | 0.04  | mg/kg |           |             |
| SS-DU-003 SAIC13E  | U-234   | 0.7    | 0.12   | 0.02  | pci/g |           |             |
| SS-DU-003 SAIC13E  | U-235   | 0.035  | 0.028  | 0.024 | pci/g | J         | 37          |
| SS-DU-003 SAIC13E  | U-238   | 0.67   | 0.12   | 0.01  | pci/g |           |             |
| SS-DU-004 SAIC13E  | U       | 1.71   | 0.32   | 0.03  | mg/kg |           |             |
| SS-DU-004 SAIC13E  | U-234   | 0.53   | 0.1    | 0.02  | pci/g |           |             |
| SS-DU-004 SAIC13E  | U-235   | 0.029  | 0.0239 | 0.013 | pci/g | J         | 37          |
| SS-DU-004 SAIC13E  | U-238   | 0.57   | 0.11   | 0.01  | pci/g |           |             |

### KEY TO THE DATA VALIDATION QUALIFIERS

| QUALIFIERS |   |
|------------|---|
| U          | Indicates that the data met all quality assurance/quality control (QA/QC) requirements, and that the radionuclide was analyzed for but was not detected above the reported sample quantitation limit.   |
| J          | Indicates that the radionuclide was positively identified; the associated numerical value is the approximate concentration of the radionuclide in the sample.   |
| UJ         | Indicates that the radionuclide was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample. |
| N          | The analysis indicates the presence of a radionuclide for which there is presumptive evidence to make a "tentative identification."   |
| R          | Indicates that the sample results for the radionuclide are rejected or unusable due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the radionuclide cannot be verified.   |

### Data Validation Reason Code

37 Associated error was greater than 50 percent of the sample result.

**THIS PAGE WAS INTENTIONALLY LEFT BLANK**