

DOE/Navajo/Hopi Quarterly Meeting Tuba City Site

Tuba City, Arizona
September 13, 2010




U.S. DEPARTMENT OF
ENERGY

Legacy
Management

Remedial Action Performance Status


- 346 million gallons extracted
- 307 million gallons infiltrated



Data as of August 26, 2010

Remedial Action Performance Status

- Mass extracted
 - 727 pounds of uranium
 - 1,145,000 pounds of nitrate
 - 2,891,000 pounds of sulfate



Data as of July 15, 2010

2010 Activities

- Started up solar photovoltaic (PV) system
- Continuing extraction/treatment/injection
- Operating reverse osmosis pilot plant
- Issued annual performance assessment report
- Conducted annual maintenance shutdown
 - Inspected equipment and performed routine maintenance
 - Replaced drain line to evaporation pond
 - Replaced heater elements in boiler
 - Replaced water softener resin



Operations and Maintenance Overview

- Site manager: Jason Kaufman
- Three operators: Joe Slim, Herman Nez, Deborah Martinez
- Extraction system
 - Operates 24 hours a day, 7 days a week
 - Currently producing about 90 gallons per minute
- Treatment system
 - Operates 24 hours a day, 7 days a week
 - Staffed 8 hours a day, 7 days a week
 - Capable of treating at least 110 gallons per minute
- Operational issues
 - Solar photovoltaic system was completed in March 2010
 - Solar hot-water heating system continues to operate as designed
 - Reverse osmosis pilot plant is treating about 0.3 gallons per minute



Tuba City Solar PV System

- 51 kW system
- Produced about 9 percent of site's needs since startup
- Connected to utility grid
- Provided power to grid when plant was down

