CHAPTER 4—REACTOR
TABLE OF CONTENTS

4.0 REACTOR 4.1-1

4.1 Summary Description 4.1-1

4.1.1 Principal Design Requirements 4.1-4

4.1.2 References 4.1-5

4.2 Fuel System Design 4.2-1

4.2.1 Design Bases 4.2-2

4.2.1.1 Cladding 4.2-2

4.2.1.2 Fuel Material 4.2-4

4.2.1.3 Fuel Rod Performance 4.2-4

4.2.1.4 HMP End Grids and HTP Intermediate Grids 4.2-5

4.2.1.5 Fuel Assembly Structural and Thermal-Hydraulic Design 4.2-6

4.2.1.6 Rod Cluster Control and Neutron Source Assemblies 4.2-11

4.2.1.7 Surveillance Programs 4.2-14

4.2.2 Description and Design Drawings 4.2-14

4.2.2.1 Fuel Assembly Description 4.2-14

4.2.2.2 Spacer Grids Description 4.2-15

4.2.2.3 Quick Disconnect Mechanism Description 4.2-16

4.2.2.4 Top Nozzle Assembly Description 4.2-16

4.2.2.5 Hold-down Springs Description 4.2-17

4.2.2.6 Bottom Nozzle Description 4.2-17

4.2.2.7 MONOBLOC™ Guide Tubes Description 4.2-17

4.2.2.8 Fuel Rods Description 4.2-18

4.2.2.9 Rod Cluster Control Assemblies Description 4.2-19

4.2.2.10 Stationary Control Component Assemblies Description 4.2-20

4.2.3 Design Evaluation 4.2-21

4.2.3.1 Cladding 4.2-22

4.2.3.2 Fuel 4.2-27

4.2.3.3 Fuel Rod Performance 4.2-28
4.2.3.4 Spacer Grids Evaluation 4.2-30
4.2.3.5 Fuel Assembly Design Evaluation 4.2-31
4.2.3.6 Reactivity Control, Neutron Source, and Thimble Plug Assemblies 4.2-41
4.2.4 Testing and Inspection Plan 4.2-44
4.2.4.1 Operating Experience 4.2-44
4.2.4.2 Fuel Assembly Prototype Testing 4.2-47
4.2.4.3 Fuel Assembly Component Testing 4.2-49
4.2.4.4 Testing and Inspection of New Fuel 4.2-51
4.2.4.5 On-Line Fuel System Monitoring 4.2-52
4.2.4.6 Postirradiation Surveillance 4.2-52
4.2.5 References 4.2-53
4.3 Nuclear Design 4.3-1
4.3.1 Design Bases 4.3-1
4.3.1.1 Fuel Burnup 4.3-2
4.3.1.2 Negative Reactivity Feedbacks (Reactivity Coefficient) 4.3-3
4.3.1.3 Core Design Lifetime 4.3-3
4.3.1.4 Fuel Replacement Program 4.3-3
4.3.1.5 Reactivity Coefficients 4.3-4
4.3.1.6 Control of Power Distribution 4.3-4
4.3.1.7 Maximum Controlled Reactivity Insertion Rate 4.3-5
4.3.1.8 Shutdown Margins 4.3-5
4.3.1.9 Stability 4.3-6
4.3.2 Description 4.3-7
4.3.2.1 Nuclear Design Description 4.3-7
4.3.2.2 Power Distribution 4.3-10
4.3.2.3 Reactivity Coefficients 4.3-20
4.3.2.4 Control Requirements 4.3-23
4.3.2.5 Control Rod Patterns and Reactivity Worths 4.3-28
4.3.2.6 Criticality of Reactor During Refueling 4.3-29
4.3.2.7 Stability 4.3-29

4.3.2.8 Vessel Irradiation 4.3-31
4.3.3 Analytical Methods 4.3-32
4.3.3.1 Analytical Methodology Summary 4.3-32
4.3.3.2 Validation 4.3-34
4.3.4 Changes 4.3-36
4.3.5 References 4.3-37
4.4 Thermal-Hydraulic Design 4.4-1
4.4.1 Design Bases 4.4-1
4.4.1.1 Departure from Nucleate Boiling Design Basis 4.4-1
4.4.1.2 Fuel Temperature Design Basis 4.4-2
4.4.1.3 Core Flow Design Basis 4.4-2
4.4.1.4 Hydrodynamic Stability Design Basis 4.4-3
4.4.1.5 Additional Considerations 4.4-3
4.4.2 Description of Thermal-Hydraulic Design of the Reactor Core 4.4-3
4.4.2.1 Summary Comparison 4.4-3
4.4.2.2 Critical Heat Flux Ratios 4.4-3
4.4.2.3 Linear Heat Generation Rate 4.4-4
4.4.2.4 Void Fraction Distribution 4.4-4
4.4.2.5 Core Coolant Flow Distribution 4.4-4
4.4.2.6 Core Pressure Drops and Hydraulic Loads 4.4-4
4.4.2.7 Correlations and Physical Data 4.4-5
4.4.2.8 Thermal Effects of Operational Transients 4.4-7
4.4.2.9 Uncertainties in Estimates 4.4-8
4.4.2.10 Flux Tilt Considerations 4.4-9
4.4.3 Description of the Thermal and Hydraulic Design of the Reactor Coolant System 4.4-10
4.4.3.1 Plant Configuration Data 4.4-10
4.4.3.2 Operating Restrictions on Pumps 4.4-10
4.4.3.3 Power-Flow Operating Map (BWR) 4.4-10
4.4.3.4 Temperature-Power Operating Map (PWR) 4.4-10
4.4.3.5 Load-Following Characteristics 4.4-11

4.4.3.6 Thermal and Hydraulic Characteristics Summary Table 4.4-11
4.4.4 Evaluation 4.4-11
4.4.4.1 Critical Heat Flux 4.4-11
4.4.4.2 Core Hydraulics 4.4-13
4.4.4.3 Influence of Power Distributions 4.4-14
4.4.4.4 Core Thermal Response 4.4-15
4.4.4.5 Analytical Methods 4.4-15
4.4.5 Testing and Verification 4.4-18
4.4.5.1 Tests Prior to Initial Criticality 4.4-18
4.4.5.2 Initial Power and Plant Operation 4.4-18
4.4.5.3 Component and Fuel Inspections 4.4-19
4.4.6 Instrumentation Requirements 4.4-19
4.4.6.1 Fixed Incore Instrumentation 4.4-19
4.4.6.2 Aeroball Measurement System 4.4-20
4.4.6.3 Excore Neutron Instrumentation 4.4-21
4.4.6.4 Low DNBR I&C Functions 4.4-22
4.4.6.5 High Linear Power Density Functions 4.4-23
4.4.6.6 Loose Parts Monitoring System 4.4-24
4.4.7 References 4.4-24
4.5 REACTOR MATERIALS 4.5-1
4.5.1 Control Rod Drive System Structural Materials 4.5-1
4.5.1.1 Materials Specifications 4.5-1
4.5.1.2 Austenitic Stainless Steel Components 4.5-2
4.5.1.3 Other Materials 4.5-2
4.5.1.4 Cleaning and Cleanliness Control 4.5-3
4.5.2 Reactor Internals and Core Support Materials 4.5-3
4.5.2.1 Materials Specifications 4.5-4
4.5.2.2 Controls on Welding 4.5-4
4.5.2.3 Nondestructive Examination 4.5-4
4.5.2.4 Fabrication and Processing of Austenitic Stainless Steel Components 4.5-4
4.5.2.5 Other Materials 4.5-5
4.5.3 References 4.5-5

4.6 Functional Design of Reactivity Control Systems 4.6-1
4.6.1 Information for Control Rod Drive System 4.6-2
4.6.2 Evaluation of the Control Rod Drive System 4.6-3
4.6.3 Testing and Verification of the Control Rod Drive System 4.6-4
4.6.4 Information for Combined Performance of Reactivity Systems 4.6-5
4.6.5 Evaluation of Combined Performance 4.6-7
4.6.6 References 4.6-8

Next File