CHAPTER 15—ACCIDENT ANALYSES
LIST OF TABLES

Table 15.0-1—U.S. EPR Initiating Events 15.0-44
Table 15.0-2—Accident Analysis Acceptance Criteria..... 15.0-46
Table 15.0-3—Plant Operating Modes 15.0-47
Table 15.0-4—Nuclear Steam Supply System Power Levels Assumed in the Accident Analysis 15.0-48
Table 15.0-5—Plant Parameters Used in Accident Analyses..... 15.0-49
Table 15.0-6—Reactivity Coefficients, Scram Reactivity, and Computer Codes..... 15.0-50
Table 15.0-7—Reactor Trip Setpoints and Delays Used in the Accident Analysis..... 15.0-55
Table 15.0-8—Engineered Safety Features Actuation System (ESFAS) Functions Used in the Accident Analysis 15.0-57
Table 15.0-9—Pressurizer and Secondary Safety Relief Valve Settings Used in the Accident Analysis..... 15.0-62
Table 15.0-10—Plant Systems Used in the Accident Analysis..... 15.0-63
Table 15.0-11—Single Failures Assumed in the Accident Analysis 15.0-67
Table 15.0-12—Radiological Consequences of U.S. EPR Design Basis Accidents (rem TEDE) 15.0-72
Table 15.0-13—Parameters Used to Calculate Design Basis Core Radionuclide Inventory 15.0-73
Table 15.0-14—Design Basis Core Radionuclide Inventory..... 15.0-74
Table 15.0-15—U.S. EPR Primary Coolant Bounding Concentrations..... 15.0-76
Table 15.0-16—U.S. EPR Secondary Coolant Bounding Concentrations..... 15.0-77
Table 15.0-17—Iodine Appearance Rates into RCS from Defective Fuel 15.0-78
Table 15.0-18—Summary of MCR/TSC Characteristics..... 15.0-79
Table 15.0-19—Offsite Receptor Variables 15.0-80
Table 15.0-20—Design Input for Failure of Small Lines Carrying Primary Coolant Outside Containment..... 15.0-81
Table 15.0-21—Design Input for NSS and CVCS Break Locations and Flows..... 15.0-82
Table 15.0-22—MCR Composite χ/Q and Filter-Bypass Fractions for Small-Line Break Releases at the Vent Stack Base 15.0-83

Table 15.0-23—Small Line Break - Dose Results 15.0-84
Table 15.0-24—SGTR Accident Time Line..... 15.0-85
Table 15.0-25—SGTR Design Input 15.0-86
Table 15.0-26—SGTR Thermal-Hydraulic Variable Definitions..... 15.0-88
Table 15.0-27—Condensed Thermal-Hydraulic Data Arrays 15.0-89
Table 15.0-28—MCR Composite χ/Q and Filter-Bypass Fractions Post-SGTR Releases via the SG 3 Silencer..... 15.0-91
Table 15.0-29—SGTR Dose Summary 15.0-92
Table 15.0-30—MSLB Time Line..... 15.0-93
Table 15.0-31—MSLB Design Input 15.0-94
Table 15.0-32—MCR Composite (χ/Q)s and Filter-Bypass Fractions for Post-MSLB Releases via the SG 1, SG 2, and SG 3 Silencers 15.0-96
Table 15.0-33—MCR Composite χ/Q and Filter-Bypass Fractions (MSLB Releases via the MSL Break and Canopy Pt. 1)..... 15.0-97
Table 15.0-34—MLSB Dose Summary..... 15.0-98
Table 15.0-35—LRA Time Line 15.0-99
Table 15.0-36—Design Input for Locked Rotor Accident..... 15.0-100
Table 15.0-37—MCR Composite χ/Q and Filter-Bypass Fractions RCP Locked Rotor Accident Releases via the SG 3 Silencer..... 15.0-102
Table 15.0-38—RCP LRA Dose Summary..... 15.0-102
Table 15.0-39—Rod Ejection Accident Timeline 15.0-103
Table 15.0-40—Design Input for Rod Ejection Accident..... 15.0-104
Table 15.0-41—Correlations of PWR Effective Natural Deposition Decontamination Coefficients for Aerosols (NUREG/CR-6604, Reference 16, Section 2.2.2.1, Combined Powers and Henry models) 15.0-107
Table 15.0-42—MCR Composite χ/Q and Filter-Bypass Fractions, Post-REA Primary Containment Leakage Pathway..... 15.0-108
Table 15.0-43—MCR Composite (χ/Q)s and Filter-Bypass Fractions, Post-REA Secondary-Side Leakage Pathway 15.0-109
Table 15.0-44—REA Dose Summary 15.0-110
Table 15.0-45—Fuel Handling Accident Timeline..... 15.0-111
Table 15.0-46—Design Input for Fuel Handling Accident..... 15.0-112
Table 15.0-47—MCR Composite (χ/Q)s and Filter-Bypass Fractions for FHA Releases..... 15.0-114

Table 15.0-48—FHA Dose Summary 15.0-114
Table 15.0-49—LOCA Radiological Sequence of Events Post-LOCA 15.0-115
Table 15.0-50—LOCA Inputs..... 15.0-116
Table 15.0-51—MCR Composite χ/Q and Filter-Bypass Fractions LOCA Releases at the Vent Stack Base 15.0-119
Table 15.0-52—Effective Natural Deposition Decontamination Coefficients 15.0-120
Table 15.0-53—Radiological Consequences of U.S. EPR Design Basis Accidents (rem TEDE) 15.0-121
Table 15.0-54—IRWST pH Analysis Inputs..... 15.0-122
Table 15.0-55—H^+ Added to IRWST 15.0-123
Table 15.0-56—Mass of TSP vs. pH at 30 Days 15.0-123
Table 15.0-57—TMI Action Plan Items 15.0-124
Table 15.0-58—Unresolved Safety Issues 15.0-126
Table 15.0-59—Generic Safety Issues 15.0-127
Table 15.0-60—NRC Generic Letters..... 15.0-129
Table 15.0-61—NRC Bulletins..... 15.0-132
Table 15.0-62—Transient Analysis Limiting Cases 15.0-134
Table 15.0-63—Transient Analysis Limiting Case Conditions 15.0-138
Table 15.0-64—IRWST pH vs. Acid Added 15.0-142
Table 15.0-65—IRWST pH vs. Time 15.0-142
Table 15.1-1—Decrease in Feedwater Temperature - Key Input Parameters 15.1-27
Table 15.1-2—Decrease in Feedwater Temperature - Key Equipment Status 15.1-28
Table 15.1-3—Decrease in Feedwater Temperature - Sequence of Events 15.1-29
Table 15.1-4—Increase in Feedwater Flow - Key Input Parameters 15.1-30
Table 15.1-5—Increase in Feedwater Flow - Key Equipment Status 15.1-31
Table 15.1-6—Increase in Feedwater Flow - Sequence of Events..... 15.1-32
Table 15.1-7—Increase in Steam Flow - Key Input Parameters..... 15.1-33
Table 15.1-8—Increase in Steam Flow - Key Equipment Status..... 15.1-34
Table 15.1-9—Increase in Steam Flow - Sequence of Events 15.1-35

Table 15.1-10—Inadvertent Opening of an SG Relief or Safety Valve - Key Input Parameters 15.1-36
Table 15.1-11—Inadvertent Opening of an SG Relief or Safety Valve - Key Equipment Status 15.1-37
Table 15.1-12—Inadvertent Opening of an SG Relief or Safety Valve - Sequence of Events 15.1-38
Table 15.1-13—MSLB - Key Input Parameters for Limiting Case 15.1-39
Table 15.1-14—MSLB - Key Equipment Status for Limiting Case 15.1-40
Table 15.1-15—MSLB - Sequence of Events 15.1-41
Table 15.1-16—MSLB - Calculated Fuel Parameters 15.1-43
Table 15.2-1—Turbine Trip - Key Input Parameters 15.2-32
Table 15.2-2—Turbine Trip - Key Equipment Status 15.2-33
Table 15.2-3—Turbine Trip-RCS Overpressurization - Sequence of Events 15.2-34
Table 15.2-4—MSIVC Secondary Overpressurization - Key Input Parameters 15.2-35
Table 15.2-5—MSIVC Overpressurization - Key Equipment Status 15.2-36
Table 15.2-6—MSIVC Secondary Overpressurization - Sequence of Events 15.2-37
Table 15.2-7—LNFF - Key Input Parameters 15.2-38
Table 15.2-8—LNFF - Key Equipment Status 15.2-40
Table 15.2-9—LNFF - Sequence of Events 15.2-41
Table 15.2-10—Feedwater Line Break - Key Input Parameters 15.2-42
Table 15.2-11—Feedwater Line Break - Key Equipment Status 15.2-44
Table 15.2-12—Feedwater Line Break - Key Case Specific Assumptions 15.2-45
Table 15.2-13—Feedwater Line Break: Representative Small Break Case - Sequence of Events 15.2-46
Table 15.2-14—Feedwater Line Break: Maximum RCS Pressure Case - Sequence of Events 15.2-47
Table 15.2-15—Feedwater Line Break: Maximum Main Steam System Pressure - Sequence of Events 15.2-48
Table 15.3-1—Decrease in Reactor Coolant System Flow Rate Events - Key Input Parameters 15.3-15
Table 15.3-2—Decrease in Reactor Coolant System Flow Rate Events - Key Equipment Status 15.3-15

Table 15.3-3—Partial Loss of Forced Reactor Coolant Flow Event - Sequence of Events 15.3-16

Table 15.3-4—Complete Loss of Forced Reactor Coolant Flow Event - Sequence of Events 15.3-17

Table 15.3-5—Reactor Coolant Pump Rotor Seizure Event - Sequence of Events 15.3-18

Table 15.4-1—Uncontrolled Control Bank Withdrawal from a Subcritical or Low-Power Startup Condition - Key Input Parameters 15.4-41

Table 15.4-2—Uncontrolled Control Bank Withdrawal from a Subcritical or Low-Power Startup Condition - Equipment Status 15.4-41

Table 15.4-3—Uncontrolled Control Bank Withdrawal from a Subcritical or Low-Power Startup Condition - Sequence of Events 15.4-42

Table 15.4-4—Uncontrolled Control Bank Withdrawal at Power - Key Input Parameters 15.4-43

Table 15.4-5—Uncontrolled Control Bank Withdrawal at Power - Equipment Status 15.4-43

Table 15.4-6—Uncontrolled Control Bank Withdrawal at Power - Sequence of Events 15.4-44

Table 15.4-7—Dropped RCCA - Key Input Parameters 15.4-44

Table 15.4-8—Dropped RCCA - Equipment Status 15.4-45

Table 15.4-9—Dropped RCCA - Sequence of Events 15.4-45

Table 15.4-10—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Key Input Parameters 15.4-46

Table 15.4-11—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Equipment Status 15.4-46

Table 15.4-12—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Sequence of Events 15.4-47

Table 15.4-13—Chemical and Volume Control System Malfunction that Results in a Decrease in the Boron Concentration in the Reactor Coolant - Inputs for Anti-Dilution Analyses 15.4-48

Table 15.4-14—Rod Ejection Accident DNBR Analysis - Ejected Rod Analysis Limits for U.S. EPR 15.4-49

Table 15.4-15—Rod Ejection Accident Overpressurization Analysis - Key Input Parameters 15.4-49

Table 15.4-16—Rod Ejection Accident Overpressurization Analysis - Equipment Status 15.4-50

Table 15.4-17—Rod Ejection Accident DNBR Analysis - Ejected Rod Analysis Results for BOC 15.4-51

Table 15.4-18—Rod Ejection Accident DNBR Analysis - Ejected Rod Analysis Results for EOC 15.4-52
Table 15.4-19—Rod Ejection Accident Overpressurization Analysis - Sequence of Events 15.4-53
Table 15.5-1—Inadvertent Operation of the EBS - Key Input Parameters 15.5-12
Table 15.5-2—Inadvertent Operation of the EBS - Key Equipment Status 15.5-13
Table 15.5-3—Inadvertent Operation of the EBS - Sequence of Events 15.5-14
Table 15.5-4—CVCS Malfunction that Increases RCS Inventory - Key Input Parameters 15.5-15
Table 15.5-5—CVCS Malfunction that Increases RCS Inventory - Key Equipment Status 15.5-16
Table 15.5-6—CVCS Malfunction that Increases RCS Inventory - Sequence of Events 15.5-17
Table 15.6-1—IOPSRV Event - Key Input Parameters 15.6-45
Table 15.6-2—IOPSRV Event - Key Equipment Status 15.6-46
Table 15.6-3—IOPSRV Event - Sequence of Events 15.6-47
Table 15.6-4—SGTR Event - Key Input Parameters 15.6-48
Table 15.6-5—SGTR Event - Key Equipment Status 15.6-50
Table 15.6-6—SGTR Radiological Case - Sequence of Events 15.6-51
Table 15.6-7—RLBLOCA - Sampled Parameters (Phenomenological, Cycle 1 and Equilibrium Cycle) 15.6-52
Table 15.6-8—RLBLOCA - Sampled Plant Parameters (Cycle 1 and Equilibrium Cycle) 15.6-53
Table 15.6-9—RLBLOCA - Key Equipment Status 15.6-54
Table 15.6-10—RLBLOCA - Sequence of Events 15.6-55
Table 15.6-11—RLBLOCA - Summary of Maximum PCT Values 15.6-56
Table 15.6-12—RLBLOCA - Summary of PCT Values for All Hot Rods for Top PCT Cases 15.6-56
Table 15.6-13—RLBLOCA - Summary of 50/50 PCT Cases 15.6-56
Table 15.6-14—SBLOCA - U.S. EPR System Analyses Parameters 15.6-57
Table 15.6-15—SBLOCA - Axial Power Shape 15.6-59
Table 15.6-16—SBLOCA- Protection System Setpoints 15.6-60
Table 15.6-17—SBLOCA - Equipment Status 15.6-61
Table 15.6-18—SBLOCA - Minimum MHSI Flow 15.6-62
Table 15.6-19—SBLOCA- Minimum LHSI Flow 15.6-63

Table 15.6-20—SBLOCA - Break Spectrum Results with LOOP 15.6-64

Table 15.6-21—SBLOCA - Sequence of Events for 6.5 Inch Break with LOOP 15.6-65

Table 15.6-22—SBLOCA - Delayed Pump Trip (Without LOOP) Break Spectrum Results 15.6-66

Table 15.6-23—SBLOCA - PCT Comparison between SBLOCA with RCPs Tripped at RT and RCPs Tripped on ΔP 15.6-67

Table 15.6-24—SGTR Overfill Case - Sequence of Events 15.6-68

Table 15.6-25—RLBLOCA - Summary of Maximum Local Oxidation Values for Top PCT Cases 15.6-69

Table 15.6-26—RLBLOCA - Summary of Maximum Total Oxidation Values for Top PCT Cases 15.6-69

Next File