September 10, 2010

Mr. George G. Jarvis, TACOM LCMC Safety Director
Department of the Army
6501 East 11 Mile Road
Warren, Michigan 48397-5000

SUBJECT: 30 DAY WRITTEN REPORT REGARDING A FIRE INVOLVING CHEMICAL AGENT DETECTORS AT FT. BRAGG, NORTH CAROLINA

Dear Mr. Jarvis:

The purpose of this letter is to acknowledge receipt of your August 4, 2010, 30 day written report pertaining to a fire involving chemical agent detectors.

In your letter, you reported that a fire occurred on July 2, 2010, at Ft. Bragg, North Carolina involving two chemical agent detectors containing a total of 30 millicuries of nickel-63. Your report described the circumstances surrounding the fire, and the Army's action to recover the chemical agent detectors and perform radiological surveys of the detectors and the areas when they were stored for contamination. Your report stated that the Army did not identify any removable contamination. The U.S. Nuclear Regulatory Commission (NRC) has reviewed your report and has no further questions at this time. The circumstances surrounding the fire and the Army's actions taken in response to the fire will be examined during a future inspection.

In accordance with Title 10 Code of Federal Regulations (CFR) 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at http://www.nrc.gov/reading-rm/adams.html.

Sincerely,

/RA/

Tamara E. Bloomer, Chief
Materials Inspection Branch

Docket No. 030-13027
License No. 12-00722-06

Mr. George G. Jarvis, TACOM LCMC Safety Director
Department of the Army
6501 East 11 Mile Road
Warren, Michigan 48397-5000

SUBJECT: 30 DAY WRITTEN REPORT REGARDING A FIRE INVOLVING CHEMICAL AGENT DETECTORS AT FT. BRAGG, NORTH CAROLINA

Dear Mr. Jarvis:

The purpose of this letter is to acknowledge receipt of your August 4, 2010, 30 day written report pertaining to a fire involving chemical agent detectors.

In your letter, you reported that a fire occurred on July 2, 2010, at Ft. Bragg, North Carolina involving two chemical agent detectors containing a total of 30 millicuries of nickel-63. Your report described the circumstances surrounding the fire, and the Army's action to recover the chemical agent detectors and perform radiological surveys of the detectors and the areas when they were stored for contamination. Your report stated that the Army did not identify any removable contamination. The U.S. Nuclear Regulatory Commission (NRC) has reviewed your report and has no further questions at this time. The circumstances surrounding the fire and the Army's actions taken in response to the fire will be examined during a future inspection.

In accordance with Title 10 Code of Federal Regulations (CFR) 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at http://www.nrc.gov/reading-rm/adams.html.

Sincerely,

/RA/

Tamara E. Bloomer, Chief
Materials Inspection Branch

Docket No. 030-13027
License No. 12-00722-06

DISTRIBUTION:

Cynthia Pederson	Steven Orth	Patricia Buckley
Steven Reynolds	Carole Ariano	Tammy Tomczak
Patrick Louden	Paul Pelke	MIB Inspectors

DOCUMENT NAME: G:\Work in progress\LTR - Army thank you letter.doc
☒ Publicly Available ☐ Non-Publicly Available ☐ Sensitive ☒ Non-Sensitive
To receive a copy of this document, indicate in the concurrence box "C" = Copy without attach/encl "E" = Copy with attach/encl "N" = No copy

OFFICE	RIII DNMS		RIII DNMS		RIII		RIII	
NAME	KJLambert:jm		TEBloomer					
DATE	09/9/10		09/10/10					

OFFICIAL RECORD COPY