St Luke's
Mountain States
Tumor Institute

100 East Idaho Street
Boise, Idaho 83712-6223

9/20/10. 4:10pm - spoke with Dr. Fairbanks RSO, and confirmed that the request is to add Drs. Lazzaro and Boyce an AUS for 35.100 & 35.200 only.
MRS

Fax

CONFIDENTIALITY NOTICE

The document(s) accompanying this telecopy transmission contains confidential information belonging to the sender, which is privileged. The information is intended only for the use of the individual or entity named below. If you have received this correspondence in error, please: i) safeguard the information and notify the sender immediately to arrange for the return of the information; OR ii) immediately shred or otherwise destroy the communication and notify the sender. Confidential information should not be disposed of in open waste receptacles or through other means that are not secure.

To: Michelle Simmons **Fax:** 817-860-8188

From: Jefferson Fairbanks

Date: 9/17/10 **Pages:** lots

Fax: **Phone:** 208-381-3192

Re: Amendments

☐ Urgent ☑ ~~For Review~~ ☐ Please Comment ☐ Please Reply ☐ Please Recycle

(1) Lazarro
Boyce

(2) Feirkham - this was a separate amendment request - Colleen may have been working on this - also required more info

Thanks!

NRC FORM 313A (AUD)
(3-2009)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION
(for uses defined under 35.100, 35.200, and 35.500)
[10 CFR 35.190, 35.290, and 35.590]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 3/31/2012

Name of Proposed Authorized User	State or Territory Where Licensed
Cody Boyce	

Requested Authorization(s) *(check all that apply)*

- [x] 35.100 Uptake, dilution, and excretion studies
- [x] 35.200 Imaging and localization studies
- [ ] 35.500 Sealed sources for diagnosis (specify device _____)

PART I – TRAINING AND EXPERIENCE
(Select one of the three methods below)

* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

[x] 1. **Board Certification**

a. Provide a copy of the board certification.

b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

[ ] 2. **Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

a. Authorized user on Materials License _____ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.

b. Supervised Work Experience.
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			
Total Hours of Experience:			

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check all that apply)*.

[ ] 35.290 [ ] 35.390 + generator experience in 32.290(c)(1)(ii)(G)

NRC FORM 313A (AUD)
(3-2009)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

☐ 3. **Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training.

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use *(not required for 35.590)*			
Radiation biology			
Total Hours of Training:			

b. Supervised Work Experience (completion of this table is not required for 35.590).
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Supervised Work Experience		**Total Hours of Experience:**	
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		☐ Yes ☐ No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		☐ Yes ☐ No	

NRC FORM 313A (AUD)
(3-2009)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience. (continued)

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		☐ Yes ☐ No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		☐ Yes ☐ No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		☐ Yes ☐ No	
Administering dosages of radioactive drugs to patients or human research subjects		☐ Yes ☐ No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		☐ Yes ☐ No	

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check one)*.

☐ 35.190 ☐ 35.290 ☐ 35.390 ☐ 35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

NRC FORM 313A (AUD)
(3-2009)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.690)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section
Check one of the following for each use requested:

For 35.190

Board Certification

☑ I attest that Cody Boyce has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 60 hours of training and
Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

☑ I attest that Cody Boyce has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 700 hours of training
Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section
Complete the following for preceptor attestation and signature:

☑ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☑ 35.190 ☑ 35.290 ☑ 35.390 ☐ 35.390 + generator experience

Name of Preceptor	Signature	Telephone Number	Date
Michael A. Wilson, MD		(608) 263-5585	09/13/2010

License/Permit Number/Facility Name
25-1323-01 / University of Wisconsin-Madison

NRC FORM 313A (AUD) (3-2009)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION
(for uses defined under 35.100, 35.200, and 35.500)
[10 CFR 35.190, 35.290, and 35.590]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 3/31/2012

Name of Proposed Authorized User: Nicholas Lazzaro, MD

State or Territory Where Licensed: Idaho

Requested Authorization(s) *(check all that apply)*

- [x] 35.100 Uptake, dilution, and excretion studies
- [x] 35.200 Imaging and localization studies
- [ ] 35.500 Sealed sources for diagnosis (specify device _____)

PART I -- TRAINING AND EXPERIENCE
(Select one of the three methods below)

* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

[x] **1. Board Certification**

a. Provide a copy of the board certification.

b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

[ ] **2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

a. Authorized user on Materials License _____ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.

b. Supervised Work Experience.
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			

Total Hours of Experience:

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check all that apply)*.

[ ] 35.290 [ ] 35.390 + generator experience in 32.290(c)(1)(ii)(G)

NRC FORM 313A (AUD)
(3-2009)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. **Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training.

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use *(not required for 35.590)*			
Radiation biology			
Total Hours of Training:			

b. Supervised Work Experience (completion of this table is not required for 35.590).
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Supervised Work Experience **Total Hours of Experience:**

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		☐ Yes ☐ No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		☐ Yes ☐ No	

NRC FORM 313A (AUD) (3-2009) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience. (continued)

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		☐ Yes ☐ No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		☐ Yes ☐ No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		☐ Yes ☐ No	
Administering dosages of radioactive drugs to patients or human research subjects		☐ Yes ☐ No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		☐ Yes ☐ No	

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check one)*.

☐ 35.190 ☐ 35.290 ☐ 35.390 ☐ 35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

NRC FORM 313A (AUD) (3-2009) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section
Check one of the following for each use requested:

For 35.190

Board Certification

☐ I attest that _____ (Name of Proposed Authorized User) has satisfactorily completed the requirements in 10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

☐ I attest that _____ (Name of Proposed Authorized User) has satisfactorily completed the 60 hours of training and experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

☐ I attest that _____ (Name of Proposed Authorized User) has satisfactorily completed the requirements in 10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

☑ I attest that Nicholas Lazzaro, MD (Name of Proposed Authorized User) has satisfactorily completed the 700 hours of training and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section
Complete the following for preceptor attestation and signature:

☑ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☑ 35.190 ☐ 35.290 ☑ 35.390 ☑ 35.390 + generator experience

Name of Preceptor	Signature	Telephone Number	Date
Reza Abghari, M.D.	[signature]	313-436-2583	9/13/10

License/Permit Number/Facility Name
21-04515-01 Oakwood Hospital & Medical Center, Dearborn, MI

VCU Health System
Virginia Commonwealth University
MCV Hospitals and Physicians

September 13, 2010

Jefferson Fairbanks, Ph.D.
Radiation Safety Officer
St. Luke's Health System
100 E. Idaho St.
Boise, ID 83713

RE: John Kirkham, M.D.

Dear Dr. Fairbanks:

I have requested our institutional Office of Environmental Health and Safety to send you a written affirmation of my Authorized User status.

Dr. Kirkham's completed Preceptor forms for 35.100 and 35.200 are included in this fax.

Let us know if you require additional information.

Sincerely,

Paul R. Jolles

Paul R. Jolles, MD
Associate Professor of Radiology
Residency Program Director, Nuclear Medicine

9/20/10 4:10pm - Spoke with Dr. Fairbanks and confirmed that that the request is to add Dr. Kirkham as an authorized user for 35.100 and 35.200 only MRS

NRC FORM 313A (AUD) (3-2009) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION
(for uses defined under 35.100, 35.200, and 35.500) [10 CFR 35.190, 35.290, and 35.590]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 3/31/2012

Name of Proposed Authorized User	State or Territory Where Licensed
JOHN KIRKHAM, MD	IDAHO

Requested Authorization(s) *(check all that apply)*

- [x] 35.100 Uptake, dilution, and excretion studies
- [x] 35.200 Imaging and localization studies
- [ ] 35.500 Sealed sources for diagnosis (specify device _____)

PART I -- TRAINING AND EXPERIENCE
(Select one of the three methods below)

* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

[x] 1. **Board Certification**

a. Provide a copy of the board certification.

b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

[ ] 2. **Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

a. Authorized user on Materials License _____ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.

b. Supervised Work Experience.
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			
Total Hours of Experience:			

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check all that apply)*.

[ ] 35.290 [ ] 35.390 + generator experience in 32.290(c)(1)(ii)(G)

NRC FORM 313A (AUD) (3-2009) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

☐ 3. **Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training.

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use *(not required for 35.590)*			
Radiation biology			
Total Hours of Training:			

b. Supervised Work Experience (completion of this table is not required for 35.590).
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Supervised Work Experience		**Total Hours of Experience:**	
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		☐ Yes ☐ No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		☐ Yes ☐ No	

NRC FORM 313A (AUD)
(9-2009)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. **Training and Experience for Proposed Authorized User (continued)**

b. Supervised Work Experience, (continued)

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		☐ Yes ☐ No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		☐ Yes ☐ No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		☐ Yes ☐ No	
Administering dosages of radioactive drugs to patients or human research subjects		☐ Yes ☐ No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		☐ Yes ☐ No	

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check one)*.

☐ 35.190 ☐ 35.290 ☐ 35.390 ☐ 35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

NRC FORM 313A (AUD) (3-2009) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section
Check one of the following for each use requested:

For 35.190

Board Certification

☑ I attest that JOHN KINKHAM, MD has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 60 hours of training and
Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

☑ I attest that JOHN KINKHAM, MD has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 700 hours of training
Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section
Complete the following for preceptor attestation and signature:

☑ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☑ 35.190 ☑ 35.290 ☑ 35.390 ☑ 35.390 + generator experience

Name of Preceptor	Signature	Telephone Number	Date
PAUL R. JOLLES, MD	Paul R Jolles	804-828-7975	9/13/10

License/Permit Number/Facility Name
45-00048-17 VIRGINIA COMMONWEALTH UNIVERSITY

VCU Fax

Virginia Commonwealth University

Office of Environmental Health & Safety
Radiation Safety Section
1101 E. Marshall St./B2-012
Box 980112
Richmond, VA 23298-0112

Date: **September 13, 2010**

To: **Jefferson Fairbanks, Ph.D.**
St. Luke's Health System
Radiation Safety Officer
Voice: *(208) 381-3192*
Fax: *(208) 381-2707*

From: **Mary Beth Taormina, M.S.**
Voice: *(804) 828-7097 or (804) 828-9131*
Fax: *(804) 828-1157*
Email: *mtaormin@vcu.edu*

Subject: **Authorized User Confirmation**

# of Pages: **2, including this cover sheet**