

Facility: Calvert Cliffs Nuclear Power Plant		Date of Examination: August 2, 2010		
Item	Task Description	Initials		
		a	b*	c#
1. W R I T T E N	a. Verify that the outline(s) fit(s) the appropriate model, in accordance with ES-401.	DE	J	RG
	b. Assess whether the outline was systematically and randomly prepared in accordance with Section D.1 of ES-401 and whether all K/A categories are appropriately sampled.	DE	J	RG
	c. Assess whether the outline over-emphasizes any systems, evolutions, or generic topics.	DE	J	RG
	d. Assess whether the justifications for deselected or rejected K/A statements are appropriate.	DE	J	RG
2. S I M U L A T O R	a. Using Form ES-301-5, verify that the proposed scenario sets cover the required number of normal evolutions, instrument and component failures, technical specifications, and major transients.	DE	J	RG
	b. Assess whether there are enough scenario sets (and spares) to test the projected number and mix of applicants in accordance with the expected crew composition and rotation schedule without compromising exam integrity, and ensure that each applicant can be tested using at least one new or significantly modified scenario, that no scenarios are duplicated from the applicants' audit test(s), and that scenarios will not be repeated on subsequent days.	DE	J	RG
	c. To the extent possible, assess whether the outline(s) conform(s) with the qualitative and quantitative criteria specified on Form ES-301-4 and described in Appendix D.	DE	J	RG
3. W / T	a. Verify that the systems walk-through outline meets the criteria specified on Form ES-301-2: (1) the outline(s) contain(s) the required number of control room and in-plant tasks distributed among the safety functions as specified on the form (2) task repetition from the last two NRC examinations is within the limits specified on the form (3) no tasks are duplicated from the applicants' audit test(s) (4) the number of new or modified tasks meets or exceeds the minimums specified on the form (5) the number of alternate path, low-power, emergency, and RCA tasks meet the criteria on the form.	DE	J	RG
	b. Verify that the administrative outline meets the criteria specified on Form ES-301-1: (1) the tasks are distributed among the topics as specified on the form (2) at least one task is new or significantly modified (3) no more than one task is repeated from the last two NRC licensing examinations	DE	J	RG
	c. Determine if there are enough different outlines to test the projected number and mix of applicants and ensure that no items are duplicated on subsequent days.	DE	J	RG
4. G E N E R A L	a. Assess whether plant-specific priorities (including PRA and IPE insights) are covered in the appropriate exam sections.	DE	J	RG
	b. Assess whether the 10 CFR 55.41/43 and 55.45 sampling is appropriate.	DE	J	RG
	c. Ensure that K/A importance ratings (except for plant-specific priorities) are at least 2.5.	DE	J	RG
	d. Check for duplication and overlap among exam sections.	DE	J	RG
	e. Check the entire exam for balance of coverage.	DE	J	RG
	f. Assess whether the exam fits the appropriate job level (RO or SRO).	DE	J	RG
a. Author <u>D. F. Lavato (Written & W/T)</u> Author <u>J. Heiska (Simulator)</u> b. Facility Reviewer (*) <u>R.C. Jones</u> c. NRC Chief Examiner (#) <u>P.A. Presby</u> d. NRC Supervisor <u>Sam Hansell / S. R. Relf</u>		Printed Name/Signature Date <u>4/27/10</u> <u>4/27/10</u> <u>5-3-10</u> <u>5-14-10</u> <u>5/14/10</u>		
Note: # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required. * Not applicable for NRC-prepared examination outlines				

Facility: Calvert Cliffs Nuclear Power Plant		Date of Examination: August 2, 2010		
Item	Task Description	Initials		
		a	b*	c#
1. W R I T T E N	a. Verify that the outline(s) fit(s) the appropriate model, in accordance with ES-401.	DE	J	AS
	b. Assess whether the outline was systematically and randomly prepared in accordance with Section D.1 of ES-401 and whether all K/A categories are appropriately sampled.	DE	J	AS
	c. Assess whether the outline over-emphasizes any systems, evolutions, or generic topics.	DE	J	AS
	d. Assess whether the justifications for deselected or rejected K/A statements are appropriate.	DE	J	AS
2. S I M U L A T O R	a. Using Form ES-301-5, verify that the proposed scenario sets cover the required number of normal evolutions, instrument and component failures, technical specifications, and major transients.	A	J	AS
	b. Assess whether there are enough scenario sets (and spares) to test the projected number and mix of applicants in accordance with the expected crew composition and rotation schedule without compromising exam integrity, and ensure that each applicant can be tested using at least one new or significantly modified scenario, that no scenarios are duplicated from the applicants' audit test(s), and that scenarios will not be repeated on subsequent days.	A	J	AS
	c. To the extent possible, assess whether the outline(s) conform(s) with the qualitative and quantitative criteria specified on Form ES-301-4 and described in Appendix D.	A	J	AS
3. W A L K T H R U	a. Verify that the systems walk-through outline meets the criteria specified on Form ES-301-2: (1) the outline(s) contain(s) the required number of control room and in-plant tasks distributed among the safety functions as specified on the form (2) task repetition from the last two NRC examinations is within the limits specified on the form (3) no tasks are duplicated from the applicants' audit test(s) (4) the number of new or modified tasks meets or exceeds the minimums specified on the form (5) the number of alternate path, low-power, emergency, and RCA tasks meet the criteria on the form.	DE	J	AS
	b. Verify that the administrative outline meets the criteria specified on Form ES-301-1: (1) the tasks are distributed among the topics as specified on the form (2) at least one task is new or significantly modified (3) no more than one task is repeated from the last two NRC licensing examinations	DE	J	AS
	c. Determine if there are enough different outlines to test the projected number and mix of applicants and ensure that no items are duplicated on subsequent days.	DE	J	AS

4. G E N E R A L	a. Assess whether plant-specific priorities (including PRA and IPE insights) are covered in the appropriate exam sections.	OK	J	AD
	b. Assess whether the 10 CFR 55.41/43 and 55.45 sampling is appropriate.	OK	J	AD
	c. Ensure that K/A importance ratings (except for plant-specific priorities) are at least 2.5.	OK	J	AD
	d. Check for duplication and overlap among exam sections.	OK	J	AD
	e. Check the entire exam for balance of coverage.	OK	J	AD
	f. Assess whether the exam fits the appropriate job level (RO or SRO).	OK	J	AD

	Printed Name/Signature	Date
a. Author	<u>Domenic F. Lavato / Jeffrey Heiska</u> <i>[Signature]</i>	<u>7/20/10</u>
b. Facility Reviewer (*)	<u>Richard C. Jones</u> <i>[Signature]</i>	<u>7/21/10</u>
c. NRC Chief Examiner (#)	<u>Peter Presby / [Signature]</u>	<u>7/22/10</u>
d. NRC Supervisor	<u>Sam Hansell</u> <i>[Signature]</i>	<u>7/23/10</u>

Note: # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required.
 * Not applicable for NRC-prepared examination outlines

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 8/2/10 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 8/2/2010. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE NOTE
1.	NICK LAVATO	LEAD EXAM AUTHOR	<i>Nick Lavato</i>	1/27/10	<i>Nick Lavato</i>	8/2/10
2.	JP OKRUGA	CONSULTANT	<i>JP Okrug</i>	3/11/10	<i>JP Okrug</i>	8-13-10
* 3.	W.D. BURNEY	EXAM AUTHOR	<i>W.D. Burney</i>	3/30/10	<i>W.D. Burney</i>	8/12/10
4.	JEFF HUSK	Exam Author	<i>Jeff Husk</i>	4/6/10	<i>Jeff Husk</i>	8/12/10
5.	AL KELLY	EXAM AUTHOR	<i>Al Kelly</i>	4/14/10	<i>Al Kelly</i>	8/11/10
6.	MICHAEL KORSANIC	REVIEWER	<i>Michael Korsanic</i>	4/22/10	<i>Michael Korsanic</i>	8/12/10
7.	CHAS JONES	GR OT	<i>Chas Jones</i>	4-29-10	<i>Chas Jones</i>	8/11/10 N/A
8.	STEPHEN FLESHMAN	Reviewer	<i>Stephen Fleshman</i>	5/3/10	<i>Stephen Fleshman</i>	8/11/10 N/A
9.	KEVIN J. MCLEWIS	Reviewer	<i>Kevin J. McLeW</i>	5/12/10	<i>Kevin J. McLeW</i>	8/12/10
10.	M. WATSON	SRO VALIDATOR	<i>M. Watson</i>	5/17/10	<i>M. Watson</i>	8/11/10
11.	KEVIN UMPHREY	SRO VALIDATOR	<i>Kevin Umphrey</i>	5/11/10	<i>Kevin Umphrey</i>	8/12/10
12.	DAN GENEVA	SRO VALIDATOR	<i>Dan Geneva</i>	5/17/10	<i>Dan Geneva</i>	8/11/10 GREAT!
13.	RICK NUKOLCZAK	RO VALIDATOR	<i>Rick Nukolczak</i>	5/17/10	<i>Rick Nukolczak</i>	8/11/10
14.	MICHAEL SAUL	SRO VALIDATOR	<i>Michael Saul</i>	5/17/10	<i>Michael Saul</i>	8/20/10
15.	BON DAVIS	RO VALIDATOR	<i>Bon Davis</i>	5/17/10	<i>Bon Davis</i>	8/20/10

NOTES: * Contractor left project in early stages due to health issue. Signed out per telecon.

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 8-2-10 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 8/2/2010. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1.	JOHN PENN	RO Validator		5/18/10		8/20/10	
2.	EMARY TAYLOR	RO Validation		5/18/10		8/20/10	
3.	CHARLES WILKINSON	SSU		5/18/10		08/12/10	
4.	KENNETH LIBERTINI	SSU		5/18/10		8/12/10	
*5.	JOSEPH SHULTZ	SSU		5/18/10	SEE COPY 2		
6.	DEE NELSON	PAA / support		5/25/10		8/13/10	
*7.	BOB PACE	CPA Assessor		6/7/10	SEE COPY 2		
8.	MARIL PARRISH	INPO ASSIST - MOLE CREEK		6/21/10	SEE COPY 1		
*9.	GARY OKSTEDT	INPO ASSIST - FARLEY		6-21-10	SEE COPY 2		
Δ10.	MICHAEL LLEWELLYN	INPO ACCORD TEAM MANAGER		6/21/10	SEE COPY 3		
11.	JAMES HUBER	SRO Validator		6/21/10			8-20-2010
12.	DONALD SMITH	RO VALIDATOR		6/21/10		8/20/10	
13.	ECK TROIAN	RO VALIDATOR		6/21/10		8/10/10	
14.	BRANDON THOMPSON	CM Tech		6/21/10		8/20/10	
15.	ETHAN W. DARROW	RO Validator		7/15/10		8/17/10	

NOTES:

ORIGINAL

- Signed off on Copy 1
- * Signed off on Copy 2
- Δ Signed off on Copy 3

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 8-2-10 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 8/2/2010. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations except as specifically noted below and authorized by the NRC.

	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1	John Penn	RO Validator	[Signature]	5/12/10			
2	Emily Taylor	RO Validation	[Signature]	5/12/10			
3	CHARLES WALKER	SSU	[Signature]	5/12/10			
4	KEVIN TH LINGGTON	SSU	[Signature]	5/12/10			
5	Timothy Shultz	SSU	[Signature]	5/12/10			
6	Dee Nelson	PAA Support	[Signature]	5/25/10			
7	Bob Filler	CPD Assessor	[Signature]	6/7/10			
8	MARK PARRISH	INPO ASSIST-MORELACKER	[Signature]	6/21/10	[Signature]	8/12/10	for
9	Gary Christede	INPO ASSIST-FANLEY	[Signature]	6-21-10			
10	MICHAEL LLEWELLYN	INPO Accred Team Manager	[Signature]	6/21/10			
11	JAMES HUBER	RO Validator	[Signature]	6/21/10			
12	DAVID SMITH	RO Validator	[Signature]	6/21/10			
13	Evan Lewis	RO Validator	[Signature]	6/29/10			
14	Brandon Thompson	CM Tech	[Signature]	6/29/10			
15	ETHAN W DARRON	RO Validator	[Signature]	7/12/10			

NOTES: COPY 1

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 8-2-10 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 8/2/2010. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1.	John Penn	RO Validator	[Signature]	5/10/10			
2.	Emily Taylor	RO Validation	[Signature]	5/11/10			
3.	Charles Walker	SSU	[Signature]	5/18/10			
4.	LEONITH LIBERTINI	SSU	[Signature]	5/18/10			
5.	Joseph Shultz	SSU	[Signature]	5/18/10			
6.	Dea Nelson	PAAI support	[Signature]	5/26/10	[Signature]	8-12-10	
7.	Bob Pace	OPA Assessor	[Signature]	6/1/10	[Signature]	8-12-10	
8.	MAURIE PARRISH	INPO ASSIST-HOLECHECK	[Signature]	6/21/10			
9.	GARY CHRISTOPHER	INPO ASSIST-FANLEY	[Signature]	6-21-10	[Signature]	8-12-10	
10.	Michael Ellwelly	INPO Account Team Manager	[Signature]	6/21/10			
11.	JAMES HUBER	RO Validator	[Signature]	6/21/10			
12.	DONALD SMITH	RO Validator	[Signature]	6/21/10			
13.	Eric Larson	RO Validator	[Signature]	6/21/10			
14.	Brandon Thompson	PM Tech	[Signature]	6/21/10			
15.	ETMAN W DARRON	RO Validator	[Signature]	7/16/10			

NOTES:

COPY 2

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 8-2-10 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 8/2/2010. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1.	Vance Lewis	RO Validator	[Signature]	5/10/10			
2.	Emily Taylor	RO Validator	[Signature]	5/10/10			
3.	CHARLES WILSON	SSU	[Signature]	5/10/10			
4.	KENNETH LIBERTINI	SSU	[Signature]	5/10/10			
5.	Joseph Shultz	SSU	[Signature]	5/10/10			
6.	Dee Nelson	PAA Support	[Signature]	5/20/10			
7.	Bob Price	CPA Assessor	[Signature]	6/1/10			
8.	MAURIE PARRISH	INPO ASSIST-HOPECK	[Signature]	6/21/10			
9.	Gary Onstede	INPO ASSIST-FANLEY	[Signature]	6-21-10			
10.	MICHAEL LLEWELLYN	INPO ACCORD TEAM MANAGER	[Signature]	6/21/10	[Signature]	8/12/10	
11.	JAMES HUBER	SAP Validator	[Signature]	6/21/10			
12.	DONALD SMITH	RO Validator	[Signature]	6/21/10			
13.	Eck Trosch	RO Validator	[Signature]	6/21/10			
14.	Brandon Thompson	PM Tech	[Signature]	6/21/10			
15.	EDMAN W. DARROW	RO Validator	[Signature]	7/10/10			

NOTES:























COPY 3

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 8/2/10 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 8-2-2010. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1.	Scott M. Kettler	RO-CRO Validator		7-15-10		8-17-10	
2.	DAVID E. SUPALICH	CAS VALIDATOR		7-15-10		8-17-10	
3.	Brian J. Hayden	STA / VALIDATOR		7-15-10		8-17-10	
4.	DAVID F. WOODS	STA / VALIDATOR		7-24-10		8-16-10	
5.	JEFF LOFTON	3RD DRIVER		8-2-10		8-12-10	
6.	Rich Beg	inst. / Goat Herder		8-2-10		8-11-10	
7.	CHRIS FURFARO	INSTRUCTOR / ESCORT		8-2-10		8-16-10	
8.	Ming Wilson	Supervisor Escort		8-2-10		8-16-10	
9.	J. V. GEORNS	OPSGS		8-3-10		8-15-10	
10.	Larry Morgan	ESCORT		8-14-10		8-11-10	
11.	Ethel Dallen	CRO EVAL/Validator		8-17-10		8-17-10	
12.							
13.							
14.							
15.							

NOTES:

Facility: Calvert Cliffs Nuclear Power Plant		Date of Examination: August 2, 2010		Operating Test Number: 2010	
1. General Criteria		Initials			
		a	b*	c#	
a.	The operating test conforms with the previously approved outline; changes are consistent with sampling requirements (e.g., 10 CFR 55.45, operational importance, safety function distribution).	<i>[Signature]</i>	<i>[Signature]</i>	<i>Pro</i>	
b.	There is no day-to-day repetition between this and other operating tests to be administered during this examination.	<i>[Signature]</i>	<i>[Signature]</i>	<i>Pro</i>	
c.	The operating test shall not duplicate items from the applicants' audit test(s). (See Section D.1.a.)	<i>[Signature]</i>	<i>[Signature]</i>	<i>Pro</i>	
d.	Overlap with the written examination and between different parts of the operating test is within acceptable limits.	<i>[Signature]</i>	<i>[Signature]</i>	<i>Pro</i>	
e.	It appears that the operating test will differentiate between competent and less-than-competent applicants at the designated license level.	<i>[Signature]</i>	<i>[Signature]</i>	<i>Pro</i>	
2. Walk-Through Criteria					
a.	Each JPM includes the following, as applicable: <ul style="list-style-type: none"> initial conditions initiating cues references and tools, including associated procedures reasonable and validated time limits (average time allowed for completion) and specific designation if deemed to be time-critical by the facility licensee operationally important specific performance criteria that include: <ul style="list-style-type: none"> detailed expected actions with exact criteria and nomenclature system response and other examiner cues statements describing important observations to be made by the applicant criteria for successful completion of the task identification of critical steps and their associated performance standards restrictions on the sequence of steps, if applicable 	<i>[Signature]</i>	<i>[Signature]</i>	<i>Pro</i>	
	Ensure that any changes from the previously approved systems and administrative walk-through outlines (Forms ES-301-1 and 2) have not caused the test to deviate from any of the acceptance criteria (e.g., item distribution, bank use, repetition from the last 2 NRC examinations) specified on those forms and Form ES-201-2.	<i>[Signature]</i>	<i>[Signature]</i>	<i>Pro</i>	
3. Simulator Criteria					
The associated simulator operating tests (scenario sets) have been reviewed in accordance with Form ES-301-4 and a copy is attached.		<i>[Signature]</i>	<i>[Signature]</i>	<i>Pro</i>	
Printed Name / Signature		Date			
a.	Author <u>Domenic F. Lavato / Jeffrey Heiska</u> <i>[Signature]</i>	<u>7/20/10</u>			
b.	Facility Reviewer(**) <u>Richard C. Jones</u> <i>[Signature]</i>	<u>7/21/10</u>			
c.	NRC Chief Examiner (#) <u>Peter Presby / [Signature]</u>	<u>7/22/10</u>			
d.	NRC Supervisor <u>Sam Hansell / [Signature]</u>	<u>7/23/10</u>			
NOTE: * The facility signature is not applicable for NRC-developed tests. # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required.					

Facility: CCNPP		Date of Exam: 8/2/10	Scenario Numbers: 1 / 2 / 3 / 4		Operating Test No.: 2010	
QUALITATIVE ATTRIBUTES			Initials			
			a	b*	c#	
1.	The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.		<i>A</i>	<i>J</i>	<i>MD</i>	
2.	The scenarios consist mostly of related events.		<i>A</i>	<i>J</i>	<i>MD</i>	
3.	Each event description consists of <ul style="list-style-type: none"> the point in the scenario when it is to be initiated the malfunction(s) that are entered to initiate the event the symptoms/cues that will be visible to the crew the expected operator actions (by shift position) the event termination point (if applicable) 		<i>A</i>	<i>J</i>	<i>MD</i>	
4.	No more than one non-mechanistic failure (e.g., pipe break) is incorporated into the scenario without a credible preceding incident such as a seismic event.		<i>A</i>	<i>J</i>	<i>MD</i>	
5.	The events are valid with regard to physics and thermodynamics.		<i>A</i>	<i>J</i>	<i>MD</i>	
6.	Sequencing and timing of events is reasonable, and allows the examination team to obtain complete evaluation results commensurate with the scenario objectives.		<i>A</i>	<i>J</i>	<i>MD</i>	
7.	If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.		<i>A</i>	<i>J</i>	<i>MD</i>	
8.	The simulator modeling is not altered.		<i>A</i>	<i>J</i>	<i>MD</i>	
9.	The scenarios have been validated. Pursuant to 10 CFR 55.46(d), any open simulator performance deficiencies or deviations from the referenced plant have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios.		<i>A</i>	<i>J</i>	<i>MD</i>	
10.	Every operator will be evaluated using at least one new or significantly modified scenario. All other scenarios have been altered in accordance with Section D.5 of ES-301.		<i>A</i>	<i>J</i>	<i>MD</i>	
11.	All individual operator competencies can be evaluated, as verified using Form ES-301-6 (submit the form along with the simulator scenarios).		<i>A</i>	<i>J</i>	<i>MD</i>	
12.	Each applicant will be significantly involved in the minimum number of transients and events specified on Form ES-301-5 (submit the form with the simulator scenarios).		<i>A</i>	<i>J</i>	<i>MD</i>	
13.	The level of difficulty is appropriate to support licensing decisions for each crew position.		<i>A</i>	<i>J</i>	<i>MD</i>	
Target Quantitative Attributes (Per Scenario; See Section D.5.d)		Actual Attributes	--	--	--	
1.	Total malfunctions (5-8)	7 / 8 / 6 / 7	<i>A</i>	<i>J</i>	<i>MD</i>	
2.	Malfunctions after EOP entry (1-2)	2 / 3 / 1 / 1	<i>A</i>	<i>J</i>	<i>MD</i>	
3.	Abnormal events (2-4)	6 / 7 / 5 / 6	<i>A</i>	<i>J</i>	<i>MD</i>	
4.	Major transients (1-2)	1 / 1 / 1 / 1	<i>A</i>	<i>J</i>	<i>MD</i>	
5.	EOPs entered/requiring substantive actions (1-2)	1 / 1 / 1 / 1	<i>A</i>	<i>J</i>	<i>MD</i>	
6.	EOP contingencies requiring substantive actions (0-2)	1 / 0 / 0 / 0	<i>A</i>	<i>J</i>	<i>MD</i>	
7.	Critical tasks (2-3)	2 / 3 / 2 / 3	<i>A</i>	<i>J</i>	<i>MD</i>	

Facility:		CCNPP		Date of Exam:		8/2/10 - 8/6/10		Operating Test No.:		CCNPP-2010							
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1			2			3			4						
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P				
															R	I	U
RO <input type="checkbox"/>	RX	1	1	0	0	1	0	0	2	0	0	1	0	1	1	1	0
SRO-I 1,2,3,4 <input type="checkbox"/>	NOR	0	0	1	0	0	0	1	0	1	0	0	0	0	1	1	1
<input type="checkbox"/>	I/C	3	3	4	2	3	4	3	3	3	3	3	4	5	4	4	2
SRO-U <input type="checkbox"/>	MAJ	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1
<input type="checkbox"/>	TS	3	0	0	2	0	0	2	0	0	2	0	0	2	0	2	2
RO 1,2,3,4 <input type="checkbox"/>	RX	1	1	0	0	1	0	0	2	0	0	1	0	1	1	1	0
<input type="checkbox"/>	NOR	0	0	1	0	0	0	1	0	1	0	0	0	1	1	1	1
SRO-I <input type="checkbox"/>	I/C	3	3	4	2	3	4	3	3	3	3	3	4	7	4	4	2
SRO-U <input type="checkbox"/>	MAJ	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1
<input type="checkbox"/>	TS	3	0	0	2	0	0	2	0	0	2	0	0	0	0	2	2
RO <input type="checkbox"/>	RX	1	1	0	0	1	0	0	2	0	0	1	0	1	1	1	0
SRO-I <input type="checkbox"/>	NOR	0	0	1	0	0	0	1	0	1	0	0	0	0	1	1	1
SRO-U 1,2,3 <input type="checkbox"/>	I/C	3	3	4	2	3	4	3	3	3	3	3	4	7	4	4	2
<input type="checkbox"/>	MAJ	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1
<input type="checkbox"/>	TS	3	0	0	2	0	0	2	0	0	2	0	0	3	0	2	2
RO <input type="checkbox"/>	RX	1	1	0	0	1	0	0	2	0	0	1	0		1	1	0
SRO-I <input type="checkbox"/>	NOR	0	0	1	0	0	0	1	0	1	0	0	0		1	1	1
SRO-U <input type="checkbox"/>	I/C	3	4	5	2	3	4	3	3	3	3	3	4		4	4	2
<input type="checkbox"/>	MAJ	1	1	1	1	1	1	1	1	1	1	1	1		2	2	1
<input type="checkbox"/>	TS	3	0	0	2	0	0	2	0	0	2	0	0		0	2	2

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: CCNPP		Date of Exam: 8/2/10 – 8/6/10		Operating Test No.: CCNPP-2010													
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1			2			3			4						
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P		R	I	U
RO 5	RX	1	1	0	0	1	0	0	2	0	0	1	0	2	1	1	0
<input type="checkbox"/> SRO-I	NOR	0	0	1	0	0	0	1	0	1	0	0	0	0	1	1	1
<input type="checkbox"/> SRO-U	I/C	3	3	4	2	3	4	3	3	3	3	3	4	7	4	4	2
<input type="checkbox"/>	MAJ	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1
	TS	3	0	0	2	0	0	2	0	0	2	0	0	0	0	2	2
RO	RX	1	1	0	0	1	0	0	2	0	0	1	0	1	1	1	0
<input type="checkbox"/> SRO-I	NOR	0	0	1	0	0	0	1	0	1	0	0	0	1	1	1	1
<input type="checkbox"/>	I/C	3	3	4	2	3	4	3	3	3	3	3	4	6	4	4	2
SRO-U 4	MAJ	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1
<input type="checkbox"/>	TS	3	0	0	2	0	0	2	0	0	2	0	0	3	0	2	2
RO	RX	1	1	0	0	1	0	0	2	0	0	1	0	0	1	1	0
<input type="checkbox"/> SRO-I	NOR	0	0	1	0	0	0	1	0	1	0	0	0	1	1	1	1
<input type="checkbox"/>	I/C	3	4	5	2	3	4	3	3	3	3	3	4	3	4	4	2
SRO-U 5	MAJ	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1
<input type="checkbox"/>	TS	3	0	0	2	0	0	2	0	0	2	0	0	2	0	2	2
RO	RX	1	1	0	0	1	0	0	2	0	0	1	0		1	1	0
<input type="checkbox"/> SRO-I	NOR	0	0	1	0	0	0	1	0	1	0	0	0		1	1	1
<input type="checkbox"/>	I/C	3	3	4	1	2	3	3	3	3	3	3	4		4	4	2
SRO-U	MAJ	1	1	1	2	2	2	1	1	1	1	1	1		2	2	1
<input type="checkbox"/>	TS	3	0	0	2	0	0	2	0	0	2	0	0		0	2	2

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: CCNPP		Date of Examination: 8/2/10 – 8/6/10		Operating Test No.: CCNPP-2010								
Competencies	APPLICANTS											
	(SRO-I 1,2,3,4)				(RO 1,2,3,4)				(SRO-U 1,2,3)			
	RO <input type="checkbox"/>				RO <input checked="" type="checkbox"/>				RO <input type="checkbox"/>			
	SRO-I <input checked="" type="checkbox"/>				SRO-I <input type="checkbox"/>				SRO-I <input type="checkbox"/>			
	SRO-U <input type="checkbox"/>				SRO-U <input type="checkbox"/>				SRO-U <input checked="" type="checkbox"/>			
	SCENARIO				SCENARIO				SCENARIO			
	(ATC)	(SRO)	3	4	(BOP)	(ATC)	3	4	(SRO)	(BOP)	3	4
	1	2			1	2			1	2		
Interpret/Diagnose Events and Conditions	1,2,5,6,8	4,7			1,4,5,7,8	3,5,7			1,2,4,8	1,2,4,5,8		
Comply With and Use Procedures (1)	1,2,3,5,6,8	1,2,4,7			1,2,3,4,5,7,8	2,3,5,7,8			1,2,3,8	2,4,6,7,8		
Operate Control Boards (2)	1,2,3,5,6,8				1,2,3,4,5,7,8	2,3,4,5,7,8				2,4,6,7,8		
Communicate and Interact	1,2,3,5,6,8	1,2,4,5,7,8			1,2,3,4,5,7,8	2,3,4,5,7,8			1,2,3,4,5,8	2,4,6,7,8		
Demonstrate Supervisory Ability (3)		2,4,7,8							2,3,4,8			
Comply With and Use Tech. Specs. (3)		1,8							1,2,8			
Notes: (1) Includes Technical Specification compliance for an RO. (2) Optional for an SRO-U. (3) Only applicable to SROs.												

Instructions:






Check the applicants' license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Facility: CCNPP		Date of Examination: 8/2/10 – 8/6/10		Operating Test No.: CCNPP-2010								
Competencies	APPLICANTS											
	(RO 5)				(SRO-U 4)				(SRO-U 5)			
	RO <input checked="" type="checkbox"/>				RO <input type="checkbox"/>				RO <input type="checkbox"/>			
	SRO-I <input type="checkbox"/>				SRO-I <input type="checkbox"/>				SRO-I <input type="checkbox"/>			
	SRO-U <input type="checkbox"/>				SRO-U <input checked="" type="checkbox"/>				SRO-U <input checked="" type="checkbox"/>			
SCENARIO												
1	(BOP)	(ATC)	4	(SRO)	2	(BOP)	4	1	2	(SRO)	4	
	2	3		1		3				3		
Interpret/Diagnose Events and Conditions	1,2,4,5,8	2,3,4		1,2,4,8		2,4,5,7				2,3,4,5,7		
Comply With and Use Procedures (1)	2,4,6,7,8	1,2,3,5,6,7		1,2,3,8		1,2,4,5,6,7				1,2,4,5,7		
Operate Control Boards (2)	2,4,6,7,8	1,2,3,5,6,7				1,2,4,5,6,7						
Communicate and Interact	2,4,6,7,8	1,2,3,5,6,7		1,2,3,4,5,8		1,2,4,5,6,7				1,2,4,5,6,7		
Demonstrate Supervisory Ability (3)				2,3,4,8						1,2,4,5,6,7		
Comply With and Use Tech. Specs. (3)				1,2,8						2,4		
Notes: (1) Includes Technical Specification compliance for an RO. (2) Optional for an SRO-U. (3) Only applicable to SROs.												

Instructions:

Check the applicants' license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Facility: Calvert Cliffs Nuclear Power Plant		Date of Exam: August 2, 2010		Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>			
Item Description				Initial			
				a	b*	c*	
1.	Questions and answers are technically accurate and applicable to the facility.			DE	J	RO	
2.	a. NRC K/As are referenced for all questions. b. Facility learning objectives are referenced as available.			DE	J	RO	
3.	SRO questions are appropriate in accordance with Section D.2.d of ES-401			DE	J	RO	
4.	The sampling process was random and systematic (If more than 4 RO or 2 SRO questions were repeated from the last 2 NRC licensing exams, consult the NRR OL program office).			DE	J	RO	
5.	Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate: <input type="checkbox"/> the audit exam was systematically and randomly developed; or <input type="checkbox"/> the audit exam was completed before the license exam was started; or <input checked="" type="checkbox"/> the examinations were developed independently; or <input type="checkbox"/> the licensee certifies that there is no duplication; or <input type="checkbox"/> other (explain)			DE	J	RO	
6.	Bank use meets limits (no more than 75 percent from the bank, at least 10 percent new, and the rest new or modified); enter the actual RO / SRO-only question distribution(s) at right.	Bank	Modified	New	DE	J	RO
		40 / 9	9 / 1	26 / 15			
7.	Between 50 and 60 percent of the questions on the RO exam are written at the comprehension/ analysis level; the SRO exam may exceed 60 percent if the randomly selected K/As support the higher cognitive levels; enter the actual RO / SRO question distribution(s) at right.	Memory	C/A		DE	J	RO
		33 / 10	42 / 15				
8.	References/handouts provided do not give away answers or aid in the elimination of distractors.			DE	J	RO	
9.	Question content conforms with specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.			DE	J	RO	
10.	Question psychometric quality and format meet the guidelines in ES Appendix B.			DE	J	RO	
11.	The exam contains the required number of one-point, multiple choice items; the total is correct and agrees with the value on the cover sheet.			DE	J	RO	
				Printed Name / Signature		Date	
a. Author	D.F. LAVATO <i>D. Lavato</i>					7/20/10	
b. Facility Reviewer (*)	R. C. JONES <i>RC Jones</i>					7/21/10	
c. NRC Chief Examiner (#)	Peter Presby <i>P. Presby</i>					7/22/10	
d. NRC Regional Supervisor	Sam Hansell <i>Sam Hansell</i>					7/23/10	
Note: * The facility reviewer's initials/signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required.							

Facility: Calvert Cliffs				Date of Exam: 8/11/2010		Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>	
Item Description	Initials						
	a	b	c				
1. Clean answer sheets copied before grading	DE	new	DE				
2. Answer key changes and question deletions justified and documented	DE	new	DE				
3. Applicants' scores checked for addition errors a. (reviewers spot check > 25% of examinations)	DE	new	DE				
4. Grading for all borderline cases (80 \pm 2% overall and 70 or 80, as applicable, \pm 4% on the SRO-only) reviewed in detail	DE	new	DE				
5. All other failing examinations checked to ensure that grades are justified	N/A	N/A	DE				
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants	DE	new	DE				
Printed Name/Signature				Date			
A. Grader:		D. F. Lavato				8/27/10	
B. Facility Reviewer(*):		M. L. Wasem				8/27/10	
C. NRC Chief Examiner (*):		P. A. Presby D. SILK		 		9/16/10 9/16/10	
D. NRC Supervisor (*):		Sam Hansell				9/20/10	
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.							