



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

OCT 05 2010

Paul Gold, Ph.D.
Radiation Safety Officer
Gold Biotechnology, Inc.
10748 Indianhead Industrial, Blvd.
St. Louis, MO 63132

Dear Dr. Gold:

Enclosed is Amendment No. 09 to your NRC Material License No. 24-26225-01 in accordance with your request dated September 7, 2011. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.


Please note that in accordance with current licensing policy, 2 administrative changes were made to your NRC license. 1), you are no longer required to hold waste for a minimum of 10 half lives by License Condition. However, your application dated September 7, 2010, states that you will hold waste for a minimum of 10 half lives. Next time you amend your NRC license, you may request that requirement be removed and 2), transportation authorization has been added to your NRC license.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agency wide Documents Access and Management System (ADAMS),

accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

A handwritten signature in dark ink, appearing to read "James R. Mullauer", is written over the printed name.

James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 24-26225-01
Docket No. 030-31844

Enclosure: Amendment No. 09