

October 22, 2010

Ms. Vonna L. Ordaz
Director
Division of Spent Fuel Storage and Transportation
Office of Nuclear Material Safety and Safeguards
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Subject: NAC International MPC and UMS[®] Nameplates Regulatory Compliance
Dockets 72-1025 and 72-1015

Reference: NAC International Letter Dated October 4, 2010

Dear Ms. Ordaz:


Supplementing the above-referenced letter, NAC is hereby providing the licensee dose information supporting the development of the total dose estimates for Options 3 and 4 described in the October 4, 2010 communication. This information is being provided in response to the verbal request of SFST personnel.

Dose Estimate:

Site	No. Casks	Avg. Dose mrem/hr	Option 3 – Stamping/ Engraving			Option 4 - Replacement		
			Time (hrs)	Staff	Total Dose mrem	Time (hrs)	Staff	Total Dose mrem
MY	64	4.5	0.7	3	604.8	1.5	3	1,296
CY	43	4.5	0.7	3	406.35	1.5	3	870.75
YR	16	6.5	0.7	3	218.4	1.5	3	468
McGuire	28	5	0.7	3	294	1.5	3	630
Catawba	24	5	0.7	3	252	1.5	3	540
APS	84	5	0.7	3	882	1.5	3	1,890
DPC	5	--	0.7	3	--	1.5	3	--
Totals	264				2,658			5,695

Should you wish to discuss the above or require additional information, please feel free to contact me on my direct line at 678-328-1274.

Sincerely,



Anthony L. Patko
Director, Licensing
Engineering

NMSS 24