

From: 이강재 [brizon@naver.com]
Sent: Tuesday, May 18, 2010 12:56 AM
To: Lin, Bruce
Subject: Comment on Draft Reg. Guide, DG-1242

Dear Mr. Lin,

I just found out the issuance of the DG-1242, proposed revision 2 of regulatory guide 1.54.

Since the comment due date(May 12) has passed, I send this e-mail to you.

I have some questions about the evaluating the pull off strength of coatings in this Reg. Guide.

I think it is important to designate a specific test method(e.g., ASTM D4541 type II, or III.. / method B, or C..) prior to determining the acceptability of a specific adhesion value.

Section 4 of this Reg. Guide ;

Q1. In the discussion of **ASTM D4541-09**, do you mean the tester type II(test method B) is only available for this guidance?

Q2. In the discussion of **ASTM D7234-05**, which portable pull-off adhesion testers are available for this guidance?

Section 1 of this Reg. Guide ;

Q3. In the discussion of **ASTM D5144-08** that specifying the adhesion property as a top-level ASTM standards, which instrument is required to meet the requirement of minimum pull-off strength 200psi on steel and concrete substrate?

Sincerely yours,

Jason Lee

E-mail Properties

Mail Envelope Properties (a144b56edd2da6a5596b40215f977849)

Subject: Comment on Draft Reg. Guide, DG-1242

Sent Date: 5/18/2010 1:03:01 AM

Received Date: 5/18/2010 1:03:01 AM

From: ???

Created By: brizon@naver.com

Recipients:

Bruce.Lin@nrc.gov (Lin, Bruce)

Tracking Status: None

Post Office:

i61790

Files	Size	Date & Time
MESSAGE	9251	5/18/2010

Options

Expiration Date:

Priority: olImportanceNormal

ReplyRequested: False

Return Notification: False

Sensitivity: oINormal

Recipients received: