



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352  
NOV 02 2010

John S. To, M.D.  
Radiation Safety Officer  
Dickinson County Memorial Hospital  
1721 South Stephenson Avenue  
Iron Mountain, MI 49801

Dear Dr. To:

Enclosed is Amendment No. 27 renewing your NRC Materials License No. 21-18889-01 in accordance with your request.

Please note, in accordance with NRC policy, we have reduced the expiration date of your NRC license to 5 years (2015) rather than the usual 10 years (2020), because your facility required a comprehensive review of your NRC license renewal application prompted by recent (May 7, 2008) escalated enforcement within 5 years of your renewal application.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

A handwritten signature in cursive script, reading "William P. Reichhold".

William P. Reichhold  
Materials Licensing Branch

License No. 21-18889-01  
Docket No. 030-17318  
Enclosure: Amendment No. 27