

UNITED STATES NUCLEAR REGULATORY COMMISSION

REGION III 2443 WARRENVILLE ROAD, SUITE 210 LISLE, ILLINOIS 60532-4352

NOV 1 6 2010

Cheryl Grove, M.T. Radiation Safety Officer Covance Laboratories, Inc. 8211 Scicor Drive Indianapolis, IN 46214

Dear Ms. Grove:

Enclosed is Amendment No. 12 renewing your NRC Material License No. 13-26058-01 in accordance with your request dated July 12, 2010. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <u>http://www.nrc.gov/reading-rm/adams.html.</u>

Sincerely,

James R. Mullauer

Health Physicist Materials Licensing Branch

License No. 13-26058-01 Docket No. 030-31150

Enclosure: Amendment No. 12