

18

RECORD #18

TITLE: Qualifications for Radiation Protection Manager (RPM)

FICHE: 38289-027



MAR 5 1982

MEMORANDUM FOR: E. Greenman, Chief, Facilities Radiation Protection, Region I

FROM: L. J. Cunningham, Section Chief B, Engineering and Technical Support Branch, DEQA, IE

SUBJECT: QUALIFICATIONS FOR RADIATION PROTECTION MANAGER (RPM)

Recently a member of your section requested IE's reading of the RPM experience factors mentioned in Regulatory Guide 1.8, Rev. 1-R, "Personnel Selection and Training." A Region I licensee had proposed to allow a one-for-one substitution of an incumbent's technician experience for the Regulatory Guide's stated "... at least 5 years of professional experience ..."

Consistent with NRR's Radiological Assessment Branch's position, IE agrees that technician experience is not equivalent to professional experience. NRR did agree that exceptions may be granted under certain special circumstances but such cases would be examined strictly on a case-by-case basis. As was discussed earlier, we would recommend issuance of a citation, given that the licensee is still unwilling to submit for a technical specifications change.

If you have any questions concerning this matter, please contact Jim Wigginton (49-24967).

L. J. Cunningham, Section Chief B  
 Engineering and Technical Support  
 Branch  
 Division of Engineering and Quality  
 Assurance  
 Office of Inspection and Enforcement

- cc: D. Collins, NRR
- J. Nehemias, NRR
- ✓ W. Fisher, IE
- J. White, RI
- R. Barr, RII
- R. Greger, RIII
- B. Murray, RIV
- F. Wenslawski, RV

CONTACT: Jim Wigginton, IE  
 49-24967