

TABLE OF CONTENTS

| <u>Section</u> | <u>Title</u> | <u>Page</u> |
|--|--------------|-------------|
| CHAPTER 19 PROBABILISTIC RISK ASSESSMENT..... | | 19.1-1 |
| 19.1 Introduction..... | | 19.1.1 |
| 19.1.1 Background and Overview..... | | 19.1.1 |
| 19.1.2 Objectives | | 19.1.1 |
| 19.1.3 Technical Scope..... | | 19.1.2 |
| 19.1.4 Project Methodology Overview | | 19.1.3 |
| 19.1.5 Results | | 19.1.4 |
| 19.1.6 Plant Definition..... | | 19.1.6 |
| 19.1.6.1 General Description..... | | 19.1.6 |
| 19.1.6.2 AP1000 Design Improvement as a Result of Probabilistic Risk Assessment Studies | | 19.1.6 |
| 19.1.7 References..... | | 19.1.6 |
| 19.2 Internal Initiating Events..... | | 19.2-1 |
| 19.3 Modeling of Special Initiators | | 19.3-1 |
| 19.4 Event Tree Models | | 19.4-1 |
| 19.5 Support Systems..... | | 19.5-1 |
| 19.6 Success Criteria Analysis | | 19.6-1 |
| 19.7 Fault Tree Guidelines..... | | 19.7-1 |
| 19.8 Passive Core Cooling System - Passive Residual Heat Removal | | 19.8-1 |
| 19.9 Passive Core Cooling System - Core Makeup Tanks | | 19.9-1 |
| 19.10 Passive Core Cooling System - Accumulator | | 19.10-1 |
| 19.11 Passive Core Cooling System - Automatic Depressurization System..... | | 19.11-1 |
| 19.12 Passive Core Cooling System - In-containment Refueling Water Storage Tank | | 19.12-1 |
| 19.13 Passive Containment Cooling | | 19.13-1 |
| 19.14 Main and Startup Feedwater System..... | | 19.14-1 |
| 19.15 Chemical and Volume Control System | | 19.15-1 |
| 19.15.1 System Description | | 19.15-1 |
| 19.15.2 System Operation..... | | 19.15-1 |
| 19.15.3 Performance during Accident Conditions | | 19.15-1 |
| 19.15.4 Initiating Event Review | | 19.15-1 |
| 19.15.5 System Logic Models..... | | 19.15-1 |
| 19.15.5.1 Assumptions and Boundary Conditions | | 19.15-1 |
| 19.15.5.2 Fault Tree Models | | 19.15-1 |
| 19.15.5.3 Human Interactions | | 19.15-1 |
| 19.15.5.4 Common Cause Failures | | 19.15-1 |
| 19.16 Containment Hydrogen Control System..... | | 19.16-1 |
| 19.17 Normal Residual Heat Removal System | | 19.17-1 |
| 19.18 Component Cooling Water System | | 19.18-1 |
| 19.19 Service Water System | | 19.19-1 |
| 19.20 Central Chilled Water System..... | | 19.20-1 |
| 19.21 ac Power System | | 19.21-1 |
| 19.22 Class 1E dc & UPS System..... | | 19.22-1 |

TABLE OF CONTENTS (Cont.)

| <u>Section</u> | <u>Title</u> | <u>Page</u> |
|----------------|--|-------------|
| 19.23 | Non-Class 1E dc & UPS System..... | 19.23-1 |
| 19.24 | Containment Isolation | 19.24-1 |
| 19.25 | Compressed and Instrument Air System | 19.25-1 |
| 19.26 | Protection and Safety Monitoring System..... | 19.26-1 |
| 19.27 | Diverse Actuation System | 19.27-1 |
| 19.28 | Plant Control System..... | 19.28-1 |
| 19.29 | Common Cause Analysis | 19.29-1 |
| 19.30 | Human Reliability Analysis | 19.30-1 |
| 19.31 | Other Event Tree Node Probabilities | 19.31-1 |
| 19.32 | Data Analysis and Master Data Bank..... | 19.32-1 |
| 19.33 | Fault Tree and Core Damage Quantification..... | 19.33-1 |
| 19.34 | Severe Accident Phenomena Treatment..... | 19.34-1 |
| | 19.34.1 Introduction..... | 19.34-1 |
| | 19.34.2 Treatment of Physical Processes | 19.34-1 |
| | 19.34.2.1 In-Vessel Retention of Molten Core Debris | 19.34-1 |
| | 19.34.2.2 Fuel-Coolant Interaction (Steam Explosions)..... | 19.34-2 |
| | 19.34.2.3 Hydrogen Combustion and Detonation | 19.34-3 |
| | 19.34.2.4 High-Pressure Melt Ejection | 19.34-4 |
| | 19.34.2.5 Core Debris Coolability..... | 19.34-5 |
| | 19.34.2.6 Containment Pressurization from Decay Heat..... | 19.34-5 |
| | 19.34.2.7 Elevated Temperatures (Equipment Survivability). | 19.34-6 |
| | 19.34.2.8 Summary | 19.34-6 |
| | 19.34.3 Analysis Method | 19.34-6 |
| | 19.34.4 Severe Accident Analyses..... | 19.34-6 |
| | 19.34.5 Insights and Conclusions | 19.34-7 |
| | 19.34.6 References..... | 19.34-7 |
| 19.35 | Containment Event Tree Analysis..... | 19.35-1 |
| 19.36 | Reactor Coolant System Depressurization | 19.36-1 |
| | 19.36.1 Introduction..... | 19.36-1 |
| | 19.36.2 Definition of High Pressure | 19.36-1 |
| | 19.36.3 References..... | 19.36-2 |
| 19.37 | Containment Isolation | 19.37-1 |
| 19.38 | Reactor Vessel Reflooding | 19.38-1 |
| 19.39 | In-Vessel Retention of Molten Core Debris | 19.39-1 |
| | 19.39.1 Introduction..... | 19.39-1 |
| | 19.39.2 Background on the Application of In-Vessel Retention to the Passive Plant | 19.39-1 |
| | 19.39.3 Application of In-Vessel Retention to the AP1000 Passive Plant..... | 19.39-2 |
| | 19.39.4 Reactor Vessel Failure Criteria | 19.39-2 |
| | 19.39.5 In-Vessel Melt Progression and Relocation | 19.39-2 |
| | 19.39.6 Application of Heat Transfer Correlations to the AP1000 | 19.39-3 |
| | 19.39.6.1 Debris Pool to Vessel Wall Heat Transfer..... | 19.39-3 |
| | 19.39.6.2 Vessel Wall to External Cooling Water Heat Transfer..... | 19.39-4 |

TABLE OF CONTENTS (Cont.)

| <u>Section</u> | <u>Title</u> | <u>Page</u> |
|----------------|---|-------------------------|
| 19.39.7 | Quantification of Heat Load on the Reactor Vessel Wall | 19.39-4 |
| 19.39.8 | Reactor Coolant System Depressurization | 19.39-4 |
| 19.39.9 | Reactor Cavity Flooding | 19.39-5 |
| 19.39.10 | Reactor Vessel Insulation Design Concept | 19.39-5 |
| | 19.39.10.1 Description of Reactor Vessel Insulation and Venting..... | 19.39-6 |
| | 19.39.10.2 Design Analysis of the Insulation and Support Frame | 19.39-6 |
| | 19.39.10.3 Reactor Vessel External Surface Treatment | 19.39-6 |
| 19.39.11 | Reactor Vessel Failure | 19.39-6 |
| 19.39.12 | Summary | 19.39-6 |
| 19.39.13 | References..... | 19.39-6 |
| 19.40 | Passive Containment Cooling | 19.40-1 |
| 19.41 | Hydrogen Mixing and Combustion Analysis | 19.41-1 |
| 19.41.1 | Introduction..... | 19.41-1 |
| 19.41.2 | Controlling Phenomena | 19.41-1 |
| 19.41.3 | Major Assumptions and Phenomenological Uncertainties..... | 19.41-3 |
| | 19.41.3.1 Hydrogen Generation | 19.41-3 |
| | 19.41.3.2 Containment Pressure..... | 19.41-3 |
| | 19.41.3.3 Flammability Limits | 19.41-3 |
| | 19.41.3.4 Detonation Limits and Loads | 19.41-3 |
| | 19.41.3.5 Igniter System..... | 19.41-4 |
| | 19.41.3.6 Other Ignition Sources..... | 19.41-4 |
| | 19.41.3.7 Severe Accident Management Actions..... | 19.41-4 |
| 19.41.4 | Hydrogen Generation and Mixing | 19.41-5 |
| 19.41.5 | Hydrogen Burning at Igniters..... | 19.41-5 |
| 19.41.6 | Early Hydrogen Combustion..... | 19.41-5 |
| | 19.41.6.1 Hydrogen Generation Rates..... | 19.41-5 |
| | 19.41.6.2 Hydrogen Release Locations | 19.41-6 |
| | 19.41.6.3 Early Hydrogen Combustion Ignition Sources | 19.41-8 |
| 19.41.7 | Diffusion Flame Analysis | 19.41-8 |
| 19.41.8 | Early Hydrogen Detonation | 19.41-9 |
| 19.41.9 | Deflagration in Time Frame 3 | 19.41-9 |
| 19.41.10 | Detonation in Intermediate Time Frame | 19.41-9 |
| 19.41.11 | Safety Margin Basis Containment Performance Requirement | 19.41-9 |
| 19.41.12 | Summary | 19.41-10 |
| 19.41.13 | References..... | 19.41-10 |
| 19.42 | Conditional Containment Failure Probability Distribution..... | 19.42-1 |
| 19.43 | Release Frequency Quantification..... | 19.43-1 |
| 19.44 | MAAP4.0 Code Description and AP1000 Modeling..... | 19.44-1 |
| 19.45 | Fission Product Source Terms..... | 19.45-1 |
| 19.46 | Not Used | |
| 19.47 | Not Used | |

TABLE OF CONTENTS (Cont.)

| <u>Section</u> | <u>Title</u> | <u>Page</u> |
|----------------|---|-------------|
| 19.48 | Not Used | |
| 19.49 | Offsite Dose Evaluation | 19.49-1 |
| 19.50 | Importance and Sensitivity Analysis | 19.50-1 |
| 19.51 | Uncertainty Analysis | 19.51-1 |
| 19.52 | Not Used | |
| 19.53 | Not Used | |
| 19.54 | Low Power and Shutdown PRA Assessment..... | 19.54-1 |
| 19.55 | Seismic Margin Analysis..... | 19.55-1 |
| | 19.55.1 Introduction..... | 19.55-1 |
| | 19.55.2 Calculation of HCLPF Values | 19.55-1 |
| | 19.55.2.1 Seismic Margin HCLPF Methodology | 19.55-1 |
| | 19.55.2.2 Calculation of HCLPF Values..... | 19.55-2 |
| | 19.55.3 Seismic Margin Model..... | 19.55-7 |
| | 19.55.3.1 Major SMA Model Assumptions | 19.55-7 |
| | 19.55.3.2 Seismic Initiating Events | 19.55-8 |
| | 19.55.3.3 Seismic Event Trees | 19.55-9 |
| | 19.55.3.4 Seismic Fault Trees | 19.55-12 |
| | 19.55.4 Calculation of HCLPF | 19.55-12 |
| | 19.55.4.1 HCLPFs for Basic Events..... | 19.55-13 |
| | 19.55.4.2 Calculation of Initiating Event HCLPFs..... | 19.55-13 |
| | 19.55.4.3 Calculation of AP1000 Plant HCLPF | 19.55-14 |
| | 19.55.5 Sensitivity Analyses | 19.55-14 |
| | 19.55.6 Results and Insights | 19.55-14 |
| | 19.55.6.1 AP1000 SMA Results | 19.55-14 |
| | 19.55.6.2 AP1000 SMA Insights | 19.55-15 |
| | 19.55.7 References..... | 19.55-16 |
| 19.56 | PRA Internal Flooding Analysis | 19.56-1 |
| 19.57 | Internal Fire Analysis | 19.57-1 |
| 19.58 | Winds, Floods, and Other External Events | 19.58-1 |
| | 19.58.1 Introduction..... | 19.58-1 |
| | 19.58.2 External Events Analysis | 19.58-1 |
| | 19.58.2.1 Severe Winds and Tornadoes | 19.58-1 |
| | 19.58.2.2 External Floods | 19.58-4 |
| | 19.58.2.3 Transportation and Nearby Facility Accidents | 19.58-5 |
| | 19.58.2.4 Malevolent Aircraft Impact | 19.59-7 |
| | 19.58.3 Conclusion | 19.58-7 |
| | 19.58.4 References..... | 19.58-8 |
| 19.59 | PRA Results and Insights | 19.59-1 |
| | 19.59.1 Introduction..... | 19.59-1 |
| | 19.59.2 Use of PRA in the Design Process..... | 19.59-3 |
| | 19.59.3 Core Damage Frequency from Internal Initiating Events at Power | 19.59-3 |
| | 19.59.3.1 Dominant Core Damage Sequences | 19.59-5 |

TABLE OF CONTENTS (Cont.)

| <u>Section</u> | <u>Title</u> | <u>Page</u> |
|----------------|--|-------------|
| 19.59.3.2 | Component Importances for At-Power Core Damage Frequency..... | 19.59-7 |
| 19.59.3.3 | System Importances for At-Power Core Damage | 19.59-8 |
| 19.59.3.4 | System Failure Probabilities for At-Power Core Damage | 19.59-8 |
| 19.59.3.5 | Common Cause Failure Importances for At-Power Core Damage..... | 19.59-9 |
| 19.59.3.6 | Human Error Importances for At-Power Core Damage..... | 19.59-9 |
| 19.59.3.7 | Accident Class Importances | 19.59-10 |
| 19.59.3.8 | Sensitivity Analyses Summary for At-Power Core Damage | 19.59-10 |
| 19.59.3.9 | Summary of Important Level 1 At-Power Results..... | 19.59-11 |
| 19.59.4 | Large Release Frequency for Internal Initiating Events at Power | 19.59-15 |
| 19.59.4.1 | Dominant Large Release Frequency Sequences | 19.59-15 |
| 19.59.4.2 | Summary of Important Level 2 At-Power Results..... | 19.59-16 |
| 19.59.5 | Core Damage and Severe Release Frequency from Events at Shutdown..... | 19.59-18 |
| 19.59.5.1 | Summary of Shutdown Level 1 Results | 19.59-18 |
| 19.59.5.2 | Large Release Frequency for Shutdown and Low-Power Events | 19.59-22 |
| 19.59.5.3 | Shutdown Results Summary..... | 19.59-22 |
| 19.59.6 | Results from Internal Flooding, Internal Fire, and Seismic Margin Analyses | 19.59-22 |
| 19.59.6.1 | Results of Internal Flooding Assessment..... | 19.59-22 |
| 19.59.6.2 | Results of Internal Fire Assessment | 19.59-23 |
| 19.59.6.3 | Results of Seismic Margin Analysis | 19.59-25 |
| 19.59.7 | Plant Dose Risk from Release of Fission-Products | 19.59-25 |
| 19.59.8 | Overall Plant Risk Results | 19.59-25 |
| 19.59.9 | Plant Features Important to Reducing Risk..... | 19.59-26 |
| 19.59.9.1 | Reactor Design | 19.59-27 |
| 19.59.9.2 | Systems Design | 19.59-27 |
| 19.59.9.3 | Instrumentation and Control Design..... | 19.59-30 |
| 19.59.9.4 | Plant Layout | 19.59-31 |
| 19.59.9.5 | Containment Design..... | 19.59-31 |
| 19.59.10 | PRA Input to Design Certification Process..... | 19.59-35 |
| 19.59.10.1 | PRA Input to Reliability Assurance Program..... | 19.59-35 |
| 19.59.10.2 | PRA Input to Tier 1 Information | 19.59-35 |
| 19.59.10.3 | PRA Input to MMI/Human Factors/Emergency Response Guidelines | 19.59-35 |
| 19.59.10.4 | Summary of PRA Based Insights | 19.59-35 |
| 19.59.10.5 | Combined License Information | 19.59-36 |
| 19.59.11 | References..... | 19.59-37 |
| | APPENDIX 19A THERMAL HYDRAULIC ANALYSIS TO SUPPORT SUCCESS CRITERIA..... | 19A-1 |

TABLE OF CONTENTS (Cont.)

| <u>Section</u> | <u>Title</u> | <u>Page</u> |
|---|--|--------------|
| APPENDIX 19B EX-VESSEL SEVERE ACCIDENT PHENOMENA | | 19B-1 |
| 19B.1 | Reactor Vessel Failure | 19B-2 |
| 19B.2 | Direct Containment Heating..... | 19B-4 |
| 19B.3 | Ex-Vessel Steam Explosions..... | 19B-5 |
| 19B.4 | Core Concrete Interactions | 19B-5 |
| 19B.4.1 | Containment Pressurization due to Core Concrete Interactions | 19B-6 |
| 19B.5 | Conclusions..... | 19B-7 |
| 19B.6 | References..... | 19B-7 |
| APPENDIX 19C ADDITIONAL ASSESSMENT OF AP1000 DESIGN FEATURES | | 19C-1 |
| APPENDIX 19D EQUIPMENT SURVIVABILITY ASSESSMENT | | 19D-1 |
| 19D.1 | Introduction..... | 19D-1 |
| 19D.2 | Applicable Regulations and Criteria | 19D-1 |
| 19D.3 | Definition of Controlled, Stable State | 19D-2 |
| 19D.4 | Definition of Equipment Survivability Time Frames | 19D-3 |
| 19D.4.1 | Time Frame 0 - Pre-Core Uncovery..... | 19D-3 |
| 19D.4.2 | Time Frame 1 - Core Heatup | 19D-3 |
| 19D.4.3 | Time Frame 2 - In-Vessel Severe Accident Phase | 19D-3 |
| 19D.4.4 | Time Frame 3 - Ex-Vessel Severe Accident Phase | 19D-4 |
| 19D.5 | Definition of Active Operation Time | 19D-4 |
| 19D.6 | Equipment and Instrumentation for Severe Accident Management | 19D-4 |
| 19D.6.1 | Time Frames 0 and 1 - Accident Initiation, Core Uncovery and Heatup | 19D-5 |
| 19D.6.1.1 | Injection into the RCS | 19D-5 |
| 19D.6.1.2 | Injection into Containment | 19D-5 |
| 19D.6.1.3 | Decay Heat Removal and Injection into the Steam Generators | 19D-6 |
| 19D.6.1.4 | Depressurize Reactor Coolant System..... | 19D-7 |
| 19D.6.1.5 | Depressurize Steam Generators..... | 19D-8 |
| 19D.6.1.6 | Containment Heat Removal | 19D-8 |
| 19D.6.1.7 | Containment Isolation | 19D-9 |
| 19D.6.1.8 | Hydrogen Control..... | 19D-9 |
| 19D.6.1.9 | Accident Monitoring | 19D-9 |
| 19D.6.2 | Time Frame 2 - In-Vessel Core Core Melting and Relocation | 19D-10 |
| 19D.6.2.1 | Injection into the RCS | 19D-10 |
| 19D.6.2.2 | Injection into Containment | 19D-10 |
| 19D.6.2.3 | Decay Heat Removal and Injection into the Steam Generators | 19D-11 |
| 19D.6.2.4 | Depressurize RCS | 19D-11 |
| 19D.6.2.5 | Depressurize Steam Generators..... | 19D-12 |
| 19D.6.2.6 | Containment Heat Removal | 19D-12 |
| 19D.6.2.7 | Containment Isolation | 19D-12 |
| 19D.6.2.8 | Hydrogen Control..... | 19D-12 |

TABLE OF CONTENTS (Cont.)

| <u>Section</u> | <u>Title</u> | <u>Page</u> |
|----------------|--|--------------|
| | 19D.6.2.9 Control Fission Product Releases | 19D-13 |
| | 19D.6.2.10 Accident Monitoring | 19D-13 |
| 19D.6.3 | Time Frame 3 - Ex-Vessel Relocation | 19D-13 |
| | 19D.6.3.1 Injection into the RCS | 19D-14 |
| | 19D.6.3.2 Injection into Containment | 19D-14 |
| | 19D.6.3.3 Decay Heat Removal and Injection into the Steam Generators | 19D-14 |
| | 19D.6.3.4 Depressurize RCS | 19D-14 |
| | 19D.6.3.5 Depressurize Steam Generators..... | 19D-14 |
| | 19D.6.3.6 Containment Heat Removal | 19D-14 |
| | 19D.6.3.7 Containment Isolation and Venting..... | 19D-15 |
| | 19D.6.3.8 Combustible Gas Control | 19D-15 |
| | 19D.6.3.9 Control Fission Product Releases | 19D-15 |
| | 19D.6.3.10 Accident Monitoring | 19D-16 |
| | 19D.6.4 Summary of Equipment and Instrumentation..... | 19D-16 |
| 19D.7 | Severe Accident Environments | 19D-16 |
| 19D.8 | Assessment of Equipment Survivability..... | 19D-16 |
| | 19D.8.1 Approach to Equipment Survivability..... | 19D-16 |
| | 19D.8.1.1 Equipment Type | 19D-16 |
| | 19D.8.1.2 Equipment Location | 19D-16 |
| | 19D.8.1.3 Time Duration Required..... | 19D-17 |
| | 19D.8.1.4 Severe Environment Experiments | 19D-17 |
| | 19D.8.2 Equipment Located in Containment..... | 19D-17 |
| | 19D.8.2.1 Differential Pressure and Pressure Transmitters..... | 19D-17 |
| | 19D.8.2.2 Thermocouples..... | 19D-18 |
| | 19D.8.2.3 Resistance Temperature Detectors (RTDs) | 19D-18 |
| | 19D.8.2.4 Hydrogen Monitors | 19D-18 |
| | 19D.8.2.5 Radiation Monitors..... | 19D-18 |
| | 19D.8.2.6 Solenoid Valve | 19D-18 |
| | 19D.8.2.7 Motor-Operated Valves | 19D-19 |
| | 19D.8.2.8 Squib Valves | 19D-19 |
| | 19D.8.2.9 Position Sensors | 19D-19 |
| | 19D.8.2.10 Hydrogen Igniters..... | 19D-20 |
| | 19D.8.2.11 Electrical Containment Penetration Assemblies | 19D-20 |
| | 19D.8.2.12 Cables..... | 19D-20 |
| | 19D.8.2.13 Assessment of Equipment for Sustained Burning | 19D-20 |
| | 19D.8.3 Equipment Located Outside Containment | 19D-21 |
| 19D.9 | Conclusions of Equipment Survivability Assessment | 19D-21 |
| 19D.10 | References..... | 19D-21 |
| | APPENDIX 19E SHUTDOWN EVALUATION..... | 19E-1 |
| | 19E.1 Introduction..... | 19E-1 |

TABLE OF CONTENTS (Cont.)

| <u>Section</u> | <u>Title</u> | <u>Page</u> |
|----------------|--|-------------|
| | 19E.1.1 Purpose | 19E-1 |
| | 19E.1.2 Scope | 19E-1 |
| | 19E.1.3 Background..... | 19E-1 |
| 19E.2 | Major Systems Designed to Operate During Shutdown..... | 19E-2 |
| | 19E.2.1 Reactor Coolant System..... | 19E-2 |
| | 19E.2.1.1 System Description..... | 19E-2 |
| | 19E.2.1.2 Design Features to Address Shutdown Safety..... | 19E-2 |
| | 19E.2.2 Steam Generator and Feedwater Systems | 19E-6 |
| | 19E.2.2.1 System Description..... | 19E-6 |
| | 19E.2.2.2 Design Features to Address Shutdown Safety..... | 19E-6 |
| | 19E.2.3 Passive Core Cooling System | 19E-8 |
| | 19E.2.3.1 System Description..... | 19E-8 |
| | 19E.2.3.2 Design Features to Address Shutdown Safety..... | 19E-8 |
| | 19E.2.3.3 Shutdown Operations | 19E-11 |
| | 19E.2.4 Normal Residual Heat Removal System | 19E-12 |
| | 19E.2.4.1 System Description..... | 19E-12 |
| | 19E.2.4.2 Design Features to Address Shutdown Safety..... | 19E-12 |
| | 19E.2.5 Component Cooling and Service Water Systems..... | 19E-14 |
| | 19E.2.6 Containment Systems..... | 19E-15 |
| | 19E.2.6.1 System Description..... | 19E-15 |
| | 19E.2.6.2 Design Features to Address Shutdown Safety..... | 19E-15 |
| | 19E.2.7 Chemical and Volume Control System | 19E-16 |
| | 19E.2.7.1 System Description..... | 19E-16 |
| | 19E.2.7.2 Design Features to Address Shutdown Safety..... | 19E-16 |
| | 19E.2.8 Spent Fuel Pool Cooling System..... | 19E-17 |
| | 19E.2.8.1 System Description..... | 19E-17 |
| | 19E.2.8.2 Design Features to Address Shutdown Safety..... | 19E-17 |
| | 19E.2.9 Control and Protection Systems | 19E-18 |
| 19E.3 | Shutdown Maintenance Guidelines and Procedures | 19E-18 |
| | 19E.3.1 Maintenance Guidelines and Insights Important to Reducing Shutdown Risk | 19E-18 |
| | 19E.3.1.1 Availability Requirements for Safety-Related Systems | 19E-18 |
| | 19E.3.1.2 Availability Guidelines for Systems Important for Investment Protection..... | 19E-18 |
| | 19E.3.1.3 Reactor Coolant System Precautions and Limitations at Shutdown | 19E-18 |
| | 19E.3.2 Shutdown Risk Management | 19E-21 |
| | 19E.3.3 Shutdown Emergency Response Guidelines Overview | 19E-21 |
| 19E.4 | Safety Analyses and Evaluations..... | 19E-22 |
| | 19E.4.1 Introduction..... | 19E-22 |
| | 19E.4.1.1 Matrix of Chapter 15 Events | 19E-23 |
| | 19E.4.2 Increase in Heat Removal from the Primary System..... | 19E-23 |

TABLE OF CONTENTS (Cont.)

| <u>Section</u> | <u>Title</u> | <u>Page</u> |
|----------------|--|-------------|
| 19E.4.2.1 | Feedwater System Malfunctions Which Increase Heat Removal from the Primary System..... | 19E-23 |
| 19E.4.2.2 | Excessive Increase in Secondary Steam Flow | 19E-24 |
| 19E.4.2.3 | Credible and Hypothetical Steam Line Breaks..... | 19E-25 |
| 19E.4.2.4 | Inadvertent PRHR HX Operation..... | 19E-26 |
| 19E.4.3 | Decrease in Heat Removal by the Secondary System | 19E-27 |
| 19E.4.3.1 | Loss of Load and Turbine Trip..... | 19E-27 |
| 19E.4.3.2 | Loss of ac Power | 19E-28 |
| 19E.4.3.3 | Loss of Normal Feedwater | 19E-28 |
| 19E.4.3.4 | Feedwater System Pipe Break | 19E-29 |
| 19E.4.4 | Decrease in Reactor Coolant Flow Rate..... | 19E-29 |
| 19E.4.4.1 | Partial and Complete Loss of Forced RCS Flow | 19E-29 |
| 19E.4.4.2 | Reactor Coolant Pump Shaft Seizure or Break..... | 19E-30 |
| 19E.4.5 | Reactivity and Power Distribution Anomalies | 19E-30 |
| 19E.4.5.1 | Uncontrolled RCCA Bank Withdrawal from a Subcritical Condition..... | 19E-30 |
| 19E.4.5.2 | Uncontrolled RCCA Bank Withdrawal at Power | 19E-31 |
| 19E.4.5.3 | RCCA Misalignment..... | 19E-31 |
| 19E.4.5.4 | Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature | 19E-32 |
| 19E.4.5.5 | Chemical and Volume Control System Malfunction That Results in a Decrease in the Boron Concentration in the Reactor Coolant..... | 19E-32 |
| 19E.4.5.6 | Inadvertent Loading of a Fuel Assembly in an Improper Position | 19E-32 |
| 19E.4.5.7 | RCCA Ejection | 19E-32 |
| 19E.4.6 | Increase in Reactor Coolant Inventory | 19E-33 |
| 19E.4.7 | Decrease in Reactor Coolant Inventory..... | 19E-34 |
| 19E.4.7.1 | Inadvertent Opening of a Pressurizer Safety Valve or Inadvertent Operation of the Automatic Depressurization System..... | 19E-34 |
| 19E.4.7.2 | Failure of Small Lines Carrying Primary Coolant Outside Containment..... | 19E-34 |
| 19E.4.7.3 | Steam Generator Tube Rupture in Lower Modes | 19E-34 |
| 19E.4.8 | Loss-of-Coolant Accident Events in Shutdown Modes | 19E-35 |
| 19E.4.8.1 | Double-Ended Cold-Leg Guillotine | 19E-36 |
| 19E.4.8.2 | Loss of Normal Residual Heat Removal System Cooling in Mode 4 with Reactor Coolant System Intact..... | 19E-37 |
| 19E.4.8.3 | Loss of Normal Residual Heat Removal System Cooling in Mode 5 with Reactor Coolant System Open | 19E-39 |
| 19E.4.9 | Radiological Consequences | 19E-41 |
| 19E.4.10 | Other Evaluations and Analyses | 19E-42 |
| 19E.4.10.1 | Low Temperature Overpressure Protection | 19E-42 |

TABLE OF CONTENTS (Cont.)

| <u>Section</u> | <u>Title</u> | <u>Page</u> |
|--|--|--------------|
| 19E.5 | 19E.4.10.2 Shutdown Temperature Evaluation | 19E-42 |
| 19E.5 | Technical Specifications | 19E-43 |
| | 19E.5.1 Summary of Shutdown Technical Specifications..... | 19E-43 |
| 19E.6 | Shutdown Risk Evaluation | 19E-43 |
| 19E.7 | Compliance with NUREG-1449 | 19E-43 |
| 19E.8 | Conclusion | 19E-44 |
| 19E.9 | References..... | 19E-44 |
| APPENDIX 19F MALEVOLENT AIRCRAFT IMPACT | | 19F-1 |
| 19F.1 | Introduction and Background..... | 19F-1 |
| 19F.2 | Scope..... | 19F-1 |
| 19F.3 | Assesment Methodology | 19F-1 |
| 19F.4 | Results/Conclusions | 19F-2 |
| | 19F.4.1 Shield Building and Spent Fuel Pool | 19F-2 |
| | 19F.4.2 Site Arrangement | 19F-2 |
| | 19F.4.3 Core Cooling and Containment Integrity | 19F-3 |
| | 19F.4.4 Reactor Trip | 19F-4 |
| | 19F.4.5 Supporting Power, Instrumentation, and Control Equipment | 19F-4 |
| | 19F.4.6 Fire Barriers | 19F-5 |
| 19F.5 | References..... | 19F-5 |

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| 19.15-1 | (Tables 19.15-1 through 19.15-9 Not Used) | |
| 19.34-1 | (Tables 19.34-1 through 19.34-26 Not Used) | |
| 19.39-1 | (Tables 19.39-1 through 19.39-3 Not Used) | |
| 19.55-1 | Seismic Margin Parameters and HCLPF Values (Sheets 1 – 2)..... | 19.55-18 |
| 19.55-2 | Basic Events HCLPF Values (Sheets 1 – 5)..... | 19.55-20 |
| 19.55-3 | EQ-IEV-STRUC (EQSTR-02) HCLPF | 19.55-25 |
| 19.55-4 | EQ-IEV-RVFA (EQRVF-02) HCLPF | 19.55-26 |
| 19.55-5 | EQ-IEV-LLOCA HCLPF | 19.55-26 |
| 19.55-6 | EQ-IEV-SLOCA HCLPF..... | 19.55-27 |
| 19.55-7 | EQ-IEV-ATWS HCLPF | 19.55-27 |
| 19.55-8 | SEQUENCE AND PLANT HCLPF | 19.55-28 |
| 19.58-1 | Description of the Enhanced Fujita Scale (Tornados)..... | 19.58-10 |
| 19.58-2 | Description of Saffir-Simpson Scale (Hurricanes) | 19.58-11 |
| 19.58-3 | High Winds and Tornados Results..... | 19.58-12 |
| 19.59-1 | Contribution of Initiating Events to Core Damage..... | 19.59-39 |
| 19.59-2 | Conditional Core Damage Probability of Initiating Events | 19.59-40 |
| 19.59-3 | Internal Initiating Events At Power Dominant Core Damage Sequences (Sheets 1 – 4)..... | 19.59-41 |
| 19.59-4 | Sequence 1 – Safety Injection Line Break Dominant Cutsets (SI-LB-07) (Sheets 1 – 3) | 19.59-45 |
| 19.59-5 | Sequence 2 – Large LOCA Dominant Cutsets (LLOCA-09)..... | 19.59-48 |
| 19.59-6 | Sequence 3 – Spurious ADS Actuation Dominant Cutsets (SPADS-08) (Sheets 1 – 3) | 19.59-49 |
| 19.59-7 | Sequence 4 – Safety Injection Line Break Dominant Cutsets (SI-LB-08) (Sheets 1 – 3) | 19.59-52 |
| 19.59-8 | Sequence 5 – Reactor Vessel Rupture Cutset (RV-RP-02) | 19.59-55 |
| 19.59-9 | Sequence 6 – Small LOCA Dominant Cutsets (SLOCA-05) (Sheets 1 – 3) | 19.59-56 |
| 19.59-10 | Sequence 7 – Medium LOCA Dominant Cutsets (MLOCA-05) (Sheets 1 – 3)..... | 19.59-59 |
| 19.59-11 | Sequence 8 – Small LOCA Dominant Cutsets (SLOCA-12) (Sheets 1 – 3) | 19.59-62 |
| 19.59-12 | Sequence 9 – Medium LOCA Dominant Cutsets (MLOCA-12) (Sheets 1 – 3)..... | 19.59-65 |
| 19.59-13 | Sequence 10 – Spurious ADS Actuation Dominant Cutsets (SPADS-09) (Sheets 1 – 3) | 19.59-68 |
| 19.59-14 | Typical System Failure Probabilities, Showing Higher Reliabilities for Safety Systems | 19.59-71 |
| 19.59-15 | Summary of AP1000 PRA Results | 19.59-72 |
| 19.59-16 | Not Used | |
| 19.59-17 | Comparison of AP1000 PRA Results to Risk Goals | 19.59-74 |
| 19.59-18 | AP1000 PRA-Based Insights (Sheets 1 – 25) | 19.59-75 |
| 19B-1 | Not Used | |
| 19D-1 | Definition of Equipment Survivability Time Frames | 19D-23 |
| 19D-2 | AP1000 High Level Actions Relative to Accident Management Goals | 19D-24 |
| 19D-3 | Equipment and Instrumentation Operation Prior to End of Time Frame 1 - Core Uncovery and Heatup (Sheets 1 – 3)..... | 19D-25 |

LIST OF TABLES (Cont.)

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| 19D-4 | Equipment and Instrumentation Operation During Time Frame 2 - In-Vessel Core Melting and Relocation (Sheets 1 – 3)..... | 19D-28 |
| 19D-5 | Equipment and Instrumentation Operation During Time Frame 3 - Ex-Vessel Core Relocation (Sheets 1 – 2)..... | 19D-31 |
| 19D-6 | Not Used | |
| 19D-7 | Sustained Hydrogen Combustion Survivability Assessment (Sheets 1 – 3)..... | 19D-34 |
| 19E.2-1 | Evaluation of a Loss of RNS at Mid-loop with no IRWST Injection | 19E-46 |
| 19E.4.1-1 | AP1000 Accidents Requiring Shutdown Evaluation or Analysis (Sheets 1 – 2)..... | 19E-47 |
| 19E.4.8-1 | Double-Ended Cold-Leg Guillotine Break – Sequence of Events..... | 19E-49 |
| 19E.4.8-2 | Loss of Normal Residual Heat Removal System Cooling in Mode 4 with Reactor Coolant System Intact – Sequence of Events | 19E-49 |
| 19E.4.8-3 | Loss of Normal Residual Heat Removal System Cooling in Mode 5 with Reactor Coolant System Open – Sequence of Events | 19E-50 |
| 19E.4.8-4 | Not Used | |
| 19E.4.8-5 | Not Used | |
| 19E.4.10-1 | Sequence of Events Following a Loss of ac Power Flow with Condensate From the Containment Shell Being Returned to the IRWST | 19E-52 |

LIST OF FIGURES

| <u>Figure No.</u> | <u>Title</u> | <u>Page</u> |
|-------------------|--|-------------|
| 19.15-1 | Not Used | |
| 19.34-1 | (Figures 19.34-1 through 19.34-391 Not Used) | |
| 19.39-1 | (Figures 19.39-1 through 19.39-15 Not Used) | |
| 19.39-16 | Containment Floodable Region..... | 19.39-9 |
| 19.39-17 | Containment Floodable Region – Expanded View | 19.39-10 |
| 19.39-18 | Not Used | |
| 19.39-19 | Not Used | |
| 19.55-1 | Seismic Initiating Event Hierarchy Tree | 19.55-29 |
| 19.55-2 | Seismic Induced Gross Structural Collapse Event Tree | 19.55-30 |
| 19.55-3 | Seismic Induced Excessive LOCA Event Tree | 19.55-31 |
| 19.55-4 | Seismic Induced Large LOCA Event Tree..... | 19.55-32 |
| 19.55-5 | Seismic Induced Small LOCA Event Tree..... | 19.55-33 |
| 19.55-6 | Seismic Induced ATWS Event Tree | 19.55-34 |
| 19.55-7 | Seismic Induced LOSP Event Tree | 19.55-35 |
| 19.58-1 | Pipeline Accident Model..... | 19.58-13 |
| 19.59-1 | Contribution of Initiating Events to Core Damage..... | 19.59-100 |
| 19.59-2 | Not Used | |
| 19B-1 | Illustration of Hinging Type of Failure Resulting in Rapid Melt Release | 19B-8 |
| 19B-2 | Illustration of Localized Type of Failure Resulting in Slow Melt Release..... | 19B-9 |
| 19B-3 | (Figures 19B-3 through 19B-8b Not Used) | |
| 19E.2-1 | Reactor Coolant System Level Instruments Used During Shutdown | 19E-53 |
| 19E.2-2 | IRWST Injection Flow Path | 19E-54 |
| 19E.2-3 | AP1000 Permanent Reactor Cavity Seal | 19E-55 |
| 19E.4.8-1 | Mode 3 DECLG Break, Break Flow Rates, Vessel and RCP Sides | 19E-56 |
| 19E.4.8-2 | Mode 3 DECLG Break, Pressurizer Pressure..... | 19E-57 |
| 19E.4.8-3 | Mode 3 DECLG Break, Upper Plenum Collapsed Liquid Level | 19E-58 |
| 19E.4.8-4 | Mode 3 DECLG Break, Downcomer Collapsed Liquid Level..... | 19E-59 |
| 19E.4.8-5 | Mode 3 DECLG Break, Core Collapsed Liquid Level..... | 19E-60 |
| 19E.4.8-6 | Mode 3 DECLG Break, Peak Cladding Temperature | 19E-61 |
| 19E.4.8-7 | Core Outlet Temperature, Loss of RNS in Mode 4 with RCS Intact..... | 19E-62 |
| 19E.4.8-8 | Pressurizer Pressure, Loss of RNS in Mode 4 with RCS Intact | 19E-63 |
| 19E.4.8-9 | RNS Relief Valve Flow, Loss of RNS in Mode 4 with RCS Intact | 19E-64 |
| 19E.4.8-10 | Pressurizer Mixture Level, Loss of RNS in Mode 4 with RCS Intact | 19E-65 |
| 19E.4.8-11 | Core Stack Mixture Level, Loss of RNS in Mode 4 with RCS Intact | 19E-66 |
| 19E.4.8-12 | Downcomer Mixture Level, Loss of RNS in Mode 4 with RCS Intact | 19E-67 |
| 19E.4.8-13 | CMT to DVI Flow, Loss of RNS in Mode 4 with RCS Intact | 19E-68 |
| 19E.4.8-14 | CMT Mixture Level, Loss of RNS in Mode 4 with RCS Intact..... | 19E-69 |
| 19E.4.8-15 | ADS Stages 1-3 Vapor Flow, Loss of RNS in Mode 4 with RCS Intact..... | 19E-70 |
| 19E.4.8-16 | ADS Stages 1-3 Liquid Flow, Loss of RNS in Mode 4 with RCS Intact..... | 19E-71 |
| 19E.4.8-17 | ADS Stage 4 Vapor Flow, Loss of RNS in Mode 4 with RCS Intact..... | 19E-72 |
| 19E.4.8-18 | ADS Stage 4 Liquid Flow, Loss of RNS in Mode 4 with RCS Intact..... | 19E-73 |

LIST OF FIGURES (Cont.)

| <u>Figure No.</u> | <u>Title</u> | <u>Page</u> |
|-------------------|---|-------------|
| 19E.4.8-19 | Loop 1 IRWST Injection Flow, Loss of RNS in Mode 4 with RCS Intact..... | 19E-74 |
| 19E.4.8-20 | Primary Mass Inventory, Loss of RNS in Mode 4 with RCS Intact | 19E-75 |
| 19E.4.8-21 | Pressurizer Pressure, Loss of RNS in Mode 4 with RCS Intact, Manual Safety System Actuation at 1800 Seconds. | 19E-76 |
| 19E.4.8-22 | RNS Safety Valve Flow, Loss of RNS in Mode 4 RCS Intact, Manual Safety System Actuation at 1800 Seconds | 19E-77 |
| 19E.4.8-23 | Decay Heat and PRHR Heat Removal, Loss of RNS in Mode 4 with RCS Intact, Manual Safety System Actuation at 1800 Seconds..... | 19E-78 |
| 19E.4.8-24 | Core Outlet Fluid Temperature, Loss of RNS in Mode 5 with RCS Open | 19E-79 |
| 19E.4.8-25 | Pressurizer Pressure, Loss of RNS in Mode 5 with RCS Open..... | 19E-80 |
| 19E.4.8-26 | Pressurizer Mixture Level, Loss of RNS in Mode 5 with RCS Open | 19E-81 |
| 19E.4.8-27 | ADS Stages 1-3 Vapor Flow, Loss of RNS in Mode 5 with RCS Open | 19E-82 |
| 19E.4.8-28 | ADS Stages 1-3 Liquid Flow, Loss of RNS in Mode 5 with RCS Open | 19E-83 |
| 19E.4.8-29 | Core Stack Mixture Level, Loss of RNS in Mode 5 with RCS Open | 19E-84 |
| 19E.4.8-30 | Downcomer Mixture Level, Loss of RNS in Mode 5 with RCS Open | 19E-85 |
| 19E.4.8-31 | Loop 1 Hot-Leg Mixture Level, Loss of RNS in Mode 5 with RCS Open | 19E-86 |
| 19E.4.8-32 | ADS Stage 4 Vapor Flow, Loss of RNS in Mode 5 with RCS Open | 19E-87 |
| 19E.4.8-33 | ADS Stage 4 Liquid Flow, Loss of RNS in Mode 5 with RCS Open | 19E-88 |
| 19E.4.8-34 | IRWST Injection Flow, Loss of RNS in Mode 5 with RCS Open | 19E-89 |
| 19E.4.8-35 | Primary Mass Inventory, Loss of RNS in Mode 5 with RCS Open | 19E-90 |
| 19E.4.10-1 | Shutdown Temperature Evaluation, RCS Temperature | 19E-91 |
| 19E.4.10-2 | Shutdown Temperature Evaluation, PRHR Heat Transfer | 19E-92 |
| 19E.4.10-3 | Shutdown Temperature Evaluation, PRHR Flow Rate | 19E-93 |
| 19E.4.10-4 | Shutdown Temperature Evaluation, IRWST Heatup | 19E-94 |