TABLE OF CONTENTS

Section	Title	Page
CHAPTER 3	DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT AND SYSTEMS	3.1-1
3.1	Conformance with Nuclear Regulatory Commission General Design Criteria	3.1-1
3.1.1	Overall Requirements	3.1-1
3.1.2	Protection by Multiple Fission Product Barriers	3.1-4
3.1.3	Protection and Reactivity Control Systems	3.1-11
3.1.4	Fluid Systems	3.1-17
3.1.5	Reactor Containment	3.1-28
3.1.6	Fuel and Reactivity Control	3.1-32
3.1.7	Combined License Information	3.1-35
3.1.8	References	3.1-35
3.2	Classification of Structures, Components, and Systems	3.2-1
3.2.1	Seismic Classification	3.2-1
3.2.1.1	Definitions	3.2-1
3.2.1.2	Classifications	3.2-3
3.2.1.3	Classification of Building Structures	3.2-3
3.2.2	AP1000 Classification System	3.2-3
3.2.2.1	Classification Definitions	3.2-4
3.2.2.2	Application of Classification	3.2-4
3.2.2.3	Equipment Class A	3.2-5
3.2.2.4	Equipment Class B	3.2-5
3.2.2.5	Equipment Class C	3.2-6
3.2.2.6	Equipment Class D	3.2-8
3.2.2.7	Other Equipment Classes	3.2-11
3.2.2.8	Instrumentation and Control Line Interface Criteria	3.2-12
3.2.2.9	Electrical Classifications	3.2-12
3.2.3	Inspection Requirements	3.2-12
3.2.4	Application of AP1000 Safety-Related Equipment and Seismic Classification System	3.2-13
3.2.5	Combined License Information	3.2-16
3.2.6	References	3.2-16
3.3	Wind and Tornado Loadings	3.3-1
3.3.1	Wind Loadings	3.3-1
3.3.1.1	Design Wind Velocity	3.3-1
3.3.1.2	Determination of Applied Forces	3.3-1
3.3.2	Tornado Loadings	3.3-1
3.3.2.1	Applicable Design Parameters	3.3-2
3.3.2.2	Determination of Forces on Structures	3.3-2
3.3.2.3	Effect of Failure of Structures or Components Not Designed for Tornado Loads	3.3-3
3.3.2.4	Tornado Loads on the Passive Containment Cooling System Air Baffle	3.3-3

TABLE OF CONTENTS (Cont.)

Section	Title	Page
3.3.3	Combined License Information	3.3-4
3.3.4	References	3.3-5
3.4	Water Level (Flood) Design	3.4-1
3.4.1	Flood Protection	3.4-1
3.4.1.1	Flood Protection Measures for Seismic Category I Structures, Systems, and Components	3.4-1
3.4.1.2	Evaluation of Flooding Events	3.4-4
3.4.1.3	Permanent Dewatering System	3.4-24
3.4.2	Analytical and Test Procedures	3.4-24
3.4.3	Combined License Information	3.4-24
3.4.4	References	3.4-24
3.5	Missile Protection	3.5-1
3.5.1	Missile Selection and Description	3.5-3
3.5.1.1	Internally Generated Missiles (Outside Containment)	3.5-3
3.5.1.2	Internally Generated Missiles (Inside Containment)	3.5-8
3.5.1.3	Turbine Missiles	3.5-11
3.5.1.4	Missiles Generated by Natural Phenomena	3.5-11
3.5.1.5	Missiles Generated by Events Near the Site	3.5-12
3.5.1.6	Aircraft Hazards	3.5-12
3.5.2	Protection from Externally Generated Missiles	3.5-12
3.5.3	Barrier Design Procedures	3.5-13
3.5.3.1	Ductility Factors for Steel Structures	3.5-15
3.5.4	Combined License Information	3.5-15
3.5.5	References	3.5-16
3.6	Protection Against the Dynamic Effects Associated with the Postulated Rupture of Piping	3.6-1
3.6.1	Postulated Piping Failures in Fluid Systems Inside and Outside Containment	3.6-2
3.6.1.1	Design Basis	3.6-3
3.6.1.2	Description	3.6-6
3.6.1.3	Safety Evaluation	3.6-8
3.6.2	Determination of Break Locations and Dynamic Effects Associated with the Postulated Rupture of Piping	3.6-11
3.6.2.1	Criteria Used to Define High- and Moderate-Energy Break and Crack Locations and Configurations	3.6-11
3.6.2.2	Analytical Methods to Define Jet Thrust Forcing Functions and Response Models	3.6-19
3.6.2.3	Dynamic Analysis Methods to Verify Integrity and Operability	3.6-21
3.6.2.4	Protective Assembly Design Criteria	3.6-25
3.6.2.5	Evaluation of Dynamic Effects of Pipe Ruptures	3.6-25
3.6.2.6	Evaluation of Flooding Effects from Pipe Failures	3.6-28

TABLE OF CONTENTS (Cont.)

Section	Title	Page
	3.6.2.7 Evaluation of Spray Effects from High- and Moderate-Energy Through-Wall Cracks	3.6-28
3.6.3	Leak-before-Break Evaluation Procedures	3.6-29
	3.6.3.1 Application of Mechanistic Pipe Break Criteria	3.6-30
	3.6.3.2 Design Criteria for Leak-before-Break	3.6-31
	3.6.3.3 Analysis Methods and Criteria	3.6-33
	3.6.3.4 Documentation of Leak-before-Break Evaluations	3.6-34
3.6.4	Combined License Information	3.6-35
	3.6.4.1 Pipe Break Hazard Analysis	3.6-35
	3.6.4.2 Leak-before-Break Evaluation of As-Designed Piping	3.6-36
	3.6.4.3 Leak-before-Break Evaluation of As-Built Piping	3.6-36
	3.6.4.4 Primary System Inspection Program for Leak-before-Break Piping	3.6-36
3.6.5	References	3.6-36
3.7	Seismic Design	3.7-1
3.7.1	Seismic Input	3.7-1
	3.7.1.1 Design Response Spectra	3.7-1
	3.7.1.2 Design Time History	3.7-3
	3.7.1.3 Critical Damping Values	3.7-5
	3.7.1.4 Supporting Media for Seismic Category I Structures	3.7-6
3.7.2	Seismic System Analysis	3.7-7
	3.7.2.1 Seismic Analysis Methods	3.7-8
	3.7.2.2 Natural Frequencies and Response Loads	3.7-10
	3.7.2.3 Procedure Used for Modeling	3.7-10
	3.7.2.4 Soil-Structure Interaction	3.7-14
	3.7.2.5 Development of Floor Response Spectra	3.7-15
	3.7.2.6 Three Components of Earthquake Motion	3.7-15
	3.7.2.7 Combination of Modal Responses	3.7-16
	3.7.2.8 Interaction of Seismic Category II and Nonseismic Structures with Seismic Category I Structures, Systems, or Components	3.7-17
	3.7.2.9 Effects of Parameter Variations on Floor Response Spectra	3.7-20
	3.7.2.10 Use of Constant Vertical Static Factors	3.7-21
	3.7.2.11 Method Used to Account for Torsional Effects	3.7-21
	3.7.2.12 Methods for Seismic Analysis of Dams	3.7-22
	3.7.2.13 Determination of Seismic Category I Structure Overturning Moments	3.7-22
	3.7.2.14 Analysis Procedure for Damping	3.7-22
3.7.3	Seismic Subsystem Analysis	3.7-22
	3.7.3.1 Seismic Analysis Methods	3.7-22
	3.7.3.2 Determination of Number of Earthquake Cycles	3.7-23
	3.7.3.3 Procedure Used for Modeling	3.7-23
	3.7.3.4 Basis for Selection of Frequencies	3.7-24
	3.7.3.5 Equivalent Static Load Method of Analysis	3.7-24
	3.7.3.6 Three Components of Earthquake Motion	3.7-25

TABLE OF CONTENTS (Cont.)

Section	Title	Page
3.7.3.7	Combination of Modal Responses	3.7-26
3.7.3.8	Analytical Procedure for Piping	3.7-31
3.7.3.9	Combination of Support Responses	3.7-35
3.7.3.10	Vertical Static Factors	3.7-38
3.7.3.11	Torsional Effects of Eccentric Masses	3.7-38
3.7.3.12	Seismic Category I Buried Piping Systems and Tunnels	3.7-38
3.7.3.13	Interaction of Other Systems with Seismic Category I Systems	3.7-38
3.7.3.14	Seismic Analyses for Reactor Internals	3.7-45
3.7.3.15	Analysis Procedure for Damping	3.7-45
3.7.3.16	Analysis of Seismic Category I Tanks	3.7-45
3.7.3.17	Time History Analysis of Piping Systems	3.7-46
3.7.4	Seismic Instrumentation	3.7-46
3.7.4.1	Comparison with Regulatory Guide 1.12	3.7-46
3.7.4.2	Location and Description of Instrumentation	3.7-47
3.7.4.3	Control Room Operator Notification	3.7-48
3.7.4.4	Comparison of Measured and Predicted Responses	3.7-49
3.7.4.5	Tests and Inspections	3.7-49
3.7.5	Combined License Information	3.7-49
3.7.5.1	Seismic Analysis of Dams	3.7-49
3.7.5.2	Post-Earthquake Procedures	3.7-49
3.7.5.3	Seismic Interaction Review	3.7-50
3.7.5.4	Reconciliation of Seismic Analyses of Nuclear Island Structures	3.7-50
3.7.5.5	Free Field Acceleration Sensor	3.7-50
3.7.6	References	3.7-50
3.8	Design of Category I Structures	3.8-1
3.8.1	Concrete Containment	3.8-1
3.8.2	Steel Containment	3.8-1
3.8.2.1	Description of the Containment	3.8-1
3.8.2.2	Applicable Codes, Standards, and Specifications	3.8-5
3.8.2.3	Loads and Load Combinations	3.8-5
3.8.2.4	Design and Analysis Procedures	3.8-7
3.8.2.5	Structural Criteria	3.8-16
3.8.2.6	Materials, Quality Control, and Special Construction Techniques	3.8-16
3.8.2.7	Testing and In-Service Inspection Requirements	3.8-17
3.8.3	Concrete and Steel Internal Structures of Steel Containment	3.8-18
3.8.3.1	Description of the Containment Internal Structures	3.8-18
3.8.3.2	Applicable Codes, Standards, and Specifications	3.8-22
3.8.3.3	Loads and Load Combinations	3.8-22
3.8.3.4	Analysis Procedures	3.8-24
3.8.3.5	Design Procedures and Acceptance Criteria	3.8-31

TABLE OF CONTENTS (Cont.)

Section	Title	Page
	3.8.3.6 Materials, Quality Control, and Special Construction Techniques	3.8-39
	3.8.3.7 In-Service Testing and Inspection Requirements	3.8-40
	3.8.3.8 Construction Inspection	3.8-40
	3.8.4 Other Category I Structures	3.8-41
	3.8.4.1 Description of the Structures	3.8-41
	3.8.4.2 Applicable Codes, Standards, and Specifications	3.8-46
	3.8.4.3 Loads and Load Combinations	3.8-47
	3.8.4.4 Design and Analysis Procedures	3.8-50
	3.8.4.5 Structural Criteria	3.8-55
	3.8.4.6 Materials, Quality Control, and Special Construction Techniques	3.8-57
	3.8.4.7 Testing and In-Service Inspection Requirements	3.8-60
	3.8.4.8 Construction Inspection	3.8-60
	3.8.5 Foundations	3.8-61
	3.8.5.1 Description of the Foundations	3.8-61
	3.8.5.2 Applicable Codes, Standards, and Specifications	3.8-62
	3.8.5.3 Loads and Load Combinations	3.8-62
	3.8.5.4 Design and Analysis Procedures	3.8-62
	3.8.5.5 Structural Criteria	3.8-68
	3.8.5.6 Materials, Quality Control, and Special Construction Techniques	3.8-72
	3.8.5.7 In-Service Testing and Inspection Requirements	3.8-72
	3.8.5.8 Construction Inspection	3.8-72
	3.8.6 Combined License Information	3.8-72
	3.8.6.1 Containment Vessel Design Adjacent to Large Penetrations	3.8-72
	3.8.6.2 Passive Containment Cooling System Water Storage Tank Examination	3.8-73
	3.8.6.3 As-Built Summary Report	3.8-73
	3.8.6.4 In-Service Inspection of Containment Vessel	3.8-73
	3.8.6.5 Structures Inspection Program	3.8-73
	3.8.6.6 Construction Procedures Program	3.8-73
	3.8.7 References	3.8-73
3.9	Mechanical Systems and Components	3.9-1
	3.9.1 Special Topics for Mechanical Components	3.9-1
	3.9.1.1 Design Transients	3.9-1
	3.9.1.2 Computer Programs Used in Analyses	3.9-26
	3.9.1.3 Experimental Stress Analysis	3.9-27
	3.9.1.4 Considerations for the Evaluation of the Faulted Conditions	3.9-27
	3.9.1.5 Module Interaction, Coupling, and Other Issues	3.9-27

TABLE OF CONTENTS (Cont.)

Section	Title	Page
3.9.2	Dynamic Testing and Analysis	3.9-28
3.9.2.1	Piping Vibration, Thermal Expansion, and Dynamic Effects	3.9-28
3.9.2.2	Seismic Qualification Testing of Safety-Related Mechanical Equipment	3.9-31
3.9.2.3	Dynamic Response Analysis of Reactor Internals under Operational Flow Transients and Steady-State Conditions	3.9-32
3.9.2.4	Pre-operational Flow-Induced Vibration Testing of Reactor Internals	3.9-36
3.9.2.5	Dynamic System Analysis of the Reactor Internals Under Faulted Conditions	3.9-38
3.9.2.6	Correlation of Reactor Internals Vibration Tests with the Analytical Results	3.9-43
3.9.3	ASME Code Classes 1, 2, and 3 Components, Component Supports, and Core Support Structures	3.9-43
3.9.3.1	Loading Combinations, Design Transients, and Stress Limits	3.9-44
3.9.3.2	Pump and Valve Operability Assurance	3.9-59
3.9.3.3	Design and Installation Criteria of Class 1, 2, and 3 Pressure Relieving Devices	3.9-61
3.9.3.4	Component and Piping Supports	3.9-63
3.9.3.5	Instrumentation Line Supports	3.9-68
3.9.4	Control Rod Drive System (CRDS)	3.9-68
3.9.4.1	Descriptive Information of CRDS	3.9-68
3.9.4.2	Applicable CRDS Design Specifications	3.9-74
3.9.4.3	Design Loads, Stress Limits, and Allowable Deformations	3.9-77
3.9.4.4	Control Rod Drive Mechanism Performance Assurance Program	3.9-78
3.9.5	Reactor Pressure Vessel Internals	3.9-78
3.9.5.1	Design Arrangements	3.9-78
3.9.5.2	Design Loading Conditions	3.9-81
3.9.5.3	Design Bases	3.9-82
3.9.6	Inservice Testing of Pumps and Valves	3.9-84
3.9.6.1	Inservice Testing of Pumps	3.9-85
3.9.6.2	Inservice Testing of Valves	3.9-86
3.9.6.3	Relief Requests	3.9-93
3.9.7	Integrated Head Package	3.9-93
3.9.7.1	Design Bases	3.9-93
3.9.7.2	Design Description	3.9-94
3.9.7.3	Design Evaluation	3.9-96
3.9.7.4	Inspection and Testing Requirements	3.9-97

TABLE OF CONTENTS (Cont.)

Section	Title	Page
3.9.8	Combined License Information	3.9-97
3.9.8.1	Reactor Internals Vibration Assessment and Predicted Response	3.9-97
3.9.8.2	Design Specifications and Reports	3.9-97
3.9.8.3	Snubber Operability Testing	3.9-98
3.9.8.4	Valve Inservice Testing	3.9-98
3.9.8.5	Surge Line Thermal Monitoring	3.9-98
3.9.8.6	Piping Benchmark Program	3.9-98
3.9.8.7	As-Designed Piping Analysis	3.9-99
3.9.9	References	3.9-99
3.10	Seismic and Dynamic Qualification of Seismic Category I Mechanical and Electrical Equipment	3.10-1
3.10.1	Seismic and Dynamic Qualification Criteria	3.10-2
3.10.1.1	Qualification Standards	3.10-2
3.10.1.2	Performance Requirements for Seismic Qualification	3.10-2
3.10.1.3	Performance Criteria	3.10-3
3.10.2	Methods and Procedures for Qualifying Electrical Equipment, Instrumentation, and Mechanical Components	3.10-3
3.10.2.1	Seismic Qualification of Instrumentation and Electrical Equipment	3.10-4
3.10.2.2	Seismic and Operability Qualification of Active Mechanical Equipment	3.10-5
3.10.2.3	Valve Operator Qualification	3.10-7
3.10.2.4	Seismic Qualification of Other Seismic Category I Mechanical Equipment	3.10-7
3.10.3	Method and Procedures for Qualifying Supports of Electrical Equipment, Instrumentation, and Mechanical Components	3.10-7
3.10.4	Documentation	3.10-7
3.10.5	Standard Review Plan Evaluation	3.10-8
3.10.6	Combined License Information Item on Experienced-Based Qualification	3.10-8
3.10.7	References	3.10-8
3.11	Environmental Qualification of Mechanical and Electrical Equipment	3.11-1
3.11.1	Equipment Identification and Environmental Conditions	3.11-1
3.11.1.1	Equipment Identification	3.11-1
3.11.1.2	Definition of Environmental Conditions	3.11-1
3.11.1.3	Equipment Operability Times	3.11-3
3.11.1.4	Standard Review Plan Evaluation	3.11-3
3.11.2	Qualification Tests and Analysis	3.11-3
3.11.2.1	Environmental Qualification of Electrical Equipment	3.11-3
3.11.2.2	Environmental Qualification of Mechanical Equipment	3.11-4
3.11.3	Loss of Ventilation	3.11-4
3.11.4	Estimated Radiation and Chemical Environment	3.11-5
3.11.5	Combined License Information Item for Equipment Qualification File	3.11-5
3.11.6	References	3.11-5

TABLE OF CONTENTS (Cont.)

Section	Title	Page
APPENDIX 3A	HVAC DUCTS AND DUCT SUPPORTS	3A-1
3A.1	Codes and Standards	3A-1
3A.2	Loads and Load Combinations	3A-1
3A.2.1	Loads	3A-1
3A.2.1.1	Dead Load (D)	3A-1
3A.2.1.2	Construction Live Load (L)	3A-1
3A.2.1.3	Pressure (P)	3A-2
3A.2.1.4	Safe Shutdown Earthquake (E_s)	3A-2
3A.2.1.5	Wind Loads (W)	3A-2
3A.2.1.6	Tornado Loads (W_t)	3A-2
3A.2.1.7	External Pressure Differential Loads (P_A)	3A-2
3A.2.1.8	Thermal (T_O/T_A)	3A-2
3A.2.2	Load Combinations	3A-2
3A.3	Analysis and Design	3A-3
3A.3.1	Response Due to Seismic Loads	3A-3
3A.3.2	Deflection Criteria	3A-3
3A.3.3	Relative Movement	3A-3
3A.3.4	Allowable Stresses	3A-4
3A.3.5	Connections	3A-4
APPENDIX 3B	LEAK-BEFORE-BREAK EVALUATION OF THE AP1000 PIPING	3B-1
3B.1	Leak-before-Break Criteria for AP1000 Piping	3B-2
3B.2	Potential Failure Mechanisms for AP1000 Piping	3B-2
3B.2.1	Erosion-Corrosion Induced Wall Thinning	3B-2
3B.2.2	Stress Corrosion Cracking	3B-3
3B.2.3	Water Hammer	3B-5
3B.2.4	Fatigue	3B-6
3B.2.5	Thermal Aging	3B-7
3B.2.6	Thermal Stratification	3B-7
3B.2.7	Other Mechanisms	3B-9
3B.3	Leak-before-Break Bounding Analysis	3B-9
3B.3.1	Procedure for Stainless Steel Piping	3B-10
3B.3.1.1	Pipe Geometry, Material and Operating Conditions	3B-10
3B.3.1.2	Pipe Physical Properties	3B-10
3B.3.1.3	Low Normal Stress Case (Case 1)	3B-11
3B.3.1.4	High Normal Stress Case (Case 2)	3B-11
3B.3.1.5	Develop the Bounding Analysis Curve	3B-12
3B.3.2	Procedure for Non-stainless Steel Piping	3B-12
3B.3.2.1	Pipe Geometry, Material and Operating Conditions	3B-12
3B.3.2.2	Calculations Steps	3B-12
3B.3.2.3	Low Normal Stress Case (Case 1)	3B-13
3B.3.2.4	High Normal Stress Case (Case 2)	3B-13
3B.3.2.5	Develop the Bounding Analysis Curve	3B-14

TABLE OF CONTENTS (Cont.)

Section	Title	Page
3B.3.3	Evaluation of Piping System Using Bounding Analysis Curves	3B-14
3B.3.3.1	Calculation of Stresses	3B-14
3B.3.3.2	Normal Loads	3B-15
3B.3.3.3	Maximum Loads	3B-15
3B.3.3.4	Bounding Analysis Curve Comparison – LBB Criteria	3B-16
3B.3.4	Bounding Analysis Results	3B-16
3B.4	Differences in Leak-before-Break Analysis for Stainless Steel and Ferritic Steel Pipe	3B-16
3B.5	Differences in Inspection Criteria for Class 1, 2, and 3 Systems	3B-16
3B.6	Differences in Fabrication Requirements of ASME Class 1, Class 2, and Class 3 Piping	3B-17
3B.7	Sensitivity Study for the Constraint Effect on LBB	3B-17
3B.8	References	3B-17
APPENDIX 3C	REACTOR COOLANT LOOP ANALYSIS METHODS	3C-1
3C.1	Reactor Coolant Loop Model Description	3C-1
3C.1.1	Steam Generator Model	3C-1
3C.1.1.1	Steam Generator Mass and Geometrical Model	3C-1
3C.1.1.2	Steam Generator Supports	3C-1
3C.1.2	Reactor Coolant Pump Model	3C-2
3C.1.2.1	Static Model	3C-2
3C.1.2.2	Seismic Model	3C-2
3C.1.2.3	Reactor Coolant Pump Supports	3C-2
3C.1.3	Reactor Pressure Vessel Model	3C-2
3C.1.3.1	Mass and Geometrical Model	3C-2
3C.1.3.2	Reactor Pressure Vessel Supports	3C-2
3C.1.4	Containment Interior Building Structure Model	3C-2
3C.1.5	Reactor Coolant Loop Piping Model	3C-3
3C.2	Design Requirements	3C-3
3C.3	Static Analyses	3C-3
3C.3.1	Deadweight Analysis	3C-3
3C.3.2	Internal Pressure Analysis	3C-4
3C.3.3	Thermal Expansion Analysis	3C-4
3C.4	Seismic Analyses	3C-4
3C.5	Reactor Coolant Loop Piping Stresses	3C-5
3C.6	Description of Computer Programs	3C-5
APPENDIX 3D	METHODOLOGY FOR QUALIFYING AP1000 SAFETY-RELATED ELECTRICAL AND MECHANICAL EQUIPMENT	3D-1
3D.1	Purpose	3D-2
3D.2	Scope	3D-2
3D.3	Introduction	3D-3

TABLE OF CONTENTS (Cont.)

Section	Title	Page
3D.4	Qualification Criteria	3D-3
3D.4.1	Qualification Guides	3D-3
3D.4.1.1	IEEE Standards	3D-3
3D.4.1.2	NRC Regulatory Guides	3D-5
3D.4.2	Definitions	3D-7
3D.4.3	Mild Versus Harsh Environments	3D-7
3D.4.4	Test Sequence	3D-8
3D.4.5	Aging	3D-9
3D.4.5.1	Design Life	3D-9
3D.4.5.2	Shelf Life	3D-9
3D.4.5.3	Qualified Life	3D-10
3D.4.5.4	Qualified Life Reevaluation	3D-11
3D.4.6	Operability Time	3D-12
3D.4.7	Performance Criterion	3D-12
3D.4.8	Margin	3D-12
3D.4.8.1	Normal and Abnormal Extremes	3D-13
3D.4.8.2	Aging	3D-13
3D.4.8.3	Radiation	3D-14
3D.4.8.4	Seismic Conditions	3D-14
3D.4.8.5	High-Energy Line Break Conditions	3D-15
3D.4.9	Treatment of Failures	3D-15
3D.4.10	Traceability	3D-15
3D.4.10.1	Auditable Link Document	3D-16
3D.4.10.2	Similarity	3D-16
3D.5	Design Specifications	3D-16
3D.5.1	Normal Operating Conditions	3D-17
3D.5.1.1	Pressure, Temperature, Humidity	3D-17
3D.5.1.2	Radiation Dose	3D-17
3D.5.2	Abnormal Operating Conditions	3D-18
3D.5.2.1	Abnormal Environments Inside Containment	3D-18
3D.5.2.2	Abnormal Environments Outside Containment	3D-19
3D.5.3	Seismic Events	3D-19
3D.5.4	Containment Test Environment	3D-19
3D.5.5	Design Basis Event Conditions	3D-19
3D.5.5.1	High-Energy Line Break Accidents Inside Containment	3D-19
3D.5.5.2	High-Energy Line Break Accidents Outside Containment	3D-23
3D.6	Qualification Methods	3D-23
3D.6.1	Type Test	3D-23
3D.6.2	Analysis	3D-24
3D.6.2.1	Similarity	3D-24
3D.6.2.2	Substitution	3D-25
3D.6.2.3	Analysis of Safety-Related Mechanical Equipment	3D-25
3D.6.3	Operating Experience	3D-28

TABLE OF CONTENTS (Cont.)

Section	Title	Page
3D.6.4	On-Going Qualification	3D-28
3D.6.5	Combinations of Methods	3D-28
3D.6.5.1	Use of Existing Qualification Reports	3D-28
3D.7	Documentation	3D-29
3D.7.1	Equipment Qualification Data Package	3D-30
3D.7.2	Specifications	3D-30
3D.7.2.1	Equipment Identification	3D-30
3D.7.2.2	Installation Requirements	3D-31
3D.7.2.3	Electrical Requirements	3D-31
3D.7.2.4	Auxiliary Devices	3D-31
3D.7.2.5	Preventive Maintenance	3D-31
3D.7.2.6	Performance Requirements	3D-31
3D.7.2.7	Environmental Conditions	3D-32
3D.7.3	Qualification Program	3D-32
3D.7.4	Qualification by Test	3D-32
3D.7.4.1	Specimen Description	3D-32
3D.7.4.2	Number Tested	3D-33
3D.7.4.3	Mounting	3D-33
3D.7.4.4	Connections	3D-33
3D.7.4.5	Test Sequence	3D-33
3D.7.4.6	Simulated Service Conditions	3D-33
3D.7.4.7	Measured Variables	3D-34
3D.7.4.8	Type Test Summary	3D-34
3D.7.5	Qualification by Analysis	3D-35
3D.7.6	Qualification by Experience	3D-35
3D.7.7	Qualification Program Conclusions	3D-35
3D.7.8	Combined License Information	3D-35
3D.8	References	3D-35
Appendix 3D-Attachment A – Sample Equipment Qualification Data Package (EQDP)		3D-61
Appendix 3D-Attachment B – Aging Evaluation Program		3D-79
B.1	Introduction	3D-79
B.2	Objectives	3D-79
B.3	Basic Approach	3D-79
B.4	Subprogram A	3D-80
B.4.1	Scope	3D-80
B.4.2	Aging Mechanisms	3D-80
B.4.3	Time	3D-80
B.4.4	Operational Stresses	3D-80
B.4.5	External Stresses	3D-81
B.4.6	Synergism	3D-82
B.4.7	Design Basis Event Testing	3D-82

TABLE OF CONTENTS (Cont.)

Section	Title	Page
	B.4.8 Aging Sequence	3D-82
	B.4.9 Performance Criterion	3D-83
	B.4.10 Failure Treatment	3D-83
B.5	Subprogram B	3D-83
	B.5.1 Scope	3D-84
	B.5.2 Performance Criteria	3D-84
	B.5.3 Failure Treatment	3D-84
Appendix 3D-Attachment C – Effects of Gamma Radiation Doses Below 10^4 Rads on the Mechanical Properties of Materials		3D-87
C.1	Introduction	3D-87
C.2	Scope	3D-88
C.3	Discussion	3D-88
C.4	Conclusions	3D-89
C.5	References	3D-89
Appendix 3D-Attachment D – Accelerated Thermal Aging Parameters		3D-94
D.1	Introduction	3D-94
D.2	Arrhenius Model	3D-94
D.3	Activation Energy	3D-96
D.4	Thermal Aging (Normal/Abnormal Operating Conditions)	3D-96
	D.4.1 Normal Operation Temperature (T_0)	3D-96
	D.4.1.1 External Ambient Temperature (T_a)	3D-96
	D.4.1.2 Temperature Rise in Enclosure (T_r)	3D-97
	D.4.1.3 Self-Heating Effects (T_j)	3D-97
	D.4.2 Accelerated Aging Temperature (T_i)	3D-97
	D.4.3 Examples of Arrhenius Calculations	3D-97
	D.4.3.1 For a Normally Energized Component Aged Energized	3D-97
	D.4.3.2 For a Normally De-energized Component Aged Energized	3D-98
D.5	Post-Accident Thermal Aging	3D-98
	D.5.1 Post-Accident Operating Temperatures	3D-98
	D.5.2 Accelerated Thermal Aging Parameters for Post-Accident Conditions	3D-98
D.6	References	3D-99
Appendix 3D-Attachment E – Seismic Qualification Techniques		3D-105
E.1	Purpose	3D-105
E.2	Definitions	3D-105
	E.2.1 1/2 Safe Shutdown Earthquake	3D-105
	E.2.2 Seismic Category I Equipment	3D-105
	E.2.3 Seismic Category II Equipment	3D-105
	E.2.4 Non-seismic Equipment	3D-105

TABLE OF CONTENTS (Cont.)

Section	Title	Page
	E.2.5 Active Equipment	3D-105
	E.2.6 Passive Equipment	3D-105
E.3	Qualification Methods	3D-106
	E.3.1 Use of Qualification by Testing	3D-106
	E.3.2 Use of Qualification by Analysis	3D-106
E.4	Requirements	3D-107
	E.4.1 Damping	3D-107
	E.4.1.1 Testing	3D-107
	E.4.1.2 Analysis	3D-107
	E.4.2 Interface Requirements	3D-107
	E.4.3 Mounting Simulation	3D-107
	E.4.4 1/2 Safe Shutdown Earthquake	3D-108
	E.4.5 Safe Shutdown Earthquake	3D-108
	E.4.6 Other Dynamic Loads	3D-108
E.5	Qualification by Test	3D-108
	E.5.1 Qualification of Hard-Mounted Equipment	3D-109
	E.5.2 Qualification of Line-Mounted Equipment	3D-110
	E.5.2.1 Seismic Qualification Test Sequence	3D-110
	E.5.2.2 Line Vibration Aging	3D-110
	E.5.2.3 Single Frequency Testing	3D-111
	E.5.2.4 Seismic Aging	3D-111
	E.5.2.5 Static Deflection Testing of Active Valves	3D-111
	E.5.3 Operational Conditions	3D-112
	E.5.4 Resonant Search Testing	3D-112
E.6	Qualification by Analysis	3D-112
	E.6.1 Modeling	3D-113
	E.6.2 Qualification by Static Analysis	3D-113
	E.6.3 Qualification by Dynamic Analysis	3D-113
	E.6.3.1 Response Spectrum Analysis	3D-114
	E.6.3.2 Static Coefficient Method	3D-114
	E.6.3.3 Time History Analysis	3D-114
E.7	Qualification by Test Experience	3D-114
E.8	Performance Criteria	3D-115
	E.8.1 Equipment Qualification by Test	3D-115
	E.8.2 Equipment Qualification by Analysis	3D-115
	E.8.2.1 Structural Integrity	3D-115
	E.8.2.2 Operability	3D-115

APPENDIX 3E HIGH-ENERGY PIPING IN THE NUCLEAR ISLAND 3E-1

TABLE OF CONTENTS (Cont.)

Section	Title	Page
APPENDIX 3F	CABLE TRAYS AND CABLE TRAY SUPPORTS	3F-1
3F.1	Codes and Standards	3F-1
3F.2	Loads and Load Combinations	3F-1
3F.2.1	Loads	3F-1
3F.2.1.1	Dead Load (D)	3F-1
3F.2.1.2	Construction Live Load (L)	3F-1
3F.2.1.3	Safe Shutdown Earthquake (E_s)	3F-2
3F.2.1.4	Thermal Load	3F-2
3F.2.2	Load Combinations	3F-2
3F.3	Analysis and Design	3F-2
3F.3.1	Damping	3F-2
3F.3.2	Seismic Analysis	3F-3
3F.3.3	Allowable Stresses	3F-3
3F.3.4	Connections	3F-3
APPENDIX 3G	NUCLEAR ISLAND SEISMIC ANALYSES	3G-1
3G.1	Introduction	3G-1
3G.2	Nuclear Island Finite Element Models	3G-1
3G.2.1	Individual Building and Equipment Models	3G-2
3G.2.1.1	Coupled Auxiliary and Shield Building	3G-2
3G.2.1.2	Containment Internal Structures	3G-2
3G.2.1.3	Containment Vessel	3G-3
3G.2.1.4	Polar Crane	3G-4
3G.2.1.5	Major Equipment and Structures Using Stick Models	3G-4
3G.2.2	Nuclear Island Dynamic Models	3G-5
3G.2.2.1	NI10 Model	3G-5
3G.2.2.2	NI20 Model	3G-5
3G.2.2.3	Nuclear Island Stick Model	3G-6
3G.2.3	Static Models	3G-6
3G.3	2D SASSI Analyses	3G-6
3G.4	Nuclear Island Dynamic Analyses	3G-7
3G.4.1	ANSYS Fixed Base Analysis	3G-7
3G.4.2	3D SASSI Analyses	3G-8
3G.4.3	Seismic Analysis	3G-9
3G.4.3.1	Response Spectrum Analysis	3G-9
3G.4.3.2	Absolute Accelerations	3G-9
3G.4.3.3	Seismic Response Spectrum	3G-9
3G.4.3.4	Bearing Pressure Demand	3G-10
3G.5	References	3G-10
APPENDIX 3H	AUXILIARY AND SHIELD BUILDING CRITICAL SECTIONS	3H-1
3H.1	Introduction	3H-1
3H.2	Description of Auxiliary Building	3H-1

TABLE OF CONTENTS (Cont.)

Section	Title	Page
3H.3	Design Criteria	3H-2
3H.3.1	Governing Codes and Standards	3H-3
3H.3.2	Seismic Input	3H-3
3H.3.3	Loads	3H-3
3H.3.4	Load Combinations and Acceptance Criteria	3H-7
3H.4	Seismic Analyses	3H-7
3H.4.1	Live Load for Seismic Design	3H-7
3H.5	Structural Design of Critical Sections	3H-8
3H.5.1	Shear Walls	3H-9
3H.5.1.1	Exterior Wall at Column Line 1	3H-10
3H.5.1.2	Wall at Column Line 7.3	3H-10
3H.5.1.3	Wall at Column Line L	3H-11
3H.5.1.4	Wall at Column Line 11	3H-11
3H.5.1.5	Shield Building Cylinder at Elevation 180′-0″	3H-12
3H.5.2	Composite Structures (Floors and Roof)	3H-12
3H.5.2.1	Roof at Elevation 180′-0″, Area 6 (Critical Section is between Col. Lines N & K-2 and 3 & 4)	3H-13
3H.5.2.2	Floor at Elevation 135′-3″, Area 1 (Between Column Lines M and P)	3H-14
3H.5.3	Reinforced Concrete Slabs	3H-14
3H.5.3.1	Operations Work Area (Tagging Room) Ceiling	3H-14
3H.5.4	Concrete Finned Floors	3H-15
3H.5.5	Structural Modules	3H-16
3H.5.5.1	West Wall of Spent Fuel Pool	3H-16
3H.5.6	Shield Building Roof	3H-17
3H.5.6.1	Reinforced Concrete/Steel Concrete Composite (RC/SC) Horizontal and Vertical Connections	3H-18
3H.5.6.2	Shield Building Cylindrical Wall	3H-18
3H.5.6.3	Air Inlets and Tension Ring	3H-19
3H.5.6.4	Shield Building Roof, Compression Ring, Knuckle Region, and Passive Containment Cooling Water Storage Tank	3H-19
APPENDIX 3I	EVALUATION FOR HIGH FREQUENCY SEISMIC INPUT	3I-1
3I.1	Introduction	3I-1
3I.2	High Frequency Seismic Input	3I-1
3I.3	NI Models Used To Develop High Frequency Response	3I-2
3I.4	Evaluation Methodology	3I-2
3I.5	General Selection Screening Criteria	3I-3
3I.6	Evaluation	3I-3
3I.6.1	Building Structures	3I-4
3I.6.2	Primary Coolant Loop	3I-4
3I.6.3	Piping Systems	3I-5
3I.6.4	Electrical and Electro-Mechanical Equipment	3I-5
3I.7	References	3I-10

LIST OF TABLES

Table No.	Title	Page
3.2-1	Comparison of Safety Classification Requirements	3.2-18
3.2-2	Seismic Classification of Building Structures	3.2-19
3.2-3	AP1000 Classification of Mechanical and Fluid Systems, Components, and Equipment (Sheets 1 –75)	3.2-20
3.6-1	High-Energy and Moderate-Energy Fluid Systems Considered for Protection of Essential Systems	3-6.38
3.6-2	Subcompartments and Postulated Pipe Ruptures (Pages 1 – 7)	3-6.39
3.6-3	NI Rooms with Pipe Whip Restraints and Corresponding Hazard Sources and Essential Targets (Sheets 1 – 7)	3.6-46
3.7.1-1	Safe Shutdown Earthquake Damping Values	3.7-53
3.7.1-2	Embedment Depth and Related Dimensions of Category I Structures	3.7-54
3.7.1-3	AP1000 Design Response Spectra Amplification Factors for Control Points	3.7-55
3.7.1-4	Strain Compatible Soil Properties (Sheets 1 – 5)	3.7-56
3.7.2-1	(Tables 3.7.2-1 through 3.7.2-16 Not Used)	
3.7.3-1	Seismic Category I Equipment Outside Containment by Room Number (Sheets 1 – 3)	3.7-62
3.7.3-2	Equipment Classified as Sensitive Targets for Seismically Analyzed Piping, HVAC Ducting, Cable Trays	3.7-65
3.8.2-1	Load Combinations and Service Limits for Containment Vessel	3.8-78
3.8.2-2	Containment Vessel Pressure Capabilities	3.8-79
3.8.2-3	Analysis and Test Results of Fabricated Heads	3.8-80
3.8.2-4	Summary of Containment Vessel Models and Analysis Methods	3.8-81
3.8.2-5	Maximum Absolute Nodal Acceleration (ZPA) Steel Containment Vessel	3.8-82
3.8.3-1	Shear and Flexural Stiffnesses of Structural Module Walls	3.8-83
3.8.3-2	Summary of Containment Internal Structures Models and Analysis Methods	3.8-84
3.8.3-3	Definition of Critical Locations and Thicknesses for Containment Internal Structures	3.8-85
3.8.3-4	Design Summary of West Wall of Refueling Canal Design Loads, Load Combinations, and Comparison to Acceptance Criteria Mid-Span at Mid-Height (Sheet 1 of 3)	3.8-86
3.8.3-4	Design Summary of West Wall of Refueling Canal Design Loads, Load Combinations, and Comparison to Acceptance Criteria Mid-Span at Base (Sheet 2 of 3)	3.8-87
3.8.3-4	Design Summary of West Wall of Refueling Canal Design Loads, Load Combinations, and Comparison to Acceptance Criteria Mid-Span at Base (Sheet 3 of 3)	3.8-88
3.8.3-5	Design Summary of South Wall of Steam Generator Compartment Design Loads, Load Combinations, and Comparison to Acceptance Criteria Mid-Span at Mid-Height (Sheet 1 of 3)	3.8-89
3.8.3-5	Design Summary of South Wall of Steam Generator Compartment Design Loads, Load Combinations, and Comparison to Acceptance Criteria Mid-Span at Mid-Height (Sheet 2 of 3)	3.8-90
3.8.3-5	Design Summary of South Wall of Steam Generator Compartment Design Loads, Load Combinations, and Comparison to Acceptance Criteria West End Bottom Corner (Sheet 3 of 3)	3.8-91

LIST OF TABLES (Cont.)

Table No.	Title	Page
3.8.3-6	Design Summary of North-East Wall of IRWST Design Loads, Load Combinations, and Comparison to Acceptance Criteria Mid-Span at Mid-Height (Sheet 1 of 3)	3.8-92
3.8.3-6	Design Summary of North-East Wall of IRWST Design Loads, Load Combinations, and Comparison to Acceptance Criteria Mid-Span at Bottom – Elevation 107′-2″ (Sheet 2 of 3)	3.8-93
3.8.3-6	Design Summary of North-East Wall of IRWST Design Loads, Load Combinations, and Comparison to Acceptance Criteria North End Bottom Corner – Elevation 107′-2″ (Sheet 3 of 3)	3.8-94
3.8.3-7	Design Summary of Steel Wall of IRWST	3.8-95
3.8.4-1	Load Combinations and Load Factors for Seismic Category I Steel Structures	3.8-96
3.8.4-2	Load Combinations and Load Factors for Seismic Category I Concrete Structures	3.8-97
3.8.4-3	Acceptance Tests for Concrete Aggregates	3.8-98
3.8.4-4	Criteria for Water Used in Production of Concrete	3.8-99
3.8.4-5	Types of Water Reducing Agents Used in Production of Concrete	3.8-100
3.8.4-6	Materials Used in Structural and Miscellaneous Steel (Sheets 1 – 2)	3.8-101
3.8.5-1	Minimum Required Factor of Safety for Overturning and Sliding of Structures	3.8-103
3.8.5-2	Factors of Safety for Flotation, Overturning and Sliding of Nuclear Island Structures	3.8-104
3.8.5-3	Definition of Critical Locations and Thicknesses for Nuclear Island Basemat	3.8-105
3.9-1	Reactor Coolant System Design Transients (Sheets 1 – 2)	3.9-102
3.9-2	Pump Starting/Stopping Conditions	3.9-104
3.9-3	Loadings for ASME Class 1, 2, 3, CS and Supports (Sheets 1 – 2)	3.9-105
3.9-4	First Plant AP1000 Reactor Internals Vibration Measurement Program Transducer Locations	3.9-107
3.9-5	Minimum Design Loading Combinations for ASME Class 1, 2, 3 and CS Systems and Components	3.9-108
3.9-6	Additional Load Combinations and Stress Limits for ASME Class 1 Piping	3.9-109
3.9-7	Additional Load Combinations and Stress Limits for ASME Class 2, 3 Piping	3.9-110
3.9-8	Minimum Design Loading Combinations for Supports for ASME Class 1, 2, 3 Piping and Components	3.9-111
3.9-9	Stress Criteria for ASME Code Section III Class 1 Components and Supports and Class CS Core Supports	3.9-112
3.9-10	Stress Criteria for ASME Code Section III Class 2 and 3 Components and Supports	3.9-114
3.9-11	Piping Functional Capability – ASME Class 1, 2, and 3	3.9-116
3.9.12	List of ASME Class 1, 2, and 3 Active Valves (Sheets 1 – 7)	3.9-117
3.9-13	Control Rod Drive Mechanism Production Tests	3.9-124
3.9-14	Maximum Deflections Allowed for Reactor Internal Support Structures	3.9-125
3.9-15	Computer Programs for Seismic Category 1 Components	3.9-126
3.9.16	Valve Inservice Test Requirements (Sheets 1 – 26)	3.9-127
3.9-17	System Level Operability Test Requirements	3.9-185

LIST OF TABLES (Cont.)

Table No.	Title	Page
3.9-18	AP1000 Pressure Isolation Valves	3.9-187
3.9-19	Critical Piping Design Methods and Criteria (Piping Design Criteria) (Sheets 1 – 2)	3.9-188
3.9-20	Piping Packages Chosen to Demonstrate Piping Design for Piping DAC Closure (Sheets 1 – 2)	3.9-190
3.11-1	Environmentally Qualified Electrical and Mechanical Equipment (Sheets 1 – 51)	3.11-6
3B-1	AP1000 Leak-before-Break Bounding Analysis Systems and Parameters (Sheets 1 – 2)	3B-19
3D.4-1	Typical Mild Environment Parameter Limits	3D-37
3D.4-2	Equipment Post-Accident Operability Times	3D-38
3D.4-3	AP1000 EQ Program Margin Requirements	3D-39
3D.5-1	Normal Operating Environments (Sheets 1 – 3)	3D-40
3D.5-2	60-Year Normal Operating Doses	3D-43
3D.5-3	Abnormal Operating Environments Inside Containment	3D-44
3D.5-4	Abnormal Operating Environments Outside Containment (Sheets 1 – 2)	3D-45
3D.5-5	Accident Environments	3D-47
3D.6-1	Mechanical Equipment Components Requiring Environmental Qualification	3D-48
3D.B-1	Typical Class 1E Equipment Scope and Subprogram Allocation	3D-85
3D.B-2	Aging Mechanism Sequence	3D-86
3D.C-1	Radiation-Induced Degradation of Material Mechanical Properties (Sheets 1 – 2)	3D-91
3D.D-1	Activation Energies From Westinghouse Reports (Sheets 1 – 2)	3D-100
3G.1-1	Summary of Models and Analysis Methods (Sheets 1 – 3)	3G-12
3G.1-2	Summary of Dynamic Analyses and Combination Techniques	3G-16
3G.2-1	Steel Containment Vessel Lumped-Mass Stick Model (Without Polar Crane) Modal Properties (Sheet 1)	3G-17
3G.2-1	Steel Containment Vessel Lumped-Mass Stick Model (With Polar Crane) Modal Properties (Sheet 2)	3G-18
3G.2-2	Comparison of Frequencies for Containment Vessel Seismic Model	3G-19
3G.3-1	AP1000 ZPA for 2D SASSI Cases	3G-20
3G.4-1	Key Nodes at Location	3G-21
3G.4-2	Maximum Bearing Pressure from 2D Time History Analysis	3G-22
3H.5-1	Nuclear Island: Design Temperatures for Thermal Gradient	3H-20
3H.5-2	Exterior Wall at Column Line 1 Forces and Moments In Critical Locations	3H-21
3H.5-3	Exterior Wall on Column Line 1 Details of Wall Reinforcement ($inch^2$/foot)	3H-22
3H.5-4	Interior Wall at Column Line 7.3 Forces and Moments In Critical Locations	3H-23
3H.5-5	Interior Wall on Column Line 7.3 Details of Wall Reinforcement	3H-24
3H.5-6	Interior Wall at Column Line L Forces and Moments In Critical Locations	3H-25
3H.5-7	Interior Wall on Column Line L Details of Wall Reinforcement	3H-26
3H.5-8	Design Summary of Spent Fuel Pool Wall Design Loads, Load Combinations, and Comparisons to Acceptance Criteria – Element No. 20477 (Sheet 1)	3H-27
3H.5-8	Design Summary of Spent Fuel Pool Wall Design Loads, Load Combinations, and Comparisons to Acceptance Criteria – Element No. 10529 (Sheet 2)	3H-28

LIST OF TABLES (Cont.)

Table No.	Title	Page
3H.5-8	Design Summary of Spent Fuel Pool Wall Design Loads, Load Combinations, and Comparisons to Acceptance Criteria – Element No. 10544 (Sheet 3)	3H-29
3H.5-8	Design Summary of Spent Fuel Pool Wall Design Loads, Load Combinations, and Comparisons to Acceptance Criteria – Element No. 10524 (Sheet 4)	3H-30
3H.5-8	Design Summary of Spent Fuel Pool Wall Design Loads, Load Combinations, and Comparisons to Acceptance Criteria – Element No. 20462 (Sheet 5)	3H-31
3H.5-8	Design Summary of Spent Fuel Pool Wall Design Loads, Load Combinations, and Comparisons to Acceptance Criteria – Element No. 21402 (Sheet 6)	3H-32
3H.5-8	Design Summary of Spent Fuel Pool Wall Design Loads, Load Combinations, and Comparisons to Acceptance Criteria – Element No. 21414 (Sheet 7)	3H-33
3H.5-9	Shield Building Roof Reinforcement Summary (Sheets 1–3)	3H-34
3H.5-10	Design Summary of Roof at Elevation 180′-0″, Area 6	3H-39
3H.5-11	Design Summary of Floor at Elevation 135′-3″ Area 1 (Between Column Lines M And P)	3H-40
3H.5-12	Design Summary of Floor at Elevation 135′-3″ (Operations Work Area, Previously Know As “Tagging Room” Ceiling)	3H-41
3H.5-13	Design Summary of Floor at Elevation 135′-3″ Area 1 (Main Control Room Ceiling)	3H-42
3I.6-1	Potential High Frequency Sensitive Equipment List	3I-11
3I.6-2	List of Potential High Frequency Sensitive AP1000 Safety-Related Electrical and Electro-Mechanical Equipment (Sheets 1 – 28)	3I-12
3I.6-3	List of AP1000 Safety-Related Electrical and Mechanical Equipment Not High Frequency Sensitive (Sheets 1 – 32)	3I-40

LIST OF FIGURES

Figure No.	Title	Page
3.3-1	Velocity Pressure Variation with Radius from Center of Tornado	3.3-6
3.4-1	Typical Details of Nuclear Island Waterproofing Below Grade	3.4-25
3.4-2	Typical Details of Nuclear Island Waterproofing Below Grade with Step	3.4-26
3.4-3	Not Used	3.4-27
3.4-4	Typical Details of Membrane Corner Detail at Basemat and Exterior Wall	3.4-28
3.6-1	Typical U-Bar Restraint	3.6-53
3.6-2	Typical Energy Absorbing Material Restraint	3.6-54
3.6-3	Terminal Ends Definitions	3.6-55
3.7.1-1	Horizontal Design Response Spectra Safe Shutdown Earthquake	3.7-66
3.7.1-2	Vertical Design Response Spectra Safe Shutdown Earthquake	3.7-67
3.7.1-3	Design Horizontal Time History, "H1" Acceleration, Velocity & Displacement Plots	3.7-68
3.7.1-4	Design Horizontal Time History, "H2" Acceleration, Velocity & Displacement Plots	3.7-69
3.7.1-5	Design Vertical Time History Acceleration, Velocity & Displacement Plots	3.7-70
3.7.1-6	Acceleration Response Spectra of Design Horizontal Time History, "H1"	3.7-71
3.7.1-7	Acceleration Response Spectra of Design Horizontal Time History, "H2"	3.7-72
3.7.1-8	Acceleration Response Spectra of Design Vertical Time History	3.7-73
3.7.1-9	Minimum Power Spectral Density Curve (Normalized to 0.3g)	3.7-74
3.7.1-10	Power Spectral Density of Design Horizontal Time History, "H1"	3.7-75
3.7.1-11	Power Spectral Density of Design Horizontal Time History, "H2"	3.7-76
3.7.1-12	Power Spectral Density of Design Vertical Time History	3.7-77
3.7.1-13	Damping Values for Cable Trays & Supports	3.7-78
3.7.1-14	Nuclear Island Structures Dimensions	3.7-79
3.7.1-15	Strain Dependent Properties of Rock Material (Ref. 37)	3.7-80
3.7.1-16	Strain Dependent Properties of Soil Material (Ref. 38)	3.7-81
3.7.1-17	Generic Soil Profiles	3.7-82
3.7.2-1	(Figures 3.7.2-1 through 3.7.2-11 Not Used)	
3.7.2-12	Nuclear Island Key Structural Dimensions Plan at El. 66′-6″ (Sheet 1)	3.7-85
3.7.2-12	Nuclear Island Key Structural Dimensions Plan at El. 82′-6″ (Sheet 2)	3.7-87
3.7.2-12	Nuclear Island Key Structural Dimensions Plan at El. 100′-0″ & 107′-2″ (Sheet 3)	3.7-89
3.7.2-12	Nuclear Island Key Structural Dimensions Plan at El. 117′-6″ (Sheet 4)	3.7-91
3.7.2-12	Nuclear Island Key Structural Dimensions Plan at El. 135′-3″ (Sheet 5)	3.7-93
3.7.2-12	Nuclear Island Key Structural Dimensions Plan at El. 153′-0″ & 160′-6″ (Sheet 6)	3.7-95
3.7.2-12	Nuclear Island Key Structural Dimensions Plan at El. 160′-6″ & 180′-0″ (Sheet 7)	3.7-97
3.7.2-12	Nuclear Island Key Structural Dimensions Section A - A (Sheet 8)	3.7-99
3.7.2-12	Nuclear Island Key Structural Dimensions Section B - B (Sheet 9)	3.7-101
3.7.2-12	Nuclear Island Key Structural Dimensions Sections C - C and H - H (Sheet 10)	3.7-103
3.7.2-12	Nuclear Island Key Structural Dimensions Section G - G (Sheet 11)	3.7-105

LIST OF FIGURES (Cont.)

Figure No.	Title	Page
3.7.2-12	Nuclear Island Key Structural Dimensions Section J - J (Sheet 12)	3.7-107
3.7.2-13	Not Used	
3.7.2-14	Typical Design Floor Response Spectrum	3.7-110
3.7.2-15	(Figures 3.7.2-15 through 3.7.2-18 Not Used)	
3.7.2-19	Annex Building Key Structural Dimensions Plan at Elevation 100′-0″ (Sheet 1)	3.7-113
3.7.2-19	Annex Building Key Structural Dimensions Plan at Elevation 107′-2″ and 117′-6″ (Sheet 2)	3.7-115
3.7.2-19	Annex Building Key Structural Dimensions Plan at Elevation 135′-3″ (Sheet 3)	3.7-117
3.7.2-19	Annex Building Key Structural Dimensions Plan at Elevation 158′-0″ and 146′-3″ (Sheet 4)	3.7-119
3.7.2-19	Annex Building Key Structural Dimensions Roof Plan at Elevation 154′-0″ and 181′-11 3/4″ (Sheet 5)	3.7-121
3.7.2-19	Annex Building Key Structural Dimensions Section A - A (Sheet 6)	3.7-123
3.7.2-19	Annex Building Key Structural Dimensions Section B - B (Sheet 7)	3.7-125
3.7.2-19	Annex Building Key Structural Dimensions Section C - C (Sheet 8)	3.7-127
3.7.2-19	Annex Building Key Structural Dimensions Sections D - D, E - E, & F - F (Sheet 9)	3.7-129
3.7.2-19	Annex Building Key Structural Dimensions Sections G - G, H - H, & J - J (Sheet 10)	3.7-131
3.7.2-20	East-West 2D SASSI Model with Adjacent Buildings	3.7-133
3.7.2-21	2D North-South SASSI Model with Adjacent Buildings	3.7-134
3.7.2-22	3D SASSI Model with Adjacent Buildings	3.7-135
3.7.3-1	Impact Evaluation Zone	3.7-136
3.7.3-2	Impact Evaluation Zone and Seismic Supported Piping	3.7-137
3.8.2-1	Containment Vessel General Outline (Sheets 1 – 3)	3.8-106
3.8.2-2	Equipment Hatches	3.8-111
3.8.2-3	Personnel Airlock	3.8-113
3.8.2-4	Containment Penetrations Main Steam (Sheet 1)	3.8-115
3.8.2-4	Containment Penetrations Startup Feedwater (Sheet 2)	3.8-116
3.8.2-4	Containment Penetrations Normal RHR Piping (Sheet 3)	3.8-117
3.8.2-4	Containment Penetrations (Sheet 4)	3.8-118
3.8.2-4	Containment Penetrations Fuel Transfer Penetration (Sheet 5)	3.8-119
3.8.2-4	Containment Penetrations Typical Electrical Penetration (Sheet 6)	3.8-121
3.8.2-5	Containment Vessel Response to Internal Pressure of 59 psig Displaced Shape Plot (Sheet 1)	3.8-123
3.8.2-5	Containment Vessel Response to Internal Pressure of 59 psig Membrane Stresses (ksi) (Sheet 2)	3.8-124
3.8.2-5	Containment Vessel Response to Internal Pressure of 59 psig Surface Meridional Stress (ksi) (Sheet 3)	3.8-125
3.8.2-5	Containment Vessel Response to Internal Pressure of 59 psig Outside Surface Stresses (ksi) (Sheet 4)	3.8-126

LIST OF FIGURES (Cont.)

Figure No.	Title	Page
3.8.2-5	Containment Vessel Response to Internal Pressure of 59 psig Outer Stress Intensity (ksi) (Sheet 5)	3.8-127
3.8.2-6	Containment Vessel Axisymmetric Model (Sheets 1 – 2)	3.8-128
3.8.2-7	Finite Element Model for Local Buckling Analyses	3.8-130
3.8.2-8	Location of Containment Seal (Sheet 1)	3.8-131
3.8.2-8	Seal Sections and Details (Sheet 2)	3.8-132
3.8.3-1	Structural Modules in Containment Internal Structures (Sheets 1 – 7)	3.8-133
3.8.3-2	Typical Structural Wall Module	3.8-140
3.8.3-3	Typical Structural Floor Module	3.8-141
3.8.3-4	Reactor Vessel Supports	3.8-143
3.8.3-5	Steam Generator Supports (Sheets 1 – 5)	3.8-145
3.8.3-6	Pressurizer Support Columns (Sheet 1)	3.8-152
3.8.3-6	Pressurizer Lower Lateral Supports (Sheet 2)	3.8-153
3.8.3-6	Pressurizer Lower Supports (Sheet 3)	3.8-154
3.8.3-6	Pressurizer Upper Supports (Sheet 4)	3.8-155
3.8.3-7	IRWST Temperature Transient	3.8-156
3.8.3-8	Structural Modules – Typical Design Details (Sheets 1 – 3)	3.8-157
3.8.3-9	Test Tank Finite Element Model	3.8-163
3.8.3-10	IRWST Fluid Structure Finite Element Model CIS Structural Model (Sheet 1)	3.8-164
3.8.3-10	IRWST Fluid Structure Finite Element Model IRWST Structural Model (Sheet 2)	3.8-165
3.8.3-11	IRWST Fluid Structure Finite Element Model Fluid Model	3.8-166
3.8.3-12	IRWST Fluid Structure Finite Element Model Sparger Region Detail	3.8-167
3.8.3-13	Effective Sections for Floor Modules	3.8-168
3.8.3-14	CA-01 Module (Sheet 1)	3.8-169
3.8.3-14	CA-02 Module (Sheet 2)	3.8-170
3.8.3-14	CA-03 Module (Sheet 3)	3.8-171
3.8.3-14	CA-04 Structural Module (Sheet 4)	3.8-172
3.8.3-14	CA-05 Module (Sheet 5)	3.8-173
3.8.3-15	Typical Submodule (Sheets 1 – 2)	3.8-174
3.8.3-16	Typical Liner Modules	3.8-177
3.8.3-17	Structural Modules – Typical Design Details (Sheets 1 – 2)	3.8-179
3.8.3-18	Location of Structural Wall Modules	3.8-183
3.8.4-1	Containment Air Baffle General Arrangement (Sheet 1)	3.8-184
3.8.4-1	Containment Air Baffle Panel Types (Sheet 2)	3.8-185
3.8.4-1	Containment Air Baffle Typical Panel on Cylinder (Sheet 3)	3.8-186
3.8.4-1	Containment Air Baffle Sliding Plate (Sheet 4)	3.8-187
3.8.4-2	Passive Containment Cooling Tank	3.8-188
3.8.4-3	Developed View of Shield Building Wall Locations: Between SC and RC Construction	3.8-189
3.8.4-4	Structural Modules in Auxiliary Building (Sheets 1 – 5)	3.8-190
3.8.4-5	Shield Building Structure Key Areas	3.8-195

LIST OF FIGURES (Cont.)

Figure No.	Title	Page
3.8.5-1	Foundation Plan	3.8-197
3.8.5-2	Isometric View of Finite Element Model	3.8-199
3.8.5-3	Radial Reinforcement, Top Side of DISH (Sheet 1)	3.8-200
3.8.5-3	Circumferential Reinforcement, Top Side of DISH (Sheet 2)	3.8-201
3.8.5-3	Longitudinal Reinforcement Map, Top Side in NS Direction (Sheet 3)	3.8-202
3.8.5-3	Longitudinal Reinforcement Map, Top Side in EW Direction (Sheet 4)	3.8-203
3.8.5-3	Longitudinal Reinforcement, Bottom Side of DISH and 6′ Basemat (NS) (Sheet 5)	3.8-204
3.8.5-3	Longitudinal Reinforcement, Bottom Side of DISH and 6′ Basemat (EW) (Sheet 6)	3.8-205
3.8.5-3	Shear Reinforcement Map (Sheet 7)	3.8-206
3.9-1	(Figures 3.9-1 through 3.9-3 Not Used)	
3.9-4	Control Rod Drive Mechanism	3.9-193
3.9-5	Lower Reactor Internals	3.9-194
3.9-6	Upper Core Support Structure	3.9-195
3.9-7	Integrated Head Package	3.9-196
3.9-8	Reactor Internals Interface Arrangement	3.9-197
3.9-9	Flow Skirt Schematic	3.9-198
3B-1	Typical Bounding Analysis Curve (BAC)	3B-21
3B-2	Bounding Analysis Curve for Primary Loop Hot Leg	3B-22
3B-3	Bounding Analysis Curve for Primary Loop Cold Leg	3B-23
3B-4	Bounding Analysis Curve for 38″ Main Steam Line	3B-24
3B-5	Bounding Analysis Curve for 20″ Normal RHR	3B-25
3B-6	Bounding Analysis Curve for 18″ Surge Line (Sheets 1 – 2)	3B-26
3B-7	Bounding Analysis Curve for 18″ PRHR Supply/ADS 4	3B-28
3B-8	Bounding Analysis Curve for 14″ PRHR Supply to Cold Trap, PRHR Supply/ADS4	3B-29
3B-9	Bounding Analysis Curve for 14″ PRHR Supply after Cold Trap, Return – to Isolation Valve	3B-30
3B-10	Bounding Analysis Curve for 14″ ADS Stage 2, 3	3B-31
3B-11	Bounding Analysis Curve for 14″ PRHR Return – after Isolation Valve, 14″ PRHR Return	3B-32
3B-12	Not Used	
3B-13	Bounding Analysis Curve for 8 ″ Accumulator to Isolation Valve	3B-34
3B-14	Bounding Analysis Curve for 8″ CMT Cold Leg Balance Line and Vent, DVI Cold Trap to RV	3B-35
3B-15	Bounding Analysis Curve for 8″ CMT, DVI IWRST (Various Sections)	3B-36
3B-16	Not Used	
3B-17	Bounding Analysis Curve for Accumulator after Isolation Valve	3B-38
3B-18	Bounding Analysis Curve for RNS Discharge	3B-39
3B-19	Bounding Analysis Curve for ADS Header to RCS Safety Valve	3B-40
3B-20	Bounding Analysis Curve for 12″ Normal RHR	3B-41

LIST OF FIGURES (Cont.)

Figure No.	Title	Page
3B-21	Bounding Analysis Curve for 10″ Normal RHR	3B-42
3B-22	Bounding Analysis Curve for 8″ ADS Stage 2, 3	3B-43
3D.5-1	Typical Abnormal Environmental Test Profile: Main Control Room (Sheet 1 of 3)	3D-49
3D.5-1	Typical Abnormal Environmental Test Profile: I&C and DC Equipment Rooms (Sheet 2 of 3)	3D-50
3D.5-1	Typical Abnormal Environmental Test Profile: Voltage and Frequency Variations (Sheet 3 of 3)	3D-51
3D.5-2	Gamma Dose and Dose Rate Inside Containment After a LOCA	3D-52
3D.5-3	Beta Dose and Dose Rate Inside Containment After a LOCA	3D-53
3D.5-4	Gamma Dose and Dose Rate Inside Containment After a Steam Line Break	3D-54
3D.5-5	Beta Dose and Dose Rate Inside Containment After a Steam Line Break	3D-55
3D.5-6	(Figures 3D.5-6 and 3D.5-7 Not Used)	
3D.5-8	Typical Combined LOCA/SLB/FLB Inside Containment Temperature (Sheets 1 – 2)	3D-57
3D.5-9	MSIV Compartment Response to MSLB (Short Term) (Sheet 1 of 2)	3D-59
3D.5-9	MSIV Compartment Response to MSLB (Long Term) (Sheet 2 of 2)	3D-60
3D.C-1	Histogram of Threshold Gamma Dose for Mechanical Damage to Elastomers, Plastics, and Encapsulation Compounds	3D-93
3D.D-1	Frequency Distribution of Activation Energies of Various Components/ Materials (EPRI Data)	3D-102
3D.D-2	Frequency Distribution of Activation Energies of Various Components/ Materials (Westinghouse Data)	3D-103
3D.D-3	Not Used	
3E-1	High Energy Piping – Steam Generator System (Sheets 1 – 2)	3E-3
3E-2	High Energy Piping – Normal Residual Heat Removal System	3E-7
3E-3	High Energy Piping – Reactor Coolant System (Sheets 1 – 2)	3E-9
3E-4	High Energy Piping – Passive Core Cooling System (Sheets 1 – 2)	3E-13
3E-5	High Energy Piping – Chemical and Volume Control System (Sheets 1 – 2)	3E-17
3G.1-1	Nuclear Island Seismic Analysis Models	3G-23
3G.2-1	3D Finite Element Model of Coupled Shield and Auxiliary Building	3G-24
3G.2-2	3D Finite Element Model of Containment Internal Structures	3G-25
3G.2-3	3D Finite Element Model of Containment Outer Basemat (Dish)	3G-26
3G.2-4	Steel Containment Vessel and Polar Crane Models	3G-27
3G.2-5A	Polar Crane Model Simplified Model	3G-28
3G.2-5B	Polar Crane Model Detailed Model	3G-29
3G.2-6	Reactor Coolant Loop Lumped-Mass Stick Model	3G-30
3G.2-7	Pressurizer Model	3G-31
3G.2-8	Core Makeup Tank Models	3G-32
3G.2-9	AP1000 Nuclear Island Solid-Shell Model (NI10)	3G-33
3G.2-10	Containment Internal Structure with the SCV, PC, Reactor Coolant Loop and Pressurizer	3G-34
3G.2-11	Soil Structure Interaction Model – NI20 Looking East	3G-35
3G.2-12	Coarse Model of Containment Internal Structures	3G-36

LIST OF FIGURES (Cont.)

Figure No.	Title	Page
3G.3-1	Generic Soil Profiles	3G-37
3G.3-2	2D SASSI FRS – Node 41 X (ASB El. 99′)	3G-38
3G.3-3	2D SASSI FRS – Node 41Y (ASB El. 99′)	3G-39
3G.3-4	2D SASSI FRS – Node 120 X (ASB El. 179.6′)	3G-40
3G.3-5	2D SASSI FRS – Node 120 Y (ASB El. 179.6′)	3G-41
3G.3-6	2D SASSI FRS – Node 310 X (ASB El. 333.2′)	3G-42
3G.3-7	2D SASSI FRS – Node 310 Y (ASB El. 333.2′)	3G-43
3G.3-8	2D SASSI FRS – Node 411 X (SCV El. 200.0′)	3G-44
3G.3-9	2D SASSI FRS – Node 411 Y (SCV El. 200.0′)	3G-45
3G.3-10	2D SASSI FRS – Node 535 X (CIS El. 134.3′)	3G-46
3G.3-11	2D SASSI FRS – Node 535 Y (CIS El. 134.3′)	3G-47
3G.4-1	Auxiliary Shield Building “Rigid” Nodes at El. 135′	3G-48
3G.4-2	Auxiliary Shield Building “Flexible” Nodes at El. 135′	3G-49
3G.4-3	Excavated Soil	3G-50
3G.4-4	Additional Elements for Soil Pressure Calculations	3G-51
3G.4-5X	X Direction FRS for Node 130401 (NI10) or 1761 (N120) CIS at Reactor Vessel Support Elevation of 100′	3G-52
3G.4-5Y	Y Direction FRS for Node 130401 (NI10) or 1761 (N120) CIS at Reactor Vessel Support Elevation of 100′	3G-53
3G.4-5Z	Z Direction FRS for Node 130401 (NI10) or 1761 (N120) CIS at Reactor Vessel Support Elevation of 100′	3G-54
3G.4-6X	X Direction FRS for Node 105772 (NI10) or 2199 (N120) CIS at Operating Deck Elevation 134.25′	3G-55
3G.4-6Y	Y Direction FRS for Node 105772 (NI10) or 2199 (N120) CIS at Operating Deck Elevation 134.25′	3G-56
3G.4-6Z	Z Direction FRS for Node 105772 (NI10) or 2199 (N120) CIS at Operating Deck Elevation 134.25′	3G-57
3G.4-7X	X Direction FRS for Node 4724 (NI10) or 2078 (N120) ASB Control Room Side Elevation 116.50′	3G-58
3G.4-7Y	Y Direction FRS for Node 4724 (NI10) or 2078 (N120) ASB Control Room Side Elevation 116.50′	3G-59
3G.4-7Z	Z Direction FRS for Node 4724 (NI10) or 2078 (N120) ASB Control Room Side Elevation 116.50′	3G-60
3G.4-8X	X Direction FRS for Node 5754 (NI10) or 2675 (N120) ASB Fuel Building Roof Elevation 179.19′	3G-61
3G.4-8Y	Y Direction FRS for Node 5754 (NI10) or 2675 (N120) ASB Fuel Building Roof Elevation 179.19′	3G-62
3G.4-8Z	Z Direction FRS for Node 5754 (NI10) or 2675 (N120) ASB Fuel Building Roof Elevation 179.19′	3G-63
3G.4-9X	X Direction FRS for Node 2862 (NI10) or 3329 (N120) ASB Shield Building Roof Elevation 327.41′	3G-64
3G.4-9Y	Y Direction FRS for Node 2862 (NI10) or 3329 (N120) ASB Shield Building Roof Elevation 327.41′	3G-65

LIST OF FIGURES (Cont.)

Figure No.	Title	Page
3G.4-9Z	Z Direction FRS for Node 2862 (NI10) or 3329 (N120) ASB Shield Building Roof Elevation 327.41′	3G-66
3G.4-10X	X Direction FRS for Node 130412 (NI10) or 2788 (N120) SCV Near Polar Crane Elevation 244.00′	3G-67
3G.4-10Y	Y Direction FRS for Node 130412 (NI10) or 2788 (N120) SCV Near Polar Crane Elevation 244.00′	3G-68
3G.4-10Z	Z Direction FRS for Node 130412 (NI10) or 2788 (N120) SCV Near Polar Crane Elevation 244.00′	3G-69
3H.2-1	General Layout of Auxiliary Building	3H-43
3H.5-1	Nuclear Island Critical Sections Plan at El. 135′-3 (Sheet 1)	3H-44
3H.5-1	Nuclear Island Critical Sections Plan at El. 180′-0″ (Sheet 2)	3H-45
3H.5-1	Nuclear Island Critical Sections Plan Section A-A (Sheet 3)	3H-47
3H.5-2	Wall on Column Line 1 (Sheet 1)	3H-49
3H.5-2	Wall on Column Line 7.3 (Sheet 2)	3H-50
3H.5-2	Wall on Column Line L (Sheet 3)	3H-51
3H.5-3	Typical Reinforcement in Wall on Column Line 1	3H-52
3H.5-4	Typical Reinforcement in Wall 7.3	3H-53
3H.5-5	Concrete Reinforcement in Wall 11 (Sheet 1)	3H-54
3H.5-5	Concrete Reinforcement Layers in Wall 11 (Looking East) (Sheet 2)	3H-55
3H.5-5	Wall 11 at Main Steamline Anchor Section A-A (Sheet 3)	3H-56
3H.5-6	Auxiliary Building Typical Composite Floor	3H-57
3H.5-7	Typical Reinforcement and Connection to Shield Building	3H-59
3H.5-8	Auxiliary Building Operations Work Area (Tagging Room) Ceiling	3H-61
3H.5-9	Auxiliary Building Finned Floor (Sheets 1 – 3)	3H-63
3H.5-10	Spent Fuel Pool Wall Divider Wall Element Locations	3H-66
3H.5-11	Typical Design of Shield Building: Roof and Air Inlets (Sheet 1)	3H-67
3H.5-11	Typical Design of Shield Building: Concrete Detail Section A-A (Sheet 2)	3H-69
3H.5-11	Typical Design of Shield Building: Roof/Air Inlet Interface (Sheet 3)	3H-70
3H.5-11	Typical Design of Shield Building: Air Inlets Top Layer Spacing (Sheet 4)	3H-71
3H.5-11	Typical Design of Shield Building: Tank/Roof Interface Reinforcement (Sheet 5)	3H-72
3H.5-11	Typical Design of Shield Building: Surface Plates on Cylindrical Section – Developed View 90-270 Degrees (Sheet 6)	3H-73
3H.5-11	Typical Design of Shield Building: Surface Plates on Cylindrical Section – Developed View 90-270 Degrees (Sheet 7)	3H-74
3H.5-12	Typical Reinforcement in Wall L	3H-75
3H.5-13	Enhanced Shield Building Wall Panel Layout	3H-76
3H.5-14	Elevation View of Tension Ring and Air Inlets	3H-77
3H.5-15	Shield Building Tension Ring	3H-78
3I.1-1	Comparison of Horizontal AP1000 CSDRS and HRHF Envelope Response Spectra	3I-72
3I.1-2	Comparison of Vertical AP1000 CSDRS and HRHF Envelope Response Spectra	3I-73