

**RESPONSE TO FREEDOM OF
INFORMATION ACT (FOIA) / PRIVACY
ACT (PA) REQUEST**

2011-0026

1

RESPONSE
TYPE

FINAL



PARTIAL

REQUESTER

Teresa Manzi

DATE

DEC 18 2010

PART I. -- INFORMATION RELEASED

- ☐ No additional agency records subject to the request have been located.
- ☐ Requested records are available through another public distribution program. See Comments section.
- ☒ **APPENDICES A** Agency records subject to the request that are identified in the listed appendices are already available for public inspection and copying at the NRC Public Document Room.
- ☒ **APPENDICES B** Agency records subject to the request that are identified in the listed appendices are being made available for public inspection and copying at the NRC Public Document Room.
- ☐ Enclosed is information on how you may obtain access to and the charges for copying records located at the NRC Public Document Room, 11555 Rockville Pike, Rockville, MD 20852-2738.
- ☒ **APPENDICES B** Agency records subject to the request are enclosed.
- ☐ Records subject to the request that contain information originated by or of interest to another Federal agency have been referred to that agency (see comments section) for a disclosure determination and direct response to you.
- ☐ We are continuing to process your request.
- ☐ See Comments.

PART I.A -- FEES

AMOUNT *

\$



You will be billed by NRC for the amount listed.



None. Minimum fee threshold not met.



You will receive a refund for the amount listed.



Fees waived.

* See comments
for details**PART I.B -- INFORMATION NOT LOCATED OR WITHHELD FROM DISCLOSURE**

- ☐ No agency records subject to the request have been located.
- ☐ Certain information in the requested records is being withheld from disclosure pursuant to the exemptions described in and for the reasons stated in Part II.
- ☐ This determination may be appealed within 30 days by writing to the FOIA/PA Officer, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. Clearly state on the envelope and in the letter that it is a "FOIA/PA Appeal."

PART I.C COMMENTS (Use attached Comments continuation page if required)

The incoming request is in ADAMS at ML103130105.

Records with a ML Accession Number are publicly available in the NRC's Public Electronic Reading Room at <http://www.nrc.gov/reading-rm.html>. If you need assistance in obtaining these records, please contact the NRC's Public Documents Room (PDR) at 301-415-4737, or 1-800-397-4209, or by E-mail to PDR.Resource@nrc.gov.

SIGNATURE - FREEDOM OF INFORMATION ACT AND PRIVACY ACT OFFICER

Donna L. Sealing

APPENDIX A RECORDS ALREADY PUBLICLY AVAILABLE

Accession Number	Estimated Page Count	Document Date	Document Type	Author Affiliation	Docket Number	Availability	Title	Official Record	Document Sensitivity	Replies
ML100151187	12	10/28/1964	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/69-10 on 690930 & 1001-02. Major areas inspected: Westinghouse reorganization, status of pipe allegation investigation, control of electrical cable placement & review of field wiring.	Yes	Non-Sensitive	Yes
ML100151396	16	2/14/1966	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	05000213 05000219 05000220 05000245 05000247	Publicly Available	CO Insp Repts 50-213/66-02, 50-219/66-01, 50-220/66-02, 50-247/66-01 & 50-245/66-01 on 660202-04 re visit to C-E Chattanooga, TN plant. Obtained details re welding problems & witnessed vessel hydrostatic test.	Yes	Non-Sensitive	Yes
ML100151391	2	2/28/1966	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	05000213 05000219 05000220 05000245 05000247	Publicly Available	Forwards CO Insp Repts 50-213/66-02, 50-219/66-01, 50-220/66-02, 50-247/66-01 & 50-245/66-01 on 660202-04 re visit to C-E Chattanooga, TN plant.	Yes	Non-Sensitive	Yes

ML100151387	15	5/23/1966	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	05000219 05000220 05000245 05000247 05000255	Publicly Available	CO Insp Repts 50-219/66-03,50- 220/66-04,50-245/66-02, 50- 247/66-02 & 50-255/66-01 on 660510-22 re visit to C-E Chattanooga,TN plant.Reviewed status of several pressure vessels in varying stages of completion.	Yes	Non- Sensitive	Yes
ML100151382	1	6/22/1966	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	05000219 05000220 05000245 05000247 05000255	Publicly Available	Forwards CO Insp Repts 50- 219/66-03,50-220/66-04, 50- 245/66-02,50-247/66-02 & 50- 255/66-01 on 660510-12 re visit to C-E plant in Chattanooga,TN.	Yes	Non- Sensitive	Yes
ML100151376	12	11/22/1966	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	05000237 05000245 05000247 05000263	Publicly Available	CO Insp Repts 50-237/66-05,50- 245/66-04,50-247/66-03 & 50- 263/66-01 on 661026-27 & 1102- 03 re visits to B&W,C-E & Chicago Bridge & Iron CO.	Yes	Non- Sensitive	Yes
ML100151371	3	12/5/1966	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	05000237 05000245 05000247 05000263	Publicly Available	Forwards CO Vendor Insp Repts 50-237/66-05,50-245/66-04, 50- 247/66-03 & 50-263/66-01 on 661026-27 & 1102-03 re visits to B&W,C-E & Chicago Bridge & Iron Co facilities.	Yes	Non- Sensitive	Yes

ML100151361	1	5/9/1967	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION. (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/67-01 on 670502.	Yes	Non-Sensitive	Yes
ML100151366	6	5/9/1967	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/67-01 on 670502. Major areas inspected: visit to Con Ed ofc to make initial contact w/mgt personnel.	Yes	Non-Sensitive	Yes
ML100151352	10	9/18/1967	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/67-03 on 670801, 16 & 22. Major areas inspected: tour of const site, review of spec records & rept on QC review of dynamite blasting control problem.	Yes	Non-Sensitive	Yes
ML100151346	1	9/28/1967	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/67-03 on 6708601, 16 & 22.	Yes	Non-Sensitive	Yes

ML100151342	11	4/1/1968	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/68-01 on 680227-28. Major areas inspected: proposed corrective actions to containment line bulge.	Yes	Non- Sensitive	Yes
ML100151337	1	4/4/1968	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/68- 01 on 680227-28.	Yes	Non- Sensitive	Yes
ML100151332	8	5/22/1968	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/68-02 on 680422-24. Major areas inspected: visit to C-E plant to witness hydrostatic pressure test of reactor pressure vessel & to review fabrication records for vessel.	Yes	Non- Sensitive	Yes
ML100151326	1	6/4/1968	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/68- 02 on 680422-24.	Yes	Non- Sensitive	Yes

ML100151316	2	7/19/1968	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/68-03 on 680314 & 0617-19.	Yes	Non-Sensitive	Yes
ML100151321	15	7/19/1968	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/68-03 on 680314 & 0617-19. Major areas inspected: review of QA measures relating to vendor fabricated components.	Yes	Non-Sensitive	Yes
ML100151311	13	10/12/1968	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/68-05 on 680927,30 & 1008. Major areas inspected: all phases of const.	Yes	Non-Sensitive	Yes
ML100151305	1	10/17/1968	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/68-05 on 680927,30 & 1008.	Yes	Non-Sensitive	Yes

ML100151300	10	12/18/1968	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/68-06 on 681120-21. Item of safety concern noted re Dravo Co.	Yes	Non- Sensitive	Yes
ML100151294	1	12/24/1968	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/68- 06 on 681120-21.	Yes	Non- Sensitive	Yes
ML100151289	17	2/19/1969	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/69-02 on 690120 & 24. Noncompliance noted: nonconformance w/cadweld splice testing procedure as stated in FSAR.	Yes	Non- Sensitive	Yes
ML100151283	2	2/26/1969	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/69- 02 on 690120 & 24.	Yes	Non- Sensitive	Yes

ML100151277	12	3/25/1969	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-242/69-03 on 690304-05. Major areas inspected: RCS field welding QC & progress in resolution of cause & implications of cracks in stainless steel safety injection pipe.	Yes	Non- Sensitive	Yes
ML100151271	2	4/3/1969	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/69- 03 on 690304-05.	Yes	Non- Sensitive	Yes
ML100270976	18	4/22/1969	INSPECTION REPORT, MANUFACTURER/VENDOR/ENGINEER INSPECTION REPORT, NRC- GENERATED TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	05000244 05000247 05000250 05000251 05000261 05000266 05000286 05000301	Publicly Available	CO Insp Repts 50-261/69-05, 50- 247/69-04, 50-286/69-04, 50- 250/69-06, 50-251/69-03, 50- 244/69-06, 50-266/69-04 & 50- 301/69-03 on 690318- 21. Noncompliance noted: open cans of low-hydrogen electrodes in stockroom & welding areas.	Yes	Non- Sensitive	Yes

ML100151252	7	5/27/1969	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/69-05 on 690422-23. Major areas inspected: addl info re general criticisms of piping supplier practices.	Yes	Non- Sensitive	Yes
ML100151246	2	6/3/1969	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/69- 05 on 690422-23.	Yes	Non- Sensitive	Yes
ML100151257	1	6/18/1969	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	05000244 05000247 05000250 05000251 05000261 05000266 05000286 05000301 05002441	Publicly Available	Forwards Vendor CO Insp Repts 50-261/69-05, 50-247/69-04, 50- 286/69-04, 50-250/69-06, 50- 251/69-03, 50-244/69-06, 50- 266/69-04 & 50-301/69-03 of Westinghouse Lester, PA plant on 690318-21.	Yes	Non- Sensitive	Yes

ML100151263	9	6/18/1969	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	05000244	Publicly Available	Vendor CO Insp Repts 50-261/69- 05,50-247/69-04,50-286/69-04, 50-250/69-06,50-251/69-03,50- 244/69-06,50-266/69-04 & 50- 301/69-03 of Westinghouse Lester,PA plant on 690318-21. Major area inspected:steam generators.	Yes	Non- Sensitive	Yes
					05000247					
					05000250					
					05000251					
					05000261					
ML100151241	22	6/26/1969	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	05000266	Publicly Available	CO Insp Rept 50-247/69-06 on 690417,0515 & 0522-23.Major areas inspected:results of investigation re piping allegations.	Yes	Non- Sensitive	Yes
					5000247					
ML100151234	2	7/11/1969	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/69- 06 on 690417,0515 & 0522-23. No nonconformance noted.	Yes	Non- Sensitive	Yes

ML100151209	9	8/19/1969	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/69-07 on 690617 & 0701-02. Major areas inspected: purchase specs for stainless steel valves & const site visit.	Yes	Non- Sensitive	Yes
ML100151203	1	8/26/1969	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/69- 07 on 690617 & 0701-02.	Yes	Non- Sensitive	Yes
ML100151198	7	8/27/1969	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/69-08 on 690723-24. Major areas inspected: status of licensee investigation re previous pipe allegations.	Yes	Non- Sensitive	Yes
ML100151192	2	9/5/1969	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/69- 08 on 690723-24.	Yes	Non- Sensitive	Yes

ML100151172	26	10/20/1969	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/69-09 on 690826-29 & 0910. Major areas inspected: Westinghouse proposed organization change, status of pipe allegation investigations & control of electrical cable placement.	Yes	Non- Sensitive	Yes
ML100151166	1	10/24/1969	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/69- 09 on 690826-29 & 0910.	Yes	Non- Sensitive	Yes
ML100151181	2	10/31/1969	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/69- 10 on 690930 & 1001-02.	Yes	Non- Sensitive	Yes
ML100151160	12	12/3/1969	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/69-11 on 691103 & 05-07. Major areas inspected: engineering ofcs in NY & const site re electrical separations & RCPB requirements.	Yes	Non- Sensitive	Yes

ML100151153	2	12/10/1969	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/69-11 on 691103 & 05-07.	Yes	Non-Sensitive	Yes
ML100151141	44	2/3/1970	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 247/69-12 on 691209-19. Major areas inspected: QC audit.	Yes	Non-Sensitive	Yes
ML100151132	1	2/20/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 247/69-12 on 691209-19.	Yes	Non-Sensitive	Yes
ML100151651	6	2/27/1970	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Mgt Meeting Rept 50-247/70-01 on 700210. Major areas discussed: results of task force QC audit performed in Dec 1969.	Yes	Non-Sensitive	Yes

ML100151662	14	3/5/1970	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/70-02 on 700122,0206 & 11.Major areas inspected:status of pipe allegations program,preoperational testing,reactor pressure boundary requirements & Wedco organization.	Yes	Non- Sensitive	Yes
ML100151645	1	3/6/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Mgt Meeting Rept 50-247/70-01 on 700210.	Yes	Non- Sensitive	Yes
ML100151656	1	3/12/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/70- 02 on 700122,0206 & 11.	Yes	Non- Sensitive	Yes
ML100151679	11	4/15/1970	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/70-03 on 700326-27.Major areas inspected:preoperational testing,electrical installation & followup on progress re previously identified questions.	Yes	Non- Sensitive	Yes

ML100151673	1	4/21/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/70-03 on 700326-27.	Yes	Non-Sensitive	Yes
ML100151640	10	5/18/1970	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/70-04 on 700410 & 21-22. Major areas inspected: preoperational testing, organization, training, core internals fitups, electrical installation & Wedco takeover of site QC functions.	Yes	Non-Sensitive	Yes
ML100151633	2	5/26/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/70-04 on 700410 & 21-22.	Yes	Non-Sensitive	Yes
ML100151628	9	6/2/1970	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/70-05 on 700506-08. Major areas inspected: preoperational testing, electrical installation, surface cleanup of piping sys, containment closure & discussions re previously identified problems.	Yes	Non-Sensitive	Yes

ML100151621	1	6/9/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/70-05 on 700506-08.	Yes	Non-Sensitive	Yes
ML100151616	13	7/7/1970	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/70-06 on 700522,25-26,0603,11-12 & 15-16.Major areas inspected:preoperational testing, electrical installation,mechanical surface cleanup, containment closure & status of compliance to Table A.	Yes	Non-Sensitive	Yes
ML100151610	1	7/13/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/70-06, on 700522,25-26,0603, 11-12 & 15-16.	Yes	Non-Sensitive	Yes
ML100151605	14	8/6/1970	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/70-07 on 700626,29 & 0708-09.Major areas inspected:witnessing RCS hydrostatic test,status of preoperational procedure preparation,mechanical surface cleanup & electrical installation.	Yes	Non-Sensitive	Yes

ML100151596	1	8/20/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/70-07 on 700626,29 & 0708-09.	Yes	Non-Sensitive	Yes
ML100151569	19	10/1/1970	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/70-08 on 700730,0804-05,19 & 24-25. Major areas inspected: preoperational testing, mechanical sys cleanup, electrical surveillance & reactor pressure boundary conformance Table A.	Yes	Non-Sensitive	Yes
ML100151561	1	10/14/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/70-80 on 700730,0804-05,19 & 24-25.	Yes	Non-Sensitive	Yes
ML100151553	12	10/21/1970	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/70-09 on 700908,23 & 25. No noncompliance noted. Major areas inspected: preoperational testing, mechanical sys clean up, electrical review, closure of containment & evaluation of pressurizer question.	Yes	Non-Sensitive	Yes

ML100151544	1	10/28/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/70-09 on 700908,23 & 25. No noncompliance noted.	Yes	Non-Sensitive	Yes
ML100151535	17	11/23/1970	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/70-10 on 701007-08 & 13-14. Major areas inspected: preoperational testing, mechanical cleanup, electrical review, closure of containment, compliance w/Table A & evaluation of pressurizer question.	Yes	Non-Sensitive	Yes
ML100151528	1	12/4/1970	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/70-10 on 701007-08 & 13-14. No noncompliance noted.	Yes	Non-Sensitive	Yes
ML100151513	7	12/20/1970	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Meeting Rept 50-247/70-12 on 701202. Major areas discussed: Con Ed, Wedco & Westinghouse presentation of views re sample review of preoperational testing procedures & proposed guidance for testing.	Yes	Non-Sensitive	Yes

ML100151524	13	12/30/1970	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/70-11 on 701104-05 & 24-25. Major areas inspected: preoperational testing, mechanical sys cleanup, closure of containment, pipe hanger & support installation & electrical installation surveillance.	Yes	Non- Sensitive	Yes
ML100151518	1	1/15/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/70- 11 on 701104-05 & 24-25.	Yes	Non- Sensitive	Yes
ML100151507	1	1/20/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Meeting Rept 50- 247/70-12 on 701202.	Yes	Non- Sensitive	Yes
ML100151495	2	2/6/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 01 on 701216 & 710106-07. No noncompliance noted.	Yes	Non- Sensitive	Yes

ML100151502	17	2/6/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-01 on 701216 & 710106-07. Major areas inspected: preoperational testing, core loading, power ascension, mechanical sys cleanup & Con Ed response to questions raised at 701202 preoperational testing meeting.	Yes	Non- Sensitive	Yes
ML100151490	14	2/17/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-02 on 710112, 15, 20-22, 28-29 & 0203. No noncompliance noted: Major areas inspected: preoperational testing, power ascension program & operating procedures. Apparent deficiencies discussed w/mgt on 710112 & 15.	Yes	Non- Sensitive	Yes
ML100151483	2	2/26/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 02 on 710112, 15, 20-22, 28-29 & 0203. No noncompliance noted.	Yes	Non- Sensitive	Yes

ML100151472	9	3/11/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-04 on 710205 & 10-11.No noncompliance noted.Major areas inspected:preoperational testing,power ascension program & operating procedures.	Yes	Non- Sensitive	Yes
ML100151464	2	3/18/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/81- 04 on 710205 & 10-11. No noncompliance noted.	Yes	Non- Sensitive	Yes
ML100151441	10	3/23/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-03 on 710120-21.Major areas inspected:pipe support sys & info pertaining to engineering criteria used in design,fabrication & installation of pipe support sys.	Yes	Non- Sensitive	Yes
ML100151453	1	4/20/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 07 on 701207-10 & 710319 & 24- 25.No noncompliance noted.	Yes	Non- Sensitive	Yes

ML100151419	30	4/26/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-06 on 710217,0223-24,0305-06,08,10-12 & 15-16.Major areas inspected:preoperational testing,power ascension programs,operating procedure coverage,electrical jumper control & pipe support installation.	Yes	Non- Sensitive	Yes
ML100151436	2	5/1/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 03 on 710120-21.No noncompliance noted.	Yes	Non- Sensitive	Yes
ML100151407	16	5/17/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/81-08 on 710406-08 & 21-22.No noncompliance noted.Major areas inspected:preoperational testing,power ascension programs,pipe support installation, polar crane repairs & organizational coverage.	Yes	Non- Sensitive	Yes
ML100151412	2	5/18/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 06 on 710217,23-24,0305-06, 08,10-12 & 15-16.No noncompliance noted.	Yes	Non- Sensitive	Yes

ML100151431	10	5/21/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-05 on 710302-04.No noncompliance noted.Major areas inspected:radiation protection & chemistry programs,installation of waste disposal & radiation monitoring sys.	Yes	Non- Sensitive	Yes
ML100151402	1	5/26/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 08 on 710406-08 & 21-22. No noncompliance noted.	Yes	Non- Sensitive	Yes
ML100151425	1	6/2/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 05 on 710302-04.No noncompliance noted.	Yes	Non- Sensitive	Yes
ML100190596	17	6/24/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-09 on 710504,05,14,26 & 27.No noncompliance noted.Major areas inspected:preoperational testing,power ascension programs,operating procedure & reactor internal preparation & pipe support installation.	Yes	Non- Sensitive	Yes

ML100190597	1	7/1/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Inquiry Rept 50- 247/71-02 for info.	Yes	Non- Sensitive	Yes
ML100190599	2	7/1/1971	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Inquiry Rept 50-247/71-02: on 710630, following info reported re steam generator cladding separation, personnel performed UT insps of tube sheet cladding & revealed cladding separated from base matl.	Yes	Non- Sensitive	Yes
ML100190592	2	7/2/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 09 on 710504,05,14,26 & 27. No noncompliance noted.	Yes	Non- Sensitive	Yes
ML100190579	2	8/6/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 10 on 710608,24,25 & 0712 for info. No noncompliance noted.	Yes	Non- Sensitive	Yes

ML100190586	10	8/6/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-10 on 710708,24,25 & 0712.No noncompliance noted.Major areas inspected:unresolved items, installation of electrical fire stops & separation barriers, stack reinforcement records & reactor coolant pump seal.	Yes	Non- Sensitive	Yes
ML100190565	1	8/19/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Meeting Rept 50- 247/71-11 on 710708.	Yes	Non- Sensitive	Yes
ML100190572	5	8/19/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Meeting Rept 50-247/71-11 on 710708 w/NY organizations re review of emergency planning.	Yes	Non- Sensitive	Yes

ML100190556	2	9/14/1971	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Inquiry Rept 50-247/71-03: on 710911, bowing of steam generator divider plates noted following heat treatment associated w/ tube sheet clad repair. Damaged tube stubs to be ground smooth.	Yes	Non- Sensitive	Yes
ML100190550	1	9/15/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Inquiry Rept 50- 247/71-03 for info.	Yes	Non- Sensitive	Yes
ML100190542	2	9/23/1971	CORRESPONDENCE-LETTERS NRC TO UTILITY OUTGOING CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Discusses CO Insp Rept 50-247/71- 12 on 710812, 17, 18, 25 & 0902 & forwards description of nonconformance.	Yes	Non- Sensitive	Yes
ML100190545	2	9/23/1971	NOTICE OF DEVIATION/NONCONFORMANCE FROM A REGULATORY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Description of nonconformance from insp on 710812, 17, 18, 25 & 0902. Nonconformance noted: containment purge valves do not contain spring returns & improper welding procedure used.	Yes	Non- Sensitive	Yes

ML100190541	13	9/28/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-12 of insp on 710812,17,18,25 & 0902. Noncompliance noted:butterfly valves isolating containment purge ducts equipped w/piston operators w/air reservoirs instead of spring returns.	Yes	Non- Sensitive	Yes
ML100190539	2	9/29/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 12 from insp on 710812,17, 18,25 & 0902 for info.	Yes	Non- Sensitive	Yes
ML100190533	1	10/14/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Inquiry Rept 50- 247/71-05 for info.Inspector still at site reviewing primary sys cleanup records as prerequisite for fuel loading.	Yes	Non- Sensitive	Yes
ML100190535	1	10/14/1971	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Inquiry Rept 50-247/71-05:on 711005,primary sys cleaning examined.Installed temporary blocks in primary coolant pipes to maintain cleanliness.When removed,dirt,slag & dye penetrant found.	Yes	Non- Sensitive	Yes

ML100190536	1	10/14/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Inquiry Rept 50- 247/71-04 re ultrasonic findings of steam generators.	Yes	Non- Sensitive	Yes
ML100190538	1	10/14/1971	INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Inquiry Rept 50-247/71-04: on 710928, insufficient info found re ultrasonic testing of steam generator circumferential welds (lower head to tube sheet) following repair of tube sheet cladding.	Yes	Non- Sensitive	Yes
ML100190527	2	11/19/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 13 for info. Circumferential weld of steam generator 21 still unresolved.	Yes	Non- Sensitive	Yes
ML100190529	26	11/19/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-13 during Sept & Oct 1971. Completed all items for issuance of core loading subcritical testing except for pipe insulation, FSAR changes resolution & unresolved circumferential weld of steam generator 21.	Yes	Non- Sensitive	Yes

ML100190518	7	12/1/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-16 on 711124. Major areas inspected: program & procedures for cleanup, repair & reinstallation of electrical cabling & equipment damaged or destroyed during 711104 fire.	Yes	Non- Sensitive	Yes
ML100190519	2	12/7/1971	CORRESPONDENCE-LETTERS NRC TO UTILITY OUTGOING CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Discusses CO Insp Rept 50-247/71- 16 on 711124. Tests will be performed on PVC conductor insulation damaged, resistance & mechanical strength tests for hot spots will be performed & temp calculated for repair.	Yes	Non- Sensitive	Yes
ML100190523	1	12/8/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 14 on 711024 & 28 for info.	Yes	Non- Sensitive	Yes
ML100190526	6	12/8/1971	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	CO Insp Rept 50-247/71-14 on 711024 & 28. Areas inspected: core loading for accordance w/procedures.	Yes	Non- Sensitive	Yes

ML100190516	1	12/15/1971	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	US ATOMIC ENERGY COMMISSION (AEC)	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 16 on 711124.	Yes	Non- Sensitive	Yes
ML100190510	2	1/5/1972	CORRESPONDENCE-LETTERS NRC TO UTILITY OUTGOING CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Refers to CO Insp Rept 50-247/71- 17 on 711220 & forwards description of nonconformance.	Yes	Non- Sensitive	Yes
ML100190509	11	1/10/1972	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Insp Rept 50-247/71-17 on 711220. Major areas inspected: evaluation of WEDCO repair procedure for safety injection sys accumulator check valves.	Yes	Non- Sensitive	Yes
ML100190507	1	1/11/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71- 17 on 711220 for info.	Yes	Non- Sensitive	Yes

ML100190521	1	1/14/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Insp Rept 50-247/71-15 on 711104-06 & 11-12 re 711104 fire at plant. Encls withheld (ref 10CFR2.790).	Yes	Non-Sensitive	Yes
ML100190506	8	1/21/1972	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Insp Rept 50-247/72-01 on 711229-30 & 720103. No noncompliance noted. Major areas inspected: mgt interview & prototype splices.	Yes	Non-Sensitive	Yes
ML100190504	1	1/26/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Insp Rept 50-247/72-01 on 711229-30 & 720103. No noncompliance noted, however, splicing matl found unacceptable.	Yes	Non-Sensitive	Yes
ML100190494	12	2/2/1972	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Insp Rept 50-247/72-02 on 711213 & 720110. No noncompliance noted. Major areas inspected: mgt interviews, fire protection & prevention, organization, subcritical testing & power ascension program & surveillance testing.	Yes	Non-Sensitive	Yes

ML093521550	1	2/4/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Inquiry Rept 50- 247/72-03.	Yes	Non- Sensitive	Yes
							CO Inquiry Rept 50-247/72-03:in 720203 telcon,A Zallnick inquired re mod of AEC design criteria in accordance w/info in Reactor Const Experience Bulletin 72-1," Fire at Nuclear Power Plant Under Const."	Yes	Non- Sensitive	Yes
ML093521553	2	2/4/1972	INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available		Yes	Non- Sensitive	Yes
							Forwards CO Insp Rept 50-247/72- 02 on 711213 & 720110 for info re items of concern for fire prevention & protection. No noncompliance noted.	Yes	Non- Sensitive	Yes
ML100190492	1	2/7/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available		Yes	Non- Sensitive	Yes
							Forwards CO Inquiry Rept 50- 247/72-04 for info.	Yes	Non- Sensitive	Yes
ML100190495	1	2/7/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available		Yes	Non- Sensitive	Yes

ML100190497	1	2/7/1972	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Inquiry Rept 50-247/72-04: on 720203 or 04, condensate storage tank failed. Investigation revealed eight anchor bolt fractures & failure of fillet weld. Relationship of two not yet revealed. Cables installed to prevent tank collapse.	Yes	Non- Sensitive	Yes
ML100190488	1	2/18/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Inquiry Rept 50- 247/72-05 for info.	Yes	Non- Sensitive	Yes
ML100190490	1	2/18/1972	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Inquiry Rept 50-247/72-05: on 720216 & 17, primary sys pressure surge exceeding Tech Specs limits of 650-psig was experienced. Initiated investigation to determine cause & prevention of occurrence. No apparent damage.	Yes	Non- Sensitive	Yes
ML100190484	1	2/25/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Inquiry Rept 50- 247/72-06 for info.	Yes	Non- Sensitive	Yes

ML100190486	1	2/25/1972	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Inquiry Rept 50-247/72-06: on 720222, RHR sys heat exchangers failed. Sys isolated & reactor coolant pump operation discontinued. Investigation continuing.	Yes	Non- Sensitive	Yes
ML100190482	1	3/10/1972	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Inquiry Rept 50-247/72-07: on 720308, primary sys pressure surge of 630-psig occurred exceeding Tech Specs limit. Increased letdown flow & pressure spike terminated. No apparent damage. Investigation continuing.	Yes	Non- Sensitive	Yes
ML100190474	2	3/15/1972	CORRESPONDENCE-LETTERS NRC TO UTILITY OUTGOING CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Discusses CO Insp Rept 50-247/72- 03 on 720214, 17 & 18 & forwards notice of noncompliance.	Yes	Non- Sensitive	Yes
ML100190473	9	3/17/1972	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Insp Rept 50-247/72-03 on 720214, 17 & 18. Noncompliance noted: RCS pressure surges exceeded Tech Specs at 650-psig when temp less than 220 F.	Yes	Non- Sensitive	Yes

ML100190477	1	3/17/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Inquiry Rept 50- 247/72-09 on 720228 for info.	Yes	Non- Sensitive	Yes
ML100190479	1	3/17/1972	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Inquiry Rept 50-247/72-09: on 720228, arsonist indicted in second degree for malicious mischief in excess of \$1500. Arsonist still in psychiatric wing of hospital & unsure of trial date.	Yes	Non- Sensitive	Yes
ML100190471	1	3/20/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Insp Rept 50-247/72- 03 on 720214, 17 & 18 for info & notice of violation.	Yes	Non- Sensitive	Yes
ML100190470	7	3/22/1972	INSPECTION REPORT, NRC- GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Insp Rept 50-247/72-04 on 720303. No noncompliance noted. Major areas inspected: 720203 failure of condensate storage tank & cable damage repair during fire, procedure & record exams, personnel interviews & inspector observations.	Yes	Non- Sensitive	Yes

FOIA/PA 2011-0026

ML100190466	2	4/5/1972	CORRESPONDENCE-LETTERS NRC TO UTILITY OUTGOING CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Discusses CO Insp Rept 50-247/72-04 on 720303.No noncompliance noted.Repts in preparation include tank failure,tie down bolt matl overstressing,tabulation of equipment testing & insulating matl fire resistance.	Yes	Non-Sensitive	Yes
ML100190469	1	4/5/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Insp Rept 50-247/72-04 on 720303.No noncompliance noted.	Yes	Non-Sensitive	Yes
ML100190459	1	4/6/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Inquiry Rept 50-247/72-11 for info.	Yes	Non-Sensitive	Yes
ML100190456	1	4/7/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Inquiry Rept 50-247/72-12 for info.	Yes	Non-Sensitive	Yes

ML100190458	5	4/7/1972	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Inquiry Rept 50-247/72-12 re "Fish Kill Resulting From Testing of Circulating Water Sys." Util stated that circulating pumps not operating since initial order received. Conditions under evaluation.	Yes	Non- Sensitive	Yes
ML100190461	1	4/7/1972	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Inquiry Rept 50-247/72-11: on 720406, primary sys pressure surge caused by operator error closing letdown valve. Pressure increase terminated when letdown valve opened. No damage reported.	Yes	Non- Sensitive	Yes
ML100190463	2	4/11/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Inquiry Rept 50- 247/72-10 for info.	Yes	Non- Sensitive	Yes
ML100190465	4	4/11/1972	INSPECTION REPORT, NRC- GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Inquiry Rept 50-247/72-10 on 720314-15 re potential for catastrophic failure of main steam safety valves. Calculations indicate unsatisfactory safety margin if full blow occurs. Initiated discharge piping mods for valves.	Yes	Non- Sensitive	Yes

ML100190455	2	5/4/1972	CORRESPONDENCE-LETTERS NRC TO UTILITY OUTGOING CORRESPONDENCE	NRC/OE NRC/OI/RGN -I/FO	5000247	Publicly Available	Discusses CO Insp Rept 50-247/72-05 on 720314-15,0410 & 14. No noncompliance noted.	Yes	Non-Sensitive	Yes
ML100190454	16	5/8/1972	INSPECTION REPORT, NRC-GENERATED INSPECTION REPORT, UTILITY TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Insp Rept 50-247/72-05 on 720314-15,0410 & 14.No noncompliance noted.Major areas inspected:test programs re 711104 fire,power ascension program,pipe hanger & restraint installation & pipe thermal expansion.	Yes	Non-Sensitive	Yes
ML100190452	2	5/10/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Insp Rept 50-247/72-05 for info.	Yes	Non-Sensitive	Yes
ML100190450	2	5/22/1972	INSPECTION REPORT, NRC-GENERATED INVESTIGATION REPORTS TEXT-INSPECTION & AUDIT & I&E CIRCULARS	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	CO Inquiry Rept 50-247/72-13 on 720429 re control rod malfunction during hot condition preoperational rod drop testing.Investigation continuing.	Yes	Non-Sensitive	Yes

ML100190448	1	5/23/1972	INTERNAL OR EXTERNAL MEMORANDUM MEMORANDUMS-CORRESPONDENCE	NRC/OE NRC/OI/RGN- I/FO	5000247	Publicly Available	Forwards CO Inquiry Rept 50- 247/72-13 for info.	Yes	Non- Sensitive	Yes
-------------	---	-----------	--	-------------------------------	---------	-----------------------	---	-----	-------------------	-----

**APPENDIX B
RECORDS BEING RELEASED IN THEIR ENTIRETY
(If copyrighted identify with *)**

<u>NO.</u>	<u>DATE</u>	<u>DESCRIPTION/(PAGE COUNT)</u>
1.	09/05	Study of Potential Concrete Reinforcement Corrosion on the Structural Integrity of the Spent Fuel Pit; Report 1487203-R-001, Revision O. Prepared by: ABS Consulting, Stratham, NH 03885. Prepared for: Entergy Nuclear Northeast Indian Point Energy Center - Unit 2. (88 pages)
2.	09/16/05	Study of the Unit 2 Spent Fuel Pit Permeability; Report No. 1464385-R-004, Revision: Draft B. ABS Consulting - Prepared for: Entergy Nuclear Northeast Indian Point Unit 2. (23 pages)