

PMSTPCOL PEmails

From: Tai, Tom
Sent: Monday, December 13, 2010 11:41 AM
To: Agles, James
Cc: Price, John E; STPCOL
Subject: FW: Draft RAI 5288 - Ch 9.1.1
Attachments: RAI 5288 09.01.01-xx.doc

Jim,

I sent this to John Price by mistake.

Tom Tai
DNRL/NRO
(301) 415-8484
Tom.Tai@NRC.GOV

From: Tai, Tom
Sent: Monday, December 13, 2010 8:51 AM
To: 'Price, John E'
Cc: 'Elton, Loree'; STPCOL; 'Chappell, Coley'
Subject: Draft RAI 5288 - Ch 9.1.1

John,

Attached for your information is a copy of the draft RAI for Chapter 9.1.1, structural analyses for the fuel racks.

Please let me know if you have questions and need a telephone conference on or before Wednesday, December 15, 2010..

Regards

Tom Tai
DNRL/NRO
(301) 415-8484
Tom.Tai@NRC.GOV

Hearing Identifier: SouthTexas34Public_EX
Email Number: 2550

Mail Envelope Properties (0A64B42AAA8FD4418CE1EB5240A6FED124599DA8F2)

Subject: FW: Draft RAI 5288 - Ch 9.1.1
Sent Date: 12/13/2010 11:41:11 AM
Received Date: 12/13/2010 11:41:13 AM
From: Tai, Tom

Created By: Tom.Tai@nrc.gov

Recipients:

"Price, John E" <jeprice@STPEGS.COM>
Tracking Status: None
"STPCOL" <STP.COL@nrc.gov>
Tracking Status: None
"Agles, James" <jaagles@STPEGS.COM>
Tracking Status: None

Post Office: HQCLSTR02.nrc.gov

Files	Size	Date & Time
MESSAGE	635	12/13/2010 11:41:13 AM
RAI 5288 09.01.01-xx.doc	31226	

Options

Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

Request for Additional Information No. 5288 Revision 4

South Texas Project Units 3 and 4
South Texas Project Nuclear Operating Co
Docket No. 52-012 and 52-013

SRP Section: 09.01.01 - Criticality Safety of Fresh and Spent Fuel Storage and Handling
Application Section: FSAR Section 9.1.1

QUESTIONS for Structural Engineering Branch 2 (ESBWR/ABWR Projects) (SEB2)

09.01.01-***

Follow-up to Question 09.01.01-3

In its response to question 09.01.01-3, the applicant submitted the report WCAP-17311 Revision 0, "Stress Report for STP Units 3 & 4 New Fuel Storage Rack Baseline Design," to address COL Information Item 9.2. However, the report did not include details of analysis and design of the new fuel storage racks following guidance provided in SRP 3.8.4, Appendix D. Therefore, in order for the staff to conclude that the design of the new fuel storage racks is structurally adequate, the applicant is requested to resubmit the report with details of analysis and design of the new fuel storage racks following the guidance provided in SRP 3.8.4, Appendix D.

09.01.01-***

Follow-up to Question 09.01.01-4

In its response to question 09.01.01-4, the applicant submitted the report WCAP-17331-NP Revision 0, "Stress Report for STP Units 3 & 4 Spent Fuel Storage Rack Baseline Design," to address COL Information Items 9.4 and 9.7. However, the report did not include details of analysis and design of the spent fuel storage racks following guidance provided in SRP 3.8.4, Appendix D, as requested in the staff question. Therefore, in order for the staff to conclude that the design of spent fuel storage racks is structurally adequate, the applicant is requested to resubmit the report with details of analysis and design of the spent fuel storage racks following the guidance provided in SRP 3.8.4, Appendix D.