Figure 2.5-29— {Map of Seismic Lines (A) and Channels (B)}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-30— {Location Map (A) and Cross Section (B) of Calvert Cliffs, Maryland}



Location of landmarks along the Calvert Cliffs (refer to Figure 2.5.1-25).



Cross section of the Calvert Cliffs showing disconformity-bounded units. PP, Plum Point Member of the Calvert Formation; CT, Choptank Formation; SM, St. Marys Formation; pSM, post-St. Mary's Neogene strata.

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-31— {Potential Quaternary Features in the Site Region}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-32— {Site Area Geologic Map 5-Mile (8-Km) Radius}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-33— {Site Area Geologic Cross Sections A-A′ and B-B′ 5-Mile (8-Km) Radius}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-34— {Site Geologic Map 0.6-mi (1-km) Radius}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-35— {Boring Location Map CCNPP 3 from 2007 Drilling Program}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-36— {CCNPP Site Specific Stratigraphic Column}

ERA	PERIOD	EPOCH		AGE (Ma)	UNIT	THICKNESS (FT)
Cenozoic	Quarter-nary	Holocene		0.01	**Alluvium & Beach Deposits**	0-50
		Pleistocene		1.8	**Terrace & Lowland Deposits**	
	Tertiary	Pliocene		5.3	**Upland Deposits**	0-50
		Miocene	Upper	11.2		
			Middle	16.4	**Chesapeake Group** St. Marys Formation Choptank Formation Calvert Formation	245-280
		Eocene	Middle	49	**Piney Point Formation**	20
			Lower	54.8	**Nanjemoy Formation**	180
		Paleocene	Upper	61	**Marlboro Clay** **Aquia Formation**	165-170
			Lower	65	**Brightseat Formation**	10-20
Mesozoic	Cretaceous	Upper		99	**Magothy, Monmouth, Matawan Formations undifferentiated**	30?
		Lower		144	**Potomac Group** **Patapsco Formation** **Arundel/Patuxent Formations (undivided)**	1000-1100 750-900
Proterozoic/ Paleozoic				543+	**Metamorphic/Igneous**	

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-37— {Boring B-301, Caliper, Natural Gamma, Resistivity and SP Logs}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-38— {Boring B-401, Caliper, Natural Gamma, Resistivity and SP Logs}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-39— {Subsurface Profile E-E'}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-40— {Cross Section}



Explanation

1 Location of inferred warp shown on Figure 2.5-25; vertical exaggeration = ~25X

Note: The above portion of section A - A' was modified from McCartan et al. (1995).

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-41— {Geologic Section C-C'}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-42— {Geologic Section D-D'}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5.1-41

Figure 2.5-43— {Subsurface Profile E-E'}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-44— {View of Calvert Cliffs Toward the Southwest from the Barge}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-45— {Bechtel Group EPRI Source Zones}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-46— {Dames & Moore EPRI Source Zones}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-47— {Law Engineering EPRI Source Zones}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-48— {Rondout EPRI Source Zones}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-49— {Weston Geophysical EPRI Source Zones}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-50— {Woodward-Clyde Consultants EPRI Source Zones}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-51— {Various EPRI Geometries of the Central Virginia Seismic Zone}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-52— {Seismic Zones and Seismicity in CEUS}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-53— {USGS Model}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-54— {SC DOT Model}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-55— {EPRI (NP-6452-D 1989) EST's Charleston Map}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-56— {UCSS Map}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-57— {Regional Charleston Tectonic Features}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-58— {Local Charleston Tectonic Features}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-59— {Updated Charleston Seismic Source (UCSS) Logic Tree with Weights for Each Branch Shown in Italics}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-60— {Map of ZRA-S}



Map of ZRA-S. Figure shows southern zone of river anomalies (ZRA-S; striped area), anastomosing stream patterns, pre 1886 sand blow sites (stars), and topographic profile (TP, bold line) approximately along the ZRA-S axis. Arrows along Pee Dee River denote reach flowing against southwest valley wall. Closed dashed contours near Summerville are highest intensity isoseismals of the 1886 Charleston, South Carolina, earthquake (from Dutton, 1889). Abbreviations are as follows: AR - Ashley River, C - Conway; CCS - Caw Caw Swamp; CH - Charleston; CS - Cypress Swamp; F - Florence; G - Georgetown; LM - Lake Moultrie; MS - Mechanicsville littoral scarp; S - Summerville; SS - Surry littoral scarp.

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-61— {Region Surrounding CCNPP Unit 3 Site Showing Rondout Source 29, A 200 km Square Background, A 400 km Square Background, and Historical Earthquakes}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-62— {Comparison of Seismicity Rate for 200 km Square Background Surrounding CCNPP Unit 3 Site, Using EPRI-SOG Earthquake Catalog and Using Earthquake Catalog Updated Through 2005}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-63— {Comparison of Seismicity Rate for 400 km Square Background Surrounding CCNPP Unit 3 Site, Using EPRI-SOG Earthquake Catalog and Using the Earthquake Catalog Updated Through 2005}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-64— {Comparison of Seismicity Rate for Rondout Source 29, Using EPRI SOG Earthquake Catalog and Using Earthquake Catalog Updated Through 2005}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-65— {Uniform Hazard Spectra for Rock Conditions at Seven Structural Frequencies for which Ground Motion Equations are Available}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-66— {Mean 10^{-4} Rock Deaggregation for 1 and 2.5Hz}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-67— {Mean 10^{-4} Rock Deaggregation for 5 and 10 Hz}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-68— {Mean 10^{-5} Rock Deaggregation for 1 and 2.5 Hz}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-69— {Mean 10^{-5} Rock Deaggregation for 5 and 10 Hz}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-70— {10^{-4} Rock UHS Valus and Smooth Spectra Fit to HF and LF Spectral Shapes}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-71 — {10^{-5} Rock UHS Values and Smooth Spectra Fit to HF and LF Spectral Shapes}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-72— {Shear Wave Velocity (V_S) and Its Logarithmic Standard Devision for the Top 140 m}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-73— {Shear-Wave Velocity (Vs) and It's Logarithmic Standard Deviation, Used for depths from 140 m to 800 m Using Data From Chester and Lexington Park Wells}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-74— {Shear-Wave Velocity (Vs) vs Depth or Profiles 1 through 10}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-75— {Median (Mean of Logarithmic Values) ±Standard Deviation (ó of Log Values) of Shear Wave Velocity (VS) vs Depth for All 60 Profiles (Thin Solid and Dashed Lines, Compared to Median VS Profile (red)}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-76— {G/G_{max} Curves Representing Uncertainty in Shear Stiffness for Soil Type 2 (Chesapeake Clay/Silt}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-77— {Damping Curves Representing Uncertainty in Shear Stiffness for Soil Type 2 (Chesapeake Clay/Silt)}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-78— {Logarithmic Mean Site Amplification Factor and Standard Deviation at the Top of a Soil Column with no Backfill for 10^{-4} HF Input Motion}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-79— {Maximum Strains vs. Depth for 10^{-4} HF Input Motion}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-80— {Logarithmic Mean Site Amplification Factor and Standard Deviation at the Top of a Soil Column with no Backfill for 10^{-4} LF Input Motion}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-81— {Maximum Strains vs. Depth for 10^{-4} LF Input Motion}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-82— {Logarithmic Mean Site Amplification Factor and Standard Deviation at the Top of a Soil Column with no Backfill for 10^{-5} HF Input Motion}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-83— {Maximum Strains vs. Depth for 10^{-5} HF Input Motion}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-84— {Logarithmic Mean Site Amplification Factor and Standard Deviation at the Top of a Soil Column with no Backfill for 10^{-5} LF Input Motion}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-85— {Maximum Strains vs Depth for 10^{-5} LF Input Motion}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-86— {HF and LF Spectra and Envelopes for 10^{-4} and 10^{-5}}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-87— {Recommended Horizontal and Vertical GMRS}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-88— {V/H Ratios from Several Publications and Recommended V/H Ratios}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-89— {Mean Seismic Hazard by Source for Rondout Team, 10 Hz Spectral Acceleration}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-90— {Mean 10^{-6} Deaggregation Plot for 5 and 10 Hz}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-91— {Mean Seismic Hazard by Source for Rondout Team, 10 Hz Spectral Acceleration}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-92— {Mean Seismic Hazard by Source for Rondout Team, 1 Hz Spectral Acceleration}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-93— {Median Seismic Hazard by Source for Rondout Team, 10 Hz Spectral Acceleration}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-94— {Median Seismic Hazard by Source for Rondout Team, 1 Hz Spectral Acceleration}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-95— {Mean and Fractile Rock Hazard Curves for PGA}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-96— {Mean and Fractile Rock Hazard Curves for 25 Hz}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-97— {Mean and Fractile Rock Hazard Curves for 10 Hz}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-98— {Mean and Fractile Rock Hazard Curves for 5 Hz}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-99— {Mean and Fractile Rock Hazard Curves for 2.5 Hz}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-100— {Mean and Fractile Rock Hazard Curves for 1 HZ}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-101— {Mean and Fractile Rock Hazard Curves for 0.5 Hz}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-102— {CCNPP Unit 3 10 Generic Soil Profiles}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-103— {Site Utilization Plan with Boring Locations}



See Figure 1.1-3 and Figure 1.2-1 for Site and Powerblock layout

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-104— {Powerblock Area Profile Locations}



See Figure 1.1-3 and Figure 1.2-1 for Site and Powerblock layout

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-105— {Intake Area Profile Location}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-106— {Generalized CCNPP Soil Column}

UNIT	THICKNESS [ft]		
	MIN	MAX	AVG
STRATUM I - TERRACE SAND	1	68	28
STRATUM IIa - CHESAPEAKE CLAY/SILT	4	36	19
STRATUM IIb - CHESAPEAKE CEMENTED SAND 1	3	69	24
STRATUM IIb - CHESAPEAKE CEMENTED SAND 2	3	55	23
STRATUM IIb - CHESAPEAKE CEMENTED SAND 3	4	39	16
STRATUM IIc - CHESAPEAKE CLAY/SILT (FROM B-301 AND B-401) INTERBEDDED SAND LAYERS	190	195	193
STRATUM III - NANJEMOY SAND (FROM B-301 and B-401)	>101	>115	>108

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-107— {Subsurface Profile A-A'}



BORING KEY

N = STANDARD PENETRATION TEST (SPT) N VALUE
BOB = BOTTOM OF BORING
G.S. = GROUND SURFACE ELEVATION

SECTION A-A'

HORIZONTAL SCALE
120 0 120 FEET

VERTICAL SCALE 2X EXAGGERATION
60 0 60 FEET

NOTES:

1. THE DEPTH AND THICKNESS OF SOIL STRATA INDICATED ON THE SUBSURFACE PROFILE WERE OBTAINED BY INTERPOLATING BETWEEN BORINGS. INFORMATION ON ACTUAL SOIL CONDITIONS EXIST ONLY AT BORING LOCATIONS AND SUBSURFACE CONDITIONS BETWEEN THE TEST BORINGS CAN VARY FROM THOSE INDICATED.

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-108— {Subsurface Profile B-B'}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-109— {Subsurface Profile C-C'}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-110— {Subsurface Profile D-D'}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED



Figure 2.5-111— {Subsurface Profile E-E'}

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-112— {Subsurface Profile F-F'}



BORING KEY

N = STANDARD PENETRATION TEST (SPT) N VALUE
BOB = BOTTOM OF BORING
G.S. = GROUND SURFACE ELEVATION

SECTION F-F'

HORIZONTAL SCALE
120 0 120 FEET

VERTICAL SCALE 2X EXAGGERATION
60 0 60 FEET

NOTES:

1. THE DEPTH AND THICKNESS OF SOIL STRATA INDICATED ON THE SUBSURFACE PROFILE WERE OBTAINED BY INTERPOLATING BETWEEN BORINGS. INFORMATION ON ACTUAL SOIL CONDITIONS EXIST ONLY AT BORING LOCATIONS AND SUBSURFACE CONDITIONS BETWEEN THE TEST BORINGS CAN VARY FROM THOSE INDICATED.

© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-113— {SPT Data for Powerblock Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-114— {SPT Data for Intake Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-115— { CPT Tip Resistance, Powerblock Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-116— {CPT Tip Resistance, Intake Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-117— {V_p Measurements from Suspension P-S Velocity Logging}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-118— {V_s Measurements from Suspension P-S Velocity Logging}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-119— {PS Logging Test at Intake Area B-773}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-120— {Uphole Seismic Survey Results from CCNPP Units 1 and 2 UFSAR}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-121— {Pressuremeter Data}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-122— {Moisture Content and Atterberg Limits, Powerblock Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-123— {Moisture Content and Atterberg Limits, Intake Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-124— {Plasticity Chart, Powerblock Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-125— {Plasticity Chart, Intake Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-126— {RCTS Testing Sample B-437-6, Powerblock Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-127— {RCTS Testing Sample B-301-10, Powerblock Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-128— {RCTS Testing Sample B-305-17, Powerblock Area}



© 2007-2010 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED