CHAPTER 4: REACTOR TABLE OF CONTENTS

Cŀ	IAPTER 4 REACTOR	4.1-1
4.1	SUMMARY DESCRIPTION	4.1-1
4.2	FUEL SYSTEM DESIGN	4.2-1
4.3	NUCLEAR DESIGN	4.3-1
4.4	THERMAL AND HYDRAULIC DESIGN	4.4-1
	4.4.7 COMBINED LICENSE INFORMATION	4.4-1
4.5	REACTOR MATERIALS	4.5-1
4.6	FUNCTIONAL DESIGN OF REACTIVITY CONTROL SYSTEMS .	4.6-1

CHAPTER 4 REACTOR

4.1 SUMMARY DESCRIPTION

4.2 FUEL SYSTEM DESIGN

4.3 NUCLEAR DESIGN

4.4 THERMAL AND HYDRAULIC DESIGN

This section of the referenced DCD is incorporated by reference with the following departures and/or supplements.

4.4.7 COMBINED LICENSE INFORMATION

Replace the second paragraph in DCD Subsection 4.4.7 with the following:

STD COL 4.4-2 Following selection of the actual plant operating instrumentation and calculation of the instrumentation uncertainties of the operating plant parameters as discussed in DCD Subsection 7.1.6, the design limit DNBR values will be calculated. The calculations will be completed using the RTDP with these instrumentation uncertainties and confirm that either the design limit DNBR values as described in DCD Section 4.4 remain valid or that the safety analysis minimum DNBR bounds the new design limit DNBR values plus DNBR penalties, such as rod bow penalty. This will be completed prior to fuel load.

4.5 REACTOR MATERIALS

4.6 FUNCTIONAL DESIGN OF REACTIVITY CONTROL SYSTEMS