U.S. NUCLEAR REGULATORY COMMISSION

Amendment No. 18

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with the letter dated January 11, 2011,
1. CAMC Teays Valley Hospital	3. License number 47-23070-01 is amended in its entirety to read as follows:
2. 1400 Hospital Drive Hurricane, West Virginia 25526-9205	4. Expiration date January 31, 2015
	5. Docket No. 03020237 Reference No.

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Any byproduct material permitted by 10 CFR 35.100	A. Any	A. As needed
B. Any byproduct material permitted by 10 CFR 35.200	B. Any	B. As needed
C. Any byproduct material permitted by 10 CFR 35.300	C. Any	C. 1000 millicuries

9. Authorized use:

A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
B. Any imaging and localization study permitted by 10 CFR 35.200.
C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 1400 Hospital Drive, Hurricane, West Virginia

11. The Radiation Safety Officer for this license is Steven A. Artz, M.D.

12. Licensed material is only authorized for use by, or under the supervision of:

A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.

MATERIALS LICENSE SUPPLEMENTARY SHEET

License Number
47-23070-01

Docket or Reference Number
03020237

Amendment No. 18

B. The following individuals are authorized users for medical use as indicated:

Authorized Users	Material and Use
Steven A. Artz, M.D.	35.100; 35.200; 35.300
John J. Anton, M.D.	35.100; 35.200
Michael Eugene Anton, M.D.	35.100; 35.200
Timothy Connor, M.D.	35.100; 35.200; 35.300
Ronald Cordell, M.D.	35.100; 35.200
Jeffrey C. Dameron, M.D,	35.100; 35.200; 35.300
Stephen M. Elksnis, M.D	35.100; 35.200
Mohammed Haffar, M.D.	35.100; 35.200
Jennifer Marie Smith, M.D	35.100; 35.200; 35.300
Russell F. King, III, M.D.	35.100; 35.200; 35.300
Johnsey Leef, M.D.	35.100; 35.200; 35.300
Johnsey Lee Leef, M.D.	35.100; 35.200; 35.000
Mary H. McJunkin, M.D.	35.100; 35.200
John F. Mega, M.D.	35.100; 35.200
Bassam Moushmoush, Jr., M.D.	35.100; 35.200
Frank Muto, M.D.	35.100; 35.200
John Reifsteck, M.D.	35.100; 35.200
Christopher A. Schlarb, M.D	35.100; 35.200
James T. Smith, M.D.	35.100; 35.200
John Willis, M.D.	35.100; 35.200
Tyrone L. Daniels, M.D.	35.100; 35.200

MATERIALS LICENSE SUPPLEMENTARY SHEET

License Number
47-23070-01

Docket or Reference Number
03020237

Amendment No. 18

13. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

14. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of material to quantities below the minimum limit specified in 10 CFR 30.35(d), for establishing decommissioning financial assurance.

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

    A. Application dated January 12, 2005 (ML050330165)
    B. Letter dated November 7, 2006 (ML063120473)

For the U.S. Nuclear Regulatory Commission

Date February 4, 2011

By ***Original signed by Tara L. Weidner***

Tara L. Weidner
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406