Tables

Table 1.1-201 Left Margin Annotations 1-9

Table 1.6-201 Referenced Topical Reports 1-22

Table 1.7-201 Summary of Electrical System Configuration Drawings 1-25

Table 1.7-202 Summary of Mechanical System Configuration Drawings 1-25

Table 1.8-201 Departures from the Referenced Certified Design 1-28

Table 1.8-202 Conceptual Design Information (CDI) 1-29

Table 1.9-201 Conformance with Standard Review Plan 1-34

Table 1.9-202 Conformance with Regulatory Guides 1-81

Table 1.9-203 Conformance with the FSAR Content Guidance in RG 1.206 1-107

Table 1.9-204 Industrial Codes and Standards 1-146

Table 1.9-205 NUREG Reports Cited 1-150

Table 1.10-201 Summary of FSAR Sections Where DCD COL Items Are Addressed 1-153

Table 1.11-201 COL Item Resolutions Related to NUREG-0933 Table II Task Action Plan Items and New Generic Issues 1-161

Table 1.11-202 Supplementary Resolutions Related to NUREG-0933 Table II TMI Action Plan Items and Human Factors Issues 1-163

Table 1.12-201 Potential Hazards to Fermi 2 from Fermi 3 Construction Activities 1-167

Table 1.12-202 Potential Consequences to Fermi 2 Due to Potential Hazards Resulting from Fermi 3 Construction Activities) 1-169

Table 1.12-203 Managerial and Administrative Controls for Fermi 3 Construction Activity Hazards 1-172

Table 1C-201 Operating Experience Review Results Summary—Generic Letters 1-176

Table 1C-202 Operating Experience Review Results Summary—IE Bulletins 1-176

Table 2.0-2R Limits Imposed on Acceptance Criteria in Section II of SRP by ESBWR Design 2-2

Table 2.0-201 Evaluation of Site/Design Parameters and Characteristics 2-7

Table 2.1-201 U.S. Counties and Canadian Counties within 80 km (50 mi) Radius of Fermi 3 2-59

Tables

Table 2.1-202 Resident Population Distribution by Segment, 0 to 16 km (10 mi) from Fermi 3, 2000 2-60

Table 2.1-203 Largest Population Areas within 16 km (10 mi) of the Fermi Site, 2000 2-61

Table 2.1-204 Segment Resident Population Distribution 0 to 80 km (50 mi) From the Proposed Fermi 3 Power Block, 2000 2-62

Table 2.1-205 Resident and Transient Population and Density, 0-10 mi Concentric Circles from the Fermi Site, 2000 2-63

Table 2.1-206 Resident and Transient Population and Density by Concentric Circle, 2000 2-64

Table 2.1-207 Commuter Information for the 80 km (50 mi) Region, 2000 2-65

Table 2.1-208 Special Facilities Transient Population Data for the Regional Counties, 2000 2-66

Table 2.1-209 Michigan and Ohio Regional County Populations and Average Annual Growth Rates 2-67

Table 2.1-210 0 to 16 km (10 mi) Resident and Transient Historical Population and Population Projections, 2000, 2008, 2013, 2018, and 2020-2060 2-68

Table 2.1-211 Canadian Population and Average Annual Growth Rates 2-74

Table 2.1-212 16 km (10 mi) to 80 km (50 mi) Resident and Transient Population, 2000, 2008, 2013, 2018, and 2020 to 2060 2-75

Table 2.1-213 Industrial Facilities within 5 mi of Fermi Site 2-79

Table 2.1-214 Schools within 5 mi of Fermi Site 2-80

Table 2.1-215 Current and Projected Population Data for the LPZ 2-81

Table 2.1-216 2013 Population Density by Concentric Circle 2-82

Table 2.1-217 2018 Population Density by Concentric Circle 2-83

Table 2.2-201 Industrial Facilities Within 8 Km (5 Mi) 2-112

Table 2.2-202 Offsite Hazardous Materials Within 8 Km (5 Mi) 2-113

Table 2.2-203 Fermi Onsite Chemical Storage Locations and Quantities 2-118

Table 2.2-204 Airports Near Fermi 3 2-123

Table 2.2-205 Fermi Onsite Chemicals Evaluation 2-125

Tables

Table 2.3-201 National Weather Service First–Order and Cooperative Observing Stations Surrounding the Fermi Site 2-218

Table 2.3-202 Local Climatological Data Summary for Detroit, Michigan 2-219

Table 2.3-203 Local Climatological Data Summary for Flint, Michigan 2-221

Table 2.3-204 Local Climatological Data Summary for Toledo, Ohio 2-223

Table 2.3-205 Climatological Normals for National Weather Service First-Order and Cooperative Observation Stations in the Region Surrounding the Fermi Site 2-225

Table 2.3-206 Climatological Extremes for National Weather Service First-Order and Cooperative Observation Stations Surrounding the Fermi Site 2-226

Table 2.3-207 Annual Summaries of Hours with Dust Reported for Detroit Metropolitan Airport During the Period 1961-1995 2-227

Table 2.3-208 Distribution for Duration of Discrete Dust Events at Detroit Metropolitan Airport (1961-1995) 2-228

Table 2.3-209 Summaries for Freezing Rain Events Occurring in the Five-County Area Surrounding the Fermi Site (1993-2007) 2-229

Table 2.3-210 Ambient Temperature and Humidity Statistics for Detroit Metropolitan Airport 2-230

Table 2.3-211 Monthly and Annual Temperature Data (ºF) for Detroit Metropolitan Airport and Fermi Site (2003 - 2007) 2-231

Table 2.3-212 Monthly and Annual Dew-point Temperature (°F) Summaries for the Fermi Site (2003 - 2007) 2-232

Table 2.3-213 Hours with Precipitation and Hourly Precipitation Rate Distribution for Detroit Metropolitan Airport at Detroit, Michigan (2003-2007) 2-233

Table 2.3-214 Estimated Maximum Precipitation Amounts (Inches) for Durations 1 Hour to 24 Hours and Recurrence Intervals 1 year to 100 years for Fermi 3 2-234

Table 2.3-215 Observed Maximum Precipitation Events at Detroit Metro Airport for Durations from 1 Hour to 24 Hours 2-235

Table 2.3-216 Mean Monthly and Annual Summaries (Hours) of Fog and Heavy Fog for Detroit, Michigan (1961-1995) 2-236

Table 2.3-217 Monthly and Annual Mean Wind Speeds (mph) for Detroit Metropolitan Airport and Fermi Site (2003 - 2007) 2-237

Table 2.3-218 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-238

Tables

Table 2.3-219 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-239
Table 2.3-220 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-240
Table 2.3-221 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-241
Table 2.3-222 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-242
Table 2.3-223 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-243
Table 2.3-224 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-244
Table 2.3-225 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-245
Table 2.3-226 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-246
Table 2.3-227 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-247
Table 2.3-228 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-248
Table 2.3-229 Wind Direction Persistence Summaries - Fermi Site 10-m Level 2-249
Table 2.3-230 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-250
Table 2.3-231 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-251
Table 2.3-232 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-252
Table 2.3-233 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-253
Table 2.3-234 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-254
Table 2.3-235 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-255
Table 2.3-236 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-256
Table 2.3-237 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-257
Table 2.3-238 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-258
Table 2.3-239 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-259
Table 2.3-240 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-260
Table 2.3-241 Wind Direction Persistence Summaries - Fermi Site 60-m Level 2-261
Table 2.3-242 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-262
Table 2.3-243 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-263

Tables

Table 2.3-244 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-264

Table 2.3-245 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-265

Table 2.3-246 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-266

Table 2.3-247 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-267

Table 2.3-248 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-268

Table 2.3-249 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-269

Table 2.3-250 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-270

Table 2.3-251 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-271

Table 2.3-252 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-272

Table 2.3-253 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level 2-273

Table 2.3-254 Mean Monthly and Annual Mixing Heights (m) at White Lake, Michigan (2003 - 2007) 2-274

Table 2.3-255 Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-275

Table 2.3-256 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-276

Table 2.3-257 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-277

Table 2.3-258 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-278

Table 2.3-259 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-279

Tables

Table 2.3-260 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-280

Table 2.3-261 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-281

Table 2.3-262 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-282

Table 2.3-263 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-283

Table 2.3-264 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-284

Table 2.3-265 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-285

Table 2.3-266 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-286

Table 2.3-267 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-287

Table 2.3-268 Monthly and Annual Vertical Stability Class and Mean 60-m Wind Speed Distributions for Fermi Site (2003 - 2007) 2-288

Table 2.3-269 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-290

Table 2.3-270 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-291

Table 2.3-271 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-292

Table 2.3-272 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-293

Table 2.3-273 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-294

Table 2.3-274 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-295

Table 2.3-275 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-296

Table 2.3-276 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-297

Table 2.3-277 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-298

Table 2.3-278 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-299

Table 2.3-279 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-300

Table 2.3-280 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-301

Tables

Table 2.3-281 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-302

Table 2.3-282 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-303

Table 2.3-283 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-304

Table 2.3-284 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-305

Table 2.3-285 SACTI Input Parameters 2-306

Table 2.3-286 Average Plume Lengths During NDCT Operation 2-307

Table 2.3-287 Annual Plume Length Frequency During NDCT Operations 2-308

Table 2.3-288 Meteorological Parameters Monitored at the Fermi Site 2-309

Table 2.3-289 Accuracies and Thresholds for the Fermi Onsite Meteorological Monitoring Program Instruments 2-310

Table 2.3-290 Method for Substituting Redundant Parameters of the Critical Meteorological Measurements 2-311

Table 2.3-291 Data Recovery Percentages for the Fermi Onsite Meteorological Monitoring Instruments During the 2003-2007 Time Period 2-312

Table 2.3-292 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class A 2-313

Table 2.3-293 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class B 2-314

Table 2.3-294 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class C 2-315

Table 2.3-295 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class D 2-316

Table 2.3-296 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class E 2-317

Table 2.3-297 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class F 2-318

Table 2.3-298 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class G 2-319

Table 2.3-299 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – All Stability Classes 2-320

Table 2.3-300 Fermi 3 Offsite Short-Term Atmospheric Dispersion Factors 2-321

Tables

Table 2.3-301 Onsite X/Q Factors from ARCON96 Runs (Based on 2001-2007 Meteorological Data Set) 2-322

Table 2.3-302 Cross-Unit X/Q Factors (Based on 2001-2007 Meteorological Data Set) 2-326

Table 2.3-303 Distances to Site Boundary, Nearest Residences, and Nearest Gardens 2-327

Table 2.3-304 Distances to Nearest Sheep, Goat, Meat Cow, and Milk Cow Receptors 2-328

Table 2.3-305 Site Boundary X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-329

Table 2.3-306 Site Boundary X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-330

Table 2.3-307 Site Boundary X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-331

Table 2.3-308 Nearest Residence X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-332

Table 2.3-309 Nearest Residence X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-333

Table 2.3-310 Nearest Residence X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-334

Table 2.3-311 Nearest Garden X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-335

Table 2.3-312 Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-336

Table 2.3-313 Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-337

Table 2.3-314 Nearest Sheep X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-338

Table 2.3-315 Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-339

Table 2.3-316 Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-340

Table 2.3-317 Nearest Goat X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-341

Table 2.3-318 Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-342

Tables

Table 2.3-319 Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-343

Table 2.3-320 Nearest Meat Cow X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-344

Table 2.3-321 Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-345

Table 2.3-322 Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-346

Table 2.3-323 Nearest Milk Cow X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-347

Table 2.3-324 Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-348

Table 2.3-325 Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-349

Table 2.3-326 Annual Average X/Q Values (No Decay, Undepleted) for Ground Level Release (Based on 2002-2007 met data) 2-350

Table 2.3-327 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Ground Level Release (Based on 2002-2007 met data) 2-353

Table 2.3-328 Annual Average X/Q Values (8.0 Day Decay, Depleted) for Ground Level Release (Based on 2002-2007 met data) 2-356

Table 2.3-329 Annual Average D/Q Values for Ground Level Release (Based on 2002-2007 met data) 2-359

Table 2.3-330 Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-362

Table 2.3-331 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-365

Table 2.3-332 Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-368

Table 2.3-333 Annual Average D/Q Values for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-371

Tables

Table 2.3-334 Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-374

Table 2.3-335 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) . 2-377

Table 2.3-336 Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) . 2-380

Table 2.3-337 Annual Average D/Q Values for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-383

Table 2.3-338 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985 – 1989 Met Data) – Stability Class A 2-386

Table 2.3-339 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985 – 1989 Met Data) – Stability Class B 2-387

Table 2.3-340 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985 – 1989 Met Data) – Stability Class C 2-388

Table 2.3-341 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985 – 1989 Met Data) – Stability Class D 2-389

Table 2.3-342 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985 – 1989 Met Data) – Stability Class E 2-390

Table 2.3-343 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985 – 1989 Met Data) – Stability Class F 2-391

Table 2.3-344 Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985 – 1989 Met Data) – Stability Class G 2-392

Table 2.3-345 Site Boundary X/Q and D/Q Factors for Ground-Level Release (Based on 1985-1989 met data) 2-393

Table 2.3-346 Site Boundary X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-394

Table 2.3-347 Site Boundary X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-395

Tables

Table 2.3-348 Nearest Residence X/Q and D/Q Factors for Ground-Level Release (Based on 1985-1989 met data) 2-396

Table 2.3-349 Nearest Residence X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-397

Table 2.3-350 Nearest Residence X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-398

Table 2.3-351 Nearest Garden X/Q and D/Q Factors for Ground-Level Release (Based on 1985-1989 met data) 2-399

Table 2.3-352 Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-400

Table 2.3-353 Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-401

Table 2.3-354 Nearest Sheep X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data) 2-402

Table 2.3-355 Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-403

Table 2.3-356 Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-404

Table 2.3-357 Nearest Goat X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data) 2-405

Table 2.3-358 Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-406

Table 2.3-359 Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-407

Table 2.3-360 Nearest Meat Cow X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data) 2-408

Table 2.3-361 Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) . 2-409

Table 2.3-362 Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-410

Table 2.3-363 Nearest Milk Cow X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data) 2-411

Tables

Table 2.3-364 Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-412

Table 2.3-365 Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data)..... 2-413

Table 2.3-366 Annual Average X/Q Values (no Decay, Undepleted) for Ground Level Release (Based on 1985-1989 met data) 2-414

Table 2.3-367 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Ground Level Release (Based on 1985-1989 met data) 2-417

Table 2.3-368 Annual Average X/Q Values (8.0 Day Decay, Undepleted) for Ground Level Release (Based on 1985-1989 met data) 2-420

Table 2.3-369 Annual Average D/Q Values for Ground Level Release (Based on 1985-1989 met data) 2-423

Table 2.3-370 Annual Average X/Q Values (no Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-426

Table 2.3-371 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-429

Table 2.3-372 Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-432

Table 2.3-373 Annual Average D/Q Values for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-435

Table 2.3-374 Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) . 2-438

Table 2.3-375 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) . 2-441

Table 2.3-376 Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) . 2-444

Table 2.3-377 Annual Average D/Q Values for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data)..... 2-447

Table 2.3-378 Onsite X/Q Factors from ARCON96 Runs (Based on 1985-1989 Meteorological Data Set)..... 2-450

Table 2.3-379 Cross-Unit X/Q Factors (Based on 1985-1989 Meteorological Data Set).... 2-454

Tables

Table 2.4-201 2004 Water Usage - Withdrawal and Consumptive Uses for Lake Erie 2-627

Table 2.4-202 2003 Summary Report and 2002 Basin Report for Lake Erie Water Usage 2-628

Table 2.4-203 2001 and 2000 Basin Water Usage Report for Lake Erie 2-629

Table 2.4-204 1999 and 1998 Basin Water Usage Report for Lake Erie 2-630

Table 2.4-205 Monroe County Water Usage (2000 – 2006) 2-631

Table 2.4-206 2005 Monroe County Report 2-633

Table 2.4-207 2006 Monroe County Report 2-634

Table 2.4-208 2006 Monroe County Water Capacity Report 2-635

Table 2.4-209 Net Basin Supply for Lake Erie 2-636

Table 2.4-210 Extreme Lake Levels for the Western Basin of Lake Erie at the Fermi Site (ID 9063090) 2-637

Table 2.4-211 Local Intense PMP Depth Duration 2-639

Table 2.4-212 Discharge (Q) from Existing Locations Calculated with the Rational Method 2-640

Table 2.4-213 Discharge (Q) from Final Grade Locations Calculated with the Rational Method 2-641

Table 2.4-214 Existing Site and Final Grade Runoff Comparison 2-642

Table 2.4-215 Swan Creek Flow Characteristics 2-643

Table 2.4-216 Swan Creek Watershed Incremental PMP Depths for the 72-Hour Storm... 2-644

Table 2.4-217 PMP Temporal Distribution 2-645

Table 2.4-218 NRCS Dimensionless Unit Hydrograph Ordinates 2-646

Table 2.4-219 Summary of Results for Alternative II - PMF 2-647

Table 2.4-220 Summary of Results for Alternative I – 500-Year Flood 2-648

Table 2.4-221 Summary of Results for Alternative III – Probable Maximum Surge and Seiche 2-649

Table 2.4-222 Lake Erie - Possible Storm Induced Lake Level Increases (Ft) 2-650

Table 2.4-223 Wavelengths for Various Points in the Lake 2-651

Tables

Table 2.4-224 Breaking Wave Heights 2-652

Table 2.4-225 Lake Erie Extreme Low Water Elevations from 1967-2007 at the Fermi Site (Station No. 9063090) 2-653

Table 2.4-226 EPA Region 5 Sole Source Aquifers 2-654

Table 2.4-227 Monroe County, Michigan Projected Groundwater Use Through 2060 2-655

Table 2.4-228 Wayne County, Michigan Projected Groundwater Use Through 2060 2-656

Table 2.4-229 Monitoring Well/Piezometer Construction Data 2-657

Table 2.4-230 Surface Water Gauge Construction Data 2-659

Table 2.4-231 Water Level Data 2-660

Table 2.4-232 Overburden Hydraulic Conductivity 2-665

Table 2.4-233 Bedrock Aquifer Hydraulic Conductivity 2-666

Table 2.4-234 Site Specific Inputs 2-668

Table 2.4-235 Comparison of Liquid Release Concentrations With 10 CFR 20 Concentrations - Lake Erie 2-669

Table 2.4-236 Comparison of Liquid Release Concentrations With 10 CFR 20 Concentrations - Off Site Water Well 2-672

Table 2.4-237 Depth-Area-Duration Data 2-675

Table 2.4-238 Lake Erie - Decay Plus Retardation 2-676

Table 2.4-239 Off Site Well – Decay Plus Retardation 2-679

Table 2.4-240 Lake Erie - Decay Plus Retardation, Factor of 10 for Dilution 2-682

Table 2.4-241 Off Site Well - Decay Plus Retardation Plus 1-D Dispersion (H-3, Ni-63, Pu-239 Only) 2-685

Table 2.4-242 Off Site Well - Decay Plus Retardation Plus 2-D Dispersion (H-3, Ni-63, Pu-239 Only) 2-688

Table 2.5.1-201 Regional Tectonic Structures Within 320 km (200 mi) 2-903

Table 2.5.1-202 Site Stratigraphy for Fermi 2 and Fermi 3 2-911

Table 2.5.2-201 Bechtel Team Seismic Sources 2-1059

Table 2.5.2-202 Dames & Moore Team Seismic Sources 2-1060

Tables

Table 2.5.2-203 Law Engineering Team Seismic Sources 2-1061

Table 2.5.2-204 Rondout Team Seismic Sources 2-1062

Table 2.5.2-205 Weston Geophysical Team Seismic Sources 2-1063

Table 2.5.2-206 Woodward-Clyde Team Seismic Sources 2-1064

Table 2.5.2-207 Magnitude Comparisons for New Madrid 1811/1812 Earthquake Sequence 2-1065

Table 2.5.2-208 Magnitude Distributions for Repeating Large-Magnitude New Madrid Earthquakes 2-1066

Table 2.5.2-209 Earthquake Frequencies for Repeating Large-Magnitude Earthquakes 2-1067

Table 2.5.2-210 Estimates of Probability of Earthquake Detection for EPRI-SOG Completeness Regions in the Vicinity of the Fermi 3 Site 2-1068

Table 2.5.2-211 PSHA Results for 0.5 Hz Spectral Acceleration on CEUS Generic Hard Rock for the FERMI 3 Site 2-1069

Table 2.5.2-212 PSHA Results for 1 Hz Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site 2-1070

Table 2.5.2-213 PSHA Results for 2.5 Hz Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site 2-1071

Table 2.5.2-214 PSHA Results for 5 Hz Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site 2-1072

Table 2.5.2-215 PSHA Results for 10 Hz Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site 2-1073

Table 2.5.2-216 PSHA Results for 25 Hz Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site 2-1074

Table 2.5.2-217 PSHA Results for 100 Hz (PGA) Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site 2-1075

Table 2.5.2-218 Uniform Hazard Response Spectra for the Fermi 3 Site for Generic Hard Rock Conditions 2-1076

Table 2.5.2-219 Rock Hazard Reference and Deaggregation Earthquakes 2-1077

Table 2.5.2-220 Site Response Analysis Profiles 2-1078

Table 2.5.2-221 Rock Damping Values for Site Response Analyses 2-1082

Tables

Table 2.5.2-222 Time History Data Sets from McGuire et al. (2001) Used for Each Deaggregation Earthquake 2-1083

Table 2.5.2-223 GMRS for the Fermi 3 Site 2-1085

Table 2.5.2-224 RB/FB FIRS for the Fermi 3 Site 2-1089

Table 2.5.2-225 CB FIRS for the Fermi 3 Site 2-1093

Table 2.5.2-226 FWSC FIRS for the Fermi 3 Site 2-1097

Table 2.5.2-227 Resource Experts Contacted 2-1101

Table 2.5.4-201 Approximate Elevation Ranges for Each Subsurface Material Encountered at Fermi 3 2-1292

Table 2.5.4-202 Summary Engineering Properties of Soils and Bedrock 2-1293

Table 2.5.4-203 Statistical Analysis of Results from Field and Laboratory Test Performed for Lacustrine Deposits 2-1295

Table 2.5.4-204 Statistical Analysis of Results from Field and Laboratory Test Performed for Glacial Till 2-1296

Table 2.5.4-205 Input Parameters to Estimate Rock Mass Strength 2-1297

Table 2.5.4-206 Statistical Analysis of Results from Field and Laboratory Test Performed for Bass Islands Group 2-1298

Table 2.5.4-207 Rock Mass Properties for Rock Units Encountered at Fermi 3 based on Hoek-Brown Criterion 2-1299

Table 2.5.4-208 Mohr-Coulomb Parameters for Bedrock Units Encountered at Fermi 3 based on Hoek-Brown Criterion 2-1300

Table 2.5.4-209 Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in the Bass Islands Group 2-1301

Table 2.5.4-210 Statistical Analysis of Results from Field and Laboratory Test Performed for the Salina Group Unit F 2-1302

Table 2.5.4-211 Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in Salina Group Unit F 2-1303

Table 2.5.4-212 Statistical Analysis of Results from Field and Laboratory Test Performed for the Salina Group Unit E 2-1304

Table 2.5.4-213 Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in the Salina Group Unit E 2-1305

Tables

Table 2.5.4-214 Statistical Analysis of Results from Field and Laboratory Test Performed for the Salina Group Unit C 2-1306

Table 2.5.4-215 Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in the Salina Group Unit C 2-1307

Table 2.5.4-216 Statistical Analysis of Results from Field and Laboratory Test Performed for Salina Group Unit B 2-1308

Table 2.5.4-217 Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in Salina Group - Unit B 2-1309

Table 2.5.4-218 Elevations, Boring Depths and Depths to Top of Each Soil/Rock Layer Observed from Each Boring 2-1310

Table 2.5.4-219 Pressuremeter Testing Locations and Results in Boring RB-C6 2-1313

Table 2.5.4-220 Results of Index, Gradation and Chemical Tests on Soil Samples 2-1315

Table 2.5.4-221 Results of Strength Tests on Soil Samples 2-1317

Table 2.5.4-222 Results of Unconfined Compression Tests on Rock Samples 2-1319

Table 2.5.4-223 Results of Direct Shear Tests on Rock Discontinuities 2-1322

Table 2.5.4-224 Foundation Elevations of Major Structures in the Power Block Area 2-1323

Table 2.5.4-225 Locations, Logging Methods, and Depth Ranges for Geophysical Surveys Performed to obtain the Dynamic Characteristics of Soils and Rocks 2-1324

Table 2.5.4-226 Summary of Building Dimensions, Depths of Foundation Level and Loadings in the Power Block Area 2-1326

Table 2.5.4-227 Results of Bearing Capacity Analysis 2-1327

Table 2.5.4-228 Summary of Modulus of Elasticity of Bedrock Units based on Test Results, and Hoek-Brown Criterion 2-1328

Table 2.5.4-229 Selected Parameters for Linear Elastic Model used for Settlement Analysis 2-1329

Table 2.5.4-230 Calculated Rebound at Seismic Category I Structures due to Excavation to Foundation Level 2-1330

Table 2.5.4-231 Calculated Total Settlements due to Backfilling and Applied Loads for Seismic Category I Structures 2-1331

Table 2.5.4-232 Comparing Acceptance Criteria in Referenced DCD 2-1332

Table 2A-4R ARCON 96 Input-Recptor to Source Direction 2-1370

Tables

Table 8.3-4R Safety-Related DC and UPS Nominal Component Data 8-16

Table 9.2-201 PSWS Component Design Characteristics 9-14

Table 9.2-202 Major Makeup Water System Components 9-15

Table 9.2-203 Potable Water System Component Design Characteristics 9-16

Table 9.2-204 Station Water System – Plant Cooling Tower Makeup System Component Design Parameters 9-17

Table 9.2-205 Station Water System – Pretreated Water Supply System Component Design Parameters 9-18

Table 9.5-201 Codes and Standards 9-41

Table 9A.5-5R Radwaste Building 9-46

Table 9A.5-7R Yard 9-55

Table 10.4-201 Recommended Water Quality and Action Levels 10-9

Table 10.4-3R Circulating Water System 10-10

Table 11.3-201 HEPA Filter Locations and Costs 11-8

Table 11.3-202 HEPA Filter Annual Costs 11-9

Table 11.4-1R SWMS Component Capacities 11-17

Table 11.4-2R Annual Waste Volumes 11-18

Table 11.5-201 Provisions for Sampling Liquid Streams 11-25

Table 12.2-201 Comparison of Annual Doses to the MEI from Gaseous Effluents 12-29

Table 12.2-202 Comparison of Annual Doses to MEI from Liquid Effluents 12-30

Table 12.2-203 Comparison of Site Doses to the MEI 12-31

Table 12.2-204 Collective Total Body (Population) Doses Within 50 Miles 12-32

Table 12.2-205 Fermi 3 Normal Operational Iodine Radioisotopes in Reactor Water (Based on Fermi 3 ODCM) 12-33

Table 12.2-206 Fermi 3 Annual Airborne Iodine Releases for Offsite Dose Evaluations (MBq)** - Based on Reactor Water Iodine Concentrations in Table 12.2-205 12-34

Table 12.2-207 Bounding Radionuclide Concentration and Inventory in the Condensate Storage Tank 12-35

Tables

Table 12.3-4R Area Radiation Monitors for Radwaste Building [EF3 DEP 11.4-1]..... 12-42

Table 12.3-8R Shielding Geometry (Nominal) 12-43

Table 12.4-201 Maximum Annual Dose to a Construction Worker by Source (mrem)..... 12-62

Table 12.4-202 Collective Annual Construction Worker Dose by Source (person-rem)1..... 12-62

Table 12.4-203 Comparison of Construction Worker Dose to Public Dose Limits Specified in 10 CF 20.1301 12-62

Table 12.4-204 Comparison of Construction Worker Dose from Gaseous Effluent to Public Dose Limits Specified in 40 CFR 1901 12-63

Table 12.4-205 Comparison with 10 CFR 50 Appendix I Criteria for Effluent Dose 12-63

Table 13.1-201 Generic Position/Site Specific Position Cross Reference 13-28

Table 13.1-202 Minimum Shift Staffing for Unit 3 13-34

Table 13.4-201 Operational Programs Required by NRC Regulations 13-43

Table 13.5-201 Pre-COL Phase Administrative Programs and Procedures..... 13-68

Table 13.5-202 Nominal Procedure Development Schedule 13-69

Table 17.5-201 Quality Assurance Activities for FSAR Section and Supporting Activities.... 17-18