Tables

Table 1.2-1 Federal, State and Local Environmental Authorizations 1-10

Table 1.2-2 State, Local and Regional Planning Authorities 1-19

Table 2.1-1 Distances from Fermi 3 Effluent Release Locations to Boundary 2-4

Table 2.2-1 Acreage Associated with Land Uses on Fermi Site 2-37

Table 2.2-2 Land Use within the 7.5-Mile Vicinity 2-38

Table 2.2-3 Livestock Population Estimates for Local Counties and Districts, 2006 2-39

Table 2.2-4 Recreation Areas in the Fermi Vicinity 2-40

Table 2.2-5 Land Use within Existing Transmission Line Corridors 2-41

Table 2.2-6 Land Use Acreages within 0.5 Mile of Fermi Transmission Lines 2-42

Table 2.2-7 Land Use within the 50-Mile Region 2-43

Table 2.2-8 Average Annual Yields for Major Agricultural Products of the Fermi Region 2-44

Table 2.2-9 Recreation Areas in the Fermi Region 2-49

Table 2.3-1 Open Coast Flood Levels at Various Return Periods 2-123

Table 2.3-2 Great Lake Basin Hydrology November 2007 2-124

Table 2.3-3 Lake Erie Modeled Water Surface Temperatures (Celsius) 2-125

Table 2.3-4 Lake Erie Overlake Precipitation (millimeters) 2-128

Table 2.3-5 Lake Erie Monthly Evaporation (mm over lake) from GLERL Lake Evaporation Model 2-134

Table 2.3-6 Great Lakes Water Level Table for Lake Erie 2-137

Table 2.3-7 Great Lakes Water Levels 2-139

Table 2.3-8 Lake Erie Mean Lake Levels (IGLD 1985) 2-142

Table 2.3-9 Historical Max and Min Water Levels for Fermi 3 2-143

Table 2.3-10 NOAA's Great Lakes Coastal Forecasting System, Data for Lake Erie 2-148

Table 2.3-11 Extreme Recorded Lake Erie Water Levels 2-149

Table 2.3-12 Possible Storm Induced Lake Level Increases 2-150

Table 2.3-13 Detroit River Flows 2-151

Tables

Table 2.3-14 Estimated Characteristics of Western Basin Lake Erie Tributaries 2-157
Table 2.3-15 Low Water Flow Rates for Western Basin Lake Erie Tributaries 2-158
Table 2.3-16 Monthly Flow Rates (Q) for Swan Creek 2-159
Table 2.3-17 Monthly Flow Rates (Q) for Stony Creek 2-160
Table 2.3-18 Monthly Flow Rates (Q) for River Raisin 2-161
Table 2.3-19 EPA Region 5 Sole Source Aquifers 2-162
Table 2.3-20 Monroe County, Michigan Projected Groundwater Use Through 2060 2-163
Table 2.3-21 Wayne County, Michigan Projected Groundwater Use Through 2060 2-164
Table 2.3-22 Monitoring Well/Piezometer Construction Data 2-165
Table 2.3-23 Surface Water Gauge Construction Data 2-167
Table 2.3-24 Water Level Data 2-168
Table 2.3-25 Overburden Hydraulic Conductivity 2-171
Table 2.3-26 Bedrock Aquifer Hydraulic Conductivity 2-172
Table 2.3-27 Net Basin Supply for Lake Erie 2-174
Table 2.3-28 The Nine Sectors of Water Consumption in the Great Lakes Basin 2-175
Table 2.3-29 Consumptive Use Coefficients 2-177
Table 2.3-30 2004 Basin Water Usage Report for Lake Erie 2-179
Table 2.3-31 2002 and 2003 Basin Water Usage Report for Lake Erie Water 2-180
Table 2.3-32 2001 and 2000 Basin Water Usage Report for Lake Erie 2-181
Table 2.3-33 1999 and 1998 Basin Water Usage Report for Lake Erie 2-182
Table 2.3-34 Monroe County Water Usage (2000 – 2006) 2-183
Table 2.3-35 2005 Monroe County Report 2-186
Table 2.3-36 2006 Monroe County Report 2-187
Table 2.3-37 2006 Monroe County Water Capacity Report 2-188
Table 2.3-38 Water Withdrawals Registered in Michigan 2-189

Tables

Table 2.3-39 2006 Local Public Water Supply Entities Daily Consumption From the Western Basin of Lake Erie Within Fermi 3 Site Vicinity 2-190

Table 2.3-40 Projected Water Use – Monroe County 2-191

Table 2.3-41 Projected Water Use – Wayne County 2-192

Table 2.3-42 Summary of GLENDA Data, March, April, and August 1996-2004 2-193

Table 2.3-43 Lake Erie Sample Results from the Vicinity of the Fermi Site, August 2007 ... 2-196

Table 2.3-44 Water Sample Results from Plum Creek, Sandy Creek and Swan Creek, Monroe and Wayne Counties, June 1993 2-198

Table 2.3-45 Temperature, Stream Characteristics and Flow Data, Swan Creek, Monroe County, June 1993 2-199

Table 2.3-46 Swan Creek and Stony Creek USGS NWIS Water Quality Data 2-200

Table 2.3-47 Water Sampling Results for Stony Creek and Palmer Drain, Monroe County, MI, September 1995 2-202

Table 2.3-48 Water Sampling Results for Stony Creek and Palmer Drain, Monroe County, MI, December 1995 2-204

Table 2.3-49 Water Sampling Results for Stony Creek and Amos Palmer Drain, Monroe County, MI, July 1997 2-205

Table 2.3-50 River Raisin USGS NWIS Water Quality Data 2-206

Table 2.3-51 River Raisin EPA STORET Water Quality Data from MDEQ 2-212

Table 2.3-52 Rouge River USGS NWIS Water Quality Data 2-218

Table 2.3-53 Huron River USGS NWIS Water Quality Data 2-222

Table 2.3-54 Huron River EPA STORET Water Quality Data from MDEQ 2-226

Table 2.3-55 Monroe County USGS Groundwater Monitoring Well Water Quality Data 2-232

Table 2.3-56 USGS NWIS Groundwater Data 2-235

Table 2.3-57 Michigan Department of Agriculture Groundwater Quality Data 2-239

Table 2.3-58 Groundwater Arsenic Samples within approximately 5 mi of the Fermi Site ... 2-240

Table 2.3-59 Groundwater Nitrate Samples within approximately 5 mi of the Fermi Site 2-241

Table 2.3-60 Groundwater VOC Samples within approximately 5 mi of the Fermi Site 2-243

Table 2.3-61 Chemical Analyses of Groundwater by the Detroit Edison Company, 1970 ... 2-245

Tables

Table 2.3-62 Chemical Analyses of Groundwater by the Detroit Edison Company, 1969 ... 2-246

Table 2.3-63 Groundwater Sample Results from the Fermi Site, 2007 ... 2-247

Table 2.3-64 Groundwater Sample Results from the Fermi Site, 2007 ... 2-249

Table 2.3-65 Groundwater Sample Results from the Fermi Site, 2007 ... 2-252

Table 2.3-66 Groundwater Sample Results from the Fermi Site, 2007 ... 2-254

Table 2.3-67 Summary of Water Quality Impairments in the Vicinity of the Fermi Site ... 2-257

Table 2.3-68 Parameters Sampled at Fermi Intake in October 2003 ... 2-260

Table 2.4-1 Approximate Acres per Plant Community Present on the Fermi Site ... 2-369

Table 2.4-2 Plant Species Listed for the Fermi Site ... 2-370

Table 2.4-3 Common Mammals Directly or Indirectly Observed on the Fermi Site Between 1973 and 2008 ... 2-380

Table 2.4-4 Birds Potentially Occurring in the Monroe, Michigan Region and Seasonal Abundance ... 2-381

Table 2.4-5 Amphibians and Reptiles Occurring on the Fermi Site ... 2-395

Table 2.4-6 Flora and Fauna Noted on the Fermi Site during Wildlife Habitat Council (WHC) Site Visit, July 2000 ... 2-396

Table 2.4-7 Individual Phytoplankton Taxa from Lake Erie Near the Davis Besse Power Plant (1978) ... 2-398

Table 2.4-8 Individual Zooplankton Taxa from Lake Erie Near the Davis Besse Power Plant (1978) ... 2-400

Table 2.4-9 Individual Benthic Macroinvertebrate Taxa in Lake Erie Near the Davis Besse Power Plant (1978) ... 2-402

Table 2.4-10 Fish Species Collected in Ichthyoplankton Studies in Western Lake Erie from 1974 to 1986 ... 2-403

Table 2.4-11 Fish Species Impinged at Bayshore Power Station in the Ohio Waters of Western Lake Erie 1976-1977, Michigan Waters, and Waters of the DRIWR, 2005 ... 2-404

Table 2.4-12 Fish Species Collected in Stony Creek ... 2-406

Table 2.4-13 Fish Species Known to Occur in the Ottawa-Stony Watershed ... 2-407

Table 2.4-14 Commercial and Recreational Fish Species in the Vicinity of the Fermi Site ... 2-410

Tables

Table 2.4-15 Threatened and Endangered Fish and Mollusk Species Within a 50-mi Radius of the Fermi Site 2-412

Table 2.4-16 Fish Species Impinged at Fermi 2 Plant (Oct 1991 – Sep 1992) 2-416

Table 2.4-17 Land Use and Vegetation Types Within the 300-ft Fermi to Milan Transmission Corridor 2-417

Table 2.5-1 U.S. and Canadian Counties within a 50-Mile Radius of Fermi 3 2-492

Table 2.5-2 Resident Population Distribution by Segment, 1 to 10 Miles from the Fermi Site (2000) 2-493

Table 2.5-3 Largest Population Areas within 10 Miles of the Fermi Site (2000) 2-494

Table 2.5-4 Resident Population Distribution by Segment, 0 to 50 Miles from the Fermi Site (2000) 2-495

Table 2.5-5 Resident and Transient Population and Density by 0 to 10-Mile Concentric Circles from Fermi 3 (2000) 2-496

Table 2.5-6 Resident and Transient Population and Density by 0 to 50-Mile Concentric Circles from Fermi 3 (2000) 2-497

Table 2.5-7 Commuter Information for the Fermi 3 Region (2000) 2-498

Table 2.5-8 Special Facilities Transient Population Data for the Regional Counties (2000) 2-499

Table 2.5-9 United States Population and Average Annual Growth Rates 2-500

Table 2.5-10 1 to 10 Mile Resident and Transient Population Projections (2000, 2008, 2020, 2030, 2040, 2050, and 2060) 2-501

Table 2.5-11 Canadian Population and Average Annual Growth Rates 2-506

Table 2.5-12 10 to 50 Mile Resident and Transient Population Projections (2000, 2008, 2020, 2030, 2040, 2050, and 2060) 2-507

Table 2.5-13 United States Age and Gender Distribution Surrounding Fermi 3 (2000) 2-511

Table 2.5-14 Canadian Age and Gender Distribution Surrounding Fermi 3, 50-Mile Radius (2001) 2-512

Table 2.5-15 United States Racial and Ethnic Distribution Surrounding the Fermi Site (2000) 2-513

Table 2.5-16 Canadian Racial and Ethnic Distribution Surrounding Fermi 3, 50-mi Radius (2001) 2-514

Tables

Table 2.5-17 United States Household Income Distribution Surrounding Fermi 3 (2000).... 2-515

Table 2.5-18 United States County and State Median Household Income Data..... 2-516

Table 2.5-19 Canadian Census Division Median Household Income Data (2001) 2-517

Table 2.5-20 Regional Employment Data (2000 and 2006) 2-519

Table 2.5-21 Area Employment by Industry (2000 and 2006)..... 2-520

Table 2.5-22 Employment by Industry for Canadian Counties in the 50-mi Region (2001) . 2-522

Table 2.5-23 Monroe County Principal Employers (2006 and 1998)..... 2-523

Table 2.5-24 Charter County of Wayne, Michigan Principal Employers (2007 and 1998) ... 2-524

Table 2.5-25 Lucas County Principal Employers (2007 and 1997) 2-525

Table 2.5-26 Detroit MSA and Michigan Industry Employment Forecasts (2004 – 2014).... 2-526

Table 2.5-27 Toledo MSA Industry Employment Projections Report (2004-2014)..... 2-528

Table 2.5-28 Recent and Projected Major Employment Changes within Monroe County.... 2-530

Table 2.5-29 Monroe County Direct and Overlapping Property Rates (2001-2005) (Rate per $1,000 of Taxable Value) 2-534

Table 2.5-30 Monroe County Assessed and Estimated True Cash Value of Taxable Property (2001-2005) 2-535

Table 2.5-31 Monroe County's Largest Property Tax Payers 2-536

Table 2.5-32 Charter County of Wayne Principal Property Taxpayers (Fiscal Year 2007) .. 2-537

Table 2.5-33 Lucas County Top Ten Private Sector Principal Tax Payers, December 31, 2006 (Amount's in 000's) 2-538

Table 2.5-34 Frenchtown Township Total Revenue and Property Tax Comparison 2-539

Table 2.5-35 Taxable Value of Property in Frenchtown Township 2-540

Table 2.5-36 Per Capita Michigan State Taxes and U.S. Rank (2004) 2-542

Table 2.5-37 Michigan General Property Tax Collection (2004 and 2005) 2-543

Table 2.5-38 Treasury Administered Taxes and Fee Collected on a Cash Basis 2-544

Table 2.5-39 Regional Housing Information (2000)..... 2-545

Table 2.5-40 Regional Occupied Housing Stability Characteristics (2000) 2-547

Tables

Table 2.5-41 Change in Monroe, Wayne, and Lucas County Housing Characteristics (2000 to 2006) 2-548

Table 2.5-42 Adequacy of Structures in Regional Areas (2000) 2-549

Table 2.5-43 Data for Monroe County School Districts and Charter Schools (2005-2006 School Year) 2-575

Table 2.5-44 Wayne County School District Information (2005-2006 School Year) 2-576

Table 2.5-45 Lucas County School District Information (2005-2006 School Year) 2-580

Table 2.5-46 Revenues and Expenditures by School District in Monroe County (2004 – 2005) 2-582

Table 2.5-47 Expenditures for Public Elementary and Secondary School Districts (2004 – 2005) 2-588

Table 2.5-48 Monroe County Recreational Facilities 2-589

Table 2.5-49 List of Recreation and Lodging Facilities within a 10-mi Radius 2-601

Table 2.5-50 Township Zoning Reviews By Requested District (2004) 2-604

Table 2.5-51 Land Use and Change for Frenchtown Township, Monroe County, and Wayne County (2000) 2-605

Table 2.5-52 Frenchtown Township Water System Pumpage (1995-2001) 2-606

Table 2.5-53 Monroe County Fire Departments 2-607

Table 2.5-54 Primary Regional Hospitals and Health Care Facilities 2-609

Table 2.5-55 Frenchtown Township and Monroe County Commuter and Resident Destination Table (2000) 2-611

Table 2.5-56 Transportation Profile for Frenchtown Township & Monroe County (2000) 2-613

Table 2.5-57 Michigan Department of Transportation Scheduled Projects in Monroe County (2008-2012) 2-614

Table 2.5-58 Proposed Transportation Projects within Monroe County 2-615

Table 2.5-59 Minor Airports 2-617

Table 2.5-60 Regional Ports 2-618

Table 2.5-61 Monroe County Tourist Attractions 2-620

Table 2.5-62 Archaeological Sites Located Within Two Miles of Fermi 3 2-622

Tables

Table 2.5-63 NRHP-Listed and NRHP-Eligible Above-ground Resources within 10 Miles of Fermi 3 2-623

Table 2.5-64 Previously Recorded Archaeological Sites within 1.5 Miles of the Proposed Project Area 2-624

Table 2.5-65 Minority and Low-Income Community Block Group (CBG) Populations within the 50-mi Region 2-627

Table 2.5-66 Michigan and Ohio Population, by Race (2000) 2-628

Table 2.5-67 Low-Income Populations in Michigan and Ohio 2-629

Table 2.5-68 Regional Migrant Labor Statistics 2-630

Table 2.5-69 Summary of Fermi Ambient Sound Level Survey Results 2-631

Table 2.5-70 Fermi 2 Property Tax History 2-633

Table 2.5-71 Frenchtown Charter Township 2007 Millage Composition 2-634

Table 2.5-72 Average Direct and Indirect Taxes and Capital Expenditures for Fermi 2 (2002-2007) 2-635

Table 2.7-1 National Weather Service First–Order and Cooperative Observing Stations Surrounding the Fermi Site 2-707

Table 2.7-2 Local Climatological Data Summary for Detroit, Michigan 2-708

Table 2.7-3 Local Climatological Data Summary for Flint, Michigan 2-712

Table 2.7-4 Local Climatological Data Summary for Toledo, Ohio 2-716

Table 2.7-5 Climatological Normals for National Weather Service First-Order and Cooperative Observation Stations in the Region Surrounding the Fermi Site 2-720

Table 2.7-6 Climatological Extremes for National Weather Service First-Order and Cooperative Observation Stations Surrounding the Fermi Site 2-721

Table 2.7-7 Mean Monthly and Annual Mixing Heights (Meters) at White Lake, Michigan (2003 - 2007) 2-722

Table 2.7-8 Annual Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-723

Table 2.7-9 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-724

Table 2.7-10 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-725

Tables

Table 2.7-11 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-726

Table 2.7-12 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-727

Table 2.7-13 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-728

Table 2.7-14 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-729

Table 2.7-15 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-730

Table 2.7-16 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-731

Table 2.7-17 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-732

Table 2.7-18 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-733

Table 2.7-19 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-734

Table 2.7-20 Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) 2-735

Table 2.7-21 Freezing Rain Events in the Five-County Area Surrounding the Fermi Site (1993-2007) 2-736

Table 2.7-22 Monthly and Annual Temperature Data for Detroit Metropolitan Airport and Fermi Site (2003 - 2007) 2-737

Table 2.7-23 Monthly and Annual Dew-point Temperature (°F) Summaries for the Fermi Site (2003 - 2007) 2-739

Table 2.7-24 Hours with Precipitation and Hourly Precipitation Rate Distribution for Detroit Metropolitan Airport (2003-2007) 2-740

Table 2.7-25 Mean Monthly and Annual Summaries (Hours) of Fog and Heavy Fog for Detroit, Michigan (1961-1995) 2-741

Table 2.7-26 Monthly and Annual Mean Wind Speeds (mph) for Detroit Metropolitan Airport and Fermi Site (2003 - 2007) 2-742

Table 2.7-27 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-743

Tables

Table 2.7-28 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-744
Table 2.7-29 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-745
Table 2.7-30 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-746
Table 2.7-31 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-747
Table 2.7-32 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-748
Table 2.7-33 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-749
Table 2.7-34 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-750
Table 2.7-35 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-751
Table 2.7-36 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-752
Table 2.7-37 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-753
Table 2.7-38 Wind Direction Persistence Summaries - Fermi Site 10-Meter Level 2-754
Table 2.7-39 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-755
Table 2.7-40 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-756
Table 2.7-41 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-757
Table 2.7-42 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-758
Table 2.7-43 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-759
Table 2.7-44 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-760
Table 2.7-45 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-761
Table 2.7-46 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-762
Table 2.7-47 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-763
Table 2.7-48 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-764
Table 2.7-49 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-765
Table 2.7-50 Wind Direction Persistence Summaries - Fermi Site 60-Meter Level 2-766
Table 2.7-51 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-767
Table 2.7-52 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-768

Tables

Table 2.7-53 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-769

Table 2.7-54 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-770

Table 2.7-55 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-771

Table 2.7-56 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-772

Table 2.7-57 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-773

Table 2.7-58 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-774

Table 2.7-59 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-775

Table 2.7-60 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-776

Table 2.7-61 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-777

Table 2.7-62 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 Meter Level 2-778

Table 2.7-63 Monthly and Annual Vertical Stability Class and Mean 60-Meter Wind Speed Distributions for Fermi Site (2003 - 2007) 2-779

Table 2.7-64 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-781

Table 2.7-65 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-782

Table 2.7-66 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-783

Table 2.7-67 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-784

Table 2.7-68 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-785

Table 2.7-69 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-786

Table 2.7-70 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-787

Table 2.7-71 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-788

Table 2.7-72 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-789

Tables

Table 2.7-73 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-790

Table 2.7-74 Annual JFD of Wind Siretion, Wind Speed, and Stability Class 2-791

Table 2.7-75 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-792

Table 2.7-76 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-793

Table 2.7-77 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-794

Table 2.7-78 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-795

Table 2.7-79 Annual JFD of Wind Direction, Wind Speed, and Stability Class 2-796

Table 2.7-80 Distances to Site Boundary 2-797

Table 2.7-81 Distances to Nearest Residence 2-798

Table 2.7-82 Distances to Nearest Vegetable Garden 2-799

Table 2.7-83 Distances to Nearest Sheep 2-800

Table 2.7-84 Distances to Nearest Goat 2-801

Table 2.7-85 Distances to Nearest Meat Cow 2-802

Table 2.7-86 Distances to Nearest Milk Cow 2-803

Table 2.7-87 Site Boundary χ/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-804

Table 2.7-88 Site Boundary χ/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-805

Table 2.7-89 Site Boundary χ/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-806

Table 2.7-90 Nearest Goat χ/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-807

Table 2.7-91 Nearest Goat χ/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-808

Table 2.7-92 Nearest Goat χ/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-809

Table 2.7-93 Nearest Milk Cow χ/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-810

Table 2.7-94 Nearest Milk Cow χ/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-811

Tables

Table 2.7-95 Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-812

Table 2.7-96 Annual Average X/Q Values (No Decay, Undepleted) for Ground Level Release (Based on 2001-2007 met data) 2-813

Table 2.7-97 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Ground Level Release (Based on 2001-2007 met data) 2-816

Table 2.7-98 Annual Average X/Q Values (8.0 Day Decay, Depleted) for Ground Level Release (Based on 2001-2007 met data) 2-819

Table 2.7-99 Annual Average D/Q Values for Ground Level Release (Based on 2001-2007 met data) 2-822

Table 2.7-100 Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2001-2007 met data) 2-825

Table 2.7-101 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2001-2007 met data) 2-828

Table 2.7-102 Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2001-2007 met data) 2-831

Table 2.7-103 Annual Average D/Q Values for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2001-2007 met data) 2-834

Table 2.7-104 Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 2001-2007 met data) .. 2-837

Table 2.7-105 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 2001-2007 met data) .. 2-840

Table 2.7-106 Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 2001-2007 met data) .. 2-843

Table 2.7-107 Annual Average D/Q Values for Mixed-Mode Release from the Turbine Building Stack (Based on 2001-2007 met data) 2-846

Table 2.7-108 Nearest Residence X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-849

Table 2.7-109 Nearest Residence C/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-850

Tables

Table 2.7-110 Nearest Residence C/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-851

Table 2.7-111 Nearest Garden C/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) 2-852

Table 2.7-112 Nearest Garden C/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-853

Table 2.7-113 Nearest Garden C/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-854

Table 2.7-114 Nearest Sheep C/Q and D/Q Factors for Ground Level Release (Based on 2002-2007 met data) 2-855

Table 2.7-115 Nearest Sheep C/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-856

Table 2.7-116 Nearest Sheep C/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-857

Table 2.7-117 Nearest Meat Cow C/Q and D/Q Factors for Ground Level Release (Based on 2002-2007 met data) 2-858

Table 2.7-118 Nearest Meat Cow C/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) 2-859

Table 2.7-119 Nearest Meat Cow C/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) 2-860

Table 2.7-120 Site Boundary χ/Q and D/Q Factors for Ground-Level Release (Based on 1985-1989 met data) 2-861

Table 2.7-121 Site Boundary χ/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-862

Table 2.7-122 Site Boundary χ/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-863

Table 2.7-123 Nearest Residence χ/Q and D/Q Factors for Ground-Level Release (Based on 1985-1989 met data) 2-864

Table 2.7-124 Nearest Residence χ/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-865

Table 2.7-125 Nearest Residence χ/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-866

Tables

Table 2.7-126 Nearest Garden X/Q and D/Q Factors for Ground-Level Release (Based on 1985-1989 met data) 2-867

Table 2.7-127 Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-868

Table 2.7-128 Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-869

Table 2.7-129 Nearest Sheep X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data) 2-870

Table 2.7-130 Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-871

Table 2.7-131 Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-872

Table 2.7-132 Nearest Goat X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data) 2-873

Table 2.7-133 Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-874

Table 2.7-134 Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-875

Table 2.7-135 Nearest Meat Cow X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data) 2-876

Table 2.7-136 Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-877

Table 2.7-137 Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-878

Table 2.7-138 Nearest Milk Cow X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data) 2-879

Table 2.7-139 Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-880

Table 2.7-140 Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-881

Table 2.7-141 Annual Average X/Q Values (no Decay, Undepleted) for Ground Level Release (Based on 1985-1989 met data) 2-882

Tables

Table 2.7-142 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Ground Level Release (Based on 1985-1989 met data) 2-885

Table 2.7-143 Annual Average X/Q Values (8.0 Day Decay, Undepleted) for Ground Level Release (Based on 1985-1989 met data) 2-888

Table 2.7-144 Annual Average D/Q Values for Ground Level Release (Based on 1985-1989 met data) 2-891

Table 2.7-145 Annual Average X/Q Values (no Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-894

Table 2.7-146 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-897

Table 2.7-147 Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-900

Table 2.7-148 Annual Average D/Q Values for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) 2-903

Table 2.7-149 Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data)..... 2-906

Table 2.7-150 Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-909

Table 2.7-151 Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) 2-912

Table 2.7-152 Annual Average D/Q Values for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data)..... 2-915

Table 3.3-1 Chemical Additives for Water Treatment..... 3-20

Table 3.4-1 Monthly Cooling Tower Temperatures and Flows..... 3-30

Table 3.6-1 Chemicals Added to Liquid Effluent Streams 3-48

Table 3.6-2 Effluent Chemical Constituents* 3-49

Table 3.6-3 Standby Diesel Generators 3-50

Table 3.6-4 Ancillary Diesel Generators..... 3-51

Table 3.6-5 Auxiliary Boiler System Emissions< 3-52

Table 3.6-6 Diesel-Driven Fire Pump Emissions..... 3-53

Tables

Table 3.6-7 Estimated Emissions of PM10 and PM2.5 from Operation of the Proposed Femi 3 NDCT and 4-Cell MDCTs 3-55

Table 3.6-8 Hazardous Waste Management (Fermi 2) 3-56

Table 3.8-1 Summary Table S-4 – Environmental Impact of Transportation of Fuel and Waste To and From One Light-Water-Cooled Nuclear Power Reactor 3-72

Table 3.8-2 ESBWR Transportation Worksheet 3-74

Table 3.8-3 Number of Truck Shipments of Unirradiated Fuel 3-75

Table 3.8-4 Number of Truck Shipments of Irradiated Fuel 3-76

Table 3.8-5 Number of Truck Shipments of Radioactive Waste 3-77

Table 3.8-6 Non-radiological Transportation Impacts - Accidents, Injuries, and Fatalities per Shipment, Round Trip 3-78

Table 3.8-7 Non-radiological Transportation Impacts - Accidents, Injuries, and Fatalities Annually 3-79

Table 3.8-8 RADTRAN 5 Input Parameters for Analysis of Unirradiated Fuel Shipments 3-80

Table 3.8-9 Annual Radiological Impacts of Transporting Unirradiated Fuel 3-82

Table 3.8-10 RADTRAN 5 Input Parameters for Analysis of Spent Fuel Shipments 3-83

Table 3.8-11 Annual Radiological Impacts of Transporting Spent Fuel 3-85

Table 3.8-12 Spent Fuel Radionuclides for ESBWR 3-86

Table 3.8-13 Annual Spent Fuel Transportation Accident Radiological Impacts 3-87

Table 3.8-14 Distances and Population Densities for Transportation of Unirradiated Fuel to Alternate Sites 3-88

Table 3.8-15 Distances and Population Densities for Transportation of Irradiated Fuel to Alternate Sites 3-89

Table 4.1-1 4-23

Table 4.3-1 Potential Impacts to Terrestrial Communities on the Fermi Site from Construction of Fermi 3 4-61

Table 4.3-2 Important Terrestrial Species Potentially Impacted by Fermi 3 Construction Activities 4-62

Table 4.3-3 Acreage of Detroit River International Wildlife Refuge, Lagoona Beach Unit, Impacted by Fermi 3 4-63

Tables

Table 4.3-4 Vegetation Communities Occurring along the Transmission Corridor1 4-64

Table 4.4-1 Estimated Construction Equipment Noise Emissions 4-97

Table 4.4-2 Construction Workforce within 70-mi and 50-mi Radii of the Fermi Site 4-98

Table 4.4-3 Regional Labor Force in 2000 for the Primary Impact Area and the Assumed Allocation of Fermi 3 Relocating Workers at Peak 4-99

Table 4.4-4 Assumed Primary Impact Area Relocating Worker Households and Students 4-101

Table 4.4-5 Average Wage Data for Key Craft Occupations in the Fermi Region[1] 4-104

Table 4.4-6 Fermi 3 Construction Workforce Employment and Earnings Impacts 4-105

Table 4.5-1 TLD Annual Dose 4-116

Table 4.5-2 Annual Doses to Members of the Public at the Visitor's Center from Gaseous Releases from Fermi 2 4-117

Table 4.5-3 Estimated Doses to Construction Workers from Gaseous Releases from Fermi 2 4-118

Table 4.5-4 Annual Dose to a Construction Worker by Source (mrem) 4-119

Table 4.5-5 Comparison of Construction Worker Dose to Public Dose Limits Specified in 10 CFR 20.1301 4-120

Table 4.5-6 Comparison of Construction Worker Dose from Gaseous Effluent Discharges to Public Dose Limits Specified in 40 CFR 190 4-121

Table 4.5-7 Comparison with 10 CFR 50 Appendix I Criteria for Effluent Doses 4-122

Table 4.6-1 Summary of Measures and Controls to Limit Adverse Impacts During Construction 4-126

Table 4.8-1 Summary of Construction and Pre-Construction Related Impacts 4-146

Table 5.3-1 Model Sets Used in CORMIX Thermal Plume Analysis 5-63

Table 5.3-2 The Four Modeling Scenarios Performed for Each Month in Model Set 1 5-64

Table 5.3-3 Ambient Conditions Time Series and Additional Data Sources 5-65

Table 5.3-4 Monthly Statistics of Ambient Water Temperature Near the Discharge 5-66

Table 5.3-5 Mean Monthly Water Depth at NOAA GLIN Buoy 9063090, Fermi 2, 1964-1969 and 1996-2008 5-67

Table 5.3-6 Monthly Statistics of Ambient Current Speed near the Discharge 5-68

Tables

Table 5.3-7 Average Monthly Wind Velocity at Gross Ile, Michigan, Airport 5-69

Table 5.3-8 Michigan Water Quality Standards, Maximum Allowable Monthly Water Temperatures 5-70

Table 5.3-9 Diffuser Configuration Parameters for CORMIX Modeling 5-71

Table 5.3-10 Monthly Discharge Rates and Temperatures 5-72

Table 5.3-11 Monthly-Variable CORMIX Input Parameters 5-73

Table 5.3-12 Monthly CORMIX Results for Model Set 1, Scenarios 1 and 2: Evaluation of the Maximum Allowable Temperature Rise Standard 5-74

Table 5.3-13 Monthly CORMIX Results for Model Set 2, Scenarios 3 and 4: Evaluation of the Maximum Allowable Absolute Temperature Standard 5-75

Table 5.3-14 Plume Dimensions For May Scenario with Varying Depth 5-76

Table 5.3-15 Plume Length Resulting from Westward Ambient Flow 5-77

Table 5.3-16 Temperature Tolerance Ranges of Selected Principal Aquatic Species 5-78

Table 5.3-17 SACTI Input Parameters 5-79

Table 5.3-18 Average Plume Lengths during NDCT Operation 5-80

Table 5.3-19 Annual Plume Length Frequency during NDCT Operation 5-81

Table 5.3-20 Annual Salt Deposition during NDCT Operation 5-83

Table 5.3-21 Winter Salt Deposition during NDCT Operation 5-86

Table 5.3-22 Spring Salt Deposition during NDCT Operation 5-89

Table 5.3-23 Summer Salt Deposition during NDCT Operation 5-91

Table 5.3-24 Fall Salt Deposition during NDCT Operation 5-93

Table 5.3-25 5-Year Total Hours of Plume Induced Shadowing during NDCT Operation 5-96

Table 5.3-26 Annual Plume Water Deposition during NDCT Operation 5-98

Table 5.4-1 Liquid Pathway Input Parameters 5-117

Table 5.4-2 Annual Consumption/Usage Rates for MEI and Average Individual Liquid and Gaseous Pathways 5-118

Table 5.4-3 Gaseous Pathway Input Parameters 5-119

Table 5.4-4 Liquid Pathway Doses for Maximally Exposed Individual 5-120

Tables

Table 5.4-5 Comparison of Annual Maximally Exposed Individual Doses with 10 CFR 50, Appendix I Limits 5-121

Table 5.4-6 50-mile Population Doses from Liquid Effluents 5-122

Table 5.4-7 50-mile Population Doses from Gaseous Effluents 5-123

Table 5.4-8 Comparison of Maximally Exposed Individual Doses with 40 CFR 190 Criteria 5-124

Table 5.4-9 Doses to Biota from Liquid and Gaseous Effluents 5-125

Table 5.7-1 Scaling Factor - Reference LWR and Fermi 3 5-152

Table 5.7-2 Summary Table S-3 – Uranium Fuel Cycle Environmental Data 5-153

Table 5.7-3 Comparison of Annual Average Dose Received by an Individual from All Sources 5-156

Table 5.8-1 Estimated Facility Noise Impacts – Increase in Ambient Sound Level (Cooling Systems and Transformers) 5-176

Table 5.8-2 Estimated Facility Noise Impacts – Increase in Day-Night Sound Level (L_{dn}) (Cooling Systems and Transformers) 5-177

Table 5.8-3 Estimated Emissions of CO2 from Fermi 3 Worker Vehicles 5-178

Table 5.8-4 Estimated Emissions of CO2 from Fermi 3 On-site Support Vehicles and Heavy Equipment 5-179

Table 5.8-5 Estimated Emissions of CO_2 from Fermi 3 Deliveries and Removal of Fuel and Materials 5-181

Table 5.8-6 Approximate Annual Tax Impact Attributed to the Increase in Personal Income Associated with Fermi 3 Permanent Staff (2008 dollars) 5-182

Table 5.8-7 2020 Population and the Assumed Residence of Relocating Fermi 3 Operating Staff in the Primary Impact Area* 5-183

Table 5.8-8 Fermi 3 Operations Workforce Employment and Earnings Impacts 5-184

Table 5.10-1 Summary of Measures and Controls to Limit Adverse Impacts During Operation 5-190

Table 6.2-1 Fermi 2 Radiological Environmental Monitoring Program Locations 6-9

Table 6.2-2 Radiological Environmental Monitoring Program Summary 6-17

Table 6.3-1 Groundwater and Surface Water Testing Parameters 6-28

Tables

Table 6.4-1 Meteorological Parameters Monitored at the Fermi Site 6-39

Table 6.4-2 Accuracies and Thresholds for the Fermi Onsite Meteorological Monitoring Program Instruments 6-40

Table 6.4-3 Method for Substituting Redundant Parameters of the Critical Meteorological Measurements 6-41

Table 6.4-4 Data Recovery Percentages for the Fermi Onsite Meteorological Monitoring Instruments During the 2003-2007 Time Period 6-42

Table 6.6-1 Surface Water Quality Monitoring Program Information from Fermi 2 NPDES Permit No. MI0037028 6-55

Table 6.6-2 Anticipated Fermi 3 Surface Water Quality Monitoring Program Derived from Fermi 2 NPDES Permit No. MI0037028 Requirements 6-58

Table 6.7-1 Thermal Monitoring 6-63

Table 6.7-2 Radiological Monitoring 6-64

Table 6.7-3 Hydrological Monitoring 6-65

Table 6.7-4 Meteorological Monitoring 6-67

Table 6.7-5 Terrestrial Ecological Monitoring 6-68

Table 6.7-6 Aquatic Ecological Monitoring 6-69

Table 6.7-7 Chemical Monitoring 6-70

Table 6.7-8 Noise Monitoring 6-72

Table 7.1-1 Maximum 50th percentile C/Q Values 7-4

Table 7.1-2 Determination of C/Q Ratios 7-5

Table 7.1-3 Summary of Design Bases Accident Doses 7-6

Table 7.1-4 Feedwater Line Break Pre-Incident Iodine Spike (DCD Doses are from DCD Table 15.4-16) 7-7

Table 7.1-5 Feedwater Line Break Equilibrium Iodine Spike (DCD Doses are from DCD Table 15.4-16) 7-8

Table 7.1-6 Small Line Carrying Primary Coolant Outside Containment Pre-Incident Iodine Spike (DCD Doses are from DCD Table 15.4-19) 7-9

Table 7.1-7 Small Line Carrying Primary Coolant Outside Containment Equilibrium Iodine Spike (DCD Doses are from DCD Table 15.4-19) 7-10

Tables

Table 7.1-8 Main Steam Line Break Pre-Incident Iodine Spike (DCD Doses are from DCD Table 15.4-13) 7-11

Table 7.1-9 Main Steam Line Break Equilibrium Iodine Spike (DCD Doses are from DCD Table 15.4-13) 7-12

Table 7.1-10 Loss of Coolant Accident (DCD Doses are from DCD Table 15.4-9) 7-13

Table 7.1-11 Fuel Handling Accident (Reactor Building or Fuel Building) (DCD Doses are from DCD Table 15.4-4) 7-14

Table 7.1-12 RWCU/SDC Line Break Pre-Incident Iodine Spike (DCD Doses are from DCD Table 15.4-23) 7-15

Table 7.1-13 RWCU/SDC Line Break Equilibrium Iodine Spike (DCD Doses are from DCD Table 15.4-23) 7-16

Table 7.2-1 Impacts to the Population and Land from Fermi 3 Severe Accidents Analysis . 7-27

Table 7.2-2 Comparison of Fermi 3 Results to U.S. NRC Safety Goals 7-28

Table 7.3-1 Valuation of the Detroit Edison ESBWR Base Case 7-32

Table 7.4-1 Radionuclide Inventory Used in Transportation Accident Risk Calculations for the ESBWR 7-37

Table 8.1-1 Sales Information by Rate Class
Sales by Rate Class (MW-hr) 8-12

Table 8.1-2 Sales Information by Rate Class
Customer Count by Rate Class 8-12

Table 8.1-3 Sales Information by Rate Class
Average Sales per Customer (MW-hr) 8-13

Table 8.1-4 Sales Information by Rate Class
% of Total MW-hr by Rate Class 8-13

Table 8.2-1 Annual Electric Sales (1990 – 2004)
Units are in Gigawatt-hours (GWh) 8-30

Table 8.2-2 Peak Demand (1990 – 2004)
Units are in Megawatts (MW) 8-31

Table 8.2-3 Annual Sales Forecast - Base Case
Units are in Gigawatt-hours (GWh) 8-32

Table 8.2-4 Annual Sales Forecast – High Growth Scenario
Units are in Gigawatt-hours (GWh) 8-33

Tables

Table 8.2-5 Annual Sales Forecast – Low Growth Scenario Units are in Gigawatt-hours (GWh) 8-34

Table 8.2-6 Peak Demand Forecast - Base Case Units are in Megawatts (MW) 8-35

Table 8.2-7 Peak Demand Forecast - High Growth Scenario Units are in Megawatts (MW) 8-36

Table 8.2-8 Peak Demand Forecast - Low Growth Scenario Units are in Megawatts (MW) 8-37

Table 8.2-9 Total Projected Electric Savings Due to Energy Efficiency 8-38

Table 8.2-10 Total Projected Peak Electric Demand Reduction Due to Energy Efficiency 8-38

Table 8.3-1 Michigan Electrical Generating Unit Inventory, Region: Southeast Michigan ... 8-50

Table 8.3-2 Michigan Electrical Generating Unit Inventory, Region: Balance of Lower Peninsula 8-51

Table 8.3-3 Michigan Electrical Generating Unit Inventory, Region: Upper Peninsula 8-52

Table 8.3-4 ITC*Transmission* Region, Existing Generation Resources (Greater than 100 MW) 8-53

Table 8.3-5 METC Region, Existing Generation Resources (Greater than 100 MW) 8-54

Table 8.3-6 Wolverine Power Supply Cooperative, Existing Generation Resources (Greater than 100 MW) 8-55

Table 8.3-7 Lansing Board of Water & Light, Existing Generation Resources (Greater than 100 MW) 8-55

Table 8.3-8 Midwest ISO Interconnection Request Queue as of June 11, 2008..... 8-56

Table 8.3-9 Summary of Active Generator Interconnection Requests In the State of Michigan by Fuel Type (As of June 11, 2008)..... 8-57

Table 8.3-10 Key Interface Capabilities..... 8-57

Table 8.3-11 Modeled Unit Retirement Schedule..... 8-58

Table 8.3-12 Aggregate Unit Retirements 8-59

Table 8.4-1 Reserve Margin Analysis (Reserve Margin with No Capacity Additions) 8-76

Table 8.4-2 Summary of Scenarios and Sensitivities 8-77

Table 8.4-3 Comparison of Scenarios Using Base Case Demand Assumptions (2006 – 2025) 8-78

Table 9.2-1 Average Capacity Factors for Renewable Resources 9-36

Table 9.2-2 State of Michigan Capacity Projections from Renewables for 7 and 10 Percent Renewable Portfolios (MWe) 9-37

Table 9.2-3 Energy Projections for 7 and 10 Percent Renewable Portfolios (GWh/year and Percent of Total Generation Requirements) 9-38

Table 9.2-4 Total Biomass Resources Available – State of Michigan 9-39

Table 9.2-5 Estimated Coal-Fired Power Plant Emissions 9-40

Table 9.2-6 Estimated Natural Gas-Fired Power Plant Emissions 9-41

Table 9.2-7 Impacts Comparison Summary 9-42

Table 9.3-1 Listing of Potential Sites 9-65

Table 9.3-2 Potential Site Evaluation Summary Table 9-66

Table 9.3-3 Evaluation Scores of Candidate Sites 9-69

Table 9.3-4 Ranking of the Candidate Sites 9-74

Table 9.4-1 Screening of Alternative Heat Dissipation Systems 9-102

Table 9.4-2 Summary Comparison of Heat Dissipation Systems Impacts 9-110

Table 9.4-3 Screening of Alternatives to the Proposed Intake System (Base Case & Alternative 1) 9-111

Table 9.4-4 Screening of Alternatives to the Proposed Intake Location (Base Case & Alternative 2) 9-112

Table 9.4-5 Screening of Alternatives to the Proposed Discharge System (Base Case & Alternative 3) 9-114

Table 9.4-6 Screening of Alternatives to the Proposed Discharge Location (Base Case & Alternative 4) 9-115

Table 9.4-7 Screening of Alternatives to the Proposed Water Treatment System (Base Case & Alternatives 5 & 6) 9-117

Table 10.1-1 Unavoidable Adverse Environmental Impacts of Construction 10-3

Table 10.1-2 Unavoidable Adverse Environmental Impacts of Operation 10-8

Table 10.2-1 Summary of Irreversible and Irretrievable Commitment of Environmental Resources 10-17

Table 10.2-2 Commitment of Materials 10-19

Table 10.3-1 Comparison of Short-Term Uses to Long-Term Productivity 10-23

Table 10.4-1 Monetary and Non-Monetary Benefits of Fermi 3 10-33

Table 10.4-2 Internal and External Costs of Fermi 3 10-34